Insects
467.647
Smith
24

Coleopterorum Catalogus

auspiciis et auxilio

W. Junk

editus a

S. Schenkling.

Pars 15:

H. Gebien

Tenebrionidae I.

Einzel-Preis: Mark 15.60
Subscriptions-Preis: Mark 10.40

W. Junk
Berlin W. 15, Kurfuerstendamm 201.
25. V. 1910.

Smithsonian Institution
JUL 28 1910
213480

W. JUNK, Berlin W. 15.

Coleopterorum Catalogus.

Pars 1: **R. Gestro,** Rhysodidae. 1910. 11 p.
(Mark 1) Mk. 0.65

2: **F. Borchmann,** Nilionidae, Othniidae, Aegialitidae, Petriidae, Lagriidae. 1910. 32 p.
(Mark 3) Mk. 2.—

3: **F. Borchmann,** Alleculidae. 1910. 80 p.
(Mark 7.50) Mk. 5.—

4: **M. Hagedorn,** Ipidae. 1910. 134 p.
(Mark 12.75) Mk. 8.50

5: **R. Gestro,** Cupedidae, Paussidae. 1910. 31 p.
(Mark 3) Mk. 2.—

6: **H. Wagner,** Curculionidae: Apioninae. 1910. 81 p.
(Mark 7.50) Mk. 5.—

7: **H. von Schönfeldt,** Brenthidae. 1910. 57 p.
(Mark 5.25) Mk. 3.50

8: **G. van Roon,** Lucanidae. 1910. 70 p.
(Mark 6.50) Mk. 4.35

9: **E. Olivier,** Lampyridae. 1910. 68 p.
(Mark 6.35) Mk. 4.25

10: **E. Olivier,** Rhagophthalmidae, Drilidae. 1910. 10 p.
(Mark 1) Mk. 0.65

11: **A. Léveillé,** Temnochilidae. 1910. 40 p.
(Mark 3.75) Mk. 2.50

12: **E. Csiki,** Endomychidae. 1910. 68 p.
(Mark 6.35) Mk. 4.25

13: **E. Csiki,** Scaphidiidae. 1910. 21 p.
(Mark 2) Mk. 1.30

14: **M. Pic,** Hylophilidae. 1910. 25 p.
(Mark 2.40) Mk. 1.60

QL
571
C692
ENT

Coleopterorum Catalogus

auspiciis et auxilio

W. Junk

editus a

S. Schenkling.

Pars 15, 22, 28, 37:

H. Gebien

Tenebrionidae. — Trictenotomidae.

W. Junk
Berlin W. 15, Kurfuerstendamm 201.
1911.

Coleopterorum Catalogus

auspiciis et auxilio

W. Junk

editus a

S. Schenkling.

Pars 15:

H. Gebien

Tenebrionidae I.

W. Junk
Berlin W. 15, Kurfuerstendamm 201.
1910.

Druck von A. Hopfer in Burg b. M.

Fam. Tenebrionidae

Auct. H. Gebien.

Mulsant, Hist. Nat. Col. France, Latigènes 1854, p. 1—396. — Lacordaire, Genera Col. V, 1859, p. 1—489, 722—732. — Jacquelin du Val, Genera Col. d'Europe III, 1861. — Horn, Revis. Tenebr. of America north of Mexico in Trans. Amer. Phil. Soc. Philad. (n. ser.) XIV, 1870 (erschien. 1872) p. 253—402 (Verein. Staaten). — Leconte and Horn, Classif. Col. of N. America 1883, p. 358—387. — Champion, Biologia Centr.-Amer. Col. IV, 1, 1884—1893, p. 1—384, 477—563 (Centr.-Amerika). — Seidlitz, Naturg. Ins. Deutschl. V, 1, p. 201—400 (1893), 401—608 (1894), 609—800 (1896), Nachträge 1898 (Deutschland). — Lewis, Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 377—484 (Japan). — Desbrochers des Loges, Faunule des Col. de la France et de la Corse in Frelon IX, 1901, p. 137—193; X, 1901, p. 1—44; X, 1902, p. 81—104, 161—188; XI, 1902, p. 1—56, 65 bis 112 (Paginierung zum großen Teil konfus!). — Reitter, Bestimmungstabellen der europ. Coleopt. Heft LIII, in Verhandl. Naturf. Ver. Brünn XLII, 1904, p. 25—34 (Übersicht über die Unterfamilien).

Über eine Anzahl Unterfamilien: Solier, Essai d'une Division des Coleopt. Hétéromères et d'une Monographie de la Fam. des Collaptérides, in Ann. Soc. Ent. Fr. III, 1834, p. 479—636; IV, 1835, p. 249—419; 509—574; V, 1836 p. 5—200, 303—355, 403—512, 635—684; VI, 1837, p. 151—172; VII, 1838, p. 5—73, 159—199; IX, 1840, p. 207—370; X, 1841, p. 29—51; Mem. Ac. Sc. Turin (2) VI, 1844, p. 214—339 (1—127)*) *(Molurites)*; Studi ent. II, 1848 (Turin), p. 149—370 (1—224)*) *(Blapsites)*. Umfaßt die Unterfamilien: *Erodites, Zophosites, Tentyrites, Macropodites (Adesmiinae), Piméliites, Nyctélites, Asidites, Akisites, Adélostomites (Eurychorinae), Tagénites (Stenosinae* und *Scotobiinae), Scaurites, Praocites (Praocinae* und *Coniontinae), Cryptochilites, Blapsites, Molurites* (incl. *Sepidiinae*). — Kraatz, Revision der Tenebrioniden der alten Welt aus Lacordaires Gruppen der *Erodiides, Tentyriides, Akisides, Pimeliides* und der europäischen *Zophosis*-Arten, 1865 (1864), p. 1 bis 393. — Reitter, Bestimmungstabellen der europäischen Coleopt. Heft LIII, in Verhandl. Naturf. Ver. Brünn XLII, 1904, p. 34—189. Umfaßt die Unterfamilien: *Lachnogyini, Akidini, Pedinini, Opatrini, Trachyscelini*. — Casey, A Revision of the American Components of the Tenebrionid Subfamily *Tentyriinae* (im weitesten Sinne Leconte's u. Horn's) in Proc. Wash. Acad. Sc. IX, 1907, p. 275

*) Die eingeklammerten Zahlen bedeuten hier, wie im ganzen Katalog, die Seitenzahlen der ausschließlich separat paginierten Sonderabzüge. Sind diese doppelt paginiert, dann ist hier nur die Seitenzahl in der Zeitschrift angegeben.

bis 522, und die Fortsetzung: A Revision of the Tenebrionid Subfamily *Coniontinae*, op. cit. X, 1908, p. 51—166.

Kataloge: Gemminger und Harold, Catal. Coleopt. VII, 1870, p. 1801—2041 (bis zur Gattung *Talanus* incl.). — Champion, A List of Tenebrionidae, supplementary to the „Munich" Catalogue, in Mém. Soc. Ent. Belg. III, 1895, p. 1—261. — Gebien, Notizen zu diesen beiden Katalogen I: Wien. Ent. Zeit. XXIV, 1905, p. 252—260; II: ibid. XXVII, 1908, p. 155—161. — Kolbe, Coleoptera in Stuhlmann's Ostafrika IV, 1897, p. 237—250 (Ostafrika). — Fall a. Cockerell, Trans. Amer. Ent. Soc. XXXIII, 1907, p. 201 ff. (Neu-Mexico).

I. Cnemodininae.

Horn, Revis. Tenebr. in Trans. Amer. Philos. Soc. (n. ser.) XIV, 1870, p. 257, 266. — Leconte and Horn, Class. Col. N. Amer. 1883, p. 360, 363. — Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 278, 283.

Cnemodinus Cock.

Cockerell, Ent. News XVII, 1906, p. 242.

Cnemodus Horn, Revis. Tenebr. 1870, p. 266. — Cas. Proc. Wash. Acad. Sc. IX, 1907, p. 283 (Mon.).

angustulus Cas. Mon. p. 284.	Arizona
subhyalinus Cas. Mon. p. 285.	Utah
testaceus Horn, Revis. Tenebr. 1870, p. 266, t. 14, f. 10. — Cas. Mon. p. 284.	Californien

3

II. Erodiinae.

Solier, Ann. Soc. Ent. Fr. III, 1834, p. 500, 506. — Lacordaire, Genera Col. V, 1859, p. 14, 17. — Jacquelin du Val, Genera Col. Eur. III, 1861, p. 245, 326. — Kraatz, Revis. Tenebr. 1865 (1864) p. 4. — Seidlitz, Naturg. Ins. Deutschl. V, 1893, p. 219, 223. — Reitter, Entom. Nachr. XXVI, 1900, p. 298; Best. Tab. LIII in Verh. naturf. Ver. Brünn XLII, 1904, p. 28. — Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 280. — Leone 1915 Bull. Mus. Nat. d'Hist. Nat. 1915. pp. 225-240. (4 n. gen.) (P.C.)

Leptonychus Chevr.

Chevr. Silb. Rev. I, 1833, p. 26. — Cast. Hist. Nat. II, 1840, p. 185. — Lacord. Genera Col. V, 1859, p. 18. — Kraatz, Revis. Tenebr. 1865, p. 13. — Reitt. Ent. Nachr. XXVI, 1900, p. 298.

Piestognathus Lucas, Bull. Soc. Ent. Fr. 1858, p. 188. — Lacord. Genera Col. V, 1859, p. 724.

convexiventris Fairm. Ann. Mus. Genova VII, 1875, p. 517 nota.	Sahara alg.
Douei Luc. Bull. Soc. Ent. Fr. 1858, p. 188. — Kraatz, Revis. Tenebr. 1865, p. 68.	Algier, Tunis

asperipennis Fairm. Ann. Mus. Genova VII, 1875, p. 516. — Bedel, Bull. Soc. Ent. Fr. 1877, p. XIX.

erodioides Chevr. Silb. Rev. I, 1833, p. 27, t. 1. — Sol. Ann. Soc. Ent. Fr. II, 1834, p. 511. — Senegal
Chevrolati Cast. Hist. Nat. II, 1840, p. 185.

laevisternus Fairm. Bull. Soc. Ent. Fr. 1882, p. CLXXVIII. — Tripolis

Maillei Sol. Ann. Soc. Ent. Fr. III, 1834, p. 512, t. 12, f. 3—10. — Senegal

rufipennis Guér. Bull. Soc. Ent. Fr. 1859, p. 187. — Kraatz, Revis. Tenebr. 1865, p. 13. — Algier
pellucidus Muls. et God. Ann. Soc. Linn. Lyon XII, 1865, p. 540.

sabulicola Chob. Rev. d'Ent. XVII, 1898, p. 81. — ,,

7

Ammozoum Sem.

Sem. Horae Ent. Ross XXV, 1891, p. 352. — Reitt. Ent. Nachr. XXVI, 1900, p. 299.

bulla Sem. Horae Ent. Ross. XXIX, 1894—95, p. 353. — Reitt. Ent. Nachr. XXVI, 1900, p. 300. — Transcasp.

castaneus Vaul. Bull. Soc. Ent. Fr. 1897, p. 294. — Buchara

Hauseri Reitt. Deutsche Ent. Zeitschr. 1894, p. 48; Ent. Nachr. XXVI, 1900, p. 301. — Transcasp.

hyalinum Sem. Horae XXV, 1891, p. 353. — Reitt. Ent. Nachr. XXVI, 1900, p. 301. — ,,

validicorne Reitt. Ent. Nachr. XXVI, 1900, p. 301. — Buchara

5

Diaphanidus Reitt.

Reitt. Ent. Nachr. XXVI, 1900, p. 299.

antennatus Reitt. Deutsche Ent. Zeitschr. 1894, p. 48; Ent. Nachr. XXVI, 1900, p. 301. — Transcasp.

Semenowi Reitt. Ent. Nachr. XXVI, 1900, p. 302. — Turkestan

2

Arthrodosis Reitt.

Reitt. Ent. Nachr. XXVI, 1900, p. 299; Wien. Ent. Zeit. XXI, 1902, p. 213 (Mon).

fimbriatus Mén. Mém. Acad. Pet. VI, 1849, p. 217 (1), t. 3, f. 1. — Kraatz, Revis. Tenebr. 1865, p. 16, 67. — Buchara

globosus Fald. Fauna transcauc. II, 1837, p. 3, t. 1, f. 11. — Faust, Horae Ent. Ross. XI, 1875, p. 165. — Reitt. Mon. p. 213. — Turcoman.

intermedius Reitt. Deutsche Ent. Zeitschr. 1889, p. 27; Mon. p. 214. — Transcasp.

orientalis Kraatz, Revis. Ten. 1865, p. 11 nota 2. — Faust, Horae Ent. Ross. XI, 1875, p. 165. — Reitt. Mon. p. 214. — ,,

puncticollis Reitt. Mon. p. 214. — Buchara

5

Arthrodeis Sol.

Sol. Ann. Soc. Ent. Fr. III, 1834, p. 513. — Lacord. Genera Col. V, 1859, p. 19. — Woll. Catal. Canar. Col. 1864, p. 437. — Kraatz, Revis. Ten. 1865, p. 10. — Reitt. Ent. Nachr. XXVI, 1900, p. 300.

arabicus Kirchsb. Deutsche Ent. Zeitschr. XXI, 1877, p. 204. — Fairm. Rev. et Mag. Zool. 1879, p. 185 (8).	Djedda
asperulus Gestro, Ann. Mus. Genova (2) XV, 1895, p. 365.	Somaliland
bidentulus Fairm. Natural. (2) I, 1879, p. 4; Rev. et Mag. Zool. 1879, p. 186 (9).	Arabien
byrrhiformis Fairm. Rev. d'Ent. XI, 1892, p. 106.	Obock
byrrhoides Woll. Cat. Can. Col. 1864, p. 441.	Canarische Inseln
cicatrix Fairm. Natural. (2) I, 1879, p. 4; Rev. et Mag. Zool. 1879, p. 185 (8).	Arabien
costifrons Woll. Cat. Can. Col. 1864, p 445.	Canarische Inseln
cruciatus Sol. Ann. Soc. Ent. Fr. III, 1834, p. 517. — Fairm. Rev. et Mag. Zool. 1879, p. 184 (7).	Aegypten
crypticoides Fairm. Natural. (2) I, 1879, p. 4; Rev. et Mag. Zool. 1879, p. 186 (9).	Aegypten?, Arabien?
curtus Brll. Webb. et Berth. Ins. Canar. 1838, p. 63, t. 1, f. 7. — Woll. Cat. Can. Col. 1864, p. 439.	Canarische Inseln
cyphonotus Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 166.	Somaliland
emarginatus Woll. Cat. Can. Col. 1864, p. 447.	Canarische Inseln
erodioides Fairm. Pet. Nouv. Ent. I, 1875, p. 543; Rev. et Mag. Zool. 1879, p. 183 (6).	Marocco
ferrugineus Fisch. Lettre à Pander 1821, p. 12; Entom. Ross. II, 1822, p. 195, t. 20, f. 6.	Tartaria
geotrupoides Woll. Cat. Can. Col. 1864, p. 447.	Canarische Inseln
globosus Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 186. *syriacus* Kraatz, Revis. Ten. 1865, p. 11 nota 1.	Syrien
glomeratus Fairm. Ann. Soc. Ent. Fr. (4) X, 1870, p. 384; Rev. et Mag. Zool. 1879, p. 183 (6).	Marocco
Hartungi Woll. Cat. Can. Col. 1864, p. 442. *?obesus* Heer in Hartung, Geol. Verh. Lanz. 1856, p. 141.	Canarische Inseln
impressifrons Baudi, Deutsche Ent. Zeitschr. 1881, p. 274.	Arabien
inflatus Woll. Cat. Can. Col. 1864, p. 439.	Canarische Inseln
lateripunctatus Fairm. Ann. Soc. Ent. Fr. (6) X, 1890, p. 553.	InselCamaran
laticollis Brll. Webb et Berth. Ins. Canar. 1838, p. 63. — Woll. Cat. Can. Col. 1864, p. 441.	Canarische Inseln
laxepunctatus Fairm. Compt. rend. Soc. Ent. Belg. 1884, p. CXXIII; Ann. Soc. Ent. Fr. (6) VII, 1887, p. 167.	Somali
Maindroni Vauloger, Bull. Soc. Ent. Fr. 1897, p. 294.	Kurrachée
malleatus Woll. Cat. Can. Col. 1864, p. 446.	Canar. Inseln
nitidiventris Fairm. Compt. rend. Soc. Ent. Belg. 1884, p. CXXIII; Ann. Soc. Ent. Fr. (6) VII, 1887, p. 168.	Somaliland
obesus Brll. Webb et Berth. Ins. Canar. Ent. 1838, p. 63. — Woll. Cat. Can. Col. 1864, p. 440.	Canar. Inseln

obliteratus Sol. Ann. Soc. Ent. Fr. III, 1834, p. 516. — Fairm. Rev. et Mag. Zool. 1879, p. 184 (7). — Aegypten
occidentalis Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 484; Rev. et Mag. Zool. 1879, p. 183 (6). — Marocco
opaculus Fairm. Compt. rend. Soc. Ent. Belg. 1884, p. CXIX. — „
parcepunctatus Woll. Cat. Can. Col. 1864, p. 443. — Canar. Inseln
Perraudieri Woll. Col. Atlant. App. 1865, p. 58. — „
pinguis Ancey, Natural III, 1881, p. 509. — Aden
plicatulus Fairm. Ann. Soc. Ent. Fr. (6) III, 1883, p. 97. — Abessinien
plicatus Gestro, Ann. Mus. Genova (2) XII, 1892, p. 764. — Somaliland
punctatulus Woll. Cat. Canar. Col. 1864, p. 443. — Canar. Inseln
rotundatus Sol. Ann. Soc. Ent. Fr. III, 1834, p. 515, t. 13, f. 1—6. — Fairm. Rev. et Mag. Zool. 1879, p. 184 (7). — Aegypten
ruguliventris Fairm. Compt. rend. Soc. Ent. Belg. 1884, p. CXXIII; Ann. Soc. Ent. Fr. (6) VII, 1887, p. 168. — Somaliland
subciliatus Woll. Cat. Can. Col. 1864, p. 444. — Canar. Inseln
subcostatus Brll. Webb et Berth. Ins. Canar. Ent. 1838, p. 64. — Woll. Cat. Can. Col. 1864, p. 445. — „

40

Diodontes Sol.

Sol. Ann. Soc. Ent. Fr. III, 1834, p. 518. — Cast. Hist. Nat. II, 1840, p. 185. — Lacord. Genera Col. V, 1859, p. 21. — Kraatz, Revis. Tenebr. 1865, p. 8.

areolatus Gerst. Arch. f. Naturg. XXXVII, 1871, p. 58; Deck. Reis. III, 2, 1873, p. 166, t. 9, f. 6. — Ostafrika, „
fossulatus Sol. Ann. Soc. Ent. Fr. III, 1834, p. 521, t. 13, f. 9. — Senegal
parvus Geb. Ergebn. Exped. Kilimandjaro VII, 1910, p. 366. — Kilimandjaro
porcatus Sol. Ann. Soc. Ent. Fr. III, 1834, p. 519, t. 13, f. 7—8, 10—12. — Senegal
semicribrosus Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. CCXCII (14). — Ostafrika
sulcatus Sol. Ann. Soc. Ent. Fr. III, 1834, p. 522. — Cap

6

Erodius F.

F. Syst. Ent. 1775, p. 258. — Sol. Ann. Soc. Ent. Fr. III, 1834, p. 523 (Mon.). — Lacord. Genera Col. V, 1859, p. 20. — Jacquelin du Val, Genera Col. III, 1861, p. 245. — Kraatz, Revis. Tenebr. 1865, p. 14 (Mon.). — Allard, Rev. et Mag. Zool. 1875, p. 121 (Mon.). — Reitt. Ent. Nachr. XXVI, 1900, p. 300.

Dimeriseis Sol. Ann. Soc. Ent. Fr. III, 1834, p. 530.
Dirosis Mill. Wien. Ent. Monatschr. II, 1858, p. 115. — Lacord. Genera Col. V, 1859, p. 722.

ambiguus Sol. Mon. p. 586. — All. Mon. p. 223 (102). — Algier
antennarius Vaul. Bull. Soc. Ent. Fr. 1897, p. 307. — „
var. *deserticola* Vaul. l. c. — „
Audouini Sol. Mon. p. 569. — All. Mon. p. 199 (78). — „
barbarus Sol. Mon. p. 538. — Kraatz, Mon. p. 27, 60. — All. Mon. p. 148 (27). — Tripolis, Senegal

bicarinatus Er. Wagn. Reis. III, 1841, p. 175, t. 7. — Kraatz, Mon. p. 51, 63. — All. Mon. p. 225 (104). — Algier

bicostatus Sol. Mon. p. 536. — Kraatz, Mon. p. 25, 61. — All. Mon. p. 143 (22). — „

bilineatus Ol. Encycl. méth. VI, 1791, p. 426; Ent. III, 1795, 63, p. 4, t. 1, f. 2 b—c. — Sol. Mon. p. 534. — Cast. Hist. Nat. II, 1840, p. 185. — Kraatz, Mon. p. 25, 64. — All. Mon. p. 140 (19). — Senegal, Cap Verde, Algier

granulosus Sol. Mon. p. 532, t. 14, f. 7. — Kraatz, Mon. p. 24.

Boyeri Sol. Mon. p. 533. — Kraatz, Mon. p. 34, 59. — All. Mon. p. 181 (60). — Algier

brevicollis Kraatz, Mon. p. 50, 64. — All. Mon. p. 226 (105). — Algier, Tunis

brevicostatus Sol. Mon. p. 551. — Kraatz, Mon. p. 33, 59. — All. Mon. p. 192 (71). — Griechenland, Syrien, Aegypten

carinatus Sol. Mon. p. 549, t. 14, f. 13. — Kraatz, Mon. p. 32, 57. — All. Mon. p. 188 (67). — Spanien, Tanger

latus Sol. Mon. p. 574.

Chauveneti Sol. Mon. p. 568. — All. Mon. p. 185 (64). — Tanger

costatus Sol. Mon. p. 539. — Kraatz, Mon. p. 27, 65. — All. Mon. p. 155 (34). — Aegypten

Dejeani Sol. Mon. p. 543. — Kraatz, Mon. p. 28, 68. — All. Mon. p. 172 (51). — Syrien, Mesopot.

Duponcheli All. Ann. Soc. Ent. Fr. (4) IV, 1864, p. 388; Mon. p. 167 (46). — Syrien

Duponti Sol. Mon. p. 562. — Kraatz, Mon. p. 40. — All. Mon. p. 176 (55). — Griechenland, Syrien

elegans Kraatz, Mon. p. 51, 62. — All. Mon. p. 158 (37). — Algier

var. *semicostatus* All. Mon. p. 158 (37). — „

Emondi Sol. Mon. p. 585. — Kraatz, Mon. 47, 61. — All. Mon. p. 110 (89). — Marocco, Algier

exilipes Luc. Bull. Soc. Ent. Fr. 1858, p. 180. — Kraatz, Mon. p. 29, 60. — All. Mon. p. 136 (15). — Algier

externus Fairm. Pet. Nouv. Ent. I, 1874, p. 543. — Mogador

Fabricii Sol. Mon. p. 552. — Kraatz, Mon. p. 34, 66. — All. Mon. p. 193 (72). — Mesopot., Syrien, Caucasus

gibbus F. Syst. Ent. 1775, p. 258. — Guér. Jc. règne an. t. 28, f. 2 a—d. — Kraatz, Mon. p. 50, 67. — All. Mon. p. 128 (107). — Syrien, Aegypten

syriacus Sol. Mon. p. 592.

glabratus Sol. Mon. p. 544. — Kraatz, Mon. p. 29, 64. — All. Mon. p. 137 (16). — Arabien

Goryi Sol. Mon. p. 564. — All. Mon. p. 190 (69). — Berberei

granipennis Fairm. Ann. Soc. Ent. Fr. (4) X, 1870, p. 384. — All. Mon. p. 231 (110). — Marocco

granulosus All. Ann. Soc. Ent. Fr. (4) IV, 1864, p. 388. — Kraatz, Mon. p. 376. — Algier

Henoni All. Mon. p. 147 (26).

impressicollis Vaul. Bull. Soc. Ent. Fr. 1897, p. 307. — Algier, Tunis

Klugi All. Ann. Soc. Ent. Fr. (4) IV, 1864, p. 388; Mon. p. 169 (48). — Palaestina

laevigatus Ol. Encycl. meth. VI, 1791, p. 426; Ent. III, 1795, 63, p. 5, t. 1, f. 4. — Sol. Mon. p. 531. — Cast. Hist. Nat. II, 1840, p. 185. — Kraatz, Mon. p. 24, 64. — All. Mon. p. 139 (18). — Senegal

Olivieri Sol. Mon. p. 530, t. 18, f. 1—6, 8—9. — Kraatz, Mon. p. 23.

laevis Sol. Mon. p. 588. — All. Mon. p. 218 (97). Algier,
affinis Sol. Mon. p. 589. — All. Mon. p. 218 (97). Mallorca

laticollis Sol. Mon. p. 558. — Kraatz, Mon. p. 37, 63. — All. Mon. p. 186 (65). Algier

Latreillei Sol. Mon. p. 537. — Kraatz, Mon. p. 26, 60. — All. Mon. p. 144 (23). „

Lefranci Kraatz, Mon. p. 26, 60. — All. Mon. p. 149 (28). „

lusitanicus Sol. Mon. p. 565. — Kraatz, Mon. p. 41. — All. Mon. p. 183 (62). Spanien, Marocco
africanus Sol. Mon. p. 578. — Kraatz, Mon. p. 44.
tangerianus Sol. Mon. p. 581. — Kraatz, Mon. p. 45.
var. *nitidiventris* Sol. Mon. p. 576. — Kraatz, Mon. p. 44. — All. Mon. p. 183 (62). Spanien

Maillei Sol. Mon. p. 546, t. 14, f. 12. — Kraatz, Mon. p. 30. — All. Mon. p. 161 (40). Syrien

marginicollis Sol. Mon. p. 587. — All. Mon. p. 217 (96). Algier

maximus All. Mon. p. 206 (85). Marocco

Mittrei Sol. Mon. p. 591. — All. Mon. p. 215 (94). Algier

nanus Vaul. Bull. Soc. Ent. Fr. 1897, p. 308. Tunis

neapolitanus Sol. Mon. p. 571, t. 14, f. 11, 14. — Kraatz, Mon. p. 42, 58. — All. Mon. p. 209 (88). Süditalien
var. *dalmatinus* Kraatz, Mon. p. 44. Dalmatien
var. *rotundatus* Kraatz, Mon. p. 43. Spanien

nitidicollis Sol. Mon. p. 583. — Luc. Expl. Alg. 1849, p. 307, t. 27, f. 6. — Kraatz, Mon. p. 46, 62. — All. Mon. p. 207 (86). Algier, Senegal
var. *pulverulentus* All. Mon. p. 208 (87).

nitidicostis All. Mon. p. 220 (99). Algier

oblongus Sol. Mon. p. 555. — Kraatz, Mon. p. 35, 59. — All. Mon. p. 171 (50). — Baudi, Bull. Soc. Ent. It. VI, 1874, p. 188. Chios, Creta Syrien

obtusus All. Mon. p. 221 (100). Spanien

octocostatus Peyerimh. Abeille XXXI, 1907, p. 28. Sinai

opacus Kraatz, Mon. p. 25, 65. — All. Mon. p. 142 (21). Aegypten

orientalis Brll. Exp. Mor. III, 1832, p. 192. — Sol. Mon. p. 563, t. 14, f. 15. — Kraatz, Mon. p. 41, 59. — All. Mon. p. 179 (58). Griechenland
longus Sol. Mon. p. 553. — Kraatz, Mon. p. 35.

parvus Sol. Mon. p. 557. — Kraatz, Mon. p. 36, 58. — All. Mon. p. 160 (39). Spanien

Peirolerii Sol. Mon. p. 590. — All. Mon. p. 216 (95). Sardinien,
Destefanii Failla, Natur. Sicil. 1887, p. 102. Sicilien

proximus Sol. Mon. p. 575. — All. Mon. p. 204 (83). Algier, Spanien

puncticollis Sol. Mon. p. 556. — Kraatz, Mon. p. 36, 65. — All. Mon. p. 163 (42). Aegypten, Sinai
ecostatus Crotch, Ordn. Survey Penins. Sinai 1872, p. 267. — Bedel, Abeille XXXI, 1907, p. 53.

pyriformis All. Mon. p. 203 (82). Sicilien

quadrilineatus Kraatz, Mon. p. 31, 67. — All. Mon. p. 165 (44). Aegypten, Syrien
gibbus Sol. Mon. p. 547. — ?Ol. Ent. III, 1795, 63, p. 5, t. 1, f. 3.

Reichei All. Mon. p. 164 (43). Syrien

rugicollis All. Mon. p. 145 (24). Algier

rugosus All. Ann. Soc. Ent. Fr. (4) IV, 1864, p. 386. — Kraatz, Mon. p. 376.

rugosus Kraatz, Mon. p. 32, 57. — All. Mon. p. 232 (111). Andalusien, Tanger
puncticollis Rosenh. Thiere Andalus. 1856, p. 183.

Servillei Sol. Mon. p. 540. — Kraatz, Mon. p. 27, 66. — All. Mon. p. 152 (31). — Peyerimh. Abeille XXXI, 1907, p. 27. Aegypten, Sinai, Syrien, Persien, Mesopotamien

nervosus Mill. Wien. Ent. Monatschr. II, 1858, p. 116. — Kraatz, Mon. p. 15, 65. — All. Mon. p. 156 (35).

scaber Sol. Mon. p. 542. — Mill. Wien. Ent. Monatschr. II, 1858, p. 124. — Kraatz, Mon. p. 28, 66. — Heyd. Deutsche Ent. Zeitschr. 1899, p. 255.

sinaiticus Crotch, Ordn. Surv. Penins. Sinai 1872, p. 267. — Bedel, Abeille XXXI, 1907, p. 53.

siculus Sol. Mon. p. 570. — All. Mon. p. 198 (76). — Rottenb. Berl. Ent. Zeit. XIV, 1870, p. 246. Sicilien

Solieri All. Mon. p. 212 (91). Algier

subnitidus Sol. Mon. p. 579. — Kraatz, Mon. p. 45. — All. Mon. p. 296 (75). Marocco

subparallelus Sol. Mon. p. 584. — Kraatz, Mon. p. 47. — All. Mon. p. 214 (93). Algier

var. *subcostatus* Sol. Mon. p. 580. — All. Mon. 214 (93).

Thibaulti Fairm. Pet. Nouv. Ent. II, 1877, p. 141. „

tibialis Linn. Syst. nat. ed. 12, p. 678. — Kraatz, Mon. p. 57. — All. Mon. p. 174 (53). Spanien

bilineatus Hbst. Käf. VIII, 1799, p. 174, t. 127, f. 12.

europaeus Sol. Mon. p. 560. — Jacq. du Val, Gen. Col. III, 1861, t. 59, f. 292.

distinctus All. Ann. Soc. Ent. Fr. (4) IV, 1864, p. 394.

var. *curvipes* Sol. Mon. p. 567. — Kraatz, Mon. p. 41.

vicinus Sol. Mon., p. 582. — All. Mon. p. 202 (80). Süditalien

Wagneri Er. Wagn. Reis. III, 1841, p. 175, t. 7. — Kraatz, Mon. p. 50, 63. — All. Mon. p. 224 (103). Algier

zophosoides All. Ann. Soc. Ent. Fr. (4) IV, 1864, p. 387. — Mon. p. 229 (108). „

dimidiatipennis Kraatz, Mon. p. 30, 61.

66

Amnodeis Mill.

Mill. Wien. Ent. Monatschr. II, 1858, p. 117. — Lacord. Genera Col. V, 1859, p. 723. — Kraatz, Revis. Tenebr. 1865, p. 7. — Reitt. Ent. Nachr. XXVI, 1900, p. 300.

asiaticus Mill. Wien. Ent. Monatschr. II, 1858, p. 122. — Kraatz, Revis. 1865, p. 8. Kleinasien

Wagneri Chevr. Pet. Nouv. Ent. II, 1877, p. 113. — Fairm. Bull. Soc. Ent. Fr. 1885, p. CCV.

confluens Mill. l. c. p. 123. — Kraatz, Revis. p. 8. Mesopotamien, Aegypten

nitidus Chevr. Pet. Nouv. Ent. II, 1877, p. 113. — Fairm. Bull. Soc. Ent. Fr. 1885, p. CCV.

giganteus Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 187, t. 5, f. 3. — Mill. Wien. Ent. Monatschr. II, Syrien

1858, p. 121. — Lacord. Genera Col. V, 1859, p. 21 nota.
laticollis Latr. Dict. Hist. nat. XIII, 1804, p. 575.
grandis Mill. Wien. Ent. Monatschr. II, 1858, p. 120. Kleinasien
4

Anodesis Sol.

Sol. Ann. Soc. Ent. Fr. III, 1834, p. 594. — Lacord. Genera Col. V, 1859, p. 21. — Kraatz, Revis. Tenebr. 1865, p. 7.

Cleryi Sol. l. c. p. 595, t. 14, f. 17—19. Senegal
1

Spyrathus Kraatz.

Kraatz, Revis. Tenebr. 1865, p. 9.

africanus Fairm. in Revoil, Faune et Flore Çomal. Col. 1882, p. 62. — Lesne 1915. Somaliland
Fabrii Fairm. Bull. Soc. Ent. Fr. 1883, p. LV. Indien
indicus Kraatz, Revis. 1865, p. 10. „
politus Waterh. Trans. Linn. Soc. (2) V, 1889, p. 124, t. 14, f. 1. Afghanistan
4

Histeromorphus Kraatz.

Kraatz, Revis. Tenebr. 1865, p. 11. — Lesne 1915. Bull. Mus. Nat. d'Hist. Nat. p. 226-8. (PC)

plicatipennis Waterh. Proc. Zool. Soc. 1881, p. 473, t. 43, f. 1. Socotra
plicatus Kraatz, Revis. 1865, p. 12. Abessinien
undatus Gahan, Bull. Liverp. Mus. III, 1, 1900, p. 8; Nat. Hist. Socotra, p. 290, t. 7, f. 7. Socotra
3

Histeromimus Gah.

Gahan, Journ. Linn. Soc. Zool. XXV, 1895, p. 288.

arabicus Gahan l. c. p. 288. Süd-Arabien
1

III. Eurymetopinae.

Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 278, 285.

Arthroconus Sol.

Sol. in Gay, Hist. Chile V, 1851, p. 238. — Lacord. Genera Col. V, 1859, p. 67.
Gymnognathus Sol. l. c. p. 137.

elongatus Sol. l. c. p. 240. Chile
fuscus Sol. l. c. p. 137, t. 18, f. 6. „
piceus Sol. l. c. p. 239, t. 20, f. 8.
2

Stomion Waterh.

Waterh. Ann. Mag. Nat. Hist. XVI, 1845, p. 27. — Lacord. Genera Col. V, 1859, p. 43. — Linell, Proc. U. S. Nat. Mus. XXI, 1898, p. 262.

Bauri Linell, l. c. p. 263.	Galapagos-Inseln
carinipenne Linell, l. c. p. 262.	,,
galapagoense Waterh. Ann. Mag. Nat. Hist. XVI, 1845, p. 29. — Linell, l. c. p. 262.	,,
helopioides Waterh. l. c. p. 30.	,,
laevigatum Waterh. l. c. p. 30.	,,
piceum Linell, Proc. U. S. Nat. Mus. XXI, 1898, p. 262.	,,

6

Eurymetopon Eschsch.

Eschsch. Zool. Atl. IV, 1831, p. 8. — Lacord. Genera Col. V, 1859, p. 66. — Cas. Proc. Wash. Acad. Sc. IX, 1907, p. 288.

minutum Motsch. Bull. Mosc. XVIII, 1845, I, p. 78.	Kamtschatka
ochraceum Eschsch. Zool. Atl. IV, 1831, p. 8, t. 18, f. 2. — Mannerh. Bull. Mosc. XVI, 1843, II, p. 264. — Cas. Ann. N. Y. Ac. V, 1890, p. 347.	Californien
rufipes Eschsch. Zool. Atl. IV, 1831, p. 8, t. 18, f. 1. — Mannerh. Bull. Mosc. XVI, 1843, II, p. 264. — Horn, Revis. 1870, p. 267. — Cas. Ann. N. Y. Ac. V, 1890, p. 332.	,,

3

Metoponium Cas.

Casey, Proc. Wash. Ac. Sc. IX, 1907, p. 288, 289 (Mon.).

Subg. *Metoponiopsis* Casey, l. c. p. 290.

abnorme Lec. Ann. Lyc. N. York V, 1851, p. 138. — Cas. Mon. p. 291.	Californien
anceps Cas. Mon. p. 294.	Neu-Mexico
arizonicum Cas. Mon. p. 294.	Arizona
bicolor Horn, Revis. 1870, p. 268. — Cas. Ann. N. Y. Ac. V, 1890, p. 336; Mon. p. 311 *(Metoponiopsis)*.	Californien, Arizona
candidum Cas. Mon. p. 292.	Arizona
carbonatum Cas. Contrib. Col. N. Amer. I, p. 43; Mon. p. 297.	,,
cognitum Cas. Mon. p. 305.	Texas
concors Cas. Mon. p. 305.	Californien
congener Cas. Ann. N. Y. Ac. V, 1890, p. 333; Mon. p. 302.	Texas
congruens Cas. Mon. p. 293.	Neu-Mexico
convexicolle Lec. Ann. Lyc. N. York V, 1851, p. 139. — Horn, Revis. 1870, p. 267. — Cas. Ann. N. York Acad. V, 1890, p. 337; Mon. p. 310.	Californien
crassum Cas. Mon. p. 299.	Arizona
cribriceps Cas. Mon. p. 305.	Texas
cylindricum Cas. Ann. N. York Ac. V, 1890, p. 337; Mon. p. 306.	Californien
dubium Cas. Contrib. Col. N. Amer. I, p. 44; Ann. N. York Ac. V, 1890, p. 334; Mon. p. 301.	Arizona

edax Cas. Mon. p. 309. Californien ?
egregium Cas. Mon. p. 300. ,,
emarginatum Cas. Contrib. Col. N. Amer. I, p. 41; Ann. N. Y. Ac. V, 1890, p. 335; Mon. p. 304. Arizona
extensum Cas. Mon. p. 300. Arizona
fatigans Cas. Mon. p. 304. ,,
faustum Cas. Mon. p. 292. Californien
fusculum Cas. Ann. N. Y. Ac. V, 1890, p. 335; Mon. p. 298. Arizona
gravidum Cas. Mon. p. 308. Californien
gulosum Cas. Mon. p. 307. ,,
hebes Cas. Mon. p. 301. Arizona
insulare Cas. Mon. p. 308. Californien
integer Cas. Mon. p. 310. ,,
laticolle Cas. Mon. p. 291. Arizona
ludificans Cas. Mon. p. 303. Texas
molestum Cas. Mon. p. 309. Californien
nevadense Cas. Mon. p. 307. Nevada
opacipenne Cas. Mon. p. 309. Californien
papagonum Cas. Contr. Col. N. Amer. I, p. 42; Mon. p. 298. *sculptile* Cas. l. c. p. 44. Arizona
pallescens Cas. Mon. p. 293. ,,
parvuliceps Cas. Mon. p. 296. ,,
perforatum Cas. Ann. N. Y. Ac. V, 1890, p. 334; Mon. p. 294. ,,
phoenicis Cas. Mon. p. 301. ,,
piceum Cas. Contr. Col. N. Am. I, p. 40; Mon. p. 303. ,,
politum Cas. Ann. N. Y. Ac. V, 1890, p. 338; Mon. p. 302. Texas
probatum Cas. Mon. p. 310. Californien
procerum Cas. Mon. p. 297. Arizona
prolixum Cas. Mon. p. 298. ,,
rufescens Cas. Mon. p. 302. ,,
rufopiceum Cas. Mon. p. 296. ,,
saginatum Cas. Mon. p. 296. Texas
socium Cas. Mon. p. 295. Arizona
subovale Cas. Mon. p. 307. Utah
subsimile Cas. Mon. p. 295. Arizona
testaceum Cas. Mon. p. 303. Californien
tersum Cas. Mon. p. 306. ,,
truncaticeps Cas. Mon. p. 299. Arizona

51

Telabis Cas.

Casey, Ann. N. York Acad. V, 1890, p. 331; Proc. Wash. Ac. IX, 1907, p. 312 (Mon.)

aliena Cas. Mon. p. 325. Arizona
amica Cas. Mon. p. 318. Utah
aspera Cas. Mon. p. 322. Colorado
blanda Cas. Mon. p. 326. Texas
brevicollis Champ. Biol. Centr.-Am. Col. IV, 1, 1884, p. 7, t. 1, f. 7. Mexico
compar Cas. Mon. p. 321. Arizona
crassula Cas. Ann. N. York Ac. V, 1890, p. 344; Mon. p. 320. Texas
curticollis Cas. Mon. p. 321. Arizona
debilis Cas. Ann. N. York Ac. V, 1890, p. 343; Mon. p. 320. ,,
discors Cas. l. c. p. 342; Mon. p. 313. Texas

famelica Cas. Mon. p. 323. Neu-Mexico
fidelis Cas. Mon. p. 320. Californien
histrica Cas. Ann. N. York Ac. V, 1890, p. 340; Mon. p. 317. Arizona
incisa Cas. Mon. p. 322. Californien
sodalis Cas. Ann. N. York Ac. V, 1890, p. 343.
inops Cas. Mon. p. 325. Arizona
lobifrons Cas. Mon. p. 318. „
longipennis Cas. Ann. N. York Ac. V, 1890, p. 339; Mon. p. 313. Neu-Mexico
lustrella Cas. Mon. p. 323. „
mimetica Cas. Mon. p. 319. Texas
muricatula Cas. Ann. N. York Ac. V, 1890, p. 341; Mon. p. 314. Arizona
obtusa Cas. Mon. p. 317. „
opacella Cas. Mon. p. 316. Californien
ovalis Cas. Mon. p. 324. Arizona
pavida Cas. Mon. p. 324. Neu-Mexico
prominens Cas. Mon. p. 314. Texas
proxima Cas. Mon. p. 315. „
punctulata Lec. New. Spec. Col. 1866, p. 105. — Horn, Revis. 1870, p. 268. — Cas. Ann. N. York Ac. V, 1890, p. 340; Mon. p. 316. Californien
rubida Cas. Mon. p. 315. Texas
serrata Lec. New Spec. Col. 1866, p. 106. — Horn, Revis. 1870, p. 268. — Cas. Ann. N. York Ac. V, 1890, p. 345; Mon. p. 325. Arizona
sodalis Horn, Revis. 1870, p. 268. — Cas. Mon. p. 319. Californien
timida Cas. Mon. p. 320. Arizona
uteana Cas. Mon. p. 317. Utah
vafra Cas. Mon. p. 315. Arizona
vapida Cas. Mon. p. 322. Texas

34

Cryptadius Lec.

Lec. Ann. Lyc. N. York V, 1851, p. 140. — Lacord. Genera Col. V, 1859, p. 68. — Horn, Revis. Teneb. 1870, p. 262; Trans. Am. Ent. Soc. V, 1874, p. 32. — Casey, Proc. Wash. Ac. IX, 1907, p. 327 (Mon.)

curvipes Cas. Mon. p. 329. Californien
inflatus Lec. Ann. Lyc. N. York V, 1851, p. 140. — Horn, Revis. 1870, p. 262; Trans. Am. Ent. Soc. V, 1874, p. 32. — Cas. Ann. N. York Ac. V, 1890, p. 346; Mon. p. 328. „
oviformis Cas. Mon. p. 328. „
punctipennis Cas. Mon. p. 328. „

Emmenides Cas.

Casey, Proc. Wash. Ac. IX, 1907, p. 239 (Mon.).

igualensis Champ. Biol. Centr.-Am. Col. IV, 1, 1892, p. 484. — Cas. Mon. p. 516. Mexico
punctatus Lec. New. Spec. Col. 1866, p. 106. — Cas. Ann. N. York Ac. V, 1890, p. 358; Mon. p. 329. Californien

2

Armalia Cas.

Casey, Proc. Wash. Ac. IX, 1907, p. 330 (Mon.).

alatus Champ. Biol. Centr.-Am. Col. IV, 1, 1884, p. 13, 482. — Guatemala
Salvini Champ. l. c. p. 13.
angularis Cas. Mon. p. 331. — Texas
Belti Champ. Biol. Centr.-Am. Col. IV, 1, 1884, p. 11,480. — Centr.-Amer.
rotundicollis Champ. l. c. p. 11.
intermedius Champ. l. c. p. 12.
brevipennis Champ. l. c. p. 10. — Mexico
canaliculatus Champ. l. c. p. 10, t. 1, f. 10. — „
chiriquensis Champ. l. c. p. 9, t. 1, f. 9. — Centr.- u. S.-Amer.
longicornis Champ. l. c. p. 9. — Guatemala
solitarius Champ. l. c. p. 11. — Mexico
texanus Lec. New. Spec. Col. 1866, p. 108. — Horn, Revis. 1870, p. 269. — Cas. Ann. N. York Ac. V, 1890, p. 350; Mon. p. 331. — Texas
variabilis Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 10. — Centr.-Amer.

10

Micrarmalia Cas.

Casey, Proc. Wash. Ac. IX, 1907, p. 516.

constrictus Champ. Biol. Centr.-Am. Col. IV, 1, 1892, p. 482. — Cas. Mon. p. 516. — Mexico

1

Hylocrinus Cas.

Casey, Proc. Wash. Ac. IX, 1907, p. 331 (Mon.).

Subg. *Locrodes* Cas. l. c. p. 332.
Subg. *Paravius* Cas. l. c. p. 332.

ambiguus Champ. Biol. Centr.-Am. Col. IV, 1, 1884, p. 13. — Panama
angustus Cas. Ann. N. York Ac. V, 1890, p. 352; Mon. p. 335 (*Hylocrinus* s. str.). — Arizona
Blaisdelli Cas. Mon. p. 336 (*Hylocrinus* s. str.). — Californien
breviusculus Cas. Mon. 334 (*Hylocrinus* s. str.). — Texas
brunnescens Cas. Mon. 338 *(Locrodes)*. — Utah
cunctans Cas. Mon. p. 336 (*Hylocrinus* s. str.). — Texas
delicatulus Cas. Mon. p. 334 (*Hylocrinus* s. str.). — Utah, Nevada
depressulus Cas. Mon. p. 335 (*Hylocrinus* s. str.). — Californien
filitarsis Cas. Mon. p. 333 (*Hylocrinum* s. str.). — „
fraternus Cas. Mon. p. 338 *(Locrodes)*. — Utah
guatemalensis Champ. Biol. Centr.-Am. Col. IV, 1, 1884, p. 14. — Guatemala
laborans Cas. Mon. p. 337 *(Locrodes)*. — Utah
longulus Lec. Ann. Lyc. N. York V, 1851, p. 139; Horn, Revis. p. 269; Cas. Ann. N. York Ac. V, 1890, p. 351; Mon. p. 333 (*Hylocrinus* s. str.). — Californien
marginatus Cas. Ann. N. York Ac. V, 1890, p. 351: Mon. p. 339 *(Paravius)*. — „
mexicanus Champ. Biol. Centr.-Am. Col. IV, 1, 1892, p.481. — Mexico
oblongulus Cas. Mon. p. 337 *(Locrodes)*. — Californien

parallelus Champ. Biol. Centr.-Am. Col. IV, 1, 1884, p. 12, 481. — Mexico
piceus Cas. Ann. N. York Ac. V, 1890, p. 353; Mon. p. 336 *(Locrodes)*. — Californien
seriatus Champ. Biol. Centr.-Am. Col. IV, 1, 1892, p. 482. — Mexico
subapterus Champ. l. c. p. 481. — ,,
tenebrosus Champ. l. c. 1884, p. 12, 481. — ,,
tenuis Cas. Mon. p. 333 (*Hylocrinus* s. str.). — Arizona
umbrosus Cas. Mon. p. 338 *(Locrodes)*. — Utah
vicinus Champ. Biol. Centr.-Am. Col. IV, 1, 1884, p. 8 nota. — Californien ?

24

Emmenastrichus Horn.

Horn, Proc. Calif. Ac. Sc. (2) IV, 1894, p. 413. — Cas. Proc. Wash. Ac. IX, 1907, p. 340.

cribratus Horn, l. c. p. 413. — Cas. Mon. p. 341. — Californien
erosus Horn, l. c. p. 414. — ,,

2

Ditaphronotus Cas.

Casey, Proc. Wash. Ac. IX, 1907, p. 341 (Mon.).

Championi Cas. Mon. p. 342, 515. — Nicaragua
confusus Champ. Biol. Centr.-Am. Col. IV, I, 1884, p. 15, 482. — Centr.-Amer.
foveicollis Champ. l. c. p. 14, t. 1, f. 11. — ,,
laevicollis Champ. l. c. p. 15. — Panama

4

Posides Champ.

Champ. Biol. Centr.-Am. Col. IV, 1, 1884, p. 6. — Casey, Proc. Wash. Ac. IX, 1907, p. 517.

dissidens Champ. l. c. p. 6, t. 1, f. 2. — Mexico

1

Steriphanus Cas.

Casey, Proc. Wash. Ac. IX, 1907, p. 342 (Mon.).

alutaceus Cas. Mon. p. 348. — Arizona
aridus Cas. Mon. p. 351. — ,,
conicicollis Cas. Ann. N. York Acad. V, 1890, p. 355; Mon. p. 349. — ,,
convexus Lec. New. Spec. Col. 1866, p. 107. — Cas. Ann. N. York Ac. V, 1890, p. 355; Mon. p. 346. — Neu-Mexico
curtus Champ. Biol. Centr.-Am. Col. IV, 1, 1884, p. 16, 483. — Mexico
discrepans Cas. Mon. p. 343. — Arizona
discretus Cas. Ann. N. York Ac. V, 1890, p. 354; Mon. p. 350. — ,,
ellipticus Champ. Biol. Centr.-Am. Col. IV, I, 1884, p. 8 nota. — Mexico ?

glabratus Champ. l. c. p. 16, t. 1, f. 8. Mexico
hilaris Cas. Mon. p. 345. Arizona,Utah
lentus Champ. Biol. Centr.-Am. Col. IV, 1, 1884, p. 16, 483. Mexico
libertus Cas. Mon. p. 350. Arizona
lubricans Cas. Mon. p. 345. ,,
lustrans Cas. Mon. p. 344. ,,
mancus Champ. Biol. Centr.-Am. Col. IV, 1, 1884, p. 15, 483. Mexico
nigrans Cas. Mon. p. 347. Arizona
nitescens Cas. Mon. p. 344. Texas
peropacus Cas. Mon. p. 349. Arizona
perovatus Cas. Mon. p. 351. Texas
picipes Champ. Biol. Centr.-Am. Col. IV, 1, 1884, p. 17. Mexico
placidus Cas. Mon. p. 347. ,,
proprius Cas. Mon. p. 350. Arizona
pulvinatus Champ. Biol. Centr.-Am. Col. IV, 1, 1884, p. 17, 483. Mexico
rugicollis Champ. l. c. p. 17. ,,
rutilans Cas. Mon. p. 346. Texas
subopacus Horn, Revis. Tenebr. 1870, p. 269. — Cas. Ann. N. York Ac. V, 1890, p. 356; Mon. p. 348. Arizona
unicolor Cas. Mon. p. 346. Neu-Mexico ?

27

Steriphanides Cas.

Casey, Proc. Wash. Acad. IX, 1907, p. 515.

stolidus Champ. Biol. Centr.-Am. Col. IV, 1, 1892, p. 483. Mexico

1

Stictodera Cas.

Casey, Proc. Wash. Acad. IX, 1907, p. 352.

pinguis Lec. New Spec. Col. 1866, p. 107. — Cas. Ann. N. York Ac. V, 1890, p. 357, Mon. p. 353. Californien

1

Melanastus Cas.

Casey, Proc. Wash. Acad. IX, 1907, p. 353 (Mon.).

acuminatus Cas. Mon. p. 362. Colorado
acutus Horn, Revis. Tenebr. 1870, p. 270. — Cas. Ann. N. York Ac. V, 1890, p. 364, 502; Mon. p. 362. Nebraska
aequicollis Cas. Mon. p. 360. Californien
ater Lec. Ann. Lyc. N. York V, 1851, p. 139. — Horn, Revis. Tenebr. 1870, p. 269. — Cas. Ann. N. York Acad. V, 1890, p. 360; Mon. p. 355. ,,
coarcticollis Cas. N. York Ac. V, 1890, p. 364, 502; Mon. p. 361. Neu-Mexico
crassicornis Cas. l. c. p. 363; Mon. 360. Californien
exiguus Cas. Mon. p. 363. Colorado
exoletus Cas. Mon. p. 357. Californien
fallax Cas. Ann. N. York Acad. V, 1890, p. 361; Mon. p. 359. Neu-Mexico
finitimus Cas. Mon. p. 359. Colorado

2

implicans Cas. Mon. p. 358. Colorado
lucidulus Cas. Mon. p. 358. Californien
ludius Cas. Mon. p. 361. Utah
moestus Cas. Mon. p. 355. Californien
nitidus Cas. Ann. N. York Acad. V, 1890, p. 362; Mon. p. 355. Arizona
nuperus Cas. Mon. p. 364. „
obesus Lec. Ann. Lyc. N. York V, 1851, p. 139. — Horn, Revis. Tenebr. 1870, p. 270. — Cas. Ann. N. York Acad. V, 1890, p. 359; Mon. p. 363. Californien
nanulus Cas. Contr. Col. N. Am. I, p. 45.
obtusus Lec. New Spec. Col. 1866, p. 107. — Horn, Revis. Tenebr. 1870, p. 270. — Cas. Ann. N. York Acad. V, 1890, p. 360; Mon. p. 356. „
otiosus Cas. Mon. p. 358. „
parvus Cas. Mon. p. 362. Colorado
sonoricus Cas. Mon. p. 364. Mexico
sterilis Cas. Mon. p. 357. Californien
thoracicus Cas. Ann. N. York Acad. V, 1890, p. 362; Mon. p. 356. „
vegrandis Cas. Mon. p. 360. „

24

Mesabates Champ.

Champ. Biol. Centr.-Am. Col. IV, 1, 1884, p. 3. — Cas. Proc. Wash. Acad. IX, 1907, p. 516.

latifrons Champ. l. c. p. 3, t. 1, f. 3. Mexico
spissicornis Champ. l. c. 1892, p. 479. „

2

Mesabatodes Cas.

Casey, Proc. Wash. Acad. IX, 1907, p. 517.

inaequalis Champ. Biol. Centr.-Am. Col. IV, 1, 1892, p.480. Mexico

1

Emmenastus Motsch.

Motsch. Bull. Mosc. XVIII, 1845, I, p. 75. — Lacord. Genera Col. V, 1859, p. 59. — Casey, Proc. Wash. Acad. IX, 1907, p. 287.

compactus Motsch. Bull. Mosc. XVIII, 1845, I, p. 76. Kamtschatka
rugosus Motsch. l. c. Sitkha

2

Dysmathes Mannerh.

Mannerh. Bull. Mosc. XXVI, 1853, III, p. 264. — Lacord. Genera Col. V, 1859, p. 60.

Sahlbergi Mannerh. Bull. Mosc. XXVI, 1853, III, p. 265. — Lec. List. Col. N. Amer. 1866, p. 63, nota 5. Sitkha

1

IV. Thinobatinae.

Lacordaire, Genera Col. V, 1859, p. 63.

Thinobatis.

Eschsch. Zool. Atl. IV, 1831, p. 8. — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 406. — Lacord. Genera Col. V, 1859, p. 65.

ferruginea Eschsch. Zool. Atl. IV, 1831, p. 9, t. 18, f. 3. — Cast. Hist. Nat. II, 1840, p. 196. — Chile
intermedia Philippi, Stett. Ent. Zeit. XXV, 1864, p. 327. — „
minuta Sol. in Gay, Hist. Chile V, 1851, p. 126, t. 18, f. 1. — „
rotundicollis Waterh. Ann. Mag. Nat. Hist. XVI, 1845, p. 320. — Patagonien
rufinasus Kirsch, Berl. Ent. Zeit. XXX, 1886, p. 331. — Ecuador
rufipes Cast. Hist. Nat. II, 1840, p. 196. — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 407, t. 9, f. 11—14; in Gay, Hist. Chile V, 1851, p. 127. — Chile

V. Auchmobiinae.

Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 278, 365.

Auchmobius Lec.

Lec. Ann. Lyc. New York V, 1851, p. 139. — Lacord. Genera Col. V, 1859, p. 68. — Horn, Revis. Tenebr. 1870, p. 262. — Cas. Proc. Wash. Acad. IX, 1907, p. 365.

sublaevis Lec. Ann. Lyc. N. York V, 1851, p. 140. — Horn, Revis. Tenebr. 1870, p. 262. — Cas. Proc. Wash. Acad. IX, 1907, p. 365. — Californien

VI. Trimytinae.

Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 278, 366.

Trimytis Lec.

Lec. Ann. Lyc. N. York V, 1851, p. 141. — Lacord. Genera Col. V, 1859, p. 73. — Horn, Revis. Tenebr. 1870, p. 261. — Cas. Proc. Wash, Acad. IX, 1907, p. 367 (Mon.).

Subgen. *Pimalius* Cas. Proc. Wash. Acad. IX, 1907, p. 367.

abnormis Horn, Revis. Tenebr. 1870, p. 261. — Nevada
ignava Cas. Mon. p. 369. — Colorado
nympha Cas. Mon. p. 368. — Texas

obovata Champ. Biol. Centr.-Amer. IV, 1, 1892, p. 478, t. 22, f. 2. — Mexico
obtusa Horn, Proc. Calif. Acad. Sc. (2) IV, 1894, p. 412. — Cas. Mon. p. 370 *(Pimalius)*. — Californien
pruinosa Lec. Ann. Lyc. N. York V, 1851, p. 141. — Horn, Revis. Tenebr. 1870, p. 261. — Cas. Mon. p. 368. — Missouri, Colorado, Neu-Mexico
pulverea Horn, Revis. Tenebr. 1870, p. 261. — Cas. Mon. p. 370 *(Pimalius)*. — Arizona
tonsa Cas. Mon. p. 369. — Colorado

8

Tlascalinus Cas.

Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 370.

Flohri Champ. Biol. Centr.-Amer. IV, 1, 1892, p. 478. — Mexico

1

Prometopion Cas.

Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 370 (Mon.).

amplipenne Cas. Mon. p. 372. — Texas
helopioides Horn, Revis. Tenebr. 1870, p. 31. — Cas. Ann. N. York. Acad. V, 1890; p. 366; Mon. p. 371. — Californien

2

Chilometopon Horn.

Horn, Trans. Amer. Ent. Soc. V, 1874, p. 31. — Casey, Proc. Wash. Acad. IX, 1907, p. 372 (Mon.).

abnorme Horn, Trans. Am. Ent. Soc. V, 1874, p. 31. — Cas. N. York. Acad. V, 1890, p. 366; Mon. p. 373. — Nevada
brevipenne Cas. Mon. p. 374. — Utah
castaneum Cas. Mon. p. 373. — Californien
ensifer Cas. Mon. p. 374. — Nevada
pallidum Cas. Ann. N. York. Acad. V, 1890, p. 367; Mon. p. 375. — Texas

5

Pescennius Champ.

Champ. Biol. Centr.-Amer. IV, 1, 1884, p. 3. — Cas. Proc. Wash. Acad. IX, 1907, p. 517.

villosus Champ. Biol. Centr.-Amer. IV, 1, 1884, p. 4, t. 1, f. 6. — Horn, Proc. Calif. Acad. Sc. (2) IV, 1894, p. 214. — Mexico

1

Hylithus Guér.

Guér. Mag. Zool. Cl. IX, 1834, p. 12. — Solier, Ann. Soc. Ent. Fr. IV, 1835, p. 408. — Lacord. Genera Col. V, 1859, p. 62.

distinctus Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 411, t. 9, f. 18. — Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 107. — Patagonien

humilis Er. Arch. Naturgesch. XIII, 1847, I, p. 113. Peru
tentyrioides Lacord. Ann. Sc. nat. XX, 1830, p. 287. Argentinien,
— Guér. Mag. Zool. Cl. IX, 1834, p. 12, t. 108. Chile
— Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 410, t. 9, f. 15—17. — Cast. Hist. Nat. II, 1840, p. 196.
brevicornis Sol. in Gay, Hist. Chile V, 1851, p. 136.
3

Salax Guér.

Guérin, Mag. Zool. Cl. IX, 1834, p. 11. — Cast. Hist. Nat. II, 1840, p. 196. — Lacord. Genera Col. V, 1859, p. 70.

Lacordairei Guér. Mag. Zool. Cl. IX, 1834, p. 11, t. 107. Argentinien
— Lacord. Genera Col. V, 1859, t. 48, f. 1.
salax Lacord. Ann. Sc. nat. XX, 1830, p. 288.
1

Trilobocara Sol.

Sol. in Gay, Hist. Chile V, 1851, p. 129. — Lacord. Genera Col. V, 1859, p. 72.

Edrotinus Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 461.

ciliatum Sol. in Gay, Hist. Chile V, 1851, p. 130, t. 18, f. 3. Chile
erotyloides Lacord. Ann. Sc. nat. XX, 1830, p. 288. Argentinien
tucumanum Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 461.
2

Eremoecus Lacord.

Lacord. Genera Col. V, 1859, p. 69.

cordicollis Kirsch, Berl. Ent. Zeit. XVII, 1873, p. 402. Peru
Eschscholtzi Sol. in Gay, Hist. Chile V, 1851, p. 128, t. 1, f. 2. Chile
2

Aspidolobus Redt.

Redt. Reise Novara II, 1868, p. 118.

piliger Redt. Reise Novara II, 1868, p. 119. Chile
1

Megalophrys Waterh.

Waterh. Ann. Mag. Nat. Hist. XVI, 1845, p. 321.

Peltolobus Lacord. Genera Col. V, 1859, p. 71.

desertorum Berg, Ann. Univ. Buen. Aires VI, 1889, p. 143. Patagonien
patagonica Waterh. Ann. Mag. Nat. Hist. XVI, 1845, p. 322. „
Waterhousei Bates, Entom. Monthly Mag. X, 1873—74, p. 47. Valdivia
3

Soemias Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 4.

minuta Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 5, t. 1, f. 5. — Mexico

1

Mencheres Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 5.

elongatus Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 6, t. 1, f. 4. — Guatemala

nicaraguensis Champ. l. c. p. 5. — Nicaragua

2

VII. Trientominae.

Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 278.

Trientoma Sol.

Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 256. — Kraatz, Revis. Tenebr. 1865, p. 73. — Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 376.

convexipennis All. Ann. Soc. Ent. Belg. XXVII, 1883, p. 14. — Patria?

guadeloupensis Fleut. et Sallé, Ann. Soc. Ent. Fr. (6) IX, 1889, p. 421. — Guadeloupe

laevis All. Ann. Soc. Ent. Belg. XXVII, 1883, p. 14. — San Domingo

martinicensis All. l. c. p. 14. — Martinique

rugifrons Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 2, t, 1, f. 1. — ~~San Domingo~~ Mexico

ryticephala All. Ann. Soc. Ent. Belg. XXVII, 1883, p. 14. — San Domingo

Sallei Kraatz, Revis. Tenebr. 1865, p. 74, nota. — All. l. c. p. 14. — „

mexicana Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 2; p. 479 (1892).

Varvasi Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 257, t. 5, f. 7—10. — Cast. Hist. Nat. II, 1840, p. 193. — Kraatz, Revis. Tenebr. 1865, p. 74, nota. — All. Ann. Soc. Ent. Belg. XXVII, 1883, p. 14. — Cuba

Wickhami Cas. Proc. Wash. Acad. Sc. IX, 1907, p. 377. — Bahama

9

VIII. Evaniosominae.

Lacordaire, Genera Col. V, 1859, p. 73.

Aryenis Bates.

Bates, Trans. Ent. Soc. Lond. 1868, p. 309; Entom. Monthly Mag. IX, 1872, p. 97.

Haagi Bates, Entom. Monthly Mag. IX, 1872, p. 134. — Peru

minor Fairm. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 251. — Argentinien

unicolor Blanch. Voy. d'Orb. 1843, p. 199, t. 15, f. 2. Bolivien,
rufescens Bates, Trans. Ent. Soc. Lond. 1868, p. 310, t. 15, f. 1. Argentinien
3

Chorasmius Bates.

Bates, Trans. Ent. Soc. Lond. 1868, p. 310 nota; Ent. Monthly Mag. IX, 1872, p. 135.

procerus Er. Arch. Naturgesch. XIII, 1847, I, p. 113. — Bates, Trans. Ent. Soc. Lond. 1868, p. 310 nota, t. 15, f. 2 a. Peru
1

Evaniosomus Guér.

Guér. Mag. Zool. 1834, Melas. p. 14. — Cast. Hist. Nat. II, 1840, p. 192. — Lacord. Genera Col. V, 1859, p. 74.

castanescens Fairm. Bull. Soc. Ent. Fr. 1902, p. 148. Peru
crassicornis Er. Arch. Naturgesch. XIII, 1847, I, p. 113. „
declivis Er. l. c. 113. „
Orbignyanus Guér. Mag. Zool. 1834, Melas. p. 14, t. 109 bis. — Er. Arch. Naturgesch. XIII, 1847, I, p. 113. „
piceofuscus Fairm. Bull. Soc. Ent. Fr. 1878, p. LXXXVII. „
5

Evelina Thoms.

Thoms. Mus. scient. 1860, p. 22.

Lacordairei Thoms. Mus. scient. 1860, p. 22, t. 8, f. ♀ a—c. Südamerika
1

IX. Epitraginae.

Lacordaire, Genera Col. V, 1859, p. 75. — Horn, Revis Col. N. Am. 1870 (in Trans. Am. Philos. Soc. (n. ser.) XIV, 1870), p. 263. — Leconte and Horn, Class. Col. N. Amer. 1883, p. 360, 363. — Seidlitz, Naturg. Ins. Deutschl. V, 1898, p. 816. — Reitter, Best.-Tab. LIII. (Verhandl. Nat. Ver. Brünn XLII), 1904, p. 28. — Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 278, 378, 518.

Deroplatus Sol.

Sol. in Gay, Hist. Chile V, 1851, p. 133.

Geoborus Lacord. Genera Col. V, 1859, p. 77.

costatus Blanch. Voy. d'Orb. 1843, p. 194, t. 13, f. 1. — Sol. in Gay, Hist. Chile V, 1851, p. 133, t. 18, f. 4, e—f. Chile
var. *rugicollis* Sol. l. c. p. 133.

pilosus Philippi, Stett. Ent. Zeit. XXV, 1864, p. 331. — Chile
rugipennis Sol. in Gay, Hist. Chile V, 1851, p. 134. — „

3

Nyctopetus Guér.

Guér. Voy. Coquille, Ent. II, 1830, p. 97. — Lacord. Genera Col. V, 1859, p. 78. — Sol. in Gay, Hist. Chile V, 1851, p. 131.

carbonarius Phil. Stett. Ent. Zeit. XXV, 1864, p. 329. — Chile
carinatus Phil. l. c. p. 330. — „
laticollis Phil. l. c. p. 327. — Anden
maculipennis Cast. Hist. Nat. II, 1840, p. 215. — Sol. in Gay, Hist. Chile V, 1851, p. 132, t. 18, f. 4, a—d. — Chile
var. *Gaudichaudi* Cast. Hist. Nat. II, 1840, p. 215. — Sol. in Gay, Hist. Chile V, 1851, p. 132.
var. *lividipennis* Blanch. Voy. d'Orb. 1843, p. 194, t. 13, f. 2.
niger Germain, Ann. Univ. Chile 1855, p. 397. — Phil. Stett. Ent. Zeit. XXV, 1864, p. 327. — „
nitidus Phil. Stett. l. c. p. 331. — „
parvus Phil. l. c. p. 328. — „
rubripes Phil. l. c. p. 329. — „
tenebrioides Guér. Voy. Coquille II, 1830, p. 98, t. 4, f. 7 — Cast. Hist. Nat. II, 1840, p. 215. — Sol. in Gay, Hist. Chile V, 1851, p. 131. — „
var. *quadricollis* Cast. Hist. Nat. II, 1840, p. 215. — Sol. in Gay, Hist. Chile V, 1851, p. 132.

9

Epitragus Latr.*).

Latr. Hist. Nat. Crust. et Ins. X, 1804, p. 322. — Cast. Hist. Nat. II, 1840, p. 214. — Lacord. Genera Col. V, 1859, p. 79. — Champion, Biol. Centr.-Am. IV, 1, 1884, p. 23. — Casey, Proc. Wash. Acad. IX, 1907, p. 378, 518.

aeneobrunneus Curtis, Trans. Linn. Soc. Lond. XIX, 1845, p. 470. — Brasilien
aeneus Fairm. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 247. — Brasil. Plata
angusticollis Champ. Biol. Centr.-Am. IV, 1, 1884, p. 26, 485. — Mexico
angustiformis Fairm. Ann. Soc. Ent. Fr. LXI, 1892, p. 79. — Venezuela
arcicollis Berg, An. Soc. Arg. XV, 1883, p. 74. — Tucuman
aurulentus Kirsch, Berl. Ent. Zeit. X, 1866, p. 189. — Champ. Biol. Centr.-Am. IV, 1, 1884, p. 23, t. 1, f. 19. — Centr.- u. Südamerika
Batesi Waterh. Journ. Linn. Soc. Lond. Zool. XX, 1890, p. 550. — Fernando-Noronha
bicarinatus Champ. Biol. Centr.-Am. Col. IV, 1, 1884, p. 25, t. 1, f. 21, 22. — Mexico
brunnicornis Latr. Humb. et Bonpl. Voy. 1811, I, p. 225, t. 23, f. 6. — Lacord. Genera Col. V, 1859, p. 80, nota 1. — Orinoko

*) Zahlreiche südamerikanische Arten gehören nicht zur Gattung *Epitragus* m Sinne Caseys. Für mehrere Arten müssen noch neue Gattungen errichtet werden.

convexus Er. Arch. Naturgesch. XIII, 1847, I, p. 118. Peru
costipennis Berg, An. Soc. Arg. XV, 1883, p. 69. Mendoza
crassus Fairm. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 248. Argentinien
cristatus Champ. Biol. Centr.-Am. Col. IV, 1, 1892, p. 485, t. 22, f. 4. Mexico
cupripennis Bohem. Res. Eugen. 1858, p. 96. Brasilien
difficilis Steinh. Atti Soc. Ital. XV, 1872, p. 577. S.-Argentin.
dilutus Sharp in Whymper, Great-Andes Equat. Suppl. App. 1891, p. 42. Ecuador
diremptus Karsch, Berl. Ent. Zeit. XXV, 1881, p. 6, t. 1, f. 9. — Blackb. and Sharp, Col. Hawaian Isl. 1900, p. 247. Sandwich-Ins.
elegans Steinh. Atti. Soc. Ital. XV, 1872, p. 577. Argentin.
emarginatus Champ. Biol. Centr.-Am. Col. IV, 1, 1884, p. 24. Panama
exaratus Champ. Trans. Ent. Soc. Lond. 1896, p. 2. Kl. Antillen
foveatus Champ. Biol. Centr.-Am. Col. IV, 1, 1884, p. 29. Mexico
fuscipes Latr. Humb. et Bonpl. Voy. 1833, II, p. 64, t. 34, f. 5. Columbien
fuscus Latr. Hist. Nat. Crust. et Ins. X, 1804, p. 322; Gen. II, p. 183, t. 10, f. 1. — Cast. Hist. Nat. II, 1840, p. 214. Südamerika
Högei Champ. Biol. Centr.-Am. Col. IV, 1, 1884, p. 26, 485. Mexico
incisus Champ. l. c. p. 28. „
jamaicensis Champ. Trans. Ent. Soc. Lond. 1896, p. 3 nota. Jamaica
laevicollis Berg, An. Soc. Arg. XV, 1883, p. 72. Argentinien
lineatus Chevr. in Guér. Icon. Ins. 1829—38, p. 122, t. 31, f. 9. Südamerika
littoralis Champ. Biol. Centr.-Am. Col. IV, 1, 1884, p. 27, 485. Mexico
Mariae Steinh. Atti Soc. Ital. XV, 1872, p. 576. S. Argentin.
minutissimus Fairm. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 249. Brasilien
minutus Steinh. Atti Soc. Ital. XV, 1872, p. 578. S. Argentin.
mollis Steinh. l. c. p. 578. „
mucidus Berg, An. Soc. Arg. XV, 1883, p. 73. Tucuman
nanus Fairm. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 249. Argentinien
nebulosus F. Spec. Ins. I, 1781, p. 158; Syst. El. II, 1801, p. 13. — Oliv. Ent. III, 1795, 58, p. 11, t. 2, f. 3. — Lacord. Genera Col. V, 1859, p. 419, nota 3. Südamerika
nigricans Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 24, t. 1, f. 18. Centr.-Amer.
nitidicollis Fairm. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 248. Argentinien
olivaceus Er. Arch. Naturgesch. XIII, 1847, I, p. 117. Peru
lucens Er. l. c. — Haag, Deutsche Ent. Zeitschr. XXIII, 1879, p. 411.
ornatus Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 26, t. 1, f. 20. Mexico
parumpunctatus Fairm. Ann. Soc. Ent. Fr. LXI, 1892, p. 78. Venezuela
porcellus Berg, An. Soc. Argent. XV, 1883, p. 71. Argentinien
puberulus Kirsch, Berl. Ent. Zeit. XXX, 1886, p. 332. Columbien
pulverulentus Er. Arch. Naturgesch. XIII, 1847, I, p. 117. Peru
rigens Cas. Proc. Wash. Acad. IX, 1907, p. 381. Honduras
rorulentus Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 27. Mexico
scutatus Champ. l. c. p. 28, 486.

roscidus Er. Schomb. Reise III, 1848, p. 565. Guayana
rufocastaneus Fairm. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 247. Argentinien
rugosus Cast. Hist. Nat. II., 1840, p. 214. Brasilien
Sallaei Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 24, 485. Centr.-Amer.
semicastaneus Curtis, Trans. Linn. Soc. Lond. XIX, 1845, p. 470. Montevideo
similis Steinh. Atti Soc. Ital. XV, 1872, p. 577. S.Argentinien
striolatus Berg, An. Soc. Argent. XV, 1883, p. 72. Buenos-Aires
vulgaris Cast. Hist. Nat. II, 1840, p. 215. Brasilien

55

Hemasodes Cas.

Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 378.

vestitus Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 22, 485. Mexico

1

Parepitragus Cas.

Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 518.

Solieri Cas. Proc. Wash. Acad. Sc. IX, 1907, p. 520. Ecuador

1

Polemiotus Cas.

Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 379, 381 (Mon.).

grandis Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 31, 486. — Cas. Mon. p. 383. Mexico
humeralis Cas. Mon. p. 382. Arizona
var. *acuticauda* Cas. Mon. p. 383.
submetallicus Lec. Proc. Acad. Phil. 1854, p. 224. — Horn, Revis. Tenebr. 1870, p. 264. — Cas. Mon. p. 382. Californien

3

Cyrtomius Cas.

Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 379, 383 (Mon.).

cavicauda Cas. Mon. p. 384. Mexico
dentiger Horn, Revis. Tenebr. 1870, p. 265. — Cas. Mon. p. 384. Arizona
inaequalis Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 32. — Cas. Mon. p. 385. Mexico
plicatus Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 31, t. 1, f. 23. — Cas. Mon. p. 384. „

4

Lobometopon Cas.

Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 379, 385 (Mon.).

Subgen. *Epitragoma* Cas. l. c. p. 386.

aberrans Cas. Mon. p. 387.	Mexico
acutangulum Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 31, 487.	Centr.-Amer.
aeneopiceum Cas. Mon. p. 390.	Arizona
aequipenne Cas. Mon. p. 393.	„
aeratum Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 33.	Mexico
alveolatum Cas. Mon. p. 394.	Panama
aurichalceum Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 33, 487.	Mexico
bicaviceps Cas. Mon. p. 394.	Nicaragua
canum Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 34, 487, t. 22, f. 5.	Mexico
Chevrolati Champ. l. c. p. 30.	Centr.-Amer.
commune Champ. l. c. p. 36.	„
cribricolle Cas. Mon. p. 391.	Neu-Mexico, Kansas
cupreum Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 34, 487, t. 1, f. 24. — Cas. Mon. p. 397 nota.	Centr.-Amer.
docile Cas. Mon. p. 390.	Arizona
fusiforme Cas. Ann. N. York Acad. V, 1890, p. 365; Mon. p. 388.	„
gracile Cas. Ann. N. York Acad. V, 1890, p. 366; Mon. p. 387.	Mexico
guatemalense Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 32.	Centr.-Amer.
jucundum Cas. Mon. p. 392.	Kansas
lucidum Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 35, 487.	Mexico
metallicum Champ. l. c. p. 29. — Cas. Mon. p. 397 nota.	Centr.-Amer.
micans Champ. l. c. p. 32.	Mexico
Morrisoni Cas. Mon. p. 393.	Arizona
obovatum Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 35, 487.	Mexico
obscurum Cas. Mon. p. 395.	Kansas
ovale Cas. Contrib. Col. N. Amer. I, 1884, p. 184; Ann. N. York. Acad. VI, 1891, p. 55; Mon. p. 395.	Texas
parviceps Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 34.	Mexico
parvicolle Cas. Mon. p. 392	Utah
pimalicum Cas. Mon. p. 389.	Arizona
pilosum Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 34.	Mexico
plumbeum Lec. New Spec. Col. 1866, p. 109. — Cas. Mon. p. 395 *(Epitragoma)*.	Kansas
propinquum Cas. Mon. p. 391.	Arizona
ruatanense Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 488.	Honduras
symmetricum Cas. Mon. p. 389.	Arizona
uintanum Cas. Mon. p. 388.	Utah
vestitum Cas. Ann. N. York. Acad. VI, 1891, p. 53; Mon. p. 396.	Arizona

Epitragopsis Cas.

Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 386, 518 (Mon.)

Godmani Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 36, t. 1, f. 25. — Cas. Mon. p. 396, 519. — Panama

1

Bothrotes Cas.

Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 379, 398 (Mon.).

acomanus Cas. Mon. p. 407. — Neu-Mexico
acutus Lec. New Spec. Col. 1866, p. 108. — Cas. Mon. p. 399. — Texas, Kansas, Mexico
aeneicollis Cas. Mon. p. 401. — Texas
affinis Cas. Mon. p. 405. — Neu-Mexico
amplificans Cas. Mon. p. 410. — Arizona
arundinis Lec. New Spec. Col. 1866, p. 108.— Horn, Revis. Teneb. 1870, t. 14, f. 11, 14. — Cas. Mon. p. 401. — Verein. Staat.
canaliculatus Say, Long's Exped. II, 1824, p. 281. — Cas. Mon. p. 408. — Verein. Staat.
chalceus Cas. Mon. p. 402. — Texas
confertus Cas. Mon. p. 404. — Arizona
eversus Cas. Mon. p. 404. — „
fortis Cas. Mon. p. 399. — Florida
funebris Cas. Mon. p. 409. — Arizona
insitus Cas. Mon. p. 408. — Kansas
Knausi Cas. Mon. p. 401. — „
neglectus Cas. Mon. p. 407. — Colorado
obsolescens Cas. Mon. p. 411. — Mexico
occipitalis Cas. Mon. p. 403. — Arizona
pensus Cas. Mon. p. 400. — Texas
perditus Cas. Mon. p. 409. — Arizona
pertinax Cas. Mon. p. 405. — Neu-Mexico
picipennis Cas. Mon. p. 406. — „
secutor Cas. Mon. p. 406. — Arizona
var. *apertus* Cas. Mon. p. 406. — Neu-Mexico
subrudis Cas. Mon. p. 400. — Texas
tenebrosus Cas. Mon. p. 403. — Arizona

24

Metopoloba Cas.

Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 379, 412 (Mon.).

amplexa Cas. Mon. p. 418. — Texas
angulata Cas. Mon. p. 419. — Arizona
bifossiceps Cas. Mon. p. 413. — Nevada
californica Cas. Mon. p. 419. — Californien
contaminans Cas. Mon. p. 418. — Arizona
densiventris Cas. Mon. p. 417. — Neu-Mexico
perpolita Cas. Mon. p. 415. — ? Utah
proba Cas. Mon. p. 414. — Utah

pruinosa Horn, Rev. Tenebr. 1870, p, 264. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 36. — Cas. Mon. p. 417. Arizona, Californ.
punctiventris Cas. Mon. p. 414. Utah
Snowi Cas. Mon. p. 416. Arizona
sublaeviceps Cas. Mon. p. 418. Arizona
subseriata Cas. Mon. p. 415. Texas

13

Pechalius Cas.

Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 379, 420 (Mon).

subvittatus Cas. Mon. p. 421. Texas

1

Epitragodes Cas.

Casey, Ann. N. York Ac. V, 1890, p. 365; VI, 1891, p. 54, VII, 1892—94, p. 598; Proc. Wash. Acad. Sc. IX, 1907, p. 380, 421 (Mon.).

cuprascens Cas. Mon. p. 424. Florida
debilicollis Cas. Mon. p. 423. „
floridanus Cas. Mon. p. 424. „
macilentus Cas. Mon. p. 425. „
obesulus Cas. Mon. p. 425. „
pardalis Cas. Mon. p. 423. „
tomentosus Lec. New Spec. Col. 1866, p. 109. — Cas. Ann. N. York. Acad. V, 1890, p. 365; Mon. p. 423. „

7

Eunotiodes Cas.

Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 518 (Mon.).

brevicollis Cas. Mon. p. 520. Mendoza

1

Omopheres Cas.

Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 519 (Mon.).

bacchulus Berg, An. Soc. Arg. XV, 1883, p. 70. Argentinien
farctus Cas. Mon. p. 521. Mendoza
gigas Steinh. Atti Soc. Ital. XV, 1872, p. 576. S.-Argentin.
scabripennis Steinh. l. c. p. 576. „

4

Phegoneus Cas.

Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 380, 426 (Mon.).

basalis Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 21. Mexico
chalybeus Champ. l. c. p. 20, t. 1, f. 16. „

difficilis Champ. l. c. p. 20, 485. Mexico
impressus Champ. l. c. p. 20. Costa Rica
Jülichi Cas. Ann. N. York Acad. VI, 1891, p. 55; Mon. p. 427. Texas
niger Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 21. Guatemala
rufipes Champ. l. c. p. 19, 484. Central-Amerika
Salvini Champ. l. c. p. 19. „
subaeneus Cas. Mon. p. 428. Panama
viridis Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 19, 484. Central-Amerika

10

Schoenicus Lec.

Lec. New Species Col. 1866, p, 109. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 18. — Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 428.

antillarum Champ. Trans. Ent. Soc. Lond. 1896, p. 5. Kl. Antillen
brunneus Champ. l. c. p. 4. „
panamensis Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 18, t. 1, f. 15. Central-Amerika
pectoralis Champ. l. c. p. 21, 485, t. 1, f. 17. Mexico
puberulus Lec. New Spec. Col. 1866, p. 110. — Cas. Proc. Wash. Acad. Sc. IX, 1907, p. 429. Georgia, Florida
yucatanensis Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 22. Mexico

6

Ortheolus Cas.

Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 380.

oculatus Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 18, t. 1, f. 14. Panama

1

Conoecus Horn.

Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 159. — Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 429 (Mon.).

estriatus Cas. Mon. p. 431. Texas
ovipennis Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 159, t. 5, f. 12. — Cas. Mon. p. 431. „

2

Tydeolus Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 37. — Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 380.

atratus Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 37, t. 1, f. 12. Mexico
singularis Champ. l. c. p. 37, t. 1, f. 13. „
tibialis Champ. l. c. p. 37. „

3

Epitrichia Seidl.

Seidl. Naturg. Ins. Deutschl. V, 1898, p. 820.

tomentosa Gebl. Bull. Phys. Acad. Petr. I, 1843, p. 38; Bull. Mosc. XXXII, 1859, IV, p. 340. — Seidl. l. c. p. 820. — Sibirien

1

Asphena Sem.

Sem. Horae XXIV, 1890, p. 218; XXV, 1891, p. 96. — Seidl. Naturg. Ins. Deutschl. V, 1, 1898, p. 819, 820.

Antonowii Sem. Wien. Ent. Zeit. VIII, 1889, p. 310; Horae XXV, 1891, p. 358. — Transcaspien

Grombczewskyi Sem. Horae XXV, 1891, p. 354, 358. — Chinesisch Turkestan

Koltzei Reitt. Wien. Ent. Zeit. XIV, 1895, p. 155. — Kashgar

Komarowii Sem. Horae XXIV, 1890, p. 218; XXV, 1891, p. 358. — Reitt. Verh. Nat. Ver. Brünn. XXVII, 1888, p. 115. — Transcaspien

4

Cyphostethe Mars.

Mars. Abeille IV, 1867, p. XXXIX. — Seidlitz, Naturg. Ins. Deutschl. V, 1, 1898, p. 820.

ferrugineus Mars. Abeille IV, 1867, p. XXXVIII. — Haag, Col. Hefte VI, 1870, p. 85, 92; Deutsche Ent. Zeitschr. XXI, 1877, p. 276. — Sahara

Perraudierei Mars. Abeille IV, 1867, p. XXXIX. — Haag, l. c. 85, 92; Deutsche Ent. Zeitschr. XXI, 1877, p. 275. — ,,

saharensis Chob. Bull. Soc. Ent. Fr. 1897, p. 205. — Algier

3

Himatismus Er.

Er. Arch. Naturgesch. XIII, 1843, I, p. 253. — Lacord. Genera Col. V, 1859, p. 80. — Haag-Rutenberg, Col. Hefte VI, 1870, p. 84 (Mon. I.); Deutsche Ent. Zeitschr. XXI, 1877, p. 273 (Mon. II.).

antilope Haag, Mon. II, p. 279. — Capstadt

asperifrons Haag, Col. Hefte VII, 1871, p. 22; Mon. II., p. 276. — Capland

Baudii Haag, Mon. II, p. 283. — Caffrarien

tessellatus Baudi, Deutsche Ent. Zeitschr. XIX, 1875, p. 62 nota.

buprestoides Gerst. Monatsber. Berl. Acad. 1854, p. 534; Peters Reis. Moss. 1862, p. 292, t. 17, f. 8. — Haag, Mon. I, p. 93. — Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 175. — Ostafrika

dubius Haag, Mon. I, p. 88; Mon. II, p. 275. — Senegal

emarginatus Haag, Mon. II, p. 276, 282. — Capstadt

epitragoides Haag, Mon. I, p. 91; Mon. II, p. 275. — Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 176. — D. Ostafrika

fasciculatus F. Ent. Syst. Suppl. 1798, p. 52; Syst. El. I, 1801, p. 160. — Haag, Mon. I, p. 88; Mon. II, p. 275, 278. Ostindien, Madagascar
orientalis Herbst, Käf. VIII, 1799, p. 165, t. 127, f. 4.
Haroldi Haag, Mitth. Münch. Ent. Ver. II, 1878, p. 78. Westafrika
Heydeni Haag, Mon. II, p. 276, 282. Sennaar
inconspectus Haag, Mon. II, p. 274, 277. Bogos
indicus Haag, Mon. II, p. 274, 278. — Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 18. Ostindien, Cochin-China, Hindustan
Justi Fairm. Natural. II, 1880, p. 246; Ann. Soc. Ent. Fr. (5) X, 1880, p. 333, t. 11, f. 8; Ann. Soc. Ent. Belg. XLI, 1897, p. 384. Madagascar
♂ *emarginifrons* Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 141.
Kraatzi Haag, Col. Hefte VII, 1871, p. 21. Capland
Lindneri Kolbe, Berl. Ent. Zeit. XXVII, 1883, p. 22. Westafrika
lineatopunctatus Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 185. Südafrika
luctuosus Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 444. Madagascar
mandibularis Er. Arch. Naturgesch. XIII, 1843, I, p. 255. — Haag, Mon. I, p. 91; Mon. II, p. 275. Angola
♀ *laticollis* Haag, Mon. I, p. 87; Mon. II, p. 283.
maxillosus Haag, Mitth. Münchn. Ent. Ver. II, 1878, p. 79. Orlog-River
Mülleri Haag, Mon. II, p. 275, 281. Zanzibar
natalensis Baudi, Deutsche Ent. Zeitschr. XIX, 1875, p. 63 nota. Caffraria
nigrosulcatus Qued. Berl. Ent. Zeitschr. XXIX, 1885, p. 3. West-Afrika
ocularis Haag, Mon. II, p. 276. ?Bogos
patruelis Bertoloni, Nov. Comm. Ac. Bonon. X, 1849, p. 418. Mozambique, Angola
occidentalis Lacord. Gen. Col. Atl. t. 49, f. 1.
tessulatus Gerst. Monatsber. Berl. Acad. 1854, p. 534; Peters Reise Mossamb. 1862, p. 292. — Haag, Mon. I, p. 86; Mon. II, p. 274, 275.
Pavesii Gestro, Ann. Mus. Genov. (2) XII, 1892, p. 769. Somali
planicollis Kolbe, Berl. Ent. Zeitschr. XXVII, 1883, p. 23. Westafrika
plebejus Fåhrs. Oefv. Vet. Akad. Förh. XXVII, 1870, p. 248. — Haag, Mon. II, p. 275, 277. Caffrarien, Congo, Mozamb., Madagascar
punctatissimus Haag, Mon. I, p. 90; Mon. II, p. 276. Angola
quadraticollis Haag, Mitth. Münchn. Ent. Ver. II, 1878, p. 77. Westafrika
raucus Haag, Col. Hefte VII, 1871, p. 23; Mon. II, p. 276. Capland
senegalensis Haag, Mon. I, p. 89. — Gerst. Deck. Reis. III, 2, 1873, p. 191. — Haag, Mon. II, p. 275. — Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 176. Senegal, Guinea, Ostafrika,
sphenarioides Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 185. Südafrika
striatopunctatus Haag, Mon. II, p. 280. Capland
sublinearis Walk. List Col. Lord. 1871, p. 15. — Peyerimh. Abeille XXXI, 1907, p. 34. Arabien

trivialis Gerst. Arch. Naturg. XXXVII, 1871, p. 63; Deck. Reis. III, 2, 1873, p. 190. — Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 175. — Ost-Afrika

trochantericus Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 384; Ann. Soc. Ent. Fr. LXXII, 1903, p. 207. — Madagascar

variegatus F. Spec. Ins. I, 1781, p. 323; Syst. El. I, 1801, p. 158. — Ol. Ent. III, 1795, 57, p. 14, t. 2, f. 16. — Haag, Mon. I, p. 85; Mon. II, p. 274. — Afrika

vestitus Baudi, Deutsche Ent. Zeitschr. XIX, 1875, p. 63 nota. — Capland

villosus Haag, Mon. I, p. 90; Deutsche Ent. Zeitschr. XIX, 1875, p. 120; Mon. II, p. 278. — Creta, Syrien, Persien, Aegypten, Guinea, Angola etc.

forticornis Baudi, Ann. Mus. Genova VI, 1874, p. 103; Deutsche Ent. Zeitschr. XIX, 1875, p. 64. — Haag, Mon. II, p. 278.

40

Sphenaria Mén.

Mén. Mém. Acad. Petr. VI, 1849, p. 240 (24). — Lacord. Genera Col. V, 1859, p. 81. — Semenow, Horae XXV, 1891, p. 355. — Seidlitz, Naturg. Ins. Deutschl. V, 1, 1898, p. 820.

Subgen. *Leptosphena* Semenow, Horae XXV, 1891, p. 355. — Seidl. Naturg. Ins. V, 1, 1898, p. 820.

Subgen. *Colposphena* Semenow l. c. p. 355. — Seidl. l. c. p. 821.

acuta Semen. Horae XXVIII, 1894, p. 532 (*Sphenaria* s. str.). — Turkestan Buchara

?Hauseri Reitt. Deutsche Ent. Zeitschr. 1894, p. 48.

breviceps Semen. Horae XXIV, 1890, p. 216, 217; XXV, 1891, p. 355 *(Colposphena)*. — Transcaspien

brevicollis Solsky, Troudy Ent. Ross. XIII, 1881, p. 45. — Semen. Horae XXIV, 1890, p. 217; XXV, 1891, p. 360 *(Colposphena)*. — Turkestan

chotanica Semen. Horae XXV, 1891, p. 354, 357 *(Leptosphena)*. — Chines. Turkestan

elongata Mén. Mém. Acad. Petr. VI, 1849, p. 241 (25) t. 4, f. 10. — Semen. Horae XXV, 1891, p. 359 (*Sphenaria* s. str.). — Turkmenien

glabra Semen. Wien. Ent. Zeit. VIII, 1889, p. 309.

Karelini Mén. Mém. Acad. Petr. VI, 1849, p. 242 (26). — Semen. Horae XXV, 1891, p. 359 (*Sphenaria* s. str.). — Transcaspien

Menetriesi Semen. Horae XXV, 1891, p. 360 (*Sphenaria* s. str.). — „

elongata Sem. Horae XXIV, 1890, p. 218.

obtusa Semen. Horae XXIV, 1890, p. 214, 218; XXV, 1891, p. 359 (*Sphenaria* s. str.). — „

Olgae Semen. Wien. Ent. Zeit. VIII, 1889, p. 309; Horae XXV, 1891, p. 356 *(Leptosphena)*. — „

Reitteri Brancs. Jahresber. Ver. Trencs. XXI, p. 100. — Ashabad

rubripes Reitt. Verh. Nat. Ver. Brünn XXVII, 1888, p. 115. — Semen. Horae Ent. Ross. XXV, 1891, p. 358 *(Leptosphena)*. — Turkestan

tomentosa Semen. Horae Ent. Ross. XXIV, 1890, p. 214, 217.

Sewertzowi Semen. Horae Ent. Ross. XXVIII, 1894, p. 530 (*Sphenaria* s. str.). — Turkestan
suturalis Semen. Wien. Ent. Zeit. VIII, 1889, p. 309; Horae Ent. Ross. XXV, 1891, p. 356 (*Leptosphena*). — Transcaspien
vestita Reitt. Verh. Nat. Ver. Brünn XXVII, 1888, p. 26. — Semen. Horae Ent. Ross. XXIV, 1891, p. 215, 218 (*Leptosphena*). — Turkestan, Mongolei
Reitteri Semen. Horae Ent. Ross. XXV, 1891, p. 353, 357.
turkestanica Semen. Horae Ent. Ross. XXV, 1891, p. 357.

14

Derosphaerius Westw.

Westw. Oates' Matabeleland 1881, p. 362.

Derostrophus Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 186.
Oatesius Westw. Oates' Matabeleland ed. II, 1889, p. 376.

anthracinus Westw. in Oates' Matabeleland 1881, p. 362, t. g, f. 3, t. h, f. 2, 2 a—c.; op. cit. II. ed. 1889, p. 376. — Matabeleland
castaneorufus Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 187. — Damaraland
consobrinus Pér. Ann. S. Afr. Mus. 1899, p. 253. — Capland
damarinus Pér. l. c. p. 253. — Damaraland
dissidens Pér. l. c. p. 254. — „
forcipatus Pér. l. c. p. 252, t. 6, f. 5, 5a. — Kimberley
hottentottus Pér. l. c. p. 252. — Südafrika
humilis Pér. l. c. p. 255. — Damaraland
impressifrons Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 126. — Capland
laticollis Pér. Ann. S. Afr. Mus. 1899, p. 254. — „
maxillosus Pér. l. c. p. 254. — „
rugifrons Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 188. — Caffrarien
seriepunctatus Fairm. l. c. p. 189. — „
strictieollis Fairm. l. c. p. 188. — „
xanthopus Fairm. l. c. v. 187. — „

15

Aphrotus Pér.

Péring. Ann. S. Afr. Mus. 1904, p. 252.

Xenus Péringuey. Ann. S. Afr. Mus. 1899, p. 255.

obortus Pér. Ann. S. Afr. Mus. 1904, p. 252. — Namaqua-Land
tricorniger Pér. op. cit. 1899, p. 256, t. 6, f. 6, 6a. — Bechuana-Land

2

Afrinus Fairm.

Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 189.

furcilabris Fairm. l. c. p. 190. — Capland
grandicornis Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 190. — Caffrarien

minor Péring. Denkschr. med. Ges. Jena XIII, 1908, p. 415. Südwestafrika

striolifrons Fairm. l. c. p. 190. Namaqua-Land

4

Achanius Er.

Er. Arch. Naturgesch. XIII, 1847, I, p. 118. — Lacord. Genera Col. V, 1859, p. 82.

anthicoides Er. l. c. p. 118. Peru

1

Phytophylus Guér.

Guér. Voy. Coquille II, 1830, p. 99. — Cast. Hist. Nat. II, 1840, p. 236. — Lacord. Genera Col. V, 1859, p. 82.

helopioides Guér. Voy. Coqu. II, 1830, p. 100, t. 4, f. 9. — Cast. Hist. Nat. II, 1840, p. 236. Peru

1

Hypselops Sol.

Sol. in Gay, Hist. Chile V, 1851, p. 135. — Lacord. Genera Col. V, 1859, p. 83.

oblonga Sol. in Gay, Hist. Chile V, 1851, p. 135, t. 18, f. 5. Chile

1

X. Lachnogyinae.

Seidlitz, Naturg. Ins. Deutschl. V, 1, 1894, p. 476, 490, 816, 821. — Reitter, Best.-Tab. eur. Col. Heft LIII (Verh. Ver. Brünn XLII) 1904, p. 28, 34.

Lachnogya Ménétr.

Ménétr. Mém. Acad. Petr. VI, 1849, p. 228 (12). — Lacord. Genera Col. V, 1859, p. 59. — Seidl. Naturg. Ins. Deutschl. V, I, 1898, p. 821. — Reitt. Best.-Tab. LIII, 1904, p. 34.

squamosa Ménétr. l. c. p. 229 (13), t. 3, f. 6. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 183. — Seidl. Naturg. Ins. Deutschl. V, 1, 1894, p. 477 nota. — Reitt. Best.-Tab. LIII, 1904, p. 35. Araxestal, Turkestan, Afghanistan

1

Netuschilia Reitt.

Reitt. Best.-Tab. LIII, 1904, p. 34, 35.

Hauseri Reitt. Deutsche Ent. Zeitschr. 1897, p. 217; Best.-Tab. LIII, 1904, p. 35. Buchara

1

XI. Klewariinae.

Reitt. Ent. Blätter VI, 1910, p. 21.

Klewaria Reitt.

Reitt. Ent. Blätter VI, 1910, p. 20.

colydiiformis Reitt. l. c. p. 21. Transkaspien
1

XII. Zophosinae.

Solier, Ann. Soc. Ent. Fr. III, 1834, p. 597. — Lacordaire, Genera Col. V, 1859, p. 15. — Jacquelin du Val, Genera Col. d'Eur. III, 1861, p. 244, 326. — Seidlitz, Naturg. Ins. Deutschl. V, 1893, p. 223. — Reitter, Best.-Tab. LIII (Verh. Ver. Brünn XLII) 1904, p. 27. — Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 279. — Deyrolle, Ann. Soc. Ent. Fr. (4) VII, 1867, p. 73—248, 4 Taf. (Mon.).

Hologenosis Deyr.

Deyr. Ann. Soc. Ent. Fr. (4) VII, 1867, p. 82 (Mon.).

laceratus Deyr. Mon. p. 83, t. 1, f. 1. Capland
1

Zophosis Latr.

Latr. Gen. Crust et Ins. II, 1807, p. 146. — Solier, Ann. Soc. Ent. Fr. III, 1834, p. 598. — Lacord. Genera Col. V, 1859, p. 15. — Jacquelin du Val, Genera Col. d'Eur. III, 1861, p. 214. — Deyrolle, Ann. Soc. Ent. Fr. (4) VII, 1867, p. 84 (Mon.). — Seidlitz, Naturg. Ins. Deutschl. V, 1893, p. 223.

abbreviata Sol. Ann. Soc. Ent. Fr. III, 1834, p. 606. — Deyr. Mon. p. 106. Algier, Aegypten
abyssinica Deyr. Mon. p. 108. Abessinien
aciculaticollis Müll. Tijdschr. Ent. XXX, 1887, p. 297. Zambesi
acuminata Deyr. Mon. p. 217. Port Natal
acuta Wiedem. Zool. Mag. II, 1, 1823, p. 34. — Sol. Ann. Soc. Ent. Fr. III, 1834, p. 621. — Deyr. Mon. p. 164. Capland
acuticosta Fairm. Ann. Soc. Ent. Fr. (6) V, 1885, p. 448. var. *Pinardi* Théry, Bull. Soc. Ent. Fr. 1892, p. CLXXXI. Obock
aelanitica Peyerimh. Abeille XXXI, 1907, p. 26. Sinai
aequalis Waterh. Proc. Zool. Soc. Lond. 1881, p. 473. Sokotra
agaboides Gerst. Monatsber. Berl. Acad. 1854, p. 530; Peters' Reise 1862, p. 271. — Deyr. Mon. p. 131. Ostafrika
alborana Baudi, Ann. Mus. Genova XVIII, 1883, p. 760, fig. Ins. Alboran
algeriana Sol. Ann. Soc. Ent. Fr. III, 1834, p. 613. — Deyr. Mon. p. 117. Nordafrika

alternata Gerst. Arch. Naturg. XXXVII, 1871, p. 58; Deck. Reise III, 2, 1873, p. 164. — Ostafrika
amplicollis Fairm. Rev. d'Ent. XI, 1892, p. 106. — Obock
anceps Fåhrs. Oefv. Vet. Ak. Förh. XXVII, 1870, p. 245. — Caffrarien
angolensis Er. Arch. Naturgesch. IX, 1843, I, p. 236. — Deyr. Mon. p. 185, t. 1, f. 5. — Angola
angusticostis Deyr. Mon. p. 130. — N'Gami
approximata Deyr. Mon. p. 195. — Algier
armeniaca Deyr. Mon. p. 172. — Armenien
aromatum Gestro, Ann. Mus. Genova (2) XV, 1895, p. 258. — Somali
asiatica Mill. Wien. Ent. Monatschr. V, 1861, p. 169, t. 4, f. 1. — Deyr. Mon. p. 174. — Syrien, Persien
assimilis Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. CCXCI (13). — Ostafrika
atra Fåhrs. Oefv. Vet.-Ak. Förh. XXVII, 1870, p. 245. — Caffrarien
Balyi Deyr. Mon. p. 153. — Capland
benguelensis Deyr. Mon. p. 218. — Benguela
bicarinata Sol. Ann. Soc. Ent. Fr. III, 1834, p. 617. — Woll. Cat. Canar. Col. 1864, p. 436. — Deyr. Mon. p. 205. — Heyd. Ber. Senck. Naturf. Ges. 1874—75, p. 139. — Teneriffa
minuta Brll. Webb. et Berth. Ins. Canar. 1838, p. 64.
Bocandei Deyr. Mon. p. 107. — Senegambien
Boei Sol. Ann. Soc. Ent. Fr. III, 1834, p. 606. — Deyr. Mon. p. 128. — Südafrika
var. *abbreviata* Deyr. Mon. p. 130.
var. *minor* Deyr. Mon. p. 130.
var. *Reichei* Deyr. Mon. p. 129.
var. *rugosa* Deyr. Mon. p. 130.
Bohemani Deyr. Mon. p. 188. — Aegypten
Burkei Deyr. Mon. p. 136. — Fåhrs. Oefv. Vet. Ak. Förh. XXVII, 1870, p. 246. — Südafrika
caffer Deyr. Mon. p. 124. — Capland
var. *dilaticollis* Deyr. Mon. p. 124.
Candei Gestro. Ann. Mus. Genova (2) XV, 1895, p. 362. — Somali
Candezei Deyr. Mon. p. 155. — Capland
callosa Gerst. Jahrb. Hamb. wiss. Anst. I, 1884, p. 54. — Massailand
carinata Sol. Ann. Soc. Ent. Fr. III, 1834, p. 630, t. 15, f. 6. — Deyr. Mon. p. 192. — Oberägypten
Germari Sol. l. c. p. 631 (pars).
Reaumuri Sol. l. c. p. 630.
Schönherri Sol. l. c. p. 629 (pars).
Castelnaudi Deyr. Mon. p. 149. — N'Gami
Chevrolati Deyr. Mon. p. 139. — Capland
cicatricosa Geb. Ergebn. Exped. Kilimandjaro VII, 1910, p. 364. — Kilimandjaro
Clarki Deyr. in Woll. Cat. Canar. Col. 1864, p. 435; Mon. p. 204. — Canaren
cognata Mill. Wien. Ent. Monatschr. V, 1861, p. 170. — Deyr. Mon. p. 198. — Syrien
complanata Sol. Ann. Soc. Ent. Fr. III, 1834, p. 626. — Deyr. Mon. p. 175. — Aegypten, Arabien ?Capland
congesta Gerst. Arch. Naturg. XXXVII, 1871, p. 57; Deckens Reise III, 2, 1873, p. 163. — Sansibar
convexiuscula Gerst. Monatsb. Berl. Acad. 1854, p. 530; Peters Reise 1862, p. 272. — Deyr. Mon. p. 123. — Ostafrika
crypticoides Deyr. Mon. p. 182, t. 1, f. 4. — Caffrarien

curta Deyr. Mon. p. 211.	Algier
damarina Péring. Denkschrift med. Ges. Jena XIII, 1908, p. 399.	Südwest-Afrika
Delalandei Sol. Ann. Soc. Ent. Fr. III, 1834, p. 608. — Deyr. Mon. p. 126. — Fåhrs. Oefv. Vet. Ak. Förh. XXVII, 1870, p. 244.	Capland
var. *major* Deyr. Mon. p. 127.	,,
var. *minor* Deyr. Mon. p. 127.	,,
Dejeani Deyr. Mon. p. 154.	,,
depressipennis Luc. Bull. Soc. Ent. Fr. 1858, p. 222. — Deyr. Mon. p. 214.	Algier
devexa Pér. Denkschr. med. Ges. Jena XIII, 1908, p. 401.	Südwestafr.
Deyrollei Deyr. Bull. Soc. Ent. Fr. 1867, p. 170 nota 2.	N'Gami
rotundata Deyr. Mon. p. 145.	
difficilis Deyr. Mon. p. 147.	,,
dilatata Deyr. Mon. p. 208.	Aegypt., Syrien
distincta Deyr. Mon. p. 158.	Port Natal
dorsata Pér. Trans. S. Afr. Phil. Soc. VI, 2, 1892, p. 47.	Walfish Bay
Dregei Deyr. Mon. p. 127.	Capland
dytiscoides Herbst, Käfer VIII, 1799, p. 178, t. 127, f. 14. — Sol. Ann. Soc. Ent. Fr. III, 1834, p. 623 (pars). — Deyr. Mon. p. 184.	,,
angusta Wied. Zool. Mag. II, 1, 1823, p. 35 (pars.)	
ecostata Lesne, Bull. Soc. Ent. Fr. 1907, p. 320.	Rudolph-See
elongata Deyr. Mon. p. 219, t. 2, f. 11.	Benguela
Emilia Deyr. Mon. p. 151.	Caffrarien
errans Sol. Ann. Soc. Ent. Fr. III, 1834, p. 614. — Deyr. Mon. p. 207.	Spanien Marocco
Faldermanni Deyr. Mon. p. 116. — Baudi, Ann. Mus. Genova VI, 1874, p. 90.	Persien
foveiceps Gestro, Ann. Mus. Genova (2) XV, 1895, p. 364.	Somaliland
fugax Fåhrs. Oefv. Vet. Akad. Förh. XXVII, 1870, p. 244.	Caffrarien
funerea Gerst. Arch. Naturg. XXXVII, 1871, p. 58; Deck. Reise III, 2, 1873, p. 165.	Ostafrika
Ghiliani Deyr. Mon. p. 196.	Incert. sedis
glabricollis Deyr. Mon. p. 162.	Capland
Goryi Sol. Ann. Soc. Ent. Fr. III, 1834, p. 624. — Deyr. Mon. p. 137.	,,
gracilicornis Deyr. Mon. p. 135.	,,
gracilis Fåhrs. Oefv. Vet. Akad. Förh. XXVII, 1870, p. 246.	Caffrarien
Haagi Deyr. Mon. p. 157.	Capland
Humberti Deyr. Mon. p. 177.	Westasien? Nubien?
hypocrita Péring. Trans. S. Afr. Phil. Soc. VI, 2, 1892, p. 48.	Südwest-Afrika
impunctícollis Deyr. Mon. p. 156.	Capland
inexplicita Deyr. Mon. p. 125.	Caffrarien
laevigata Deyr. Mon. p. 150. — Fåhrs. Oefv. Vet. Akad. Förh. XXVII, 1870, p. 246.	Capland
lata Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 94 et nota.	Turkestan
Lethierryi Deyr. Mon. p. 211.	Algier
Linnei Sol. Ann. Soc. Ent. Fr. III, 1834, p. 618. — Deyr. Mon. p. 159.	Capland
longula Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 147.	Senegal
madagascariensis Deyr. Mon. p. 121.	Madagaskar
Maeklini Deyr. Mon. p. 186.	Aegypten

Marseuli Deyr. Mon. p. 210. — Algier
Mellyi Deyr. Mon. p. 146. — Inneres Südafrika

Migneauxi Deyr. Mon. p. 171. — Arabien
miliaris Deyr. Mon. p. 179. — Incert. sedis
minuta F. Syst. Ent. 1775, p. 259. — Herbst, Käfer VIII, 1799, p. 176, t. 127, f. 13. — Latr. Gen. Crust. et Ins. II, 1807, p. 146. — Sol. Ann. Soc. Ent. Fr. III, 1834, p. 615. — Cast. Hist. Nat. II, 1840, p. 186. — Küst. Käf. Eur. XX, 2, 1850, t. 1, f. 2. — Jacq. du Val, Genera Col. d'Eur. III, 1861, t. 59, f. 291. — Deyr. Mon. p. 206. — Spanien, Marokko
suborbicularis Sol. Ann. Soc. Ent. Fr. III, 1834, p. 616. — Kraatz, Revis. Tenebr. 1864, p. 1.
Mniszechi Deyr. Mon. p. 163. — N'Gami
moesta Fåhrs. Oefv. Vet. Akad. Förh. XXVII, 1870, p. 244. — Caffrarien
Montrouzieri Deyr. Mon. p. 142. — N'Gami
mozabita Fairm. Bull. Soc. Ent. Fr. 1897, p. 120. — Algier
muricata Sol. Ann. Soc. Ent. Fr. III, 1834, p. 620. — Cast. Hist. Nat. II, 1840, p. 186. — Deyr. Mon. p. 166, t. 2, f. 8. — Südafrika
testudinaria Ol. Ent. III, 1795, 63, p. 4, t. 1, f. 1 a, b.
Murrayi Deyr. Mon. p. 141. — N'Gami
mutilata Geb. nom. nov. — ?Südafrika
parallela Deyr. Mon. p. 180, t. 1, f, 3, t. 2, f. 10.
myrmido Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 165. — Ostafrika
namibensis Péring. Denkschr. med. Ges. Jena XIII, 1908, p. 398. — Südwest-Afrika
nana Péring. Trans. S. Afr. Phil. Soc. VI, 2, 1892, p. 48. — ,,
nigroaenea Deyr. Mon. p. 181. — Capland
nitida Gebl. Bull. Acad. Petr. III, 1845, p. 100; Bull. Mosc. XXXIII, 1860, III, p. 10. — Deyr. Mon. p. 119. — Transcaspien
nitidula Sol. Ann. Soc. Ent. Fr. III, 1834, p. 619. — Incert. sedis
nivosa Dohrn, Stett. Ent. Zeit. XLV, 1884, p. 40. — Turkestan
nyctocharis Redt. Reis. Novara II, 1868, p. 116. — Capland
oblonga Sol. Ann. Soc. Ent. Fr. III, 1834, p. 625. — Arabien, Persien
cursor Deyr. Mon. p. 170.
obsoleta Deyr. Mon. p. 148. — Caffrarien
ogadenica Gestro, Ann. Mus. Genova (2) XII, 1892, p. 762. — Somaliland
orbicularis Deyr. Mon. p. 216. — Port Natal
orbiculata Deyr. Mon. p. 209. — Syrien
orientalis Deyr. Mon. p. 115. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 164. — Syrien, Mare Casp.
osmanlis Deyr. Mon. p. 114. — Syrien
ovata Brll. Exp. Mor. III, 1832, p. 190. — Kraatz, Revis. Tenebr. 1864, p. 3. — Griechenland, Creta
polita Lucas, Mag. Zool. 1853, p. 565; Rev. Zool. 1854, p. 28.
parallela Miller, Wien. Ent. Monatschr. V, 1861, p. 169. — Syrien
parentalis Pér. Jen. Denkschr. med. Ges. XIII, 1908, p. 399. — Südwest-Afrika
persica Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 94 et nota. — Nord-Persien
personata Er. Wagn. Reis. III, 1841, p. 176. — Luc. Expl. Alg. 1849, t. 27, f. 7. — Algier
Pfeiferi Gredl. Verh. zool.-bot. Ges. Wien XXVII, 1877, p. 513. — Khartum

picipennis Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 165. — Ostafrika

placata Deyr. Mon. p. 161. — Capland

plana F. Ent. Syst. I, 1792, p. 92. — Sol. Ann. Soc. Ent. Fr. III, 1834, p. 627. — Deyr. Mon. p. 194. — Aegypten, Nubien

plicata Brll. Webb. et Berth. Ins. Canar. 1838, p. 64, t. 1, f. 8. — Woll. Cat. Can. Col. 1864, p. 434. — Deyr. Mon. p. 202. — Canaren

vagans Heer in Hartung, Geol. Verh. Lanzarota 1856, p. 140.

plicatipennis Deyr. Mon. p. 190. — Nubien

crispata Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. CCXCI (13). — Bedel, Abeille XXVIII, p. 153. — Ostafrika

posticalis Deyr. Mon. p. 199. — Aegypten

praocioides Deyr. Mon. p. 122. — Sansibar

prona Péring. Denkschr. med. Ges. Jena XIII, 1908, p. 401. — Südwestafrika

pterygomalis Geb. Ergebn. Exped. Kilimandjaro VII, 1910, p. 364. — Kilimandjaro

puella Deyr. Mon. p. 120. — Senegal

pulverulenta Deyr. Mon. p. 178. — Persien, Syrien

var. *sulphurea* Deyr. Mon. p. 180.

punctata Brll. Exped. Mor. III, 1832, p. 191. — Sol. Ann. Soc. Ent. Fr. III, 1834, p. 609. — Kraatz, Revis. Tenebr. 1865, p. 2. — Deyr. Mon. p. 109. — Rottenb. Berl. Ent. Zeitschr. XIV, 1870, p. 246. — Mittelmeergebiet

var. *barbara* Sol. Ann. Soc. Ent. Fr. III, 1834, p. 608. — Deyr. Mon. p. 112.

var. *gibbicollis* Sol. l. c. p. 612. — Deyr. Mon. p. 111.

var. *Kollari* Deyr. Mon. p. 112.

var. *Maillei* Sol. Ann. Soc. Ent. Fr. III, 1834, p. 613. — Deyr. Mon. p. 111.

var. *mediocris* Deyr. Mon. p. 114.

var. *ovata* Deyr. Mon. p. 112.

curta Sol. Ann. Soc. Ent. Fr. III, 1834, p. 611.

var. *sicula* Kraatz, Revis. Tenebr. 1864, p. 2. — Deyr. Mon. p. 111.

var. *variepunctata* Deyr. Mon. p. 113.

var. *Vescoi* Deyr. Mon. p. 113.

punctatafasciata Geb. Ergebn. Exped. Kilimandjaro VII, 1901, p. 365. — Kilimandjaro

puncticeps Baudi, Ann. Mus. Genova VI, 1874, p. 90. — Persien

punctulata Ol. Ent. III, 1795, 63, p. 7, t. 1, f. 7 a, b. — Südafrika

angusta Wied. Zool. Mag. II, 1, 1823, p. 35 (pars). — Deyr. Mon. p. 138.

dytiscoides Sol. Ann. Soc. Ent. Fr. III, 1834, p. 623 (pars).

pygmaea Sol. l. c. p. 611. — Deyr. Mon. p. 118. — Aegypten

quadricarinata Deyr. in Woll. Cat. Canar. Col. 1864, p. 433; Mon. p. 197. — Teneriffa

quadricostata Sol. Ann. Soc. Ent. Fr. III, 1834, p. 628. — Deyr. Mon. p. 195. — Aegypten

quadrilineata Ol. Entom. III, 1795, 63, p. 6, t. 1, f. 6 a, b. — Sol. Ann. Soc. Ent. Fr. III, 1834, p. 604, t. 15, f. 10. — Cast. Hist. Nat. II, 1840, p. 185. — Deyr. Mon. p. 105, t. 1, f. 7. — Senegal

Racinei Deyr. Mon. p. 161. — Capland

Reichei Guér. Voy. Lefebure 1849, p. 319, t. 5, f. 1. — Reiche in Galin. Voy. Abyss. 1848, p. 362, t. 21, f. 8. — Abessinien

rhantoides Gestro, Ann. Mus. Genova (2) XV, 1895, p. 360. — Somaliland

rotundata Ménétr. Mém. Acad. Petr. VI, 1849, p. 218 (2). — Deyr. Mon. p. 215. — Transcaspien, Aegypt. Arabien

rufipennis Pér. Denkschr. med. Ges. Jena XIII, 1908, p. 401. — Südwestafrika

rugatipennis Pér. Trans. S. Afr. Phil. Soc. VI, 2, 1892, p. 47. — ,,

rugosa Fald. Fauna transc. II, 1837, p. 4, t. 1, f. 10. — Deyr. Mon. p. 173. — Faust, Horae Soc. Ross. XI, 1875, p. 164. — Turkmenien, Persien

sabaea Baudi, Deutsche Ent. Zeitschr. XXV, 1881, p. 273. — Arabien

scabriuscula Ménétr. Mém. Ac. Petr. VI, 1849, p. 218 (2), t. 3, f. 2. — Turkmenien

sculptilis Gerst. Arch. Naturg. XXXVII, 1871, p. 57; Deck. Reise III, 2, 1873, p. 162. — Ostafrika

sexcostata Deyr. Mon. p. 165. — Westafrika

similis Deyr. Mon. p. 140. — N'Gami

sinuatocollis Deyr. Mon. p. 152. — ,,

Solieri Deyr. Mon. p. 132. — ,,

subaenea Deyr. Mon. p. 143. — ,,

subcariosa Lesne, Bull. Soc. Ent. Fr. 1907, p. 320. — Nordostafrika

subcordata Deyr. Mon. p. 144. — N'Gami

subcostulata Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 166. — Ostafrika

subinflata Brll. Exped. Morée III, 1832, p. 191. — Kraatz, Revis. Tenebr. 1865, p. 3. — Griechenland

submetallica Sol. Ann. Soc. Ent. Fr. III, 1834, p. 614. — Deyr. Mon. p. 133, t. 1, f. 6. — Capland

sulcata Deyr. Mon. p. 189. — Aegypt. Arabien

testudinaria F. Mant. Ins. I, 1787, p. 215. — Herbst, Käf. VIII, 1799, p. 173, t. 127, f. 11. — Sol. Ann. Soc. Ent. Fr. III, 1834, p. 622. — Cast. Hist. Nat. II, 1840, p. 186. — Deyr. Mon. p. 168, t. 1, f. 2. — Arabien

trilineata Ol. Ent. III, 1795, 63, p. 6, t. 1, f. 5 a, b. — Sol. Ann. Soc. Ent. Fr. III, 1834, p. 603, t. 15, f. 1—5. — Deyr. Mon. p. 201. — Senegal

Truquii Deyr. Mon. p. 116. — Smyrna

undulata Gahan, Bull. Liverp. Mus. III, 1, 1900, p. 8. — Sokotra

vagans Brll. Webb. et Berth. Ins. Canar. 1838, p. 64. — Woll. Cat. Can. Col. 1864, p. 435. — Deyr. Mon. p. 203. — Canaren

Vesmei Gestro, Ann. Mus. Genova (2) XV, 1895, p. 361. — Somaliland

viridilimbata Chob. Bull. Soc. Ent. Fr. 1899, p. 409. — Südl. Tunis

Wollastoni Deyr. Mon. p. 212. — Kaukasus

Zuberi Deyr. Mon. p. 213. — Alg. Sahara

163

Chirosis Deyr.

Deyr. Ann. Soc. Ent. Fr. (4) VII, 1867, p. 220 (Mon.).

acuminata Ménétr. Cat. rais. 1832, p. 202. — Südrußland, Syrien

ovata Falderm. Fauna Transc. II, 1837, p. 5, t. 1, f. 9. — Deyr. Mon. p. 221, t. 2. f. 12.

1

Calosis Deyr.

Deyr. Ann. Soc. Ent. Fr. (4) VII, 1867, p. 222 (Mon.).

amabilis Deyr. Mon. p. 224, t. 3, f. 14. Südwestafrika
var. *tricolor* Deyr. Mon. p. 225, f. 15.
1

Onychosis Deyr.

Deyr. Ann. Soc. Ent. Fr. (4) VII, 1867, p. 226 (Mon.).

gracilipes Deyr. Mon. p. 228, t. 2, f. 13. Benguela, Südwestafrika
1

Ophthalmosis Deyr.

Deyr. Ann. Soc. Ent. Fr. (4) VII, 1867, p. 229 (Mon.).

longipes Deyr. Mon. p. 231, t. 3, f. 16. Cap Negro
1

Anisosis Deyr.

Deyr. Ann. Soc. Ent. Fr. (4) VII, 1867, p. 232 (Mon.).

caudatus Deyr. Mon. p. 234, t. 4, f. 17. Benguela
damarensis Pér. Trans. S. Afr. Phil. Soc. IV, 1886, p. 115. Südwestafrika
2

Cardiosis Deyr.

Deyr. Ann. Soc. Ent. Fr. (4) VII, 1867, p. 235 (Mon.).

Fairmairei Pér. Trans. S. Afr. Phil. Soc. IV, 1886, p. 114, t. 2, f. 5. Südwestafrika
Mouffleti Deyr. Mon. p. 238, t. 4, f. 18. Cap Negro
2

XIII. Tentyriinae.

Solier, Ann. Soc. Ent. Fr. IV, 1835, p. 249. — Mulsant, Col. Fr. Latigènes 1854, p. 40, 41. — Lacordaire, Genera Col. V, 1859, p. 32 (pars). — Jacquelin du Val, Genera Col. d'Eur. III, 1861, p. 246, 326. — Kraatz, Revis. Tenebr. 1865, p. 69. — Seidlitz, Naturg. Ins. Deutschl. V, 1893, p. 219, 223. — Reitter, Best.-Tab. (Verh. Ver. Brünn) XLII, 1900, p. 82; LIII, 1904, p. 28. — Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 279, 522.

Orocina Reitt.

Reitt. Deutsche Ent. Zeitschr. 1896, p. 303; Best.-Tab. XLII, 1900, p. 87, 97.

capnisiceps Reitt. Deutsche Ent. Zeitschr. 1896, p. 303 nota; Best.-Tab. XLII, 1900, p. 97. Turkestan
Semenowi Reitt. l. c. p. 303 nota; l. c. p. 97. „
2

Syachis F. Bates.

F. Bates, Cist. Ent. II, 1879, p. 467; Second Yark. Miss. Col. 1890, p. 55.

himalaicus F. Bates, Cist. Ent. II, 1879, p. 467; Second Yark. Miss. Col. 1890, p. 56, t. 2, f. 1. — Kaschmir
picicornis Bates, l. c. p. 467; l. c. p. 56. — „
2

Ascelosodis Redtb.

Redtb. Reise Novara II, 1868, p. 117. — Reitter, Best.-Tab. XLII, 1900, p. 87, 97.

assimilis F. Bates, Cist. Ent. II, 1879, p. 468; Second Yark. Miss. Col. 1890, p. 57. — Kaschmir
ciliatus Bates l. c. p. 468; l. c. p. 57, t. 2, f. 2. — „
concinnus Bates, l. c. p. 468; l. c. p. 57. — Pamir
grandis Bates, l. c. p. 469; l. c. p. 58, t. 2, f. 3. — Kaschmir
Haagi Bates, l. c. p. 469, l. c. p. 57. — „
inermis Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. XCIII. — „
intermedius F. Bates, Cist. Ent. II, 1879, p. 469; Second Yark. Miss. Col. 1890, p. 58, t. 2, f. 4. — „
ovoideus Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. CXII. — „
serripes Redtenb. Reise Novara II, 1868, p. 118. — Ind. or.
9

Gnathosia Fisch.

Fischer v. Waldh. Lettre à Pander 1821, p. 13. — Reitter, Ent. Nachr. XXII, 1896, p. 129—135; Best.-Tab. XLII, 1900, p. 83, 87, 97 (Mon.).

Capnisa Lacord. Genera Col. V, 1859, p. 36. — Kraatz, Revis. Tenebr. 1865, p. 82. — Faust, Horae Soc. Ross. XI, 1875, p. 166.

Barschewskyi Reitt. Ent. Nachr. XXII, 1896, p. 130, Mon. p. 98. — Turkestan
var. *interrupta* Reitt. Ent. Nachr. XXII, 1896, p. 133; Mon. p. 99. — Samarkand
compressa Reitt. Ent. Nachr. XXII, 1896, p. 134; Mon. p. 100. — Transkaspien
cribratella Fairm. Bull. Soc. Ent. Fr. 1892, p. CLIII. — Turkestan
crypticola Reitt. Ent. Nachr. XXII, 1896, p. 132; Mon. p. 99. — „
declivis Reitt. l. c. p. 131; Mon. p. 99. — „
depressiuscula Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 81. — „
elliptica Ménétr. Mém. Acad. Petr. VI, 1849, p. 219 (3), t. 3, f. 3. — Reitt. Entom. Nachr. XXII, 1896, p. 132; Mon. p. 99. — Samarkand
elongata Reitt. Mon. p. 98. — Buchara
Fausti Reitt. Deutsche Ent. Zeitschr. 1889, p. 29. — Persien
modesta Faust, Horae Ent. Ross. XI, 1875, p. 167.
glabra Fisch. Lettre à Pander 1821, p. 14; Ent. Ross. II, 1823—24, p. 168, t. 20, f. 8 a—c. — Reitt. Ent. Nachr. XXII, 1896, p. 130; Mon. p. 98. — Turkestan

hydrobiformis Reitt. Ent. Nachr. XXII, 1896, p. 133; Mon. p. 100. — Transkaspien

humerosa Reitt. Mon. p. 100. — Buchara

Karelini Fald. Bull. Mosc. IX, 1836, p. 375. — Reitt. Ent. Nachr. XXII, 1896, p. 135; Mon. p. 101. — Transkaspien, Turkestan

mediocris Fairm. Compt. rend. Belg. 1891, p. XCIII. — Kaschmir

modesta Fald. Fn. Transc. II, 1837, p. 28. — Reitt. Deutsche Ent. Zeitschr. 1889, p. 29; Ent. Nachr. XXII, 1896, p. 131; Mon. p. 98. — Kasp. Meer, Nord-Persien

Schrencki Gebl. Bull. Acad. Petr. III, 1845, p. 100; Bull. Mosc. XXXIII, 1860, III, p. 11. — Ménétr. Mém. Acad. Petr. VI, 1849, t. 3, f. 4. — Reitt. Ent. Nachr. XXII, 1896, p. 134; Mon. p. 100. — Samarkand

Skobelewi, Starck. Wien. Ent. Zeit. VIII, 1889, p. 53. — Reitt. Ent. Nachr. XXII, 1896, p. 135; Mon. p. 101. — Achal-Tekke

suturalis Reitt. Ent. Nachr. XXII, 1896, p. 130; Mon. p. 97. — Samarkand

18

Dailognatha Eschsch.

Eschsch. Zool. Atlas III, 1829, p. 9. — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 258. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 313. — Seidl. Naturg. Ins. Deutschl. V, 1898, p. 818. — Reitt. Best.-Tab. XLII, 1900, p. 87, 101 (Mon.).

Gnathosia Lacord. Genera Col. V, 1859, p. 38. — Jacquelin du Val, Genera Col. Eur. III, 1861, p. 246. — Kraatz, Revis. Tenebr. 1865, p. 82. — Allard, Ann. Soc. Ent. Belg. XXVII, 1883, p. 15.

caraboides Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 265. — Fald. Fn. transc. II, 1837, p. 34. — Kraatz, Revis. Tenebr. 1865, p. 89. — Faust, Horae XI, 1875, p. 169. — All. Ann. Soc. Ent. Belg. XXVII, 1883, p. 17. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 313; Mon. p. 101. — Balkan-Halbinsel Kleinasien, Syrien, Kaukasus, Nordpers.

Audouini Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 266. — Kraatz, Revis. 1865, p. 86.

var. *caucasica* Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 67 (19). — Reitt. Deutsche Ent. Zeitschr. 1896, p. 314; Mon. p. 102.

Carceli Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 265. — Kraatz, Revis. 1865, p. 86. — All. Ann. Soc. Ent. Belg. XXVII, 1883, p. 15. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 315; Mon. p. 103. — Kaukasus Griechenland, Kleinasien, Transkaukasien

aequalis Tausch. Mém. Mosc. III, 1812, p. 313, t. 2, f. 10. — Stev. Nouv. Mem. Mosc. I, 1829, p. 88. — Faust, Horae XI, 1875, p. 170. — All. Ann. Soc. Ent. Belg. XXVII, 1883, p. 16.

depressicornis Fald. Fn. transcauc. II, 1837, p. 35, t. 1, f. 8.

depressicollis Kraatz, Revis. 1865, p. 89.

var. *impressicollis* Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 263. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 315; Mon. p. 103. — Griechenland

var. *laevigata* Brll. Exp. Mor. III, 1832, p. 199. — Kraatz, Revis. 1865, p. 87. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 315; Mon. p. 103. — Kreta

	var. *rugata* Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 263. — Kraatz, Revis. 1865, p. 87. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 315; Mon. p. 103.	Kreta
crenata	Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 196. — Kraatz, Revis. 1865, p. 88. — All. Ann. Soc. Ent. Belg. XXVII, 1883, p. 17. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 316; Mon. p. 104.	Syrien, Kleinasien, Transkaukasus
gracilicornis	Reitt. Deutsche Ent. Zeitschr. 1896, p. 317; Mon. p. 105.	Turkestan
granimentum	Reitt. l. c. p. 317; Mon. p. 105.	„
hellenica	Reitt. Deutsche Ent. Zeitschr. 1896, p. 316; Mon. p. 104.	Griechenland
hispana	Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 261. — Kraatz, Revis. 1865, p. 87. — All. Ann. Soc. Ent. Belg. XXVII, 1883, p. 16.	Cadix, Portugal
laticollis	Besser, Nouv. Mém. Mosc. II, 1832, p. 9. — Kraatz, Revis. 1865, p. 87. — All. Soc. Ent. Ann. Belg. XXVII, 1883, p. 15. — Reitter, Deutsche Ent. Zeitschr. 1896, p. 315; Mon. p. 103.	Corfu
	Chevrolati All. l. c. p. 17. — Reitt. Mon. p. 103 nota.	Italien
minuscula	Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 68 (20).	Taurus
nasuta	Ménétr. Mém. Acad. Petr. VI, 1849, p. 231 (15), t. 4, f. 3. — Kraatz, Revis. 1865, p. 88. — Faust, Horae XI, 1875, p. 173. — All. Ann. Soc. Ent. Belg. XXVII, 1883, p. 16. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 317; Mon. p. 105.	Transkaspien, Turkestan
obtusangula	Reitt. Deutsch. Ent. Zeitschr. 1896, p. 314; Mon. p. 102.	Griechische Inseln
planata	Mill. Wien. Ent. Monatschr. V, 1861, p. 173. — Kraatz, Revis. 1865, p. 88. — All. Ann. Soc. Ent. Belg. XXVII, 1883, p. 17. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 317; Mon. p. 104.	Kleinasien, Syrien
pumila	Baudi, Bull. Soc. Ent. Ital. VI, 1874, p. 197; Deutsche Ent. Zeitschr. 1875, p. 31 nota. — All. Ann. Soc. Ent. Belg. XXVII, 1883, p. 18. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 314; Mon. p. 102.	Armenien
	humeralis Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 69 (21).	
quadricollis	Brll. Exped. Mor. III, 1832, p. 199, t. 40, f. 6. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 315; Mon. p. 103.	Griechenland, Syrien, Kleinasien
	sinuatocollis Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 66 (18).	
	variabilis Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 262, t. 5, f. 11, 14, 18. — Jacq. du Val, Gen. Col. III, 1861, t. 59, f. 293.	
	var. *crassicornis* Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 66 (18).	
rugipleuris	Reitt. Deutsche Ent. Zeitschr. 1896, p. 316, Mon. p. 104.	Kleinasien
vicina	Brll. Exped. Mor. III, 1832, p. 200. — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 267. t. 5, f. 12, 13, 15—17, 19. — Kraatz, Revis. 1865, p. 88. — All. Ann. Soc. Ent. Belg. XXVII, 1883, p. 16.	Griechenland

— Reitt. Deutsche Ent. Zeitschr. 1896, p. 314; Mon. p. 102.
opaca All. l. c. p. 16.
16

Colposcelis Lacord.

Lacord. Genera Col. V, 1859, p. 37. — Kraatz, Revis. Tenebr. 1865, p. 90. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 298; Best.-Tab. XLII, 1900, p. 87, 105 (Mon.).

Subgen. *Scelocolpis* Reitt. Mon. p. 105.
Subgen. *Colposcythis* Reitt. Verh. Nat. Ver. Brünn. XXVII, 1890, p. 113; Deutsche Ent. Zeitschr. 1896, p. 298; Mon. p. 109.

Amanda Reitt. Mon. p. 107 *(Scelocolpis)*. — Chinesisch Turkestan

Damone Reitt. Mon. p. 107 *(Scelocolpis)*. — „
Försteri Reitt. Mon. p. 107 *(Scelocolpis)*. — „
humerangula Reitt. Mon. p. 108 (*Colposcelis* s. str.). — Turkestan
hybrida Reitt. Mon. p. 109 (*Colposcelis* s. str.). — Ostsibirien
longicollis Zoubkoff, Bull. Mosc. VI, 1833, p. 328; Bull. Mosc. Ent. I, 1836, p. 312. — Kraatz, Revis. 1865, p. 91. — Faust, Horae XI, 1875, p. 174. — Reitt. Mon. p. 108 (*Colposcelis* s. str.). — Transkaspien, Talysch.
microderoides Reitt. Mon. p. 106 *(Scelocolpis)*. — Chinesisch Turkestan
minuta Reitt. Mon. p. 108 (*Colposcelis* s. str.). — Transkaspien
montivaga F. Bates, Cist. Ent. II, 1879, p. 470; Second Yark. Miss. Col. 1890, p. 58, t. 2, f. 5. — Reitt. Mon. p. 106 *(Scelocolpis)*. — Chinesisch Turkestan
quadricollis Ball. Bull. Mosc. LIII, 1878, 1, p. 297. — Reitt. Mon. p. 108, 114 *(Colposcelis)* (s. auch *Anatolica*!) — Turkestan
trisulcata Reitt. Mon. p. 106 *(Scelocolpis)*. — Mongolei
Walteri Reitt. Verh. Nat. Ver. Brünn XXVII, 1890, p. 114; Mon. p. 109 *(Colposcythis)*. — Transcasp.
14

Anatolica Eschsch.

Eschsch. Zool. Atl. IV, 1831, p. 7. — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 379. — Lacord. Genera Col. V, 1859, p. 41. — Jacquelin du Val, Genera Col. III, 1861, p. 247. — Kraatz, Revis. Tenebr. 1865, p. 91. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 299; Best.-Tab. XLII, 1900, p. 88, 111 (Mon.).

abbreviata Gebl. Ledeb. Reise 1830, p. 116. — Besser, Nouv. Mém. Mosc. II, 1832, p. 8. — Reitt. Mon. p. 116. — Südostrußl. Westsibirien
gnathosioides Motsch. Bull. Mosc. XLIII, 1870, I, p. 389, t. 4, f. 4, 5.
amoena Fald. Mém. Acad. Petr. sav. étrang. II, 1835, p. 397. — Mongolei
?Iduna Reitt. Mon. p. 122.
amoenula Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 683; Mon. p. 129. — „
suavis Friv. Term. Füzetek XII, 1889, p. 205.

typonota All. Ann. Soc. Ent. Belg. XXVII, 1883, p. 22.

angustata Stev. Nouv. Mém. Mosc. I, 1829, p. 85. — Besser, Nouv. Mém. Mosc. II, 1832, p. 5. — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 384. — Kraatz, Revis. 1865, p. 93, 99. — Reitt. Mon. p. 127. — Südrußland bis Altai

Audouini Sol. l. c. p. 385.

conica Motsch. Bull. Mosc. XVIII, 1845, I, p. 73; Bull. Acad. Petr. I, 1860, p. 310.

elongata Gebl. Ledeb. Reis. 1830, p. 119; Bull. Mosc. XX, 1847, IV, p. 472.

glaberrima Baudi, Deutsche Ent. Zeitschr. XIX, 1875, p. 38.

Maillei Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 386, t. 8, f. 15, 16, 20.

subquadrata Eschsch. Zool. Atl. IV, 1831, p. 7. — Sol. l. c. p. 383, t. 8, f. 12, 14, 19.

Arethusa Reitt. Mon. p. 119. — Sibirien

aucta Fald. Mém. Acad. Petr. sav. étrang. II, 1835, p. 401. — All. Ann. Soc. Ent. Belg. XXVII, 1883, p. 21. — Reitt. Mon. p. 125. — Mongolei

cellicola Fald. l. c. p. 398. — All. l. c. p. 21. — Reitt. Mon. p. 122. — „

denticulata Gebl. Bull. Mosc. XIV, 1841, IV, p. 591; XX, 1847, IV, p. 472. — Sibirien

ebenina Fairm. Rev. d'Ent. VI, 1887, p. 323. — Peking

eremita Stev. Nouv. Mém. Mosc. I, 1829, p. 87. — Kraatz, Revis. 1865, p. 100. — All. Ann. Soc. Ent. Belg. XXVII, 1883, p. 21. — Reitt. Mon. p. 121. — Krim, Russ. Armenien

Besseri Kryn. Bull. Mosc. I, 1829, p. 193. — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 390. — Kraatz, Revis. 1865, p. 95.

? *eremita* Sol. l. c. p. 389. — Kraatz, Revis. 1865, p. 95. — All. Ann. Soc. Ent. Belg. XXVII, 1883, p. 21.

ventralis Motsch. Bull. Mosc. XVIII, 1845, I, p. 73.

externecostata Fairm. Rev. d' Ent. VII, 1888, p. 125. — Reitt. Mon. p. 126. — Peking

Fausti Reitt. Mon. p. 118. — Turkestan

gibbosa Stev. Nouv. Mém. Mosc. I, 1829, p. 87. — Gebl. Ledeb. Reise 1830, p. 118. — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 382. — Kraatz, Revis. 1865, p. 92, 101. — All. Ann. Soc. Ent. Belg. XXVII, 1883, p. 20. — Reitt. Mon. p. 115. — Südostrußland bis Sibirien

saisanensis Motsch. Bull. Mosc. XLIII, 1870, I, p. 396.

typonota Ménétr. Bull. Acad. Petrop. I, 1836, p. 181.

var. *depressa* Bess. Nouv. Mém. Mosc. II, 1832, p. 8. — Kraatz, Revis. 1865, p. 101. — All. Ann. Soc. Ent. Belg. XXVII, 1883, p. 20. — Reitt. Mon. p. 115.

lineata Stev. Nouv. Mém. Mosc. I, 1829, p. 87.

var. *thoracica* Besser, Nouv. Mém. Mosc. II, 1832, p. 8. — Fisch. Bull. Mosc. XVII, 1844, I, p. 65, — All. Ann. Soc. Ent. Belg. XXVII, 1883, p. 20. — Reitt. Mon. p. 115. — Buchara

var. *Balassogloi* Dohrn, Stett. Ent. Zeit. XLIII, 1882, p. 245.	Turkmenien
granulipleuris Reitt. Mon. p. 124.	Mongolei
gravidula Friv. Term. Füzetek XII, 1889, p. 204. — Reitt. Mon. p. 122.	N. China
Hammerströmi Poppius, Öfv. Finska Vet. Förh. XLVI, 1903—04, nr. 16, p. 12.	Mongolei
Hauseri Reitt. Mon. p. 117.	Turkestan
Holdereri Reitt. Mon. p. 123.	Thibet
immarginata Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 681; Mon. p. 118, 128.	Centralasien
impressa Tausch. Mém. Mosc. III, 1812, p. 30, t. 3, f. 1. — Stev. Nouv. Mém. Mosc. I, 1829, p. 86. — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 391. — Jacq. du Val, Gen. Col. Eur. III, 1861, t. 59, f. 294. — Kraatz, Revis. Tenebr. 1865, p. 97, 100. — All. Ann. Soc. Ent. Belg. XXVII, 1883, I, p. 20. — Reitt. Mon. p. 119.	Südrußland, Turkestan, Sibirien
Koltzei Reitt. Mon. p. 117.	Alexandergebirge
lata Stev. Nouv. Mém. Mosc. I, 1829, p. 86. — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 387. — Kraatz, Revis. 1865, p. 93, 100. — All. Ann. Soc. Ent. Belg. XXVII, 1883, p. 21. — Reitt. Mon. p. 121.	Südrußland, Turkestan, Sibirien, Mongolei
albovittis Motsch. Bull. Mosc. XVIII, 1845, I, p. 73. — All. Ann. Soc. Ent. Belg. XXVII, 1883, p. 21.	
oblonga All. l. c. p. 19.	
tristis Sol. l. c. p. 388. — Kraatz, Revis. 1865, p. 94.	
lepida Fald. Mém. Acad. Petr. sav. étrang. II, 1835, p. 394. — Reitt. Mon. p. 125.	Mongolei
atramentaria Fald. l. c. p. 395.	
dasmascena Kraatz, Revis. 1865, p. 98.	
longithorax Reitt. Mon. p. 118.	Turkestan
Lucina Reitt. Mon. p. 116.	Altai, Ala-Tau
Medusa Reitt. Mon. p. 126.	Dsungarei
Midas Reitt. Mon. p. 116.	Tarbagatai
mucronata Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 682; Mon. p. 128.	China, Tibet
mustacea Kolbe, Wiss. Ergebn. Exped. Filchner 1908, X, I, p. 88,	China
pandaroides Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 680; Mon. p. 114.	„
paphia Reitt. Mon. p. 117.	Turkestan
paradoxa Reitt. Mon. p. 120.	Turkestan, Mongolei
planata Friv. Term. Füzetek XII, 1889, p. 203. — Reitt. Mon. p. 113.	China
polita Friv. l. c. p. 204. — Reitt. Mon. p. 113.	„
Potanini Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 683; Mon. p. 128.	China, Thibet
pseudaucta Reitt. Mon. p. 124.	Transbaikal
pseudoscythis Reitt. Mon. p. 119.	Turkestan
Semenowi Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 680; Mon. p. 113.	China
sternalis Reitt. l. c. p. 681; Mon. p. 119, 120.	China
Loczyi Friv. Term. Füzetek XII, 1889, p. 205.	

strigosa Germ. Ins. Spec. Nov. I, 1824, p. 138. — Stev. Nouv. Mém. Mosc. I, 1829, p. 86. — Gebl. Ledeb. Reise 1830, p. 121. — All. Ann. Soc. Ent. Belg. XXVII, 1883, p. 20. — Reitt. Mon. p. 114, 163. — Sibirien, Thibet

subquadrata Tausch. Mém. Mosc. III, 1812, p. 31, t. 3, f. 2. — Kraatz, Revis. 1865, p. 95. — All. Ann. l. c. p. 19. — Reitt. Mon. p. 116. — Südostrußland, Khirgisia

abbreviata Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 392, t. 8, f. 17, 18.

coriacea Motsch. Bull. Mosc. XVIII, 1845, I, p. 73; Bull. Mosc. XLIII, 1870, I, p. 389, t. 4, f. 6, 7.

eremita Eschsch. Zool. Atl. IV, 1831, p. 7.

macrocephala Stev. Nouv. Mém. Mosc. I, 1829, p. 87.

var. *rugulosa* Gebl. Ledeb. Reise 1830, p. 120.

sulcipennis Reitt. Mon. p. 125. — Csiki, Zichy's asiat. Erforschungsreise II, 1901, p. 110. — Mongolei

suturalis Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 682; Mon. p. 128. — „

tibialis Reitt. Mon. p. 127. — Altai

undulata Gebl. Nouv. Mém. Mosc. II, 1832, p. 55. — Kraatz, Revis. 1865, p. 98. — All. Ann. Soc. Ent. Belg. XXVII, 1883, p. 22. — Reitt. Mon. p. 126. — Mongolei

implana Fald. Mém. Acad. Petr. sav. étrang. II, 1835, p. 400. — All. l. c. p. 22.

propinqua Fald. l. c. p. 396. — All. l. c. p. 22.

torulosa Fisch. Bull. Mosc. XVIII, 1844, I, p. 65. — All. l. c. p. 22.

45

Herlesa Reitt.

Reitt. Deutsche Ent. Zeitschr. 1896, p. 298, 301; Best.-Tab. XLII, 1900, p. 88, 129 (Mon.).

globicollis Reitt. l. c. p. 299 nota; Mon. p. 129. — Algier

1

Prochoma Sol.

Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 393. — Lacord. Genera Col. V, 1859, p. 42. — Reitt. Best.-Tab. XLII, 1900, p. 88, 129.

Audouini Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 395, t. 9, f. 1—4. — Cast. Hist. Nat. II, 1840, p. 195. — Kraatz, Revis. 1865, p. 102. — Bagdad

1

Dichomma Sol.

Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 271. — Lacord. Genera Col. V, 1859, p. 46. — Jacquelin du Val, Genera Col. III, 1861, p. 249. — Kraatz, Revis. Tenebr. 1865, p. 221. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 298; Best.-Tab. XLII, 1900, p. 88, 130.

dardanum Stev. Nouv. Mém. Mosc. I, 1829, p. 88. — Kraatz, Revis. 1865, p. 222. — Reitt. Tab. p. 130. — Griechenland, Kleinasien,

4

Chevrolati Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 200. — Syrien
Duponti Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 274. — Reiche, l. c. p. 202.
glabrum Brll. Exped. Mor. III, 1832, p. 201.
Maillei Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 273, t. 6, f. 4—8. — Cast. Hist. Nat. II, 1840, p. 193. — Jacq. du Val, Gen. Col. III, 1861, t. 60, f. 299.

1

Calyptopsis Sol.

Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 269. — Lacord. Genera Col. V, 1859, p. 45. — Jacquelin du Val, Genera Col. Eur. III, 1861, p. 249. — Kraatz, Revis. Tenebr. 1865, p. 225. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 298; Best.-Tab. XLII, 1900, p. 88, 130 (Mon.).

Choristopsis Kraatz, Revis. Tenebr. 1865, p. 227.

amaroides Baudi, Ann. Mus. Genova VI, 1874, p. 96; Deutsche Ent. Zeitschr. XIX, 1875, p. 32. — N. Persien
capnisiformis Reitt. Wien. Ent. Zeit. XXII, 1903, p. 44. — Kleinasien
capnisioides Reitt. Deutsche Ent. Zeitschr. 1896, p. 307; Mon. p. 133. — Salonichi
caraboides Brll. Exped. Mor. III. 1832, p. 200. t. 40, f. 17. — Guér. Mag. Zool. Cl. IX, 1834, p. 10, t. 106, f. 1. — Kraatz, Revis. 1865, p. 226. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 308; Mon. p. 133. — Griechenland
Emondi Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 271, t. 6, f. 1—3. — Lacord. Genera Col. V, 1859, t. 48, f. 5. — Jacq. du Val, Genera Col. III, 1861, t. 60, f. 300.
caucasica Kraatz, Revis. Tenebr. 1865, p. 228. — Reitt. Mon. p. 131. — Kaukasus
Antoniae Reitt. Deutsche Ent. Zeitschr. 1889, p. 29; 1896, p. 306.
clypeata Faust, Horae Soc. Ent. Ross. XI, 1875, p. 179. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 311; Mon. p. 137. — Transkaspien, Persien
convexicollis Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 65 (17). — Reitt. Deutsche Ent. Zeitschr. 1896, p. 306; Mon. p. 131. — Talysch, Araxestal
deplanata Faust, Horae Soc. Ent. Ross. XI, 1875, p. 177. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 309; Mon. p. 134. — Kaspisches Meer
emarginata Reitt. Deutsche Ent. Zeitschr. 1889, p. 28; 1896, p. 307; Mon. p. 132. — Talysch, Araxestal
Escherichi Reitt. Mon. p. 133. — Kleinasien
harpaloides Baudi, Ann. Mus. Genova VI, 1874, p. 96; Deutsche Ent. Zeitschr. XIX, 1875, p. 33 nota. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 309; Mon. p. 135. — Persien, Araxestal
var. *armeniaca* Baudi, l. c. p. 97; l. c. p. 34.
incerta Faust, Horae Soc. Ent. Ross. XI, 1875, p. 179. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 311; Mon. p. 137. — Transkaspien
Jeremias Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 197, t. 5, f. 5. — Kraatz, Revis. 1865, p. 227. — Palaestina

Reitt. Deutsche Ent. Zeitschr. 1896, p. 305; Mon. p. 130.

laevipennis Reitt. Deutsche Ent. Zeitschr. 1896, p. 310; Mon. p. 136. — Turkestan

lineimargo Reitt. l. c. p. 310; Mon. p. 135. — Nordsyrien

Morawitzi Faust, Bull. Mosc. LII, II, 1877, p. 37. — Russisch Armenien

nitescens Reitt. Deutsche Ent. Zeitschr. 1896, p. 310; Mon. p. 136. — Russ. Armen., Transkasp.

pandaroides Reitt. l. c. p. 308; Mon. p. 134. — Griechenland, Rumelien, Kaukasus

var. *aequalis* Reitt. l. c. p. 308; Mon. p. 134. — Griechenland

var. *ovalis* Reitt. l. c. p. 308; Mon. p. 134. — Aleppo

pulchella Fald. Fn. Transcauc. II, 1837, p. 36, t. 1, f. 7. — Lacord. Genera Col. V, 1859, p. 39 nota. — Kraatz, Revis. 1865, p. 226. — Faust, Horae Ent. Ross. XI, 1875, p. 176. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 310; Mon. p. 136. — Transkaukasien, Transkaspien

rugipennis Fald. Fn. Transcauc. II, 1837, p. 37. — Lacord. Genera V, 1859, p. 39 nota. — Kraatz, Revis. 1865, p. 89.

punctiventris Baudi, Ann. Mus. Genova VI, 1874, p. 96; Deutsche Ent. Zeitschr. XIX, 1875, p. 34. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 311; Mon. p. 137. — Turkestan, Persien

Rosti Reitt. Deutsche Ent. Zeitschr. 1896, p. 306; Mon. p. 131. — Talysch, Persien

Solieri Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 199. — Kraatz, Revis. 1865, p. 227. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 305; Mon. p. 130. — Syrien

sulcimargo Reitt. Deutsche Ent. Zeitschr. 1896, p. 306; Mon. p. 131. — Persien

23

Hyperops Eschsch.

Eschsch. Zool. Atl. IV, 1831, p. 9. — Solier, Ann. Soc. Ent. Fr. IV, 1835, p. 275. — Lacord. Genera Col. V, 1859, p. 61. — Kraatz, Revis. Tenebr. 1865, p. 234. — Reitt. Deutsche Ent. Zeitschr. 1896; p. 297, Best.-Tab. XLII, 1900, p. 88, 137.

aegyptiaca Kraatz, Revis. 1865, p. 236. — Reitt. Best.-Tab. XLII, 1900, p. 137. — Aegypten

coromandelensis Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 279, t. 6, f. 14. — Kraatz, Revis. 1865, p. 236. — Vorderindien

Doriae Baudi, Ann. Mus. Genova VI, 1874, p. 102; Deutsche Ent. Zeitschr. XIX, 1875, p. 61. — Reitt. Best.-Tab. XLII, 1900, p. 138. — Südpersien

fulvipes Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 278. — Algier

algirica Kraatz, Revis. 1865, p. 236. — Reitt. Best.-Tab. XLII, 1900, p. 137.

indica Guér. Mag. Zool. 1834, Melas. p. 10, t. 106, f. 2. — Bengalen

dubia Kraatz, Revis. 1865, p. 238.

Biologie: Wasmann, Deutsche Ent. Zeitschr. 1899, p. 156.

lata Kraatz, Revis. 1865, p. 235. — Vorderindien

nitidula Kraatz, Revis. 1865, p. 237. — Reitt. Best.-Tab. XLII, 1900, p. 138. — Indien, Arabien?

parva Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 278. — Kraatz, Revis. 1865, p. 237. — Senegal

picipes Gerst. Monatsber. Berl. Acad. Wiss. 1854, p. 530; Peters Reise 1862, p. 273. — Kraatz, Revis. 1865, p. 237. — Ostafrika

plicicollis Péring. Trans. S. Afr. Phil. Soc. VI (2) 1892, p. 50. — Südwestafrika

pygmaea Redtenb. Denkschr. Wien. Acad. I, 1850, p. 48. — Kraatz, Revis. 1865, p. 238. — Reitt. Best.-Tab. XLII, 1900, p. 138. — Persien

tagenioides Eschsch. Zool. Atl. IV, 1831, p. 9. — Gory, Guér. Icon. règne anim. t. 28, f. 6a, b. — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 277, t. 6, f. 9—13. — Cast. Hist. Nat. II, 1840, p. 194. — Kraatz, Revis. 1865, p. 236. — Reitt. Best.-Tab. XLII, 1900, p. 137. — Senegal

unicolor Hbst. Käfer VIII, 1799, p. 163, t. 127, f. 2. — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 280, t. 6, f. 15. — Vorderindien

laevigata F. Syst. El. I, 1801, p. 137. — Kraatz, Revis. 1865, p. 235.

13

Nothrocerus Fairm.

Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 174.

cylindricornis Fairm. l. c. p. 175. — Ostafrika

1

Hionthis Mill.

Mill. Wien. Ent. Monatschr. V, 1861, p. 174. — Kraatz, Revis. Tenebr. 1865, p. 183. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 297; Best.-Tab. XLII, 1900, p. 98, 138 (Mon.).

Heydeni Reitt. Mon. p. 139. — Syrien

Sauleyi Reitt. Mon. p. 139. — „

tentyrioides Mill. Wien. Ent. Monatschr. V, 1861, p. 176, t. 4, f. 4. — Kraatz, Revis. 1865, p. 183. — Reitt. Mon. p. 138. — „

3

Stegastopsis Kraatz.

Kraatz, Revis. Tenebr. 1865, p. 176. — Reitt. Best.-Tab. XLII, 1900, p. 139 (Mon.).

Ohyonthis Reitt. Deutsche Ent. Zeitschr. 1898, p. 347.

arabica All. Ann. Soc. Ent. Belg. XXVII, 1883, p. 23. — Reitt. Mon. p. 140. — Arabien

babylonica Kraatz, Revis. 1865, p. 177. — Reitt. Mon. p. 139. — Bagdad

crassicornis Baudi, Ann. Mus. Genova VI, 1874, p. 101; Deutsche Ent. Zeitschr. XIX, 1875, p. 60. — Reitt. Mon. p. 139. — Persien

microderoides Reitt. Deutsche Ent. Zeitschr. 1898, p. 347; Mon. p. 139. — Kleinasien
persica Baudi, Ann. Mus. Genova VI, 1874, p. 101; Deutsche Ent. Zeitschr. XIX, 1875, p. 59. — Reitt. Mon. p. 139. — Persien

5

Asphaltesthes Kraatz.

Kraatz, Revis. Tenebr. 1865, p. 181.

carinatus Haag, Col. Hefte XIV, 1875, p. 88. — Angola
costatus Er. Arch. Naturgesch. IX, 1843, I, p. 238. — Kraatz, Revis. 1865, p. 182. — „
impressipennis Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 184. — Ovamboland
septemcostatus Fairm. Bull. Soc. Ent. Fr. 1902, p. 134. — Benguela

4

Asbolius Fairm.

Fairm. Bull. Soc. Ent. Fr. 1902, p. 134.

quadricollis Fairm. l. c. p. 135. — Benguela

1

Perdicus Fairm.

Fairm. Bull. Soc. Ent. Fr. 1899, p. 386.

anthrophilus Fairm. l. c. p. 386. — Madagaskar

1

Microderopsis Haag.

Haag, Col. Hefte XIV, 1875, p. 86.

benguelensis Haag, l. c. p. 87. — Benguela

1

Rhammatodes Haag.

Haag, Col. Hefte XIV, 1875, p. 83.

longicornis Haag, l. c. p. 84. — N'Gami

1

Euleantus Haag.

Haag, Col. Hefte XIV, 1875, p. 85.

aequalipennis Péring. Ann. S. Afr. Mus. I, 1899, p. 249, t. 6, f. 3. — Damaraland
humeralis Haag, Col. Hefte XIV, 1875, p. 85. — N'Gami

2

Tagenodes Haag.

Haag, Col. Hefte XIV, 1875, p. 87.

Moufleti Haag, l. c. p. 88. — Angola, Benguela

1

Rozonia Fairm.

Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 184.

strigicollis Fairm. l. c. p. 184. — Ovamboland

1

Mesostena Eschsch.

Eschsch. Zool. Atl. IV, 1831, p. 9. — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 396. — Lacord. Genera Col. V, 1859, p. 52. — Kraatz, Revis. Tenebr. 1865, p. 178. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 297; Best.-Tab. XLII, 1900, p. 89, 140.

angustata F. Syst. Ent. 1775, p. 253. — Schaum, Berl. Ent. Zeitschr. VI, 1862, p. 100 nota. — Reitt. Best.-Tab. XLII, 1900, p. 141. — Aegypten, Algier, Tunis
elegans Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 399, t. 9, f. 5, 9. — Cast. Hist. Nat. II, 1840, p. 195.
longicollis Luc. Bull. Soc. Ent. Fr. 1858, p. 222. — Kraatz, Revis. 1865, p. 179. — Reitt. Best.-Tab. XLII, 1900, p. 141.
oblonga Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 401, t. 9, f. 6—8, 10.
politipennis Fairm. Petit. Nouv. II, 1877, p. 141. — Reitt. Best.-Tab. XLII, 1900, p. 141.
punctata Eschsch. Zool. Atl. IV, 1831, p. 9.
valida Motsch. Bull. Mosc. XLIII, 1870, p. 397.

gracilis Gredl. Verh. zool.-bot. Ges. Wien XXVII, 1877, p. 514. — Khartum

Klugi Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 404. — Aegypten

laevicollis Sol. l. c. p. 402. — Reitt. Best.-Tab. XLII, 1900, p. 141.
armeniaca Motsch. Bull. Mosc. XLIII, 1870, p. 397. — Syrien, Persien, Armenien
parvula Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 211. — Kraatz, Revis. 1865, p. 179.
punctipennis Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 403. — Guér. Ic. règne anim. p. 112, t. 28,f.7.

puncticollis Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 405. — Reitt. Best.-Tab. XLII, 1900, p. 140. — Aegypten

5

Mesostenopa Kraatz.

Kraatz, Revis. Tenebr. 1865, p. 179. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 297; Best.-Tab. XLII, 1900, p. 89. 141.

agilis Gestro, Ann. Mus. Genova XVI, 1881, p. 661. — Bogos

arabica Gestro, l. c. p. 661. — Reitt. Best.-Tab. XLII, 1900, p. 142. — Aden

avenae Sahlb. Oefv. Finska Vet. Soc. Förh. L, 1907—08 (1909) nr. 7, p. 76. — Damaskus
Auberti Fairm. Rev. d'Ent. XI, 1892, p. 107. — Obock
brevicornis Reitt. Best.-Tab. XLII, 1900, p. 142. — Sudan
carinata Gestro, Ann. Mus. Genova XVI, 1881, p. 660; XX, 1884, p. 304. — Abessinien
tricostata All. Ann. Soc. Ent. Belg. XXVII, 1883, p. 24.
dentrix Baudi, Ann. Mus. Genova VI, 1874, p. 102; Deutsche Ent. Zeitschr. 1875, p. 57. — Reitt. Best.-Tab. XLII, 1900, p. 142. — Persien
gracilis Peyerimh. Abeille XXXI, 1907, p. 31. — Sinai
habessinica Kraatz, Revis. 1865, p. 181. — Reitt. Best.-Tab. XLII, 1900, p. 141. — Abessinien
infima Fairm. Compt. rend. Soc. Ent. Belg. 1884, p. CCCXLVI; Ann. Soc. Ent. Fr. (6) VII, 1887, p. 173. — Somaliland
Kirkii Ancey, Natural. VIII, 1886, p. 285. — Fairm. l. c. p. 173. — Ostafrika
longicornis Kraatz, Revis. 1865, p. 181. — Reitt. Best.-Tab. XLII, 1900, p. 142. — Palaestina
major Baudi, Ann. Mus. Genova VI, 1874, p. 101; Deutsche Ent. Zeitschr. XIX, 1875, p. 56. — Persien
nabathaea Peyerimh. Abeille XXXI, 1907, p. 31. — Sinai
occidentalis Fairm. Ann. Soc. Ent. Fr. LX; 1891, p. 249. — Niger
picea Kraatz, Revis. 1865, p. 180. — Reitt. Best.-Tab. XLII, 1900, p. 141. — Aegypten
rufa Motsch. Bull. Mosc. XLIII, 1870, I, p. 398.
sericea Fairm. Compt. rend. Soc. Ent. Belg. 1884, p. CCCXLVI; Ann. Soc. Ent. Fr. (6) VII, 1887, p. 174. — Somali

17

Hyonthosoma Reitt.

Reitt. Best.-Tab. XLII, 1900, p. 89, 142.

occidentalis Fairm. Bull. Soc. Ent. Fr. 1897, p. 180. — Reitt. Best.-Tab. XLII, 1900, p. 143. — Algier

1

Paivea Woll.

Woll. Cat. Canar. Col. 1864, p. 449. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 298; Best.-Tab. XLII, 1900, p. 84.

hispida Brll. Webb. et Berth. Ins. Canar. 1838, p. 66. — Woll. Cat. Can. Col. 1864, p. 450. — Kraatz, Revis. p. 168. — Canar. Ins.

1

Homala Eschsch.

Eschsch. Zool. Atl. IV, 1831, p. 6. — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 373. — Kraatz, Revis. Tenebr. 1865, p. 217. — Reitt. Best.-Tab. XLII, 1900, p. 89.

agona Fairm. Compt. rend. Soc. Ent. Belg. 1884, p. LXXIV; Ann. Soc. Ent. Fr. (6) VII, 1887, p. 169. — Ostafrika

cyclodera Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 149. — Somaliland
integricollis Fairm. Compt. rend. Soc. Ent. Belg. 1884, p. LXXIV; Ann. Soc. Ent. Fr. (6) VII, 1887, p. 169. — Ostafrika
marginicollis Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 170. — Somaliland
planiuscula Fairm. l. c. p. 169. — „
polita Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 374, t. 8,f. 6—7. — Kraatz, Revis. 1865, p. 218. — Senegal

6

Oterophloeus Desbr.

Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 52 (4). — Reitt. Best.-Tab. XLII, 1900, p. 89, 143 (Mon.).

Tynteria Reitt. Deutsche Ent. Zeitschr. 1896, p. 301.

deflexangulus Reitt. Mon. p. 143. — Tunis
humerosus Fairm. Ann. Mus. Genova VII, 1875, p. 518. — Bedel, Ann. Soc. Ent. Fr. (6) VII, 1887, p. 197. — Reitt. Mon. p. 143. — Algier
picipes Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 53 (5). — Reitt. Mon. p. 143. — „

3

Psammoica Reitt.

Reitt. Best.-Tab. XLII, 1900, p. 85, 90.

lucida Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 307, t. 7, f. 11—12. — Kraatz, Revis. 1865, p. 155. — Aegypten

1

Thalpophila Sol.*).

Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 370. — Lacord. Gener. Col. V, 1859, p. 54. — Kraatz, Revis. 1865, p. 218. — Haag, Col. Hefte XIV, 1875, p. 89. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 300; Best.-Tab. XLII, 1900, p. 85.

abbreviata F. Syst. El. I, 1801, p. 136. — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 372, t. 8, f. 1—5. — Cast. Hist. Nat. II, 1840, p. 195. — Kraatz, Revis. 1865, p. 219. — Senegal
carinifrons Fairm. Ann. Soc. Ent. Fr. LX, 1891, p. 247. — Niger
duodecimcostata Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 655. — Obersudan

*) Der Name *Thalpophila* ist schon 1816 von Hübner für eine Lepidopteren-(Noctuiden)-gattung gebraucht worden. Walker führt die Gattung in seinem brit. Katalog als selbständige auf. Im neuen Katalog Staudinger und Rebel ist jedoch die in Betracht kommende Art bei *Celaena* eingereiht worden. Synonyme der Gattungen gibt der Katalog nicht, daher wird der Name *Thalpophila* überhaupt nicht erwähnt. Auf eine Namensänderung verzichte ich, da der kollidierende Name weggefallen ist.

reticulata Fairm. Ann. Soc. Ent. Fr. LX, 1891, p. 248. Niam-Niam
Schweinfurthi Haag, Col. Hefte XIV, 1875, p. 90. Sudan
subcostata Kraatz, Revis. 1865, p. 219. Kordofan

6

Tamena Reitt.

Reitt. Best.-Tab. XLII, 1900, p. 90, 144.

rugiceps Reitt. Deutsche Ent. Zeitschr. 1896, p. 311; Best.-Tab. XLII, 1900, p. 144. Chines. Turkestan

1

Psammocryptus Kraatz.

Kraatz, Revis. Tenebr. 1865, p. 239. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 301; Best.-Tab. XLII, 1900, p. 90, 144.

Stenosida Jacq. du Val, Gen. Col. Eur. III, 1861, p. 250.

minutus Tausch. Mém. Mosc. III, 1812, p. 33, t. 2, f. 4a, b. — Stev. Nouv. Mém. Mosc. I, 1829, p. 83. — Kraatz, Berl. Ent. Zeitschr. VI, 1862, p. 94; Revis. 1865, p. 240. — Jacq. du Val, Gen. Col. III, 1861, t. 61, f. 301. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 180. — Reitt. Best.-Tab. XLII, 1900, p. 144. Südrußland, Transkaspien, Transkaukasien

1

Phaeotribon Kraatz.

Kraatz, Revis. Tenebr. 1865, p. 242. — Reitt. Best.-Tab. XLII, 1900, p. 90, 144.

australis Pér. Denkschr. med. Ges. Jena XIII, 1908, p. 404. Südwest-Afrika
pulchellus Kraatz, Revis. Tenebr. 1865, p. 243. — Reitt. Best.-Tab. XLII, 1900, p. 144. Aegypten
ustus Fairm. Rev. et. Mag. Zool. 1879, p. 189 (12); Bull. Soc. Ent. Fr. 1893, p. CXLVIII. Mogador

3

Scelosodis Sol.

Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 283. — Lacord. Genera Col. V, 1859, p. 64. — Kraatz, Revis. Tenebr. 1865, p. 241. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 301; Best.-Tab. XLII, 1900, p. 90, 144.

Abiga Guérin, Bull. Soc. Ent. Fr. 1859, p. CLXXXIX.
Cratopus Eschscholtz, Zool. Atl. IV, 1831, p. 8.

castaneus Eschsch. Zool. Atl. IV, 1831, p. 8. — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 284. t. 6, f. 16—19. — Kraatz, Revis. 1865, p. 241. — Reitt. Best.-Tab. XLII, 1900, p. 145. Aegypten
Cerisyi Guér. Bull. Soc. Ent. Fr. 1859, p. CXC; 1861, p. CCCLXXVI.

humilis Guér. Bull. Soc. Ent. Fr. 1859, p. CLXXXIX; 1861, p. CCCLXXVI. — Kraatz, Revis. 1865, p. 242. — Reitt. Best.-Tab. XLII, 1900, p. 145. — Algier

2

Pachychilina Reitt.

Reitt. Best.-Tab. XLII, 1900, p. 91, 145.

Dejeani Bess. Nouv. Mém. Mosc. II, 1832, p. 11. — Kraatz, Revis. 1865, p. 200. — Reitt. Best.-Tab. XLII, 1900, p. 145. — Sicilien, Sardinien, Algier

subovata Besser, Nouv. Mém. Mosc. II, 1832, p. 11. — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 291. — Cast. Hist. Nat. II, 1840, p. 194. — Jacq. du Val, Gen. Col. III, 1861, t. 60, f. 297. — Tanger

oxyophthalmus Reitt. Best.-Tab. XLII, 1900, p. 146. — Tunis

Steveni Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 296. — Kraatz, Revis. 1865, p. 198. — Reitt. Best.-Tab. XLII, 1900, p. 145. — Sicilien, Algier

3

Pachychile Eschsch.

Eschsch. Zool. Atl. IV, 1831, p. 5. — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 288. — Lacord. Genera Col. V, 1859, p. 46. — Jacq. du Val, Genera Col. III, 1861, p. 248 (pars). — Kraatz, Revis. 1865, p. 189. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 301; Best.-Tab. XLII, 1900, p. 91, 146. — Desbr. Frelon IX, 1901, p. 167.

Lophoma Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 287.

acuminata Er. Wagn. Reise III, 1841, p. 177. — Kraatz, Revis. 1865, p. 205. — Reitt. Best.-Tab. XLII, 1900, p. 151. — Algier

angulicollis Fairm. Petit. Nouv. Entom. I, 1874, p. 543. — Reitt. Best.-Tab. XLII, 1900, p. 150. — Marokko

aulonoscelis Reitt. Best.-Tab. XLII, 1900, p. 148. — Spanien

brevis Kraatz, Revis. 1865, p. 202. — Algier

breviuscula Haag, Deutsche Ent. Zeitschr. XIX, 1875, Heft VII, p. 47. — Reitt. Best.-Tab. XLII, 1900, p. 148. — Marokko

cognata Haag, Deutsche Ent. Zeitschr. XIX, 1875, Heft VII, p. 46. — Nordafrika

cossyrensis Ragusa, Bull. Soc. Ent. Ital. VII, 1875, p. 252. — Ins. Pantellaria

crassicollis Kraatz, Revis. 1865, p. 210. — Reitt. Best.-Tab. XLII, 1900, p. 152. — Algier

curtula nom. nov. — Oran

breviuscula Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 61 (13).

var. *conformis* Desbr. l. c. p. 62 (14).

Desbrochersi Reitt. Best.-Tab. XLII, 1900, p. 150. — Algier

discedens Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 56 (8). — Oran

dissecta Kraatz, Revis. 1865, p. 204. — Reitt. Best.-Tab. XLII, 1900, p. 154. — Algier

Doriae Haag, Deutsche Ent. Zeitschr. XIX, 1875, Heft VII, p. 51. — Tunis

externecostata Haag, l. c. p. 48. — Reitt. Best.-Tab. XLII, 1900, p. 152.	Marokko
Fairmairei Haag, l. c. p. 49. — Reitt. l. c. p. 148.	,,
foveipennis Kraatz, Revis. 1865, p. 201.	,,
Frioli Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 301. — Kraatz, Revis. 1865, p. 209. — Reitt. Best.-Tab. XLII, 1900, p. 153.	Italien, Sardinien, Sicilien,
quadricollis Reiche, Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 729.	Algier
Fritschi Haag, Deutsche Ent. Zeitschr. 1875, XIX, Heft VII, p. 45. — Reitt. Best.-Tab. XLII, 1900, p. 149.	Marokko
Germari Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 302. — Luc. Expl. Alg. 1849, p. 315, t. 28, f. 6. — Kraatz, Revis. 1865, p. 208. — Reitt. Best.-Tab. XLII, 1900, p. 153.	Italien, Spanien, Marokko, Algier,
bifida Rosenh. Thiere Andalus. 1856, p. 184.	Tunis
sardea Kraatz, Revis. 1865, p. 209.	
glabella Hbst. Käf. VIII, 1799, p. 61, t. 121, f. 4. — Kraatz, Revis. 1865, p. 207. — Reitt. Best.-Tab. XLII, 1900, p. 152.	Spanien
Frioli Rosenh. Thiere Andalus. 1856, p. 184.	
glabra Stev. Nouv. Mém. Mosc. I, 1829, p. 10. — Reitt. Best.-Tab. XLII, 1900, p. 151.	Algier
impressifrons Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 299, t. 7, f. 7. — Küst. Käf. XVI, 1849, p. 23. — Kraatz, Revis. 1865, p. 203. — Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 58 (10).	
rugatipennis Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 59 (11).	
subcylindrica Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 300. — Desbr. l. c. p. 58 (10).	
var. *continua* Desbr. Bull. Acad. d'Hipp. 1881, p. 58 (10). — Reitt. Best.-Tab. XLII, 1900, p. 151.	
var. *emarginata* Desbr. Bull. Acad. d'Hipp. 1881, p. 59 (11). — Reitt. Best.-Tab. XLII, 1900, p. 151.	
grandis Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 54 (6). — Reitt. Best.-Tab. XLII, 1900, p. 150.	Oran
rugatula Desbr. l. c. p. 55 (7).	
Haroldi Kraatz, Revis. 1865, p. 211. — Reitt. Best.-Tab. XLII, 1900, p. 153.	Algier
hispanica Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 292. — Kraatz, Revis. 1865, p. 196. — Reitt. Best.-Tab. XLII, 1900, p. 149.	Spanien
impunctata Fairm. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 632. — Kraatz, Revis. 1865, p. 196. — Reitt. Best.-Tab. XLII, 1900 p. 147.	Marokko, Teneriffa
incrassata Rosenh. Thiere Andalus. 1856, p. 183. — Kraatz, Revis. 1865, p. 204. — Reitt. Best.-Tab. XLII, 1900, p. 151.	Andalusien
intermedia Haag, Deutsche Ent. Zeitschr. XIX, 1875, Heft VII, p. 45. — Reitt. Best.-Tab. XLII, 1900, p. 147.	Marokko
Kunzei Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 298. — Kraatz, Revis. 1865, p. 199.	Nordafrika
lampedusae Kraatz, Natur. Sicil. XV (n. s. I) 1896, p. 101.	Sicilien
longipennis Kraatz, Revis. 1865, p. 212.	Algier

maroccana Haag, Deutsche Ent. Zeitschr. XIX, 1875, Heft VII, p. 50. — Reitt. Best.-Tab. XLII, 1900, p. 150 — Marokko

nitens Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 293. — Kraatz, Revis. 1865, p. 201. — Nordafrika

obtusecostata Reitt. Best.-Tab. XLII, 1900, p. 152. — Marokko

pedinoides Eschsch. Zool. Atl. IV, 1831, p. 6. — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 294, t. 7, f. 1—6. — Kraatz, Revis. 1865, p. 197. — Reitt. Best.-Tab. XLII, 1900, p. 148. — Spanien Tanger

brevis Bess. Nouv. Mém. Mosc. II, 1832, p. 11.

Plasoni Haag, Deutsche Ent. Zeitschr. XIX, 1875, Heft VII, p. 50. — Nordafrika

punctata F. Ent. Syst. Suppl. 1798, p. 45; Syst. El. I, 1801, p. 136. — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 287, t. 6, f. 20—24. — Cast. Hist. Nat. II, 1840, p. 194. — Jacq. du Val., Genera Col. III, 1861, t. 60, f. 298. — Kraatz, Revis. 1865, p. 196. — Reitt. Best.-Tab. XLII, 1900, p. 147. — Tanger

cribrosa Bess. Nouv. Mém. Mosc. II, 1832, p. 11.

punctulata Luc. Expl. Alg. 1849, p. 314, t. 28, f. 4. — Algier

reflexmargo Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 59. — Oran

Reini Haag, Deutsche Ent. Zeitschr. XIX, 1875, Heft VII, p. 49. — Reitt. Best.-Tab. XLII, 1900, p. 148. — Mogador

sabulosa Luc. Expl. Alg. 1849, p. 314, t. 28, f. 5. — Kraatz, Revis. 1865, p. 211. — Reitt. Best.-Tab. XLII, 1900, p. 149. — Algier

Salzmanni Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 297. — Kraatz, Revis. 1865, p. 197. — Reitt. Best.-Tab. XLII, 1900, p. 149. — Spanien Marokko

Servillei Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 309, t. 7, f. 3—10. — Jacq. du Val, Genera Col. III, 1861, t. 60, f. 296. — Kraatz, Revis. 1865, p. 207. — Reitt. Best.-Tab. XLII, 1900, p. 152. — Desbr. Frelon IX, 1901, p. 167. — Corsica, Sardinien

var. *pygmaea* Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 310. — Géné, Bull. Soc. Ent. Fr. 1836, p. III; Mém. Acad. Torin 1836, p. 196, t. 1, f. 37. — Küst. Käf. XIV, 1848, p. 90. — Kraatz, Revis. 1865, p. 208. — Reitt. Best.-Tab. XVII, 1900, p. 152.

Biologie: Xambeu, Ann. Soc. Linn. Lyon XLV, p. 197 (Larve).

sublunata Sol. Ann. Fr. IV, 1835, p. 308, t. 7, f. 13. — Kraatz, Revis. 1865, p. 206. — Reitt. Best.-Tab. XLII, 1900, p. 153. — Balearen, Algier

var. *opaca* Breit, Verh. zool. — bot. Ges. Wien LVIII, 1908, p. 63. — Mallaka

sulcifrons Sol. Ann. Soc. Ent. Fr. 1835, p. 295. — Kraatz, Revis. 1865, p. 198. — Nordafrika

tazmaltensis Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 56 (8). — Reitt. Best.-Tab. XLII, 1900, p. 151. — Tunis

tripoliana Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 303, t. 7, f. 8. — Kraatz, Revis. 1865, p. 203. — Reitt. Best.-Tab. XLII, 1900, p. 153. — Algier, Tripolis

tumidifrons Kraatz, Revis. 1865, p. 200. — Oran

violantis Gestro, Ann. Mus. Genova XV, 1880, p. 416, fig. — Tunis

Wiedemanni Fisch. Bull. Mosc. X, 1837, IV, p. 14, t. 2, f. 4. — Kraatz, Revis. 1865, p. 213. — Anatolien

Microdera Eschsch.

Eschsch. Zool. Atl. IV, 1831, p. 6. — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 304. — Lacord. Gen. Col. V, 1859, p. 48. — Jacq. du Val, Genera Col. III, 1861, p. 248. — Kraatz, Revis. Tenebr. 1865, p. 184. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 300; Best.-Tab. XLII, 1900, p. 91, 154.

Rhostax Fischer, Bull. Mosc. XVII, 1844, I, p. 67. — Lacord. Genera Col. V, 1859, p. 44.

Subgen. *Adordanea* Reitt. Deutsche Ent. Zeitschr. 1897, p. 229; Best.-Tab. XLII, 1900, p. 155.

Subgen. *Dordanea* Reitt. Horae Soc. Ent. Ross. XXI, 1887, p. 357; XXIII, 1889, p. 684; Deutsche Ent. Zeitschr. 1897, p. 229; Best.-Tab. XLII, 1900, p. 154.

aciculata Reitt. Deutsche Ent. Zeitschr. 1897, p. 232; Best.-Tab. XLII, 1900, p. 158 (*Microdera* s. str.). — Kirghisien

aurita Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 686; Deutsche Ent. Zeitschr. 1897, p. 230; Best.-Tab. XLII, 1900, p. 156 (*Microdera* s. str.). — Central-Mongolei

basalis Reitt. Horae Soc. Ent. Ross. XXI, 1887, p. 360; Deutsche Ent. Zeitschr. 1897, p. 231; Best.-Tab. XLII, 1900, p. 158 (*Microdera* s. str.). — Central-Mongolei, Turkestan

campestris Stev. Nouv. Mém. Mosc. I, 1829, p. 93. — Kraatz, Revis. 1865, p. 185. — Reitt. Deutsche Ent. Zeitschr. 1897, p. 235; Best.-Tab. XLII, 1900, p. 161 (*Microdera* s. str.). — Transkaspien, Turkestan

globulicollis Mén. Mém. Acad. Petr. VI, 1849, p. 230 (14), t. 4, f. 1. — Kraatz, Revis. 1865, p. 187. — Reitt. Deutsche Ent. Zeitschr. 1897, p. 234.

margelanica Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 81.

convexa Tausch. Mém. Mosc. III, 1812, p. 39, t. 3, f. 8. — Stev. Nouv. Mém. Mosc. I, 1829, p. 92. — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 312, t. 7, f. 14—15. — Cast. Hist. Nat. II, 1840, p. 194. — Kraatz, Revis. 1865, p. 187. — Reitt. Deutsche Ent. Zeitschr. 1897, p. 234; Best.-Tab. XLII, 1900, p. 160 (*Microdera* s. str.). — Südrußland, östl. Transkaukasien

globosa Bess. Nouv. Mém. Mosc. II, 1832, p. 14.

convexicollis Motsch. Bull. Mosc. XLIII, 1870, I, p. 379, t. 2, f. 11. — Kirghis. Steppe

coromandelensis Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 313, t. 7, f. 16. — Kraatz, Revis. 1865, p. 189. — Coromandel

deserta Tausch. Mém. Mosc. III, 1812, p. 38, t. 3. f. 7. — Stev. Nouv. Mém. Mosc. I, 1829, p. 93. — Kraatz, Revis. 1865, p. 185. — Reitt. Deutsche Ent. Zeitschr. 1897, p. 231; Best.-Tab. XLII, 1900, p. 157 (*Microdera* s. str.). — Südrußland

deplanata Gebl. Bull. Acad. Petr. VIII, 1841, p. 373; Bull. Mosc. XXXII, 1859, IV, p. 337.

elegans Reitt. Horae Soc. Ent. Ross. XXI, 1887, p. 358; Deutsche Ent. Zeitschr. 1897, p. 229; Best.-Tab. XLII, 1900, p. 155 *(Dordanea)*. — Thibet

excavata Motsch. Bull. Mosc. XLIII, 1870, I, p. 382, t. 3, f. 6, 7. — Kirghisen-Steppe

Fausti Kraatz, Deutsche Ent. Zeitschr. 1888, p. 294. — Reitt. Deutsche Ent. Zeitschr. 1897, p. 234; Best.-Tab. XLII, 1900, p. 161 (*Microdera* s. str.). — Westl. Transkaspien

globata Fald. Mém. Acad. Petr. sav. étrang. II, 1835, p. 402. — Kraatz, Revis. 1865, p. 188. — Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 685; Deutsche Ent. Zeitschr. 1897, p. 230; Best.-Tab. XLII, 1900, p. 156 (*Microdera* s. str.).		Mongolei
globithorax Stev. Nouv. Mém. Mosc. I, 1829, p. 93. — — Kraatz, Revis. 1865, p. 187. — Reitt. Deutsche Ent. Zeitschr. 1897, p. 232; Best.-Tab. XLII, 1900, p. 159 (*Microdera* s. str.).		Sibirien
convexa Bess. Nouv. Mém. Mosc. II, 1832, p. 14.		
?scyta Baudi, Deutsche Ent. Zeitschr. XIX, 1875, p. 55.		Buchara
gracilis Eschsch. Zool. Atl. IV, 1831, p. 6. — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 312. — Kraatz, Revis. 1865, p. 186. — Reitt. Deutsche Ent. Zeitschr. 1897, p. 233; Best.-Tab. XLII, 1900, p. 160 (*Microdera* s. str.).		Südrußland, Kirghisien
Heydeni Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 82. — Reitt. Deutsche Ent. Zeitschr. 1897, p. 233; Best.-Tab. XLII, 1900, p. 160 (*Microdera* s. str.).		Turkestan
interrupta Reitt. Deutsche Ent. Zeitschr. 1897, p. 230; Best.-Tab. XLII, 1900, p. 156 (*Microdera* s. str.).		Mongolei
Karelini Fisch. Bull. Mosc. XVII, 1844, I, p. 67.		Songorei
Kraatzi Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 685; Deutsche Ent. Zeitschr. 1897, p. 229; Best.-Tab. XLII, 1900, p. 155 *(Dordanea)*.		Central-Mongolei
laticollis F. Bates, Cist. Ent. II, 1879, p. 470; Sec. Yark. Miss. Col. 1890, p. 59.		Kashgar
marginata Baudi, Bull. Soc. Ent. Ital. VI, 1874, p. 278; Ann. Mus. Genova VI, 1874, p. 97; Deutsche Ent. Zeitschr. XIX, 1875, p. 53.		Südpersien
Menetriesi Fisch. Bull. Mosc. XVII, 1844, p. 68. — Kraatz, Revis. 1865, p. 185.		Kasp. Meer
minax Reitt. Deutsche Ent. Zeitschr. 1897, p. 233; Best.-Tab. XLII, 1900, p. 159 (*Microdera* s. str.).		Buchara, Afghanistan
mongolica Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 686; Deutsche Ent. Zeitschr. 1897, p. 231; Best.-Tab. XLII, 1900, p. 156 (*Microdera* s. str.).		Central-Mongolei
parvicollis Bates, Cist. Ent. II, 1879, p. 470; Second Yark. Miss. Col. 1890, p. 59, t. 2, f. 6.		Kashgar
Przewalskyi Reitt. Horae Soc. Ent. Ross. XXI,, 1887, p. 359; Deutsche Ent. Zeitschr. 1897; p. 231; Best.-Tab. XLII, 1900, p. 157 (*Microdera* s. str.).		Mongolei bis Turkestan
var. *pleuralis* Reitt. l. c. p. 360; l. c. p. 231; l. c. p. 157.		
pulla Reitt. Deutsche Ent. Zeitschr. 1897, p. 234; Best.-Tab. XLII, 1900, p. 161 (*Microdera* s. str.).		Nordpersien
Semenowi Reitt. l. c. p. 231; l. c. p. 157 (*Microdera* s. str.).		Kashgar
strigipleuris Reitt. l. c. p. 232; l. c. p. 158 (*Microdera* s. str.).		Persien
strigiventris Reitt. Best.-Tab. XLII, 1900, p. 157 (*Microdera* s. str.).		Chinesisch-Turkestan
subglobosa Kraatz, Revis. 1865, p. 187. — Reitt. Deutsche Ent. Zeitschr. 1897, p. 234; Best.-Tab. XLII, 1900, p. 160 (*Microdera* s. str.).		Sibirien, Kirghis. Steppe

subseriata Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 686; Deutsche Ent. Zeitschr. 1897, p. 230; Best.-Tab. XLII, 1900, p. 155 *(Adordanea)*. — Central-Mongolei

subsulcata Kraatz, Revis. 1865, p. 186. — Reitt. Deutsche Ent. Zeitschr. 1897, p. 233; Best.-Tab. XLII, 1900, p. 159 (*Microdera* s. str.). — Südrußland

transversicollis Reitt. Deutsche Ent. Zeitschr. 1887, p. 517; 1897, p. 235; Best.-Tab. XLII, 1900, p. 161 (*Microdera* s. str.). — Transkaspien

var. *parvicollis* Reitt. Deutsch. Ent. Zeitschr. 1897, p. 235; Best.-Tab. XLII, 1900, p. 161.

33

Pachycera Eschsch.

Eschsch. Zool. Atl. IV, 1831, p. 7.

Oedenocera Reiche, Ann. Soc. Ent. Fr. (4) I, 1861, p. 372. — Kraatz, Revis. Tenebr. 1865, p. 231.

atra Hbst. Käf. VIII, 1799, p. 164, t. 127, f. 3. — Schaum, Berl. Ent. Zeitschr. VI, 1862, p. 100. — Kraatz, Revis. 1865, p. 232. — Indien

laevigata Eschsch. Zool. Atl. IV, 1831, p. 7.

longula Kraatz, Revis. 1865, p. 233. — ,,

Mellyi Kraatz, Revis. 1865, p. 233. — ,,

orientalis Hbst. Käf. VIII, 1799, p. 165, t. 127, f. 4. — ,,

4

Stenosida Sol.

Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 281. — Lacord. Genera Col. V, 1859, p. 62. — Kraatz, Revis. 1865, p. 233.

Notioscythis Fairm. Notes Leyd. Mus. V, 1883, p. 31.

striatopunctata Wiedem. Germ. Mag. Ent. IV, 1821, p. 149. — Kraatz, Revis. 1865, p. 234. — Indien, Indomalay. Archipel

punctatoseriata Fairm. Notes Leyd. Mus. V, 1883, p. 32.

tenuicollis Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 282.

1

Scytosoma Reitt.

Reitt. Wien. Ent. Zeit. XIV, 1895, p. 281; Deutsche Ent. Zeitschr. 1896, p. 299; Best.-Tab. XLII, 1900, p. 91, 162.

funebris Reitt. Best.-Tab. XLII, 1900, p. 162. — Songorei

opaca Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 684; Best.-Tab. XLII, 1900, p. 162. — Mongolei

pygmaea Gebl. Nouv. Mém. Mosc. II, 1832, p. 54. — Reitt. Best.-Tab. XLII, 1900, p. 162. — Mongolei, Songorei

arcibasis Reitt. Wien. Ent. Zeit. XIV, 1895, p. 281, fig.

bella Fald. Mém. Acad. Petr. sav. étrang. II, 1835, p. 393.

3

Hypsosoma Mén.

Ménétr. in Motsch. Etud. Ent. III, 1854, p. 30. — Lacord. Gen. Col. V, 1859, p. 49. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 299; Best.-Tab. XLII, 1900, p. 91, 162.

mongolica Ménétr. in Motsch. Etud. Ent. III, 1854, p. 31. — Reitt. Best.-Tab. XLII, 1900, p. 163. — Mongolei, China
extrema Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 679; Wien. Ent. Zeit. IX, 1889, p. 119.
rotundicolle Fairm. Rev. d'Ent. VII, 1888, p. 125. — Peking

2

Melaxumia Reitt.

Reitt. Wien. Ent. Zeit. XIV, 1895, p. 280; Deutsche Ent. Zeitschr. 1896, p. 299; Best.-Tab. XLII, 1900, p. 92, 163.

angulosa Gebl. Nouv. Mém. Mosc. II, 1832, p. 53. — Fisch. Bull. Mosc. XVII, 1844, I, p. 66, — All. Ann. Soc. Ent. Belg. XXVII, 1883, p. 20. — Reitt. Best.-Tab. XLII, 1900, p. 163. — Ostsibirien, Mongolei
acutangula Fald. Bull. Mosc. VI, 1833, p. 51; Bull. Mosc. Ent. I, 1836, p. 216. — Kraatz, Revis. 1865, p. 98. — Reitt. Wien. Ent. Zeit. XIV, 1895, p. 45, fig.

1

Scythis Schaum.

Schaum in Kraatz, Revis. Tenebr. 1865, p. 102. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 300; Best.-Tab. XLII, 1900, p. 92, 163.

affinis Ball. Bull. Mosc. LIII, 1878, I, p. 299. — Reitt. Best.-Tab. XLII, 1900, p. 165. — Turkestan
arenaria Fald. Mém. Ac. Petr. sav. étrang. II, 1835, p. 403. — Kraatz, Revis. 1865, p. 188. — Reitt. Best.-Tab. XLII, 1900, p. 162. — Mongolei
Ballioni Reitt. Best.-Tab. XLII, 1900, p. 166. — Turkestan
Banghaasi Reitt. l. c. p. 166. — Mongolei
constricta Stev. Nouv. Mém. Mosc. I, 1829, p. 86. — Kraatz, Revis. 1865, p. 97. — All. Ann. Soc. Ent. Belg. XXVII, 1883, p. 22. — Reitt. Best.-Tab. XLII, 1900, p. 164. — Samarkand bis Ostsibirien
angusticollis Gebl. Ledeb. Reise 1830, p. 116.
? *sulciceps* Gebl. Bull. Mosc. VIII, 1841, IV, 592. — Kraatz, Revis. 1865, p. 99.
tenebricosa Fald. Mém. Ac. Petr. sav. étrang. II, 1835, p. 399.
intermedia Ball. Bull. Mosc. LIII, 1878, I, p. 300. — Reitt. Best.-Tab. XLII, 1900, p. 165. — Turkestan
integrina Reitt. Best.-Tab. XLII, 1900, p. 165. — Kirghisien
Kraatzi Reitt. l. c. p. 164. — Kirghisien, Samarkand
longipes Kraatz, Revis. 1865, p. 104. — Reitt. Best.-Tab. XLII, 1900, p. 164. — Sibirien
macrocephala Tausch. Mém. Mosc. III, 1812, p. 32, t. 3, f. 3 a, b. — Kraatz, Revis. 1865, p. 104. — Reitt. Best.-Tab. XLII, 1900, p. 164. — Südrußland

subquadrata Stev. Nouv. Mém. Mosc. I, 1829, p. 85.

rectangularis Poppius, Öfv. Finska Vet. Ak. Förh. XLVI, 1904, nr. 16, p. 13. — Mongolei

sculptilis Reitt. Best.-Tab. XLII, 1900, p. 163. — China

tatarica Gebl. Bull. Ac. Petr. III, 1845, p. 102; Bull. Mosc. XXXIII, 1860, III, p. 18. — Kraatz, Revis. 1865, p. 104. — Reitt. Best.-Tab. XLII, 1900, p. 165. — Turkestan

gracilis Ball. Bull. Mosc. LIII, 1878, p. 298.

13

Scytodonta Reitt.

Reitt. Deutsche Ent. Zeitschr. 1896, p. 297; Best.-Tab. XLII, 1900, p. 92,166.

humeridens Reitt. Horae Soc. Ent. Ross. XXI, 1887, p. 356, Best.-Tab. XLII, 1900, p. 166. — China, Thibet

1

✓**Tentyrina** Reitt.

Reitt. Best.-Tab. XLII, 1900, p. 92, 166.

aegyptiaca Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 334. — Kraatz, Revis. 1865, p. 126, 385. — Bedel, Ann. Soc. Ent. Fr. (6) VII, 1887, p. 108. — Aegypten, Palästina

orbiculata Reitt. Best.-Tab. XLII, 1900, p. 167.

Reichi Bess. Nouv. Mém. Mosc. II, 1832, p. 14, t. 1, f. 3.

subsulcata Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 203.

orbiculata F. Syst. Ent. 1775, p. 253. — Geb. Deutsche Ent. Zeitschr. 1906, p. 230. — Aegypten

Haagi Kraatz, Revis. 1865, p. 155. — Reitt. Best.-Tab. XLII, 1900, p. 166.

2

Rhytinota Eschsch.

Eschsch. Zool. Atl. IV, 1831, p. 7. — Kraatz, Revis. Tenebr. 1865, p. 170. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 300; Best.-Tab. XLII, 1900, p. 92.

Axumia Reiche, Galin. Voy. en Abyss. 1850, Zool. p. 364. — Lacord. Genera Col. V, 1859, p. 51.

absurda Gestro, Ann. Mus. Gen. (2) XII, 1892, p. 768. — Somali

acuticollis Fairm. Compt. Rend. Soc. Ent. Belg. 1882, p. XLIX, Ann. Soc. Ent. Fr. (6) VII, 1887, p. 172. — Ostafrika

angulicollis Fairm. Compt. Rend. Soc. Ent. Belg. 1884, p. CCCXLVI; Ann. Soc. Ent. Fr. (6) VII, 1887, p. 171. — Ostafrika

Baudii Gredl. Verh. zool.-bot. Ges. Wien XXVII, 1877, p. 514. — Khartum

bramina Motsch. Bull. Mosc. XLIII, 1870, I, p. 397. — Ostindien

brevis Kraatz, Deutsche Ent. Zeitschr. XXIV, 1880, p. 94. — „

5

cavernosa Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 112. — Sennaar
Cechii Gestro, Ann. Mus. Genova XIII, 1878, p. 319. — Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 27. — Abessinien
delicatula Fairm. in Révoil, Faune et Flore Çomal. Col. 1882, p. 66. — Somali
exigua Gahan, Bull. Liverp. Mus. III, 1900, p. 8. — Sokotra
fossulata Kraatz, Deutsche Ent. Zeitschr. XXIV, 1880, p. 95. — Weiß. Nil
foveolata Kraatz, l. c. p. 95. — Nordafrika
gracilis Gerst. Arch. Naturg. XXXVII, 1871, p. 59; Decken's Reise III, 2, 1873, p. 169. — Ostafrika
gracillima Ancey, Natural. III, 1881, p. 482. — Fairm. Compt. Rend. Soc. Ent. Belg. 1882, p. XLIX. — „
gravidula Gerst. Arch. Naturg. XXXVII, 1871, p. 59; Decken's Reise III, 2, 1873, p. 169. — Sansibar
Haagi Kraatz, Deutsche Ent. Zeitschr. XXIV, 1880, p. 93. — Ostindien
immarginata Kraatz, Revis. 1865, p. 173. — „
impolita Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 8. — „
indica Schauf. Nunq. Otios. II, 1872, p. 411. — Bombay
insidiosa Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 9. — Ostindien
Kokeni Reitt. Wien. Ent. Zeit. XXV, 1906, p. 42. — Indus
laevis Kraatz, Deutsche Ent. Zeitschr. XXIV, 1880, p. 92. — Ostafrika
laticollis Schauf. Nunq. Otios. II, 1872, p. 411. — Bombay
marginata Geb. Ergebn. Exped. Kilimandjaro VII, 1910, p. 367. — Kilimandjaro
Martinii Gestro, Ann. Mus. Genova XIII, 1878, p. 320. — Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 28. — Abessinien
meruensis Geb. Ergebn. Exped. Kilimandjaro VII, 1900, p. 368. — Meru
oppressa Walk. List. Col. Lord. 1871, p. 15. — Harkeko
ovipennis Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 10. — Ostindien
oxyoma Fairm. Compt. Rend. Soc. Ent. Belg. 1884, p. CCCXLVII, Ann. Soc. Ent. Fr. (6) VII, 1887, p. 172. — Ostafrika
pilicollis Kraatz, Revis. 1865, p. 173. — Ostindien
plicata Kraatz, l. c. p. 171. — Nubien
polita Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 113. — Ostafrika
praelonga Reiche, Galin. Voy. Abyss. 1850, p. 364, t. 22, f. 4. — Kraatz, Revis. 1865, p. 172. — Abessinien
pubens Fairm. Ann. Soc. Ent Belg. XL, 1896, p. 8. — Ostindien
robusta Gah. Proc. Zool. Soc. Lond. 1900, p. 28, t. 1, f. 13. — Somali
rugipennis Kraatz, Deutsche Ent. Zeitschr. XXIV, 1880, p. 92. — Bombay
scabriuscula Eschsch. Zool. Atl. IV, 1831, p. 7. — Kraatz, Revis. 1865, p. 171. — Aegypten
Klugi Bess. Nouv. Mém. Mosc. II, 1832, p. 9, t. 1, f. 1. — Nubien, Abessinien
socia Gah. Bull. Liverp. Mus. III, 1900, p. 9. — Sokotra
stupida Gerst. Arch. Naturg. XXXVII, 1871, p. 58; Deckens Reise III, 2, 1873, p. 167. — Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 172. — Ostafrika
subcordicollis Fairm. in Revoil, Faune et Flore Çomal. 1882, Col. p. 64. — Somali
subfossulata Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 369. — Kraatz, Revis. 1865, p. 172. — Ostindien
morio Baudi, Deutsche Ent. Zeitschr. XIX, 1875, p. 52.

substriata Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 9. Ostindien
tentyrioides Fairm. l. c. p. 9. ,,
tibialis Gah. Bull. Liverp. Mus. III, 1900, p. 9. Sokotra
undulata Kraatz, Deutsche Ent. Zeitschr. XXIV, 1880, p. 95. Niger
ventricosa Gerst. Arch. Naturg. XXXVII, 1871, p. 58; Decken's Reise III, 2, 1873, p. 168. Sansibar

46

Kokeniella Reitt.

Reitt. Wien. Ent. Zeit. XXV, 1906, p. 41.

lineatopunctata Kraatz, Revis. 1865, p. 173. Ostindien
mesostenoides Reitt. Wien. Ent. Zeit. XXV, 1906, p. 42. Indus

2

Melarachnica Kraatz.

Kraatz, Revis. Tenebr. 1865, p. 174.

laevipennis Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 12. Ostindien
Westermanni Kraatz, Revis. 1865, p. 175. ,,

2

Homoeonota Fairm.

Fairm. in Révoil, Faune et Flore Çomal. Col. 1882, p. 63.

subopaca Fairm. l. c. p. 63. Somali

1

Sphenariopsis Kraatz.

Kraatz, Revis. Tenebr. 1865, p. 175.

tristis Kraatz, Revis. 1865, p. 176. Ostindien

1

Thalpobia Fairm.

Fairm. Ann. Soc. Ent. Fr. (4) X, 1870, p. 385.

laevipennis Fairm. l. c. p. 386. Marokko

1

Eusyntelia Waterh.

C. O. Waterh. Proc. Zool. Soc. Lond. 1881, p. 473.

Balfouri Waterh. Proc. Zool. Soc. Lond. 1881, p. 474, t. 43, f. 5. — Gah. Nat. Hist. Sokotra 1903, p. 275. Sokotra
ebenina Waterh. l. c. p. 474. ,,

glabra Waterh. l. c. p. 475, t. 43, f. 6. — Gah. Nat. Hist. Sokotra 1903, p. 277. Sokotra
opacicollis Gah. Bull. Liverp. Mus. III, 1900, p. 9; Nat. Hist. Sokotra 1903, p. 275, t. 17, f. 5. ,,

4

Tentyria Latr.

Latr., Hist. Nat. Crust. Ins. X, 1804, p. 270, — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 314. — Muls. Col. Fr. Latigènes 1854, p. 41. — Lacord. Gen. Col. V, 1859, p. 50. — Jacq. du Val, Genera Col. III, 1861, p. 247. — Kraatz, Revis. Ten. 1865, p. 111. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 300; Best.-Tab. XLII, 1900, p. 92, 167 (Mon.). — Desbr. Frelon IX, 1901, p. 161.

Heliodromus Brullé, Exp. Mor. Ent. III, 1832, p. 196.

acuticollis Reitt. Mon. p. 182. Turkestan
andalusica Kraatz, Revis. 1865, p. 142. — Reitt. Mon. p. 171. — Desbr. Frelon IX, 1901, p. 164. Andalusien
angulata Brll. Exp. Mor. III, 1832, p. 197, t. 40, f. 5. — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 347. — Kiesw. Berl. Ent. Zeitschr. V, 1861, p. 225. — Kraatz, Revis. 1865, p. 130. — Reitt. Mon. p. 180. Griechenland, Türkei, Kleinasien
Mittrei Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 341.
subdepressa Sol. l. c. p. 346.
basalis Schauf. Beitr. Col. Fauna Bal. 1869, p. 21. — Reitt. Mon. p. 173. Balearen
Bassii Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 356. — Kraatz, Revis. 1865, p. 134. — Reitt. Mon. p. 173. Portugal
calabrica Reitt. Wien. Ent. Zeit. XXV, 1906, p. 130. Calabrien
calcarata Reitt. Mon. p. 170. Malaga
clavata Kraatz, Revis. p. 151. Kaukasus
collatina Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 207, t. 5, f. 6. — Kraatz, Revis. 1865, p. 159. — Reitt. Mon. p. 179. Syrien
var. *latiuscula* Kraatz, Revis. 1865, p. 159. — Reitt. Mon. p. 179. Palästina
corrugata Rosenh. Thiere Andalus. 1856, p. 189. — Kraatz, Revis. 1865, p. 143. — Reitt. Mon. p. 175. Spanien, Portugal
cribricollis Fairm. Ann. Mus. Genova VII, 1875, p. 519. Tunis
curculionides Hbst. Käf. VIII, 1799, p. 58, t. 121, f. 2. — Kraatz, Revis. 1865, p. 143. — Reitt. Mon. p. 170. Spanien, Portugal
curta Stev. Nouv. Mém. Mosc. I, 1829, p. 92.
cylindrica Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 353. — Kraatz, Revis. 1865, p. 133. — Reitt. Mon. p. 178. Cypern, Syrien, Kleinasien
acuminata Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 209.
var. *lata* Baudi, Bull. Soc. Ent. Ital. VI, 1874, p. 284.
cypria Kraatz, Revis. 1865, p. 160. — Reitt. Mon. p. 178. Cypern
discicollis Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 207. — Kraatz, Revis. 1865, p. 158. — Reitt. Mon. p. 177. Syrien, Palästina
duplicata Reitt. Mon. p. 172. Tripolis
Duponti Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 323. Aegypten
elongata Waltl, Reis. Span. II, 1839, p. 70. — Kraatz, Revis. 1865, p. 140. — Reitt. Mon. p. 168. Spanien

curculionides Stev. Nouv. Mém. Mosc. I, 1829, p. 89.
var. *arenaria* Kraatz, Revis. 1865, p. 140. — Reitt. Mon. p. 168.
var. *rugosostriata* Kraatz, l. c. p. 140. — Reitt. Mon. p. 168.
var. *sinuatocollis* Rosenh. Thiere Andalus. 1856, p. 185. — Reitt. Mon. p. 168.

emarginata Kraatz, Revis. 1865, p. 141. — Reitt. Mon. p. 169. — Andalusien

excavata Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 364, t. 7, f. 23. — Küst. Käf. Eur. I, 1844, 45. — Kraatz, Revis. 1865, p. 137. — Reitt. Mon. p. 173. — Algier
scabriuscula Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 365. — Kraatz, Revis. 1865, p. 138.

Floresi Géné, Bull. Soc. Ent. Fr. 1836, p. III; Mem. Accad. Torin. 1836, p. 194, t. 1, f. 25. — Kraatz, Revis. 1865, p. 147. — Reitt. Mon. p. 172. — Sardinien
var. *monticola* Géné, Mém. Acad. Torin. 1839, p. 69, t. 2, f. 8. — Kraatz, Revis. 1865, p. 147, Baudi, Bull. Soc. Ent. Ital. VI, 1874, p. 281. — Reitt. Mon. p. 172.

fossulata Bris. Bull. Soc. Ent. Fr. 1887, p. CXCII. — Reitt. Mon. p. 172. — Algier

Frivaldszkyi Kraatz, Revis. 1865, p. 150, 385. — Reitt. Mon. p. 182. — Südungarn
banatica Friv. A'Királyi magyar. 1865, p. 43; 1866, p. 199, t. 11, f. 1. — Heyd. Berl. Ent. Zeitschr. XIII, 1869, p. 57.
Biologie: Smoley de Temesv. Nouv. et Faits 1875, p. LVII.

gaditana Rosenh. Thiere Andalus. 1856, p. 186. — Kraatz, Revis. 1865, p. 143, 164. — Reitt. Mon. p. 171. — Spanien, Portugal

Ganglbaueri Reitt. Mon. p. 182. — Turkestan

gibbicollis Luc. Rev. Zool. 1855, p. 291; Ann. Soc. Ent. Fr. (3) IV, 1856, p. 707, t. 21, f. 6. — Kraatz, Revis. 1865, p. 166. — Bedel, Ann. Soc. Ent. Fr. (6) VII, 1887, p. 108. — Reitt. Mon. p. 174. — Algier, Tunis
Strauchi Kraatz, Revis. 1865, p. 166.

gigas Fald. Bull. Mosc. IX, 1836, p. 376, t. 7, f. 8. — Kraatz, Revis. 1865, p. 150. — Reitt. Mon. p. 183. — Transkaspien, Turkestan
laevicollis Gebl. Bull. Ac. Petr. III, 1845, p. 102; Bull. Mosc. XXXIII, 1860, III, p. 17.
?*valida* Motsch. Bull. Mosc. XLIII, 1870, I, p. 382, t. 3, f. 6.

giraffa All. Ann. Soc. Ent. Belg. XXVII, 1883, p. 22. — Arabien

glabra F. Syst. Ent. 1775, p. 253. — Oliv. Ent. III, 1795, 59, p. 19, t. 2, f. 13. — Peyerimh. Abeille XXXI, 1907, p. 32. — Aegypten

grossa Besser, Nouv. Mém. Mosc. II, 1832, p. 11. — Kraatz, Revis. p. 164. — Reitt. Mon. p. 176. — Sicilien, Sardinien
sicula Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 342. — Kraatz, Revis. 1865, p. 128.
var. *Dejeani* Sol. l. c. p. 345, t. 7, f. 22. — Kraatz, Revis. 1865, p. 130. — Reitt. Mon. p. 176.
var. *grandis* Sol. l. c. p. 343. — Kraatz, Revis. 1865, p. 129. — Reitt. Mon. p. 176.

var. *punctiventris* Baudi, Ann. Mus. Genova IV, 1874, p. 100; Bull. Soc. Ent. Ital. VI, 1874, p. 286. — Nord-Persien

var. *sardea* Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 340. — Kraatz, Revis. 1865, p. 128. — Baudi, Deutsche Ent. Zeitschr. XIX, 1875, p. 43. — Reitt. Mon. p. 176.

angustata Kraatz, Natural. Sicil. XV (n. s. I), 1896, p. 103.

?*barbara* Sol. Ann. Fr. IV, 1835, p. 340. — Kraatz, Revis. 1865, p. 128. — Algier

Sommieri Baudi, Ann. Mus. Genova VI, 1874, p. 99; Deutsche Ent. Zeitschr. XIX, 1875, p. 47. — Reitt. Mon. p. 174 nota.

Tarquinia Baudi, Bull. Soc. Ent. It. VI, 1874, p. 285; Deutsche Ent. Zeitschr. XIX, 1875, p. 44.

?*tristis* Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 344. — Kraatz, Revis. Tenebr. 1865, p. 130. — Tunis

Biologie: Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 202.

herculeana Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 204. — Kraatz, Revis. Tenebr. 1865, p. 158. — Syrien

Saulcyi Reiche, Ann. Soc. Ent. Fr. (4) I, 1861, p. 212. — Kraatz, Revis. Tenebr. 1865, p. 157. — Reitt. Mon. p. 177.

Solieri Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 206.

incerta Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 359. — Kraatz, Revis. 1865, p. 136. — Reitt. Mon. p. 175. — Spanien

interrupta Latr. Gen. Crust. et Ins. II, 1807, p. 155. — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 331. — Cast. Hist. Nat. II, 1840, p. 194. — Muls. Col. Fr. Latigènes 1854, p. 45. — Kraatz, Revis. 1865, p. 125. — Reitt. Mon. p. 172. — Desbr. Frelon IX, 1901, p. 163. — Frankreich

var. *gallica* Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 333.

var. *Heydeni* Haag, Berl. Ent. Zeitschr. 1870, Beiheft p. 130. — Portugal

Biologie: Perris, Larves 1877, p. 253.

italica Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 348. — Kraatz, Revis. 1865, p. 130. — Baudi, Bull. Soc. Ent. It. VI, 1874, p. 283. — Reitt. Mon. p. 175, 181. — Italien, Dalmatien, Jon. Inseln

Kindermanni Fisch. Bull. Mosc. XVII, 1844, I, p. 64. — Kraatz, Revis. 1865, p. 153. — Reitt. Mon. p. 181 nota. — Sarepta

kantarae Fairm. Rev. et Mag. Zool. 1879, p. 187 (10). — Reitt. Mon. p. 174. — Algier

laevigata Stev. Nouv. Mém. Mosc. I, 1829, p. 92. — Kraatz, Revis. 1865, p. 148. — Reitt. Mon. p. 172. — Calabrien, Sicilien, Malta

var. *Leachi* Baudi, Bull. Soc. Ent. Ital. VI, 1874, p. 286; Deutsche Ent. Zeitschr. XIX, 1875, p. 43. — Reitt. Mon. p. 172.

laevis Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 358. — Küst. Käf. Eur. 1849, XVI, 20. — Kraatz, Revis. 1865, p. 135. — Reitt. Mon. p. 175. — Spanien

lateritia Reitt. Mon. p. 169. — Algaroc.

laticollis Kraatz, Revis. 1865, p. 158. — Reitt. Mon. p. 177. — Syrien

Latreillei Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 339. — Kraatz, Revis. 1865, p. 127. — Reitt. Mon. p. 173, 176. — Algier, Tunis, Tripolis

ligurica Sol. l. c. p. 324, t. 7, f. 18. — Géné, Mem. Accad. Torin. 1836, p. 195, t. 1, f. 26. — Kraatz, Revis. 1865, p. 121. — Reitt. Mon. p. 168. — Desbr. Frelon IX, 1901, p. 164. — Italien, Sardinien

Otti Luc. Rev. Zool. 1855, p. 291; Ann. Soc. Ent. Fr. (3) IV, 1856, p. 701, t. 21, f. 2. — Kraatz, Revis. 1865, p. 164. — Algier

var. *dentibasis* Reitt. Mon. p. 168. — Corsika

longicollis Luc. Rev. Zool. 1855, p. 291; Ann. Soc. Ent. Fr. (3) IV, 1856, p. 706, t. 21, f. 5. — Kraatz, Revis. 1865, p. 165. — Bedel, Ann. Soc. Ent. Fr. (6) VII, 1887, p. 108. — Reitt. Mon. p. 171. — Algier, Rotes Meer

leptidea Fairm. Rev. Mag. Zool. 1879, p. 188 (11). — Bedel, Ann. Soc. Ent. Fr. (6) VII, 1887. p. 197.

maroccana Sol. Ann. Fr. Soc. Ent. IV, 1835, p. 333. — Kraatz, Revis. 1865, p. 125. — Reitt. Mon. p. 168. — Marokko, Algier

Godartiana Luc. Rev. Zool. 1855, p. 291; Ann. Soc. Ent. Fr. (3) IV, 1856, p. 700, t. 21, f. 1.

mauritanica Baudi, Deutsche Ent. Zeitschr. XIX, 1875, p. 45, 46. — Bedel, Ann. Soc. Ent. Fr. (6) VII, 1887, p. 108. — Nordafrika

mesostenoides Baudi, Deutsche Ent. Zeitschr. XXV, 1881, p. 276. — Arabien

mucronata Stev. Nouv. Mém. Mosc. I, 1829, p. 90. — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 320, t. 7, f. 17, 19, 21. — Cast. Hist. Nat. II, 1840, p. 194. — Küst. Käf. Eur. XVI, 1849, 18. — Muls. Col. Fr. Latigènes 1854, p. 43. — Jacq. du Val, Genera Col. III, 1861, t. 59, f. 295. — Kraatz, Revis. 1865, p. 120. — Reitt. Mon. p. 169. — Desbr. Frelon IX, 1901, p. 165. — Frankreich, Spanien

glabra Hbst. Käf. VIII, 1799, p. 60, t. 121, f. 3.

var. *nitida* Sol. Ann. Soc. Ent. Fr. IV, 1835. p. 323. — Kraatz, Revis. 1865, p. 121. — Reitt. Mon. p. 169.

var. *oblonga* Sol. l. c. p. 321. — Kraatz, l. c. p. 120. — Reitt. Mon. p. 169.

Biologie: Perris, Larves 1877, p. 255.

Mulsanti Luc. Rev. Zool. 1855, p. 291; Ann. Soc. Ent. Fr. (3) IV, 1856, p. 704, t. 21, f. 4. — Kraatz, Revis. 1865, p. 165. — Bedel, Ann. Soc. Ent. Fr. (6) VII, 1887, p. 108. — Reitt. Mon. p. 174. — Algier, Tunis

oblongipennis Fairm. Ann. Mus. Genova VII, 1874, p. 518. — Bedel, Ann. Soc. Ent. Fr. (6) VII, 1887, p. 197.

nomas Pall. Icon. I, 1781, p. 43, t. C, f. 8. — Stev. Nouv. Mém. Mosc. I, 1829, p. 91. — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 349. — Kraatz, Revis. 1865, p. 131, 385. — Reitt. Mon. p. 180. — Kaukasus, Central-Asien, Sibirien

Gebleri Bess. Nouv. Mém. Mosc. II, 1832, p. 15.

podolica Stev. Nouv. Mém. Mosc. I, 1829, p. 91. — Bess. Nouv. Mém. Mosc. II, 1832, p. 13.

rugulosa Germ. Ins. Spec. nov. 1824, p. 138. — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 349.

saisanensis Motsch. Bull. Mosc. XVIII, 1845, I, p. 74.
?*Salzmanni* Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 351. — Kraatz, Revis. 1865, p. 132.
sibirica Gebl. Ledeb. Reise II, 1830, p. 120; Bull. Mosc. XX, 1847, IV, p. 470; XXXII, 1859, II, p. 477. — Sol. l. c. p. 349.
striatopunctata Mén. Cat. rais. 1832, p. 195. — Fald. Fauna Transc. II, 1837, p. 32.

ocularis Reitt. Mon. p. 174. — Tripolis

Palmeri Crotch, Ordn. Surv. Penins. Sinai 1872, p. 267. — Bedel, Abeille XXXI, 1908, p. 54. — Sinai, Aegypten,
glabra Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 338. — Kraatz, Revis. 1865, p. 84, 127. — Reitt. Mon. p. 178. — Arabien

parallela Baudi, Ann. Mus. Genova VI, 1874, p. 98; Deutsche Ent. Zeitschr. XIX, 1875, p. 49. — Reitt. Mon. p. 180. — Nord-Persien

Peirolerii Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 357. — Kraatz, Revis. 1865, p. 134. — Süd-Spanien

platyceps Stev. Nouv. Mém. Mosc. I, 1829, p. 92. — Reitt. Mon. p. 175. ♀ — Spanien, Tanger,
Goudoti Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 360. — Kraatz, Revis. 1865, p. 136. — Algier
modesta Rosenh. Thiere Andalus. 1856, p. 188.

prolixa Rosenh. Thiere Andalus. 1856, p. 187. — Kraatz, Revis. 1865, p. 144. — Reitt. Mon. p. 171. — Andalusien

punctatostriata Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 337. — Kraatz, Revis. 1865, p. 127. — Reitt. Mon. p. 178. — Aegypten

puncti† ceps Mill. Wien. Ent. Monatschr. V, 1861, p. 173. — Kraatz, Revis. 1865, p. 160. — Reitt. Mon. p. 178. — Syrien, Cypern,
var. *persica* Baudi, Ann. Mus. Genova VI, 1874, p. 98. — Nord-Persien

punctipleuris Reitt. Mon. p. 182. — Kaukasus

Ramburi Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 327. — Kraatz, Revis. 1865, p. 123. — Reitt. Mon. p. 172. — Desbr. Frelon IX, 1901, p. 166. — Korsika, Sardinien
♂*angusticollis* Sol. l. c. p. 328. — Kraatz, Revis. 1865, p. 124.
Maillei Sol. l. c. p. 330. — Kraatz, Revis. 1865, p. 124.
var. *laevicollis* Sol. l. c. p. 329. — Kraatz, Revis. 1865, p. 124. — Reitt. Mon. p. 172.
var. *substriata* Sol. l. c. p. 332. — Kraatz, Revis. 1865, p. 124. — Reitt. Mon. p. 172.

robusta Motsch. Bull. Mosc. XLIII, 1870, I, p. 383, t. 3, f. 8. — Reitt. Mon. p. 183. — Transkaspien, Turkestan, Ostpersien

robustoides Reitt. Mon. p. 183. — Transkaspien

rotundata Brll. Exped. Morée III, 1832, p. 197, t. 40, f. 4. — Baudi, Bull. Soc. Ent. Ital. VI, 1874, p. 287. — Reitt. Mon. p. 180. — Griechenland
grossa Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 361.
orbicollis Sol. l. c. p. 362. — Kiesw. Berl. Ent. Zeitschr. VI, 1861, p. 225. — Kraatz, Revis. 1865, p. 137.

rugosa Géné, Bull. Soc. Ent. Fr. 1836, p. III; Mem. Accad. Torin. 1836, p. 193, t. 1, f. 24. — Kraatz, Revis. 1865, p. 147. — Reitt. Mon. p. 172. — Sardinien

Schaumi Kraatz, Revis. 1865, p. 142. — Reitt. Mon. p. 170. — Balearen

scuticollis Fairm. Rev. et Mag. Zool. 1879, p. 188 (11). — Souf

senegalensis Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 326. — Kraatz, Revis. 1865, p. 123. — Reitt. Mon. p. 170, nota. — Senegal

sinaitica Peyerimh. Abeille XXXI, 1907, p. 32. — Sinai

Solieri Luc. Expl. Alg. 1849, p. 312, t. 28, f. 3. — Kraatz. Revis. 1865, p. 165. — Algier

sporadica Reitt. Mon. p. 179. — Sporaden

subcostata Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 325. — Kraatz, Revis. 1865, p. 122. — Reitt. Mon. p. 169. — Algier

acuminipennis Luc. Rev. Zool. 1855, p. 291; Ann. Soc. Ent. Fr. (3) IV, 1856, p. 703, t. 21, f. 3.

maura Er. Wagn. Reise III, 1841, p. 177.

sublaevis Kraatz, Revis. 1865, p. 144. — Reitt. Mon. p. 171. — Spanien

subrugosa Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 352. — Kraatz, Revis. 1865, p. 132. — Reitt. Mon. p. 171. — „

taurica Tausch. Mém. Mosc. III, 1812, p. 37, t. 3, f. 6. — Stev. Nouv. Mém. Mosc. I, 1829, p. 91. — —Sol. l. c. p. 354. — Küst. Käf. Eur. XVI, 1849, p. 19. — Kraatz, Revis. 1865, p. 134. — Reitt. Mon. p. 181.. — Türkei, Krim, Südrußland

Fischeri Sol. l. c. p. 355.

tessulata Tausch. Mém. Mosc. III, 1812, p. 315, t. 2, f. 12. — Stev. Nouv. Mém. Mosc. I, 1829, p. 89. — Kraatz, Revis. 1865, p. 152. — Reitt. Mon. p. 181. — Kaukasus, Persien

iucusa Ménétr. Cat. rais. 1832, p. 195.

var. *scabripennis* Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 366. — Küst. Käf. Eur. XVI, 1849, p. 21. — Kraatz, Revis. 1865, p. 138. — Reitt. Mon. p. 181. — Persien

alpina Redt. Denkschr. Wien. Akad. I, 1850, p. 48.

Olivieri Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 368. — Küst. Käf. Eur. XVI, 1849, 22.

Thunbergi Stev. Nouv. Mém. Mosc. I, 1829, p. 90. — Reitt. Mon. p. 176. — Algier, Andalusien

affinis Luc. Expl. Alg. 1849, p. 311, t. 28, f. 2. — Kraatz, Revis. 1865, p. 164.

bipunctata Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 336. —?Luc. Expl. Alg. 1849, p. 311, t. 28. f. 1. — Muls. Col. Fr. Latigènes 1854, p. 381. — Kraatz, Revis. 1865, p. 126.

transversicollis Fairm. Rev. Mag. Zool. 1879, p. 187 (10). — Algier

velox Chevr. Rev. Zool. 1865, p. 390. — Reitt. Mon. p. 170. — Spanien

vieta Falderm. Mém. Ac. Petr. sav. étrang. II, 1835, p. 402. — Kraatz, Revis. 1865, p. 152. — Reitt. Mon. p. 181 nota. — Mongolei

Wiedemanni Ménétr. Cat. Ins. Balk. 1838, p. 38, t. 2, f. 6. — Kraatz, Revis. 1865, p. 157. — Reitt. Mon. p. 180. — Kleinasien

Eulipus Woll.

Woll. Cat. Can. Col. 1864, p. 448. — Bates, Ent. Monthly Mag. 1875, p. 219. — Reitt. Best.-Tab. XLII, 1900, p. 184.

Brullei Bedel, Ann. Soc. Ent. Fr. (6) VII, 1887, p. 107. — Reitt. Best.-Tab. XLII, 1900, p. 184. — Fairm. Ann. Soc. Ent. Fr. (5) X, 1880, p. 249. — Marokko

elongata Brll. Webb. et Berthel. Ins. Canar. 1838, p. 66. — Woll. Cat. Can. Col. 1864, p. 448. — Canaren

punctidorsis Reitt. Best.-Tab. XLII, 1900, p. 184. — Marokko

Quirogai Esc. Bol. Soc. Esp. V, 1905, p. 468. — Rio Oro (südl. v. Marokko)

4

Mogadoria Esc.

Escalera, Bol. Soc. Esp. V, 1905, p. 467.

subelegans Fairm. Ann. Soc. Ent. Fr. (4) X, 1870, p. 386. — Bedel, Ann. Soc. Ent. Fr. (6) VII, 1887, p. 107. — Reitt. Best.-Tab. XLII, 1900, p. 184. — Marokko

1

Thraucostolus Kraatz.

Kraatz, Berl. Ent. Zeitschr. IX, 1865, p. 414. — Reitt. Best.-Tab. XLII, 1900, p. 93, 184.

Calabamon Kraatz, Revis. 1865, p. 105.

leptoderus Kraatz, Revis. 1865, p. 106; Berl. Ent. Zeitschr. IX, 1865, p. 414. — Reitt. Best.-Tab. XLII, 1900, p. 184. — Aegypten

1

Alcinoe Ménétr.

Ménétr. Mém. Acad. Petr. VI, 1849, p. 230 (14). — Lacord. Genera Col. V, 1859, p. 44. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 174. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 300; Best.-Tab. XLII, 1900, p. 93, 185.

helopioides Ménétr. Mém. Acad. Petr. VI, 1849, p. 231 (15), t. 4, f. 2. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 175. — Reitt. Best.-Tab. XLII, 1900, p. 185. — Transkaspien

spectabilis Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 82. — Reitt. Best.-Tab. XLII, 1900, p. 185. — „

2

Dengitha Reitt.

Reitt. Deutsche Ent. Zeitschr. XXXI, 1887, p. 516; l. c. 1896 p. 300; Best.-Tab. XLII, 1900, p. 86, 185. — Semenow, Ann. Mus. St. Petersb. I, 1896, p. 47.

crystallina Sem. Ann. Mus. St. Petersb. I, 1896, p. 47. — Reitt. Best.-Tab. XLII, 1900, p. 185. — Östl. Kasp.-Meer

hyalina Sem. l. c. — Reitt. l. c. Wüste Karakum

lutea Reitt. Deutsche Ent. Zeitschr. XXXI, 1887, p. 517. — Best.-Tab. XLII, 1900, p. 186. Transkaspien, Buchara

3

Micipsa Luc.

Lucas, Bull. Soc. Ent. Fr. 1855, p. 34; Mém. Liège X, 1855, p. 294. — Lacord. Genera Col. V, 1859, p. 53. — Kraatz, Revis. Tenebr. 1865, p. 106. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 301; Best.-Tab. XLII, 1900, p. 93, 186.

Cirta Lucas, Bull. Soc. Ent. Fr. 1857, p. 56.

angustipennis Fairm. Ann. Mus. Genova VII, 1875, p. 520. — Reitt. Best.-Tab. XLII, 1900, p. 187. Tunis

var. *substrigosa* Reitt. Best.-Tab. XLII, 1900, p. 187. „

Batesi Haag, Col. Hefte XIV, 1875, p. 92. Syrien

Burtoni Baudi, Deutsche Ent. Zeitschr. XXV, 1881, p. 277. — Reitt. Best.-Tab. XLII, 1900, p. 188. „

Douei Luc. Bull. Soc. Ent. Fr. 1856, p. 45. — Kraatz, Revis. 1865, p. 110. Aegypten

gracilipes Fairm. Ann. Mus. Genova VII, 1875, p. 552. — Reitt. Best.-Tab. XLII, 1900, p. 188. Algier, Sahara

grandis Kraatz, Revis. 1865, p. 108. — Reitt. Best.-Tab. XLII, 1900, p. 186. Syrien, Aegypten

Kerimi Fairm. Ann. Mus. Genova VII, 1875, p. 520. Tunis

Mulsanti Levr. Ann. Soc. Linn. Lyon 1853, p. 1, t. 1. — Reiche, Ann. Soc. Ent. Fr. (4) I, 1861, p. 88. — Kraatz, Revis. 1865, p. 108. — Reitt. Best.-Tab. XLII, 1900, p. 187. Algier, Tunis

rufitarsis Luc. Bull. Soc. Ent. Fr. 1855, p. 34; Mém. Liège X, 1855, p. 297, fig.

♂ var. *velox* Guér. Bull. Soc. Ent. Fr. 1859, p. 188; l. c. 1861, p. 376. — Kraatz, Revis. 1865, p. 109.

♀ *cursor* Guér. l. c. p. 189; l. c. 1861, p. 376.

ovoidea Fairm. Stett. Ent. Zeit. XLIV, 1883, p. 460. Tripolis

persica Baudi, Ann. Mus. Genova VI, 1874, p. 102; Deutsche Ent. Zeitschr. XIX, 1875, p. 58. — Reitt. Best.-Tab. XLII, 1900, p. 186. Persien

philistina Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 212, t. 5, f. 7. — Kraatz, Revis. 1865, p. 108. — Reitt. Best.-Tab. XLII, 1900, p. 186. Syrien

poripennis Fairm. Ann. Mus. Genova VII, 1875, p. 523. — Reitt. Best.-Tab. XLII, 1900, p. 187. Sahara

pubescens Haag, Col. Hefte XIV, 1875, p. 90. Persien

Schaumi Kraatz, Revis. 1865, p. 111. — Reitt. Best.-Tab. XLII, 1900, p. 187. Aegypten

similis Haag, Col. Hefte XIV, 1875, p. 91. Persien

striaticollis Luc. Bull. Soc. Ent. Fr. 1857, p. 56; l. c. 1866, p. 18. — Kraatz, Revis. 1865, p. 110. — Fairm. Ann. Mus. Genova VII, 1875, p. 521. — Reitt. Best.-Tab. XLII, 1900, p. 187. Algier, Sahara

16

Tentyronota Reitt.

Reitt. Best.-Tab. XLII, 1900, p. 93, 188.

cavifrons Fairm. Ann. Soc. Ent. Fr. (4) III, 1863, p. 642. — Algier
Gastonis Fairm. Ann. Soc. Ent. Fr. (4) X, 1870, p. 387. — Bedel, Ann. Soc. Ent. Fr. (6) VII, 1887, p. 198.
rotundicollis Kraatz, Revis. 1865, p. 108. — Reitt. Best.-Tab. XLII, 1900, p. 188.

1

Micipsina Reitt.

Reitt. Best.-Tab. XLII, 1900, p. 94, 188.

Rolphi Reitt. l. c. p. 188. — Marokko

1

Crypticoides Fairm.

Fairm. Ann. Soc. Ent. Fr. LXVII, 1898, p. 189.

Mellyi Fairm. l. c. p. 190. — Thibet, Birma

1

Oxycara Sol.

Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 254. — Lacord. Genera Col. V, 1859, p. 57. — Kraatz, Revis. Tenebr. 1865, p. 314. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 302; Best.-Tab. XLII, 1900, p. 94, 189.

Melancrus Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 190.

aethiopum Gredl. Verh. zool.-bot. Ges. Wien XXVII, 1877, p. 515. — Khartum
amplipennis Fairm. in Revoil, Faune et Flore Çomal Col. 1882, p. 65. — Somali
asperulum Woll. Col. Hesperid. 1867, p. 177. — Cap Verd. Ins.
blapsoides Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 255, t. 5, f. 1—6. — Cast. Hist. Nat. II, 1840, p. 193. — Kraatz, Revis. 1865, p. 215. — Senegal
breviusculum Fairm. Rev. d'Ent. XI, 1892, p. 107. — Obock
castaneum Woll. Col. Hesperid. 1867, p. 172. — Cap. Verd. Ins.
hegeteroides Woll. Ann. Mag. Nat. Hist. VII, 1861, p. 198.
Chobauti nom. nov. — Algier
trapezicolle Chobaut, Rev. d'Ent. XVII, 1898, p. 82.
cribratum Woll. Col. Hesperid. 1867, p. 175. — Cap. Verd. Ins.
curtum Woll. l. c. p. 177. — „
deronectinum Reitt. Best.-Tab. XLII, 1900, p. 190. — Aegypten
ebeninum Woll. Col. Hesperid. 1867, p. 172. — Cap. Verd. Ins.

Gastonis Reitt. Wien. Ent. Zeit. XXII, 1903, p. 45. — Obock
hegetericum Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 193. — Kraatz, Revis. 1865, p. 216. — Reitt. Best.-Tab. XLII, 1900, p. 189. — Aegypten, Palästina, Rotes Meer
hegeteroides Er. Arch. Naturgesch. IX, 1843, I, p. 236. — Woll. Col. Hesperid. 1867, p. 170. — Cap Verd. Ins.
irroratum Woll. Col. Hesperid. 1867, p. 176. — ,,
laeve Woll. l. c. p. 174. — ,,
laevigatum Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 192, t. 5, f. 4. — Kraatz, Revis. 1865, p. 215. — Reitt. Best.-Tab. XLII, 1900, p. 189. — Syrien
pedinoides Er. Arch. Naturgesch. IX, 1843, I, p. 236. — Woll. Ann. Mag. Nat. Hist. (3) VII, 1861, p. 198; Col. Hesperid. 1867, p. 173. — Cap Verd. Ins.
productum Peyerimh. Abeille XXXI, 1907, p. 33. — Sinai
pygmaeum Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 194. Kraatz, Revis. 1865, p. 216. — Reitt. Best.-Tab. XLII, 1900, p. 189. — Palästina
Aegypten
simile Woll. Col. Hesperid. 1867, p. 175. — Cap Verd. Ins.
subcostatum Guér. Ann. Soc. Ent. Fr. (4) I, 1861, p. 375. — Kraatz, Revis. 1865, p. 216. — Reitt. Best.-Tab. XLII, 1900, p. 189. — Rotes Meer, Arabien
trapezicollis Fairm. in Revoil, Faune et Flore Çomal. Col. 1882, p. 66. — Somali
zophosina Fairm. l. c. p. 65. — ,,

24

Hegeterocara Reitt.

Reitt. Best.-Tab. XLII, 1900, p. 94, 190.

arabica Reitt. l. c. p. 190. — Rotes Meer

1

Oxycarops Reitt.

Reitt. Best.-Tab. XLII, 1900, p. 94.

fuscipes Brll. Webb. et Berth. Ins. Canar. 1838, p. 66. — Woll. Cat. Can. Col. 1864, p. 463. — Canaren
submetallica Woll. Cat. Can. Col. 1864, p. 464; Col. Atlant. 1865, p. 400. — ,,

2

Amblycarenum nom. nov.

Amblycara Fairm. Bull. Soc. Ent. Fr. 1893, p. CXLVII.

alutaceum Fairm. Pet. Nouv. Ent. I, 1873, p. 495. — Bedel, Abeille XXVIII, 1894, p. 154. — Biskra
biskrensis Fairm. Bull. Soc. Ent. Fr. 1893, p. CXLVIII; Échange 1893, p. 124.

1

Catomulus Reitt.

Reitt. Deutsche Ent. Zeitschr. 1896, p. 302; Best.-Tab. XLII, 1900, p. 95, 190

Olcesii Fairm. Compte rend. Soc. Ent. Belg. 1883, p. CXI. — Reitt. Best.-Tab. XLII, 1900, p. 190. — Marokko
subaeneus Reitt. Deutsche Ent. Zeitschr. 1896, p. 302.
1

Jsonota Fairm.

Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 171.

opaca Fairm. l. c. p. 171, t. 2, f. 4. — Somali
1

Hegeter Latr.

Latr. Hist. Nat. Crust. Ins. III, 1802, p. 172. — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 375. — Wollaston, Ins. Maderensia 1854, p. 508; Cat. Can. Col. 1864, p. 451. — Lacord. Genera Col. V, 1859, p. 55. — Kraatz, Revis. Tenebr. 1865, p. 220. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 301; Best.-Tab. XLII, 1900, p. 95.

abbreviatus Brll. Webb. et Berthel. Ins. Canar. 1838, p. 66. — Woll. Cat. Can. Col. 1864, p. 457. — Canaren
amaroides Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 378. — — Woll. Cat. Can. Col. 1864, p. 453. — Madeira, Canaren
politus Brll. Webb. et Berth. Ins. Canar. 1838, p. 65.
brevicollis Brll. l. c. p. 65. — Woll. Cat. Can. Col. 1864, p. 456. — Teneriffa
buprestoides F. Spec. Ins. 1781, I, p. 323. — Ol. Ent. III, 1795, 60, p. 8, t. 1, f. 6. — Cap Verd.
costipennis Woll. Cat. Can. Col. 1864, p. 457. — Canaren
glaber Brll. Webb. et Berth. Ins. Canar. 1838, p. 65, t. 1, f. 9. — Woll. Cat. Can. Col. 1864, p. 453. — Madeira
impressus Brll. l. c. p. 64. — Woll. l. c. p. 458. — Canaren
latebricola Woll. Ins. Mader. 1854, p. 510. — Kraatz, Revis. 1865, p. 221. — Madeira
lateralis Brll. Webb. et Berth. Ins. Canar. 1838, p. 65. — Woll. Cat. Can. Col. 1864, p. 460. — Teneriffa
subrotundatus Woll. Cat. Can. Col. 1864, p. 459; Col. Atlant. 1865, p. 398. — Canaren
tenuipunctatus Brll. Webb. et Berth. Ins. Canar. 1838, p. 65. — Woll. Cat. Can. Col. 1864, p. 459. — Teneriffa
transversus Brll. l. c. p. 65. — Woll. l. c. p. 455. — ,,
tristis F. Ent. Syst. 1792, I, p. 108. — Woll. Cat. Can. Col. 1864, p. 451; Col. Hesperid. 1867, p. 168. — Madeira, Teneriffa
elongatus Ol. Ent. III, 1795, 60, p. 9, t. 1, f. 7. — Woll. Ins. Mader. 1854, p. 510, t. 11, f. 7; Ann. Mag. Nat. Hist. 1861, p. 197. — Kraatz, Revis. 1865, p. 221.
picicornis F. Ent. Syst. 1792, I, p. 121; Syst. El. I, 1801, p. 161. — Geb. Deutsche Ent. Zeitschr. 1906, p. 210.

striatus Latr. Gen. Crust. et Ins. II, 1807, p. 157 — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 377, t. 8, f. 8—11. — Cast. Hist. Nat. II, 1840, p. 195.

Webbianus Heineken, Zool. Journ. V, 1828, p. 40. — Woll. Cat. Can. Col. 1864, p. 452. Canaren

14

Melanochrus Woll.

Woll. Cat. Can. Col. 1864, p. 467.

Lacordairei Woll. Cat. Can. Col. 1864, p. 468; Col. Atlant. 1865, p. 401. Canaren

1

Pseudotalpophila Reitt.

Reitter, Best.-Tab. XLII, 1900, p. 95.

brevicollis Heer in Hartung, Geol. Verh. Lanzarote 1856, p. 140, 141. Canaren

plicifrons Woll. Cat. Can. Col. 1864, p. 461.

politus Heer, l. c. p. 140, 141. „

Deyrollei Woll. l. c. p. 462.

2

Gnophota Er.

Er. Arch. Naturgesch. IX, 1843, I, p. 237. — Lacord. Gen. Col. V, 1859, p. 56. — Kraatz, Revis. Tenebr. 1865, p. 228. — Reitt. Best.-Tab. XLII, 1900, p. 96.

angolensis Har. Col. Hefte XVI, 1879, p. 110. Loanda

anthracina Er. Arch. Naturgesch. IX, 1843, I, p. 237. — Kraatz, Revis. 1865, p. 230. Angola

cribricollis Brll. Webb. et Berth. Ins. Canar. 1838, p. 66. — Woll. Cat. Can. Col. 1864, p. 465. Canaren

curta Er. Arch. Naturgesch. IX, 1843, I, p. 238. — Kraatz, Revis. 1865, p. 230. Angola

inaequalis Woll. Cat. Can. Col. 1864, p. 466. Canaren

nana Er. Arch. Naturgesch. IX, 1843, I, p. 238. — Kraatz, Revis. 1865, p. 231. Angola

punctipennis Woll. Cat. Can. Col. 1864, p. 467. Canaren

semirugosa Kraatz, Revis. 1865, p. 231. Benguela

8

XIV. Triorophinae.

Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 279, 431.

Triorophus Lec.

Lec. Ann. Lyc. N. York V, 1851, p. 141. — Lacord. Gen. Col. V, 1859, p. 34. — Cas. Proc. Wash. Acad. Sc. IX, 1907, p. 432, 434 (Mon.).

basalis Cas. Mon. p. 437. — Arizona
brevis Cas. Mon. p. 439. — Texas
gracilicornis Cas. Mon. p. 437. — Californien
gravidulus Cas. Mon. p. 437. — Arizona
histrio Cas. Mon. p. 437. — ,,
laevis Lec. Ann. Lyc. N. York V, 1851, p. 141. — Lacord. Genera Col. Atl. t. 48, f. 4. — Horn, Revis. Tenebr. 1870, p. 259. — Cas. Mon. p. 435. — Californien
Lecontei Cas. Ann. N. Y. Acad. V, 1890, p. 327, 502. — Champ. Biol.-Centr. Am. Col. IV, 1, 1892, p. 478. — Cas. Mon. p. 439. — Texas, Mexico
longicornis Cas. Mon. p. 438. — Arizona
mixtus Cas. Mon. p. 440. — Texas
mundulus Cas. Mon. p. 436. — Arizona
nodiceps Lec. Proc. Acad. Philad. VI, 1853, p. 446; Arcan. Natur. 1859, p. 123, t. 12, f. 7. — Horn, Revis. Tenebr. 1870, p. 259. — Cas. Mon. p. 439. — Texas
politus Cas. Mon. p. 435. — Californien
punctatus Lec. Ann. Lyc. N. York V. 1851, p. 142. — Horn, Revis. 1870, p. 259. — Cas. Mon. p. 440. — ,,
rugiceps Lec. l. c. p. 142. — Cas. Mon. p. 438. — ,,
simplex Cas. Mon. p. 436. — Arizona
subpubescens Horn, Revis. Tenebr. 1870, p. 259. — Cas. Mon. p. 440. — Nordamerika
terebratulus Cas. Mon. p. 436. — Arizona

17

Micromes Cas.

Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 432, 442 (Mon.).

maritimus Cas. Ann. N. Y. Acad. VI, 1892, p. 52; Mon. p. 442. — Californien
ovipennis Horn, Trans. Amer. Ent. Soc. V, 1874, p. 28. — Cas. Mon. p. 442. — ,,

2

Trichiotes Cas.

Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 432, 443 (Mon.).

seriatus Cas. l. c. p. 444. — Texas

1

Oxygonodera Cas.

Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 433, 444 (Mon.).

grandiceps Cas. Mon. p. 446. — Utah
hispidula Horn, Trans. Amer. Ent. Soc. V, 1874, p. 29. — Cas. Mon. p. 445. — ,,
villosa Cas. Mon. p. 445. — ,,

3

Triphalus Lec.

Lec. New Spec. Col. 1866, p. 104. — Horn, Revis. Tenebr. 1870, p. 260. — Cas. Proc. Wash. Acad. Sc. IX, 1907, p. 433, 446.

cribricollis Horn, Proc. Calif. Ac. Sc. (2) V, 1895, p. 251. — Cas. Mon. p. 448. Unter-Californien
perforatus Lec. New Spec. Col. 1866, p. 104. — Horn, Revis. 1870, p. 260. — Cas. Mon. p. 447. Cap S. Lucas

2

Stibia Horn.

Horn, Revis. Tenebr. 1870, p. 260. — Cas. Proc. Wash. Acad. Sc. IX, 1907, p. 433, 448 (Mon.).

puncticollis Horn, Revis. Tenebr. 1870, p. 260, t. 14, f. 2. — Cas. Mon. p. 448. Californien

1

Melaphorus Guér.

Guér. Mag. Zool. 1834, Mélas. p. 13. — Cast. Hist. Nat. II, 1840, p. 191. — Lacord. Genera Col. V, 1859, p. 74.

Stenholma Solier, Ann. Soc. Ent. Fr. IV, 1835, p. 412.

Reichei Guér. Mag. Zool. 1834, Mélas. p. 13, t. 109, f. 1. — Cast. Hist. Nat. II, 1840, p. 192. *tentyrioides* Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 413, t. 9, f. 19—21. Peru

1

Ambigatus Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 246.

bembidioides Fairm. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 247. Argentinien
rufonitens Fairm. l. c. p. 246. „
stricticollis Fairm. l. c. p. 247. „

3

XV. Edrotinae.

Lacordaire, Genera Col. V, 1859, p. 31. — Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 279, 449.

Edrotes Lec.

Lec. Ann. Lyc. N. York V, 1851, p. 140. — Lacord. Gen. Col. V, 1859, p. 31. — Casey, Proc. Wash. Ac. Sc. IX, 1907, p. 450 (Mon.).

angusticollis Cas. Mon. p. 452. Californien
angustulus Cas. Mon. p. 456. Texas

globosus Cas. Ann. N. Y. Ac. V, 1890, p. 175; Mon. p. 454. — Colorado
inflatus Cas. Mon. p. 454. — Neu-Mexico, Colorado
intermixtus Cas. Mon. p. 455. — Arizona
lineatus Cas. Mon. p. 456. — „
longipennis Cas. Mon. p. 453. — Utah
nitidus Cas. Ann. N. York. Ac. V, 1890, p. 175; Mon. p. 452. — Californien
oblongulus Cas. Mon. p. 455. — Neu-Mexico
orbus Cas. Mon. p. 452. — Arizona
puncticeps Cas. Mon. p. 454. — Neu-Mexico
rotundus Say, Journ. Acad. Phil. III, 1823, p. 251. — Lacord. Genera Col. Atl. t. 48, f. 2. — Horn, Revis. Tenebr. 1870, p. 257. — Cas. Mon. p. 453. — Arkansas, Colorado
subaequalis Cas. Mon. p. 456. — Colorado
ventricosus Lec. Ann. Lyc. N. York V, 1851, p. 141; Arcana Nat. 1859, p. 123, t. 12, f. 8. — Lacord. Genera Col. Atl. t. 48, f. 3. — Horn, Revis. 1870, p. 257. — Cas. Mon. p. 451. — Californien

14

Pimeliopsis Champ.

Champ. Biol. Centr.-Am. Col. IV, 1, 1892, p. 477. — Cas. Proc. Wash. Acad. Sc. IX, 1907, p. 450.

granulata Champ. l. c. p. 477, t. 22, f. 1. — Mexico

1

XVI. Epiphysinae.

Lacordaire, Genera Col. V, 1859, p. 29. — Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 450.

Epiphysa Blanch.

Blanch. Hist. Nat. Ins. II, 1845, p. 4. — Lacord. Gen. Col. V, 1859, p. 30.

ciliata Bates, Ent. Monthly Mag. IX, 1872, p. 134. — Angola
flavicollis F. Ent. Syst. IV, 1794, App. p. 438. — Hbst. Käf. VIII, 1799, p. 171. t. 127, f. 10. — Lacord. Genera Col. V, 1859, p. 30. — Capland
inflata Oliv. Ent. III, 1795, 59, p. 6, t. 3, f. 26.
ovata Bates, Ent. Monthly Mag. IX, 1872, p. 133. — Benguela

3

XVII. Adesmiinae.

Seidlitz, Naturg. Ins. Deutschl. V, 1893, p. 219. — Reitter, Best.-Tab. LIII, 1904, p. 28. — Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 280.

Macropodites Solier, Ann. Soc. Ent. Fr. IV, 1835, p. 509.
Adesmiides et Mégagéniides, Lacord. Genera Col. V, 1859, p. 22, 27. — Haag, Deutsche Ent. Zeitschr. XIX, 1875, Heft VII, p. 3, 41.

Adesmia Fisch.

Fisch. Entomogr. Ross. I, 1822, p. 153. — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 522. — Lacord. Gen. Col. V, 1859, p. 23. — Haag-Rutenberg, Deutsche Ent. Zeitschr. XIX, 1875, Heft VII, p. 5. — Allard, Ann. Soc. Ent. Fr. (6) V, 1885, p. 155 (Mon.).

Subgen. *Macropoda* Solier, Ann. Soc. Ent. Fr. IV, 1835, p. 515. — All. Mon. p. 166.
Subgen. *Oteroscelis* Solier, l. c. p. 546. — All. Mon. p. 164.
Subgen. *Onymacris* All. Mon. p. 157.
Subgen. *Physosterna* All. Mon. p. 156.

abbreviata Kl. Symb. Phys. II, 1830, nr. 27, t. 13, f. 1. — All. Mon. p. 163, 185 (*Adesmia* s. str.). Syrien Palästina
arca Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 222.
abyssinica Reiche, Galin. Voy. Abyss. 1850, p. 363, t. 22, f. 5, 6. — All. Mon. p. 161, 180 (*Adesmia* s. str.). Abessinien
acervata Kl. Symb. Phys. II, 1830, nr. 26, t. 12, f. 13. — All. Mon. p. 158, 173 (*Adesmia* s. str.). Aegypten, Algier
biskrensis Luc. Rev. Zool. 1844, p. 264; Expl. Alg. 1849, p. 305, t. 27, f. 4.
Klugi Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 539.
aculeata Péring. Trans. S. Afr. Phil. Soc. IV, 1886, p. 119. Namaqua-Land
aethiopia All. Natural. VII, 1885, p. 39; Mon. p. 162, 182. (*Adesmia* s. str.). Abessinien
affinis Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 535. — All. Mon. p. 164, 188 (*Adesmia* s. str.). Nordafrika
agilis Péring. Trans. S. Afr. Phil. Soc. VI, 2, 1892, p. 120 *(Onymacris)*. Kalahari
Allardi nom. nov. *(Oteroscelis)*. Arabien
fossulata All. Mon. p. 165, 191.
anatolica Ganglb. Ann. Hofmus. Wien 1906, p. 275 (*Adesmia* s. str.). Kleinasien
antiqua Kl. Symb. Phys. II, 1830, nr. 35, t. 13, f. 9. — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 531. — All. Mon. p. 162, 182 (*Adesmia* s. str.). Aegypten, Nubien
anthracina Kl. Symb. Phys. II, 1830, nr. 28, t. 13, f. 2. — All. Mon. p. 162, 183 (*Adesmia* s. str.). Syrien, Palästina
Olivieri Reiche, Ann. Soc. Ent. Fr. (3) IV, 1857, p. 224.
assimilis Gahan, Journ. Linn. Soc. Zool. XXV, 1895, p. 290 (*Adesmia* s. str.). Südarabien
austera Baudi, Deutsche Ent. Zeitschr. XXV, 1881, p. 275. — All. Mon. p. 160, 177 (*Adesmia* s. str.). Arabien
baccata Gerst. Arch. Naturg. XXXVII, 1871, p. 58; Deckens Reise III, 2, 1873, p. 167, t. 9, f. 1. All. Mon. p. 207 *(Macropoda)*. Ostafrika
foveicollis Haag, Mitth. Münch. Ent. Ver. II, 1878, p. 88; Deutsche Ent. Zeitschr. XIX, 1879, p. 411.
bicarinata Kl. Symb. Phys. II, 1830, nr. 31, t. 13, f. 5. — All. Mon. p. 165, 189 *(Oteroscelis)*. Aegypten, Persien
Villae Osculati, Col. Pers. 1844, p. 72.
bicolor Haag, Deutsche Ent. Zeitschr. XIX, 1875, Heft VII. p. 7. — All. Mon. p. 157, 171 *(Onymacris)*. Congo
boshimana Péring. Trans. S. Afr. Philos. Soc. IV, 1886, p. 118, t. 2, f. 7 (*Adesmia* s. str.). Capland

Boyeri Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 519, t. 14, f. 13. — All. Mon. p. 167, 194 *(Macropoda)*. — Senegal

bullata Péring. Trans. S. Afr. Philos. Soc. IV, 1886, p. 118 *(Onymacris)*. — Namaqualand

cancellata Kl. Symb. Phys. II, 1830, nr. 37, t. 13, f. 11. — All. Mon. p. 161, 181 (*Adesmia* s. str.). — Arabien, Aegypten

Latreillei Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 540.

candidipennis Brême, Rev. Zool. 1840, p. 112; Mag. Zool. 1841, p. 1, t. 60. — All. Mon. p. 157, 170 *(Onymacris)*. — Cap Negro

carinata Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 547. — Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 226. — All. Mon. p. 164, 188 *(Oteroscelis)*. — Persien

clathrata Sol. l. c. p. 541. — All. Mon. p. 161, 180 (*Adesmia* s. str.). — ,,

consimilis Gahan, Ann. Mag. Nat. Hist. (6) XVIII, 1896, p. 454. — Somali

cothurnata Forsk. Descr. anim. 1775, p. 80. — Kl. Symb. Phys. II, 1830, nr. 30, t. 13, f. 4. — All. Mon. p. 166, 192. — Peyerimh. Abeille XXXI, 1907, p. 30 *(Oteroscelis)*. — Aegypten, Sinai Algier

cursor Chevr. Pet. Nouv. Ent. II, 1877, p. 113.

extensa Kl. Symb. Phys. II, 1830, nr. 29, t. 13, f. 3.

Lefeburei Fisch. Bull. Mosc. VIII, 1835, p. 315, t. 8, f. 6.

Pariseti Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 552, t. 15, f. 4—6.

Coucyi Luc. Bull. Soc. Ent. Fr. 1850, p. 11. — All. Mon. p. 162, 182 (*Adesmia* s. str.). — Algier, Aegypten

Buqueti Baudi, Deutsche Ent. Zeitschr. XIX, 1875, p. 28.

cribripes Haag, Deutsche Ent. Zeitschr. XIX, 1875, Heft VII, p. 12. — All. Mon. p. 156, 169 *(Physosterna)*. — Südafrika

damara Péring. Ann. S. Afr. Mus. 1904, p. 226 *(Macropoda)*. — Damaraland

Dejeani Gebl. Bull. Mosc. XIV, 1841, IV, p. 589; 1859, II, p. 474. — All. Mon. p. 158, 174 (*Adesmia* s. str.) — Songorei

de Vecchii Oscul. Col. Pers. 1844, p. 72. — All. Mon. p. 165, 189 *(Oteroscelis)*. — Persien, Syrien

dilatata Kl. Symb. Phys. II, 1830, nr. 32, t. 13, f. 6. — All. Mon. p. 163, 185 (*Adesmia* s. str.). — Aegypten

convergens Walk. List. Col. Lord 1871, p. 14. — Peyerimh. Abeille XXXI, 1907, p. 29 nota. — Bedel, Abeille XXVIII, 1894, p. 153.

insignis Mill. Wien. Ent. Monatschr. V, 1861, p. 172, t. 5, f. 14.

macropus Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 542. — Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 227.

Douei Luc. Rev. Zool. 1844, p. 265; Expl. Alg. 1849, p. 303, t. 27, f. 3. — All. Mon. p. 164, 187 (*Adesmia* s. str.). — Algier

Drakii Crotch, Ordn. Surv. Penins. Sinai 1872, p. 267. — Bedel, Abeille XXXI, 1908, p. 54 (*Adesmia* s. str.) — Sinai

Duponcheli All. Natural. VII, 1885, p. 39; Mon. p. 161, 179 (*Adesmia* s. str.). — Algier

Ehrenbergi Falderm. Fn. Transcauc. II, 1837, p. 24, t. 2, f. 1. — All. Mon. p. 159, 175 (*Adesmia* s. str.). — Turkestan

elevata Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 549. — All. Mon. p. 164, 189 *(Oteroscelis)*. — Syrien, Aegypten

epiphysoides Péring. Trans. S.Afr. Phil. Soc. III, 1885, p. 107 *(Physosterna)*. — Damaraland

Fagergreeni Baudi, Ann. Mus. Genova VI, 1874, p. 92. — All. Mon. p. 160, 177 (*Adesmia* s. str.). — Persien

Faremonti Luc. Rev. Zool. 1844 p. 264; Expl. Alg. 1849, p. 305, t. 27, f. 5. — All. Mon. p. 165, 191 *(Oteroscelis)*. — Algier

Fettingi Haag, Deutsche Ent. Zeitschr. XIX, 1875, Heft VII, p. 15. — All. Mon. p. 167, 196 *(Macropoda)*. — Damaraland

Fischeri Fald. Fn. Transcauc. II, 1837, p. 22, t. 2, f. 2. — Südrußland

fossulata Péring. Trans. S. Afr. Phil. Soc. III, 1885, p. 106. — Damaraland

foveipennis Haag, Deutsche Ent. Zeitschr. 1875, Heft VII, p. 13. — All. Mon. p. 157, 169. *(Physosterna)*. — Capland

gariesa Péring. Ann. S. Afr. Mus. 1899, p. 246 *(Onymacris)* — ,,

Gebleri Gebl. Bull. Ac. Petr. III, 1845, p. 101; Bull. Mosc. XXXIII, 1860, III, p. 15. — All. Mon. p. 166, 193 *(Oteroscelis)*. — Centr.-Asien

foveola Ménétr. Mém. Ac. Petr. VI, 1849, t. 3, f. 9.

globosa Haag, Deutsche Ent. Zeitschr. XIX, 1875, Heft VII, p. 11. — All. Mon. p. 156, 167 *(Physosterna)*. — Damaraland

Goryi Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 544. — All. Mon. p. 156, 168 *(Physosterna)*.

hottentotta Péring. Trans. S. Afr. Philos. Soc. IV, 1886, p. 117, t. 2, f. 9 *(Onymacris)*. — Namaqualand

inaequalis Fåhrs. Oefv. Vet. Ak. Förh. XXVII, 1870, p. 247. — All. Mon. p. 167, 194 *(Macropoda)*. — Südafrika

indica All. Natural. VII, 1885 p. 39; Mon. p. 166, 192 *(Oteroscelis)*. — Nordindien

interrupta Kl. Symb. Phys. II, 1830, nr. 36, t. 13, f. 10. — All. Mon. p. 162, 184 *(Adesmia)*. — Arabien

Jaegerskiöldi Geb. Jägersk. Exp. 1906, No. 10 a, p. 12, fig. (*Adesmia* s. str.). — Weiß. Nil

Karelini Fisch. Bull. Mosc. VIII, 1835, p. 312, t. 8, f. 1, 2. — All. Mon. p. 159, 174 (*Adesmia* s. str.). — Turkmenien

khoikoina Péring. Ann. S. Afr. Mus. 1904, p. 226 *(Physosterna)*. — Namaqualand

lacunosa Kl. Symb. Phys. II, 1830, nr. 33, t. 13, f. 7. — All. Mon. p. 165, 190 *(Oteroscelis)*. — Syrien, Persien, Arabien Ägypten

aegrota Fald. Fn. Transcauc. II, 1837, p. 25.

aenea Redt. Denkschr. Wien. Akad. I, 1850, p. 48. — Baudi, Bull. Soc. Ent. It. VI, 1874, p. 195.

Audouini Sol. Ann. Soc. Ent. Fr. 1835, p. 550. — Haag, Deutsche Ent. Zeitschr. XIX, 1875, Heft VII, p. 21. — All. Mon. p. 165, 190.

polita Baudi, Ann. Mus. Gen. VI, 1874, p. 95; Deutsche Ent. Zeitschr. XIX, 1875, p. 30 nota.

pulcherrima Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 546.

semiglabra Chevr. Pet. Nouv. Ent. II, 1877, p. 113.

subserrata Chevr. l. c. p. 113.

laevicollis Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 107. — All. Mon. p. 159, 175 (*Adesmia* s. str.). — Turkestan

laevis All. Natural. VII, 1885, p. 39; Mon. p. 157, 169 *(Physosterna)*. — Deutsch-Südwestafrika

Langi Guér. Bull. Soc. Ent. Fr. 1843, p. XLVII; Rev. Zool. 1843, p. 261; Mag. Zool. 1844, p. 3, t. 139. — All. Mon. p. 157, 171. — Congo

Laskeri Péring. Ann. S. Afr. Mus. 1904, p. 227 *(Onymacris)*. — Damaraland

Lehmanni Ménétr. Mém. Acad. Petr. VI, 1849, p. 224 (8) t. 3, f. 10. — All. Mon. p. 160, 175 (*Adesmia* s. str.). — Turkmenien

leucosticta Gestro, Ann. Mus. Genova (2) XII, 1892, p. 765 *(Oteroscelis)*. — Somali

lobicollis Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 183 *(Onymacris)*. — Namaqualand

longipes F. Syst. Ent. 1775, p. 251. — Kl. Symb. Phys. II, 1830, nr. 24, t. 12, f. 11. — All. Mon. p. 160, 176 (*Adesmia* s. str.). — Aegypten

concisa Walk. List Col. Lord 1871, p. 14. — Haag, Deutsche Ent. Zeitschr. XIX, 1875, Heft VII, p. 21.

Lüderitzi Péring. Denkschr. med. Ges. Jena XIII, 1908, p. 401. — Südafrika

lurida Haag, l. c. p. 14. — All. Mon. p. 167, 195 *(Macropoda)*. — „

maculicollis Qued. Berl. Ent. Zeitschr. XXIX, 1885, p. 2 *(Macropoda)*. — Congostaat

Maillei Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 530. — All. Mon. p. 160, 176 (*Adesmia* s. str.). — Südrußland, Transkaukasien, Turkmen., Persien

pulcherrima Fisch. Bull. Mosc. VIII, 1835, p. 315, t. 8, f. 5. — Falderm. Fauna Transcauc. II, 1837, p. 27.

strophium Fisch. Rev. Zool. 1838, p. 316. — Motsch. Bull. Mosc. XII, 1839, p. 68, t. 5, f. a.

marginipennis Brême, Rev. Zool. 1840, p. 113; Mag. Zool. 1841, p. 1, t. 61. — All. Mon. p. 157, 170 *(Onymacris)*. — Congo

maroccana Haag, Deutsche Ent. Zeitschr. XXI, 1877, p. 283. — All. Mon. p. 163, 186 (*Adesmia* s. str.). — Marokko

mesopotamica Chevr. Pet. Nouv. Ent. II, 1877, p. 113 — Mesopotam.

metallica Kl. Symb. Phys. II, 1830, nr. 23, t. 12, f. 10. — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 551. — All. Mon. p. 165, 191 *(Oteroscelis)*. — Aegypten, Syrien, Persien

var. *syriaca* Baudi, Ann. Mus. Genova VI, 1874, p. 95; Deutsche Ent. Zeitschr. XIX, 1875, p. 30 nota.

microcephala Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 533. — Luc. Expl. Alg. 1849, p. 303, t. 27, f. 2. — All. Mon. p. 163, 187 (*Adesmia* s. str.). — Algier

miliaris Reiche, Thoms. Mus. scient. I, 1860, p. 25. — All. Mon. p. 161, 178 (*Adesmia* s. str.). — Sudan

monilis Kl. Symb. Phys. II, 1830, nr. 38, t. 13, f. 12. — All. Mon. p. 161, 179 (*Adesmia* s. str.). — Syrien, Aegypten

dubia Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 527, t. 15, f. 1—3.

montana Kl. Symb. Phys. II, 1830, nr. 25, t. 12, f. 12. — All. Mon. p. 158, 172 (*Adesmia* s. str.). — Arabien, Sinai

var. *parallela* Mill. Wien. Ent. Monatschr. V, 1861, p. 171, t. 5, f. 12, 13. — Haag, Deutsche Ent. Zeitschr. XIX, 1875, Heft VII, p. 21. — All. Mon. p. 173. — Cairo

var. *Servillei* Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 538. — All. Mon. p. 173. — Persien

Moufleti Haag, Deutsche Ent. Zeitschr. XIX, 1875, Heft VII, p. 14. — All. Mon. p. 167, 195 *(Macropoda)*. — Benguela

multiplicata Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. CCXCII (14). — Ostafrika

multistriata Haag, Deutsche Ent. Zeitschr. XIX, 1875, Heft VII, p. 10. — All. Mon. p. 158, 172 *(Onymacris)*. — D.-Südwest-Afrika

namaquensis Péring. Trans. S. Afr. Philos. Soc. III, 1885, p. 104 *(Onymacris)*. — Namaqualand

nassata Er. Arch. Naturgesch. IX, 1843, I, p. 240. — Haag, Deutsche Ent. Zeitschr. XIX, 1875, Heft VII, p. 16. — All. Mon. p. 167, 196 *(Macropoda)*. — Angola, Benguela

nigrogemmata Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 168 *(Macropoda)*. — Ostafrika

nobilis Gestro, Ann. Mus. Genova (2) XII, 1892, p. 766 (*Adesmia* s. str.). — Somali

nodulosa Fald. Fauna Transc. II, 1837, p. 26. — All. Mon. p. 161, 178 (*Adesmia* s. str.). — Südrußland

orientalis Haag, Deutsche Ent. Zeitschr. XIX, 1875, Heft VII, p. 18. — All. Mon. p. 163, 186 *(Adesmia* s. str.). — Ostindien

paiva Haag, Deutsche Ent. Zeitschr. XIX, 1875, Heft VII, p. 8. — All. Mon. p. 158, 172 *(Onymacris)*. — Südafrika

sulcipygia Péring. Trans. S. Afr. Philos. Soc. III, 1885, p. 105; IV, 1886, p. 191.

var. *confluens* Haag, Deutsche Ent. Zeitschr. XIX, 1875, Heft VII, p. 8.

var. *conjuncta* Haag, l. c. p. 8.

Palgravei Péring. Trans. S. Afr. Philos. Soc. III, 1885, p. 105 *(Onymacris)*. — Damaraland

Panderi Fisch. Bull. Mosc. VIII, 1835, p. 313, t. 8, f. 3. — All. Mon. p. 159, 175 (*Adesmia* s. str.). — Turkmenien

anomala Fisch. Lettre à Pander 1821, p. 13.

longipes Fisch. Ent. Imp. Ross. II, 1823—24, I, p. 153, t. 14, f. 16.

Phillippsi Gahan, Ann. Mag. Nat. Hist. (6) XVIII, 1896, p. 453. — Somali

physosternoides Haag, Mitth. Münch. Ent. Ver. II, 1878, p. 87 *(Physosterna)*. — Capland

plana Péring. Trans. S. Afr. Philos. Soc. IV, 1886, p. 116, t. 2, f. 6 *(Onymacris)*. — Damaraland

platynotus Gerst. Monatsber. Berl. Akad. 1854, p. 530; Peters' Reise 1862, p. 274, t. 16, f. 2 *(Macropoda)*. — Mozambique

Gerstaeckeri Haag, Deutsche Ent. Zeitschr. XIX, 1875, Heft VII, p. 20; 1879, p. 411.

porcata F. Spec. Ins. I, 1781, p, 317. — Hbst. Käf. VIII, 1799, p. 88, t. 123, f. 2. — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 534, t. 15, f. 7. — Cast. Hist. Nat. II, 1840, p. 184. — All. Mon. p. 163, 186 (*Adesmia* s. str.). — Capland

procera Mill. Wien. Ent. Monatschr. V, 1861, p. 170, t. 5, f. 10, 11. — Haag, Deutsche Ent. Zeitschr. XIX, 1875, Heft VII, p. 21. — All. Mon. p. 162, 183 (*Adesmia* s. str.). — Syrien

punctigera All. Natural. VII, 1885, p. 39; Mon. p. 157, 170 *(Physosterna)*. — Angola

punctipennis Haag, Deutsche Ent. Zeitschr. XIX, 1875, Heft VII, p. 18. — All. Mon. p. 160, 176 (*Adesmia* s. str.). — Sennaar

Ramburi Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 529 (*Adesmia* s. str.). — Mesopotamien

reticularis Gemm. Col. Hefte VI, 1870, p. 121. — All. Mon. p. 167, 195 *(Macropoda).* — Mozambique

reticulata Gerst. Monatschr. Berl. Acad. 1854, p. 530; Peters' Reise 1862, p. 273.

reticulata Kl. Symb. Phys. II, 1830, nr. 39, t. 13, f. 13. — All. Mon. p. 162, 181 (*Adesmia* s. str.). — Abessinien, Arabien

rivularis Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 520. — All. Mon. p. 166, 193 *(Macropoda).* — Senegal

rugatipennis Haag, Deutsche Ent. Zeitschr. XIX, 1875, Heft VII, p. 10. — All. Mon. p. 157, 171 *(Onymacris).* — Deutsch-Südwestafrika

stenocaroides Péring. Trans. S. Afr. Philos. Soc. III, 1885, p. 106; IV, 1886, p. 191, t. 2, f. 8.

scrobipennis Haag, Deutsche Ent. Zeitschr. XIX, 1875, Heft VII, p. 13. — All. Mon. p. 167, 195 *(Macropoda).* — „

scutulata Péring. Ann. S. Afr. Mus. 1899, p. 247, t. 6, f. 2. — Zambesi

simplex Péring. Ann. S. Afr. Mus. 1899, p. 246, t. 6, f. 1 *(Physosterna).* — Capland

sinaitica Crotch, Ordn. Surv. Penins. Sinai 1872, p. 267. — Bedel, Abeille XXXI, 1908, p. 54. — Sinai

sodalis Waterh. Trans. Linn. Soc. Lond. (2) V, 1889, p. 125, t. 14, f. 2, 3 *(Oteroscelis).* — Belutchistan

Solieri Luc. Rev. Zool. 1844, p. 266; Expl. Alg. 1849, p. 304. — All. Mon. p. 164, 188 (*Adesmia* s. str.). — Algier

tenebrosa Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 536. — Baudi, Ann. Mus. Genova VI, 1874, p. 92. — All. Mon. p. 159, 174 (*Adesmia* s. str.). — Persien

tenuegranata Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 183 *(Physosterna).* — Südafrika

torulosa Pall. Icon. I, 1781, t. C, f. 17 *(Physosterna).* — Capland

muricata F. Ent. Syst. Suppl. 1798, p. 42. — Geb. Deutsche Ent. Zeitschr. 1906, p. 210.

ovata Oliv. Ent. III, 1795, 59, p. 18, t. 3, f. 30. — Hbst. Käf. VIII, 1799, p. 77, t. 22, f. 7. — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 545. — All. Mon. p. 156, 168.

transversalis Kolbe, Stett. Ent. Zeit. LV, 1895, p. 180 *(Macropoda).* — Deutsch-Ostafrika

tuberculifera Kolbe, l. c. p. 179 *(Macropoda).* — „

tuberculipennis Haag, Deutsche Ent. Zeitschr. XIX, 1875, Heft VII, p. 12. — All. Mon. p. 156, 168 *(Physosterna).* — Deutsch-Südwestafrika

tuberculosa Champ. Mém. Soc. Ent. Belg. III, 1895, p. 250 nota (*Adesmia* s. str.). — Südarabien

tuberculifera Gahan, Journ. Linn. Soc. Zool. XXV, 1895, p. 289.

ulcerosa Kl. Symb. Phys. II, 1830, nr. 34, t. 13, f. 8. — All. Mon. p. 162, 184 (*Adesmia* s. str.). — Syrien

perplexa Schaum, Ann. Soc. Ent. Fr. (4) III, 1863, p. 671. — Haag, Deutsche Ent. Zeitschr. XIX, 1875, Heft VII, p. 21.

reticulata Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 528.

unguicularis Haag, Deutsche Ent. Zeitschr. XIX, 1875, Heft VII, p. 7. — All. Mon. p. 157, 171 *(Onymacris)*. — Südwestafrika
Andersoni Péring. Trans. S. Afr. Phil. Soc. III, 1885, p. 103; IV, 1886, p. 191, t. 2, f. 9.
variolaris Ol. Ent. III, 1795, 59, p. 9, t. 4, f. 3. — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 517, t. 14, f. 6—12. — Cast. Hist. Nat. II, 1840, p. 184. — All. Mon. p. 166, 193 *(Macropoda)*. — Senegal

119

Stenocara Sol.

Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 553. — Lacord. Genera Col. V, 1859, p. 25. — Haag, Deutsche Ent. Zeitschr. XIX, 1875, Heft VII, p. 22 (Mon.); franz. Übersetzung: Allard, Ann. Soc. Ent. Fr. (6) V, 1885, p. 196.

aenescens Haag, Mon. p. 34. — All. Übers. p. 202. — Damaraland
albicollis Haag, Mitth. Münch. Ent. Ver. II, 1878, p. 89. — Südafrika
distincta Péring. Trans. S. Afr. Philos. Soc. IV, 1886, p. 120.
albovillosa Péring. l. c. VI (2) 1892, p. 49. — Südwestafrika
arachnoides Gerst. Monatsber. Berl. Akad. 1854, p. 531; Peters' Reise 1862, p. 275, t. 16, f. 3. — Haag, Mon. p. 37. — All. Übers. p. 203. — Mozambique
Batesi Haag, Mon. p. 35. — All. Übers. p. 202. — Angola, Benguela
brevicollis Haag, Mitth. Münch. Ent. Ver. II, 1878, p. 90. — Südafrika
brunnipes Haag, Deutsche Ent. Zeitschr. XXI, 1877, p. 284. — Walfisch-Bay
compacta Fairm. Notes Leyd. Mus. X, 1888, p. 256. — Mossamedes
cursor Herbst, Käf. VIII, 1799, p. 113, t. 124, f. 11. — Haag, Mon. p. 32. — All. Übers. p. 201. — Capland
cursoria Haag, Mon. p. 28. — All. Übers. p. 200. — „
damarensis Péring. Trans. S. Afr. Philos. Soc. III, 1885, p. 109. — Damaraland
dentata F. Ent. Syst. I, 1792, 1, p. 102, nr. 16. — Herbst, Käf. VIII, 1799, p. 112, t. 124, f. 10. — Haag, Mon. p. 31. — All. Übers. p. 201. — Capland
♀ *sexlineata* Herbst, Käf. VIII, 1799, p. 99, t. 124, f. 1.
depressa Haag, Mon. p. 34. — All. Übers. p. 202. — Damaraland
eburnea Pasc. Journ. of Ent. II, 1866, p. 449. — Haag, Mon. p. 23. — All. Übers. p. 198. — Südwestafrika, Kongo
gibbipennis Haag, Mon. p. 39. — All. Übers. p. 204. — Capland
globulum Haag, Mon. p. 38. — All. Übers. p. 203. — Südwestafrika
gracilipes Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 562. — Haag, Mon. p. 26. — All. Übers. p. 199. — Angola
miliaris Er. Arch. Naturgesch. IX, 1843, I, p. 239.
intermedia Péring. Trans. S. Afr. Philos. Soc. VI (2), 1892, p. 121. — Südwestafrika
jurgatrix Péring. Ann. S. Afr. Mus. 1904, p. 227. — Namaqualand
longipes Oliv. Ent. III, 1795, 59, p. 16, t. 1, f. 3. — Herbst, Käf. VIII, 1799, p. 110, t. 124, f. 8. — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 557, t. 15, f. 8. — Cast. Hist. Nat. II, 1840, p. 184. — Capland

— Fåhrs. Öfv. Vet.-Akad. Förh. XXVII, 1870, p. 248. — Haag, Mon. p. 25. — All. Übers. p. 199.
Herbsti Gemm. Col. Hefte VI, 1870, p. 121.
spinifera Perch. Genera Ins. 1835, III, nr. 6, t. 10.
var. *conifera* Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 559. — Haag, Mon. p. 25.
var. *Fabricii* Sol. l. c. p. 560, t. 15, f. 11. — Haag, Mon. p. 25.
var. *laevicollis* Sol. l. c. p. 561, t. 15, f. 9. — Haag, Mon. p. 25.

morbillosa F. Syst. El. I, 1801, p. 130. — Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 564. — Haag, Mon. p. 29. — All. Übers. p. 200. — Capland
variolosa F. Ent. Syst. IV, App. 1798, p. 438. — Illig. in Wiedem. Mag. I, 1800, p. 336.
var. *Bonellii* Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 565. — Haag, Mon. p. 29.
var. *dubia* Haag, Mon. p. 29.
var. *Winthemi* Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 567. — Haag, Mon. p. 29.

namaqua Péring. Ann. S. Afr. Mus. 1899, p. 248. — Namaqualand

namaquensis nom. nov. — Südwestafrika
namaqua Pér. Denkschr. med. Ges. Jena XIII, 1908, p. 402.

nervosa Haag, Deutsche Ent. Zeitschr. 1879, p. 295. — Benguela

placita Péring. Ann. S. Afr. Mus. 1899, p. 248. — Capland

rotundata Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 558. — Haag, Mon. p. 24. — All. Übers. p. 198. — ,,

ruficornis Sol. l. c. p. 569. — Haag, Mon. p. 32. — All. Übers. p. 202. — ,,

sericeiceps Péring. Trans. S. Afr. Philos. Soc. III, 1885, p. 108. — Südwestafrika

serrata F. Spec. Ins. I, 1781, p. 317. — Herbst, Käf. VIII, 1799, p. 120. — Haag, Mon. p. 38. — All. Übers. p. 203. — Capland
cavifrons Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 568, t. 15, f. 10.
glomerata Thunb. Nov. Ins. Spec. 1784, p. 125.

sexlineata Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 566. — Haag, Mon. p. 30. — All. Übers. p. 200. — ,,

velox Péring. Trans. S. Afr. Phil. Soc. IV, 1886, p. 121. — Damaraland

verrucilifera Haag, Deutsche Ent. Zeitschr. XXIII, 1879, p. 296. — Südafrika

vittata Haag, Mon. p. 27. — All. Übers. p. 199. — Südwestafrika

33

Metriopus Sol.

Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 570. — Lacord. Genera Col. V, 1859, p. 26. — Haag, Deutsche Ent. Zeitschr. XIX, 1875, Heft VII, p. 40. — Allard, Ann. Soc. Ent. Fr. (6) V, 1885, p. 156.

Hoffmanseggi Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 571, t. 15, f. 12—14. — Cast. Hist. Nat. II, 1840, p. 184. — All. Ann. Soc. Ent. Fr. (6) V, 1885, p. 204. — Capland

hottentottus Dohrn, Stett. Ent. Zeit. XLV, 1884, p. 184. Südafrika
perforatus Fairm. Notes Leyd. Mus. X, 1888, p. 257. Benguela
3

Alogenius nom. nov.

Pedionomus Haag, Deutsche Ent. Zeitschr. XIX, 1875, Heft VII, p. 42.

brevipes Haag, Deutsche Ent. Zeitschr. XIX, 1875, Heft VII, p. 44. — All. Ann. Soc. Ent. Fr. (6) V, 1885, p. 205. N'Gami
cavifrons Haag, l. c. p. 43. — All. l. c. p. 205. Angola
favosus Er. Arch. Naturgesch. IX, 1843, I, p. 239. — Haag, Deutsche Ent. Zeitschr. XIX, 1875, Heft VII, p. 43. — All. Ann. Soc. Ent. Fr. (6) V, 1885, p. 205. ,,
3

Megagenius Sol.

Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 513. — Lacord. Genera Col. V, 1859, p. 27. — Haag, Deutsche Ent. Zeitschr. XIX, 1875, Heft VII, p. 41. — Allard, Ann. Soc. Ent. Fr. (6) V, 1885, p. 205.

Frioli Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 514, t. 14, f. 1—5. — Cast. Hist. Nat. II, 1840, p. 184. — Luc. Expl. Alg. 1849, p. 303, t. 27, f. 1. — Allard, Ann. Soc. Ent. Fr. (6) V, 1885, p. 205. Algier
1

XVIII. Craniotinae.

Horn, Trans. Am. Ent. Soc. V, 1874, p. 30. — Leconte and Horn, Classif. Col. N. Am. 1883, p. 360, 361. — Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 280, 457.

Craniotus Lec.

Lec. Ann. Lyc. N. York V, 1851, p. 142. — Lacord. Genera Col. V, 1859, p. 28. — Horn, Revis. Tenebr. 1870, p. 258. — Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 458, 459.

pubescens Lec. Ann. Lyc. N. York V, 1851, p. 142. — Horn, Revis. 1870, p. 258. — Cas. Proc. Wash. Ac. Sc. IX, 1907, p. 459. Californien
1

XIX. Leptodinae.

Lacordaire, Genera Col. V, 1859, p. 108. — Reitter, Best.-Tab. LIII, 1904, p. 29. — Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 280.

Reitterella Sem.

Sem. Horae Soc. Ent. Ross. XXV, 1891, p. 362; Rev. Russe III, 1903, p. 356.

fusiformis Sem. Horae Soc. Ent. Ross. XXV, 1891, p. 362. Transkaspien
gracillima Sem. Rev. Russe III, 1903, p. 365. „
turkestanica Pic, Echange XXII, 1906, p. 33. Turkestan

3

Leptodes Sol.

Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 191. — Lacord. Genera Col. V, 1859, p. 109. — Reitt. Deutsche Ent. Zeitschr. 1889, p. 31. — Sem. Wien. Ent. Zeit. X, 1891, p. 268; Horae Soc. Ent. Ross. XXVII, 1893, p. 225.

Subgen. *Leptodopsis* Haag, Deutsche Ent. Zeitschr. XXIII, 1879, p. 409. — Sem. Wien. Ent. Zeit. X, 1891, p. 272; Horae Soc. Ent. Ross. XXVII, 1893, p. 228.

Boisduvali Zoubk. Bull. Mosc. VI, 1833, p. 328; Bull. Mosc. Ent. I, 1836, p. 312. — Baudi, Deutsche Ent. Zeitschr. XIX, 1875, p. 74. — Reitt. Wien. Ent. Zeit. XI, 1892, p. 94, 95, 96. — Sem. Horae Soc. Ent. Ross. XXVII, 1893, p. 227, 230 (*Leptodes* s. str.). Turkmenien

Fedtschenkoi Sem. Horae Soc. Ent. Ross. XXVII, 1893, p. 229, 233 *(Leptodopsis)*. Samarkand

Heydeni Reitt. Wien. Ent. Zeit. XI, 1892, p. 95. — Sem. Horae Soc. Ent. Ross. XXVII, 1893, p. 227, 230 (*Leptodes* s. str.). Turkestan

Boisduvali Reitt. Deutsche Ent. Zeitschr. 1889, p. 31, 32; Verh. Naturf. Ver. Brünn XXVII, 1890, p. 116; Wien. Ent. Zeit. XI, 1892, p. 16. — Sem. Wien. Ent. Zeit. X, 1891, p. 269.

insignis Haag, Deutsche Ent. Zeitschr. XXIII, 1879, p. 409. — Reitt. Wien. Ent. Zeit. XI, 1892, p. 93, 96. — Sem. Horae Soc. Ent. Ross. XXVII, 1893, p. 229, 233 *(Leptodopsis)*. Tarbagatai

Lederi Reitt. Deutsche Ent. Zeitschr. 1889, p. 32; Wien. Ent. Zeit. XI, 1892, p. 66, 95. — Sem. Wien. Ent. Zeit. X, 1891, p. 269; Horae Soc. Ent. Ross. XXVII, 1893, p. 226 (*Leptodes* s. str.). Transkaukasien

Reitteri Sem. Wien. Ent. Zeit. X, 1891, p. 270, 271; Horae Soc. Ent. Ross. XXVII, 1893, p. 228. — Reitt. Wien. Ent. Zeit. XI, 1892, p. 96 (*Leptodes* s. str.). Chines. Turkestan

Semenowi Reitt. Wien. Ent. Zeit. XI, 1892, p. 65, 66, 95. — Sem. Horae Soc. Ent. Ross. XXVII, 1893, 1893, p. 227 (*Leptodes* s. str.). Transkaukasien

Solieri Sem. Rev. Russe VIII, 1908 (1909), p. 302 (*Leptodes* s. str.). Turkmenien

Boisduvali Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 193, t. 8, f. 6—10.

sulcicollis Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 687; Wien. Ent. Zeit. XI, 1892, p. 95. — Sem. Wien. Ent. Zeit. X, 1891, p. 270; Horae Soc. Ent. Ross. XXVII, 1893, p. 228 (*Leptodes* s. str.). China

Suwerowi Reitt. Wien. Ent. Zeit. XXVI, 1907, p. 205 *(Leptodopsis)*. — Turkestan

tjanschanicus Sem. Horae Soc. Ent. Ross. XXVII, 1893, p. 229, 232 *(Leptodopsis)*. — Issyk-kul

insignis Sem. Wien. Ent. Zeit. X, 1891, p. 270.

Tschitscherini Sem. Horae Soc. Ent. Ross. XXIX, 1894—95, p. 139 (*Leptodes* s. str.). — Nordpersien

turkestanicus Sem. Hor. Soc. Ent. Ross. XXIV, 1889, p. 219; Wien. Ent. Zeit. X, 1891, p. 268, 269, 270; Horae Soc. Ent. Ross. XXVII, 1893, p. 229. — Reitt. Wien. Ent. Zeit. XI, 1892, p. 93, 96 *(Leptodopsis)*. — Westturkestan

insignis Reitt. Deutsche Ent. Zeitschr. 1889, p. 32; Wien. Ent. Zeit. IX, 1890, p. 15; X, 1891, p. 273.

Zubkovi Sem. Rev. Russe VIII, 1908 (1909), p. 300 (*Leptodes* s. str.). — Transcaspien

14

Tapinopsis Sol.

Sol. Mem. Accad. Tor. (2) VI, 1844, p. 217 (5). — Lacord. Genera Col. V, 1859, p. 110.

costata Sol. Mem. Accad. Tor. (2) VI, 1844, p. 218 (6), t. 1, f. 1—5. — Baudi, Ann. Mus. Gen. VI, 1874, p. 107; Deutsche Ent. Zeitschr. XIX, 1875, p. 74. — Persien

1

XX. Zopherinae.

Solier, Ann. Soc. Ent. Fr. X, 1841, p. 29. — Lacordaire, Genera Col. V, 1859, p. 90. — Horn, Revis. Tenebr. Am. north of Mex. 1870, p. 271. — Leconte and Horn, Classif. Col. of N. Amer. 1883, p. 360, 364.

Zopherinae + *Nosoderminae* Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 280, 281, 460, 469, 522; X, 1908, p. 52.

Megazopherus Cas.

Casey, Proc. Wash. Acad. Sc. IX, 1907, p 461 (Mon.).

chiliensis Gray in Griff. Anim. Kingd. 1832, p. 796, t. 124, f. 3. — Cast. Hist. Nat. II, 1840, p. 206. — Cas. Mon. p. 461. — Central- und nördliches Südamerika

Bremei Guér. Rev. Zool. 1844, p. 18. — Brême, Ann. Soc. Ent. Fr. (2) II, 1844, p. 307, t. 9, f. 2.

insignis Blanch. in d'Orb. Dict. d'Hist. Nat. Atl. Ins. Col. t. 7a, f. 6.

Moreleti Luc. Bull. Soc. Ent. Fr. 1852, p. XXIII.

1

Zopherus Cast.

Cast. Hist. Nat. II, 1840, p. 205. — Sol. Ann. Soc. Ent. Fr. X, 1841, p. 39. — Lacord. Genera Col. V, 1859, p. 91. — Horn, Trans. Amer. Ent. Soc. I, 1867, p. 160; Revis. Tenebr. 1870, p. 271. — Leconte and Horn, Classif. Col. N. Amer. 1883, p. 364. — Casey, Canad. Entom. XXXIX, 1907, p. 36, 38; Proc. Wash. Acad. Sc. IX, 1907, p. 462.

angulicollis Champ. Biol. Centr.-Am. Col. IV, 1, 1884, p. 42, t. 2, f. 6. — Mexico
compactus Champ. l. c. p. 43, t. 2, f. 4. — „
costaricensis Champ. l. c. p. 40, t. 2, f. 1. — Costa Rica
Haldemani Horn, Revis. Tenebr. 1870, p. 271 nota. — Cas. Proc. Wash. Acad. Sc. IX, 1907, p. 463. — Texas
nodulosus Horn, Trans. Amer. Ent. Soc. I, 1867, p. 159.
variolosus Haldem. Stansb. Expl. 1852, p. 376.
var. *verrucosus* Champ. Biol. Centr.-Am. IV, 1, 1884, p. 43; 1892, p. 490, t. 2, f. 5. — Mexico
Jansoni Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 39, t. 2, f. 2. — Centr.-Amerika
marmoratus Cas. Canad. Entom. XXXIX, 1907, p. 36. — Mexico
mexicanus Gray in Griff. Anim. Kingd. 1832, p. 796, t. 50, f. 5. — Cast. Hist. Nat. II, 1840, p. 206. — Sol. Ann. Soc. Ent. Fr. X, 1841, p. 44. — „
Jourdani Sallé, Ann. Soc. Ent. Fr. (2) VII, 1849, p. 301 t. 8, f. 4.
maculatus Champ. Biol. Centr.-Am. Col. IV, 1, 1884, p. 41; ib. 1892, p. 489.
variolosus Sturm, Catal. 1843, p. 349, t. 5, f. 2.
Biologie: Devoe, Journ. N. York Micr. Soc. IV, 1888, p. 145—147, t. 13. — Roth, Soc. Ent. V, 1890, p. 93. — Luc. Bull. Soc. Ent. Fr. 1878, p. LXXXVIII.
nervosus Sol. Ann. Soc. Ent. Fr. X, 1841, p. 42, t. 2, f. 8—15. — „
pectoralis Lec. Ann. Lyc. N. York V, 1851, p. 130 nota.
var. *reticulatus* Champ. Biol. Centr.-Am. Col. IV, 1, 1884, p. 43, 490.
nodulosus Sol. Ann. Soc. Ent. Fr. X, 1841, p. 43. — „
var. *Sallaei* Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 42, t. 22, f. 16.
tuberculatus Champ. l. c. p. 41, 489, t. 2, f. 3. — „

10

Zopherinus Cas.

Casey, Canad. Entom. XXXIX, 1907, p. 36, 37 (Mon.); Proc. Wash. Acad. Sc. IX, 1907, p. 461.

laevicollis Sol. Ann. Soc. Ent. Fr. X, 1841, p. 46. — Cas. Mon. p. 37. — Mexico
limbatus Cas. Mon. p. 37. — „
venosus Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 40, 488. — Cas. Mon. p. 37. — „

3

Zopherodes Cas.

Casey, Canad. Entom. XXXIX, 1907, p. 36, 38 (Mon. I); Proc. Wash. Acad. Sc. IX, 1907, p. 461 (Mon. II).

aequalis Cas. Mon. I, p. 38.	Arizona
californicus Cas. Mon. II, p. 466.	Californien
caudalis Cas. Mon. I, p. 41.	Arizona
concolor Lec. Ann. Lyc. N. York V, 1851, p. 130 nota. — Horn, Trans. Amer. Entom. Soc. I, 1867, p. 160. — Cas. Mon. I, p. 38.	Neu-Mexico
elegans Horn, Revis. Tenebr. 1870, p. 272 nota. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 489, t. 22, f. 7.	,,
elongatus Cas. Mon. II, p. 466.	Arizona
geminatus Cas. Mon. II, p. 467.	,,
gracilis Horn, Trans. Amer. Ent. Soc. I, 1867, p. 162.	,,
granicollis Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 160.	Nieder-Californien
guttulatus Horn, Trans. Amer. Ent. Soc. I, 1867, p. 160. — Cas. Mon. I, p. 39.	Texas
incrustans Cas. Mon. II, p. 464.	Arizona
induratus Cas. Ann. N. York Acad. V, 1890, p. 367; Mon. I, p. 39.	Californien
luctuosus Cas. Mon. I, p. 41.	Arizona
lugubris Cas. Mon. I, p. 41.	,,
mormon Cas. Mon. I, p. 40.	Utah
morosus Cas. Mon. II, p. 465.	Neu-Mexico
opacus Horn, Trans. Amer. Ent. Soc. I, 1867, p. 161. — Cas. Mon. I, p. 40.	Nevada
otiosus Cas. Mon. I, p. 39.	Neu-Mexico
parvicollis Cas. Mon. II, p. 466.	Californien
Pruddeni Cas. Mon. I, p. 41.	Arizona
pudens Cas. Mon. I, p. 40.	,,
tristis Lec. Ann. Lyc. N. York V, 1851, p. 130. — Horn, Trans. Amer. Ent. Soc. I, 1867, p. 161. — Cas. Mon. I, p. 38.	,,
uteanus Cas. Mon. I, p. 40.	Utah
variabilis Cas. Mon. II, p. 464.	Arizona
ventriosus Cas. Mon. I, p. 39.	Californien
verrucipennis Cas. Mon. II, p. 465.	Neu-Mexico

26

Zopherosis White.

White, Proc. Zool. Soc. Lond. 1859, p. 121. — Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 522.

Georgii White, Proc. Zool. Soc. 1859, p. 121, t. 59, f. 6.	N. S. Wales

1

Phloeodes Lec.

Lec. Classif. Col. N. Amer. 1862, p. 216. — Horn, Revis. Tenebr. 1870, p. 271. — Lec. and Horn, Class. Col. 1883, p. 364. — Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 469, 471; Canad. Entom. XXXIX, 1907, p. 42 (Mon.).

Ageonoma Pascoe, Journ. of Ent. II, 1866, p. 487.

angustus Cas. Mon. p. 43. Californien
diabolicus Lec. Ann. Lyc. N. York V, 1851, p. 130; Entom. Report 1857, p. 49, t. 2, f. 2. — Lacord. Genera Col. Atl. 1859, t. 49, f. 3. — Cas. Mon. p. 42. ,,
elongatus Cas. Mon. p. 42. ,,
latipennis Cas. Mon. p. 43. ,,
ovipennis Cas. Mon. p. 42. ,,
pustulosus Lec. Proc. Acad. Phil. 1859, p. 77. — Horn, Revis. Tenebr. 1870, p. 273. — Cas. Mon. p. 43. ,,
remotus Cas. Proc. Wash. Acad. Sc. IX, 1907, p. 472. ,,
scaber Cas. Mon. p. 43. ,,

8

Phellopsis Lec.

Lec. Classif. Col. N. Amer. 1862, p. 216. — Horn, Revis. Tenebr. 1870, p. 271. — Lec. and Horn, Classif. Col. 1883, p. 365. — Casey, Canad. Entom. XXXIX, 1907, p. 44 (Mon.); Proc. Wash. Acad. Sc. IX, 1907, p. 470.

Pseudonosoderma Heyd. Deutsche Entom. Zeitschr. XXIX, 1885, p. 305.

amurensis Heyd. Deutsche Ent. Zeitschr. XXIX, 1885, p. 306, t. 4, f. 2. — Lewis, Ann. Mag. Nat. Hist. (6) XV, 1895, p. 446. Amur
chinensis Semen. Horae Soc. Ent. Ross. XXVII, 1892—93, p. 499. China
montana Cas. Mon. p. 46. Californien
obcordata Kirby, Fn. Bor. Amer. IV, 1837, p. 236. — Horn, Revis. 1870, p. 273. — Cas. Mon. p. 45. Pennsylvan.
porcata Lec. Proc. Acad. Phil. VI, 1853, p. 235. — Horn, Revis. Tenebr. 1870, p. 273. — Cas. Mon. p. 45. Californien, Oregon
robustula Cas. Mon. p. 45. Idaho
suberea Lew. Entom. XX, 1887, p. 219; Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 379, t. 13, f. 1; (6) XIV, 1895, p. 446. Japan

7

Noserus Lec.*).

Lec. Class. Col. N. Amer. 1862, p. 216. — Horn, Revis. Tenebr. 1870, p. 271. — Lec. and Horn, Class. Col. N. Amer. 1883, p. 365. — Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 469, 473.

collaris Cas. Canad. Entom. XXXIX, 1907, p. 44. Californien
convexulus Cas. Proc. Wash. Acad. Sc. IX, 1907, p. 474. ,,
corrosus Cas. Proc. Wash. Acad. Sc. IX, 1907, p. 474. ,,
emarginatus Horn, Trans. Amer. Ent. Soc. VII, 1878, p. 55. Texas
plicatus Lec. Proc. Acad. Phil. 1859, p. 77. — Cas. Canad. Ent. XXXIX, 1907, p. 44. Californien
torvus Cas. Canad. Entom. XXXIX, 1907, p. 44. ,,

6

*) Dieser Name ist gleichzeitig von Foerster für eine Braconidengattung aufgestellt worden. Aber wie bei zahlreichen andern Gattungen fehlt auch bei dieser eine Art. Da jede Gattung einen Artenkomplex darstellt, so sind artenlose Gattungen undenkbar. Ich betrachte hier, wie in andern Fällen, die Gattung Foerster's als nicht beschrieben.

Sesaspis Cas.

Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 469.

denticulata Sol. Ann. Soc. Ent. Fr. X, 1841, p. 33, t. 2, f. 7. — Mexico
1

Nosoderma Sol.

Sol. Ann. Soc. Ent. Fr. X, 1841, p. 31. — Lacord. Genera Col. V, 1859, p. 92. — Champion, Biol. Centr.-Amer. Col. IV, 1, 1884, p. 44. — Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 470, 477.

anceps Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 50, 490. — Mexico
asperatum Champ. l. c. p. 45, t. 2, f. 9. — ,,
brevicolle Cas. Proc. Wash. Acad. Sc. IX, 1907, p. 478. — ,,
carinatum Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 48, 490. — ,,
Championi Cas. Proc. Wash. Acad. Sc. IX, 1907, p. 476. — ,,
exsculptum Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 49. — ,,
impressum Champ. l. c. p. 50. — ,,
inaequale Say, Bost. Journ. Nat. Hist. I, 1835, p. 182. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 490. — Cas. Proc. Wash. Acad. Sc. IX, 1907, p. 475 nota. — ,,
insigne Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 48, t. 2, f. 13. — ,,
interruptum Champ. l. c. p. 47. — ,,
longipenne Cas. Proc. Wash. Acad. Sc. IX, 1907, p. 477. — ,,
morbillosum Sol. Ann. Soc. Ent. Fr. X, 1841, p. 37, t. 2, f. 5. — ,,
prominens Cas. Proc. Wash. Acad. Sc. IX, 1907, p. 478. — ,,
scabrosum Sol. Ann. Soc. Ent. Fr. X, 1841, p. 36. — ,,
senex Cas. Proc. Wash. Acad. Sc. IX, 1907, p. 479. — ,,
subglabrum Cas. l. c. p. 478. — ,,
vicinum Sol. Ann. Soc. Ent. Fr. X, 1841, p. 38, t. 2, f. 1—4. — ,,
17

Meralius Cas.

Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 470.

echinatum Guér. Rev. Zool. 1838, p. 280. — Jacq. du Val, Hist. Cuba 1857, p. 60. — Cuba
Duponcheli Sol. Ann. Soc. Ent. Fr. X, 1841, p. 34, t. 2, f. 6.
furcatum Kirsch, Berl. Ent. Zeitschr. X, 1866, p. 189. — Venezuela
2

Noserinus Cas.

Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 470, 471.

annulatipes Cas. Proc. Wash. Acad. Sc. IX, 1907, p. 471 nota. — Brasilien
dormeanum Fairm. Compt. rend. Soc. Ent. Belg. 1889, p. XXXII. — Minas Geraes
2

Noserodes Cas.

Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 470, 479.

guatemalensis Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 47, t. 2, f. 11. — Centr. Amerika.
lutosus Champ. l. c. p. 46, t. 2, f. 8. — Mexico
sparsus Champ. l. c. p. 50, t. 2, f. 12. — Guatemala
squalidus Cas. Proc. Wash. Acad. Sc. IX, 1907, p. 481. — Costa-Rica
venustus Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 45, t. 2, f. 7. — Guatemala
zunilensis Champ. l. c. p. 46, t. 2, f. 10. — ,,

6

Verodes Cas.

Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 470.

aequalis Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 44, t. 2, f. 14. — Mexico

1

Scoriaderma Fairm.

Fairm. Bull. Soc. Ent. Fr. 1894, p. C.

comoriense Fairm. Bull. Soc. Ent. Fr. 1894, p. CI. — Comoren
congolense Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 656. — Westafrika
cordicolle Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 214; Aid Ident. Ins. I, t. 3. — Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 656. — Deutsch-Ostafrika

3

Exeniotis Pasc.

Pascoe, Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 353.

collaris Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 354, t. 14, f. 7. — Amazonas

1

Rhypasma Pasc.

Pascoe, Journ. of Ent. I, 1862, p. 325.

nanum Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 353. — Amazonas
pusillum Pasc. Journ. of Entom. I, 1862, p. 326, t. 16, f. 3. — ,,
querulum Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 352. — ,,

3

XXI. Usechinae.

Horn, Revis. Tenebr. of North Amer. 1870, p. 257, 273. — Leconte and Horn, Class. Col. North Amer. 1883, p. 360, 365. — Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 281, 481.

Usechus Motsch.

Motsch. Bull. Mosc. XVIII, 1845, I, p. 79. — Horn, Proc. Ent. Soc. Phil. VI, 1867, p. 293. — Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 482.

lacerta Motsch. Bull. Mosc. XVIII, 1845, I, p. 79, t. 1, f. 9. — Horn, Proc. Ent. Soc. Phil. VI, 1867, p. 293. — Cas. Proc. Wash. Acad. Sc. IX, 1907, p. 483. — Californien

nucleatus Cas. Ann. N. York Acad. V, 1890, p. 176. — Horn, Trans. Amer. Ent. Soc. XX, 1893, p. 142. — Cas. Proc. Wash. Acad. Sc. IX, 1907, p. 484. — „

2

XXII. Eurychorinae.

Haag, Deutsche Entom. Zeitschr. XIX, 1875, p. 359 (Mon.).

Adelostominae Sol. Ann. Soc. Ent. Fr. VI, 1837, p. 151. — Lacord. Genera Col. V, 1859, p. 93. — Jacq. du Val, Genera Col. III, 1861, p. 251, 326. — Seidlitz, Naturg. Ins. Deutschl. V, 1893, p. 220, 225. — Reitt. Best.-Tab. XLII, 1900 (in Verh. Naturf. Ver. Brünn XXXIX), p. 19; Best.-Tab. LIII, 1904 (in Verh. Naturf. Ver. Brünn XLII), p. 28.

Eurychora Thunb.

Thunb. Nov. Ins. Spec. 1791, p. 116. — Sol. Ann. Soc. Ent. Fr. VI, 1837, p. 154. — Cast. Hist. Nat. II, 1840, p. 192. — Lacord. Genera Col. V, 1859, p. 95. — Haag, Deutsche Ent. Zeitschr. XIX, 1875, p. 361, 363 (Mon.).

acuminata Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. CCXCIII (15). — Ostafrika

angolensis Haag, Mon. p. 367. — Angola

barbata Ol. Ent. III, 1795, 59, p. 26, t. 4, f. 7. — Herbst, Käf. VIII, 1799, p. 38, t. 119, f. 12. — Haag, Mon. p. 375. — Südafrika

cinerea Sol. Ann. Soc. Ent. Fr. VI, 1837, p. 159.
pusilla Herbst, Käf. VIII, 1799, p. 38, t. 119, f. 11.
var. *granulosipennis* Haag, Mon. p. 375.
var. *hirta* Haag, Mon. p. 375.
var. *nitida* Haag, Mon. 375.

Batesi Haag, Mon. p. 366. — „

ciliata F. Spec. Ins. I, 1781, p. 319. — Thunb. Nov. Ins. Spec. 1791, p. 116; III, p. 234. — Oliv. Ent. III, 1795, 59, p. 26, t. 2, f. 19a, b. — Sol. Ann. Soc. Ent. Fr. VI, 1837, p. 157, t. 7, f. 1—5. — Cast. Hist. Nat. II, 1840, p. 192. — Fåhrs. Oefv. Vet. Ak. Förh. XXVII, 1870, p. 249. — Haag, Mon. p. 370. — Capland

modesta Herbst, Käf. VIII, 1799, p. 37, t. 119, f. 10.
var. *major* Sol. Ann. Soc. Ent. Fr. VI, 1837, p. 158.
ciliata Herbst, Käf. VIII, 1799, p. 36.

convexiuscula Haag, Mon. p. 377. — Südafrika

crenata Sol. Ann. Soc. Ent. Fr. VI, 1837, p. 160. — Haag, Mon. p. 381. — Cap

terrestris Fåhrs. Oefv. Vet. Akad. Förh. XXVII, 1870, p. 250.

dilatata Er. Arch. Naturgesch. IX, 1843, I, p. 240. — Haag, Mon. p. 364. — Angola, Benguela

Fåhraei Haag, Mon. p. 380. — Caffrarien

crenata Fåhrs. Oefv. Vet. Ak. Förh. XXVII, 1870, p. 250.

luctuosa Haag, Mon. p. 372. — Südafrika

murina Haag, Mon. p. 378. — ,,

planata Haag, Mon. p. 372. — Capland

punctipennis Haag, Mon. p. 379. — Benguela

rotundipennis Fairm., Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 191. — Südafrika

setosula Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 176. — Ostafrika

similis Haag, Mon. p. 382. — Capland

Simoni Fairm. Ann. Soc. Ent. Fr. LXIII, 1894, p. 66. — Südafrika

suturalis Haag, Mon. p. 368. — ,,

terrulenta Haag, Mon. p. 368. — ,,

trichoptera Gerst. Monatschr. Berl. Ac. 1854, p. 531; Peters' Reise 1862, p. 276, t. 16, f. 5. — Haag, Mon. p. 373. — Mozambique

tumidula Haag, Mon. p. 372. — Cap

villosa Haag, Mon. p. 374. — Damaraland

22

Peristeptus Haag.

Haag, Berl. Ent. Zeitschr. XIX, 1875, p. 382 (Mon.).

cribratus Gerst. Monatsber. Berl. Acad. 1854, p. 531; Peters' Reise 1862, p. 277, t. 16, f. 7. — Haag, Mon. p. 385. — Mozambique

Gestroi Haag, Mon. p. 385. — Abessinien

Haagi Har. Monatsber. Berl. Acad. 1878, p. 221. — Deutsch-Ostafrika

laevigatus Gerst. Monatsber. Berl. Acad. 1854, p. 531; Peters' Reise 1862, p. 277, t. 16, f. 6. — Haag, Mon. p. 384. — ,,

marginalis Geb. Ergebn. Exped. Kilimandjaro VII, 1910, p. — Kilimandjaro

ovatus Fåhrs. Oefv. Vet.-Akad. Förh. XXVII, 1870, p. 249. — Haag, Mon. p. 385. — Caffrarien

perforatus Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 176. — Ostafrika

platessa Gerst. Arch. f. Naturg. XXXVII, 1871, I, p. 59; Decken's Reise III, 2, 1873, p. 170. — Haag, Mon. p. 386. — Deutsch-Ostafrika

scutellaris Haag, Mitth. Münch. Ent. Ver. II, 1878, p. 80. — Ostafrika

9

Pogonobasis Sol.

Sol. Ann. Soc. Ent. Fr. VI, 1837, p. 161. — Lacord. Genera Col. V, 1859, p. 96. — Haag, Berl. Ent. Zeitschr. XIX, 1875, p. 386 (Mon.). — Reitt. Best.-Tab. XLII, 1900, p. 191.

costata Geb. Ergebn. Exped. Kilimandjaro VII, 1910, p. — Kilimandjaro

hirsuta Péring. Trans. S. Afr. Philos. Soc. VI (2), 1892, p. 51. — Südafrika

longipilis Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 657. — Caffrarien
opaca Haag, Mon. p. 388. — Arabien
ornata Sol. Ann. Soc. Ent. Fr. VI, 1837, p. 163. — Haag, Mon. p. 389. — Aegypten
Raffrayi Haag, Mon. p. 390. — Abessinien
rugosula Guér. Ic. règne anim. 1829—38, p. 113, t. 28, f. 10. — Cast. Hist. Nat. II, 1840, p. 192. — Haag, Mon. p. 387. — Senegal
opatroides Sol. Ann. Soc. Ent. Fr. VI, 1837, p. 163, t. 7, f. 6—8.
verrucosa Er. Arch. Naturgesch. IX, 1843, I, p. 240. — Haag, Mon. p. 387. — Angola, Congo

8

Steira Westw.

Westw. Mag. Zool. 1837, t. 176. — Lacord. Genera Col. V, 1859, p. 97. — Haag, Berl. Ent. Zeitschr. XIX, 1875, p. 391 (Mon.).

costata Westw. Mag. Zool. 1837, t. 176. — Haag, Mon. p. 392. — Capland
Dohrni Haag, Mon. p. 393. — Deutsch-Südwestafrika
dorsocostata Fairm. Bull. Soc. Ent. Fr. 1902, p. 135. — Benguela
Ståli Haag, Mon. p. 394. — Deutsch-Südwestafrika

4

Lycanthropa Thoms.

Thoms. Mus. scient. 1860, p. 20. — Haag, Berl. Ent. Zeitschr. XIX, 1875, p. 398 (Mon.).

Zygas Pascoe, Journ. of Ent. II, 1866, p. 487.

cimicoides Quens. Schönh. Syn. Ins. I, 1806, p. 137 nota, t. 2, f. 5. — Thoms. Mus. scient. 1860, p. 20. — Pasc. Journ. of Ent. II, 1866, p. 487. — Haag, Mon. p. 399. — Capland
rotundata Cast. Hist. Nat. II, 1840, p. 192.
denticollis Haag, Mon. p. 400. — ,,
depressa Haag, Mon. p. 401. — ,,
plana Haag, Mon. p. 403. — ,,
plicata Haag, Mon. p. 402. — ,,
quadrata Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 177. — Somaliland

6

Acanthioides Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 320.

asperula Fairm. l. c. p. 320. — Mozambique

1

Cimicia Fairm.

Fairm. Bull. Soc. Ent. Fr. 1891, p. LXXXIX.

spinipes Fairm. l. c. p. LXXXIX. — Südafrika

1

Argasidius Péring.

Péring. Ann. S. Afr. Mus. I, 1899, p. 251.

squamosus Péring. l. c. p. 251, t. 6, f. 7. Capland

1

Machlopsis Pom.

Pomel, Soc. climat. d'Alg. VIII, 1871, p. 236. — Bedel, Ann. Soc. Ent. Fr. (6) VII, 1887, p. 199. — Reitt. Best.-Tab. XLII, 1900, p. 191.

Hidrosis Haag, Deutsche Ent. Zeitschr. XIX, 1875, p. 395 (Mon.).

alata Fairm. Ann. Mus. Genova VII, 1875, p. 523. Tunis

crenatocostata Redt. Reise Novara 1868, II, p. 120. — Haag, Mon. p. 396. Syrien, Aegypten

aegyptiaca Kirsch, Berl. Ent. Zeitschr. XIV, 1870, p. 389.

squalida Baudi, Deutsche Ent. Zeitschr. XIX, 1875, p. 65.

elegantula Qued. Berl. Ent. Zeitschr. XXXIII, 1889, p. 395; Entom. Nachr. XVI, 1890, p. 63. Tripolis

incostata Haag, Mon. p. 425. Cap Verde

Levaillanti Luc. Bull. Soc. Ent. Fr. 1850, p. VII; Rev. Zool. 1853, p. 33, t. 1, f. 6—7. — Haag, Mon. p. 397. — Bedel, Ann. Soc. Ent. Fr. (6) VII, 1887, p. 199. Algier

5

Aspila Fåhrs.

Fåhrs. Oefv. Vet.-Ak. Förh. XXVII, 1870, p. 251. — Haag, Deutsche Ent. Zeitschr. XIX, 1875, p. 362.

bicostata Fåhrs. Oefv. Vet.-Ak. Förh. XXVII, 1870, p. 251. — Haag, Deutsche Ent. Zeitschr. XIX, 1875, p. 404. Caffrarien

Dohrni Haag, Stett. Ent. Zeit. XXXVII, 1876, p. 106. — Dohrn, Stett. Ent. Zeit. XLIV, 1883, p. 159. Südafrika

2

Smiliotus Haag.

Haag, Deutsche Ent. Zeitschr. XIX, 1875, p. 410.

steiroides Haag l. c. p. 411. Caffrarien

1

Geophanus Haag.

Haag, Deutsche Ent. Zeitschr. XIX, 1875, p. 404 (Mon.).

Psaryphis Lacord. Genera Col. V, 1859, p. 98.

meridionalis Ancey, Natural. III, 1881, p. 468, 485. — Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 177. Deutsch-Ostafrika

plicicollis Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 192. Ovambo

pygmaea Er. Arch. Naturgesch. IX, 1843, I, p. 242. — Lacord. Gen. Col. V, 1859, Atl., t. 49, f. 2. *confusa* Fåhrs. Oefv. Vet.-Ak. Förh. XXVII, 1870, p. 252. — Haag, Mon. p. 406. — Südafrika

sepulchralis Haag, Mon. p. 408. — Deutsch-Südwestafrika

tristis Haag, Mon. p. 407. — Capland

5

Psaryphis Er.

Er. Arch. Naturgesch. IX, 1843, I, p. 241. — Haag, Deutsche Ent. Zeitschr. XIX, 1875, p. 409 (Mon.).

nana Er. l. c. p. 241. — Haag, Mon. p. 409. — Angola

1

Platysemus Haag.*).

Haag, Deutsche Ent. Zeitschr. XIX, 1875, p. 413.

benguelensis Haag, l. c. p. 413. — Benguela

1

Acestus Haag.

Haag, Deutsche Ent. Zeitschr. XIX, 1875, p. 414 (Mon.).

elongatus Haag, Mon. p. 415. — Capland

lanuginosus Haag, Mon. p. 415. — Deutsch-Südwestafrika

similis Haag, Mitth. München Ent. Ver. II, 1878, p. 81. — Südafrika

3

Eutichus Haag.

Haag, Deutsche Ent. Zeitschr. XIX, 1875, p. 417 (Mon.).

foveatipennis Péring. Denkschr. med. Ges. Jena XIII, 1908, p. 405. — Süd-Westafrika

parvulus Péring. l. c. p. 406. — „

Wahlbergi Haag, Mon. p. 418. — Deutsch-Südwestafrika

3

Brachymoschium Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 348.

parvitarse Fairm. l. c. p. 349. — Madagaskar

1

---

*) Dieser Gattungsname soll schon 1847 für eine Gasteropodengattung (Mollusca) von Middendorf gebraucht sein. Ich habe den Namen in den mir zugänglichen Katalogen nicht finden können.

Adelostoma Dup.

Dup. Ann. Soc. Linn. Paris VI, 1827, p. 338. — Sol. Ann. Soc. Ent. Fr. VI, 1837, p. 164. — Lacord. Genera Col. V, 1859, p. 99. — Jacq. du Val, Genera Col. III, 1861, p. 251. — Haag, Deutsche Ent. Zeitschr. XIX, 1875, p. 419 (Mon.). — Reitt. Best.-Tab. XLII, 1900, p. 192.

Polyscopus Waltl, Reise Span. II, 1835, p. 74.

abbreviatum Haag, Mon. p. 423. — Benguela

abyssinicum Haag, Mon. p. 422. — Abessinien

angustius Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 149. — Senegal

Batesi Haag, Mon. p. 426. — Arabien

Bedeli Reitt. Wien. Ent. Zeit. IV, 1885, p. 317; Best.-Tab. XLII, 1900, p. 192. — Algier

bicarinatum Waterh. Proc. Zool. Soc. 1881, p. 475, t. 43, f. 6. — Sokotra

curtum Haag, Mitth. Münch. Ent. Ver. II, 1878, p. 82. — Südafrika

grande Haag, Deutsche Ent. Zeitschr. 1879, p. 294. — Reitt. Best.-Tab. XLII, 1900, p. 193. — Syrien, Mesopotam.

grandicolle Fairm. Ann. Soc. Ent. Fr. (6) X, 1890, p. 554. — Insel Camaran

Granti Gahan, Bull. Liverp. Mus. III, 1900, p. 10; Nat. Hist. Sokotra 1903, p. 291, t. 17, f. 4. — Sokotra

Hauseri Reitt. Wien. Ent. Zeit. XIV, 1895, p. 203; Best.-Tab. XLII, 1900, p. 193. — Libanon

longiceps Reitt. l. c. p. 203; Best.-Tab. XLII, 1900, p. 192. — Tunis, Tripolis

ovalipenne Chevr. Pet. Nouv. Ent. II, 1877, p. 117. — Kleinasien

pygmaeum Haag, Mon. p. 423. — ?Benguela

subtilis Reitt. Best.-Tab. XLII, 1900, p. 193. — Syrien

sulcatum Duponch. Ann. Soc. Linn. Paris VI, 1827, p. 338, t. 12. — Sol. Ann. Soc. Ent. Fr. VI, 1837, p. 167, t. 7, f. 9—13. — Cast. Hist. Nat. II, 1840, p. 199. — Jacq. du Val, Genera Col. III, 1861, t. 61, f. 302. — Haag, Mon. p. 419. — Reitt. Wien. Ent. Zeit. IV, 1885, p. 316; Best.-Tab. XLII, 1900, p. 193. — Spanien, Nordafrika, Cypern, Syrien

carinatum Eschsch. Zool. Atl. IV, 1831, p. 12.
costatum Waltl, Reise Span. II, 1835, p. 74.
parallelum Chevr. Pet. Nouv. Ent. II, 1877, p. 117.
scabrum Chevr. l. c. p. 118.
var. *carinatum* Sol. Ann. Soc. Ent. Fr. VI, 1837, p. 168. — Haag, Mon. p. 421.
var. *cordatum* Sol. l. c. p. 169. — Haag, Mon. p. 422. — Reitt. Best.-Tab. XLII, 1900, p. 192. — Aegypten, Syrien
var. *cristatum* Eschsch. Zool. Atl. IV, 1831, p. 12. — Haag, Mon. p. 421. — Marokko
var. *deplanatum* Haag, Mon. p. 422. — Aegypten, Syrien
var. *nitidum* Haag, Mon. p. 421. — Algier
var. *parallelum* Haag, Mon. p. 421. — Cypern, Syrien

16

Herpsis Haag.

Haag, Deutsche Ent. Zeitschr. XIX, 1875, p. 424.

rugosa Gory in Guér. Icon. Ins. 1829—38, p. 113, t. 28, f. 12 a—c. — Sol. Ann. Soc. Ent. Fr. VI, 1837, — Senegal

p. 170. — Haag, Deutsche Ent. Zeitschr. XIX, 1875, p. 424.
var. *parva* Sol. Ann. Soc. Ent. Fr. VI, 1837, p. 170. — Haag, Deutsche Ent. Zeitschr. XIX, 1875, p. 425.
1

Derosimus Fairm.

Fairm. Bull. Soc. Ent. Fr. 1904, p. 62.

quadricollis Fairm. l. c. p. 62. Buenos-Aires
1

XXIII. Araeoschizinae.

Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 281, 484.

Araeoschizus Lec.

Lec. Ann. Lyc. N. York V, 1851, p. 138. — Lacord. Genera Col. V, 1859, p. 103. — Horn, Revis. Tenebr. North-Am. 1870, p. 275. — Lec. and Horn, Class. Col. N. Amer. 1883, p. 366. — Horn, Trans. Amer. Ent. Soc. XVII, 1890, p. 340. — Reitt. Deutsche Ent. Zeitschr. XXX, 1886, p. 98. — Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 485 (Mon.).

armatus Horn, Rev. Ten. 1870, p. 275; Trans. Amer. Ent. Soc. XVII, 1890, p. 342. — Cas. Mon. p. 490. Californien

costipennis Lec. Ann. Lyc. N. York V, 1851, p. 138; Arcana Nat. 1859, p. 124, t. 13, f. 11. — Lacord. Genera Col. Atl. t. 49, f. 4. — Horn, Revis. Tenebr. 1870, p. 275; Trans. Amer. Ent. Soc. XVII, 1890, p. 341. — Cas. Mon. p. 486. Californien, Neu-Mexico

decipiens Horn, Trans. Amer. Ent. Soc. XVII, 1890, p. 342. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 490. — Cas. Mon. p. 490. Arizona, Mexico

duplicatus Cas. Mon. p. 491. Wyoming

exiguus Cas. Mon. p. 487. Californien

fimbriatus Cas. Ann. N. York Acad. V, 1890, p. 396; Mon. p. 487. Arizona

mexicanus Champ. Biol. Centr.-Amer. IV, 1, 1892, p. 491, t. 22, f. 3. Mexico

regularis Horn, Revis. Tenebr. 1870, p. 274, t. 14, f. 15; Trans. Amer. Ent. Soc. XVII, 1890, p. 341. — Cas. Mon. p. 489. Arizona

simplex Cas. Ann. N. York. Acad. V, 1890, p. 369; Horn, Trans. Amer. Ent. Soc. XVII, 1890, p. 341. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 491. — Cas. Mon. p. 489. Arizona, Mexico

simulans Cas. Mon. p. 488. Südcalifornien

sulcicollis Horn, Revis. Tenebr. 1870, p. 274; Trans. Amer. Ent. Soc. XVII, 1890, p. 341. — Cas. Mon. p. 488. Californien

tenuis Cas. Mon. p. 486. Arizona
12

XXIV. Stenosinae.

Lacordaire, Genera Col. V, 1859, p. 101. — Jacq. du Val, Genera Col. III, 1861, p. 252, 328. — Leconte, Classif. Col. N. Amer. 1862, p. 217. — Leconte and Horn, Classif. Col. N. Amer. 1883, p. 366. — Seidlitz, Naturg. Ins. Deutschl. V, 1893, p. 220, 229. — Reitter, Deutsche Ent. Zeitschr. XXX, 1886, p. 97 (Mon.); Best.-Tab. LIII, 1904, p. 29. — Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 281.

Tagénites (pars) Solier, Ann. Soc. Ent. Fr. VII, 1838, p. 8.
Tagéniens Mulsant, Col. Fr. Latigènes 1854, p. 61.

Pseudethas Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 57; XLII, 1898, p. 477.

longiceps Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 477. Madagaskar
quadraticeps Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 57. Nordindien

2

/ **Stenosis** Herbst.

Herbst, Käfer VIII, 1799, p. 160. — Cast. Hist. Nat. II, 1840, p. 199. — Lacord. Genera Col. V, 1859, p. 102. — Jacq. du Val, Genera Col. III, 1861, p. 252. — Reitt. Deutsche Ent. Zeitschr. XXX, 1886, p. 98 (Mon.). — Seidlitz, Naturg. Ins. Deutschl. V, 1893, p. 230. — Desbr. Frelon IX, 1901, p. 168.

Tagenia Latr. Hist. Nat. Crust. Ins. III, 1802, p. 170; X, 1804, p. 242. — Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 11. — Muls. Col. Fr. Latigènes 1854, p. 62.

affinis Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 26. — Reitt. Mon. p. 107, 112. Aegypten

alternicostis Mars. Nouv. et Faits 1881, nr. 36, p. CXLVII. Abessinien
?*bogosensis* Reitt. Mon. p. 105; Wien. Ent. Zeit. VI, 1887, p. 76.
?*Gestroi* Reitt. Mon. p. 102, 104; Wien. Ent. Zeit. VI, 1887, p. 76.

angusticollis Reiche, Ann. Soc. Ent. Fr. (4) I, 1861, p. 209. — Reitt. Mon. p. 118, 120. — Seidl. Nat. Ins. Deutschl. V, 1893, p. 232. — Desbr. Frelon IX, 1901, p. 170. Sardinien, Corsica, Süditalien, Krim
foveiventris Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 77 (29).

bengala Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 18. Bengalen

brentoides Rossi, Fauna Etr. I, 1790, 135, t. 3, f. 14. — id. ed. Hellwig I, p. 144, t. 3, f. 14. — Baudi, Bull. Soc. Ent. Ital. VI, 1874, p. 293. — Seidl. Naturg. Ins. V, 1893, p. 233. Mittelmeergebiet von Syrien bis Südfrankreich, Nordafrika, Krim
angustata Herbst, Käf. VIII, 1799, p. 161, t. 127, f. 1. — Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 15, t. 1, f. 4—6. — Küst. Käf. 1848, XIV, 82. — Muls. Col. Fr. Latigènes 1854, p. 63. — Redtenb. Fauna Austr. ed. II, 1858, p. 586, ed. III, 1872, 1, p. 80. — Baudi, Bull. Soc. Ent. Ital. VI, 1874, p. 292. — Reitt. Mon. p. 113. — Desbr. Frelon IX, 1901, p. 169.

brevicollis Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 232.
coarctata Gemm. Col. Hefte VI, 1870, p. 121.
filiformis Latr. Hist. Nat. III, 1802, p. 171; X, 1804, p. 272; Gen. Crust. Ins. II, 1807, p. 150, t. 10, f. 9. — Baudi, Bull. Soc. Ent. It. VI, 1874, p. 292.
intermedia Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 17. — Küst. Käf. 1848, XIV, 84. — Muls. Col. Fr. Latigènes 1854, p. 67. — Jacq. du Val, Gen. Col. III, 1861, t. 61, f. 103. — Baudi, Bull. Soc. Ent. Ital. VI, 1874, p. 293. — Reitt. Mon. p. 114.
italica Kraatz, Berl. Ent. Zeitschr. VI, 1862, p. 99.
laeviventris Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 78 (30).
maroccana Desbr. l. c. p. 73 (25).
orientalis Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 20.
sardoa Küst. Käf. 1848, XIV, 83. — Baudi, Bull. Soc. Ent. Ital. VI, 1874, p. 291.
sicula Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 18. — Küst. Käf. 1848, XIV, 85. — Baudi, Bull. Soc. Ent. Ital. VI, 1874, p. 292.

carinipennis Reitt. Mon. p. 102, 103. — Abessinien
comata Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 230. — Reitt. Mon. p. 119. — Syrien, Armenien
costulata Baudi, Deutsche Ent. Zeitschr. XXV, 1881, p. 278. — Reitt. Mon. p. 104. — Arabien
dentipennis Wasm. Deutsche Ent. Zeitschr. 1899, p. 168. — Indien
Dianae Sahlb. Öfv. Finska Vet. Soc. Förh. L, 1907—08 (1909) nr. 7, p. 77. — Ephesus
dilutipes Reitt. Wien. Ent. Zeit. VI, 1887, p. 77, 214. — Syrien, Armenien
fulvipes Reitt. Mon. p. 108, 113.
Reitteri Mars. Cat. Col. de l'ancien monde 1887, p. 311.
Esau Sahlb. Öfv. Finska Vet. Soc. Förh. L, 1907—1908 (1909) nr. 7, p. 77. — Anatolien
Fausti Reitt. Deutsche Ent. Zeitschr. XXXII, 1888, p. 430. — Taschkent
filiformis F. Ent. Syst. I, 1798, p. 114; Syst. El. I, 1801, p. 137. — Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 27. — Küst. Käf. 1848, XIV, 87. — Reitt. Mon. p. 107, 111. — Algier, Marokko
fulvipes Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 232. — Palästina
canaliculata Mill. Wien. Ent. Monatschr. V, 1861, p. 176. — Reitt. Mon. p. 106, 110; Wien. Ent. Zeit. VI, 1887, p. 76.
grandis Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 23. — Reitt. Mon. p. 125. — Incert. sedis.
hispanica Sol. l. c. p. 25. — Küst. Käf. 1848, XIV, p. 86. — Reitt. Mon. p. 118, 121. — Seidl. Nat. Ins. Deutschl. V, 1893, p. 232. — Spanien, Algier
var. *elongata* Sol. l. c. p. 24. — Reitt. Mon. p. 122. — Aegypten,
tangeriana Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 72 (24). — Marokko
indica Reitt. Mon. p. 103, 105. — Madras
intricata Reitt. Mon. p. 118, 120. — Seidl. Naturg. Ins. Deutschl. V, 1893, p. 232. — Balearen
Kraatzi Reitt. Mon. p. 102, 103. — Indien

laevicollis Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 19. — Reitt. Mon. p. 108, 112. Algier, Tunis, Tripolis
hipponensis Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 75 (27).
impunctipennis Chevr. Pet. Nouv. Ent. II, 1877, p. 118.
var. *Frioli* Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 19.
lateralis Reitt. Mon. p. 102, 104. Aegypten, Abessinien, Senegal
maxima Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 70 (22). — Reitt. Mon. p. 107, 111. Algier
melitana Reitt. Wien. Ent. Zeit. XIII, 1894, p. 82. Malta
Mülleri Reitt. Mon. p. 123. Arabien
obliterata Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 30. — Reitt. Mon. p. 107, 111. Algier, Andalusien
ferruginea Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 71 (23).
var. *obsoleta* Desbr. l. c. p. 71 (23).
Olcesii Fairm. Ann. Soc. Ent. Fr. (4) X, 1870, p. 388. — Reitt. Mon. p. 114, 115. Marokko
opaca Reitt. Mon. p. 107, 112. Algier
orientalis Brll. Exp. Morée III, 1832, p. 194. — Guér. Icon. règne anim. t. 28, f. 1 a, b. — Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 231. — Reitt. Mon. p. 118. Griechenland, Türkei, Kleinasien, Syrien
graeca Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 28.
parvicollis Desbr. Bull. Ac. d'Hipp. XVI, 1881, p. 76 (28). — Reitt. Mon. p. 118, 120. Algier, Aegypten
pilifera Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 21. — Reitt. Mon. p. 115. Spanien, Griechenland
villosa Bris. Ann. Soc. Ent. Fr. (4) VI, 1866, p. 382.
pilosa Motsch. Bull. Mosc. XII, 1839, p. 65, t. 2, f. g, G. — Reitt. Deutsche Ent. Zeitschr. 1889, p. 30. Transkaukasien
pilosiuscula Reitt. Mon. p. 116. Abessinien
pleuralis Reitt. Mon. p. 117, 119. Madras
pubescens Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 22. — Baudi, Bull. Soc. Ent. Ital. VI, 1874, p. 294. — Reitt. Mon. p. 115, 116. Aegypten
punctiventris Eschsch. Zool. Atl. IV, 1831, p. 12. — Reitt. Mon. p. 106, 108, 117. Krim, Spanien, Algier, Marokko
hesperica Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 29.
oblongicollis Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 71 (23).
var. *Webbi* Guér. Icon. règne anim. 1829—38, p. 113. — Luc. Expl. Alg. 1849, p. 318, t. 28, f. 7. — Reitt. Mon. p. 106, 109, 117. Oran
punica Pic, Échange XXI, 1905, p. 98. Tunis
pusillima Fairm. Trans. S. Afr. Phil. Soc. IV, 1884—1888, p. 197. Kapstadt
quadraticollis Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 79 (31). — Reitt. Mon. p. 106, 111. Türkei, Krim
Ravasinii Gestro, Ann. Mus. Genova XV, 1880, p. 417. — Reitt. Mon. p. 118, 121. Tunis
ruficornis Reitt. Mon. p. 123, 124. Abessinien
sabulosa Guér. Voy. Lefebr. 1849, p. 320, t. 5, f. 2. — Reitt. Mon. p. 124. Abessinien, Bogosländ.
semicostata Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 12. Indien
seriepilosa Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 149. Senegal

sulcata Mill. Wien. Ent. Monatschr. V, 1861, p. 177. — Reitt. Mon. p. 106, 109. — Cypern
sulcicollis Mén. Mém. Acad. Petr. VI, 1849, p. 227 (11), t. 3, f. 14. — Reitt. Mon. p. 106, 109. — Turkestan
tenuicornis Baudi, Bull. Soc. Ent. Ital. VI, 1874, p. 295; Ann. Mus. Genova VI, 1874, p. 104; Deutsche Ent. Zeitschr. XIX, 1875, p. 69. — Reitt. Mon. p. 118, 119. — Südpersien
turkestanica Reitt. Mon. p. 122, 123. — Turkestan
Wroughtoni Wasm. Deutsche Ent. Zeitschr. 1899, p. 169. — Indien

49

Ethas Pasc.

Pascoe, Journ. of Entom. I, 1862, p. 324. — Reitter, Deutsche Entom. Zeitschr. XXX, 1886, p. 98, 101.

anomalus Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 56. — Indien
carbonarius Pasc. Journ. of Ent. I, 1862, p. 324, t. 16, f. 2. — Reitt. Deutsche Ent. Zeitschr. XXX, 1886, p. 101. — Malabar.
carinata Eschsch. Zool. Atl. IV, 1831, p. 12. — Reitt. Deutsche Ent. Zeitschr. XXX, 1886, p. 101. — Ostindien, Manilla
stenosides Pasc. Journ. of Ent. I, 1862, p. 324.
semicribrosus Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 56. — Indien

4

Eutagenia Reitt.

Reitt. Deutsche Ent. Zeitschr. XXX, 1886, p. 98, 125; (Mon. I) l. c. 1889, p. 284 (Mon. II).

aegyptica Reitt. Mon. II, p. 285. — Alexandrien
arabs Baudi, Deutsche Ent. Zeitschr. XXV, 1881, p. 279. — Reitt. Mon. I, p. 127. — Abessinien, Arabien
hellenica Reitt. Mon. II, p. 285. — Jon. Ins., Griechenld.
longicollis Rey, Échange 1892, p. 41.
minutissima Pic, Échange 1903, p. 162. — Ins. Cerigo
smyrnensis Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 31. — Reitt. Mon. I, p. 126; Mon. II, p. 284. — Kleinasien, Syrien
syriaca Reitt. Mon. II, p. 284. — Syrien
tenuitarsis Reitt. Mon. I, p. 127. — Capland
turcomana Reitt. Mon. I, p. 285; Verh. Nat. Ver. Brünn XXVII, 1890, p. 116. — Turkmenien

8

Grammicus Waterh.

Waterh. Ann. Mag. Nat. Hist. XVI, 1845, p. 323. — Lacord. Genera Col. V, 1859, p. 104. — Reitt. Deutsche Ent. Zeitschr. XXX, 1886, p. 98.

chilensis Waterh. Ann. Mag. Nat. Hist. XVI, 1845, p. 324. — Chile
Rouleti Sol. in Gay, Hist. Chile V, 1851, p. 162, t. 18, f. 11.

1

Microtelus Sol.

Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 9. — Lacord. Genera Col. V, 1859, p. 104. — Reitt. Deutsche Ent. Zeitschr. XXX, 1886, p. 98, 127 (Mon.). Seidl. Naturg. Ins. Deutschl. V, 1893, p. 230.

asiaticus Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 10, t. 1, f. 1—3. — Kraatz, Berl. Ent. Zeitschr. VI, 1862, p. 93, t. 2, f. 3 a—d. — Reitt. Mon. p. 128. — Morea, Creta, ?Libanon

binodiceps Reitt. Wien. Ent. Zeit. XXVI, 1907, p. 115. — Aegypten

careniceps Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 227, t. 5, f. 9. — Reitt. Mon. p. 129. — Syrien, Aegypten

Lethierryi Reiche, Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 334. — Reitt. Mon. p. 128. — Algier, Marokko

persis Baudi, Ann. Mus. Genova VI, 1874, p. 106; Deutsche Ent. Zeitschr. XIX, 1875, p. 73. — Reitt. Mon. p. 128. — Persien

5

Tetranillus Wasm.

Wasm. Deutsche Ent. Zeitschr. 1899, p. 167.

costatus Wasm. l. c. p. 167, t. 2, f. 6. — Indien

1

Discopleurus Lacord.

Lacord. Genera Col. V, 1859, p. 105. — Reitter, Deutsche Ent. Zeitschr. XXX, 1886, p. 98.

Pleurophorus Sol. in Gay, Hist. Chile V, 1851, p. 162.

acuminatus Reitt. Deutsche Ent. Zeitschr. XXX, 1886, p. 99 nota. — Chile

quadricollis Sol. in Gay, Hist. Chile V, 1831, p. 163, t. 19, f. 1. — „

2

Oogaster Fald.

Fald. Fauna Transcauc. II, 1837, p. 30. — Lacord. Genera Col. V, 1859, p. 108. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 181. — Reitt. Deutsche Ent. Zeitschr. XXX, 1886, p. 99, 129 (Mon.).

Lehmanni Mén. Mém. Acad. Petr. VI, 1849, p. 226 (10), t. 3, f. 13. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 181. — Reitt. Mon. p. 130. — Turkestan

picea Mén. Cat. rais. 1832, p. 196. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 181. — Reitt. Mon. p. 130. — Baku, Persien, Turkestan

Doriae Baudi, Ann. Mus. Genova VI, 1874, p. 106; Deutsche Ent. Zeitschr. XIX, 1875, p. 72 nota.

Menetriesi Fald. Fauna Transcauc. II, 1837, p. 31, t. 1, f. 12.

2

Dichillus Jacq. du Val.

Jacq. du Val, Genera Col. III, 1861, p. 253. — Reitt. Deutsche Ent. Zeitschr. XXX, 1886, p. 130 (Mon.). — Desbr. Frelon IX, 1901, p. 171.

algiricus Luc. Expl. Alg. 1849, p. 118, t. 28, f. 8. — Reitt. Mon. p. 131, 135. — Algier
bicarinatus Baudi, Bull. Soc. Ent. Ital. VI, 1874, p. 299; Deutsche Ent. Zeitschr. XIX, 1875, p. 70.
castanescens Fairm. Compt. rend. Soc. Ent. Belg. 1884, p. LXVI.
Henoni All. Abeille V, 1869, p. 468.

Angelicae Reitt. Deutsche Ent. Zeitschr. 1897, p. 217. — Armenien

araxidis Reitt. Deutsche Ent. Zeitschr. 1889, p. 30. — Araxestal

brunneus Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 321. — Turkestan
pusillus Reitt. Mon. p. 132, 136.

carinatus Küst. Käf. Eur. 1848, XIV, 89. — Reitt. Mon. p. 131, 135. — Dalmatien, Griechenl.

cordicollis Reitt. Mon. p. 130, 134. — Samarkand

corsicus Sol. Ann. Soc. Ent. Fr. IV, 1835, p. 33. — Baudi, Bull. Soc. Ent. Ital. VI, 1874, p. 297. — Reitt. Mon. p. 133, 142. — Desbr. Frelon. IX, 1901, p. 173. — Corsika, Sardinien

cylindricus Baudi, Bull. Soc. Ent. It. VI, 1874, p. 298. — Kleinasien

dolosus Reitt. Mon. d. 132, 138. — Syrien

duricornis Reitt. Mon. p. 133, 139. — Südspan. od. Algier

explanatus Reitt. Deutsche Ent. Zeitschr. 1900, p. 54. — Buchara

Heydeni Reitt. Mon. p. 132, 137. — Syrien

himalayanus Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 57. — Indien

indicus Wasm. Deutsche Ent. Zeitschr. 1896, p. 239. — „

inhumeralis Pic, Échange XXII, 1906, p. 18. — Turkestan

laevicornis Reitt. Mon. p. 132, 138. — Marokko

laeviusculus Kraatz, Berl. Ent. Zeitschr. VI, 1862, p. 99. — Reitt. Mon. p. 132, 139.
distinguendus Fairm. Compt. rend. Soc. Ent. Belg. 1884, p. LXVI.
modestus Fairm. l. c. p. LXVI.

minutus Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 32. — Küst. Käf. Eur. 1848, XIV, 88. — Muls. Col. Fr. Latigènes 1854, p. 70. — Jacq. du Val, Genera Col. III, 1861, t. 61, f. 304. — Reitt. Mon. p. 133, 140. — Desbr. Frelon IX, 1901, p. 173. — Süd-Frankreich, Italien, Sicilien
var. *socius* Rottenb. Berl. Ent. Zeitschr. XIV, 1870, p. 247. — Reitt. Mon. p. 140.
var. *subtilis* Kraatz, Berl. Ent. Zeitschr. VI, 1862, p. 98 nota 3. — Reitt. Mon. p. 140.

myrmecophilus Fairm. Compt. rend. Soc. Ent. Belg. 1884, p. LXVII. — Reitt. Mon. p. 130, 134. — Algier

nitidulus Reitt. Mon. p. 132, 137. — Syrien

nitidus Kraatz, Berl. Ent. Zeitschr. VI, 1862, p. 99. — Reitt. Mon. p. 132, 137. — Mesopotam.

palaestinus Baudi, Bull. Soc. Ent. Ital. VI, 1874, p. 296. — Palaestina

pauxillus Reitt. Deutsche Ent. Zeitschr. 1900, p. 54. — Buchara

pertusus Kiesenw. Berl. Ent. Zeitschr. V, 1861, p. 224. — Kraatz, Deutsche Ent. Zeitschr. VI, 1862, p. 96, t. 2, f. 4 a—c. — Reitt. Mon. p. 134, 143. — Griechenland, Italien

biseriatus Reiche, Ann. Soc. Ent. Fr. (4) I, 1861, p. 371. — Baudi, Bull. Soc. Ent. Ital. VI, 1874, p. 298.
var. *crassicornis* All. Abeille V, 1869, p. 469. — Reitt. Mon. p. 143.

pumilus Sol. Ann. Soc. Ent. Fr. XVII, 1838, p. 33. — Baudi, Bull. Soc. Ent. Ital. VI, 1874, p. 297. — Reitt. Mon. p. 134, 143. — Desbr. Frelon IX, 1901, p. 174. — Corsica, Sardinien

pusillus Ménétr. Mém. Acad. Petr. VI, 1849, p. 228 (12), t. 3, f. 15. — Reitt. Wien. Ent. Zeit. X, 1891, p. 222. — Turkestan

Reitteri Semen. Horae Soc. Ent. Ross. XXV, 1891, p. 361. — Transkaspien

rugatus Baudi, Bull. Soc. Ent. Ital. VI, 1874, p. 298; Ann. Mus. Genova VI, 1874, p. 105; Deutsche Ent. Zeitschr. XIX, 1875, p. 70 nota. — Reitt. Mon. p. 133, 141. — Nordpersien

sanguinipes Fairm. Rev. d'Ent. VII, 1888, p. 126. — Peking

seminitidulus Solsky, Troudy Ent. Ross. XIII, 1881—82, p. 47. — Reitt. Mon. p. 143. — Samarkand.

strigiceps Reitt. Mon. p. 133, 141. — Syrien

subcostatus Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 34. — Baudi, Bull. Soc. Ent. Ital. VI, 1874, p. 297. — Reitt. Mon. p. 133, 142. — Andalusien
andalusicus Rosenh. Thiere Andalus. 1856, p. 202. — Baudi, Bull. Soc. Ent. Ital. VI, 1874, p. 298.
var. *elevatus* Reitt. Mon. p. 142. — Spanien, Marokko

subsetulosus Reitt. Mon. p. 133, 140. — Kleinasien

tenebrosus Reitt. Mon. p. 131, 136. — Turkmenien

tenellus Wasm. Deutsche Ent. Zeitschr. 1899, p. 165. — Indien,

unistriatus Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 80 (32). — Reitt. Mon. p. 132, 138. — Syrien

35

Dischizillus Wasm.

Wasm. Deutsche Ent. Zeitschr. 1902, p. 244.

Schizillus Wasm. Deutsche Ent. Zeitschr. 1899, p. 166.

Rogersi Wasm. Deutsche Ent. Zeitschr. 1899, p. 166, t. 2, f. 5. — Indien

1

Aspidocephalus Motsch.

Motsch. Bull. Mosc. XII, 1839, p. 63. — Lacord. Genera Col. V, 1859, p. 107. — Reitter, Deutsche Ent. Zeitschr. XXX, 1886, p. 99, 144.

desertus Motsch. Bull. Mosc. XII, 1839, p. 64, t. 2, f. f. — Reitt. Deutsche Ent. Zeitschr. XXX, 1886, p. 144. — Russisch-Georgien, Lenkoran

1

Hexagonochilus Sol.

Sol. in Gay, Hist. Chile V, 1851, p. 168. — Lacord. Genera Col. V, 1859. p. 106. — Reitter, Deutsche Ent. Zeitschr. XXX, 1886, p. 99.

dilaticollis Sol. l. c. 169, t. 19, f. 3. Chile
tuberculatus Germain, Ann. Univ. Chile 1855, p. 399. „

2

Cotulades Pasc.

Pascoe, Journ. of Ent. I, 1860, p. 119. — Reitter, Deutsche Ent. Zeitschr. XXX, 1886, p. 99.

fascicularis Pasc. Journ. of Ent. I, 1860, p. 119, t. 7, f. 5. Melbourne
leucospila Hope, Trans. Ent. Soc. Lond. IV, 1845, p. 107. — Pasc. Journ. of Ent. I, 1860, p. 119. Tasmanien
montanus Blackb. Trans. Roy. Soc. S. Austr. XVII, 1893, p. 132. N.-S.-Wales

3

Megliphus Motsch.

Motsch. Bull. Mosc. XLV, 1872, II, p. 38, 41.

laenoides Motsch. l. c. p. 41. Capland

1

XXV. Platamodinae.

Reitter, Best.-Tab. XLII, 1900 (in Verh. Naturf. Ver. Brünn XXXIX) p. 82. — Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 282.

Platamodes Ménétr.

Ménétr. Mém. Acad. Petr. VI, 1849, p. 233 (17). — Lacord. Genera Col. V, 1859, p. 58. — Reitt. Best.-Tab. XLII, 1900, p. 82.

dentipes Ménétr. Mém. Acad. Petr. VI, 1849, p. 233 (17), t. 4, f. 4. — Reitt. Best.-Tab. XLII, 1900, p. 96. Transkaspien, Transkaukasien

1

Microblemma Sem.

Sem. Horae Soc. Ent. Ross. XXIV, 1890, p. 213. — Reitt. Best.-Tab. XLII, 1900, p. 82.

simplex Sem. Horae Soc. Ent. Ross. XXIV, 1890, p. 213. — Reitt. Best.-Tab. XLII, 1900, p. 96. Transkaspien

1

XXVI. Dacoderinae.

Horn, Revis. Tenebr. N.-Amer. 1870, p. 257, 275. — Leconte and Horn, Classif. Col. N.-Amer. 1883, p. 360, 365. — Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 281, 491.

Dacoderus Lec.

Lec. Proc. Acad. Phil. 1858, p. 74. — Lacord. Genera Col. V, 1859, p. 100. — Lec. and Horn, Class. Col. N.-Amer. 1883, p. 365. — Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 492.

dominicensis Horn, Trans. Amer. Ent. Soc. V, 1874, p. 219; XX, 1893, p. 139, t. 1, f. 20. — S. Domingo

laevipennis Horn, Trans. Amer. Ent. Soc. XX, 1893, p. 139, t. 1, f. 19. — Texas

striaticeps Lec. Proc. Ac. Phil. 1858, p. 75; Arcan. Nat. 1859, p. 123, t. 12, f. 6. — Horn, Revis. Tenebr. 1870, p. 275, t. 14, f. 16. — Cas. Proc. Wash. Acad. Sc. IX, 1907, p. 494. — Californien, Arizona

3

XXVII. Typhlusechinae.

Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 281, 494.

Typhlusechus Linell.

Linell, Entom. News VIII, 1897, p. 154. — Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 495.

singularis Linell, l. c. p. 155. — Cas. l. c. p. 496. — Californien

1

XXVIII. Batuliinae.

Horn, Revis. Tenebr. N.-Amer. 1870, p. 257, 270. — Lec. and Horn, Class. Col. N.-Amer. 1883, p. 360, 364. — Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 282, 497.

Batulius Lec.

Lec. Ann. Lyc. N. York V, 1851, p. 148. — Lacord. Genera Col. V, 1859, p. 340. — Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 497, 498.

setosus Lec. Ann. Lyc. N. York V, 1851, p. 148. — Horn, Revis. Tenebr. 1870, p. 270, t. 14, f. 9. — Cas. Proc. Wash. Acad. Sc. IX, 1907, p. 499. — Californien

1

Batuliodes Casey.

Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 499.

rotundicollis Lec. Ann. Lyc. N. York V, 1851, p. 148. — Horn, Revis. Tenebr. 1870, p. 270. — Cas. Proc. Wash. Acad. Sc. IX, 1907, p. 500. Californien

1

XXIX. Cryptochilinae.

Solier, Ann. Soc. Ent. Fr. IX, 1840, p. 248. — Lacordaire, Genera Col. V, 1859, p. 87. — Haag, Berl. Ent. Zeitschr. XVI, 1872, p. 273—313 (Mon.).

Cryptochile Latr.

Latr. Règne anim. ed. II, V, 1829, p. 7. — Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 248. — Lacord. Genera Col. V, 1859, p. 88. — Haag, Berl. Ent. Zeitschr. XVI, 1872, p. 274 (Mon.).

affinis Haag, Mon. p. 295. Capland
assimilis Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 263, t. 10, f. 9. — Haag, Mon. p. 298. „
crassipes Sol. l. c. p. 264.
Gayi Sol. l. c. p. 262.
bipunctata Haag, Mon. p. 285. „
circulum Haag, Mon. p. 299. „
consita Haag, Mon. p. 291. Südafrika
costata F. Syst. El. I, 1801, p. 132. — Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 252, t. 10, f. 6—8. — Haag, Mon. p. 286. Capland
punctata Thunb. Nov. Ins. Spec. 1784, p. 123.
pusilla Herbst, Käfer VIII, 1799, p. 107, t. 124, f. 6.
var. *vicina* Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 254.
curta Haag, Mon. p. 287. „
decorata Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 255. — Haag, Mon. p. 303. „
denticollis Haag, Mon. p. 289. Südafrika
echinata F. Spec. Ins. I, 1781, p. 317. — Oliv. Ent. III, 1795, 59, p. 37, t. 3, f. 32. — Herbst, Käf. VIII, 1799, p. 94, t. 123, f. 8. — Haag, Mon. p. 278. — Péring. Ann. S. Afr. Mus. I, 1899, p. 249; Ann. S. Afr. Mus. III, 1904, p. 296. „
elegans Gerst. Monatsber. Berl. Ac. 1854, p. 531; Peters, Reise 1862, p. 278, t. 16, f. 9. — Haag, Mon. p. 301. Mozambique
fallax Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 258. — Haag, Mon. p. 294. Capland
globulus Sol. l. c. p. 259. — Haag, Mon. p. 300. „
trilineata Sol. l. c. p. 261.
granulata Haag, Mon. p. 282. „
maculata Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 251.
grossa Er. Arch. Naturgesch. IX, 1843, I, p. 242. — Haag, Mon. p. 290. Angola, Benguela

inflata Haag, Mitth. Münch. Ent. Ver. II, 1878, p. 82. Capland
maculata F. Spec. Ins. I, 1781, p. 317. — Oliv. Ent. III, 1795, 59, p. 28, t. 3, f. 31. — Haag, Mon. p. 279. „
minuta Oliv. Ent. III, 1795, 59, p. 29, t. 2, f. 21. — Haag, Mon. p. 296. „
penicillata Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 257.
porosa Herbst, Käf. VIII, 1799, p. 109, t. 124, f. 7. — Haag, Mon. p. 292. „
puncticosta Haag, Mon. p. 293. „
serrata Péring. Ann. S. Afr. Mus. I, 1899, p. 250. Namaland
sordida Gerst. Monatsber. Berl. Ac. 1854, p. 531; Peters' Reise 1862, p. 279, t. 16, f. 10. — Haag, Mon. p. 302. Mozambique
spinosa Péring. Trans. S. Afr. Phil. Soc. IV, 1886, p. 121, t. 3, f. 1. Südafrika
tessulata Haag, Mon. p. 281. Capland
tomentosa Herbst, Käf. VIII, 1799, p. 105, t. 124, f. 5. — Haag, Mon. p. 283. „
distincta Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 254.
undata Haag, Mon. p. 288. „

26

Saccophorus Haag.*).

Haag, Berl. Ent. Zeitschr. XVI, 1872, p. 303 (Mon.).

crenulatus Haag, Mon. p. 304. Südafrika

1

Horatomodes Haag.

Haag, Berl. Ent. Zeitschr. XVI, 1872, p. 305 (Mon.).

Batesi Haag, Mon. p. 305. Damaraland

1

Nicandra Fairm.

Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 191.

costulipennis Fairm. l. c. p. 191. Namaland

1

Horatoma Sol.

Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 264. — Lacord. Genera Col. V, 1859, p. 89. — Haag, Berl. Ent. Zeitschr. XVI, 1872, p. 309 (Mon.)

irregularis Haag, Mitth. Münch. Ent. Ver. II, 1878, p. 84. Capland
parvula Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 266, t. 10, f. 10—13. — Haag, Mon. p. 309. „

*) Der Name *Saccophorus* ist schon 1820 von Kuhl für eine Säugetiergattung (Nager) vergeben. In Trouessarts Katalog ist er als Synonym von *Geomys* aufgeführt. Ich verzichte darum hier wie in anderen Fällen darauf, einen neuen Namen vorzuschlagen, obgleich nach den neuen Nomenklaturgesetzen ein einmal gegebener Name nicht wieder aufgenommen werden darf.

var. *sedecim-costata* Sol. l. c. p. 266. — Haag, Mon. p. 309. Capland

tuberculata Haag, Mon. p. 310.

3

Pachynotelus Sol.

Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 267. — Lacord. Genera Col. V, 1859, p. 89. — Haag, Berl. Ent. Zeitschr. 1872, p. 306 (Mon.).

albiventris Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 268, t. 10, f. 14—17. — Haag, Mon. p. 307. Capland

albonotatus Haag, Mon. p. 308. D.-Südwest-Afrika

albostriatus Haag, Mon. p. 308. „

Haagi Péring. Ann. S. Afr. Mus. 1899, p. 250. Namaland

lineatus Haag, Mitth. Münch. Ent. Ver. II, 1878, p. 85. Südafrika

5

Epipagus Haag.

Haag, Berl. Ent. Zeitschr. XVI, 1872, p. 311 (Mon.).

benguelensis Haag, Mon. p. 312. Benguela

luridus Haag, Mitth. Münch. Ent. Ver. II, 1878, p. 86. „

2

XXX. Calognathinae.

Lacordaire, Genera Col. V, 1859, p. 85.

Calognathus Guér.

Guér. Mag. Zool. Ins. 1836, Cl. IX, t. 172. — Cast. Hist. Nat. II, 1840, p.186. — Lacord. Genera Col. V, 1859, p. 86.

Chevrolati Guér. Mag. Zool. Ins. 1836, IX, t. 172. — Cast. Hist. Nat. II, 1840, p. 186. Capland

1

XXXI. Anepsiinae.

Horn, Revis. Tenebr. N. Am. 1870, p. 276. — Leconte and Horn, Class. Col. N. Amer. 1883, p. 367.

Anepsius Lec.

Lec. Ann. Lyc. N. York V, 1851, p. 147. — Lacord. Genera Col. V, 1859, p. 324. — Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 501, 503 (Mon.).

atratus Cas. Mon. p. 506. Californien

bicolor Cas. Mon. p. 507. „

brunneus Cas. Mon. p. 506. Utah
catenulatus Cas. Mon. p. 505. Californien
decifiens Cas. Mon. p. 507. ,,
delicatulus Lec. Ann. Lyc. N. York V, 1851, p. 148. — Horn, Revis. Tenebr. 1870, p. 277, t. 14, f. 18. — Cas. Mon. p. 506. ,,
montanus Cas. Ann. N. York Acad. VI, 1892, p. 55. — Mon. p. 505. Colorado
nebulosus Cas. Mon. p. 506. Californien
valens Cas. Mon. p. 504. Arizona

9

XXXII. Vacroninae.

Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 508.

Vacronus Casey.

Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 501, 508.

tenuicornis Cas. Proc. Wash. Acad. Sc. IX, 1907, p. 508. Californien

1

XXXIII. Nyctoporinae.

Lacordaire, Genera Col. V, 1859, p. 130. — Horn, Revis. Tenebr. 1870, p. 276, 277. — Leconte and Horn, Class. Col. N. Amer. 1883, p. 367, 368.

Nyctoporis Eschsch.

Eschsch. Zool. Atl. IV, 1831, p. 11. — Lacord. Genera Col. V, 1859, p. 131. — Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 502, 509 (Mon.).

Emeax Pasc. Journ. of Ent. II, 1866, p. 450. — Lec. Proc. Acad. Phil. 1873, p. 334.
Enneacoides Fairm. Ann. Soc. Ent. Fr. (6) I, 1881, p. 277. — Geb. Deutsche Ent. Zeitschr. 1908, p. 286.

acquicollis Eschsch. Zool. Atl. IV, 1831, p. 12. — Mannerh. Bull. Mosc. XVI, 1843, II, p. 263. — Horn, Revis. Tenebr. 1870, p. 278. — Cas. Mon. p. 512. — Blaisd. Bull. U. S. Nat. Mus. LXIII, 1909, t. 6, f. 9, 10. Californien
carinata Lec. Ann. Lyc. N. York V, 1851, p. 138. — Lacord. Genera Atl. t. 50, f. 1. — Horn, Revis. Tenebr. 1870, p. 278. — Cas. Mon. p. 511. ,,
vinculiger Fairm. Ann. Soc. Ent. Fr. (6) I, 1881, p. 277. – Gebien (Deutsch. ent. Zs. 1908, p. 286
cristata Eschsch. Zool. Atl. IV, 1831, p. 11, t. 18, f. 4. — Mannerh. Bull. Mosc. XVI, 1843, II, p. 263. ,,

— Horn, Revis. Tenebr. 1870, p. 277. — Cas. Mon. p. 510.
galeata Lec. Ent. Report 1857, p. 49, t. 2, f. 1.
maura Cas. Mon. p. 512. Californien
pullata Cas. Mon. 510. „
sculpturatus Pasc. Journ. of Ent. 1866, p. 450, t. 19, f. 7. N.-S.-Wales
segnis Cas. Mon. 511. Californien
sponsa Cas. Mon. 510. „
tetrica Cas. Mon. 512. „

9

Exangeltus Blackb.

Blackb. Trans. Roy. Soc. S. Austr. XXI, 1897, p. 93.

angustus Blackb. l. c. p. 94. Central-Australien
gracilior Blackb. Trans. Roy. Soc. S. Austr. XXVII, 1903, p. 308. Süd-Australien

2

Docalis Pasc.

Pascoe, Journ. of Ent. I, 1860, p. 121.

funerosus Hope, Trans. Ent. Soc. Lond. IV, 1845, p. 107. — Champ. Trans. Ent. Soc. Lond. 1894, p. 352. Tasmanien
degener Pasc. Journ. of Ent. I, 1860, p. 122.
exoletus Pasc. l. c. p. 121, t. 8, f. 9.
maculatus Blackb. Trans. R. S. Austr. XVII, 1893, p. 132. N.-Süd-Wales

2

Ammophorus Guér.

Guér. Voy. Coquille, Ent. II, 1830, p. 94; Mag. Zool. 1834, Cl. IX, p. 25. — Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 39. — Cast. Hist. Nat. II, 1840, p. 203. — Lacord. Genera Col. V, 1859, p. 132. — Linell, Proc. U. S. Nat. Mus. XXI, 1898, p. 263.

Selenomma Sol. in Gay, Hist. Chile V, 1851, p. 169.

bifoveatus Waterh. Ann. Mag. Nat. Hist. XVI, 1845, p. 31. — Linell, l. c. p. 263. Galapagos
Caroli Linell, l. c. p. 264. „
costatus Guér. Mag. Zool. 1834, Melas. p. 26. — Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 43. — Cast. Hist. Nat. II, 1840, p. 203. Peru
denticollis Bohem. Resa Eugen. 1858, p. 89. Panama
galapagoensis Waterh. Ann. Mag. Nat. Hist. XVI, 1845, p. 30. — Linell, Proc. U. S. Nat. Mus. XXI, 1898, p. 263. Galapagos
insularis Bohem. Resa Eugen. 1858, p. 89. Sandwich-Inseln
obscurus Water. Ann. Mag. Nat. Hist. XVI, 1845, p. 32. — Linell, l. c. p. 264. Galapagos
peruvianus Guér. Voy. Coquille Ent. II, 1830, p. 94, t. 4, f. 4; Mag. Zool. 1834, p. 26. — Sol. Ann. Peru, Chile

Soc. Ent. Fr. VII, 1838, p. 41, t. 2, f. 1—5. — Cast. Hist. Nat. II, 1840, p. 203. — Sol. in Gay, Hist. Chile V, 1851, p. 170, t. 19, f. 4.

rubripes Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 42. Peru, Chile

Spinolae Sol. l. c. p. 44. Peru

10

XXXIV. Cryptoglossinae.

Horn, Revis. Tenebr. N. Amer. 1870, p. 276, 278. — Leconte and Horn, Class. Col. N. Am. Smithson. Inst. 1883, p. 368. — Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 513.

Centriopterinae Lacordaire, Genera Col. V, 1859, p. 134.

Centrioptera Mannerh.

Mannerh. Bull. Mosc. XVI, 1843, II, p. 279; Mag. Zool. 1843, t. 126, p. 1. — Lacord. Genera Col. V, 1859, p. 136. — Horn, Revis. Tenebr. 1870, p. 278. — Lec. and Horn, Class. Col. N. Amer. 1883, p. 368. — Casey, Proc. Wash. Acad. Sc. IX, 1907, p. 502.

Oochila Lec. Class. Col. N. Amer. 1866, p. 220.
Asbolus Lec. Proc. Acad. Phil. VII, 1854, p. 64 (pars).

angularis Horn, Proc. Calif. Ac. Sc. (2) IV, 1894, p. 414, t. 7, f. 4. Nieder-Californien

asperata Horn, Revis. Tenebr. 1870, p. 279. „

caraboides Mannerh. Bull. Mosc. XVI, 1843, II, p. 280; Mag. Zool. 1843, t. 26, p. 2. Californien

infausta Lec. Proc. Acad. Phil. VII, 1854, p. 84. — Horn, Revis. Tenebr. 1870, p. 280. Texas, Mexico

spiculosa Champ. Biol. Centr.-Am. Col. IV, 1, 1892, p. 508, p. 572.

muricata Lec. Ann. Lyc. N. York V, 1851, p. 142. — Lac. Genera Atl. t. 50, f. 4. — Horn, Revis. Tenebr. 1870, p. 279. Californien

seriata Lec. Proc. Acad. Phil. 1861, p. 337. — Horn, Revis. Tenebr. 1870, p. 280. Nieder-Californien

spiculifera Lec. Proc. Acad. Phil. 1861, p. 337. — Horn, Revis. Tenebr. 1870, p. 279. „

utensis Cas. Proc. Wash. Acad. Phil. IX, 1907, p. 513. Utah

variolosa Horn, Revis. Tenebr. 1870, p. 280, t. 15, f. 25. Arizona

9

Schizillus Horn.

Horn, Trans. Am. Ent. Soc. V, 1874, p. 33.

laticeps Horn, Trans. Am. Ent. Soc. V, 1874, p. 33. Californien

1

Cryptoglossa Sol.

Sol. Ann. Soc. Ent. Fr. V, 1836, p. 680. — Lacord. Genera Col. V, 1859, p. 133. — Horn, Revis. Tenebr. 1870, p. 278. — Lec. and Horn, Class. Col. N. Am. 1883, p. 368.

bicostata Sol. Ann. Soc. Ent. Fr. V, 1836, p. 681, t. 24, f. 11—13. — Cast. Hist. Nat. II, 1840, p. 191. Mexico

granulifera Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 508. — Mexico
laevis Lec. Ann. Lyc. N. York V, 1851, p. 130. — Horn, Revis. Tenebr. 1870, p. 280. — Californien
mexicana Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 73, t. 3, f. 21. — Mexico
verrucosa Lec. Ann. Lyc. N. York V, 1851, p. 129. — Lacord. Genera Atl. 1859, t. 50, f. 5. — Horn, Revis. Tenebr. 1870, p. 280. — Rio Colorado

5

Amblycyphus Motsch.

Motsch. Bull. Mosc. XLIII, 1870, I, p. 401.

asperatus Motsch. l. c. p. 404. — Neu-Helvetia

1

Eschatoporis Blaisd.

Blaisd. Entom. News XVII, 1906, p. 76.

Nunenmacheri Blaisd. l. c. p. 77. — Californien

1

XXXV. Elenophorinae.

Solier, Ann. Soc. Ent. Fr. V, 1836, p. 638. — Mulsant, Col. Fr. Latigènes 1854, p. 58. — Lacordaire, Genera Col. V, 1859, p. 111. — Jacq. du Val, Genera Col. III, 1861, p. 255, 327. — Seidlitz, Naturg. Ins. Deutschl. V, 1893, p. 220. — Reitt. Best.-Tab. LIII (in Verh. Ver. Brünn XLII, 1904) p. 29.

Megelenophorus nom. nov.*).

Cacicus Sol. Ann. Soc. Ent. Fr. V, 1836, p. 639. — Lacord. Genera Col. V, 1859, p. 112.

americanus Lacord. Ann. Sc. Nat. XX, 1830, p. 276. — Sol. l. c. p. 641, t. 23, f. 1—7. — Cast. Hist. Nat. II, 1840, p. 191. — Blanch. Voy d'Orb. 1843, p. 195, t. 13, f. 3. — Tucuman

Westwood 1839. 322

1

Elenophorus Latr.

Latr. Règne anim. ed. II, V, 1829, p. 10. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 643. — Muls. Col. Fr. Latigènes 1854, p. 58. — Lacord. Genera Col. V, 1859, p. 113. — Jacq. du Val, Genera Col. III, 1861, p. 255. — Seidlitz, Naturg. Ins. Deutschl. V, 1893, p. 226. — Desbr. Frelon IX, 1901, p. 181.

collaris L. Syst. Nat. ed. XII, 1767, p. 677. — F. Syst. Ent. 1775, p. 252; Spec. Ins. 1781, p. 319; Ent. — Mittelmeergebiet

*) Der Name *Cacicus* ist von Cuvier 1799—1800 für eine Vogelgattung gebraucht worden. In den Vogelkatalogen führte die Gattung jahrzehntelang den Namen *Cassicus*. Mit Recht ist im neuen britischen Katalog der ursprüngliche Name wieder hergestellt worden.

Syst. 1792, p. 104. — Ol. Ent. III, 1795, nr. 29, p. 22, t. 1, f. 8. — Herbst, Käf. VIII, 1799, p. 118, t. 125, f. 3. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 645, t. 23, f. 8—11. — Cast. Hist. Nat. II, 1840, p. 191. — Küst. Käf. 1848, XIII, 53. — Muls. Col. Fr. Latigènes 1854, p. 60. — Jacq. du Val, Genera Col. III, 1861, t. 62, f. 307. — Desbr. Frelon IX, 1901, p. 181.

Biologie: Muls. Ann. Soc. Linn. Lyon 1856, II, 3, p. 133; Opusc. Ent. VII. 1856, p. 133.

1

XXXVI. Asidinae.

Solier, Ann. Soc. Ent. Fr. V, 1836, p. 403. — Castelnau, Hist. Nat. II, 1840, p. 205. — Mulsant, Col. Fr. Latigènes 1854, p. 84 — Lacordaire, Genera Col. V, 1859, p. 153. —Jacquelin du Val, Genera Col. III, 1861, p. 263, 328. — Horn, Revis. Tenebr. N. Am. 1870, p. 280. — Leconte and Horn, Classif. Col. N. Amer. 1883, p. 367 (s. str.). — Reitter, Best.-Tab. LIII, (Verh. Naturf. Ver. Brünn 1904) p. 29.

Machla Hbst.

Herbst, Käfer VIII, 1799, p. 152. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 476. — Cast. Hist. Nat. II, 1840, p. 207. — Lacord. Genera Col. V, 1859, p. 155.

agrestis Péring. Ann. S. Afr. Mus. I, 1899, p. 256. — Capland
Buqueti Lacord. Genera Col. V, 1859, p. 156 nota. — „
caffra Fåhrs. Öfv. Vet.-Ak. Förh. XXVII, 1870, p. 254. — Caffrarien
carinata Herbst, Käf. VIII, 1799, p. 156, t. 126, f. 9. — Capland
cristata Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 179. — Ostafrika
fuliginosa Fairm. Trans. S. Afr. Philos. Soc. IV, 1888, p. 197. — Capland
hamaticollis Gerst. Arch. Naturg. XXXVII, 1871, p. 59; Decken's Reise III, 2, 1873, p. 171, t. 9, f. 7. — Ostafrika
interrupta Fairm. Bull. Soc. Vaudoise XXXV, 1899, p. 178, t. 2, f. 6. — Delagoa
lita Péring. Ann. S. Afr. Mus. 1899, p. 257. — Capland
mendica Fåhrs. Öfv. Vet.-Ak. Förh. XXVII, 1870, p. 255. — Südafrika
echinoderma Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 112. — Péring. Ann. S. Afr. Mus. III, 1904, p. 296.
natalis Péring. Ann. S. Afr. Mus. I, 1899, p. 259; Ann. S. Afr. Mus. III, 1904, p. 296.
nodulosa Herbst, Käf. VIII, 1799, p. 157, t. 126, f. 10. — Capland
porcella Fåhrs. Öfv. Vet.-Ak. Förh. XXVII, 1870, p. 255. — Caffrarien
rauca Sol. Ann. Soc. Ent. Fr. V, 1836, p. 478. — Capland
rugosa Herbst, Käf. VIII, 1799, p. 159, t. 126, f. 11. — Lacord. Genera Col. V, 1859, p. 156 nota. — „
serrata F. Ent. Syst. IV, App. 1798, p. 439; Syst. El. I, 1801, p. 140. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 480, t. 12, f. 2. 3. — Cast. Hist. Nat. II, 1840, p. 207. — „
var. *Duponti* Sol. l. c. p. 482, t. 12, f. 1—4.

sulcicollis Fåhrs. Öfv. Vet.-Ak. Förh. XXVII, 1870, p. 254. Caffrarien
verrucosa Fåhrs. l. c. p. 253. „
villosa Ol. Ent. III, 1795, 56, p. 5, t. 1, f. 2. — Herbst. Käf. VIII, 1799, p. 153, t. 126, f. 8. — Guér. Icon. 1829—38, t. 29, f. 8a. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 483. — Cast. Hist. Nat. II, 1840, p. 207. Capland
pilosa Wiedem. Zool. Mag. II, 1, 1823, p. 31.

18

Machleida Fåhrs.

Fåhrs. Öfv. Vet.-Ak. Förh. XXVII, 1870, p. 256.

nodulosa Fåhrs. Öfv. Vet.-Ak. Förh. XXVII, 1870, p. 256. Südafrika
legitima Pér. Ann. S. Afr. Mus. I, 1899, p. 266; III, 1904, p. 296.
nossibiana Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 110. Nossi-Bé

2

Machlomorpha Péring.

Péring. Ann. S. Afr. Mus. I, 1899, p. 257.

altitudinis Péring. l. c. p. 258. Südafrika
diversa Péring. l. c. p. 258. Natal

2

Haemus Péring.

Péring. Ann. S. Afr. Mus. III, 1904, p. 228.

carinatipennis Pér. l. c. p. 229, t. 13, f. 13a. Rhodesia, Ostafrika

1

Microschatia Sol.

Sol. Ann. Soc. Ent. Fr. V, 1836, p. 474. — Cast. Hist. Nat. II, 1840, p. 207. — Lacord. Genera Col. V, 1859, p. 157.

Championi Horn, Trans. Ann. Ent. Soc. XX, 1893, p. 140. Nieder-Californien
punctata Horn, Revis. Tenebr. 1870, p. 282.
inaequalis Lec. Ann. Lyc. N. York V, 1851, p. 129. — Lacord. Genera Col. Atl. 1859, t. 51, f. 5. — Horn, Revis. Tenebr. 1870, p. 282; Trans. Ann. Ent. Soc. XX, 1893, p. 141. Californien
puncticollis Lec. Ann. Lyc. N. York V, 1851, p. 129.
morata Horn, Trans. Am. Ent. Soc. VII, 1878, p. 56; XX, 1893, p. 141. Neu-Mexico, Arizona
polita Horn, l. c. XX, 1893, p. 141. Arizona
punctata Sol. Ann. Soc. Ent. Fr. V, 1836, p. 475, t. 11, f. 19—22. — Cast. Hist. Nat. II, 1840, p. 207. — Horn, Revis. Tenebr. 1870, p. 282; Trans. Amer. Ent. Soc. XX, 1893, p. 140. Mexico

robusta Horn, Trans. Amer. Ent. Soc. XX, 1893, p. 142. Mexico
sulcipennis Lec. Journ. Acad. Phil. IV, 1858, p. 18. — Horn, Revis. Tenebr. 1870, p. 282, t. 15, f. 18; Trans. Amer. Ent. Soc. XX, 1893, p. 142. Neu-Mexico, Texas

7

Astrotus Lec.

Lec. Journ. Acad. Phil. IV, 1858, p. 19. — Horn, Revis. Tenebr. 1870, p. 290.

contortus Lec. Proc. Acad. Phil. VI, 1853, p. 446. —. Horn, Revis. Tenebr. 1870, p. 290, t. 15, f. 19. Texas
debilis Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 66, t. 2, f. 22. Mexico
erosus Champ. l. c. 1892, p. 504. ,,
limosus Champ. l. c. 1884, p. 66, t. 2, f. 21. ,,
nosodermoides Champ. l. c. 1892, p. 505, t. 22, f. 22. ,,
regularis Horn, Revis. Tenebr. 1870, p. 290, t. 15, f. 20. Texas, Mexico
seticornis Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 67; 1892, p. 504, t. 2, f. 20. Mexico
var. *humeralis* Champ. l. c. p. 67. ,,
undatus Champ. l. c. 1892, p. 504, t. 22, f. 25. ,,

8

Stenosides Sol.

Sol. Ann. Soc. Ent. Fr. V, 1836, p. 484.

Ologlyptus Lacord. Genera Col. V, 1859, p. 158. — Horn, Revis. Tenebr. 1870, p. 289.
Pactostoma Lec. Journ. Acad. Phil. IV, 1858, p. 19.

anastomosis Say, Journ. Acad. Phil. III, 1823, p. 256. — Lec. Proc. Acad. Phil. VI, 1853, p. 446; Journ. Acad. Phil. IV, 1858, p. 19; Col. Kansas 1859, p. 13, t. 2, f. 11; Ann. Lyc. N. York V, 1851, p. 129. — Lacord. Genera Col. Atl. 1859, t. 52, f. 2. — Horn, Revis. Tenebr. 1870, p. 290. Colorado, Kansas, Arkansas
bicarinatus Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 69, 1892, p. 506, t. 2, f. 18. Mexico
canus Champ. l. c. 1884, p. 68; 1892, p. 506. ,,
graciliformis Sol. Ann. Soc. Ent. Fr. 1836, V, p. 486, t. 12, f. 5—8. ,,
hebes Champ. Biol. Centr.-Am. Col. IV, 1, 1892, p. 506, t. 22, f. 23. ,,
planatus Champ. l. c. 1884, p. 69; 1892, p. 506, t. 2, f. 16. ,,
sinuaticollis Champ. l. c. p. 69, t. 2, f. 19. Texas
texanus Wickh. Canad. Entom. XXXV, 1903, p. 72. ,,

8

Sicharbas Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 67.

lobatus Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 67; 1892, p. 505, t. 2, f. 23. Mexico

1

Asidobothris Fairm.

Fairm. Ann. Soc. Ent. Fr. (6) VI, 1886, p. 72.

clathrata Fairm. l. c. p. 72, t. 2, f. 8. Madagaskar

1

Pseudasida Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 444.

obesa Fairm. l. c. p. 444. Madagaskar
pannosa Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 407. ,,

2

Prosodidius Fairm.

Fairm. Bull. Soc. Ent. Fr. 1903, p. 69.

Perrieri Fairm. l. c. p. 69. Madagaskar

1

Andremius Fairm.

Fairm. Ann. Soc. Ent. Belg. XLVII, 1903, p. 364.

crispatus Fairm. l. c. p. 364. Madagaskar

1

Asidesthes Fairm.

Fairm. Ann. Soc. Ent. Belg. XLIV, 1900, p. 246.

Perrieri Fairm. l. c. p. 247. Madagaskar

1

Cleteus Fairm.

Fairm. Bull. Mus. Paris XII, 1906, p. 274.

marginicollis Fairm. l. c. p. 275. Madagaskar

1

Suarezius Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 22.

approximans Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 411. Madagaskar
cavernosus Fairm. Ann. Soc. Ent. Belg. XLIII, 1899, p. 536. ,,
confrater Brancs. Verh. Ver. Trencs. 1897, p. 120. Nossi-Bé
cupreolus Fairm. Rev. d'Ent. XX, 1901, p. 185. Madagaskar
gibbosulus Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 22. ,,

metallescens Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 385. Madagaskar
ovipennis Fairm. Ann. Soc. Ent. Fr. LXXI, 1902, p. 336. „

7

Asida Latr.

Latr. Hist. Nat. Crust. Ins. X, 1804, p. 269. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 408. — Cast. Hist. Nat. II, 1840, p. 206. — Muls. Col. Fr. Latigènes 1854, p. 84. — Lacord. Genera Col. V, 1859, p. 160. — Redtenb. Fauna Austriaca ed. II, 1858, p. 582; ibid. ed. III, 1874, II, p. 87. — Jacq. du Val, Genera Col. III, 1861, p. 264. — Allard, Abeille VI, 1869, p. 159 (Mon. palaearkt. Arten). — Horn, Revis. Tenebr. 1870, p. 282. — Lec. and Horn, Class. Col. N. Amer. 1883, p. 370. — Seidlitz, Naturg. Ins. Deutschl. V, 1893, p. 332. — Desbr. Frelon X, 1901, p. 6. — Escalera, Bol. Real. Soc. Esp. III, 1903, p. 76; V, 1905, p. 377. — Leoni, Riv. Coleott. It. VII, 1909, p. 142; VIII, 1910, p. 9, 40, 69 (Mon. ital. Arten).

Alphasida Escalera, Bol. Real Soc. Esp. V, 1905, p. 380.
Elongasida Escalera, Bol. Real Soc. Esp. VI, 1906, p. 306.
Euschides Lec. Journ. Acad. Phil. IV, 1858, p. 19. — Lacord. Genera Col. V, 1859, p. 162.
Globasida Escalera, Bol. Real Soc. Esp. V, 1905, p. 430.
Machlasida Escalera, Bol. Real Soc. Esp. VII, 1907, p. 336.
Pelecyphorus Sol. Ann. Soc. Ent. Fr. V, 1836, p. 467. — Cast. Hist. Nat. II, 1840, p. 206. — Lacord. Genera Col. V, 1859, p. 159.
Philolithus Lacord. Genera Col. V, 1859, p. 157.
Poliorcetes Champion, Biol. Centr.-Amer. Col. IV, 1, 1884, p. 70.
Psilomera Motsch. Bull. Mosc. XLIII, 1870, I, p. 400.
Pycnomorpha Motsch. l. c. p. 398.
Stenomorpha Sol. Ann. Soc. Ent. Fr. V, 1836, p. 487.
Tisamenes Champion, Biol. Centr.-Am. Col. IV, 1, 1884, p. 64.
Ucalegon Champion, l. c. p. 65.
Zaleucus Champion, Biol. Centr.-Am. Col. IV, 1, 1892, p. 491.
Zamolxis Champion, Biol. Centr.-Am. Col. IV, 1, 1884, p. 70.

aberrans Péring. Ann. S. Afr. Mus. I, 1899, p. 262. Capland
acerba Horn, Trans. Am. Ent. Soc. VII, 1878, p. 56. Utah
actuosa Horn, Revis. Tenebr. 1870, p. 284, t. 15, f. 7. Californien
acuticosta Fairm. Ann. Soc. Ent. Fr. (5) X, 1880, p. 250; Natural. II, 1880, p. 190. — Escal. Bol. Soc. Real Esp. VII, 1907, p. 337. Marokko
aegrota Lec. Proc. Acad. Philad. 1861, p. 337. — Horn, Revis. Tenebr. 1870, p. 283, t. 15, f. 5. Californien
algeriana nom. nov.
obsoleta Fairm. Ann. Soc. Ent Fr. (4) VII, 1867, p. 405. — All. Mon. p. 265. Algier
Allardi Baudi, Deutsche Ent. Zeitschr. XIX, 1875, p. 112. „
opaca All. Col. nouv. 1868, p. 3; Mon. p. 235.
almeriana Escal. Bol. Real Soc. Esp. V, 1905, p. 433, 437. Spanien
alonensis Mart. y Saez, Ann. Soc. Esp. II, 1873, p. 409, t. 13, f. 3; Abeille XVII, 1879, Oeuvr. période. p. 42. — Escal. Bol. Real Soc. Esp. VI, 1906, p. 308, 311. „
Anceyi All. Pet. Nouv. Ent. I, 1870, p. 50. Syrien
angulata Lec. Ann. Lyc. N. York V, 1851, p. 127. — Lacord. Genera Col. V, 1859, Atl. t. 50, f. 3. Californien
argenteolimbata Escal. Bol. Soc. Real Esp. I, 1901, p. 172; V, 1905, p. 382. Spanien

luctuosa Rosenh. Thiere Andalus. 1856, p. 193. — Ramb. Fn. Andalus. 1842, t. 19, f. 4. — All. Mon. p. 228.

Ariasi Escal. Bol. Soc. Real Esp. IX, 1909, p. 135. Marokko

asidoides Sol. Ann. Soc. Ent. Fr. V, 1836, p. 471, t. 11, f. 17. — Lacord. Genera Col. V, 1859, p. 161, nota 1. — Cast. Hist. Nat. II, 1840, p. 206. Chile

asperata Sol. l. c. p. 450. — All. Mon. p. 285. — Escal. Bol. Soc. Real Esp. VI, 1906, p. 308, 313. Spanien

rugulosa Ramb. Fn. Andal. 1842, t. 19, f. 8.

atrata Baudi, Deutsche Ent. Zeitschr. XIX, 1875, p. 107. „

auriculata Sol. Ann. Soc. Ent. Fr. V, 1836, p. 451. — All. Mon. p. 281. Aegypten

australis Leoni, Mon. VII, p. 156, 171; VIII, 1910, p. 10. Italien

bacaresensis Esc. Bol. Soc. Real Esp. V, 1905, p. 432, 435. Spanien

banatica Friv. A'Király magyar. 1865, p. 200, t. 11, f. 13. — Heyd. Berl. Ent. Zeitschr. XIII, 1869, p. 57. — All. Mon. p. 298. Banat

Barceloi Perez. Ins. nuev. III, 1868, p. 60. — All. Mon. p. 215. Balearen

basiplicata Heyd. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 360. Spanien

Bayardi Sol. Ann. Soc. Ent. Fr. V, 1836, p. 423. — All. Mon. p. 189. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 27. — Leoni, Mon. VII, p. 154, 166, 215. Italien

var. *blapstoides* Leoni, l. c. p. 222. „

var. *calabra* Leoni, l. c. p. 222. Calabrien

var. *ligurica* Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 27. — Leoni, l. c. p. 154, 215. Ligurien

var. *piligera* Leoni, l. c. p. 221. Italien

Becerrae Escal. Bol. Soc. Real. Esp. V, 1905, p. 385, 387. Spanien

Bereai Escal. Bol. Soc. Real. Esp. VII, 1907, p. 337. Marokko

bicostata Fåhrs. Öfv. Vet.-Ak. Förh. XXVII, 1870, p. 257. Caffrarien

bifoveata All. Mon. p. 294. Tanger

bifurca Lec. Proc. Acad. Phil. 1861, p. 337. — Horn, Revis. Tenebr. 1870, p. 285, t. 15, f. 15. Californien

♂ *connivens* Lec. New Spec. Col. 1866, p. 110. — Horn, Revis. Tenebr. 1870, p. 285; Trans. Amer. Ent. Soc. XX, 1893, p. 142.

blanda Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 63, 502, t. 3, f. 19. Mexico

blapsoides Sol. Ann. Soc. Ent. Fr. V, 1836, p. 491, t. 12, f. 9, 11, 12, 14. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 63. „

Bolivari Escal. Bol. Soc. Real Esp. VI, 1906, p. 382. Spanien

Brucki All. Mon. p. 292. „

Ghiliani Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 25.

californica Motsch. Bull. Mosc. XLIII, 1870, I, p. 399. Californien

calumniata Escal. Bol. Soc. Real Esp. VI, 1906, p. 308, 310. Spanien

capensis Sol. Ann. Soc. Ent. Fr. V, 1836, p. 473. Capland

captiosa Horn, Revis. Tenebr. 1870, p. 287, t. 15, f. 13. Californien

carinata Sol. Ann. Soc. Ent. Fr. V, 1836, p. 426. — All. Mon. p. 193. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 30. — Desbr. Frelon X, 1901, p. 22. — Leoni, Mon. VII, p. 156, 170, 171; VIII, p. 15. Corsika

var. *Devillei* Leoni, l. c. VII, p. 154, 171; VIII, p. 51, 54.
var. *lepidoptera* All. Col. Nouv. 1868, p. 3; Mon. p. 194. — Desbr. Frelon X, 1901, p. 21. — Leoni, l. c. p. 51.

carinifera nom. nov. — Californien
carinata Lec. Ann. Lyc. N. York V, 1851, p. 128; Arcan. Natur. 1859, p. 125, t. 12, f. 1. — Lacord. Genera Col. V, 1859, Atl. t. 51, f. 4.

cariosicollis Sol. Ann. Soc. Ent. Fr. V, 1836, p. 446. — All. Mon. p. 261. — Kraatz, Deutsche Ent. Zeitschr. XX, 1876, p. 284. — Nordafrika
barbara All. Col. Nouv. 1868, p. 5; Mon. p. 262. — Baudi, Deutsche Ent. Zeitschr. XIX, 1875, p. 109.

cartagenica Escal. Bol. Soc. Real Esp. V, 1905, p. 432, 433. — Spanien

caryophyllea Wiedem. Zool. Mag. II, 1, 1823, p. 32. — Capland

castellana Graëlls, Mem. Map. geol. 1858, p. 69, t. 7, f. 4. — All. Mon. p. 276. — Spanien

Chauveneti Sol. Ann. Soc. Ent. Fr. V, 1836, p. 440. — Küst. Käf. Eur. 1849, XVI, 28. — All. Mon. p. 230. — Nordafrika

cincta Rosenh. Thiere Andalus. 1856, p. 196. — Ramb. Fn. Andalus. 1842, t. 20, f. 6. — All. Mon. p. 214. — Escal. Bol. Soc. Real Esp. V, 1905, p. 433, 438. — Spanien

clathrata Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 54, 492, t. 3, f. 2. — Mexico
var. *funesta* Champ. l. c. p. 53, 492.

Clementei Perez, Ins. nuev. 1865, p. 44. — All. Mon. p. 228. — Escal. Bol. Soc. Real Esp. I, 1901, p. 174; V, 1905, p. 384. — Spanien
Solieri Ramb. Fn. Andal. 1842, t. 19, f. 3.

collaris Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 499. — Mexico
marginicollis Champ. l. c. 1884, p. 60, t. 3, f. 16.

Combae Géné, Mem. Accad. Torin. 1839, p. 71, t. 2, f. 10. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 29; Deutsche Ent. Zeitschr. XIX, 1875, p. 114. — Leoni, Mon. VII, p. 158, 167; VIII, p. 73. — Sardinien
var. *proxima* Leoni, Mon. VIII, p. 74.

confluens Lec. Ann. Lyc. N. York V, 1851, p. 128. — Horn, Revis. Tenebr. 1870, p. 285, t. 15, f. 8. — Californien

confusa Kraatz, Berl. Ent. Zeitschr. XVIII, 1874, p. 114. — Spanien
pygmaea All. Mon. p. 177.

consanguinea All. Mon. p. 292. — Südfrankreich

consimilis nom. nov. — Zululand
consobrina Péring. Ann. S. Afr. Mus. I, 1899, p. 261.

consobrina Horn, Revis. Tenebr. 1870, p. 287, t. 15, f. 16. — Nordamerika

convexa Lec. Col. of Kansas 1859, p. 14, t. 1, f. 10. — Horn, Revis. 1870, p. 287. — Arkansas

convexicollis Lec. Proc. Acad. Phil. 1854, p. 223. — Horn, Revis. 1870, p. 288. — Neu-Mexico

corsica Cast. in Silberm. Rev. I, 1833, p. 33. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 436. — Cast. Hist. Nat. II, 1840, p. 207. — All. Mon. p. 201. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 28. — Desbr. Frelon X, 1901, p. 24. — Leoni, Mon. VII, p. 157, 168; VIII, p. 71. — Corsika, Sardinien

Biologie: Perris, Ann. Soc. Linn. Lyon 1876, p. 258.

costata Sol. Ann. Soc. Ent. Fr. V, 1836, p. 490. — Mexico

costipennis Lec. Journ. Acad. Phil. 1859, p. 76. — Californien

Lecontei Horn, Proc. Ent. Soc. Phil. VI, 1866, p. XII; Rev. Tenebr. 1870, p. 286, t. 15, f. 11.

var. *compressa* Horn, Revis. Tenebr. 1870, p. 287, t. 15, f. 12. — „

costulata Sol. Ann. Soc. Ent. Fr. V, 1836, p. 455. — All. Mon. p. 269. — Spanien

crassicollis Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 487. — All. Mon. p. 253. — Algier

Morae Perez, Ins. nuev. III, 1868, p. 68. — Spanien

crassipes All. Mon. p. 256. — Algier

curta All. Mon. p. 220. — „

curvatipennis Escal. Bol. Soc. Real Esp. V, 1905, p. 433, 440. — Spanien

deformis Escal. l. c. p. 432, 437. — „

Dejeani Sol. Ann. Soc. Ent. Fr. V, 1836, p. 420, t. 11, f. 1. 4. 6. 7, 9, 10. — Muls. Col. Fr. Latigènes 1854, p. 94. — All. Mon. p. 180. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 25. — Desbr. Frelon X, 1901, p. 14. — Leoni, Mon. VII, p. 153, 165, 211. — Südfrankreich Italien

♂ *sinuata* Rey, Échange 1852, p. 42.

var. *crispata* Rey l. c. — Leoni, l. c. p. 211, 214.

var. *massiliensis* Baudi, Deutsche Ent. Zeitschr. XIX, 1875, p. 115. — Leoni l. c. p. 211.

Biologie: Rey, Essai d'Études Larves Col. 1887, p. 93, t. 2, f. 23.

densicollis Horn, Proc. Calif. Acad. Sc. (2) IV, 1894, p. 417, t. 7, f. 5. — Oregon

depressa Sol. Ann. Soc. Ent. Fr. V, 1836, p. 466, t. 11, f. 2. — All. Mon. p. 284. — Spanien, Nordafrika

♀ *brevicosta* Sol. l. c. p. 449, t. 11, f. 3, 8.

laevigata Ramb. Fn. Andal. 1842, t. 19, f. 7.

var. *crenata* Schauf. Verh. zool.-bot. Ges. Wien XXXI, 1881, p. 623. — Balearen

var. *ibicensis* Perez, Ins. nuev. III, 1868, p. 74. — All. Mon. p. 282. — „

dermatodes Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 488. — Algier

clypeata All. Col. nouv. 1868, p. 7; Mon. p. 256.

devia Pér. Ann. S. Afr. Mus. I, 1899, p. 258. — Natal

Diecki All. Pet. Nouv. Ent. I, 1870, p. 50. — Spanien

difficilis Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 61, 501, t. 3, f. 11. — Mexico

dilatata Champ. l. c. p. 70, 491, t. 2, f. 24. — „

dissimilis Champ. l. c. p. 59, t. 3, f. 10. — „

dispar Champ. l. c. 1892, p. 496.

Doderoi Leoni, Mon. VII, p. 155, 167, 170; VIII, p. 49. — Sardinien

Doriae Leoni, Mon. VII, p. 152, 170; VIII, p. 43. — Italien

dubia Ramb. Fn. Andalus. 1842, t. 19, f. 5. — All. Mon. p. 267. — Spanien

dubiosa Escal. Bol. Soc. Real Esp. V, 1905, p. 433, 440. — „

elata Lec. Proc. Ac. Phil. VI, 1853, p. 445; Arcan. Nat. 1859, p. 125, t. 12, f. 7. — Horn, Revis. Tenebr. 1870, p. 289. — Neu-Mexico, Texas

difformis Lec. Proc. Ac. Phil. VII, 1854, p. 223.

elongata Sol. Ann. Soc. Ent. Fr. V, 1836, p. 463. — All. Mon. p. 280. — Spanien
Amori Perez, Ins. nuev. III, 1868, p. 77.
embaphionides Horn, Proc. Calif. Acad. Sc. (2) IV, 1894, p. 419, t. 7, f. 8. — Californien
Escalerae Oberth. Bol. Soc. Real Esp. III, 1903, p. 74. — Escal. l. c. V, 1905, p. 383. — Spanien
var. *alpujarrensis* Escal. l. c. V, 1905, p. 386.
Fairmairei Boield. Ann. Soc. Ent. Fr. (4) V, 1865, p. 8, t. 1, f. 4. — All. Mon. p. 297. — Griechenland
♀ *graeca* All. Mon. p. 290.
fallaciosa Fairm. Bull. Soc. Vaudoise XXXV, 1899, p. 178. — Natal
fallax Champ. Biol. Centr.-Amer. IV, 1, 1884, p. 57, 496, t. 3, f. 8. — Mexico
var. *favosa* Champ. l. c. p. 58. — ,,
var. *similata* Champ. l. c. p. 58. — ,,
fascicularis Germ. Reise Dalmat. 1817, p. 190. — All. Mon. p. 187. — Kraatz, Berl. Ent. Zeitschr. XVIII, 1874, p. 111. — Seidl. Naturg. Ins. Deutschl. V, 1898, p. 825. — Dalmatien
terricola Küst. Käf. Eur. 1849, XVI, p. 27. — All. Mon. p. 188. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 26.
Biologie: Sajo, Ill. Wochenschr. Ent. I, 1896, p. 385.
fasciculata Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 495, t. 22, f. 21. — Mexico
Favieri Fairm. Ann. Soc. Ent. Fr. (5) X, 1880, p. 249; Natural. II, 1880, p. 190. — Marocco
Fiorii Leoni, Mon. VII, p. 156, 166, 224. — Italien
flaccida Horn, Proc. Calif. Acad. Sc. (2) VI, 1896, p. 379. — Californien
Flohri Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 496, t. 22, f. 10. — Mexico
foeda Champ. l. c. p. 498, t. 22, f. 16. — ,,
Forreri Champ. l. c. 1884, p. 55, t. 3, f. 3. — ,,
foveicollis All. Ann. Soc. Ent. Belg. XXVII, 1883, p. 27. — Algier
foveolatus Sol. Ann. Soc. Ent. Fr. V, 1836, p. 472. — Mexico
frigida Escal. Bol. Soc. Real Esp. V, 1905, p. 432, 436. — Spanien
furcata Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 499, t. 22, f. 15. — Mexico
Gabbi Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 152. — Californien
gibbicollis Horn, Revis. Tenebr. 1870, p. 288, t. 15, f. 1.
gaditana Escal. Bol. Soc. Real Esp. V, 1905, p. 383, 385. — Spanien
Gambeyi All. Mon. p. 184. — Algier
geminata Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 492, t. 22, f. 8. — Mexico
Genei Sol. Ann. Soc. Ent. Fr. V, 1836, p. 435. — All. Mon. p. 213. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 28; Deutsche Ent. Zeitschr. XIX, 1875, p. 113. — Leoni, Mon. VII, p. 155, 168, VIII, p. 69.
Gestroi Leoni, Mon. VII, p. 157, 170; VIII, p. 45. — Italien
var. *obliterata* Leoni, Mon. VII, p. 171; VIII, p. 45, 46.
var. *tyrrhena* Leoni, Mon. VII, p. 157, 171; VIII, p. 45, 46.
gibbicollis Perez, Ins. nuev. 1865, p. 34. — All. Mon. p. 217. — Spanien
♂ *angusta* All. Col. nouv. 1868, p. 2.

Fuentei Fairm. Bull. Soc. Ent. Fr. 1896, p. 345.
hebes Rosenh. Thiere Andalus. 1856, p. 200. — Baudi, Deutsche Ent. Zeitschr. XIX, 1875, p. 117.

gigas Dufour, Ann. Sc. Phys. Brux. VI, 1820, p. 309, t. 96, f. 3. — Perez, Ins. nuev. 1865, p. 49. — All. Mon. p. 278. — Spanien

glacialis Géné, Mem. Accad. Torin. 1839, p. 69, t. 1, f. 21, ♂, 22♀. — All. Mon. p. 203. — Desbr. Frelon. X, 1901, p. 19. — Leoni, Mon. VII, p, 158, 168; VIII, p. 76. — Sardinien

var. *Solarii* Leoni, Mon. VII, p. 158; VIII, p. 77.

Goryi Sol. Ann. Soc. Ent. Fr. V, 1836, p. 424. — All. Mon. p. 190. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 27. — Leoni, Mon. VII, p. 156, 171; VIII, p. 13. — Sicilien

var. *angustata* Leoni, l. c. p. 15. — Messina

var. *cribricollis* Leoni, l. c. p. 15. — „

Goudoti Sol. l. c. p. 457. — All. Mon. p. 277. — Spanien

gaditana Ramb. Fn. Andal. 1842, t. 20, f. 7.

var. *Perezi* Chevr. Rev. Zool. 1865, p. 390. — Perez, Ins. nuev. III, 1868, p. 71. — All. Mon. p. 277.

var. *ventricosa* Sol. Ann. Soc. Ent. Fr. V, 1836, p. 458. — All. Mon. p. 277.

gracilis All. Mon. p. 295. — „

grandipalpis All. Mon. p. 288. — Escal. Bol. Soc. Real Esp. VI, 1906, p. 308, 310. — „

granifera Sol. Ann. Soc. Ent. Fr. V, 1836, p. 460. — All. Mon. p. 273. — „

granulifera Chevr. Rev. Zool. 1840, p. 16. — All. Mon. p. 221. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 34. — „

grisea F. Spec. Ins. I, 1781, p. 89. — ? Sol. Ann. Soc. Ent. Fr. V, 1836, p. 415. — ? Muls. Col. Fr. Latigènes 1854, p. 88. — Kraatz, Berl. Ent. Zeitschr. XVIII, 1874, p. 106. — Italien

guanajuatensis Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 56. — Mexico

Henoni Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 486. — Algier

♂ *dissimilis* All. Col. nouv. 1868, p. 4; Mon. p. 241.

hesperica Ramb. Fn. Andalus. 1842, t. 20, f. 12. — Perez, Ins. nuev. 1865, p. 41. — All. Mon. p. 197. — Baudi, Deutsche Ent. Zeitschr. XIX, 1875, p. 113. — Escal. Bol. Soc. Real Esp. VI, 1906, p. 308, 309. — Spanien

hirsuta Lec. Ann. Lyc. N. York V, 1851, p. 127. — Horn, Revis. 1870, p. 286. — Californien

hispalensis Escal. Bol. Soc. Real Esp. VI, 1906, p. 308, 309. — Spanien

hispanica Sol. Ann. Soc. Ent. Fr. V, 1836, p. 461. — All. Mon. p. 279. — „

hispidula Lec. Ann. Lyc. N. York V, 1851, p. 127. — Horn, Revis. Tenebr. 1870, p. 286. — Californien

holosericea Germ. Ins. Spec. nov. 1824, p. 139. — Jacq. du Val, Genera Col. III, 1861, t. 64, f. 320. — All. Mon. p. 226. — Escal. Bol. Soc. Real Esp. I, 1901, p. 173; V, 1905, p. 383. — Spanien

Ramburi Sol. Ann. Soc. Ent. Fr. V, 1836, p. 438.

var. *bicostata* Escal. Bol. Soc. Real Esp. V, 1905, p. 386.

horrida Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 500, t. 22, f. 13. — Horn, Proc. Cal. Acad. Sc. (2) IV, 1894, p. 421. — Mexico, Texas

impetrata Horn, Proc. Cal. Acad. Sc. (2) IV, 1894, p. 418, t. 7, f. 6. — Californien

inaequalis Sol. Ann. Soc. Ent. Fr. V. 1836, p. 428. — All. Mon. p. 196. — Nordafrika

abrupta Fairm. Ann. Soc. Ent. Fr. (4) VII, 1867, p. 406.

incerta Leoni, Mon. VII, p. 159; VIII, p. 87. — Italien

induta Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 56, t. 3, f. 6. — Mexico

ingens Champ. l. c. 1892, p. 503, t. 22, f. 20. — ,,

inquinata Rosenh. Thiere Andalus. 1856, p. 195. — Ramb. Fn. Andal. 1842, t. 20, f. 3. — All. Mon. p. 222. — Baudi, Deutsche Ent. Zeitschr. XIX, 1875, p. 118. — Spanien

intermedia Escal. Bol. Soc. Real Esp. V, 1905, p. 432, 435. — Spanien

intricata Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 493, t. 22, f. 9. — Mexico

Jurinei Sol. Ann. Soc. Ent. Fr. V, 1836, p. 429. — Muls. Col. Fr. Latigènes 1854, p. 97. — All. Mon. p. 206. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 30. — Desbr. Frelon X, 1901, p. 16. — Leoni, Mon. VII, p. 159, 163, 177. — Spanien, Südfrankreich, Balearen

♀ *bigorrensis* Sol. l. c. p. 430. — Muls. l. c. p. 100.

Mahoni Boield. Ann. Soc. Ent. Fr. (4) V, 1865, p. 9, t. 1, f. 5.

Pazi Perez, Ins. nuev. 1865, p. 36.

var. *pyrennaea* Baudi, Deutsche Ent. Zeitschr. XIX, 1875, p. 117; Bull. Soc. Ent. Ital. VII, 1875, p. 31. — Pyrennäen

var. *Marmottani* Bris. Cat. Gren. 1863, p. 88. — All. Mon. p. 225. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 32. — Desbr. Frelon X, 1901, p. 18. — Frankreich

var. *subcylindrica* Leoni, Mon. VII, 179.

Biologie: Xambeu, Le Coléopteriste 1891, p. 116, 117; Ann. Soc. Linn. Lyon 1893, Sep. p. 148—150.

Kraatzi All. Mon. p. 293. — Kraatz, Deutsche Ent. Zeitschr. XX, 1876, p. 285. — Algier

laevicollis All. Mon. p. 243. — Baudi, Deutsche Ent. Zeitschr. XIX, 1875, p. 109. — ,,

laevis Sol. Ann. Soc. Ent. Fr. V, 1836, p. 464. — Guér. Ic. t. 29, f. 10 a. — Küst. Käf. Eur. 1849, XVI, 32. — All. Mon. p. 283. — Spanien

lapidaria Luc. Expl. Alg. 1849, p. 323, t. 29, f. 3. — All. Mon. p. 232. — Baudi, Deutsche Ent. Zeitschr. XIX, 1875, p. 110. — Algier

lata Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 60, t. 3, f. 18. — Mexico

laticollis Champ. l. c. p. 58, 496, t. 3, f. 7. — ,,

latissima Champ. l. c. 1892, p. 500, t. 22, f. 18. — ,,

Lazaroi Escal. Bol. Soc. Real Esp. VI, 1906, p. 235. — Spanien

lecta Péring. Ann. S. Afr. Mus. I, 1899, p. 265. — Natal

Leosinii Leoni Mon. VII, p. 154, 165, 226; VIII, p. 9. — Abruzzen

Lethierryi All. Col. nouv. 1868, p. 4; Mon. p. 236. — Tunis

lineatocollis Küst. Käf. Eur. 1849, XVI, 26. — All. Mon. p. 205. — Seidl. Naturg. Ins. Deutschl. V, 1898, p. 825. — Dalmatien, Montenegro

acuticollis All. Col. nouv. 1868, p. 2.
?*setulifera* Küst. Käf. Eur. 1849, XVI, 25. — All. Mon. p. 296.

lirata Lec. Proc. Acad. Phil. 1854, p. 223. — Horn, Revis. Tenebr. 1870, p. 283, t. 15, f. 10. — Neu-Mexico

longicollis Sol. Ann. Soc. Ent. Fr. V, 1836, p. 425. — All. Mon. p. 192. — Seidl. Naturg. Ins. Deutschl. V, 1898, p. 825. — Desbr. Frelon X, 1901, p. 15. — Leoni, Mon. VII, p. 155, 169; VIII, p. 47. — Corsika

longipennis Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 56, t. 3, f. 5. — Mexico

Lopezi Escal. Bol. Soc. Real Esp. VI, 1906, p. 383. — Spanien
var. *depilata* Escal. l. c.

lorcana Perez, Ins. nuev. 1865, p. 46. — Escal. Bol. Soc. Real Esp. I, 1901, p. 175; ibid. V, 1905, p. 384. — „

Lostiae All. Six Esp. Nouv. 1886, p. 5; Bull. Soc. Ent. Ital. XIX, 1887, p. 333. — Leoni, Mon. VII, p. 158, 167; VIII, p. 75. — Sardinien

luctata Horn, Revis. Tenebr. 1870, p. 286, t. 15, f. 17. — Californien

luctuosa Boisd. Voy. Astrol. II, 1835, p. 250, t. 7, f. 4. — Escal. Bol. Soc. Real Esp. I, 1901, p. 172; V, 1905, p. 382. — Spanien

Ludovici Perez, Ann. Soc. Esp. III, 1874, p. 136, t. 3, f. 1; Abeille XVII, 1879, Oeuvr. période., p. 57. — Ivica

Luigionii Leoni, Mon. VII, p. 152, 165; VIII, p. 40. — Italien
longicollis Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 28; Deutsche Ent. Zeitschr. XIX, 1875, p. 116.
var. *insularis* Leoni, Mon. VIII, p. 94.

lutosa Sol. Ann. Soc. Ent. Fr. V, 1836, p. 422. — Küst. Käf. Eur. 1849, XVI, 24. — All. Mon. p. 187. — Taurien

lutulenta Pér. Ann. S. Afr. Mus. I, 1899, p. 264. — Capland

macra Horn, Trans. Amer. Ent. Soc. X, 1882, p. 304, t. 9, f. 10. — Neu-Mexico, Arizona

mancipata Horn, l. c. VII, 1878, p. 56. — Neu-Mexico

marginata Lec. Ann. Lyc. N. York V, 1851, p. 128. — Horn, Revis. Tenebr. 1870, p. 288, t. 15, f. 2. — Californien
rimata Lec. Proc. Acad. Phil. VII, 1854, p. 223. — Horn, Revis. Tenebr. 1870, p. 288, t. 15, f. 4. — Neu-Mexico, Texas
subcostata Lec. Proc. Acad. Phil. VI, 1853, p. 446.

marginicollis Rosenh. Thiere Andalus. 1856, p. 197. — Ramb. Fn. Andalus. 1842, t. 20, f. 8. — All. Mon. p. 224. — Spanien

maroccana All. Col. nouv. 1868, p. 7; Mon. p. 260. — Marokko

Marseuli All. l. c. p. 8; Mon. p. 274. — Spanien

Martinezi Escal. Bol. Soc. Real Esp. I, 1901, p. 175; V, 1905, p. 384. — „

Martini Escal. l. c. III, 1903, p. 75; V, 1905, p. 384. — „

mauretanica Escal. l. c. IX, 1909, p. 135. — Marokko

mexicana Sol. Ann. Soc. Ent. Fr. V, 1836, p. 469, t. 11, f. 11—16, 18. — Cast. Hist. Nat. II, 1840, p. 206. — Mexico

minuta Ramb. Fn. Andalus. 1842, t. 20, f. 5. — All. Mon. p. 219. — Spanien

montana Baudi, Deutsche Ent. Zeitschr. XIX, 1875, p. 106. — Ramb. Fn. Andalus. 1842, t. 19, f. 6. — „

Moraguezi Schauf. Nunq. Otios. III, 1879, p. 534. — Balearen
morbillosa Lec. Proc. Acad. Phil. 1858, p. 74. — Horn, Revis. Tenebr. 1870, p. 284. — Sonora
moricoides Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 497, t. 22, f. 14. — Mexico
mossambica Pér. Ann. S. Afr. Mus. I, 1899, p. 263. — Mozambique
Muley-Hafidi Escal. Bol. Soc. Real. Esp. VII, 1907, p. 336. — Marokko
muricatula Lec. Ann. Lyc. N. York V, 1851, p. 129. — Horn, Revis. Tenebr. 1870, p. 286. — Californien
♂ *angustula* Cas. Ann. N. York Acad. V, 1890, p. 370, 503. — Horn, Trans. Amer. Ent. Soc. XX, 1893, p. 142.
namaqua Péring. Ann. S. Afr. Mus. I, 1899, p. 264. — Namaqualand
neglecta nom. nov.
parallela Lec. Ann. Lyc. N. York V, 1851, p. 128. — Horn, Revis. Tenebr. 1870, p. 285, t. 15, f. 14.
nerjenensis Escal. Bol. Soc. Real Esp. V, 1905, p. 433, 438. — Spanien
nigerrima All. Col. nouv. 1868, p. 5, Mon. p. 242. — Algier
nigroopaca Quedenf. Berl. Ent. Zeitschr. 1889, p. 398; Ent. Nachr. XVI, 1890, p. 64. — Heyden, Deutsche Ent. Zeitschr. 1890, p. 74. — Tripolis
novissima Escal. Bol. Soc. Real Esp. V, 1905, p. 432, 436. — Spanien
Oberthüri Escal. l. c. I, 1901, p. 175; V, 1905, p. 385. — „
obliterata Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 497. — Horn, Proc. Calif. Acad. Sc. (2) IV, 1894, p. 421. — Mexico, Arizona
oblonga Ramb. Fn. Andalus. 1842, t. 20, f. 4. — All. Mon. p. 207. — Escal. Bol. Soc. Real Esp. V, 1905, p. 432, 434. — Spanien
Bonvoulorii All. Col. nouv. 1868, p. 2; Mon. p. 210.
elongata Ramb. Fn. Andalus. 1842, t. 20, f. 9. — Perez, Ins. nuev. 1865, p. 39.
obovata Lec. Ann. Lyc. N. York V, 1851, p. 127. — Horn, Revis. Tenebr. 1870, p. 288. — Californien
obsoleta Lec. l. c. p. 128. — Horn, Revis. Tenebr. 1870, p. 285. — „
Olcesi Fairm. Ann. Soc. Ent. Fr. (4) VII, 1867, p. 405. — All. Mon. p. 229. — Escal. Bol. Soc. Real Esp. VII, 1907, p. 337. — Marokko
opaca Say, Journ. Acad. Phil. III, 1823, p. 254. — Lec. Ann. N. York Lyc. V, 1851, p. 127; Col. of Kansas 1859, p. 14, t. 1, f. 9; — Horn, Revis. Tenebr. 1870, p. 283. — Rocky-Mountains
opatroides All. Col. nouv. 1868, p. 6; Mon. p. 249. — Kraatz, Berl. Ent. Zeitschr. XX, 1876, p. 284. — Leoni, Mon. VII, p. 159, 166; VIII, p. 86. — Algier
sulcipennis Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 485. — All. Mon. p. 249.
parallela Sol. Ann. Soc. Ent. Fr. V, 1836, p. 459. — All. Mon. p. 282. — Spanien
Vuillefroyi Perez, Ins. nuev. III, 1868, p. 72.
Palmeri Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 59, t. 3, f. 12. — Mexico
Paulinoi Perez, Ins. nuev. III, 1868, p. 66. — Spanien
pauperata Péring. Ann. S. Afr. Mus. I, 1899, p. 262. — Capland
pilosula nom. nov. — Tunis
hispidula Pic, Échange 1903, p. 114.

Pirazzolii All. Mon. p. 200. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 31. — Leoni, Mon. VII, p, 153, 164, 182. Italien
var. *Baudii* Leoni, Mon. VII, p. 153, 164, 182.
var. *intermedia* Leoni, Mon. VII, p. 184.
planata Horn, Proc. Calif. Acad. Sc. (2) IV, 1894, p. 415. Californien
planipennis Schauf. Beitr. Col. Fn. Balear. 1869, p. 23. — All. Mon. p. 185. Balearen
platesthoides Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 71, 491, t. 2, f. 25. Mexico
polita Say, Journ. Acad. Phil. III, 1823, p. 255. — Horn, Revis. Tenebr. 1870, p. 283. Arkansas
politicollis Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 489. — All. Mon. p. 266. Nordafrika
porcata Sol. Ann. Soc. Ent. Fr. VII, 1836, p. 448. — Muls. Mém. Acad. Lyon IX, 1859, p. 107. — All. Mon. p. 268. — Geb. Deutsche Ent. Zeitschr. 1906, p. 213. Spanien
Zapateri Perez, Ann. Soc. Esp. I, 1872, p. 103, t. 1, f. 5; Abeille XVII, 1879, Oeuvr. période. p. 6.
pubescens Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 61. Mexico
pulchella Champ. l. c. p. 65, 491, t. 2, f. 17. „
puncticollis Sol. Ann. Soc. Ent. Fr. V, 1836, p. 439. — All. Mon. p. 234. Spanien
punctipennis Perez, Ins. nuev. 1865, p. 47; III, 1868, p. 79. — All. Mon. p. 275. „
pusillima Kraatz, Berl. Ent. Zeitschr. XVIII, 1874, p. 112. „
pygmaea Rosenh. Thiere Andalus. 1856, p. 199. — Ramb. Fn. Andalus. 1842, t. 20, f. 11. „
Paulinoi All. Mon. p. 182.
quadrata Esc. Bol. Real. Esp. V, 1905, p. 433, 439. „
quadricollis Horn, Trans. Amer. Ent. Soc. VIII, 1880, p. 151, t. 3, f. 9. Neu-Mexico
quadricostata All. Col. nouv. 1868, p. 3; Mon. p. 233. Algier
rectipennis Escal. Bol. Soc. Real. Esp. VI, 1906, p. 308, 312. Spanien
Reichei All. Col. nouv. 1868, p. 2; Mon. p. 211. Balearen
Cardonae Perez, Ins. nuev. III, 1868, p. 63.
horrens Schauf. Beitr. Col. Fn. Bal. 1869, p. 24.
Reitteri Geb. Wien. Ent. Zeitschr. XXVI, 1907, p. 248. Spanien
convexicollis All. Ann. Soc. Ent. Belg. XXVII, 1883, 1, p. 27.
reticulata Sol. Ann. Soc. Ent. Fr. V, 1836, p. 419. — All. Mon. p. 180. „
Ricoi Martinez y Saez, Ann. Soc. Esp. II, 1873, p. 412, t. 13, f. 14; Abeille XVII. 1879, Oeuvr. période. p. 43. „
robusta nom. nov.
puncticollis Lec. New Spec. Col. 1866, p. 111. — Horn, Revis. Tenebr. 1870, p. 287. Oregon
Rolphi Fairm. Ann. Soc. Ent. Fr. (4) VII, 1867, p. 404. — All. Mon. p. 258. Marokko
rotunda Escal. Bol. Soc. Real Esp. V, 1905, p. 432, 436. Spanien
ruficornis Sol. Ann. Soc. Ent. Fr. V, 1836, p. 421. — All. Mon. p. 181. — Desbr. Frelon X, 1901, p. 23. Nordafrika, ?Corsika
complanata Luc. Expl. Alg. 1849, p. 322, t. 29, f. 1.
rufipes Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 62, t. 3, f. 14. Mexico

rufomarginalis Escal. Bol. Soc. Real Esp. VI, 1906, p. 308, 310. — Spanien

rufopubens Escal. l. c. V, 1905, p. 385, 388. — ,,

var. *calva* Escal. l. c.

rugosa F. Syst. Ent. 1775, p. 252. — Marokko

Fabricii All. Col. nouv. 1868, p. 6. — Mon. p. 245.

depressa Sol. Ann. Soc. Ent. Fr. V, 1836, p. 444.

rustica Géné, Mem. Accad. Torin. 1839, p. 70, t. 2, f. 1. — All. Mon. p. 202. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 29. — Leoni, Mon. VII, p. 158, 168; VIII, p. 78. — Sardinien

var. *exculpta* Baudi, l. c. p. 30. — Leoni, Mon. VIII, p. 80.

var. *piriensis* Leoni, l. c. p. 79.

var. *undulata* Leoni, l. c. p. 81.

sabulosa Fuessl. Verz. Schweiz. Ins. 1775, p. 20. — Goeze, Ent. Beytr. I, 1777, p. 687. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 24. — Seidl. Naturg. Ins. V, 1893, p. 334, 824. — Desbr. Frelon XI, 1901, p. 12. — Leoni, Mon. VII, p. 152, 163, 172; VIII, p. 90. — Dalmatien, Triest, Tirol, Schweiz, Rheinland, Frankreich, Spanien, Algier, Ungarn

catenulata Muls. Col. Fr. Latigènes 1854, p. 92; Opusc. ent. V, 1854, p. 92. — All. Mon. p. 175. — Leoni, Mon. VIII, p. 87.

Duftschmidi Gemm. Col. Hefte VI, 1870, p. 122.

glabricosta Sol. Ann. Soc. Ent. Fr. V, 1836, p. 416.

grisea Latr. Hist. Nat. Crust. X, 1804, p. 270, t. 87, f. 8; Gen. Crust. Ins. II, 1807, p. 154. — Sol. l. c. p. 415. — Cast. Hist. Nat. II, 1840, p. 206. — Muls. Col. Fr. Latigènes 1854, p. 88. — Bach, Käferf. III, 1856, p. 215. — Redtenb. Fn. Austr. ed. II, 1858, p. 583; ibid. ed. III, 1872, 2, p. 87.

helvetica Sol. l. c. p. 418. — All. Mon. p. 176. — Baudi, Bull. Soc. Ent. It. VII, 1875, p. 25. — Leoni, Mon. VII, p. 173.

insidiosa Muls. Col. Fr. Latigènes 1854, p. 88.

morbillosa F. Syst. El. I, 1801, p. 140.

obesa All. Col. nouv. 1868, p. 1; Mon. p. 179. — Bedel, Bull. Soc. Ent. Fr. 1906, p. 92.

rugosa Fourcr. Ent. paris. 1785, p. 157. — All. Mon. p. 173.

undata F. Syst. El. I, 1801, p. 139. — Geb. Deutsche Ent. Zeitschr. 1906, p. 230.

variolosa F. Ent. Syst. Suppl. 1798, p. 45. — Panzer, Fauna Germ. Heft 74, 1801, Bl. 1.

vicina Sol. Ann. Soc. Ent. Fr. V, 1836, p. 417.

Biologie: Muls. Col. Fr. Latigènes 1854, p. 86.

Saintpierrei All. Col. nouv. 1868, p. 6; Mon. p. 239. — Algier

Sanchez-Gomezi Escal. Bol. Soc. Real Esp. I, 1901, p. 173; V, 1905, p. 384. — Spanien

var. *almeriensis* Escal. l. c. p. 174; l. c. p. 384. — ,,

sardiniensis All. Mon. p. 291. — Sardinien

sardoa Leoni, Mon. VII, p. 157, 168; VIII, p. 82.

scabrata Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 485. — All. Mon. p. 244. — Algies

scabrosa All. Col. nouv. 1868, p. 8; Mon. p. 270. — Spanien

Schrammi Escal. Bol. Soc. Real Esp. VI, 1906, p. 193. — ,,

scutellaris Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 57, 496, t. 3, f. 9. — Mexico

segregata Champ. l. c. 1892, p. 497. — „

segurensis Esc. Bol. Soc. Real Esp. V, 1905, p. 433, 439. — Spanien

semilaevis Horn, Revis. Tenebr. 1870, p. 284, t. 15, f. 6. — Nevada

sericea Ol. Ent. III, 1795, 56, p. 5, t. 1, f. 3. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 431, t. 11, f. 5. — Muls. Col. Fr. Latigènes 1854, p. 101. — All. Mon. p. 199. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 33. — Desbr. Frelon XI, 1901, p. 17. — Leoni, Mon. VII, p. 159, 163, 176. — Südfrankreich, Spanien, Algier

difficilis All. Mon. p. 200.

serpiginosa Er. Wagn. Reise III, 1841, p. 180, t. 7. — All. Mon. p. 248. — ,

serripes Chevr. Ann. Soc. Esp. III, 1874, p. 157; Abeille XVII, 1879, Oeuvr. période. p. 68. — Spanien

Servillei Sol. Ann. Soc. Ent. Fr. V, 1836, p. 443. — All. Mon. p. 251. — Baudi, Deutsche Ent. Zeitschr. XIX, 1875, p. 112. — Nordafrika

♀ *miliaris* Er. Wagn. Reise III, 1841, p. 179, t. 7. — Küst. Käf. Eur. 1849, XVI, 30.

♀ *Dufouri* Baudi, Deutsche Ent. Zeitschr. XIX, 1875, p. 110. — Spanien

setigera nom. nov.

setosa Perez, Ann. Soc. Esp. III, 1874, p. 139, t. 3, f. 2; Abeille XVII, 1879, Oeuvr. période. p. 59. — Escal. Bol. Soc. Real Esp. V, 1905, p. 433, 441. — „

setipennis All. Mon. p. 218. — „

setosa Pall. Ic. I, 1781, p. 42, t. C, f. 7. — Capland

sexcostata Lec. Proc. Acad. Phil. 1861, p. 337. — Horn, Revis. Tenebr. 1870, p. 285, t. 15, f. 9. — Californien

sibirica Sol. Ann. Soc. Ent. Fr. V, 1836, p. 462. — All. Mon. p. 282. — Kraatz, Berl. Ent. Zeitschr. XX, 1876, p. 285. — ? Sibirien

sicula Sol. Ann. Soc. Ent. Fr. V, 1836, p. 454. — Er. Arch. Naturgesch. 1837, II, p. 301. — Küst. Käf. Eur. 1849, XVI, 31. — All. Mon. p. 286. Leoni, Mon. VII, p. 159, 163, 166; VIII, p. 83. — Sicilien

♀ *grossa* Sol. l. c. p. 453.

silphoides L. Syst. Nat. ed. XII, 1767, p. 677. — Ol. Ent. III, 1795, 59, p. 21, t. 3. f. 33. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 442. — Cast. Hist. Nat. II, 1840, p. 206. — Küst. Käf. Eur. 1849, XVI, 29. — All. Mon. p. 240. — Kraatz, Berl. Ent. Zeitschr. XX, 1876, p. 283. — Nordafrika

granulata F. Mant. I, 1787, p. 49. — All. Mon. p. 240.

laevigata F. Syst. Ent. I, 1792, p. 108; Syst. El. I, 1801, p. 139. — Luc. Expl. Alg. 1849, p. 324.

sinuaticollis Sol. Ann. Soc. Ent. Fr. V, 1836, p. 433. — Luc. Expl. Alg. 1849, p. 321, t. 29, f. 2. — All. Mon. p. 208. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 33. — Algier

Solieri Géné, Bull. Soc. Ent. Fr. 1836, p. IV; Mem. Acc. Torin. 1836, p. 197, t. 1, f. 28. — All. Mon. p. 183. — Leoni, Mon. VII, p. 158, 167; VIII, p. 73. — Sardinien

sordida Lec. Proc. Ac. Phil. VI, 1853, p. 445; Col. Kansas 1859, p. 14, t. 1, f. 11♀. — Horn, Revis. Tenebr. 1870, p. 283.	Arkansas, Neu-Mexico,
aeger Lec. Journ. Ac. Phil. 1858, p. 19.	Arizona,
costipennis Lec. l. c. p. 20.	Mexico
interrupta Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 53, 492.	
irregularis Lec. Journ. Ac. Phil. 1858, p. 19.	
rugosissima Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 53, t. 3, f. 1.	
sphaericollis Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 64, 502, t. 3, f. 15.	,,
spinimanus Champ. l. c. 1892, p. 494, t. 22, f. 11.	,,
squalida All. Mon. p. 289.	Spanien
squamulata Leoni, Mon. VIII, p. 88.	Corsica
stigmaticollis Fairm. Trans. S. Afr. Phil. Soc. IV, 1886, p. 198.	Capland
subcostata Sol. Ann. Soc. Ent. Fr. V, 1836, p. 446. — All. Mon. p. 254.	Algier
♂ *affinis* Luc. Expl. Alg. 1849, p. 323.	
subpilosa Sol. l. c. p. 490, t. 12, f. 10, 13.	Mexico
subvittata Horn, Proc. Calif. Acad. Sc. (2) IV, 1894, p. 416.	Californien
sulcata All. Col. nouv. 1868, p. 5; Mon. p. 271.	Spanien
suturalis Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 55, 494, t. 3, f. 4.	Mexico
syriaca All. Col. nouv. 1868, p. 9; Mon. p. 287. — Kraatz, Berl. Ent. Zeitschr. XX, 1876, p. 285. — Leoni, Mon. VII, p. 85.	Syrien, Malta
melitana Reitt. Wien. Ent. Zeit. XIII, 1894, p. 82. — Leoni, l. c. p. 93.	
tangeriana Sol. Ann. Soc. Ent. Fr. V, 1836, p. 456. — All. Mon. p. 270.	Tanger
tarda Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 498, t. 22, f. 17.	Mexico
tenebrosa Champ. l. c. p. 495, t. 22, f. 12.	,,
tenuecostata Fairm. Ann. Soc. Ent. Fr. (5) X, 1880, p. 250; Natural. II, 1880, p. 190.	Marokko
thoracica Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p.62.	Mexico
transvaalensis Pér. Ann. S. Afr. Mus. I, 1899, p. 260.	Transvaal
tricostata All. Col. nouv. 1868, p. 4; Mon. p. 238.	Algier
tristis Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 55.	Mexico
trivialis Fåhrs. Oefv. Vet.-Ak. Förh. XXVII, 1870, p. 257.	Caffrarien
Truquii Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 64, 491, t. 2, f. 15.	Mexico
tuberculata All. Col. nouv. 1868, p. 7; Mon. p. 263.	Algier
Tournieri All. l. c. p. 8; Mon. p. 264. — Kraatz, Berl. Ent. Zeitsch. XX, 1876, p. 284. — Leoni, Mon. VII, p. 159, 166; VIII, p. 85.	Sicilien
tuberculifera All. Col. nouv. 1868, p. 6; Mon. p. 259.	Algier
turbida Pér. Ann. S. Afr. Mus. I, 1899, p. 263.	Capland
umbrina Pér. l. c. p. 263.	Mozambique
umbrosa Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 62, t. 3, f. 17.	Mexiko
unicostata Champ. l. c. 1892, p. 501, t. 22, f. 19.	,,
unigena Pér. Ann. S. Afr. Mus. I, 1899, p. 265, t. 6, f. 8.	Capland
vagecostata Fairm. Ann. Mus. Genova VII, 1875, p. 528.	Tunis
Vaucheri Escal. Bol. Soc. Real Esp. VII, 1907, p. 339.	Spanien
villosa Champ. Biol. Centr.-Amer. Col. IV, 1, 1894, p. 60, t. 3, f. 13.	Mexico

villososulcata All. Col. nouv. 1868, p. 3; Mon. p. 247. Algier
Volxemi Escal. Bol. Soc. Real Esp. V, 1905, p. 384, 387. Spanien
Wickhami Horn, Proc. Calif. Acad. Sc. (2) IV, 1894, p. 420, t. 7, f. 7. Arizona
zambesiana Pér. Ann. S. Afr. Mus. I, 1899, p. 261. Zambesia
zula Péring. l. c. p. 260. Zululand
284

Cardiogenius Sol.

Sol. Ann. Soc. Ent. Fr. V, 1836, p. 492. — Lacord. Genera Col. V, 1859, p. 163. — Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 468.

cicatricosus Sol. Ann. Soc. Ent. Fr. V, 1836, p. 494, t. 12, f. 15—20. Chile
crinifer Fairm. Ann. Mus. Genova IV, 1873, p. 532. Montevideo
hirsutus Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 469.
densegranatus Fairm. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 245. Argentinien
granulatus Fairm. Ann. Mus. Genova IV, 1873, p. 532. Montevideo
cicatricosus Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 469.
variolosus Burm. Stett. Ent. Zeit. XXXVIII, 1877, p. 68.
laticollis Sol. Ann. Soc. Ent. Fr. V, 1836, p. 496. — Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 468. Argentinien
porculus Berg, An. Univ. Buenos Aires VI, 1889, p. 133 (31). „
subcostatus Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 469. Montevideo
Haag, Stett. Ent. Zeit. XXXVII, 1876, p. 108.
7

Scotinus Kirby.

Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 415. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 496. — Cast. Hist. Nat. II, 1840, p. 207. — Lacord. Genera Col. V, 1859, p. 164.

biplicatus Fairm. Compt. rend. Soc. Ent. Belg. 1889, p. XXXII. Minas Geraës
crenicollis Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 415, t. 21, f. 14. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 499, t. 13, f. 1, 3—6, 8—9, 11—12. — Cast. Hist. Nat. II, 1840, p. 207. Brasilien
crucifer Eschsch. Zool. Atl. IV, 1831, p. 14. „
parvicollis Fairm. Compt. rend. Soc. Ent. Belg. 1889, p. XXXIII. Minas Geraës
pictus Perty, Del. anim. art. 1830, p. 56, t. 12, f. 3. Brasilien
platynotus Perty, l. c. p. 56, t. 12, f. 2. „
quadricollis Eschsch. Zool. Atl. IV, 1831, p. 14, t. 18, f. 8. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 501, t. 12, f. 2. 7. „
grammicus Perty, Del. anim. art. 1830, p. 57, t. 12, f. 4.
tuberculatus Eschsch. Zool. Atl. IV, 1831, p. 14. „
brasiliensis Sol. Ann. Soc. Ent. Fr. V, 1836, p. 500, t. 12, f. 10. — Guér. Icon. règne anim. 1829—38, t. 29, f. 9a—b.
8

Scotinesthes Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 19.

acuticosta Fairm. l. c. p. 19. Madagaskar
antavarus Ancey, Nat. Sicil. II, 1883, p. 118. — Fairm. l. c. p. 21. ,,
asidinus Fairm. Mém. Soc. Zool. Fr. XII, 1899, p. 19. ,,
asperulus Fairm. Ann. Soc. Ent. Belg. XLIV, 1900, p. 245. ,,
tuberculosus Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 383. ,,

5

Parecatus Fairm.

Fairm. Ann. Soc. Ent. Belg. XLIV, 1900, p. 245.

costulatus Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 20. Madagaskar
dorsoplicatus Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 206. ,,
incisicollis Fairm. Rev. d'Ent. XX, 1901, p. 182. ,,
interruptus Fairm. l. c. p. 182. ,,
machloides Fairm. l. c. p. 183; Ann. Soc. Ent. Belg. XLVII, 1903, p. 363. ,,
plicatulus Fairm. Ann. Soc. Ent. Belg. XLIV, 1900, p. 245. ,,

6

Dysarchus Pasc.

Pascoe, Journ. of Ent. II, 1866, p. 449.

Odewahni Pasc. l. c. p. 449. Südaustralien

1

XXXVII. Nycteliinae.

Solier, Ann. Soc. Ent. Fr. V, 1836, p. 303. — Lacordaire, Genera Col. V, 1859, p. 165. — Fairmaire, Ann. Soc. Ent. Fr. (5) VI, 1876, p. 143 (Mon.). — Burmeister, Stett. Ent. Zeit. XXXVI, 1875, p. 469. — Casey, Proc. Wash. Ac. Sc. X, 1908, p. 161.

Gyriosomus Guér.

Guér. Mag. Zool. 1834, Mélas. p. 6. — Sol. in Gay, Hist. Chile V, 1851, p. 217; Studi entom. 1848, p. 337. — Lacord. Genera Col. V, 1859, p. 166. — Fairm. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 144 (Mon.).

affinis Reed, Ent. Monthly Mag. IX, 1873, p. 208. — Fairm. Mon. p. 149. Chile
angustus Phil. Stett. Ent. Zeit. XXV, 1864, p. 347. — Fairm. Mon. p. 148. ,,
atacamensis Fairm. Mon. p. 146. ,,

Batesi Fairm. Mon. p. 148. Chile
Whitei Sol. in Gay, Hist. Chile V, 1851, p. 224.
Bridgesi Wat. Ann. Mag. Nat. Hist. XII, 1843, p. 258. „
— Sol. in Gay, Hist. Chile V, 1851, p. 222. — Fairm. Mon. p. 151.
carinatus Sol. Studi ent. 1848, p. 365.
coriaceus Fairm. Bull. Soc. Ent. Fr. 1886, p. CLXX. „
crispaticollis Fairm. l. c. p. CLXX. „
Curtisi Fairm. Mon. p. 153. „
elongatus Waterh. Ann. Mag. Nat. Hist. XII, 1843, p. 260. „
— Fairm. Mon. p. 144.
foveopunctatus Fairm. Mon. p. 153. „
granocostatus Fairm. Bull. Soc. Ent. Fr. 1886, p. CLXX. „
Hopei Gray in Griff. Anim. Kingd. 1832, Index, t. 50, f. 6, t. 69, f. 6. — Cast. Hist. Nat. II, 1840, p. 189. — Sol. Studi ent. 1848, p. 363. — Fairm. Mon. p. 152. „
semipunctatus Sol. Studi ent. 1848, p. 364; in Gay, Hist. Chile V, 1851, p. 223.
impressus Guér. Mag. Zool. 1834, Mélas. p. 6. — Sol. Studi entom. 1848, p. 359; in Gay, Hist. Chile V, 1851, p. 220. — Fairm. Mon. p. 155. „
var. *fossulatus* Sol. Studi ent. 1848, p. 359. Peru
incertus Sol. in Gay, Hist. Chile V, 1851, p. 218. — Fairm. Mon. p. 147. Chile
Kingi Reed, Ent. Monthly Mag. IX, 1873, p. 207. — Fairm. Mon. p. 149. „
laevigatus Guér. Mag. Zool. 1834, Mélas. p. 6, t. 103, f. 3. — Sol. Studi ent. 1848, p. 361, t. 15, f. 14—17; in Gay, Hist. Chile V, 1851, p. 218, t. 20, f. 1. — Fairm. Mon. p. 155. „
lineatus Guér. Mag. Zool. 1834, Mélas. p. 7. — Fairm. Mon. p. 146. Peru
Luczoti Cast. Hist. Nat. II, 1840, p. 189. — Sol. Studi ent. 1848, p. 362; in Gay, Hist. Chile V, 1851, p. 221. — Chevr. Ic. règne anim., t. 28, f. 5 a, b. — Fairm. Mon. p. 150. Chile
curvilineatus Guér. Mag. Zool. 1834, Cl. IX, t. 103, f. 2.
marmoratus Waterh. Ann. Mag. Nat. Hist. XII, 1843, p. 259. — Fairm. Mon. p. 154. „
parvus Sol. in Gay, Hist. Chile V, 1851, p. 222. — Fairm. Mon. p. 146. „
Paulseni Fairm. Bull. Soc. Ent. Fr. 1886, p. CLXX. „
planatus Sol. in Gay, Hist. Chile V, 1851, p. 219. — Fairm. Mon. p. 145. „
subrugatus Fairm. Mon. p. 147. „
Waterhousei Fairm. Mon. p. 151. „
Whitei Waterh. Ann. Mag. Nat. Hist. XIII, 1844, p. 50. — Fairm. Mon. p. 150. „

Nyctelia Latr.

Latr. Fam. Nat. 1825, p. 375. — Solier, Ann. Soc. Ent. Fr. V, 1836, p. 308; in Gay, Hist. Chile V, 1851, p. 139. — Lacord. Genera Col. V, 1859, p. 167. — Fairm. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 156 (Mon).

Nyctelioma Casey, Proc. Wash. Acad. Sc. X, 1908, p. 163.

alutacea Fairm. Mon. p. 158. — Argentinien
angustata Waterh. Proc. Zool. Soc. 1841, p. 116; Ann. Mag. Nat. Hist. X, 1842, p. 142. — Fairm. Mon. p. 168. — Patagonien
bifoveata Fairm. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 294. — Catamarca
blapsoides Fairm. l. c. p. 293. — Rio Negro
Bremei Waterh. Ann. Mag. Nat. Hist. XIII, 1844, p. 48. — Curtis, Trans. Linn. Soc. Lond. 1845, p. 464. — Fairm. Mon. p. 167. — Argentinien
caudata Curt. l. c. p. 462, t. 41, f. 9. — Fairm. Mon. p. 162. — Patagonien
cicatricula Berg, An. Univ. Buen.-AiresVI, 1889, p. 130 (28). — Neuquen
circumundata Lesne, Bull. Mus. Paris 1906, p. 15; Exped. antarct. Col. 1907, p. 6, f. 1. — Patagonien
confluens Fairm. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 292. — Feuerland
corrugata Curt. Trans. Linn. Soc. Lond. XIX, 1845, p. 465, t. 41, f. 14. — Fairm. Mon. p. 164. — Patagonien
crassecostata Fairm. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 295. — Rio Negro
Darwini Waterh. Proc. Zool. Soc. 1841, p. 108; Ann. Mag. Nat. Hist. X, 1842, p. 135. — Fairm. Mon. p. 157. — Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 472; XXXVIII, 1877, p. 69. — Patagonien
discoidalis Fairm. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 292. — ,,
dorsata Fairm. l. c. p. 295. — ,,
exasperata Fairm. l. c. p. 292. — Buenos-Aires
explanata Cas. Proc. Wash. Ac. Sc. X, 1908, p. 163. — Mendoza
Fitzroyi Waterh. Proc. zool. Soc. Lond. 1841, p. 109. — Curtis, Trans. Linn. Soc. Lond. 1845, p. 463, t. 41, f. 11. — Sol. in Gay, Hist. Chile V, 1851, p. 140. — Fairm. Mon. p. 156. — Burm. Stett. Ent. Zeit. XXXVIII, 1877, p. 69. — Patagonien
Garciae Berg, An. Univ. Buen.-Aires VI, 1889, p. 132 (30). — Pampas
geometrica Fairm. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 292. — Patagonien
grandis Fairm. Bull. Soc. Ent. Fr. 1904, p. 62. — Neuquen
granulata Waterh. Proc. Zool. Soc. Lond. 1841, p. 109; Ann. Mag. Nat. Hist. X, 1842, p. 136. — Fairm. Mon. p. 167. — Patagonien
granulosa Gemm. Col. Hefte VI, 1870, p. 122. — Fairm. Mon. p. 168. — ,,
granulata Curt. Trans. Linn. Soc. Lond. XIX, 1845, p. 464, t. 41, f. 12.
Guerini Waterh. Proc. Zool. Soc. Lond. 1841, p. 114; Ann. Mag. Nat. Hist. X, 1842, p. 141. — Fairm. Mon. p. 161. — ,,
laevis Waterh. l. c. p. 105; l. c. p. 132; XIII, 1844, p. 50. — Fairm. Mon. p. 159. — ,,
var. *rufipes* Waterh. l. c. p. 106; l. c. p. 113.
laticauda Burm. Stett. Ent. Zeit. XXXVIII, 1877, p. 69. — Neuquen.
longeplicata Fairm. Ann. Soc. Ent. Belg. XLIV, 1900, p. 111. — Résult. Belgica Zool. Ins. 1907, p. 41, t. 1, f. 12. — Patagonien
multicristata Blanch. in Gay, Hist. Chile V, 1851, p. 141; Voy. Pole Sud IV, 1853, p. 143, t. 10, f. 1. — — Fairm. Mon. p. 167. — Magellan
Newporti Waterh. Proc. Zool. Soc. Lond. 1841, p. 113; Ann. Mag. Nat. Hist. X, 1842, p. 140. — Fairm. Mon. p. 158. — Patagonien

nodosa Germ. Ins. Spec. nov. 1824, p. 133. — Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 471. — Fairm. Mon. p. 169. — Argentinien

oblita Fairm. Mon. p. 160. — Patagonien

parcepunctata Fairm. Mon. p. 166. — Mendoza

pinguis Fairm. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 293. — Rio Negro

planicauda Fairm. l. c. p. 294. — Patagonien

plicata Waterh. Proc. Zool. Soc. 1841, p. 107. Ann. Mag. Nat. Hist. X, 1842, p. 133. — Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 473. — Fairm. Mon. 165. — ,,

plicatipennis Lacord. Ann. Sc. Nat. XX, 1830, p. 279. — Fairm. Mon. p. 161. — ,,

transversosulcata Waterh. Proc. Zool. Soc. Lond. 1841, p. 106; Ann. Mag. Nat. Hist. X, 1842, p. 133; XIII, 1844, p. 44.

porcata Burm. Stett. Ent. Zeit. XXXVIII, 1877, p. 69. — Neuquen

producta Fairm. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 295. — Patagonien

puncticollis Waterh. Proc. Zool. Soc. Lond. 1841, p. 110; Ann. Mag. Nat. Hist. X, 1842, p. 136. — Fairm. Mon. p. 159. — ,,

latissima Blanch. Voy. d'Orb. 1843, p. 196, t. 13, f. 9.

quadricarinata Fairm. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 293. — Rio Negro

quadricollis Fairm. l. c. p. 296. — Mendoza

quadriplicata Fairm. Bull. Soc. Ent. Fr. 1904, p. 63. — Chubut

rectestriata Fairm. Mon. p. 162. — Patagonien

rotundipennis Fairm. Bull. Soc. Ent. Fr. 1904, p. 63. — Rio Negro

rugosa Waterh. Proc. Zool. Soc. 1841, p. 111; Ann. Mag. Nat. Hist. X, 1842, p. 138. — Burm. Stett. Ent. Zeit. XXXVI, p. 473. — Fairm. Mon. p. 168. — Patagonien

plicata Blanch. Voy. d'Orb. 1843, p. 196, t. 13, f. 10.

plicipennis Gemm. Col. Hefte VI, 1870, p. 123.

rustica Waterh. Ann. Mag. Nat. Hist. XIII, 1844, p. 43.

Sallaei Fairm. Mon. p. 163. — ,,

Saundersi Waterh. Proc. Zool. Soc. Lond. 1841, p. 111; Ann. Mag. Nat. Hist. X, 1842, p. 137. — Fairm. Mon. p. 163. — ,,

Solieri Waterh. l. c. p. 108; l. c. p. 134. — Fairm. Mon. p. 163. — ,,

Stephensi Waterh. l. c. p. 113; l. c. p. 139. — Fairm. Mon. p. 158. — ,,

subsulcata Waterh. l. c. p. 110; l. c. p. 137. — Fairm. Mon. p. 160. — Mendoza

sulcicollis Waterh. l. c. p. 115; l. c. p. 141. — Fairm. Mon. p. 370. — Patagonien

abnormis Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 476; XXXVIII, 1877, p. 69.

suturacava Fairm. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 291. — Rio Negro

timarchoides Fairm. l. c. p. 291. — Patagonien

undatipennis Curt. Trans. Linn. Soc. Lond. XIX, 1845, p. 463, t. 41, f. 10. — Fairm. Mon. p. 165. — ,,

unicostata Fairm. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 294. — ,,

vageimpressa Fairm. Bull. Soc. Ent. Fr. 1904, p. 62. — Catamarca
varipes Fairm. Mon. p. 169. — Chile
nodosa Sol. Ann. Soc. Ent. Fr. V, 1836, p. 310, t. 6, f. 1—8; in Gay, Hist. Chile V, 1851, p. 140.
aequicostata Sol. l. c. p. 140.
brunnipes Latr. Dict. Hist. Nat. XIII, 1804, p. 575. — Guér. Mag. Zool. 1834, Cl. IX, p. 3, t. 102, f. 2. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 310.
nigripes Sol. l. c. p. 310.
vulcanica Fairm. Mon. p. 170. — Tucuman
Westwoodi Waterh. Proc. Zool. Soc. Lond. 1841, p. 112; Ann. Mag. Nat. Hist. X, 1842, p. 139. — Fairm. Mon. p. 166. — Patagonien

57

Epipedonota Sol.

Sol. Ann. Soc. Ent. Fr. V, 1836, p. 342; in Gay, Hist. Chile V, 1851, p. 157. — Lacord. Genera Col. V, 1859, p. 169. — Fairm. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 341 (Mon.).

Callyntra Sol. Ann. Soc. Ent. Fr. V, 1836, p. 335; in Gay, Hist. Chile V, 1851, p. 153.

alticola Kirsch, Berl. Ent. Zeitschr. XXX, 1886, p. 332. — Bolivien
andina Germain, An. Univ. Chili 1854, p. 329. — Fairm. Mon. p. 347. — Chile
angusta Burm. Stett. Ent. Zeit. XXXII, 1875, p. 479. — Fairm. Mon. p. 353. — Catamarca
biramosa Berg, Mus. Nacion. Buen. Aires, 1901, p. 271. — Neuquen
carbonaria Phil. Stett. Ent. Zeit. XXV, 1864, p. 334. — Fairm. Mon. p. 346. — Chil. Anden
ebenina Lacord. Ann. Sc. Nat. XX, 1830, p. 278. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 343, t. 7, f. 14—17. — Cast. Hist. Nat. II, 1840, p. 189. — Fairm. Mon. p. 350. — Argentinien
var. *affinis* Waterh. Proc. Zool. Soc. Lond. 1841, p. 118; Ann. Mag. Nat. Hist. 1842, X, p. 144. — Sol. in Gay, Hist. Chile V, 1851, p. 159. — Fairm. Mon. p. 351. — Chile
var. *bonariensis* Waterh. Proc. Zool. Soc. Lond. 1841, p. 119; Ann. Mag. Hist. X, 1842, p. 145. — Fairm. Mon. p. 352 nota. — Buenos-Aires
var. *cristallisata* Lacord. Ann. Sc. Nat. XX, 1830, p. 278. — Waterh. Ann. Mag. Nat. Hist. XIII, 1844, p. 41. — Fairm. Mon. p. 352. — Patagonien
var. *erythropus* Lacord. Ann. Sc. Nat. XX, 1830, p. 278. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 345. — Cast. Hist. Nat. II, 1840, p. 189. — — Fairm. Mon. p. 350. — Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 476. — Nördl. Argentin.
var. *margineplicata* Curt. Trans. Linn. Soc. Lond. XIX, 1845, p. 467, t. 41, f. 16. — Fairm. Mon. p. 351. — Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 478. — Patagonien
var. *nitida* Phil. Stett. Ent. Zeit. XXIX, 1864, p. 335. — Fairm. Mon. p. 352. — Anden

var. *senex* Lacord. Ann. Sc. Nat. XX, 1830, p. 278. — Waterh. Ann. Mag. Nat. Hist. XIII, 1844, p. 41. — Fairm. Mon. p. 351. — Mendoza

— **expansicollis** Fairm. Mon. p. 344. — Chile

intercostata Berg, Mus. Nac. Buen. Aires 1901, p. 269. — Nördl. Argentinien

laevisulcata Fairm. Mon. p. 354. — Mendoza, Chile

lata Waterh. Proc. Zool. Soc. Lond. 1841, p. 119; Ann. Mag. Nat. Hist. X, 1842, p. 146. — Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 478. — Fairm. Mon. p. 349. — Berg, Com. Mus. Nacion. Buenos Aires 1901, p. 268. — Patagonien

laticollis Phil. Stett. Ent. Zeit. XXV, 1864, p. 333. — Fairm. Mon. p. 343. — Chile

macrocosta Guér. Mag. Zool. 1834, Melas. p. 4. — Waterh. Ann. Mag. Nat. Hist. XIII, 1844, p. 48. — Fairm. Mon. p. 346. — ,,

major Germain, Ann. Univ. Chil. 1854, p. 329.

microdera Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 479. — Fairm. Mon. p. 353. — Pampas

monilis Lacord. Ann. Sc. Nat. XX, 1830, p. 278. — Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 478. — Fairm. Mon. p. 349. — Berg, Com. Mus. Nacion. Buenos Aires 1901, p. 267. — Argentinien

multicosta Guér. Mag. Zool. 1834, Mélas. p. 5. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 337, t. 7, f. 10—13. — Cast. Hist. Nat. II, 1840, p. 189. — Sol. in Gay, Hist. Chile V, 1851, p. 154, t. 18, f. 10. — Fairm. Mon. p. 341. — Chile

rufipes Sol. Ann. Soc. Ent. Fr. V, 1836, p. 340; in Gay, Hist. Chile V, 1851, p. 155. — Fairm. Mon. p. 342.

vicina Sol. l. c. p. 339. — Fairm. Mon. p. 342.

opaca Kirsch, Berl. Ent. Zeitschr. XXX, 1886, p. 333. — Bolivien

Paulseni Fairm. Bull. Soc. Ent. Fr. 1885, p. CLVI. — Chile

planiuscula Fairm. Mon. p. 348. — ,,

reticulata Blanch. Voy. d'Orb. 1843, p. 196, t. 14, f. 1. — Fairm. Mon. p. 355. — Patagonien

rugosa Waterh. Proc. Zool. Soc. Lond. 1841, p. 117. — Sol. in Gay, Hist. Chile V, 1851, p. 158. — Fairm. Mon. p. 345. — Chile

anthracina Germain, Ann. Univ. Chile 1854, p. 331. — ,,

— **rugulosa** Gemm. Col. Hefte VI, 1870, p. 122. — Fairm. Mon. p. 345.

rugosa Sol. in Gay, Hist. Chile V, 1851, p. 155.

Servillei Sol. Ann. Soc. Ent. Fr. V, 1836, p. 341. — Fairm. Mon. p. 343. — Peru

strigosicollis Fairm. Bull. Soc. Ent. Fr. 1904, p. 63. — Catamarca

sublineata Berg, Com. Mus. Nacion. Buenos Aires 1901, p. 270. — Salta

subplana nom. nov. — Neuquen

planiuscula Fairm. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 297.

tricostata Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 479. — Fairm. Mon. p. 354. — Berg, Com. Mus. Nacion. Buenos Aires 1901, p. 267. — Patagonien

unicosta Sol. in Gay, Hist. Chile V, 1851, p. 156. — Fairm. Mon. p. 347. — Chile

Asidelia Fairm.

Fairm. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 296.

contracta Fairm. l. c. p. 296. Santa Cruz
1

Psectrascelis Sol.

Sol. Ann. Soc. Ent. Fr. V, 1836, p. 311; in Gay, Hist. Chile V, 1851, p. 142. — Cast. Hist. Nat. II, 1840, p. 188. — Lacord. Genera Col. V, 1859, p. 170. — Fairm. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 356 (Mon.).

Cerostena Sol. Ann. Soc. Ent. Fr. V, 1836, p. 325; in Gay, Hist. Chile V, 1851, p. 148. — Lacord. Genera Col. V, 1859, p. 170.

aequalis Fairm. Mon. p. 363. Bolivien?
ambigena Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 463. Tucuman
arenaria Germain, Ann. Univ. Chile 1855, p. 399. — Fairm. Mon. p. 365. Chile
cariosicollis Fairm. Bull. Soc. Ent. Fr. 1904, p. 64. Catamarca
cinerea Sol. Ann. Soc. Ent. Fr. V, 1836, p. 147. — Fairm. Mon. p. 367. Chile
conjungens Fairm. Mon. p. 359. Bolivien
convexipennis Fairm. Mon. p. 370. Patagonien
coriaria Fairm. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 297. Catamarca
costipennis Fairm. Mon. p. 366. Mendoza
crassicosta Fairm. Rev. Mag. Zool. 1878, p. 269. Chile
cribrata Blanch. Voy. d'Orb. 1843, p. 195, t. 13, f. 7. — Fairm. Mon. p. 360. Patagonien
deplanata Lacord. Ann. Sc. Nat. XX, 1830, p. 280. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 326, t. 6, f. 17—22; in Gay, Hist. Chile V, 1851, p. 149. — Cast. Hist. Nat. II, 1840, p. 188. — Fairm. Mon. p. 368. Argentinien
discicollis Lacord. l. c. p. 280. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 320. — Guér. Mag. Zool. Cl. IX, 1834, t. 102, f. 3. — Fairm. Mon. p. 364. Nördl. Argentinien
elongata Sol. in Gay, Hist. Chile V, 1851, p. 144. — Fairm. Mon. p. 358. Chile
impressicollis Germain, Ann. Univ. Chile 1855, p. 398. — Fairm. Mon. p. 366. ,,
infravestita Fairm. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 297. Catamarca
intricaticollis Fairm. Mon. p. 356. Bolivien
laevigata Er. Nov. Act. Ac. Car. Leop. 1834, p. 245, t. 38, f. 3. — Fairm. Mon. p. 364. Peru, Bolivien
glabrata Sol. Ann. Soc. Ent. Fr. V, 1836, p. 322, t. 6, f. 16.
Klugi Waterh. Ann. Mag. Nat. Hist. XIII, 1844, p. 44.
lateripunctata Fairm. Mon. p. 362. Bolivien
mamillonea Lacord. Ann. Sc. Nat. XX, 1830, p. 280. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 323. — Fairm. Mon. p. 369. Tucuman
pilipes Guér. Mag. Zool. 1834, Mélas. p. 4, t. 102, f. 1. — Sol. l. c. p. 314, t. 6, f. 9—15; in Gay, Hist. Chile V, 1851, p. 143, t. 18, f. 8. — Cast. Hist. Nat. II, 1840, p. 188. — Fairm. Mon. p. 358. Chile

brevis Sol. Ann. Soc. Ent. Fr. V, 1836, p. 316; in Gay, Hist. Chile V, 1851, p. 146. — Fairm. Mon. p. 359.
var. *Guerini* Sol. Ann. Soc. Ent. Fr. V, 1836, p. 317; in Gay, Hist. Chile V, 1851, p. 144. — Fairm. Mon. p. 358.
var. *sulcicollis* Sol. Ann. Soc. Ent. Fr. V, 1836, p. 314.

pilosa Sol. in Gay, Hist. Chile V, 1851, p. 147. — Fairm. Mon. p. 359. — Chile

plicicollis Sol. c. p. 145. — Fairm. Mon. p. 357. — „

politicollis Fairm. Mon. p. 365. — Bolivien

punctulata Waterh. Proc. Zool. Soc. 1841, p. 120; Ann. Mag. Nat. Hist. X, 1842, p. 147. — Fairm. Mon. p. 362. — Argentinien, Bolivien

rugicollis Phil. Stett. Ent. Zeit. XXV, 1864, p. 332. — Fairm. Mon. p. 360. — Chile

semistrigosa Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 464. — Tucuman

strigosula nom. nov. — Südamerika
semistrigosa Fairm. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 298.

subcostata Germain, Ann. Univ. Chile 1855, p. 398. — Fairm. Mon. p. 367. — Chile
parallela Germain, l. c. p. 398.

subdepressa Sol. Ann. Soc. Ent. Fr. V, 1836, p. 318. — Fairm. Mon. p. 357. — Mexico?

subimpressa Fairm. Mon. p. 361. — Bolivien

sublaevicollis Sol. in Gay, Hist. Chile V, 1851, p. 146. — Fairm. Mon. p. 356. — Chile

ursina Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 475. — Fairm. Mon. p. 363. — Catamarca

vestita Lacord. Ann. Sc. Nat. XX, 1830, p. 280. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 328; in Gay, Hist. Chile V, 1851, p. 150. — Fairm. Mon. p. 369. — Chile, Mendoza?

34

Mitragenius Sol.

Sol. Ann. Soc. Ent. Fr. V, 1836, p. 328. — Cast. Hist. Nat. II, 1840, p. 188. — Lacord. Genera Col. V, 1859, p. 172. — Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 481. — Fairm. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 372 (Mon.).

Aulacodera Sol. Ann. Soc. Ent. Fr. V, 1836, p. 331; in Gay, Hist. Chile V, 1851, p. 151. — Lacord. Genera Col. V, 1859, p. 173. — Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 482.

andicola Lacord. Ann. Sc. Nat. XX, 1830, p. 278. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 334, t. 7, f. 9; in Gay, Hist. Chile V, 1851, p. 152. — Fairm. Mon. p. 375. — Chil. Anden

coarcticollis Fairm. Mon. p. 374. — Bahia Blanca

crenicosta Guér. Mag. Zool. 1834, Mélas. p. 5. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 333, t. 7, f. 4—8; in Gay, Hist. Chile V, 1851, p. 152, t. 18, f. 9. — Fairm. Mon. p. 375. — Chile
Jugeleti Waterh. Ann. Mag. Nat. Hist. XIII, 1844, p. 43.

Dejeani Sol. Ann. Soc. Ent. Fr. V, 1836, p. 330, t. 7, f. 1—3. — Cast. Hist. Nat. II, 1840, p. 188. — Fairm. Mon. p. 373. — Tucuman
servus Waterh. Ann. Mag. Nat. Hist. XIII, 1844, p. 43.
desertorum Burm. Stett. Ent. Zeitschr. XXXVI, 1875, p. 482. — Fairm. Mon. p. 373. — ,,
pictus Lacord. Ann. Sc. Nat. XX, 1830, p. 279.
gibbosus Blanch. Voy. d'Orb. 1843, p. 195, t. 13, f. 8. — Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 481. — Fairm. Mon. p. 372. — Patagonien
araneiformis Curtis, Trans. Linn. Soc. Lond. 1845, p. 466, t. 41, f. 15.
monticola Berg, An. Univ. Buenos Aires VI, 1889, p. 128 (26). — Cordoba
nudus Berg, l. c. p. 129 (27). — Nördl. Argentinien
quadricollis Fairm. Mon. p. 374. — Patagonien

9

Pilobalia Burm.

Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 487. — Fairm. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 380 (Mon.).

alboscripta Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 464. — Peru
Baeri Fairm. (scr. **Baerii**) Bull. Soc. Ent. Fr. 1902, p. 149. — ,,
bufo Fairm. Mon. p. 382. — Bolivien
decorata Er. Nov. Act. Ac. Car. Leop. 1834, p. 244, t. 38, f. 2. — Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 487. — Fairm. Mon. p. 381. — Bolivien, Nördl. Argentinien
decora Blanch. Voy. d'Orb. 1843, t. 14, f. 4.
immaculata Blanch. Voy. d'Orb. 1843, p. 197, t. 14, f. 2.
nebulosa Waterh. Ann. Mag. Nat. Hist. XIII, 1844, p. 44.
oblonga Blanch. Voy. d'Orb. 1843, p. 197, t. 14, f. 3.
dorsoplicata Fairm. Mon. p. 382. — Peru
elegans Blanch. Voy. d'Orb. 1843, p. 197, t. 14, f. 5. — Fairm. Mon. p. 380. — Bolivien
Haagi Fairm. Rev. et Mag. Zool. 1878, p. 269. — Peru
variegatus Er. Arch. Naturgesch. XIII, 1847, I, p. 114. — Fairm. Mon. p. 383. — ,,

8

Entomoderes Sol.

Sol. Ann. Soc. Ent. Fr. V, 1836, p. 346. — Lacord. Genera Col. V, 1859, p. 173. — Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 483. — Fairm. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 376 (Mon.).

cellulosus Waterh. Ann. Mag. Nat. Hist. XIII, 1844, p. 46. — Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 485. — Fairm. Mon. p. 377. — Pampas
draco Waterh. Ann. Mag. Nat. Hist. XIII, 1844, p. 45. — Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 485. — Fairm. Mon. p. 379. — Tucuman
erebi Sol. Ann. Soc. Ent. Fr. V, 1836, p. 348, t. 7, f. 18—22. — Lacord. Ann. Sc. Nat. XX, 1830, — ,,

p. 281. — Waterh. Ann. Mag. Nat. Hist. XIII, 1844, p. 46. — Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 484. — Fairm. Mon. p. 377.

infernalis Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 483. — Fairm. Mon. p. 376. — Catamarca

lobatus Burm. l. c. p. 486. — Fairm. Mon. p. 379. — Nördl. Argentinien

pustulosus Fairm. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 298. — Catamarca

satanicus Waterh. Ann. Mag. Nat. Hist. XIII, 1844, p. 46. — Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 486. — Fairm. Mon. p. 378. — Tucuman

subauratus Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 486. — Fairm. Mon. p. 378. — Argentinien

8

XXXVIII. Molurinae.

Solier, Mem. Accad. Sc. Torin. (2) VI, 1843, p. 212—333 (1—127) (excl. *Sepidiinae*). — Lacordaire, Genera Col. V, 1859, p. 192 *(Molurites vrais)*. — Haag-Rutenberg, Coleopt. Hefte VII, 1871, p. 24—111; VIII, 1871, p. 29—116; XI, 1873, p. 1—48; XIV, 1875, p. 67—82 (Mon.).

Ametrocera Fåhrs.

Fåhrs. Oefv. Vet. Ak. Förh. XXVII, 1870, p. 260. — Haag, Col. Hefte VII, 1871, p. 33.

Idricus Fairm. Trans. S. Afr. Philos. Soc. IV, 1888, p. 199; Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 658. — Péringuey, Ann. S. Afr. Mus. III, 1904, p. 296.

aurita Fåhrs. Oefv. Vet. Ak. Förh. XXVII, 1870, p. 261. — Haag, Col. Hefte VII, 1871, p. 34. — Südafrika

pacifica Péring. Trans. S. Afr. Phil. Soc. VI, 2, 1892, p. 122. — Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 659.

turrita Fåhrs. Oefv. Vet. Ak. Förh. XXVII, 1870, p. 261.

diabolica Fairm. Trans. S. Afr. Phil. Soc. IV, 1888, p. 199; Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 658. — Péring. Trans. S. Afr. Phil. Soc. IV, 1888, t. 3, f. 3. — Transvaal

tribulus Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 658. — Südafrika

3

Phligra Cast.

Cast. Hist. Nat. II, 1840, p. 197. — Lacord. Genera Col. V, 1859, p. 202. — Haag, Col. Hefte VII, 1871, p. 34 (Mon.).

Cyrtoderes Sol. Mem. Accad. Sc. Torin. (2) VI, 1843, p. 244 (32).

cristata Geer, Mém. VII, 1778, p. 653, t. 48, f. 22, 23. — F. Ent. Syst. Suppl. 1775, p. 161. — Haag, Col. Hefte VII, 1871, p. 35. — Capland

curculionides Sol. Mem. Accad. Sc. Torin. (2) VI, 1843, p. 248 (36).
Degeeri Cast. Hist. Nat. II, 1840, p. 197.
lacunosa Thunb. Nov. Spec. Ins. VI, 1784, p. 130.
var. *nigrita* Sol. Mem. Accad. Sc. Torin. (2) VI, 1843, p. 247 (35), t. 1, f. 30.
var. *sinuosa* Sol. l. c. p. 246 (34), t. 1, f. 27—29, 31—33.

crucifera Haag, Col. Hefte VII, 1871, p. 35. — Capland
hamaticollis Pér. Ann. S. Afr. Mus. III, 1904, p. 235. — ,,
minuta Pér. l. c. p. 236. — ,,

4

Phrynocolus Lacord.

Lacord. Genera Col. V, 1851, p. 201. — Haag, Col. Hefte VII, 1871, p. 36 (Mon.).

Cryptogenius Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 249 (37).
Glyptophrynus Fairm. Ann. Soc. Ent. Belg. XLIII, 1899, p. 532.

abyssinicus Haag, Col. Hefte VII, 1871, p. 39. — Abessinien
ater Waterh. Proc. Zool. Soc. Lond. 1885, p. 235, t. 15, f. 6. — Kolbe, Stett. Ent. Zeit. LII, 1891, p. 25. — Kilimandjaro
auriculatus Geb. Ann. Soc. Ent. Belg. LIV, 1910, p. 154. — Deutsch-Ostafrika
crispatus Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 184. — Ostafrika
cultratus Fairm. Ann. Soc. Ent. Fr. LXII, 1891, p. 249. — Niger
decemcostatus Geb. Ann. Soc. Ent. Belg. LIV, 1910, p. 156. — Deutsch-Ostafrika
dentatus Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 250 (38), t. 2, f. 1—4. — Haag, Col. Hefte VII, 1871, p. 37. — Guinea, Senegal
discoideus Fairm. Comptes rend. Soc. Ent. Belg. 1891, p. CCXCIV (16). — Ostafrika
frondosus Gerst. Arch. Naturg. XXXVII, 1871, p. 59; Decken's Reise III (2) 1873, p. 173, t. 9, f. 5. — Deutsch-Ostafrika
madecassus Fairm. Rev. d'Ent. XX, 1901, p. 183. — Madagaskar
niloticus Haag, Col. Hefte VII, 1871, p. 38. — Ober-Aegypten
ovipennis Fairm. Ann. Soc. Ent. Belg. XLIII, 1899, p. 533. — Madagaskar
parvulus Gestro, Ann. Mus. Genova (2) XV, 1895, p. 372. — Ostafrika
petrosus Gerst. Arch. Naturg. XXXVII, 1871, p. 59; Decken's Reise III (2) 1873, p. 172, t. 9, f. 4. — Haag, Col. Hefte VIII, 1871, p. 108. — Deutsch-Ostafrika
ikutanus Fairm. Ann. Soc. Ent. Fr. LXVIII, 1897, p. 113. — ,,
placidus Kolbe, Berl. Ent. Zeitschr. XXIX, 1885, p. 112. — Oberer Nil
spinipennis Geb. Ann. Soc. Ent. Belg. LIV, 1910, p. 154. — Deutsch-Ostafrika
Spinolae Sol. Mem. Accad. Torin. (2) VI, 1843, p. 251 (39). — Haag, Col. Hefte VII, 1871, p. 37. — Senegal, Guinea
tenuecostatus Geb. Ann. Soc. Ent. Belg. LIV, 1910, p. 155. — Deutsch-Ostafrika
tenuesculptus Fairm. Ann. Soc. Ent. Belg. XLIII, 1899, p. 532. — Madagaskar

transversus Fairm. Compt. rend. Soc. Ent. Belg. 1884, p. LXXIV; Ann. Soc. Ent. Fr. (6) VII, 1887, p. 183, t. 2, f. 6. — Ostafrika
undaticostis Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 183. — Usambara
undatocostatus Kolbe, Stett. Ent. Zeit. LII, 1891, p. 30. — Centr.-Afrika
23

Euphrynus Fairm.

Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 114.

spinithorax Fairm. l. c. p. 114. — Südafrika
1

Physophrynus Fairm.

Fairm. Compt. rend. Soc. Ent. Belg. XXVI, 1882, p. L; Ann Soc. Ent. Fr. (6) VII, 1887, p. 182.

Burdoi Fairm. l. c. p. L. — Ostafrika
Revoili Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 182. — „
2

Brachyphrynus Fairm.

Fairm. in Revoil, Faune et Flore Çomal. Col. 1882, p. 71.

spissicornis Fairm. l. c. p. 72. — Somali
1

Dichtha Haag.

Haag, Col. Hefte VII, 1871, p. 39.

acutecostata Fairm. Notes Leyd. Mus. X, 1888, p. 260. — Angola, Benguela
cubica Guér. Rev. et Mag. Zool. 1845, p. 285. — Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 262. — Haag, Col. Hefte VII, 1871, p. 41. — Südafrika
inflata Gerst. Monatsber. Berl. Akad. 1854, p. 532; Peters' Reise 1862, p. 280, t. 16, f. 12. — Lacord. Gen. Col. V, 1859, p. 202 nota. — Haag, Col. Hefte VII, 1871, p. 41. — Mozambique
Quedenfeldti Kolbe, Ent. Nachr. XII, 1886, p. 293. — Nyassa-See
4

Distretus Haag.

Haag, Col. Hefte VII, 1871, p. 42.

amplipennis Fåhr. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 262. — Haag, Col. Hefte, VII, 1871, p. 43. — Caffrarien
angustipennis Péring. Trans. S. Afr. Phil. Soc. VI (2) 1892, p. 52. — S.-Westafrika
Fåhraei Haag, Col. Hefte VII, 1871, p. 43. — Caffrarien

gracilis Geb. Ann. Soc. Ent. Belg. LIV, 1910, p. 152. Südl. Kongostaat
inaequalis Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 320. Mozambique
seminitidus Quedenf. Berl. Ent. Zeitschr. XXXII, 1888, p. 184. Centr.-Afrika
undosus Kolbe, Ent. Nachr. XII, 1886, p. 291. Kongo
variabilis Geb. Ann. Soc. Ent. Belg. LIV, 1910, p. 152. Centr. Afrika
variolosus Guér. Rev. et Mag. Zool. 1845, p. 245. — Haag, Col. Hefte VII, 1871, p. 44. Südafrika
pilicornis Fåhr. Oefv. Vet. Ak. Förh. XXVII, 1870, p. 263.

9

Amiantus Fåhrs.

Fåhrs. Oefv. Vet. Ak. Förh. XXVII, 1870, p. 279. — Haag, Col. Hefte VII, 1871, p. 45 (Mon.).

Melanolophus Fairm. in Revoil, Faune et Flore Çomal. Col. 1882, p. 69; Ann. Soc. Ent. Fr. (6) VII, 1887, p. 183.

acuticosta Fairm. Compt. rend. Soc. Ent. Belg. 1884, p. LXXIV; Ann. Soc. Ent. Fr. (6) VII, 1887, p. 180. Ostafrika
Browni Haag, Col. Hefte VII, 1871, p. 47. S. Afrika
bufo Haag, l. c. p. 48. Ostafrika
carinatus Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 281. — Haag, Col. Hefte VII, 1871, p. 50. Caffrarien
castanopterus Haag, Col. Hefte, XIV, 1875, p. 69. Ostafrika
connexus Haag, Col. Hefte, VII, 1871, p. 49. Südafrika
costatus Péring. Trans. Ent. Soc. Lond. 1896, p. 168. Zambesi
costipennis Kolbe, Ent. Nachr. XII, 1886, p. 292. Transvaal
crenatocostatus Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 181. Usambara
gibbosus Fåhrs. Oefv. Vet. Ak. Förh. XXVII, 1870, p. 280. — Haag, Col. Hefte VII, 1871, p. 49. Südafrika
globulipennis Péring. Trans. Ent. Soc. Lond. 1896, p. 167. Zambesi
Haroldi Haag, Col. Hefte VII, 1871, p. 47. Mozambique
lobicollis Har. Ent. Nachr. XII, 1886, p. 291, Nyam-Nyam
manicanus Péring. Ann. S. Afr. Mus. I, 1899, p. 266. Zambesi
mashunus Péring. Trans. Ent. Soc. Lond. 1896, p. 167. ,,
Mechowi Quedenf. Berl. Ent. Zeitschr. XXIX, 1885, p. 6, t. 3, f. 1. — Kolbe, Ent. Nachr. XII, 1886, p. 291. Centr. Westafrika
multicostatus Fairm. Bull. Soc. Vaudoise XXXV, 1899, p. 181. Delagoa
nitidipennis Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 114. Ostafrika
octocostatus Péring. Trans. Ent. Soc. Lond. 1896, p. 167. Transvaal
octocristatus Fairm. Bull. Soc. Vaudoise XXXV, 1899, p. 181. Delagoa
opacus Haag, Col. Hefte VII, 1817, p. 49. Natal
Picteti Haag, l. c. p. 46. Abessinien
septemcostatus Fairm. in Révoil, Faune et Flore Çomal. Col. 1882. p. 70, t. 1, f. 7; Ann. Soc. Ent. Fr. (6) VII, 1887, p. 183. — Gestro, Ann. Mus. Genova XX, 1884, p. 305. Somali

pusillus Péring. Ann. S. Afr. Mus. III, 1904, p. 235. — Transvaal
Reichardi Kolbe, Ent. Nachr. XII, 1886, p. 292. — Tanganyika
rusticus Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 280. — Haag, Col. Hefte VII, 1871, p. 50. — Caffrarien
scrobipennis Haag, Col. Hefte XIV, 1875, p. 68. — Natal
sexcostatus Gahan, Proc. Zool. Soc. Lond. 1900, p. 28. — Somali
undatus Haag, Col. Hefte XIV, 1875, p. 69. — Natal
undosus Dist. Nat. in Transv. 1892, p. 199, t. 1, f. 1. — Pretoria

29

Moluris Latr.

Latr. Hist. Nat. Crust. Ins. X, 1804, p. 266. — Lacord. Genera Col. V, 1859, p. 194. — Haag, Col. Hefte VII, 1871, p. 51 (Mon.).

Physodera Sol. Mem. Accad. Sc. Torin. (2) VI, 1843, p. 290 (78).

attenuata Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 180. — Ostafrika
Chevrolati Haag, Col. Hefte VII, 1871, p. 52. — Capland
discoidea Guér. Rév. Zool. 1845, p. 286.
Ferrari Haag, Col. Hefte VII, 1871, p. 55. — Capland
gibba Pallas, Icon. I, 1781, p. 46, t. C, f. 12. — F. Mant. Ins. I, 1787, p. 207. — Ol. Ent. III, 1795, 59, p. 6, t. 2, f. 24. — Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 290 (78). — Haag, Col. Hefte VII, 1871, p. 53. — ,,
bistriata Herbst, Käfer VIII, 1799, p. 50, t. 120, f. 6.
planata Thunb. Nov. Ins. Spec. 1784, p. 120.
gibbicollis Haag, Col. Hefte VIII, 1871, p. 107. — Capland
gibbosa Ol. Ent. III, 1795, 59, p. 11, t. 1, f. 5 a, b. — Sol. Mem. Accad. Sc. Torin. (2) VI, 1843, p. 291 (79). — Haag, Col. Hefte VII, 1871, p. 57. — ,,
globulicollis Sol. Mem. Accad. Sc. Torin. (2) VI, 1843, p. 292 (80). — Haag, Col. Hefte VII, p. 51, — ,,
Gredleri Haag, Verh. zool.-bot. Ges. Wien XXVII, 1877, p. 515. — Oberer Nil
Herbsti Haag, Col. Hefte VII, 1871, p. 54. — Capland
gibba Herbst, Käf. VIII, 1799, p. 48, t. 120, f. 4.
lateridens Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 179, t. 2, f. 5. — Ostafrika
nitida Haag, Col. Hefte VII, 1871, p. 52. — Capland
pseudonitida Péring. Denkschr. med. Ges. Jena XIII, 1908, p. 406. — S. Westafrika
Redtenbacheri Haag, l. c. p. 56. — ,,
rustica Haag, l. c. p. 54. — ? Inn. Südafr.
semiscabra Sol. Mem. Accad. Sc. Torin. (2) VI, 1843, p. 293 (81). — Haag, Col. Hefte VII, 1871, p. 53. — Capland
strigosa Herbst, Käf. VIII, 1799, p. 49, t. 120, f. 5. — Haag, Col. Hefte VII, 1871, p. 55. — ,,
Rouleti Sol. Mem. Accad. Sc. Torin. (2) VI, 1843, p. 292 (80).
tentyrioides Fairm. Ann. Soc. Ent. Fr. LX, 1891, p. 249. — Centr. Afrika
tuberculata Haag, Col. Hefte VIII, 1871, p. 107. — Capland
variolosa Guér. Rev. Zool. 1845, p. 286. — Haag, Col. Hefte VII, 1871, p. 44. — Natal, Caffrarien

20

Psammoryssus Kolbe.

Kolbe, Ent. Nachr. XII, 1886, p. 289.

titanus Kolbe, l. c. p. 290. Kongo

1

Psammodes.

Kirby, Trans. Linn. Soc. XII, 1818, p. 412. — Lacord. Genera Col. V, 1859, p. 195. — Haag, Col. Hefte VII, 1871, p. 57 (Mon.).

Hypomelus Sol. Mem. Accad. Sc. Torin. (2) VI, 1843, p. 305 (93). — Péring. Ann. S. Afr. Mus. I, 1899, p. 294.
Ocnodes Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 270.
Phanerotoma Sol. Mem. Accad. Sc. Torin. (2) VI, 1843, p. 294 (82).
Piazomera Sol. l. c. p. 289 (77).
Moluris pars Sol. l. c. p. 278 (66).
Psammodophysis Péring. Ann. S. Afr. Mus. I, 1899, p. 296.

abyssinicus Haag, Col. Hefte VIII, 1871, p. 32. Abessinien
acuductus Ancey, Natur. Sicil. II, 1883, p. 118. Deutsch-Ostafrika
algoensis Péring. Ann. S. Afr. Mus. 1899, p. 275. Mozambique
angulicollis Haag, Col. Hefte VIII, 1871, p. 88. Südafrika
approximans Péring. Ann. S. Afr. Mus. 1899, p. 270. Transvaal
asperulipennis Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 193. Namaqualand
atratus Haag, Col. Hefte VIII, 1871, p. 60. Natal
Badeni Haag, l. c. p. 38. Caffrarien
barbatus Fåhr. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 268. — Haag, Col. Hefte VII, 1871, p. 100. ,,
basalis Haag, Col. Hefte VIII, 1871, p. 93. Capland
Batesi Haag, l. c. VII, 1871, p. 77. Natal
Bennigseni Kraatz, Deutsche Ent. Zeitschr. 1897, p. 46. Ostafrika
Bertolonii Guér. Mag. Zool. 1844, Mélas. t. 148. — Bertoloni, Nov. Comm. Ac. Bonon. X, 1849, p. 397, t. 8, f. 6. — Haag, Col. Hefte VIII, 1871, p. 81. Mozambique
bisbicostatus Geb. Ann. Soc. Ent. Belg. LIV, 1910, p. 152. Centr.-Afrika
blapsoides Haag, Col. Hefte VIII, 1871, p. 43. Südafrika
brevicornis Haag, l. c. XIV, 1875, p. 79. Westafrika
brunnescens Haag, l. c. VIII, 1871, p. 65, 106. Mozambique
brunneus Ol. Ent. III, 1795, 59, p. 14, t. 1, f. 6. — Hbst. Käf. VIII, 1799, p. 53, t. 120, f. 9. — Sol. Mem. Accad. Sc. Torin. (2) VI, 1843, p. 297 (85). — Haag, Col. Hefte VIII, 1871, p. 42. Capland
var. *rufocastaneus* Haag, Col. Hefte VIII, 1871, p. 42.
brunnipes Haag, Col. Hefte VIII, 1871, p. 54. ,,
caelatus Péring. Ann. S. Afr. Mus. 1899, p. 281, t. 6, f. 16. ,,
caffer Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 265. — Haag, Col. Hefte VII, 1871, p. 75. Caffrarien
caraboides Haag, Col. Hefte VIII, 1871, p. 50. Capland
carbonarius Gerst. Monatsber. Berl. Ac. 1854, p. 532; Peters' Reise 1862, p. 283, t. 17, f. 2. — Haag, Col. Hefte VIII, 1871, p. 74. Mozambique
cardiopterus Fairm. Notes Leyd. Mus. X, 1888, p. 259. Mossamedes
carinatus Haag, Col. Hefte VIII, 1871, p. 103. Capland

catenatus Reiche in Galin. Voy. Abyss. 1850, p. 366, t. 22, f. 7. — Haag, Col. Hefte VII, 1871, p. 94. — Abessinien
clarus Haag, l. c. XIV, 1875, p. 76. — Algoabay
collaris Haag, l. c. VIII, 1871, p. 101. — Capland
coloratus Haag, l. c. p. 57. — ,,
comatus Haag, l. c. VII, 1871, p. 106. — Caffrarien
compressitarsis Müll. Tijdschr. Ent. XXX, 1887, p. 299, t. 12, f. 2. — Sambesi
comptus Haag, Col. Hefte VII, 1871, p. 109. — Capland
concinnus Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 271. — Haag, Col. Hefte VIII, 1871, p. 77. — Caffrarien
congruens Péring. Ann. S. Afr. Mus. 1899, p. 290. — Britisch-Bechuanaland
connexus Haag, Col. Hefte VIII, 1871, p. 35. — Capland
consors Péring. Ann. S. Afr. Mus. 1899, p. 288. — Transvaal
convexus Sol. Mem. Accad. Torin. (2) VI, 1843, p. 303 (91). — Haag, Col. Hefte VIII, 1871, p. 61. — Capland
cordiformis Haag, Col. Hefte VIII, 1871, p. 77. — Angola
cordiventris Haag, l. c. p. 71. — Benguela
coriaceus Gerst. Monatsber. Berl. Acad. 1854, p. 532; Peters' Reise 1862, p. 282, t. 16, f. 14. — Haag, Col. Hefte VIII, 1871, p. 68. — Mozambique
costalis Haag, Col. Hefte VII, 1871, p. 97. — Capland
crinicollis Haag, Deutsche Ent. Zeitschr. XXIII, 1879, p. 293. — Bechuanaland
damarinus Péring. Ann. S. Afr. Mus. 1904, p. 231. — Damaraland
debilis Péring. l. c. 1899, p. 277. — Walfisch-Bay
Dejeani Sol. Mem. Accad. Sc. Torin. (2) VI, 1843, p. 283 (71). — Haag, Col. Hefte VII, 1871, p. 92. — Capland
dentipennis nom. nov. — ,,
flagrans Péring. Ann. S. Afr. Mus. I, 1899, p. 295, t. 6, f. 12.
depressicollis Haag, Col. Hefte VIII, 1871, p. 67. — ,,
devexus Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 266. — Haag, Col. Hefte VII, 1871, p. 86. — Caffrarien
difficilis Haag, Col. Hefte VIII, 1871, p. 61. — Capland
dilaticollis Müll. Tijdschr. Ent. XXX, 1887, p. 298, t. 12, f. 1. — Sambesi
dilutus Haag, Col. Hefte VII, 1871, p. 80. — Südafrika
dimidiatus Haag, l. c. VIII, 1871, p. 88. — Sambesi
discrepans Péring. Ann. S. Afr. Mus. III, 1904, p. 230. — Namaqualand
dissociatus Péring. Ann. S. Afr. Mus. I, 1899, p. 274. — Transvaal
distinctus Haag, Col. Hefte VIII, 1871, p. 44. — Capland
Dohrni Haag, l. c. p. 36, 107. — ,,
dolosus Péring. Ann. S. Afr. Mus. I, 1899, p. 291. — Transvaal
dorsocostatus Geb. Ann. Soc. Ent. Belg. LIV, 1910, p. 153. — Centr.-Afrika
dubiosus Péring. Ann. S. Afr. Mus. I, 1899, p. 287. — Damaraland
egregius Haag, Col. Hefte VII, 1871, p. 74. — Péring. Trans. S. Afr. Phil. Soc. IV, 1886, t. 3, f. 2. — Capland
Erichsoni Haag, Col. Hefte VIII, 1871, p. 63. — Benguela
errans Péring. Trans. S. Afr. Phil. Soc. VI (2) 1892, p. 53. — S.-Westafrika
Ertli Kolbe, Berl. Ent. Zeitschr. XLIX, 1904, p. 301. — Deutsch-Ost-Afrika
expletus Quedenf. Berl. Ent. Zeitschr. XXIX, 1885, p. 4. — Kongostaat
fartus Péring. Ann. S. Afr. Mus. III, 1904, p. 232. — Transvaal
ferrugineus Haag, Col. Hefte VII, 1871, p. 79. — Caffrarien
Fettingi Haag, Col. Hefte XIV, 1875, p. 77. — Basutoland

flagrans Péring. Ann. S. Afr. Mus. 1899, p. 273. — Transvaal
fortuitus Péring. l. c. p. 292. — Ovamboland
fragilis Haag, Col. Hefte VIII, 1871, p. 32. — Capland
fraternus Haag, l. c. XIV, 1875, p. 80, — Damaraland
Fritschi Haag, l. c. VII, 1871, p. 103. — Caffrarien
funestus Haag, l. c. VIII, 1871, p. 79. — Inn.Südafrika
gariesus Péring. Ann. S. Afr. Mus. 1899, p. 282. — Capland
Gerstäckeri Haag, Col. Hefte VIII, 1871, p. 100. — ,,
gibberosulus Péring. Denkschr. med. Ges. Jena XIII, 1908, p. 407. — Südwestafrika
gibbus Haag, Deutsche Ent. Zeitschr. XXIII, 1879, p. 292. — Nyassa
giganteus Haag, l. c. p. 290. — Delagoa-Bay
glabratus Har. Mitth. Münch. Ent. Ver. II, 1878, p. 106; Col. Hefte XVI, 1879, p. 113. — Congostaat
globosus Haag, Col. Hefte VIII, 1871, p. 73. — Südafrika
Goryi Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 283 (71). — Haag, Col. Hefte VII, 1871, p. 93. — Capland
gracilentus Fairm. in Révoil, Faune et Flore Çomal. Col. 1882, p. 69. — Somali
grandis Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 302 (90). — Haag, Col. Hefte VIII, 1871, p. 57. — Caffrarien
lugubris Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 269.
granulatus Sol. l. c. p. 299 (87). — Haag, Col. Hefte VIII, 1871, p. 53. — Capland
granulifer Haag, Col. Hefte VIII, 1871, p. 54. — ,,
granulosicollis Haag, Col. Hefte VIII, 1871, p. 77. — Damaraland
gravis Gemm. Col. Hefte VI, 1870, p. 122. — Haag, Col. Hefte VIII, 1871, p. 89. — Capland
grandis Sol. Mem. Acc. Sc. Torin. (2), VI, 1843 p. 313 (101).
Guerini Haag, Col. Hefte VIII, 1871, p. 82. — Mozambique
Bertolonii Guér. Mag. Zool. 1844, Mélas. t. 148 (♀).
herculeanus Haag, Col. Hefte VIII, 1871, p. 86. — Capland
herero Péring. Denkschr. med. Ges. Jena XIII, 1908, p. 409. — Südwestafrika
Heydeni Haag, Col. Hefte VIII, 1871, p. 41. — Capland
hieroglyphicus Haag, l. c. p. 81. — S.-Westafrika
Haagi nom. nov. — Caffrarien
obliteratus Haag, Col. Hefte VII, 1871, p. 103.
hirtipennis Haag, l. c. VII, 1871, p. 105. — Capland
hirtus Bertoloni, Nov. Comm. Ac. Bonon. X, 1849, p. 399, t. 8, f. 7. — Gerst. Peters' Reise 1862, p. 281, t. 16, f. 13. — Haag, Col. Hefte VIII, 1871, p. 87. — Mozambique
hottentottus Péring. Ann. S. Afr. Mus. 1899, p. 267, t. 6, f. 9. — Capland
humeralis Haag, Col. Hefte VIII, 1871, p. 39. — ,,
illotus Péring. Ann. S. Afr. Mus. III, 1904, p. 233. — Transvaal
imitator Péring. l. c. 1899, p. 289. — Capland
impressiventris Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 115. — Ostafrika
inaequalis Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 310 (98). — Haag, Col. Hefte VIII, 1871, p. 93. — Capland
incongruens Péring. Ann. S. Afr. Mus. 1899, p. 281, t. 6, f. 17. — ,,
infernalis Har. Mitth. Münch. Ent. Ver. II, 1878, p. 106; Col. Hefte XVI, 1879, p. 111. — Kongostaat
inquinatus Péring. Ann. S. Afr. Mus. 1899, p. 292. — Sambesi

integer Péring. l. c. p. 276.	Ostafrika
intermedius Péring. l. c. p. 272.	Capland
interstitialis Haag, Col. Hefte VIII, 1871, p. 94.	,,
Javeti Haag, Col. Hefte, 1871, p. 66.	Guinea
Junodi Péring. Ann. S. Afr. Mus. 1899, p. 275, t. 6, f. 15; 1904, p. 297. — Fairm. Bull. Soc. Vaudoise XXXV, 1899, p. 179, t. 2, f. 18.	Delagoa
kamagasus Péring. Denkschr. med. Ges. Jena XIII, 1908, p. 409.	Südwestafrika
karrooensis Péring. Ann. S. Afr. Mus. I, 1899, p. 267, t. 6, f. 10.	Capland
Kirschi Haag, Col. Hefte VIII, 1871, p. 102.	,,
kubub Péring. Denkschr. med. Ges. XIII, 1908, p. 408.	Südwestafrika
laetulus Péring. Ann. S. Afr. Mus. 1899, p. 278.	Transvaal
laevigatus Ol. Ent. III, 1795, 59, p. 15, t. 4, f. 4. — Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 287 (75). — Haag, Col. Hefte VIII, 1871, p. 59.	Capland
elongatus Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 301 (89) t. 4, f. 1—4.	
marginatus Herbst, Käf. VIII, 1799, p. 54, t. 120. f. 10.	
laevipennis Haag, Deutsche Ent. Zeitschr. XXIII, 1879, p. 291.	Bechuanaland
lanuginosus Haag, Col. Hefte VII, 1871, p. 105.	Capland
lethargicus Péring. Ann. S. Afr. Mus. 1899, p. 284.	,,
licitus Péring. l. c. p. 290.	Sambesi
longicornis Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 412, t. 21, f. 13. — Guér. Mag. Zool. 1834, Mélas. t. 111, f. 2. — Haag, Col. Hefte VIII, 1871, p. 45.	Capland
ruficornis Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 298 (86).	
longipes Haag, Col. Hefte VII, 1871, p. 108. — Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 193.	Capland
lucidus Fähns. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 267. — Haag, Col. Hefte VII, 1871, p. 101.	Caffrarien
luctuosus Haag, Col. Hefte VIII, 1871, p. 66.	Angola
manifestus Péring. Ann. S. Afr. Mus. 1899, p. 274.	Sambesi
mashunus Péring. l. c. p. 269, t. 6, f. 13.	,,
melanarius Haag, Col. Hefte VIII, 1871, p. 64.	Guinea
melancholicus Haag, l. c. p. 79.	Inn. Südafrika
memnonius Haag, l. c. p. 50.	Capland
mendax Péring. Ann. S. Afr. Mus. 1899, p. 283.	,,
mendicus Péring. l. c. p. 290.	Ovamboland
meracus Péring. l. c. p. 268.	Transvaal
miles Péring. Denkschr. med. Ges. Jena XIII, 1908, p. 408.	Südwestafrika
misolampoides Fairm. Notes Leyd. Mus. X, 1888, p. 258.	Mossamedes
mixtus Haag, Col. Hefte VIII, 1871, p. 73.	Südwestafrika
Möschleri Haag, Col. Hefte XIV, 1875, p. 73.	Capland
molestus Haag, l. c. p. 75.	Natal
molossus Haag, Col. Hefte, VIII, 1871, p. 83; Deutsche Ent. Zeitschr. XXIII, 1879, p. 291.	Südwestafrika
gravidus Westw. Trans. Ent. Soc. Lond. 1875, p. 223, t. 6. f. 2.	

muata Har. Mitth. Münch. Ent. Ver. II, 1878, p. 106; Col. Hefte XVI, 1879, p. 114. — Kongostaat
nanus Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 28. — Schoa
Mülleri Péring. Ann. S. Afr. Mus. 1899, p. 269, t. 6, f. 11. — Capland
myrmidon Péring. l. c. p. 286. — „
Neavei Geb. Ann. Soc. Ent. Belg. LIV, 1910, p. 153. — Centr. Afrika
nervosus Haag, Col. Hefte VIII, 1871, p. 75. — Sambesi
nitens Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 267. — Haag, Col. Hefte VII, 1871, p. 99. — Caffrarien
nitidicollis Haag, Col. Hefte VII, 1871, p. 91. — Capland
nitidissimus Haag, l. c. p. 92. — „
obliquatus Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 309 (97). — Haag, Col. Hefte VIII, 1871, p. 96. — Capland
sabulosus Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 308 (96).
Biologie: Ormerod, Inj. Ins. S. Afr. 1889, p. 18.
obliteratus Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 309 (97). — Haag, Col. Hefte VIII, 1871, p. 98. — „
obsulcatus Haag, Col. Hefte VIII, 1871, p. 55. — „
opacus Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 303 (91). — Haag, Col. Hefte VIII, 1871, p. 105. — „
Osbecki Billb. Nov. Act. Upsal. VII, 1815, p. 281, t. 9, f. 10 a, b. — „
suturalis Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 304 (92).
ovatus Sol. l. c. p. 302 (90). — Haag, Col. Hefte VIII, 1871, p. 62. — „
ovipennis Haag, Col. Hefte, VII, 1871, p, 102. — Caffrarien
ovulum Haag, Col. Hefte VIII, 1871, p. 75. — Südafrika
pachysoma Péring. Trans. S. Afr. Phil. Soc. VI, 2, 1892, p. 52. — Südwestafrika
pedator Fairm. Notes Leyd. Mus. X, 1888, p. 257. — Mossamedes
perfidus Péring. Ann. S. Afr. Mus. 1899, p. 283. — Sambesi
Péringueyi nom. nov. — Capland
plausibilis Péring. Ann. S. Afr. Mus. 1899, p. 295.
peronatus Germ. Ins. Spec. nov. 1824, p. 149. — Haag, Col. Hefte VIII, 1871, p. 90. — „
bicolor Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 312 (100) t. 4, f. 5—10.
psammodioides Guér. Mag. Zool. 1834, Mélas. p. 20, t. 111, f. 1.
piceus Haag, Col. Hefte VIII, 1871, p. 33. — Capland
pictus Haag, l. c. p. 80. — S. Westafrika
Pierreti Amyot, Mag. Zool. 1835, Cl. IX, t. 129. — Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 288 (76). — Gerst. Peters' Reise 1862, p. 281. — Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 263. — Haag, Col. Hefte VIII, 1871, p. 30. — Capland
pilifer Haag, Col. Hefte VIII, 1871, p. 37. — „
pilosellus Haag, Col. Hefte XIV, 1875, p. 71. — Südafrika
pilosipennis Haag, Col. Hefte VII, 1871, p. 89. — Caffrarien
pilosus Thunb. Mus. Nat. Ac. Ups. 1787, p. 49, f. 20.; Nov. Ins. Spec. 1791, p. 118. — Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 286 (74). — Haag, Col. Hefte VII, 1871, p. 104. — Capland
pinguis Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 282 (70). — Haag, Col. Hefte VII, 1871, p. 86. — „
placidus Péring. Ann. S. Afr. Mus. 1899, p. 280. — Transvaal

plausibilis Péring. l. c. p. 271. — Oranje
plicatus Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 284 (72). — Haag, Col. Hefte VII, 1871, p. 95. — Capland
plicipennis Gemm. Col. Hefte VI, 1870, p. 122. — Haag, Col. Hefte VIII, 1871, p. 56. — „
plicatus Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 299 (87).
ponderosus Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 264. — Haag, Col. Hefte VII, 1871, p. 76. — Caffrarien
praeliator Péring. Ann. S. Afr. Mus. 1899, p. 272. — Transvaal
probes Péring. l. c. p. 296. — Capland
probus Péring. l. c. p. 283. — Transvaal
procerus Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 271. — Haag, Col. Hefte VIII, 1871, p. 84. — Südafrika
procursus Péring. Ann. S. Afr. Mus. 1899, p. 279, t. 6, f. 14. — Capland
procustes Westw. Trans. Ent. Soc. Lond. 1875, p. 224, t. 6, f. 3. — Delagoa
Biologie: Junod, Bull. Soc. Vaudoise XXXV, 1899, p. 179.
productus Haag, Col. Hefte VIII, 1871, p. 101. — Capland
profanus Péring. Ann. S. Afr. Mus. 1899, p. 271. — „
profugus Péring. l. c. p. 277. — „
propinquus Quedenf. Berl. Ent. Zeitschr. XXIX, 1885, p. 5. — W. Centr. Afrika
prosodoides Geb. Ann. Soc. Ent. Belg. LIV, 1910, p. 153. — Centr. Afrika
protensus Haag, Col. Hefte VIII, 1871, p. 62. — Capland
pubescens Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 297 (85). — Haag, Col. Hefte VIII, 1871, p. 37. — „
punctipennis Har. Col. Hefte XVI, 1879, p. 111. — Angola
pustulifer Haag, Col. Hefte VIII, 1871, p. 52. — Capland
quadricostatus Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 272. — Haag, Col. Hefte VIII, 1871, p. 86. — Caffrarien
quadriplicatus nom. nov. — Ostafrika
quadricostatus Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. CCXCIII (15).
raucus Haag, Col. Hefte XIV, 1875, p. 72. — Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 192. — Damaraland
reflexicollis Haag, Col. Hefte VIII, 1871, p. 97. — Capland
reflexus Haag, l. c. p. 95. — „
regalis Haag, Col. Hefte XIV, 1875, p. 74. — Sambesi
Rehbocki Kolbe, Berl. Ent. Zeitschr. XLIX, 1904, p. 299. — Deutsch S. W. Afrika
Reichei Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 279 (67). — Haag, Col. Hefte VII, 1871, p. 77. — Südafrika
hirtipes Cast. Hist. Nat. II, 1840, p. 198.
laevicollis Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 277 (65).
retrospinosus Haag, Col. Hefte, VIII, 1871, p. 29. — Capland
rotundicollis Haag, l. c. p. 69. — „
rotundipennis Péring. Ann. S. Afr. Mus. 1899, p. 268. — „
Rowleianus Westw. Proc. Ent. Soc. Lond. 1864, p. 2; Trans. Ent. Soc. Lond. 1875, p. 223, t. 6, f. 1. — Haag, Col. Hefte VIII, 1871, p. 85. — Sambesi
rufipes Har. Mitth. Münch. Ent. Ver. II, 1878, p. 106; Col. Hefte XVI, 1879, p. 112. — Kongostaat
rufofasciatus Haag, Col. Hefte, VII, 1871, p. 96. — Capland
rufonervosus Haag, l. c. p. 96. — „
rufostriatus Haag, Col. Hefte XIV, 1875, p. 70. — Südafrika
rugicollis Kolbe, Berl. Ent. Zeitschr. XXVII, 1883, p. 23. — Kongostaat

rugulosipennis Haag, Col. Hefte VII, 1871, p. 98; VIII, 1871, p. 106. — Capland
rugulosus Sol. Mem. Acc. Sc. Torin. (2), VI, 1843, p. 305, (93). — Haag, Col. Hefte VIII, 1871, p. 49. — ,,
exilis Péring. Ann. S. Afr. Mus. 1899, p. 280; 1904, p. 297.
rusticus Péring. Ann. S. Afr. Mus. 1899, p. 270. — ,,
scaber F. Syst. Ent. 1775, p. 251. — Thunb. Nov. Ins. Spec. 1791, p. 119. — Ol. Ent. III, 1795, 59, p. 7, t. 2, f. 14. — Herbst, Käf. VIII, 1799, p. 46, t. 120, f. 3. — Sol. Mem. Accad. Sc. Torin. (2) VI, 1843, p. 289 (77), t. 3, f. 25—29. — Haag, Col. Hefte VII, 1871, p. 109. — ,,
scabratus Sol. Mem. Accad. Sc. Torin. (2) VI, 1843, p. 286 (74). — Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 266. — Haag, Col. Hefte VII, 1871, p. 110. — Südafrika
scabricollis Gerst. Monatsber. Berl. Acad. 1854, p. 532; Peters' Reise 1862, p. 282, t. 17, f. 1. — Haag, Col. Hefte VIII, 1871, p. 70. — Südafrika
scabriusculus Haag, Col. Hefte VII, 1871, p. 98. — Capland
Schultzei Péring. Denkschr. med. Ges. Jena XIII, 1908, p. 408. — Südwestafrika
scrobicollis Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 270. — Haag, Col. Hefte VIII, 1871, p. 69. — Südafrika
sculpturatus Haag, Col. Hefte VIII, 1871, p. 78. — Angola
segnis Haag, l. c. p. 49. — Capland
sellatus Haag, Col. Hefte XIV, 1875, p. 72. — Calabar
semipilosus Haag, Col. Hefte VII, 1871, p. 80. — Capland
semiscaber Haag, l. c. VIII, 1871, p. 76. — Südwestafrika
semivillosus Haag, l. c. VII, 1871, p. 87. — Capland
servus Péring. Ann. S. Afr. Mus. 1899, p. 294. — ,,
setipennis Haag, Col. Hefte VII, 1871, p. 107. — Caffrarien
setosocostatus Haag, Col. Hefte VIII, 1871, p. 99. — Südafrika
sexcostatus Gerst. Jahrb. Hamb. wiss. Anst. I, 1884, p. 54. — Massailand
similis Péring. Ann. S. Afr. Mus. 1899, p. 291. — Sambesi
Sjoestedti Geb. Ergebn. Exped. Kilimandjaro VII, 1910, p. 372. — Kilimandjaro
solitarius Péring. l. c. p. 273. — Capland
specularis Péring. l. c. p. 286. — Mozambique
sperabilis Péring. l. c. p. 289. — Ovamboland
spiculosis Haag, Col. Hefte VII, 1871, p. 111. — S. Afrika
spinosocostatus Kolbe, Berl. Ent. Zeitschr. XLIX, 1904, p. 302. — Deutsch-Ost-Afrika
spinosus Haag, Col. Hefte VIII, 1871, p. 40. — Capland
splendens Haag, l. c. p. 61. — Südafrika
Steinheili Har. Mitth. Münch. Ent. Ver. II, 1878, p. 91. — Bloemfontein
striatopilosus Haag, Col. Hefte VII, 1871, p. 90. — ?Capland
striatus F. Syst. Ent. 1775, p. 251. — Thunb. Nov. Ins. Spec. 1791, p. 117. — Ol. Ent. III, 1795, 59, p. 4, t. 1, f. 11. — Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 278 (66). — Cast. Hist. Nat. II, 1840, p. 198. — Haag, Col. Hefte VII, 1871, p. 81. — Südafrika
gibbus Wulf. Ins. Cap. 1786, p. 18, t. 2, f. 16 a, b.
glandiformis Pall. Ic. I, 1781, p. 45, t. C, f. 11 a, b.
var. *caelatus* Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 276 (64). — Haag, Col. Hefte VII, 1871, p. 82, 84.

var. *gravidus* Sol. l. c. p. 281 (69). — Haag, l. c. p. 82, 85.
var. *hemisphaericus* Sol. l. c. p. 280 (68). — Haag, l. c. p. 82, 85.
var. *nigrocostatus* Haag, Col. Hefte VII, 1871, p. 82, 85.
var. *Solieri* nom. nov.
unicolor Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 276 (64).
var. *Spinolae* Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 281 (69).
var. *striatus* Sol. l. c. p. 276 (64).
var. *unicolor* F. Spec. Ins. I, 1781, p. 316. — Ol. Ent. III, 1795, 59, p. 5, t. 2, f. 22. — Herbst, Käf. VIII, 1799, p. 45, t. 120, f. 2. — Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 276 (64), t. 3, f. 17—24. — Haag, Col. Hefte VII, 1871, p. 82.
gibbus Geer, Ins. V, 1775, p. 51, t. 13, f. 8.
gigas Sulz. Abg. Gesch. Ins. 1776, p. 64, t. 7, f. 9.

subaeneus Har. Mitth. Münch. Ent. Ver. II, 1878, p. 106; Col. Hefte XVI, 1879, p. 115. — Kongostaat
subcostatus Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 300 (88). — Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 268. — Haag, Col. Hefte VIII, 1871, p. 46. — Capland
subgranulatus Haag, Col. Hefte VII, 1871, p. 78. — ,,
subplicatus nom. nov. — Ostafrika
plicatus Gerst. Arch. Naturg. XXXVII, 1871, p. 59; Decken's Reise III (2) 1873, p. 174.
sulcatus nom. nov. — ,,
plicipennis Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. CCXCIII (15).
sulcicollis Péring. Trans. S. Afr. Phil. Soc. III, 1885, p. 110. — Sambesi
tarsalis Haag, Col. Hefte VIII, 1871, p. 52. — Südafrika
tenebrosus Er. Arch. Naturgesch. IX, 1843, I, p. 242. — Haag, Col. Hefte VIII, 1871, p. 64. — Angola, Mozambique
tenuipes Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 273. — Haag, Col. Hefte VIII, 1871, p. 47. — Caffrarien
tibialis Haag, Col. Hefte VIII, 1871, p. 44. — Capland
timarchoides Haag, Col. Hefte VII, 1871, p. 79. — ,,
tomentosus Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 285 (73). — Haag, Col. Hefte VII, 1871, p. 93. — ,,
trachysceloides Haag, Col. Hefte VIII, 1871, p. 55. — ,,
transvaalensis Haag, Col. Hefte XIV, 1875, p. 81. — Transvaal
transversicollis Haag, Deutsche Ent. Zeitschr. XXIII, 1879, p. 291. — Delagoa
tricostatus Fåhrs. Öfv. Vet. Ak. Förh. XXVIII, 1870, p. 273. — Haag, Col. Hefte VIII, 1871, p. 48. — Caffrarien, Capland
praestans Péring. Ann. S. Afr. Mus. 1899. p. 282.
tristis Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 269. — Haag, Col. Hefte VII, 1871, p. 100. — Caffrarien
tuberculifer Haag, Col. Hefte VIII, 1871, p. 31. — Südafrika
interventor Péring. Denkschr. med. Ges. Jena XIII, 1908, p. 410, 504.
tuberculipennis Haag. l. c. p. 31. — ,,
tumidipennis Haag, Col. Hefte VII, 1871, p. 88. — Capland
tumidus Haag, Col. Hefte VIII, 1871, p. 72. — Benguela
undulatus Haag, Col. Hefte VII, 1871, p. 102. — Capland
uniformis Haag, l. c. p. 88. — ,,

vagecostatus Fairm. Compt. rend. Soc. Ent. Belg. 1882, p. L. — Ostafrika
vagus Péring. Ann. S. Afr. Mus. 1899, p. 288. — Capland
valens Péring. l. c. p. 276; 1904, p. 297. — Mozambique, Delagoa
cinctipennis Fairm. Bull. Soc. Vaudoise XXXV, 1899, p. 180, t. 2, f. 16.
validus Kraatz, Deutsche Ent. Zeitschr. 1897, p. 48. — Ostafrika
vaticinus Péring. Ann. S. Afr. Mus. 1899, p. 279. — Ovamboland
velutinus Haag, Col. Hefte VII, 1871, p. 87. — Capland
ventricosus Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 264. — Haag, Col. Hefte VII, 1871, p. 75. — Caffrarien
verecundus Péring. Ann. S. Afr. Mus. 1899, p. 286. — Walfischbay
vexator Péring. l. c. p. 287. — Sambesi?
vicinus Haag, Col. Hefte VIII, 1871, p. 51. — Capland
vietus Péring. Ann. S. Afr. Mus. 1899, p. 273. — Transvaal
villosocostatus Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 310 (98). — Haag, Col. Hefte VIII, 1871, p. 92. — Capland
villosostriatus Haag, Col. Hefte VII, 1871, p. 87. — ,,
villosulus Haag, l. c. p. 81; VIII, 1871, p. 106. — ,,
vittatus Sol. Mem. Acc. Torin. (2) VI, 1843, p. 278 (66). — Haag, Col. Hefte VII, 1871, p. 85. — ,,
volvulus Haag, Col. Hefte VIII, 1871, p. 34. — ,,
adventitus Péring. Ann. S. Afr. Mus. 1899, p. 278; 1904, p. 297.
vulpinus Haag, Col. Hefte XI, 1873, p. 45 nota. — ,,
hirtipennis Haag, Col. Hefte VIII, 1871, p. 92.
zanzibaricus Haag, Col. Hefte XIV, 1875, p. 78. — Sansibar
zoutpansbergianus Péring. Ann. S. Afr. Mus. III. 1904, p. 231. — Transvaal

277

Ograbies Péring.

Péring. Ann. S. Afr. Mus. I, 1899, p. 293.

longipilis Pér. Denkschr. med. Ges. Jena XIII, 1908, p. 412. — Südwestafrika
singularis Péring. Ann. S. Afr. Mus. I, 1899, p. 293. — Namaqualand

2

Oxura Kirby.

Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 413. — Cast. Hist. Nat. II, 1840, p. 199. — Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 329 (117). — Lacord. Genera Col. V, 1859, p. 198. — Haag, Col. Hefte VII, 1871, p. 26; VIII, 1871, p. 109 (Mon.).

femoralis Haag, Col. Hefte VIII, 1871, p. 111. — Capland
punctipennis Haag, l. c. p. 111. — ,,
setosa Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 414. t. 22, f. 3. — Cast. Hist. Nat. II, 1840, p. 199. — Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 330 (118), t. 4, f. 19—25. — Lacord. Genera Col. Atl. 1859, t. 52, f. 1. — Haag, Col. Hefte VIII, 1871, p. 110. — ,,
vestita Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 331 (119). — Haag, Col. Hefte VIII, 1871, p. 112. — ,,

4

Clinocranion Sol.

Sol. Mem. Accad. Sc. Torin. (2) VI, 1843, p. 326 (114). — Lacord. Genera Col. V, 1859, p. 200. — Haag, Col. Hefte VII, 1871, p. 26.

planatum Sol. Mem. Accad. Sc. Torin. (2) VI, 1843, p. 328 (116), t. 4, f. 15—16. — Haag, Col. Hefte XI, 1873, p. 43. — Caffrarien

spinosum Sol. l. c. p. 327 (115), t. 4, f. 17—18. — Haag, Col. Hefte XI, 1873, p. 43. — ,,

2

Trachynotus Latr.

Latr. Règne anim. ed. II, V, 1829, p. 14. — Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 315 (103). — Lacord. Genera Col. V, 1859, p. 199. — Haag, Col. Hefte VII, 1871, p. 26; XI, 1873, p. 1 (Mon.).

Gonopterus Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 313 (101).
Somaticus Hope, The Coleopt. Manual III, 1840, p. 117. — Lacord. Genera Col. V, 1859, p. 197.
Trachelaeum Hope, The Coleopt. Manual III, 1840, p. 116. — Lacord. Gen. Col. V, 1859, p. 200.
Subgen. *Trachynotidus* Péring. Ann. S. Afr. Mus.I, 1899, p. 296.

acuminatus Quens. in Schönh. Syn. Ins. I, 1806, p. 130, t. 3, f. 1. — Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 324 (112). — Haag, Mon. p. 14. — Capland
adventitus Péring. Ann. S. Afr. Mus. I, 1899, p. 299. — ,,
aeneus Sol. Mem. Accad. Sc. Torin. (2) VI, 1843, p. 323 (111). — Haag, Mon. p. 9. — Südafrika
albomaculatus Haag, Mon. p. 41. — Caffrarien
albulus Péring. Trans. S. Afr. Phil. Soc. IV, 2, 1886, p. 127. — Capland
Alstoni Péring. l. c. III, 1885, p. 116 *(Trachynotidus)*. — ,,
angulatus Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 277. — Haag, Mon. p. 29. — Caffrarien
angustus Péring. Trans. S. Afr. Phil. Soc. IV, 2, 1886, p. 125. — Capland
Badeni Haag, Mon. p. 10. — Südafrika
bipunctatus Haag, Mon. p. 20. — Caffrarien
Bohemani Haag, Mon. p. 11. — Péring. Trans. S. Afr. Phil. Soc. IV, 1886, t. 3, f. 5. — Südwest-afrika
Brucki Haag, Mon. p. 13. — ,,
carinatus Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 321 (109). — Haag, Mon. p. 34. — Capland
Chevrolati Haag, Mon. p. 35. — ,,
cinctus Haag, Mon. p. 12. — Centr.-Afrika
cognatus Péring. Ann. S. Afr. Mus. 1899, p. 297 *(Trachynotidus)*. — Bechuana-land
contractus Haag, Mon. p. 27. — Capland
crinitus Haag, Mon. p. 32. — ,,
cruentus Péring. Denkschr. med. Ges. Jena XIII, 1908, p. 411 *(Trachynotidus)*. — Südwest-afrika
damarinus Péring. Ann. S. Afr. Mus. III, 1904, p. 233 *(Trachynotidus)*. — Damaraland
dilatatus Haag, Mon. p. 25. — Capland
distinctus Péring. Trans. S. Afr. Phil. Soc. VI, 2, 1892, p. 54. — Südwest-afrika
dubius Péring. l. c. III, 1885, p. 114. — Damaraland

eximius Péring. Ann. S. Afr. Mus. 1899, p. 298 *(Trachynotidus)*. — Capland

frontalis Haag, Mon. p. 42. — Péring. Ann. S. Afr. Mus. III, 1904, p. 297. — Südwestafrika

levigata Péring. Trans. S. Afr. Phil. Soc. VI, 2, 1892, p. 55.

funestus Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 278. — Haag, Mon. p. 28. — Caffrarien

geniculatus Haag, Mon. p. 21. — Südafrika

glaber Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 275. — Haag, Mon. p. 26. — Caffrarien

Goryi Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 324 (112). — Haag, Mon. p. 17. — Capland

gracilipes Haag, Mon. p. 19. — ,,

attenuatus Péring. Trans. S. Afr. Phil. Soc. IV, 2, 1886, p. 125; VI, 2, p. 135.

griseus Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 277. — Haag, Mon. p. 31. — Caffrarien

Haagi Péring. Ann. S. Afr. Mus. 1899, p. 299, t. 6, f. 18. — Capland

Hoffmanni Haag, Mitth. Münch. Ent. Ver. II, 1878, p. 93. — ,,

impressicollis Péring. Trans. S. Afr. Phil. Soc. III, 1885, p. 111. — ,,

insularis Péring. Denkschr. med. Ges. Jena XIII, 1908, p. 410 *(Trachynotidus)*. — Südwestafrika

intermedius Haag, Mitth. Münch. Ent. Ver. II, 1878, p. 92. — Natal

Kraatzi Haag, Mon. p. 33. — Capland

laevis Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 275. — Haag. Mon. p. 26. — Caffrarien

leucographus Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 319 (107). — Haag, Mon. p. 38. — Capland

licinoides Haag, Mon. p. 23. — ,,

Lightfooti Péring. Trans. S. Afr. Phil. Soc. VI, 2, 1892, p. 122. — Namaqualand

lutosus Péring. l. c. III, 1885, p. 113. — Capland

lutulentus Péring. Ann. S. Afr. Mus. 1899, p. 301. — Transvaal

maculosus Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 276. — Haag, Mon. p. 27. — Caffrarien

meracus Péring. Ann. S. Afr. Mus. 1899, p. 302. — Capland

moerens Haag, Deutsche Ent. Zeitschr. XXIII, 1879, p. 294. — ,,

nitens Péring. Ann. S. Afr. Mus. 1899, p. 298. — ,,

ornatus Haag, Mon. p. 40. — ,,

pilosus Péring. Trans. S. Afr. Phil. Soc. III, 1885, p. 112. — ,,

plicatus Wiedem. Zool. Magaz. II, 1, 1823, p. 39. — Haag, Mon. p. 39. — ,,

lacunosus Sol. Mem. Accad. Sc. Torin. (2) VI, 1843, p. 322 (110).

plicipennis Haag, Mon. p. 38. — ,,

punctiger Haag, Mon. p. 15. — ,,

pygmaeus Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 279. — Haag, Mon. p. 17. — Caffrarien, Transvaal

tantillus Péring. Ann. S. Afr. Mus. 1899, p. 301; 1904, p. 297.

recurvus Haag, Mon. p. 38. — Capland

regalis Haag, Col. Hefte XIV, 1875, p. 82. — Péring. Trans. S. Afr. Phil. Soc. IV, 2, 1886, t. 3, f. 4. — Damaraland

resolutus Péring. Ann. S. Afr. Mus. 1904, p. 234. — Transvaal

reticulatus Geer, Ins. VII, 1778, p. 651, t. 48, f. 19. — F. Spec. Ins. I, 1781, p. 315. — Ol. Ent. — Südafrika

III, 1795, 61, p. 6, t. 1, f. 4a, b; t. 2, f. 4c. — Herbst, Käf. VIII, 1799, p. 145, t. 126, f. 2. — Cast. Hist. Nat. II, 1840, p. 197. — Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 318 (106), t. 4, f. 11—14. — Haag, Mon. p. 36.

var. *elongatus* Ol. Ent. III, 1795, 61, p. 8, t. 2, f. 7. — Sol. Mem. Acc. Torin. (2) VI, 1843, p. 320 (108). — Haag, Mon. p. 36.

var. *proximus* Cast. Hist. Nat. II, 1840, p. 197.

rufozonatus Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 194 *(Trachynotidus)*. — Südwestafrika

manifestus Péring. Ann. S. Afr. Mus. 1899, p. 297; 1904, p. 297.

rugosus F. Spec. Ins. I, 1781, p. 315. — Herbst, Käf. VIII, 1799, p. 149, t. 126, f. 5. — Sol. Mem. Acc. Sc. Torin. (2) VI, 1843, p. 314 (102). — Haag, Mon. p. 8. — Capland

leucophrys Herbst, Käf. VIII, 1799, p. 115, t. 125, f. 1.

rusticus Péring. Ann. S. Afr. Mus. 1899, p. 300. — ,,

scaber Haag, Mon. p. 15. — ,,

scrobiculatus Péring. Trans. S. Afr. Phil. Soc. III, 1885, p. 110. — ,,

scutelliformis Cast. Hist. Nat. II, 1840, p. 197. — Haag, Mon. p. 16. — ,,

sericeus Péring. Trans. S. Afr. Phil. Soc. IV, 2, 1886, p. 124. — Damaraland

serratus Péring. l. c. III, 1885, p. 112. — Capland

setulosus Haag, Mon. p. 31. — ,,

silphoides Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 274. — Haag, Mon. p. 24. — Caffrarien

plicipennis Péring. Ann. S. Afr. Mus. 1899, p. 300; 1904, p. 297. — Transvaal

similis Haag, Mon. p. 35. — Capland

sordidus Gerst. Monatsber. Berl. Acad. 1854, p. 532; Peters' Reise 1862, p. 279, t. 16, f. 11. — Haag, Mon. p. 29. — Mozambique

Ståli Haag, Mon. p. 18. — Svakopmund

latemarginatus Péring. Trans. S. Afr. Phil. Soc. III, 1885, p. 115; Ann. S. Afr. Mus. 1904, p. 297. — Transvaal

tentyrioides Haag, Mon. p. 24. — Deutsch-Südwestafrika

terrenus Péring. Trans. S. Afr. Phil. Soc. III, 1885, p. 114. — Oranjefluß

terricola Fåhrs. Öfv. Vet. Acad. Förh. XXVII, 1870, p. 278. — Haag, Mon. p. 30. — Caffrarien

Thoreyi Haag, Col. Hefte VIII, 1871, p. 104 *(Trachynotidus)*. — Capland

tibialis Haag, Mon. p. 20. — ,,

tricostatus Haag, Mon. p. 23.

vagus Péring. Denkschr. med. Ges. Jena XIII, 1908, p. 411 *(Trachynotidus)*. — Südafrika

variegatus Haag, Mitth. Münch. Ent. Ver. II, 1878, p. 94. — Capland

vestitus Haag, Mon. p. 30. — Natal

vicinus Péring. Trans. S. Afr. Phil. Soc. IV, 1886, p. 126. — Südafrika

vittatus F. Spec. Ins. I, 1781, p. 315. — Ol. Ent. III, 1795, 61, p. 7, t. 1, f. 5. — Guér. Icon. règne anim. 1829—38, t. 28bis, f. 6a, b. — Sol. Mem. — ,,

Acc. Sc. Torin. (2) VI, 1843, p. 325 (113). — Haag, Mon. p. 40.

vittiger Haag, Mon. p. 22. — Südafrika

Wahlbergi Haag, Mon. p. 10. — Deutsch-Südwestafrika

83

Ethmus Haag.

Haag, Col. Hefte XI, 1873, p. 44. — Gebien, Ann. Soc. Ent. Belg. LIV, 1910, p. 151 (Übers.).

Tynthlobia Fairm. Notes Leyd. Mus. X, 1888, p. 261; Ann. Soc. Ent. Fr. LX, 1891, p. 253.

analis Geb. Übers. p. 150. — Deutsch-Ostafrika

cinereosparsus Geb. Übers. p. 151. — „

incostatus Geb. l. c. p. 149. — Centralafrika

latus Haag, Col. Hefte XI, 1873, p. 45. — Geb. l. c. p. 152. — Südwestafrika

maculatus Haag, l. c. p. 45. — Geb. l. c. p. 152. — Angola

quadricostatus Fairm. Notes Leyd. Mus. X, 1888, p. 261; Ann. Soc. Ent. Fr. LX, 1891, p. 253.

plicatus Müll. Tijdschr. Entom. XXX, 1887, p. 300, t. 12, f. 3. — Geb. l. c. p. 152. — Sambesi

6

Ossiporis Pasc.

Pascoe, Journ. of Ent. II, 1866, p. 450.

terrena Pasc. l. c. p. 451. — Port Natal

1

Coleopterorum Catalogus

auspiciis et auxilio

W. Junk

editus a

S. Schenkling.

Pars 22:

H. Gebien

Tenebrionidae II.

Einzel-Preis: Mark 17.70
Subscriptions-Preis: Mark 11.80

W. Junk
Berlin W. 15, Kurfuerstendamm 201.
1. XI. 1910.

JAN 16 1911
215765

W. JUNK, Berlin W. 15.

Verlag und Antiquariat für Entomologie.

Coleopterorum Catalogus.

Pars 1: **R. Gestro,** Rhysodidae. 1910. 11 p.
(Mark 1) Mk. 0.65

2: **F. Borchmann,** Nilionidae, Othniidae, Aegialitidae, Petriidae, Lagriidae. 1910. 32 p.
(Mark 3) Mk. 2.—

3: **F. Borchmann,** Alleculidae. 1910. 80 p.
(Mark 7,50) Mk. 5.—

4: **M. Hagedorn,** Ipidae. 1910. 134 p.
(Mark 12.75) Mk. 8.50

5: **R. Gestro,** Cupedidae, Paussidae. 1910. 31 p.
(Mark 3) Mk. 2.—

6: **H. Wagner,** Curculionidae: Apioninae. 1910. 81 p.
(Mark 7.50) Mk. 5.—

7: **H. von Schönfeldt,** Brenthidae. 1910. 57 p.
(Mark 5.25) Mk. 3.50

8: **G. van Roon,** Lucanidae. 1910. 70 p.
(Mark 6.50) Mk. 4.35

9: **E. Olivier,** Lampyridae. 1910. 68 p.
(Mark 6.35) Mk. 4.25

10: **E. Olivier,** Rhagophthalmidae, Drilidae. 1910. 10 p.
(Mark 1) Mk. 0.65

11: **A. Léveillé,** Temnochilidae. 1910. 40 p.
(Mark 3.75) Mk. 2.50

12: **E. Csiki,** Endomychidae. 1910. 68 p.
(Mark 6.35) Mk. 4.25

13: **E. Csiki,** Scaphidiidae. 1910. 21 p.
(Mark 2) Mk. 1.30

14: **M. Pic,** Hylophilidae. 1910. 25 p.
(Mark 2.40) Mk. 1.60

15: **H. Gebien,** Tenebrionidae I. 1910. 166 p.
(Mark 15.60) Mk. 10.40

16: **P. Pape,** Brachyceridae. 1910. 36 p.
(Mark 3.40) Mk. 2.25

17: **Ph. Zaitzev,** Dryopidae, Cyathoceridae, Georyssidae, Heteroceridae. 1910. 68 p.
(Mark 6.35) Mk. 4.25

18: **E. Csiki,** Platypsyllidae, Orthoperidae, Phaenocephalidae, Discolomidae, Sphaeriidae. 1910. 35 p.
(Mark 3.30) Mk. 2.15

XXXIX. Sepidiinae.

Solier, Mém. Ac. Sc. Torin (2) VI, 1843, p. 216 (4). — Lacordaire, Genera Col. V, 1859, p. 201. — Jaquelin du Val, Genera Col. d'Europe III, 1861, p. 262, 327 *(Molurites)*. — Seidlitz, Naturg. Ins. Deutschl. V, 1893, p. 221. — Reitter, Best.-Tab. LIII (in Verh. Naturf. Ver. Brünn 1904), p. 29.

Echinotus Sol.

Sol. Mém. Ac. Sc. Torin (2) VI, 1843, p. 242 (30). — Lacord. Genera Col. V, 1859, p. 203.

dispar Péring. Ann. S. Afr. Mus. 1899, p. 302. — ? Sambesi
natalensis Chevr. Rev. Mag. Zool. 1874, p. 331. — Natal
spinicollis Cast. Hist. Nat. II, 1840, p. 197. — Sol. Mém. Ac. Sc. Tor. (2) VI, 1843, p. 243 (31), t. 1, f. 19—26. — Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 281. — Capland

3

Sepidiopsis Gestro.

Gestro, Ann. Mus. Genova (2) XII, 1892, p. 771.

cornigera Gestro, l. c. p. 772. — Somaliland
villosa Gestro, l. c. p. 773. — ,,

2

Sepidiostenus Fairm.

Fairm. Compt. rend. Soc. Ent. Belg. XXVIII, 1884, p. LXXV; Ann. Soc. Ent. Fr. (6) VII, 1887, p. 184.

Sepidiacis Fairmaire l. c. p. CXLVI; l. c. p. 185. — Gestro, Ann. Mus. Genova (2) XII, 1892, p. 775.

compressa Fairm. Compt. rend. Soc. Ent. Belg. XXVIII, 1884, p. CXLVI; Ann. Soc. Ent. Fr. (6) VII, 1887, p. 185, t. 2, f. 8. — Gestro, Ann. Mus. Genova (2) XII, 1892, p. 774. — Somaliland
dolichopus Gestro, Ann. Mus. Genova (2) XIX, 1899, p. 517. — ,,
erinaceus Fairm. Compt. rend. Soc. Ent. Belg. XXVIII, 1884, p. LXXV; Ann. Soc. Ent. Fr. (6) VII, 1887, p. 185, t. 2, f. 9. — Gestro, Ann. Mus. Genova (2) XIX, 1899, p. 517. — ,,
Fairmairei Gestro, l. c. p. 512. — ,,
longipennis Gestro, l. c. p. 516. — ,,
Pradieri Guér. Rev. Zool. 1858, p. 128, t. 4, f. 1—2; Bull. Soc. Ent. Fr. 1858, p. 70. — All. Rev. Mag. Zool. 1874, p. 127 (8). — Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 185. — Arabien
Ruspolii Gestro, Ann. Mus. Genova (2) XIX, 1899, p. 514. — Somaliland

7

Sepidium F.

F. Syst. Ent. 1775, p. 250. — Sol. Mém. Acad. Sc. Tor. (2) VI, 1843, p. 224 (12). — Lacord. Genera Col. V, 1859, p. 204. — Jacq. du Val, Genera Col. d'Eur. III, 1861, p. 263. — All. Rev. et Mag. Zool. 1874, p. 120 (1—32) (Mon.). — Seidl. Naturg. Ins. Deutschl. V, 1893, p. 228.

Abiram Crotch, Ordn. Surv. Penins. Sinai 1872, p. 268. — Bedel, Abeille XXXI, 1908, p. 55. — Sinai

aliferum Er. Wagn. Reise III, 1841, p. 178, t. 8. — All. Mon. p. 134 (15). — Algier

Douei Sol. Mém. Ac. Sc. Torin (2) VI, 1843, p. 230 (18).

angolense Qued. Berl. Ent. Zeitschr. XXIX, 1885, p. 7, t. 3, f. 2. — Angola, Kongo

transversum Fairm. Notes Leyd. Mus. X, 1888, p. 262.

aper Fairm. Compt. rend. Soc. Ent. Belg. 1884, p. LXXV; Ann. Soc. Ent. Fr. (6) VII, 1887, p. 278. — Somaliland

apicicorne Fairm. in Révoil, Faune et Flore Çomal. Col. 1882, p. 75. — „

barbarum Sol. Mém. Ac. Sc. Torin (2) VI, 1843, p. 235 (23). — All. Mon. p. 136 (17). — Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 101 (53). — Algier, Sicilien

Servillei Sol. Mém. Acad. Sc. Tor. (2) VI, 1843, p. 236 (24).

bicaudatum Fairm. Ann. Soc. Ent. Fr. (4) X, 1870, p. 388. — Mars. Abeille XII, 1875, p. 103. — Mogador

bidentatum Sol. Mém. Acad. Sc. Tor. (2) VI, 1843, p. 227 (15), t. 1, f. 12, 14, 15, 17, 18, — Jacq. du Val, Genera Col. III, 1861, t. 64, f. 319. — All. Mon. p. 128 (9). — Spanien, Sicilien

bilobatum Gahan, Proc. Zool. Soc. Lond. 1900, p. 30, t. 1, f. 14. — Somaliland

brevicaudatum Fairm. Compt. rend. Soc. Ent. Belg. 1882, p. LI. — „

bulbiferum Gerst. Jahrb. Hamb. wiss. Anst. I, 1884, p. 55. — Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 279. — Massai

capricorne Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 96 (48). — Algier

crassicaudatum Gestro, Ann. Mus. Genova XIII, 1878, p. 320. — Fairm. in Revoil, Faune et Flore Çomal. Col. 1882, p. 72. — Somaliland

cristatum F. Syst. Ent. 1775, p. 250. — Ol. Ent. III, 1795, 61, p. 5, t. 1, f. 3. — All. Mon. p. 143 (24). — Arabien

notoceros Pall. Icon. 1781, p. 59, t. C, f. 26.

cylindrigerum Fairm. in Révoil, Faune et Flore Çomal. Col. 1882, p. 75. — Somaliland

Dathan Crotch, Ordn. Surv. Penins. Sinai 1872, p. 268. — Bedel, Abeille XXXI, 1908, p. 55. — Sinai

furciferum Gerst. Jahrb. Hamb. wiss. Anst. I, 1884, p. 55. — Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 278. — Deutsch-Ostafrika

hamaticolle Fairm. l. c. p. 277. — „

Kelleri Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 151. — Somaliland

Korah Crotch, Ordn. Surv. Penins. Sinai 1872, p. 268. — Bedel, Abeille XXXI, 1908, p. 55. — Sinai

laghoatense Baudi, Ann. Mus. Genova VII, 1875, p. 695. — Algier
longehirtum Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 277. — Somaliland
magnum Gahan, Proc. Zool. Soc. 1900, p. 29, t. 1, f. 12. — „
multispinosum Sol. Mém. Ac. Sc. Torin (2) VI, 1843, p. 241 (29). — All. Mon. p. 142 (23). — Tunis
muscosum Gerst. Arch. Naturg. XXXVII, 1871, p. 60; Decken's Reise III, 2, 1873, p. 175, t. 9, f. 2. — Deutsch-Ostafrika
obtusangulum Fairm. in Révoil, Faune et Flore Çomal. Col. 1882, p. 73. — Somaliland
ovampoense Péring. Trans. S. Afr. Phil. Soc. VI, 2, 1892, p. 55. — Südwest-afrika
Pagesi Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 321. — Bogos, Abessinien
pallens All. Mon. p. 137 (18), t. 5, f. 4. — Algier
penicilligerum Karsch, Berl. Ent. Zeitschr. XXV, 1881, p. 49, t. 2, f. 2, 2b; Rohlfs' Kufra p. 376. — Oase Kufra
perforatum All. Mon. p. 130 (11), t. 5, f. 1. — Tanger
Reichei All. Pet. Nouv. I, 1870, p. 49; Mon. p. 131 (12), t. 5, f. 2. — Algier, Aegypten
Requieni Sol. Mém. Ac. Sc. Torin (2) VI, 1843, p. 241 (29). — All. Mon. p. 141 (22). — Algier
Ruspolii Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 150. — Somaliland
serratum Sol. Mém. Ac. Sc. Torin (2) VI, 1843, p. 240 (28). — All. Mon. p. 138 (19), t. 5, f. 5. — Algier
var. *remotum* Sahlb. Öfv. Finska Vet. Ak. Förh. XLV, nr. 19.
sexcornutum Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 115. — Ostafrika
siculum Sol. Mém. Ac. Sc. Torin (2) VI, 1843, p. 231 (19). — All. Mon. p. 135 (16). — Sicilien
Genei Sol. l. c. p. 232 (20).
spiculosum Gerst. Jahrb. Hamb. wiss. Anst. I, 1884, p. 55. — Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 279. — Massai
tomentosum Er. Wagn. Reise III, 1841, p. 178, t. 8. — All. Mon. p. 138 (19). — Algier, Aegypten
♂ *Barthelemyi* Sol. Mém. Ac. Sc. Tor. (2) VI, 1843, p. 236 (24).
♀ *Maillei* Sol. l. c. p. 239 (27).
tricuspidatum F. Syst. Ent. 1775, p. 250. — Ol. Ent. III, 1795, 61, p. 4, t. 1, f. 1b. — Herbst, Käf. VIII, 1799, p. 143, t. 126, f. 1. — Sol. Mém. Acad. Sc. Tor. (2) VI, 1843, p. 238 (26), t. 1, f. 13, 16. — All. Mon. p. 139 (20). — Algier, Griechenland
alexandrinum Forsk. Descr. anim. 1775, p. 80.
flexuosum Sol. Mém. Ac. Sc. Tor. (2) VI, 1843, p. 237 (25).
var. *Cerisyi* Sol. l. c. p. 238 (26). — All. Mon. p. 140 (21).
uncinatum Er. Wagn. Reise III, 1841, p. 178, t. 8. — All. Mon. p. 129 (10). — Algier
bicorne Sol. Mém. Ac. Sc. Tor. (2) VI, 1843, p. 229 (17).
Mittrei Sol. l. c. p. 228 (16). — „
variegatum F. Ent. Syst. I, 1792, p. 97. — Ol. Ent. III, 1795, 61, p. 4, t. 1, f. 2a, b. — Cast. Hist. Nat. II, 1840, p. 197. — Sol. Mém. Ac. Sc. Torin

(2) VI, 1843, p. 233 (21). — All. Mon. p. 132 (13). — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 31. — Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 98 (50).

angustatum Sol. Mém. Ac. Sc. Tor. (2) VI, 1843, p. 233 (21).

var. *dispar* Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 101 (53).

var. *Dufouri* Sol. Mém. Ac. Sc. Torin (2) VI, 1843, p. 234 (22). — All. Mon. p. 134 (15). — Desbr. l. c. p. 98 (50).

var. *integrum* Desbr. l. c. p. 100 (52).

var. *laterale* All. Mon. p. 133 (14), t. 5, f. 3. — Desbr. l. c. p. 98 (50).

var. *subfurcatum* Desbr. l. c. p. 100 (52).

villosulum Fairm. in Révoil, Faune et Flore Çomal. Col. 1882, p. 74. — Somaliland

Wagneri Er. Wagn. Reise III, 1841, p. 179, t. 8. — All. Mon. p. 140 (21). — Algier

var. *confusum* All. Mon. p. 141 (22).

zambesianum Péring. Trans. S. Afr. Phil. Soc. VI, 2, 1892, p. 123. — Sambesi

45

Vieta Cast.

Cast. Hist. Nat. II, 1840, p. 196. — Lacord. Genera Col. V, 1859, p. 205. — All. Rev. Mag. Zool. 1874, p. 144 (25) (Mon.).

Dymonus Sol. Mém. Acad. Sc. Torin (2) VI, 1843, p. 219 (7).

algeriana All. Pet. Nouv. Ent. I, 1870, p. 50; Mon. p. 146 (27), t. 5, f. 6. — Algier

bulbifera Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 116. — Ostafrika

clypeata Gahan, Ann. Mag. Nat. Hist. (6) XVIII, 1896, p. 454. — Aden

costata All. Mon. p. 149 (30), t. 5, f. 7. — Abessinien

crinita All. Bull. Soc. Ent. Fr. 1882, p. LXXXVII; Ann. Soc. Ent. Belg. XXVII, 1883, 1, p. 28. — Nyassa-See

dongolensis Cast. Hist. Nat. II, 1840, p. 197. — All. Mon. p. 141 (27). — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 32. — Dongola, Sennaar

Dufossei Sol. Mém. Ac. Sc. Torin (2) VI, 1843, p. 222 (10).

erecticollis Ancey, Natural. III, 1881, p. 461. — Deutsch-Ostafrika

erosa All. Bull. Soc. Ent. Fr. 1882, p. LXXXVII; Ann. Soc. Ent. Belg. XXVII, 1883, 1, p. 29. — Abessinien

gibbicollis Sol. Mém. Acad. Sc. Torin. (2) VI, 1843, p. 224 (12). — All. Mon. p. 148 (29). — Aegypten

gracilenta Ancey, Natural. III, 1881, p. 397. — Aden

Grixonii Gestro, Ann. Mus. Genova (2) XV, 1895, p. 375. — Somaliland

lacunosa Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, t. 2, f. 10; Bull. Soc. Ent. Fr. 1894, p. CCLII. — Deutsch-Ostafrika

longepilosa Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. CCXCIV (16). — Ostafrika

luctuosa Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 392. — Kilimandjaro

lutulenta Gestro, Ann. Mus. Genova (2) XV, 1895, p. 374. — Somaliland

luxorii All. Mon. p. 150 (31), t. 5, f. 9. — Aegypten
Millingeni Kirschb. Deutsche Ent. Zeitschr. XXI, 1877, p. 203. — Arabien
montana Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 392. — Kilimandjaro
ovalis All. Mon. p. 149 (30), t. 5, f. 8. — Abessinien
protensa Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. CCXCV (17). — Ostafrika
senegalensis Kl. Erman's Reise, Atl. 1835, p. 40. — All. Mon. p. 145 (26). — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 32. — Senegal
vestita Cast. Hist. Nat. II, 1840, p. 196. — Sol. Mém. Ac. Sc. Torin (2) VI, 1843, p. 221 (9), t. 1, f. 6—11. — Gory in Guér. Icon. règne anim. 1829—38, p. 114, t. 28 bis, f. 5 a—d.
speculifera Geb. Ann. Soc. Ent. Belg. LIV, 1910, p. 158. — Ostafrika

tuberculata Sol. Mém. Ac. Sc. Torin (2) VI, 1843, p. 223 (11). — All. Mon. p. 147 (28). — Aegypten, Syrien
tuberosa Fairm. in Révoil, Faune et Flore Çomal. Col. 1882, p. 76. — Somaliland
uncigera Ancey, Natural. III, 1881, p. 461. — Deutsch-Ostafrika

25

Vietomorpha Fairm.

Fairmaire, Ann. Soc. Ent. Fr. (6) VII, 1887, p. 186.

foveipennis Fairm. l. c. p. 186, t. 2, f. 11. — Somaliland

1

Epairops Fåhrs.

Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 282.

fragilis Fåhr. l. c. p. 282. — Caffrarien
variegata Péring. Trans. S. Afr. Phil. Soc. VI, 2, 1892, p. 55. — Südwest-afrika

2

XL. Akidinae.

Solier, Ann. Soc. Ent. Fr. V, 1836, p. 635 (excl. *Elenophorites*). — Mulsant, Col. Fr. Latigènes 1854, p. 53. — Lacordaire, Genera Col. V, 1859, p. 117. — Jacq. du Val, Genera Col. d'Eur. III, 1861, p. 256, 327. — Kraatz, Revis. Tenebr. alt. Welt 1865, p. 243. — Seidlitz, Naturg. Ins. Deutschl. V, 1893, p. 220, 226. — Reitter, Bestimmungs-Tabelle LIII in: Verh. naturf. Ver. Brünn XLII, 1904, p. 30, 36.

Morica Sol.

Sol. Ann. Soc. Ent. Fr. V, 1836, p. 646. — Lacord. Genera Col. V, 1859, p. 118. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 257. — Seidl. Naturg.

Ins. Deutschl. V, 1893, p. 226. — Reitt. Best.-Tab. LIII, 1904, p. 36, 37 (Mon.).

Favieri Luc. Bull. Soc. Ent. Fr. 1859, p. 113. — Kraatz, Revis. 1865, p. 244. — Reitt. Best.-Tab. LIII, 1904, p. 38. — Algier, Mogador

crenata F. part. Suppl. Ent. Syst. 1798, p. 44; Syst. El. I, 1801, p. 131. — Geb. Deutsche Ent. Zeitschr. 1906, p. 210.

grossa L. Syst. Nat. ed. XII, 1767, p. 676. — Ol. Ent. III, 1795, 59, p. 13, t. 2, f. 16. — Moraw. Horae Soc. Ent. Ross. III, 1865, p. 9. — Reitt. Best.-Tab. LIII, 1904, p. 37. — Spanien, Tunis, Aegypten, Syrien

octocostata Sol. Ann. Soc. Ent. Fr. V, 1836, p. 649. — Cast. Hist. Nat. II, 1840, p. 190. — Küst. Käf. Eur. 1848, XIII, 46. — Luc. Expl. Alg. 1849, p. 308, t. 27, f. 8.

hybrida Charpent. Hor. ent. 1825, p. 215. — Reitt. Best.-Tab. LIII, 1904, p. 37. — Sicilien, Südspanien, Algier

obtusa Sol. Ann. Soc. Ent. Fr. V, 1836, p. 650. — Küst. Käf. Eur. 1848, XIII, 47.

Jevini Luc. Bull. Soc. Ent. Fr. 1850, p. 4; Ann. Soc. Ent. Fr. (3) IV, 1856, p. 712, t. 21, f. 7. — Kraatz, Revis. 1865, p. 244. — Reitt. Best.-Tab. LIII, 1904, p. 38. — Algier

Pharao Reitt. Best.-Tab. LIII, 1904, p. 38. — Aegypten

planata F. Syst. El. I, 1801, p. 134. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 648, t. 23, f. 12—16. — Cast. Hist. Nat. II, 1840, p. 190. — Küst. Käf. Eur. 1848, XIII, 45. — Jacq. du Val, Gen. Col. III, 1861, t. 62, f. 310. — Reitt. Best.-Tab. LIII, 1904, p. 37. — Südspanien, Marokko

var. *tingitana* Baudi, Deutsche Ent. Zeitschr. XIX, 1875, p. 75 nota. — Tanger

6

Akis Hbst.

Herbst, Natursyst. Käf. VIII, 1799, p. 124. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 651. — Cast. Hist. Nat. II, 1840, p. 190. — Muls. Col. Fr. Latigènes 1854, p. 53. — Lacord. Genera Col. V, 1859, p. 119. — Jacq. du Val, Genera Col. Eur. III, 1861, p. 256. — Seidl. Naturg. Ins. V, 1893, p. 226. — Desbr. Frelon IX, 1901, p. 182. — Reitt. Best.-Tab. LIII, 1904, p. 36, 38 (Mon.).

acuminata F. Mant. Ins. I, 1787, p. 209. — Herbst, Käfer VIII, 1799, p. 129, t. 125, f. 7. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 657. — Cast. Hist. Nat. II, 1840, p. 190. — Küst. Käf. Eur. 1848, XIII, p. 48. — Kraatz, Revis. Tenebr. 1865, p. 250. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 3. — Reitt. Best.-Tab. LIII, 1904, p. 40. — Südspanien, Balearen, Sicilien, Dalmatien

var. *dorsigera* Reitt. Best.-Tab. LIII, 1904, p. 54. — Portugal

algeriana Sol. Ann. Soc. Ent. Fr. V, 1836, p. 663. — Küst. Käf. Eur. 1848, XIV, p. 75. — Luc. Expl. Alg. 1849, p. 309, t. 27, f. 9. — Kraatz, Revis. Tenebr. 1865, p. 253. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 4. — Reitt. Best.-Tab. LIII, 1904, p. 42. — Algier

var. *nitida* Sol. l. c. p. 666. — Kraatz, Revis. Tenebr. 1865, p. 253.
var. *planicollis* Sol. l. c. p. 664. — Küst. Käf. Eur. 1848, XIV, 76. — Kraatz, Revis. 1865, p. 253. — Reitt. Best.-Tab. LIII, 1904, p. 42.

bacarozzo Schrank, Baier. Reise 1786, p. 22, t. 1. — Reitt. Best.-Tab. LIII, 1904, p. 39. — Südfrankreich, Italien, Spanien, Corsica
plicata Latr. Nouv. Dict. Hist. Nat. I, 1817, p. 280.
punctata Thunb. Mus. Acad. Ups. IV, 1787, p. 49, f. 18. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 655, t. 24, f. 1—5. — Cast. Hist. Nat. II, 1840, p. 190. — Küst. Käf. Eur. 1848, XIII, p. 52. — Muls. Col. Fr. Latigènes 1854, p. 55. — Jacq. du Val, Genera Col. Eur. III, 1861, t. 62, f. 309. — — Kraatz, Revis. Tenebr. 1865, p. 248. — Baudi Bull. Soc. Ent. Ital. VI, 1874, p. 300. — Desbr. Frelon IX, 1901, p. 183.
reflexa Ol. Ent. III, 1795, 59, p. 25, t. 1, f. 9. — Herbst, Käfer VIII, 1799, p. 128, t. 125, f. 6.
var. *tuberculata* Kraatz, Revis. Tenebr. 1865, p. 249. — Reitt. Best.-Tab. LIII, 1904, p. 39. — Corsika
Biologie: Muls. Ann. Soc. Linn. Lyon 1846, p. 9, t. 1, f. 1; Col. Fr. Latigènes 1854, p. 55. — Schioedte, Nat. Tidsskr. 1879, III, 11, p. 507 — 508, 529—531, t. 5, f. 12—21. — Seidl. Naturg. Ins. Deutschl. V, 1893, p. 213 note.

biskrensis Reitt. Best.-Tab. LIII, 1904, p. 43. — Biskra

cordicollis Fairm. Natural. VI, 1884, p. 446. — Casablanca

discoidea Quens. in Schönh. Syn. Ins. I, 1806, p. 138, nota. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 661. — Kraatz, Revis. 1865, p. 252. — Moraw. Hor. Soc. Ent. Ross. III, 1865, p. 10. — Reitt. Best.-Tab. LIII, 1904, p. 41. — Andalusien, Algier
var. *hispanica* Sol. Ann. Soc. Ent. Fr. V, 1836, p. 667. — Kraatz, Revis. Tenebr. 1865, p. 252. — Reitt. Best.-Tab. LIII, 1904, p. 41.
var. *Salzei* Sol. l. c. p. 662. — Kraatz, l. c. p. 252. — Reitt. l. c. p. 41. — Südspanien

elegans Charp. Horae Ent. 1825, p. 216. — Kraatz, Revis. Tenebr. 1865, p. 257. — Baudi, Bull. Soc. Ent. It. VII, 1875, p. 6. — Reitt. Best.-Tab. LIII, 1865, p. 43. — Spanien, Algier, Marokko Tripolis
carinata Sol. Ann. Soc. Ent. Fr. V, 1836, p. 674. — Küst. Käf. Eur. 1848, XIV, 81.
Kobelti Heyd. Bericht. Senckenb. Ges. Frankf. 1882—83, p. 236; Deutsche Ent. Zeitschr. XXVIII, 1884, p. 172.

elevata Sol. Ann. Soc. Ent. Fr. V, 1836, p. 671. — Kraatz, Revis. Tenebr. 1865, p. 258. — Reitt. Best.-Tab. LIII, 1904, p. 44. — Ägypten, Nubien

elongata Brll. Exped. Morée III, 1832, p. 194, t. 40, f. 3. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 659. — Cast. Hist. Nat. II, 1840, p. 190. — Küst. Käf. Eur. 1848, XIV, p. 73. — Kraatz, Revis. Tenebr. 1865, p. 251. — Baudi, Bull. Soc. Ent. Ital. VI, 1875, p. 3. — Reitt. Best.-Tab. LIII, 1904, p. 40. — Griechenland, Türkei
deplanata Waltl, Isis 1838, p. 461.

Genei Sol. Ann. Soc. Ent. Fr. V, 1836, p. 668. — Kraatz, Revis. Tenebr. 1865, p. 255. — Reitt. Best.-Tab. LIII, 1904, p. 43. — Spanien

Goryi Sol. Ann. Soc. Ent. Fr. V, 1836, p. 676. — Guér. Icon. règne anim. 1829—38, t. 28, f. 8a. — Kraatz, Revis. Tenebr. 1865, p. 258. — Reitt. Best.-Tab. LIII, 1904, p. 43. — Algier, Tunis

granulifera Sahlb. in Thon, Arch. II, 1, 1823, p. 11, t. 1, f. 6. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 672. — Küst. Käf. Eur. 1848, XIV, p. 78. — Kraatz, Revis. 1865, p. 255. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 5. — Reitt. Best.-Tab. LIII, 1904, p. 42. — Spanien, Portugal

var. *Bayardi* Sol. Ann. Soc. Ent. Fr. V, 1836, p. 670. — Kraatz, Revis. 1865, p. 255. — Reitt. Best.-Tab. LIII, 1904, p. 42.

var. *lusitanica* Sol. l. c. p. 670. — Kraatz, l. c. p. 255. — Reitt. l. c. p. 39, 42.

var. *spinosa* Herbst, Käf. VIII, 1799, p. 126, t. 125, f. 5. — Kraatz, Revis. 1865, p. 255. — Reitt. Best.-Tab. LIII, 1904, p. 42.

Heydeni Haag, Ent. Monatsbl. I, 1876, p. 76. — Reitt. Best.-Tab. LIII, 1904, p. 45. — Marokko

italica Sol. Ann. Soc. Ent. Fr. V, 1836, p. 674. — Küst. Käf. Eur. 1848, XIV, p. 80. — Kraatz, Revis. Tenebr. 1865, p. 257. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 6. — Reitt. Best.-Tab. LIII, 1904, p. 45. — Italien, Algier, Marokko

Latreillei Sol. l. c. p. 675. — Kraatz, Revis. Tenebr. 1865, p. 259. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 7. — Reitt. Best.-Tab. LIII, 1904, p. 45. — Kleinasien, Syrien, Cypern, Aegypten

melitana Reitt. Best.-Tab. LIII, 1904, p. 40. — Malta

obstituber Mars. Abeille XXI, 1883, p. 182. — Cirenaika

opaca Heyd. Stett. Ent. Zeit. LVIII, 1897, p. 31. — Reitt. Best.-Tab. LIII, 1904, p. 40. — Griechenland, Kleinasien

var. *anatolica* Reitt. Best.-Tab. LIII, 1904, p. 40.

Otoes Fisch. Bull. Mosc. X, 1837, IV, p. 14, t. 2, f. 2. — — Mor. Horae Soc. Ent. Ross. III, 1865, p. 10. — Anatolien

reflexa F. Syst. Ent. 1775, p. 252. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 658. — Cast. Hist. Nat. II, 1840, p. 191. — Küst. Käf. Eur. 1848, XIII, p. 49. — Kraatz, Revis. Tenebr. 1865, p. 248. — Reitt. Best.-Tab. LIII, 1904, p. 39. — Aegypten

Richteri Quedenf. Ent. Nachr. XV, 1889, p. 354. — Westküste Nordafrikas

Sansi Sol. Ann. Soc. Ent. Fr. V, 1836, p. 660. — Kraatz, Revis. Tenebr. 1865, p. 250. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 3. — Reitt. Best.-Tab. LIII, 1904, p. 41. — Spanien

var. *duplicata* Reitt. Best.-Tab. LIII, 1904, p. 41.

Schweinfurthi Quedenf. Berl. Ent. Zeitschr. XXXV, 1890, p. 139. — Aegypten

spinosa Linn. Mus. Lud. Ulr. 1764, p. 101. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 668. — Küst. Käf. Eur. 1848, XIV, p. 77. — Kraatz, Revis. Tenebr. 1865, p. 254. — Baudi, Bull. Soc. Ent. It. VII, 1875, p. 4. — Reitt. Best.-Tab. LIII, 1904, p. 42. — Italien, Sardinien, Sicilien, Algier

angusticollis Baudi, Deutsche Ent. Zeitschr. XIX, 1875, p. 76. — Reitt. Best.-Tab. LIII, 1904, p. 42.
Olivieri Sol. Ann. Soc. Ent. Fr. V, 1836, p. 665. — Kraatz, Revis. Tenebr. 1865, p. 254.
sardea Sol. l. c. p. 669. — Kraatz, l. c. p. 254.
terricola Mén. Cat. Ins. Balkan 1838 (Mém. Acad. Petr. (6) V), p. 36, t. 2, f. 4 ♀.
trilineata Herbst, Käfer VIII, 1799, p. 130, t. 125, f. 8. — Küst. Käf. Eur. 1848, XIII, 50.
var. *Ragusae* Reitt. Natural. Sicil. XVII, 1907, p. 97. — Sicilien

subterranea Sol. Ann. Soc. Ent. Fr. V, 1836, p. 656. — Küst. Käf. Eur. 1848, XIII, p. 51. — Kraatz, Revis. 1865, p. 249. — Reitt. Best.-Tab. LIII, 1904, p. 39. — ,,

subtricostata Redtenb. Denkschr. Wien. Ak. I, 1850, p. 48. — Kraatz, Revis. 1865, p. 258 nota. — Reitt. Best.-Tab. LIII, 1904, p. 44. — Persien

tingitana Luc. Bull. Soc. Ent. Fr. 1859, p. 114. — Kraatz, Revis. 1865, p. 248. — Reitt. Best.-Tab. LIII, 1904, p. 38. — Tanger

27

Sarathropus Kraatz.

Kraatz, Revis. Tenebr. 1865, p. 268. — Reitt. Best.-Tab. LIII, 1904, p. 36, 45.

depressus Zoubk. Bull. Mosc. X, 1837, V, p. 68, t. 4, f. 3. — Kraatz, Revis. Tenebr. 1865, p. 269. — Moraw. Horae Soc. Ent. Ross. III, 1865, p. 20. — Reitt. Best.-Tab. LIII, 1904, p. 46. — Kirgisen-Steppe, Transkaspien
gibbus Ménétr. Mém. Ac. Petr. (6) VIII, 1849, p. 226.
1

Cyphogenia Sol.

Sol. Ann. Soc. Ent. Fr. V, 1836, p. 677. — Jacq. du Val, Genera Col. Eur. III, 1861, p. 256. — Reitt. Best.-Tab. LIII, 1904, p. 37, 46.

Subgen. *Lechriomus* Moraw. Horae Soc. Ent. Ross. III, 1865, p. 21. — Reitt. Best.-Tab. LIII, 1904, p. 46.

aurita Pall. Icon. Ins. I, 1781, p. 40, t. C, f. 5a, b. — Ménétr. Catal. rais. 1832, p. 194. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 679, t. 24, f. 6—10♀. — Jacq. du Val, Gen. Col. Eur. III, 1861, t. 62, f. 308. — Moraw. Horae Soc. Ent. Ross. III, 1865, p. 38. — Reitt. Best.-Tab. LIII, 1904, p. 48 (*Cyphogenia* s. str.). — Transkaspien, Turkestan
truncata Gebl. Bull. Acad. Petr. III, 1845, p. 101; Bull. Mosc. XXXIII, 1860, III, p. 16.
Zablotzkyi Kraatz, Revis. Tenebr. 1865, p. 264.
var. *brevicostata* Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 83. — Reitt. Best.-Tab. LIII, 1904, p. 48.
var. *Kraatzi (Cratii)* Moraw. Horae Soc. Ent. Ross. III, 1865, p. 40. — Baudi, Deutsche Ent.

Zeitschr. XIX, 1875, p. 77. — Reitt. Best.-Tab. LIII, 1904, p. 48.
aurita Mén. Mém. Ac. Petr. (6) VIII, 1849, p. 226.
truncata Kraatz, Revis. Tenebr. 1865, p. 265.
var. *unicostata* Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 84. — Reitt. Best.-Tab. LIII, 1904, p. 48.

Bienerti Moraw. Horae Soc. Ent. Ross. III, 1865, p. 27 *(Lechriomus)*. — Herat

chinensis Fald. Mém. Acad. Petr. Sav. Etr. II, 1835, p. 392. — Kraatz, Revis. Tenebr. 1865, p. 268. — Moraw. Horae Soc. Ent. Ross. III, 1865, p. 33 (*Cyphogenia* s. str.). — Mongolei

funesta Fald. Mém. Ac. Petr. Sav. Étr. II, 1835, p. 390. — Kraatz, Revis. Tenebr. 1865, p. 266. — Moraw. Horae Soc. Ent. Ross. III, 1865, p. 30. — Reitt. Best.-Tab. LIII, 1904, p. 47 *(Lechriomus)*. — China, Mongolei
rugipennis Fald. l. c. p. 389. — Kraatz, l. c. p. 265.
sepulchralis Fald. l. c. p. 391. — Kraatz, l. c. p. 267.

gibba Fisch. Lettre à Pander 1821, p. 13; Ent. Ross. I, 1823, p. 177, t. 15, f. 9. — Moraw. Horae Soc. Ent. Ross. III, 1865, p. 34. — Kraatz, Revis. Tenebr. 1865, p. 262. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 8. — Reitt. Best.-Tab. LIII, 1904, p. 47 (*Cyphogenia* s. str.). — Kirgisensteppe, Nordpersien, Transkaspien
angustata Zoubk. Bull. Mosc. VI, 1833, p. 327; Bull. Mosc. Ent. I, 1836, p. 312. — Kraatz, Revis. 1865, p. 263. — Moraw. Horae Soc. Ent. Ross. III, 1865, p. 37.
Zablotzkyi Zoubk. Bull. Mosc. X, 1837, V, p. 67, t. 4, f. 2. — Moraw. Hor. Soc. Ent. Ross. III, 1865, p. 37.
var. *persica* Baudi, Ann. Mus. Genova VI, 1874, p. 108; Bull. Soc. Ent. Ital. VII, 1875, p. 8; Deutsche Ent. Zeitschr. XIX, 1875, p. 78 nota. — Reitt. Best.-Tab. LIII, 1904, p. 48. — Persien

humeralis Bates, Cist. Ent. II, 1879, p. 471; Sec. Yark. Miss. Col. 1890, p. 60, t. 2, f. 8. — Reitt. Best.-Tab. LIII, 1904, p. 48 (*Cyphogenia* s. str.). — Mongolei, Altai, Kaschmir
semicarinata Reitt. Horae Soc. Ent. Ross. XXI, 1887, p. 360.

limbata Fisch. Lettre à Pander 1821, p. 13; Ent. Ross. I, 1823, p. 176, t. 15, f. 5 ♂. — Moraw. Horae Soc. Ent. Ross. III, 1865, p. 22. — Kraatz, Revis. Tenebr. 1865, p. 263. — Reitt. Best.-Tab. LIII, 1904, p. 47 *(Lechriomus)*. — Turkestan, Kirghisensteppe

lucifuga Ad. Mém. Mosc. V, 1817, p. 304. — Moraw. Horae Soc. Ent. Ross. III, 1865, p. 23. — Reitt. Best.-Tab. LIII, 1904, p. 47 *(Lechriomus)*. — Südrußland, Transkaukasien, Kirghisensteppe, Hochsyrien
acuminata Fisch. Ent. Ross. I, 1823, p. 175, t. 15, f. 7.
aurita Ménétr. Cat. rais. 1832, p. 194. — Kraatz, Revis. Tenebr. 1865, p. 261.
depressa Küst. Käf. Eur. 1848, XIV, 74.

Solskyia Ersch.

Erschoff, Troudy Ent. Ross. XIII, 1882, p. 48. — Reitt. Best.-Tab. LIII, 1904, p. 36.

concavidorsis Reitt. Entom. Blätter V, 1909, p. 206. Buchara
depressiuscula Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. XCII. — Reitt. Best.-Tab. LIII, 1904, p. 49. Kaschmir
Grombczewskyi Semen. Horae Soc. Ent. Ross. XXIV, 1890, p. 221; XXV, 1890—91, p. 367. Kundshut
parvicollis Kraatz, Revis. 1865, p. 251. Himalaya
plana Bates, Cist. Ent. II, 1879, p. 471; Sec. Yark. Miss. Col. 1890, p. 60, t. 2, f. 7. — Sem. Horae Soc. Ent. Ross. XXV, 1891, p. 365. Kaschmir
Morawitzi Sem. Horae Soc. Ent. Ross. XXV, 1891, p. 363.
peregrina Erschoff, Troudy Ent. Ross. XIII, 1882, p. 49. — Reitt. Best.-Tab. LIII, 1904, p. 49. Turkestan
subperegrina Reitt. Best.-Tab. LIII, 1904, p. 49. „

7

XLI. Falsomycterinae.

Geb. adhuc indescr.

Falsomycterus Pic.

Pic, Échange XXIII, 1907, p. 127.

diversipes Pic, l. c. p. 127. Brasilien
rufipennis Pic, l. c. p. 166. „

2

XLII. Apolitinae.

Seidlitz, Naturg. Ins. Deutschl. V, 1896, p. 666. — Reitter, Best.-Tab. LIII in Verh. Naturf. Ver. Brünn XLII, 1904, p. 30.

Apolites Jacq.

Jacq. du Val, Genera Col. Eur. III, 1861, p. 324. — Allard, Abeille XIV, 1876, p. CII; Mitth. Schweiz. Ent. Ges. V, 1877, p. 63. — Kraatz, Deutsche Ent. Zeitschr. XXI, 1877, p. 304. — Reitter, Deutsche Ent. Zeitschr. XXVIII, 1884, p. 89. — Seidlitz, Naturg. Ins. Deutschl. V, 1896, p. 666.

Allardi Reitt. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 88. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 668. Griechenland
graecus Kraatz, Deutsche Ent. Zeitschr. XXI, 1877, p. 304. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 667. „
mucoreus Waltl, Isis 1838, p. 464. — Küst. Käf. Eur. 1850, XXI, 30. — Jacq. du Val, Genera Col. Smyrna, Türkei

Eur. III, 1861, t. 79, f. 393. — Baudi, Bull. Soc. Ent. Ital. IX, 1877, p. 138. — Seidlitz, Naturg. Ins. Deutschl. V, 1896, p. 667.

taygetanus Reitt. Wien. Ent. Zeit. XVII, 1898, p. 105. Griechenland
4

Anisocerus Fald.

Fald. Fauna Transc. II, 1837, p. 39. — Seidlitz, Naturg. Ins. Deutschl. V, 1896, p. 667. — Reitter, Wien. Ent. Zeit. XVII, 1898, p. 105.

Ceratanisus Cat. Col. VII, 1870, p. 1818.

funebris Reitt. Wien. Ent. Zeit. XVII, 1898, p. 106. Kleinasien
tristis Fald. Fn. Transcauc. II, 1837, p. 40, t. 1, f. 6. — Reitt. Wien. Ent. Zeit. XVII, 1898, p. 106. Transkaukasus
turkestanicus Reitt. Wien. Ent. Zeit. XVII, 1898, p. 106. Turkestan
3

XLIII. Scaurinae.

Solier, Ann. Soc. Ent. Fr. VII, 1838, p. 159. — Lacordaire, Genera Col. V, 1859, p. 122 (*Scaurides* vrais). — Horn, Revis. Tenebr. N. Am. in Trans. Am. Phil. Soc. (n. ser.) XIV, 1870, p. 323. — Leconte and Horn, Class. Col. N. Amer. 1883, p. 377. — Seidlitz, Naturg. Ins. Deutschl. V, 1893, p. 221, 226. — Reitter, Best.-Tab. LIII, in Verh. Naturf. Ver. Brünn XLII, 1904, p. 31.

Scaurus F.

F. Syst. Ent. 1775, p. 253. — Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 161. — Mulsant, Col. Fr. Latigènes, 1854, p. 73. — Lacordaire, Genera Col. V, 1859, p. 123. — Jacq. du Val, Genera Col. Eur. III, 1861, p. 254. — Desbr. Frelon IX, 1901, p. 174.

aegyptiacus Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 170. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 10; Deutsche Ent. Zeitschr. XIX, 1875, p. 80. Aegypten, Tunis, Sardinien, Sicilien
algiricus Küst. Käf. Eur. XIII, 1848, 56. Algier
amplicollis Fairm. Ann. Mus. Genova VII, 1875, p. 526 nota. „
angustus Reiche, Ann. Soc. Ent. Fr. (4) IV, 1864, p. 242. — Mars. Abeille XII, 1875, p. 96. „
atratus F. Syst. Ent. 1775, p. 253. — Ol. Ent. III, 1795, 62, p. 5, t. 1, f. 3 b. — Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 183, t. 7, f. 1—4, 6—7. — Küst. Käf. Eur. XIII, 1848, 63. — Muls. Col. Fr. Latigènes 1854, p. 81. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 15. — Desbr. Frelon IX, 1901, p. 179. Unteritalien, Sardinien, Sicilien, Südfrankr., Syrien, Aegypten, Algier
var. *vicinus* Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 183. Griechenland
Biologie: Schioedte, Nat. Tidskr. 1879, p. 526—529, t. 6, f. 14—20.

barbarus Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 165. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 9; Deutsche Ent. Zeitschr. XIX, 1875, p. 84.	Tripolis
rugicollis Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 233.	Syrien
var. *interruptus* Baudi, Bull. Soc. Ent. It. VII, 1875, p. 11; Deutsche Ent. Zeitschr. XIX, 1875, p. 83. — Haag, Deutsche Ent. Zeitschr. XIX, 1875, p. 434.	Tunis
Bougoni Fairm. Bull. Soc. Ent. Fr. 1883, p. CXXV.	Tunis
breviatus Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 81 (33).	Östl. Algier
carinatus Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 176. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 13; Deutsche Ent. Zeitschr. XIX, 1875, p. 85.	Aegypten
contractus Fairm. Ann. Soc. Ent. Fr. (4) X, 1880, p. 13.	Mogador
distinctus Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 173.	Tanger
dubius Sol. l. c. p. 181. — Luc. Expl. Alg. 1849, p. 310, t. 28, f. 9. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 15.	Algier
barbarus Er. Wagn. Reise III, 1841, p. 181.	
elongatus Muls. et Godart, Ann. Soc. Linn. Lyon XII, 1865, p. 452. — Opusc. Ent. XIV, 1870, p. 22. — Mars. Abeille XII, 1875, p. 95.	„
gracilis Küst. Käf. Eur. 1848, XIII, p. 61.	Spanien
Kraatzi Haag, Ent. Monatsbl. I, 1876, p. 10.	Marokko
asperulus Fairm. Ann. Mus. Genova VII, 1875, p. 525 nota. — Heyd. Wien. Ent. Zeit. VIII, 1889, p. 294.	
latipennis Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 13; Deutsche Ent. Zeitschr. XIX, 1875, p. 82.	Barbarei
lucidulus Desbr. Bull. Ac. d'Hipp. XVI, 1881, p. 82 (34).	Algier
macricollis All. Bull. Soc. Ent. Fr. 1882, p. LXXXVII; Ann. Soc. Ent. Belg. XXVII, 1883, 1, p. 24.	Mesopotamien, Aegypten
maroccanus Fairm. Ann. Mus. Genova VII, 1875, p. 525, nota.	Mogador
ovipennis Fairm. l. c. p. 526.	Tunis
parvicollis Fairm. l. c. p. 525 nota.	Sahara
planidorsis Fairm. Rev. Mag. Zool. 1879, p. 190 (13).	Algier
porcatus Er. Wagn. Reise III, 1841, p. 182, t. 7. — Luc. Expl. d'Alg. 1849, p. 311, t. 28, f. 11.	Algier
punctatus F. Ent. Syst. Suppl. 1798, p. 43. — Illig. Mag. I, 1802, p. 335.	Marokko
puncticollis Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 172. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 11; Deutsche Ent. Zeitschr. XIX, 1875, p. 81.	Aegypten, Syrien, Cypern
quadraticollis Fairm. Ann. Mus. Genova VII, 1875, p. 526 nota.	Nordafrika
rugulosus Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 174. — Küst. Käf. Eur. 1848, XIII, 60. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 12; Deutsche Ent. Zeitschr. XIX, 1875, p. 85.	Spanien
Sancti-Amandi Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 177. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 13; Deutsche Ent. Zeitschr. XIX, 1875, p. 86.	Aegypten, Tunis
sticticus Gemm. Col. Hefte VI, 1870, p. 121.	Spanien,
punctatus Herbst, Käf. VIII, 1799, p. 138, t. 125, f. 13. — Sol. l. c. p. 182. — Küst. Käf. Eur. 1848, XIII, 62. — Luc. Expl. Alg. 1849,	Südfrankreich, Sardinien

p. 310, t. 28, f. 10. — Muls. Col. Fr. Latigènes 1854, p. 79. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 15. — Desbr. Frelon IX, 1901, p. 180.

striatus F. Ent. Syst. I, 1792, p. 93. — Herbst, Käf. VIII, 1799, p. 136, t. 125, f. 12. — Sol. l. c. p. 180. — Küst. Käf. Eur. 1848, XIII, 59. — Muls. Col. Fr. Latigènes 1854, p. 77. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 14; Deutsche Ent. Zeitschr. XIX, 1875, p. 84. — Desbr. Frelon IX, 1901, p. 178. — Italien, Sardinien, Sicilien, Südfrankreich, Spanien, Marokko, Algier

carinatus Petagna, Spec. Ins. Calabr. 1787, p. 26, t. 26, f. 19. — Rossi, Fn. Etrur. I, 1790, p. 230.

dentipes Villers, Linn. Ent. I, 1790, p. 396, 40♀.

var. *maremmanus* Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 180. — Italien

var. *sardous* Costa, Rend. Acc. Napoli XXIII, p. 168; Atti Acc. Napoli (2) 1, 1884, p. 13. — Sardinien

sublaevis Desbr. Bull. Ac. d'Hipp. XVI, 1881, p. 84 (36). — Tanger

tristis Ol. Ent. III, 1795, 62, p. 4, t. 1, f. 1 a, b. — Herbst, Käfer VIII, 1799, p. 135, t. 125, f. 10. — Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 167, t. 7, f. 5, 8. — Küst. Käf. Eur. 1848, XIII, 55. — Muls. Col. Fr. Latigènes 1854, p. 75. — Jacq. du Val, Gen. Col. Eur. III, 1861, t. 62, f. 306 ♂. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 9. — Südfrankreich, Spanien, Ligurien, Tunis

calcaratus F. Ent. Syst. Suppl. 1798, p. 42.

gracilicornis Fairm. Ann. Mus. Genova VII, 1875, p. 524.

var. *gracilipes* Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 167. — Tunis

var. *giganteus* Küst. Käf. Eur. XIII, 1848, 54. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 9; Deutsche Ent. Zeitschr. XIX, 1875, p. 80. — Sardinien, Sicilien, Südfrankreich

var. *lugens* Küst. Käf. Eur. XIII, 1848, 57. — Sardinien

Biologie: Mulsant, Col. Fr. Latigènes 1854, p. 51. — Perris, Larves 1877, p. 252.

uncinus Forst. Nov. Spec. Ins. 1771, p. 60. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 14. — Spanien, Marokko

gigas Waltl, Reise Span. II, 1835, p. 70.

hespericus Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 178. — Küst. Käf. Eur. 1848, XIII, 58.

vagecostatus Fairm. Rev. Mag. Zool. 1879, p. 189 (12). — Algier

variolosus Woll. Col. Hesper. 1867, p. 178; Ann. Mag. Nat. Hist. (4) V, 1870, p. 249. — Fogo

Varvasi Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 175. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 12. — Aegypten, Algier

vicinus Sol. l. c. p. 171. — Baudi, l. c. p. 11; Deutsche Ent. Zeitschr. XIX, 1875, p. 81. — Marokko, Spanien

37

Cephalostenus Sol.

Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 184. — Lacord. Genera Col. V, 1859, p. 124. — Jacq. du Val, Gen. Col. Eur. III, 1861, p. 254.

Demaisoni Reitt. Wien. Ent. Zeit. XXII, 1903, p. 132. — Kleinasien

elegans Brll. Exped. Morée III, 1832, p. 195, t. 40, f. 10. — Griechenland

— Reitt. Wien. Ent. Zeit. XXII, 1903, p. 132.

Dejeani Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 186, t. 7, f. 9—11, 14—15.

orbicollis Ménétr. Bull. Ac. Petr. I, 1836, p. 151; Mém. Acad. Petr. (5) VI, 1838 (Cat. Ins. Balkan), p. 37, t. 2, f. 5. — Reitt. Wien. Ent. Zeit. XXII, 1903, p. 132. — Griechenland, Türkei, Syrien

Dejeani Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 234. — Jacq. du Val, Gen. Col. Eur. III, 1861, t. 61, f. 305♂.

elegans Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 187, t. 7, f. 12, 16. — Waltl, Isis 1838, p. 461. — Küst. Käf. Eur. V, 1846, 66.

3

Herpiscius Sol.

Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 188. — Lacord. Genera Col. V, 1859, p. 125.

cursor Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 252. — Caffrarien

damarinus Pér. Ann. S. Afr. Mus. III, 1904, p. 229. — Damaraland

gracilis Gerst. Monatsber. Berl. Ac. 1854, p. 531; Peters' Reise 1862, p. 278, t. 16, f. 8. — Mozambique

Sommeri Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 191. — Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 252. — Capland

Spinolae Sol. l. c. p. 190, t. 8, f. 1—5. — Port Natal

5

Carchares Pasc.

Pascoe, Ann. Mag. Nat. Hist. (5) XX, 1887, p. 12.

Podoces Péring. Trans. S. Afr. Phil. Soc. IV, 1888, p. 122; VI, 2, p. 135.

gracilis Péring. l. c. p. 123. — Namaqualand

granulosa Péring. l .c. p. 122. — Walfisch-Bay

macer Pasc. Ann. Mag. Nat. Hist. (5) XX, 1887, p. 13, t. 1, f. 3. — Deutsch-Südwestafrika

3

Argoporis Horn.

Horn, Revis. Tenebr. North Amer. 1870, p. 325. — Lec. and Horn, Class. Col. N. Amer. 1883, p. 375.

alutacea Cas. Ann. N. Y. Acad. Sc. V, 1890, p. 406, t. 4, f. 11. — Arizona, Mexico

bicolor Horn, Rev. Tenebr. 1870, p. 325. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1835, p. 94, 518, t. 5, f. 1.

atripes Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 95, 519, t. 5, f. 4. — Arizona, Mexcn

bicolor Lec. Ann. Lyc. N. York V, 1851, p. 143. — Cas. Ann. N. York Ac. V, 1890, p. 405, t. 4, f. 13. — Californien

brevicollis Champ. Biol. Centr.-Am. Col. IV, 1, 1885, p. 94. — Mexico

cavifrons Champ. l. c. p. 95, 519, t. 5, f. 5. Mexico
costipennis Lec. Ann. Lyc. N. York V, 1851, p. 143. — Horn, Revis. Tenebr. 1870, p. 325. — Cas. Ann. N. York Acad. Sc. V, 1890, p. 405, t. 4, f. 10. — Champ. Biol. Centr.-Am. Col. IV, 1, 1885, p. 96, 519. Oregon, Arizona, Californien
crassicornis Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 94, t. 5, f. 3. Mexico
ebenina Horn, Proc. Calif. Acad. Sc. (2) IV, 1894, p. 424. Nieder-Californien
incostans Horn, l. c. p. 425. Nieder-Californien
laevicollis Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 520. Mexico
rufipes Champ. l. c. 1885, p. 94, 518, t. 5, f. 2. Mexico,
nitida Cas. Ann. N. York Ac. V, 1890, p. 406, t. 4, f. 12; VII, 1893, p. 597. Texas
tridentata Champ. l. c. 1892, p. 519. Mexico
unicalcarata Champ. l. c. p. 519. ,,

13

Cerenopus Lec.

Lec. Ann. Lyc. N. York V, 1851, p. 143. — Lacord. Genera Col. V, 1859, p. 135. — Horn, Revis. Tenebr. North of Mexico 1870, p. 325. — Lec. and Horn, Class. Col. North Amer. 1883, p. 375.

angustatus Horn, Proc. Calif. Acad. Sc. (2) IV, 1894, p. 426, t. 7, f. 9; (2) V, 1895, p. 252, t. 20, f. 4, 5. Nieder-Californien
aterrimus Horn, l. c. p. 425, t. 7, f. 10. ,,

concolor Lec. Ann. Lyc. N. York V, 1851, p. 143; Arcana Naturae 1859, p. 124, t. 12, f. 3. — Horn, Revis. Tenebr. 1870, p. 326. Californien
costulatus Horn, Revis. Tenebr. 1870, p. 326. Nieder-Californien
cribratus Lec. Proc. Ac. Phil. 1861, p. 337. — Horn, Revis. Tenebr. 1870, p. 326. Nieder-Californien

5

Eulabis Eschsch.

Eschscholtz, Zool. Atl. III, 1829, p. 14. — Sol. Studi Ent. 1848, p. 154 (8), 256 (110). — Lacord. Genera Col. V, 1859, p. 133. — Horn, Revis. Tenebr. 1870, p. 323. — Lec. and Horn, Class. Col. N. Amer. 1883, p. 375.

Apsena Lec. Class. Col. N. Amer. 1862, p. 228.
Epantius Lec. Ann. Lyc. N. York V, 1851, p. 144. — Lacord. Genera Col. V, 1859, p. 134.

bicarinata Eschsch. Zool. Atl. III, 1829, p. 15, t. 14, f. 8. — Mannerh. Bull. Mosc. XVI, 1843, II, p. 263. — Sol. Studi Ent. 1848, p. 257, t. 11, f. 1—3. — Horn, Revis. Tenebr. 1870, p. 324. Californien
crassicornis Cas. Ann. N. York Acad. V, 1890, p. 404; VI, 1891, p. 59. ,,
grossa Lec. New spec. Col. 1866, p. 118. — Horn, Revis. 1870, p. 324. ,,

laticornis Cas. Ann. N. York Acad. VI, 1891, p. 60. Californien
obscura Lec. Ann. Lyc. N. York V, 1851, p. 144. — Horn, Revis. Tenebr. 1870, p. 324. ,,
pubescens Lec. l. c. p. 144. — Horn, l. c. p. 324. ,,
rufipes Eschsch. Zool. Atl. III, 1829, p. 15. — Mannerh. Bull. Mosc. XVI, 1843, II, p. 264. — Horn, Revis. Tenebr. 1870, p. 324. ,,

7

XLIV. Scotobiinae.

Lacordaire, Genera Col. V, 1859, p. 126. — Solier, Ann. Soc. Ent. Fr. VII, 1838, p. 7, 39 (*Tagénites*, 2. div.).

Psammetichus Latr.

Latr. Dict. class. d'Hist. nat. XIII, 1804, p. 578. — Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 35; in Gay, Hist. Chile V, 1851, p. 164. — Lacord. Genera Col. V, 1859, p. 126.

costatus Guér. Voy. Coquille 1830, p. 95, t. 4, f. 8. — Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 37, t. 1, f. 7—10. — Cast. Hist. Nat. II, 1840, p. 203. — Sol. in Gay, Hist. Chile V, 1851, p. 165. Peru
var. *carinatus* Sol. l. c. p. 37.
crassicornis Waterh. Ann. Mag. Nat. Hist. XIII, 1844, p. 54. — Sol. in Gay, Hist. Chile V, 1851, p. 166, t. 19, f. 2. Chile
gracilis Er. Nov. Act. Ac. Car. XVI, 1834, p. 245, t. 38, f. 4. Peru,
pilipes Guér. Mag. Zool. 1834, Mélas. p. 19. — Sol. in Gay, Hist. Chile V, 1851, p. 167. Chile

3

Leptynoderes Sol.

Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 44. — Lacord. Genera Col. V, 1859, p. 127.

laticollis Berg, An. Univ. Buenos Aires VI, 1889, p. 135. Catamarca
strangulatus Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 462. Tucuman
tuberculata Curt. Trans. Linn. Soc. Lond. XIX, 1845, p. 460, t. 41, f. 7. Patagonien
varicosa Germ. Ins. spec. nov. 1824, p. 137. — Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 47, t. 2, f. 6—11. Buenos-Aires

4

Diastoleus Sol.

Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 67; in Gay, Hist. Chile V, 1851, p. 179. — Lacord. Genera Col. V, 1859, p. 128.

bicarinatus Sol. in Gay, Hist. Chile V, 1851, p. 181. Chile
collaris Guér. Mag. Zool. 1834, Mélas. p. 17, t. 110, f. 4. — Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 69, ,,

2

t. 3, f. 7—12; in Gay, Hist. Chile V, 1851, p. 180, t. 19, f. 7. — Cast. Hist. Nat. II, 1840, p. 198. — Lacord. Genera Col. Atl. 1859, t. 49, f. 5.

2

Scotobius Germ.

Germar, Ins. spec. nov. 1824, p. 135. — Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 51; in Gay, Hist. Chile V, 1851, p. 174. — Cast. Hist. Nat. II, 1840, p. 198. — Lacord. Genera Col. V. 1859, p. 129.

Gonogenius Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 48; in Gay, Hist. Chile V, 1851, p. 171.

akidioides Waterh. Ann. Mag. Nat. Hist. XVI, 1845, p. 319. — Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 465.	Patagonien
armentarius Lac. Ann. Sc. Nat. XX, 1830, p. 283. — Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 65.	Argentinien
asperatus Er. Nov. Act. Ac. Car. XVI, 1834, p. 247. — Curt. Trans. Linn. Soc. Lond. XIX, 1845, p. 459. — Sol. in Gay, Hist. Chile V, 1851, p. 176.	Chile
rugosulus Sol. l. c. p. 63.	
atacamensis Germain, An. Univ. Santiago 1855, p. 399. — Phil. Reis. Wüste Atacama 1860, p. 172.	,,
brevipes Waterh. Ann. Mag. Nat. Hist. XIII, 1844, p. 53. — Sol. in Gay, Hist. Chile V, 1851, p. 173.	,,
brevis Phil. Stett. Ent. Zeit. XXV, 1864, p. 336.	,,
bullatus Curt. Trans. Linn. Soc. Lond. XIX, 1845, p. 459. — Sol. in Gay, Hist. Chile V, 1851, p. 178.	Patagonien
cacicus Lacord. Ann. Sc. Nat. XX, 1830, p. 282.	Tucuman
caraboides Fairm. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 289.	Mendoza
costatus Guér. Voy. Coqu. 1830, p. 97, t. 4, f. 5; Mag. Zool. Mélas. Cl. IX, 1834, p. 16, t. 110, f. 2. — Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 64.	Lima
crenicollis Phil. Stett. Ent. Zeit. XXV, 1864, p. 337.	Chile
cribricollis Fairm. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 289.	Salta (Argentinien)
crispatus Germ. Ins. spec. nov. 1824, p. 136, t. 1, f. 3. — Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 60. — Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 464.	Süd-Brasilien, Paraguay, Uruguay, Argentinien
elongatus Sol. l. c. p. 59.	
muricatus Guér. Mag. Zool. Mélas. 1834, p. 15, t. 110, f. 1. — Sol. l. c. p. 58.	
var. *clathratus* Guér. Mag. Zool. Mélas. 1834, p. 15, t. 110, f. 2.	
depressicollis Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 462.	Tucuman
elegans Fairm. l. c. p. 462.	,,
exaratus Er. Arch. Naturgesch. XIII, 1847, I, p. 115.	Peru
Gayi Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 62; in Gay, Hist. Chile V, 1851, p. 177, t. 3, f. 2.	Chile
granosus Lacord. Ann. Sc. Nat. XX, 1830, p. 283. — Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 56. — Guér. Ic. Ins. 1829—38, t. 28 bis, f. 4a—c. — Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 465.	
hystricosus Berg, An. Univ. Buenos Aires VI, 1889, p. 134.	Cordova
Kirbyi Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 61.	Peru
laeviusculus Phil. Stett. Ent. Zeit. XXV, 1864, p. 336.	Chile

miliaris Billb. Nov. Act. Ups. VII, 1815, p. 279, t. 9, f. 8. — *pilularius* Germ. Ins. spec. nov. 1824, p. 135. — Guér. Mag. Zool. Mélas. 1834, t. 110, f. 3. — Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 55, t. 3, f. 1, 3—6. — Cast. Hist. Nat. II, 1840, p. 198. — Südbrasilien, Buenos Aires

ovalis Guér. Mag. Zool. 1834, Mélas. p. 18, t. 110, f. 8. — Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 466. — Argentinien

perlatus Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 464. — Patagonien

planatus Er. Nov. Act. Ac. Car. XVI, 1834, p. 246, t. 38, f. 5. — Peru

planicosta Guér. Mag. Zool. 1834, Mélas. p. 17. — „

porcatus Lacord. Ann. Sc. Nat. XX, 1830, p. 283. — Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 57. — Uruguay

punctatellus Blanch. Voy. d'Orb. 1843, p. 195, p. 13, f. 5. — Burm. Stett. Ent. Zeit. XXXVI, 1875. p. 466. — Tucuman

punctatus Eschsch. Zool. Atl. IV, 1831, p. 11, t. 18, f. 5, — Chile

quadricostatus Fairm. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 289. — Catamarca

rugicollis Sol. in Gay, Hist. Chile V, 1851, p. 178. — Chile

rugosulus Guér. Mag. Zool. 1834, Mélas. p. 17, t. 110, f. 5. — Sol. in Gay, Hist. Chile V, 1851, p. 175, t. 19, f. 6.

substriatus Guér. l. c. p. 16. — Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 66. — Peru

tristis Guér. l. c. p. 18, t. 110, f. 7. — Buenos Aires

vulgaris Guér. l. c. p. 16. — Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 50, t. 2, f. 12—16; in Gay, Hist. Chile V, 1851, p. 172, t. 19, f. 5. — Peru, Chile

35

Emmallodera Sol.

Sol. in Gay, Hist. Chile V, 1851, p. 181. — Lacord. Genera Col. V, 1859, p. 130.

crenatocostata Blanch. Voy. d'Orb. 1843, p. 195, t. 13, f. 4. — Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 467. — Fairm. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 290. — Patagonien

granocostata Fairm. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 290. — Magellan

multipunctata Curt. Trans. Linn. Soc. Lond. XIX, 1845, p. 461, t. 41, f. 8. — Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 468. — Patagonien

obesa Guér. Rev. Zool. 1841, p. 215. — Sol. in Gay, Hist. Chile V, 1851, p. 182, t. 19, f. 7. — Blanch. Voy. Pole Sud 1853, p. 146, t. 10, f. 9. — „

perlifera Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 467. — Fairm. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 290. — Mendoza, Catamarca

strangulata Fairm. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 290. — Chile

6

XLV. Platyopinae.

Semenow, Horae Soc. Ent. Ross. XXVII, 1893, p. 260; XXXVIII, 1907, p. 175. — Reitter, Verh. Naturf. Ver. Brünn XXXI, 1893 (Best.-Tab. XXV), p. 201 (unechte *Pimeliinae* pars).

Leucolaephus Luc.

Lucas, Bull. Soc. Ent. Fr. 1859, p. XXIV. — Semen. Horae Soc. Ent. Ross. XXVII, 1893, p. 261; XXXVIII, 1907, p. 176. — Reitt. Best.-Tab. XXV, 1893, p. 204, 249.

Mecopisthopus Karsch, Berl. Ent. Zeitschr. XXV, 1881, p. 46.

latifrons Fairm. Natural. II, 1880, p. 48; Ann. Soc. Ent. Fr. (6) III, 1883, p. 97. — Abessinien

liliputanus Luc. Bull. Soc. Ent. Fr. 1857, p. LVI. — Reitt. Best.-Tab. XXV, 1893, p. 249. — Algier

nigropunctatus Luc. Bull. Soc. Ent. Fr. 1858, p. CLXXX. — Reitt. l. c. p. 249. — „

Perrisi Luc. Bull. Soc. Ent. Fr. 1859, p. XXIII,

Rohlfsi Karsch, Berl. Ent. Zeitschr. XXV, 1881, p. 47, t. 2, f. 4, 4a; Rohlfs' Kufra, p. 377. — Oase Kufra

tripolitanus Quedenf. Ent. Nachr. XV, 1889, p. 353. — Reitt. Best.-Tab. XXV, 1893, p. 249. — Tripolis

5

Apatopsis Semen.

Semen. Horae Soc. Ent. Ross. XXV, 1891, p. 368; XXVII, 1893, p. 261; XXXVIII, 1907, p. 177. — Reitt. Best.-Tab. XXV, 1893, p. 204, 249.

Grombczewskii Sem. l. c. p. 368. — Reitt. Best.-Tab. XXV, 1893, p. 249. — Chines.-Turkestan

Conradti Sem. l. c. p. 370.

1

Habrochiton Semen.

Semen. Horae Soc. Ent. Ross. XXXVIII, 1907, p. 177, 179.

primae-veris Sem. l. c. p. 181. — Chines.-Turkestan

vernus Sem. l. c. p. 179. — „

2

Habrobates Semen.

Semen. Rev. Russe Ent. III, 1903, p. 11; Horae Soc. Ent. Ross. XXXVIII, 1907, p. 177.

vernalis Sem. l. c. p. 11. — Transkaspien

1

Przewalskia Semen.

Semen. Horae Soc. Ent. Ross. XXVII, 1893, p. 262 nota; XXXVIII, 1907, p. 178. — Reitt. Best.-Tab. XXV, 1893, p. 204, 249.

dilatata Reitt. Horae Soc. Ent. Ross. XXI, 1887, p. 375; Best.-Tab. XXV, 1893, p. 249. — Semen. Horae Soc. Ent. Ross. XXVII, 1893, p. 262 nota. — Thibet

1

Earophanta Semen.

Semen. Rev. Russe Ent. III, 1903, p. 172; Horae Soc. Ent. Ross. XXXVIII, 1907, p. 178.

Earophila Semen. Rev. Russe Ent. III, 1903, p. 9.

autumnalis Semen. Rev. Russe Ent. III, 1903, p. 9. — Transkaspien

collaris Fisch. Bull. Mosc. XVII, 1844, I, p. 62. — Motsch. Bull. Mosc. XVIII, 1845, I, p. 62. — Kraatz, Revis. Tenebr. 1865, p. 273. — Sem. Horae Soc. Ent. Ross. XXVII, 1893, p. 250. — Reitt. Best.-Tab. XXV, 1893, p. 247. — Kuldja

Regeli Ball. Bull. Mosc. LIII, 1878, I, p. 318.

Loudoni Sem. Rev. Russe III, 1903, p. 10. — Transkaspien

pilossisima Reitt. Wien. Ent. Zeit. XIV, 1895, p. 155. — Turkestan

planidorsis Reitt. Deutsche Ent. Zeitschr. 1889, p. 285; Best.-Tab. XXV, 1893, p. 247. — Sem. Horae Soc. Ent. Ross. XXVIII, 1893, p. 251. — Transkaspien

serrata Sem. Horae Soc. Ent. Ross. XXVII, 1893, p. 250, 254. — Reitt. Best.-Tab. XXV, 1893, p. 247. — ,,

tomentosa Sem. l. c. p. 250, 256. — Reitt. l. c. p. 247. — Turkestan

7

Platyope Fisch.

Fisch. Ent. Ross. I, 1822, p. 160. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 10. — Lacord. Genera Col. V, 1859, p. 178. — Jacq. du Val, Genera Col. Eur. III, 1861, p. 261. — Reitt. Best.-Tab. XXV, 1893, p. 204, 247. — Sem. Horae Soc. Ent. Ross. XXVII, 1893, p. 249, 262; XXXVIII, 1907, p. 178.

gobiensis Friv. Term. füzetek XII, 1889, p. 207; Reitt. Best.-Tab. XXV, 1893, p. 248. — Sem. Horae Soc. Ent. Ross. XXVII, 1893, p. 251. — Nord-China

granulata Fisch. Ent. Ross. I, 1822, p. 161, t. 15, f. 1. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 16. — Kraatz, Revis. Tenebr. 1865, p. 272. — Sem. Horae Soc. Ent. Ross. XXVII, 1893, p. 253. — Reitt. Best.-Tab. XXV, 1893, p. 248. — Südwest-Sibirien

leucogramma Pall. Reisen II, 1773, App. p. 719. — Gebl. Ledeb. Reise II, 1830, p. 116. — Sem. Horae Soc. Ent. Ross. XXVII, 1893, p. 252. — Reitt. Best.-Tab. XXV, 1893, p. 247. — Südost-Rußland

leucographa Pall. Icon. I, 1781, p. 54, t. C, f. 20. — Sturm, Fn. II, 1807, p. 195, t. 43. — Küst. Käf. Eur. 1848, XIII, 44. — Jacq. du Val, Genera Col. Eur. III, 1861, t. 64, f. 318. — Kraatz, Revis. Tenebr. 1865, p. 271.

lineata Sol. Ann. Soc. Ent. Fr. V, 1836, p. 12, t. 1, f. 1—8.

var. *lineata* F. Spec. Ins. I, 1781, p. 319. — Ol. Ent. III, 1795, 59, p. 22, t. 2, f. 20. — Cast. Hist. Nat. II, 1840, p. 181. — Kraatz, Revis. Tenebr. 1865, p. 271. — Sem. Horae Soc. Ent. Ross. XXVII, 1893, p. 253. — Reitt. Best.-Tab. XXV, 1893, p. 248.

Bassii Sol. Ann. Soc. Ent. Fr. V, 1836, p. 14.

dichotoma Fisch. Bull. Mosc. II, 1830, p. 187; Bull. Mosc. Ent. I, 1836, p. 97.

?*obliterata* Fisch. Bull. Mosc. XVII, 1844, I, p. 60. — Kraatz, Revis. Tenebr. 1865, p. 272.

mongolica Fald. Mém. Ac. Petr. sav. étr. II, 1835, p. 388. — Kraatz, Revis. Tenebr. 1865, p. 274. — Sem. Horae Soc. Ent. Ross. XXVII, 1893, p. 253. — Reitt. Best.-Tab. XXV, 1893, p. 248. — Mongolei

ordossica Sem. Horae Soc. Ent. Ross. XXXVIII, 1907, p. 183. — ,,

proctoleuca Fisch. Ent. Ross. I, 1822, p. 164, t. 15, f. 3. — Kraatz, Revis. Tenebr. 1865, p. 273. — Sem. Horae Soc. Ent. Ross. XXVII, 1893, p. 251. — Reitt. Best.-Tab. XXV, 1893, p. 247. — Sibirien

unicolor Zoubk. Bull. Mosc. I, 1829, VI, p. 160, t. 4, f. 7; Bull. Mosc. Ent. I, 1836, p. 37, t. 3, f. 9. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 15. — Fisch. Bull. Mosc. XVII, 1844, I, p. 61. — Kraatz, Revis. Tenebr. 1865, p. 273. — Sem. Horae Soc. Ent. Ross. XXVII, 1893, p. 252. — Reitt. Best.-Tab. XXV, 1893, p. 248. — Südrußland

Karelini Kryn. Bull. Mosc. I, 1829, VI, p. 193; Bull. Mosc. Ent. I, 1836, p. 58.

7

Homopsis Semen.

Sem. Horae Soc. Ent. Ross. XXVII, 1893, p. 258; XXXVIII, 1907, p. 178. — Reitt. Best.-Tab. XXV, 1893, p. 204.

Grumi Sem. l. c. p. 259. — Songorei

1

Mantichorula Reitt.

Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 695; Best.-Tab. XXV, 1893, p. 246. — Sem. Horae Soc. Ent. Ross. XXVII, 1893, p. 263; XXXVIII, 1907, p. 179.

grandis Sem. Horae Soc. Ent. Ross. XXVII, 1893, p. 263 nota. — Reitt. Best.-Tab. XXV, 1893, p. 246. — China

Semenowi Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 695; Best.-Tab. XXV, 1893, p. 246. — Chinesisch Turkestan, Mongolei

2

XLVI. Pimeliinae.

Solier, Ann. Soc. Ent. Fr. V, 1836, p. 6. — Lacordaire, Genera Col. V, 1859, p. 174. — Jacq. du Val, Genera Col. Eur. III, 1861, p. 257, 327. — Kraatz, Revis. Tenebr. alt. Welt. 1865, p. 270. — Seidlitz, Fauna Baltica ed. II, 1891, I, p. 121, 125; Naturg. Ins. Deutschl. V, 1893, p. 221. — Semenow, Horae Soc. Ent. Ross. XXVII, 1893, p. 263.; XXXVIII 1907, p. 176. — Reitter, Verh. naturf. Ver. Brünn XXXI, 1893 (Best.-Tab. XXV) p. 201 (echte *Pimeliini* u. unechte *Pimeliini* pars); XLII, 1904 (Best.-Tab. LIII) p. 31.

Sternodes Fisch.

Fisch. Bull. Mosc. X, 1837, IV, p. 10. — Lacord. Genera Col. V, 1859, p. 177. — Kraatz, Revis. Tenebr. 1865, p. 270. — Reitt. Best.-Tab. XXV, 1893, p. 204, 246.

caspicus Pall. Icon. I, 1781, p. 47, t. C, f. 13. — Kraatz, Revis. Tenebr. 1865, p. 270. — Faust, Horae — Transkaspien, Buchara

Soc. Ent. Ross. XI, 1875, p. 185. — Reitt. Best.-Tab. XXV, 1893, p. 246.
Karelini Fisch. Bull. Mosc. X, 1837, IV, p. 11, t. 1, f. 1 a—f. — Ménétr. Mém. Ac. Petr. VI, 1849, p. 225.
Biologie: Faussek, Schrift. allgem. russ. geogr. Gesellsch. XXVII, 2, 1906, p. 000.
1

Pachylodera Quedf.

Quedf. Berl. Ent. Zeitschr. XXXIII, 1889, p. 399.

brevicornis Quedf. l. c. p. 400. Tripolis
1

Argyrophana Semen.

Sem. Horae Soc. Ent. Ross. XXIV, 1890, p. 222; Rev. Russe Ent. X, 1910, p. 42. — Reitt. Best.-Tab. XXV, 1893, p. 204, 246.

caspia Sem. Rev. Russ. Ent. X, 1910, p. 43. Transkaspien
deserti Sem. Horae Soc. Ent. Ross. XXIV, 1890, p. 224; l. c. p. 43. — Reitt. l. c. p. 246. „
diaphana Sem. l. c. p. 44. Kisilkum
vicaria Sem. l. c. p. 43. „
4

Meladiesia Reitt.

Reitt. Wien. Ent. Zeit. XXVIII, 1909, p. 309.

miritarsis Reitt. l. c. p. 309. Transkaspien
1

Diesia Fisch.

Fisch. Ent. Ross. I, 1822, p. 166. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 18. — Lacord. Genera Col. V, 1859, p. 179. — Reitt. Best.-Tab. XXV, 1893, p. 203, 244.

costifera Waterh. Trans. Linn. Soc. Lond. (2) V, 1889, p. 127, t. 14, f. 13. Belutchistan
quadridentata Fisch. Lettre à Pander 1821, p. 13; Ent. Ross. I, 1822, p. 168, t. 14, f. 7. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 20, t. 1, f. 9—14. — Kraatz, Revis. Tenebr. 1865, p. 275. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 2. — Reitt. Best.-Tab. XXV, 1893, p. 244. Kirghisien, Buchara
sefirana Reitt. Wien. Ent. Zeit. XIII, 1894, p. 244. Buchara
sexdentata Fisch. Lettre à Pander 1821, p. 13; Ent. Ross. I, 1822, p. 167, t. 14, f. 8 a—g. — Kraatz, Revis. Tenebr. 1865, p. 275. — Reitt. Best.-Tab. XXV, 1893, p. 244. Turkmenien, Kirghisien
4

Idiesa Reitt.

Reitt. Best.-Tab. XXV, 1893, p. 203, 245.

Eversmanni Kraatz, Revis. Tenebr. 1865, p. 276. — Reitt. Best.-Tab. XXV, 1893, p. 245. Buchara

Fischeri Ménétr. Mém. Ac. Petr. VI, 1849, p. 225 (9), t. 3, f. 11. — Kraatz, Revis. Tenebr. 1865, p. 276. — Reitt. Best.-Tab. XXV, 1893, p. 245. — Buchara

2

Trigonoscelis Sol.

Sol. Ann. Soc. Ent. Fr. V, 1836, p. 21. — Lacord. Genera Col. V, 1859, p. 180. — Jacq. du Val, Genera Col. Eur. III, 1861, p. 261. — Kraatz, Revis. Tenebr. 1865, p. 278. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 186. — All. Ann. Soc. Ent. Belg. XXVII, 1883, I, p. 33. — Reitt. Best.-Tab. XXV, 1893, p. 203, 229.

amitina Kolbe, Wiss. Erg. Filchn. 1908, X (1), p. 90. — China

armeniaca Fald. Fn. Transcauc. II, 1837, p. 21, t. 2, f. 3. — Kraatz, Revis. Tenebr. 1865, p. 282. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 201. — All. Ann. Soc. Ent. Belg. XXVII, 1883, I, p. 34. — Reitt. Best.-Tab. XXV, 1893, p. 239; Wien. Ent. Zeit. XXVI, 1907, p. 85. — Russ. Armenien

cordata All. Descr. 6 nouv. esp. Hétérom. 1886, p. 2. — Lenkoran

echinata Fisch. Bull. Mosc. XVII, 1844, I, p. 57. — Kraatz, Revis. Tenebr. 1865, p. 280. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 200. — All. Ann. Soc. Ent. Belg. XXVII, 1883, I, p. 34. — Reitt. Best.-Tab. XXV, 1893, p. 238; Wien. Ent. Zeit. XXVI, 1907, p. 85. — Transkaspien

callosa Motsch. Bull. Ac. Petr. II, 1860, p. 534.

seriata Faust, Horae Soc. Ent. Ross. XI, 1875, p. 198.

sinuatocollis Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 93 (45).

elegans All. Descr. 6 nouv. esp. Hétérom. 1886, p. 1. — Turkestan

fasciculitarsis Reitt. Best.-Tab. XXV, 1893, p. 236; Wien. Ent. Zeit. XXVI, 1907, p. 84. — ,,

gemmulata Ménétr. Mém. Acad. Petr. VI, 1849, p. 221 (5), t. 3, f. 6. — Kraatz, Revis. Tenebr. 1865, p. 280. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 193. — All. Ann. Soc. Ent. Belg. XXVII, 1883, I, p. 34. — Reitt. Best.-Tab. XXV, 1893, p. 233; Wien. Ent. Zeit. XXVI, 1907, p. 82. — Transkaspien

var. *sparsa* Reitt. Best.-Tab. XXV, 1893, p. 233; Wien. Ent. Zeit. XXVI, 1907, p. 82.

grandis Gebl. Bull. Mosc. XXXII, 1859, II, p. 473. — Kraatz, Revis. Tenebr. 1865, p. 279. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 195. — All. Ann. Soc. Ent. Belg. XXVII, 1883, I, p. 33. — ,,

corallifera Reitt. Best.-Tab. XXV, 1893, p. 234; Wien. Ent. Zeit. XXVI, 1907, p. 81, 306.

Hauseri Sem. Rev. Russe III, 1903, p. 306. — ,,

Holdereri Reitt. Wien. Ent. Zeit. XIX, 1900, p. 161; XXVI, 1907, p. 85. — Chinesisch Turkestan

Karelini Fisch. Bull. Mosc. XVII, 1844, I, p. 63. — Kraatz, Revis. Tenebr. 1865, p. 277. — Reitt. Best.-Tab. XXV, 1893, p. 244. — Turkmenien

Lefebvrei Motsch. Bull. Mosc. XVIII, 1845, I, p. 63.

lanuginosa Sem. Rev. Russe III, 1903, p. 306. — ,,

longipes Waterh. Trans. Linn. Soc. Lond. (2) V, 1889, p. 128, t. 14, f. 5. — Belutchistan

muricata Pall. Icon. I, 1781, p. 48, t. C, f. 14. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 188. — All. Ann. Soc. Ent. Belg. XXVII, 1883, I, p. 34. — Reitt. Best.-Tab. XXV, 1893, p. 233; Wien. Ent. Zeit. XXVI, 1907, p. 82. Südrußland

contraria Desbr. Bull. Ac. d'Hipp. XVI, 1881, p. 91 (43).

nicomedia Reitt. Wien. Ent. Zeit. XXVII, 1908, p. 214. Kleinasien

nodosa Fisch. Lettre à Pander 1821, p. 12; Ent. Ross. I, 1822, p. 149, t. 14, f. 3. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 36, t. 1, f. 15—19, 21, 23. — Cast. Hist. Nat. II, 1840, p. 182. — Kraatz, Revis. Tenebr. 1865, p. 279. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 193. — All. Ann. Soc. Ent. Belg. XXVII, 1883, I, p. 33. — Reitt. Best.-Tab. XXV, 1893, p. 232; Wien. Ent. Zeit. XXVI, 1907, p. 82. Transkaspien

mirabilis Fald. Bull. Mosc. IX, 1836, p. 380, t. 7, f. 5. — Kraatz, Revis. Tenebr. 1865, p. 281. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 194.

var. *gigas* Reitt. Best.-Tab. XXV, 1893, p. 231; Wien. Ent. Zeit. XXVI, 1907, p. 82.

Pecirkana Reitt. Wien. Ent. Zeit. XXVIII, 1909, p. 308. Buchara

planiuscula Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 88. — Reitt. Best.-Tab. XXV, 1893, p. 238; Wien. Ent. Zeit. XXVI, 1907, p. 85. Transkaspien, Turkestan

Schrencki Gebl. Bull. Ac. Petr. III, 1845, p. 101; Bull. Mosc. XXXIII, 1860, III, p. 14. — Kraatz, Revis. Tenebr. 1865, p. 281. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 194. — Reitt. Best.-Tab. XXV, 1893, p. 232; Wien. Ent. Zeit. XXVI, 1907, p. 81. Buchara, Kaschgar

sublaevicollis Reitt. Best.-Tab. XXV, 1893, p. 236; Wien. Ent. Zeit. XXVI, 1907, p. 83. Taschkent, Buchara, Turkmenien

sublaevigata Reitt. Deutsche Ent. Zeitschr. XXXI, 1887, p. 519; Horae Soc. Ent. Ross. XXIII, 1889, p. 697; Best.-Tab. XXV, 1893, p. 238; Wien. Ent. Zeit. XXVI, 1907, p. 85. Chinesisch Turkestan, Centr.-Mongolei

submuricata Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 95. — Reitt. Best.-Tab. XXV, 1893, p. 235; Wien. Ent. Zeit. XXVI, 1907, p. 84. Turkestan

Zoufali Reitt. Best.-Tab. XXV, 1893, p. 234, 237; Wien. Ent. Zeit. XXVI, 1907, p. 83. Transkaspien, Turkestan

var. *aequalis* Reitt. Wien. Ent. Zeit. XXVI, 1907, p. 84. Sefir-Kuh

var. *apicalis* Reitt. l. c. p. 83. Transkaspien

var. *punctipleuris* Reitt. Best.-Tab. XXV, 1893, p. 235; Wien. Ent. Zeit. XXVI, 1907, p. 83. ,,

var. *seriatulus* Reitt. Wien. Ent. Zeit. XXVI, 1907, p. 84. Samarkand

Sternoplax Friv.

Friv. Term. füzetek XII, 1890, p. 207. — Reitt. Wien. Ent. Zeit. XXVI, 1907, p. 86.

affinis Zoubk. Bull. Mosc. VI, 1833, p. 327; Bull. Mosc. Ent. I, 1836, p. 311. — Kraatz, Revis. Tenebr. Kirghisensteppe,

1865, p. 283. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 197. — All. Ann. Soc. Ent. Belg. XXVII, 1883, I, p. 34. — Reitt. Best.-Tab. XXV, 1893, p. 240; Wien. Ent. Zeit. XXVI, 1907, p. 86. — Transkaspien, Turkestan, Ostpersien

auliensis Reitt. Deutsche Ent. Zeitschr. 1901, p. 78; Wien. Ent. Zeit. XXVI, 1907, p. 89. — Aulie-Ata

costatissima Reitt. l. c. 1899, p. 204; l. c. p. 89. — Thibet

deplanata Kryn. Bull. Mosc. V, 1832, p. 130; Bull. Mosc. Ent. I, 1836, p. 178. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 26, t. 1, f. 20, 22. — Jacq. du Val, Genera Col. Eur. III, 1861, t. 64, f. 317. — Kraatz, Revis. Tenebr. 1865, p. 283. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 196. — All. Ann. Soc. Ent. Belg. XXVII, 1883, I, p. 34. — Reitt. Best.-Tab. XXV, 1893, p. 239; Wien. Ent. Zeit. XXVI, 1907, p. 86. — Astrachan, Ural, Kirghisien, Transkaspien, Aulie-Ata

Perevostchikovi Zoubk. Bull. Mosc. VI, 1833, p. 326; Bull. Mosc. Ent. I, 1836, p. 311.

grandis Fald. Mém. Ac. Petr. sav. étr. II, 1835, p. 387, t. 4, f. 6. — Kraatz, Revis. Tenebr. 1865, p. 277. — Reitt. Best.-Tab. XXV, 1893, p. 241; Wien. Ent. Zeit. XXVI, 1907, p. 90. — Süd-Turkestan, Mongolei

?*setosa* Bates, Cist. Ent. II, 1879, p. 475; Sec. Yark. Miss. Col. 1890, p. 65.

iduna Reitt. Deutsche Ent. Zeitschr. 1901, p. 179; Wien. Ent. Zeit. XXVI, 1907, p. 92. — Kuldscha

impressicollis Reitt. Best.-Tab. XXV, 1893, p. 242; Wien. Ent. Zeit. XXVI, 1907, p. 90. — Samarkand

juvencus Reitt. l. c. p. 241; l. c. p. 89. — Turkestan etc.

Kraatzi Friv. Term. füzet. XII, 1889, p. 206. — Reitt. Best.-Tab. XXV, 1893, p. 242; Wien. Ent. Zeit. XXVI, 1907, p. 91. — Mongolei

lacerta Bates, Cist. Ent. II, 1879, p. 475; Second Yark. Miss. Col. 1890, p. 66, t. 2, f. 13. — Reitt. Wien. Ent. Zeit. XXVI, 1907, p. 88. — Ostturkestan, Kaschgar, Thibet

pustulosa Reitt. Horae Soc. Ent. Ross. XXI, 1887, p. 378; Best.-Tab. XXV, 1893, p. 243.

laeviuscula Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 87. — Reitt. Best.-Tab. XXV, 1893, p. 241; Wien. Ent. Zeit. XXVI, 1907, p. 87. — Turkestan

Matthiesseni Reitt. Wien. Ent. Zeit. XXVI, 1907, p. 87. — Mittel-Persien

mongolica Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 696; Best.-Tab. XXV, 1893, p. 243; Wien. Ent. Zeit. XXVI, 1907, p. 92. — Mongolei

niana Reitt. l. c. XXI, 1887, p. 377; Best.-Tab. XXV, 1893, p. 242; Wien. Ent. Zeit. XXVI, 1907, p. 90. — „

opaca Reitt. Wien. Ent. Zeit. XXVI, 1907, p. 91. — Wüste Gobi

Reitteri Csiki, Zichy's Ergebn. II, 1901, p. 111. — Reitt. Wien. Ent. Zeit. XXVI, 1907, p. 306. — Mongolei

Seidlitzi Reitt. Best.-Tab. XXV, 1893, p. 243; Wien. Ent. Zeit. XXVI, 1907, p. 306. — Nord-China, Kaschgar

kashgarensis Reitt. Wien. Ent. Zeit. XXVI, 1907, p. 90.

seriata Ménétr. Mém. Ac. Petr. VI, 1849, p. 222 (6), t. 3, f. 6. — Kraatz, Revis. Tenebr. 1865, p. 282. — Reitt. Best.-Tab. XXV, 1893, p. 240; Wien. Ent. Zeit. XXVI, 1907, p. 86. — Buchara, Transkaspien

Souvorowiana Reitt. Wien. Ent. Zeit. XXVI, 1907, p. 88. — Centr.-Asien
Szechenyi Friv. Term. füzetek XII, 1889, p. 207. — Reitt. Wien. Ent. Zeit. XXVI, 1907, p. 88. — N.-China
Zichyi Csiki, Zichy's Ergebn. II, 1901, p. 110. — Reitt. Wien. Ent. Zeit. XXVI, 1907, p. 307. — Mongolei

21

Trigonocnera Reitt.

Reitt. Best.-Tab. XXV, 1893, p. 202, 213.

pseudopimelia Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 697; Best.-Tab. XXV, 1893, p. 213. — Chines.-Turkestan

1

Lasiostola Sol.

Sol. Ann. Soc. Ent. Fr. V, 1836, p. 27. — Lacord. Genera Col. V, 1859, p. 181. — Jacq. du Val, Genera Col. Eur. III, 1861, p. 260. — Reitt. Best.-Tab. XXV, 1893, p. 203, 220.

Subgen. *Centrocnemis* Kraatz, Deutsche Ent. Zeit. XXVI, 1882, p. 330.

affinis Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 89. — Reitt. Best.-Tab. XXV, 1893, p. 220 (*Lasiostola* s. str.). — Turkestan
simillima Kraatz, l. c. p. 89.
carinata Kraatz, l. c. p. 89. — Reitt. l. c. p. 224 (*Lasiostola* s. str.). — Margelan
costuligera Heyd. Deutsche Ent. Zeit. 1892, p. 107. — Reitt. l. c. p. 224 (*Lasiostola* s. str.). — ,,
elongata Kraatz, Deutsche Ent. Zeitschr. XXVII, 1883, p. 359. — Reitt. Best.-Tab. XXV, 1893, p. 223 (*Lasiostola* s. str.). — Turkestan
gemmata Reitt. Deutsche Ent. Zeitschr. 1889, p. 286; Best.-Tab. XXV, 1893, p. 224 (*Lasiostola* s. str.). — Turkmenien
grandis Kraatz, Deutsche Ent. Zeitschr. XXVII, 1883, p. 358. — Reitt. Best.-Tab. XXV, 1893, p. 222. (*Lasiostola* s. str.). — Turkestan
granulata Kraatz, l. c. 1882, p. 90. — Reitt. l. c. p. 222 (*Lasiostola* s. str.). — ,,
grisescens Kraatz, l. c. 1883, p. 350. — Reitt. l. c. p. 223 (*Lasiostola* s. str.). — Turkmenien
heterogena Fisch. Bull. Mosc. XVII, 1844, I, p. 58. — Kraatz, Revis. Tenebr. 1865, p. 285. — Reitt. Best.-Tab. XXV, 1893, p. 221 nota (*Lasiostola* s. str.). — ,,
hirta Fisch. Lettre à Pander 1821, p. 12; Ent. Ross. I, 1822, p. 152, t. 14, f. 5. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 31, t. 2, f. 2. — Kraatz, Revis. Tenebr. 1865, p. 285. — Reitt. Best.-Tab. XXV, 1893, p. 222 (*Lasiostola* s. str.). — Kirghisien
hirtipes Kraatz, Deutsche Ent. Zeitschr XXIX, 1885, p. 293. — Reitt. Best.-Tab. XXV, 1893, p. 221 (*Lasiostola* s. str.). — Turkestan
interrupta Reitt. Wien. Ent. Zeit. XX, 1901, p. 161, t. 3, f. 5 (*Lasiostola* s. str.). — ,,
laticollis Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 90. — Reitt. Best.-Tab. XXV, 1893, p. 221 (*Lasiostola* s. str.). — ,,

minima Ménétr. Mém. Acad. Petr. VI, 1849, p. 223 (7), t. 3, f. 8. — Kraatz, Revis. Tenebr. 1865, p. 286. — Reitt. Best.-Tab. XXV, 1893, p. 224 (*Lasiostola* s. str.). Transkaspien, Samarkand

minuta Kraatz, Revis. Tenebr. 1865, p. 285. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 202.

mollis Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 330. — Reitt. Best.-Tab. XXV, 1893, p. 222; Deutsche Ent. Zeitschr. 1899, p. 277 *(Centrocnemis)*. ,,

nephelidis Reitt. Best.-Tab. XXV, 1893, p. 223 (*Lasiostola* s. str.). Turkmenien

nigrohirta Reitt. l. c. p. 222 (*Lasiostola* s. str.). Samarkand

nitens Reitt. Wien. Ent. Zeit. VI, 1887, p. 28; Best.-Tab. XXV, 1893, p. 223 (*Lasiostola* s. str.). Turkmenien

piligera Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 331. — Reitt. Best.-Tab. XXV, 1893, p. 221 (*Lasiostola* s. str.). Samarkand

Plustschevskyi Reitt. Wien. Ent. Zeit. XII, 1893, p. 112; Best.-Tab. XXV, 1893, p. 221 (*Lasiostola* s. str.). Südrußland

pubescens Pall. Icon. I, 1781, p. 53, t. C, f. 19. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 29, t. 2, f. 1, 3—7. — Cast. Hist. Nat. II, 1840, p. 181. — Jacq. du Val, Genera Col. Eur. III, 1861, t. 63, f. 315. — Kraatz, Revis. 1865, p. 284. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 202. — Reitt. Best.-Tab. XXV, 1893, p. 220 (*Lasiostola* s. str.). ,, Turkmenien, Alexander-Gebirge

pulla Reitt. Best.-Tab. XXV, 1893, p. 224 (*Lasiostola* s. str.). Transkaspien

scabricollis Reitt. Wien. Ent. Zeit. XXVI, 1907, p. 206 (*Lasiostola* s. str.). Turkestan

seminuda Reitt. Deutsche Ent. Zeitschr. 1899, p. 277 *(Centrocnemis)*. Samarkand

tomentosa Reitt. l. c. p. 278 *(Centrocnemis)*. Buchara

25

Storthocnemis Karsch.

Karsch, Berl. Ent. Zeitschr. XXV, 1881, p. 47.

Steckeri Karsch, l. c. p. 48, t. 2, f. 8, 8a; Rohlfs' Kufra, p. 377. Oase Kufra

1

Pterocoma Sol.*)

Sol. Ann. Soc. Ent. Fr. V, 1836, p. 42. — Lacord. Genera Col. V, 1859, p. 182. — Jacq. du Val, Genera Col. Eur. III, 1861, p. 259. — Reitt. Best.-Tab. XXV, 1893, p. 202, 205; Deutsche Ent. Zeitschr. 1901, p. 189 (Übersicht).

alutacea Reitt. Übers. p. 190. Turkestan,

tuberculata Reitt. Best.-Tab. XXV, 1893, p. 206. Kaschgar

*) Der Name für diese Gattung ist schon 1834 von Dejean in seinem Katalog aufgestellt worden. Ihr Inhalt und Umfang wurde durch das Hineinstellen von den beschriebenen Arten gekennzeichnet. Darum hat Dejean's Name nach den Gesetzen des Int. Zoologenkongresses die Priorität vor *Pterocoma* Agassiz, die 1835 für eine Gattung der Echinodermen gebraucht wurde. Die Beschreibung der Käfergattung erfolgte aber erst 1836 von Solier. Es liegt hier also ein besonderer Fall der Prioritätsfrage vor.

amandana Reitt. Horae Soc. Ent. Ross. XXI, 1887, p. 374; Best.-Tab. XXV, 1893, p. 205; Übers. p. 192. — Thibet

autumnalis Sem. Rev. Russe VIII, 1908, p. 123. — Chines.-Dsungarei

brevicollis Ménétr. Mém. Ac. Petr. VI, 1849, p. 220 (4), t. 3, f. 5. — Kraatz, Revis. Tenebr. 1865, p. 288. — Reitt. Best.-Tab. XXV, 1893, p. 205 nota. — Turkmenien

chan Reitt. Deutsche Ent. Zeitsch. 1897, p. 218; Übers. p. 190. — Buchara

convexa Bates, Cist. Ent. II, 1879, p. 476; Sec. Yark. Miss. Col. 1890, p. 68. — Kaschmir

costata Pall. Icon. I, 1781, p. 52, t. C, f. 18. — Kraatz, Revis. Tenebr. 1865, p. 286. — Reitt. Best.-Tab. XXV, 1893, p. 205; Übers. p. 189. — Südrußland, Kirghisien

sarpae Sol. Ann. Soc. Ent. Fr. V, 1836, p. 46, t. 3, f. 1—4. — Cast. Hist. Nat. II, 1840, p. 182. — Jacq. du Val, Genera Col. Eur. III, 1861, t. 63, f. 314.

var. *gracilicornis* Sol. l. c. p. 47. — Kraatz, Revis. Tenebr. 1865, p. 287. — Reitt. Übers. p. 189.

denticulata Gebl. Ledeb. Reise II, 1830, p. 114. — Kraatz, Revis. Tenebr. 1865, p. 287. — Reitt. Übers. p. 190. — Sibirien

fuscopilosa Reitt. Übers. p. 191. — Margelan

denticulata Reitt. Best.-Tab. XXV, 1893, p. 206.

Ganglbaueri Reitt. Deutsche Ent. Zeitschr. 1890, p. 362; Best.-Tab. XXV, 1893, p. 205; Übers. p. 189. — Taschkent

Grigorievi Sem. Rev. Russe VIII, 1908, p. 122. — Chines.-Dsungarei

Kastshenkoi Sem. l. c. p. 124. — „

Loczyi Friv. Term. füzetek XII, 1889, p. 209. — Reitt. Übers. p. 192. — Nord-China

Lepechini Sem. Rev. Russe VIII, 1908, p. 121. — Chines.-Dsungarei

parvula Friv. l. c. p. 209. — Reitt. Best.-Tab. XXV, 1893, p. 206; Übers. p. 192. — Nord-China

piligera Gebl. Ledeb. Reise II, 1830, p. 114. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 44. — Kraatz, Revis. Tenebr. 1865, p. 287. — Reitt. Übers. p. 190. — Sibirien

plicicollis Reitt. Übers. p. 191. — Chines.-Turkestan

Reitteri Friv. Term. füzetek XII, 1889, p. 208. — Reitt. Best.-Tab. XXV, 1893, p. 205; Übers. p. 192. — Nord-China

obesa Friv. l. c. p. 209.

semicarinata F. Bates, Cist. Ent. II, 1879, p. 477; Second Yark. Miss. Col. 1890, p. 68, t. 2, f. 15. — Kaschmir

serrimargo F. Bates, l. c. p. 476; l. c. p. 67, t. 2, f. 14. — „

subarmata Motsch. Bull. Ac. Petr. II, 1860, p. 535. — Reitt. Best.-Tab. XXV, 1893, p. 205; Übers. p. 189. — Turkestan, Transkaspien

subrugosa Motsch. l. c. p. 535. — Reitt. l. c. p. 207.

submetallica Sem. Rev. Russe VIII, 1908, p. 124. — Chines.-Dsungarei

Suworowi Reitt. Wien. Ent. Zeit. XXVI, 1907, p. 206. — Turkestan

iliensis Sem. Rev. Russ. VI, 1906 (1907), p. 264; VII, 1907, p. 264.

tibialis Bates, Cist. Ent. II, 1879, p. 476; Second Yark. Miss. Col. 1890, p. 67. — Kaschmir

variolaris Gebl. Bull. Acad. Petr. 1841, p. 373; Bull. Mosc. XXXII, 1859, IV, p. 336. — Kraatz, Revis. Tenebr. 1865, p. 285. — Reitt. Übers. p. 190. — Kirghisien, Songorei, Mongolei

subnuda Reitt. Deutsche Ent. Zeitschr. 1897, p. 218.

tuberculata Motsch. Bull. Mosc. XVIII, 1845, I, p. 62. — Kraatz, Revis. Tenebr. 1865, p. 288.

vittata Friv. Term. füzetek XII, 1889, p. 208. — Reitt. Best.-Tab. XXV, 1893, p. 207; Übers. p. 190. — Nord-China

26

Prionotheca Sol.

Sol. Ann. Soc. Ent. Fr. V, 1836, p. 39. — Lacord. Genera Col. V, 1859, p. 183. — Reitt. Best.-Tab. XXV, 1893, p. 203, 229.

coronata Ol. Ent. III, 1795, 59, p. 4, t. 2, f. 17. — Kl. Symb. phys. II, 1830, nr. 20, t. 12, f. 7. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 41, t. 2, f. 13—16. — Cast. Hist. Nat. II, 1840, p. 182. — Kraatz, Revis. Tenebr. 1865, p. 288. — Gestro, Ann. Mus. Genova (2) VII, 1889, p. 54. — Reitt. Best.-Tab. XXV, 1893, p. 229. — Sinai, Aegypten, Algier, Abessinien, Aden

ovalis Ancey, Natural. III, 1881, p. 397.

Biologie: Ol. Bull. Fr. (6) I, 1881, p. LXXXII.

1

Ocnera Fisch.

Fsch. Ent. Ross. I, 1822, p. 169. — Lacord. Genera Col. V, 1859, p. 1843 — Jacq. du Val, Genera Col. Eur. III, 1861, p. 260. — Kraatz, Revis. Tenebr. 1865, p. 289. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 20.i — All. Ann. Soc. Ent. Belg. XXVII, 1883, I, p. 63. — Reitt. Best.-Tab. XXV, 1893, p. 202, 216.

Trachyderma Latr. Cuv. règne anim. IV, 1829, p. 7. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 32. — Cast. Hist. Nat. II, 1840, p. 182.

abbreviata Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 3. — ? Senegal

Christophi Faust, Horae Soc. Ent. Ross. XI, 1875, p. 208; XII, 1876, p. 331. — All. Ann. Soc. Ent. Belg. XXVII, 1883, I, p. 38. — Reitt. Best.-Tab. XXV, 1893, p. 219. — Persien

longicollis Baudi, Ann. Mus. Genova VII, 1875, p. 687; Deutsche Ent. Zeitschr. XX, 1876, p. 6. — Solsky, Troudy Ent. Soc. Ross. XIII, 1881, p. 51.

Darwini Faust, Horae Soc. Ent. Ross. XI, 1875, p. 214. — All. Ann. Soc. Ent. Belg. XXVII, 1883, I, p. 48. — Reitt. Best.-Tab. XXV, 1893, p. 220. — „

Genei Sol. Ann. Soc. Ent. Fr. V, 1836, p. 38. — Kraatz, Revis. Tenebr. 1865, p. 291. — All. Ann. Soc. Ent. Belg. XXVII, 1883, I, p. 46. — Reitt. Best.-Tab. XXV, 1893, p. 219. — Aegypten

Emondi Sol. l. c. p. 38. — All. l. c. p. 44.

gracilis Waterh. Trans. Linn. Soc. Lond. (2) V, 1889, p. 127, t. 14, f. 8. — Afghanistan

granulata Fisch. Bull. Mosc. XVI,, 1844, I, p. 56. — Kraatz, Revis. Tenebr. 1865, p. 297. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 210. — All. Ann. Soc. Ent. Belg. XXVII, 1883, I, p. 43. — Reitt. Best.-Tab. XXV, 1893, p. 220. — Turkmenien

Habelmanni Kraatz, Revis. Tenebr. 1865, p. 292. — All. l. c. p. 47. — Reitt. l. c. p. 219. — Aegypten, Arabien

hispida Forsk. Descript. anim. 1775, p. 79. — F. Ent. Syst. I, 1792, p. 100; Syst. El. I, 1801, p. 29. — Ol. Ent. III, 1795, 59, p. 14, t. 1, f. 10, 12. — Herbst, Käf. VIII, 1799, p. 70, t. 122, f. 2. — Kl. Symb. phys. II, 1830, nr. 21, t. 12, f. 8. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 34, t. 2, f. 8—12. — Cast. Hist. Nat. II, 1840, p. 182. — Kraatz, Revis. Tenebr. 1865, p. 289. — All. Ann. Soc. Ent. Belg. XXVII, 1883, I, p. 42. — Reitt. Best.-Tab. XXV, 1893, p. 217. — Sicilien, Syrien, Arabien, Nordafrika

var. *depressa* Baudi, Ann. Mus. Genova VII, 1875, p. 685; Deutsche Ent. Zeitschr. XX, 1876, p. 4. — Süd-Persien

var. *Latreillei* Sol. Ann. Soc. Ent. Fr. V, 1836, p. 36. — Kraatz, Revis. Tenebr. 1865, p. 290. — All. Ann. Soc. Ent. Belg. XXVII, 1883, I, p. 41. — Reitt. Best.-Tab. XXV, 1893, p. 217. — Senegal, ? Aegypten, ? Arabien

var. *major* Baudi, Ann. Mus. Genova VII, 1875, p. 684. — Syrien, Algier

imbricata Fisch. Lettre à Pander 1821, p. 12; Ent. Ross. I, 1822, p. 150, t. 14, f. 4. — Kraatz, Revis. Tenebr. 1865, p. 295. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 205. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 8. — All. Ann. Soc. Ent. Belg. XXVII, 1883, I, p. 38. — Reitt. Best.-Tab. XXV, 1893, p. 216. — Kirghisien, Transkaspien

lepidacantha Fisch. Bull. Mosc. II, 1830, p. 187; Bull. Mosc. Ent. I, 1836, p. 97; Bull. Mosc. XVII, 1844, I, p. 55. — Kraatz, Revis. Tenebr. 1865, p. 297. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 206. — All. Ann. Soc. Ent. Belg. XXVII, 1883, I, p. 39. — Reitt. Best.-Tab. XXV, 1893, p. 217. — Turkmenien

Leprieuri All. Descr. de 6 nouv. esp. Hétérom. 1886, p. 4. — Aegypten

lima Petagna, Atti Accad. Napoli I, 1819, p. 29, 2, t. 3, f. 4a, b. — Bedel, Abeille XXVIII, 1894, p. 154. — Aegypten, Griechenland, Sicilien

angustata Sol. Ann. Soc. Ent. Fr. V, 1836, p. 37. — Luc. Expl. Alg. 1849, p. 229, t. 26, f. 1. — Kraatz, Revis. Tenebr. 1865, p. 291. — All. Ann. Soc. Ent. Belg. XXVII, 1883, I, p. 46. — Reitt. Best.-Tab. XXV, 1893, p. 219.

longicollis Desbr. Bull. Ac. d'Hipp. XVI, 1881, p. 87 (39). — Kairo

Menetriesi Kraatz, Revis. Tenebr. 1865, p. 296. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 210. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 9. — All. Ann. Soc. Ent. Belg. XXVII, 1883, I, p. 40. — Reitt. Best.-Tab. XXV, 1893, p. 218. — Turkmenien, Transkaspien

asperula Ménétr. Mém. Ac. Petr. VI, 1849, p. 221 (5).

?*muricata* Fisch. Bull. Mosc. X, 1837, IV, p. 15, t. 2, f. 5.
muricata Jacq. du Val, Genera Col. Eur. III, 1861, t. 64, f. 316. — Kraatz, Revis. Tenebr. 1865, p. 297. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 211. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 8.

parvicollis Baudi, Ann. Mus. Genova VII, 1875, p. 686; Deutsche Ent. Zeitschr. XX, 1876, p. 6. — Reitt. Best.-Tab. XXV, 1893, p. 218. — Süd-Persien

philistina Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 214. — Kraatz, Revis. Tenebr. 1865, p. 290. — All. Ann. Soc. Ent. Belg. XXVII, 1883, I, p. 44. — Reitt. Best.-Tab. XXV, 1893, p. 219. — Griechenland, Kleinasien, Syrien, Persien
gomorrhana Reiche, l. c. p. 215. — Kraatz, l. c. p. 292. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 5.
graeca Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 89 (41).
persea Baudi, Ann. Mus. Genova VII, 1875, p. 687.
var. *ovalipennis* Baudi, l. c. p. 686; Deutsche Ent. Zeitschr. XX, 1876, p. 5 nota. — Süd-Persien

pilicollis Fald. Bull. Mosc. IX, 1836, p. 378, t. 7, f. 6. — Kraatz, Revis. Tenebr. 1865, p. 295. — — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 206. — All. Ann. Soc. Ent. Belg. XXVII, 1883, I, p. 39. — Reitt. Best.-Tab. XXV, 1873, p. 216. — Kirghisien, Transkaspien, Turkestan
pilicornis Ball. Bull. Mosc. XLIV, 1871, p. 169.

protensa Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. XCIV. — Kaschmir

Przewalskyi Reitt. Horae Soc. Ent. Ross. XXI, 1887, p. 380; Best.-Tab. XXV, 1893, p. 216. — Alai, Oase Tscherchen

Raddeana Reitt. Verh. Nat. Ver. Brünn XXVII, 1888, p. 116; Best.-Tab. XXV, 1893, p. 217. — Turkestan

robusta Faust, Horae Soc. Ent. Ross. XI, 1875, p. 213; XII, 1876, p. 331. — All. Ann. Soc. Ent. Belg. XXVII, 1883, I, p. 41. — Reitt. Best.-Tab. XXV, 1893, p. 218. — Persien
perlata Baudi, Ann. Mus. Genova VII, 1875, p. 685; Deutsche Ent. Zeitschr. XX, 1876, p. 9.

setosa Fisch. in Ménétr. Cat. rais. 1832, p. 192. — Fald. Fn. Transcauc. II, 1837, p. 20, t. 2, f. 4. — Kraatz, Revis. Tenebr. 1865, p. 296. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 207. — Baudi, Ann. Mus. Genova VII, 1875, p. 685. — All. Ann. Soc. Ent. Belg. XXVII, 1883, I, p. 47. — Reitt. Best.-Tab. XXV, 1893, p. 218. — Transkaukasien
Beckeri Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 90 (42).

sublaevigata Bates, Cist. Ent. II, 1879, p. 477; Sec. Yark. Miss. Col. 1890, p. 69. — Kaschgar

triangularis Faust, Horae Soc. Ent. Ross. XI, 1875, p. 212; All. Ann. Soc. Ent. Belg. XXVII, 1883, I, p. 41. — Reitt. Best.-Tab. XXV, 1893, p. 218. — Turkmenien

tunicensis Desbr. Frelon VI, 1897—98, p. 82. — Tunis

Pimeliocnera Reitt.

Reitt. Wien. Ent. Zeit. XXVIII, 1909, p. 310.

Gebieni Reitt. l. c. p. 310. Buchara
1

Thriptera Sol.

Sol. Ann. Soc. Ent. Fr. V, 1836, p. 48. — Lacord. Genera Col. V, 1859, p. 185. — Kraatz, Revis. Tenebr. 1865, p. 298. — Reitt. Best.-Tab. XXV, 1893, p. 202, 213; Wien. Ent. Zeit. XXVIII, 1909, p. 312.

asphaltidis Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 218. — Baudi, Ann. Mus. Genova VII, 1875, p. 688. — Reitt. Best.-Tab. XXV, 1893, p. 215. Syrien, Jerusalem, Jaffa
jaffana Mill. Wien. Ent. Monatschr. V, 1861, p. 182. — Kraatz, Revis. Tenebr. 1865, p. 292.
Ballionis Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 87. — Reitt. Best.-Tab. XXV, 1893, p. 215. Margelan
Bedeli All. Descr. 6 nouv. esp. Col. Hétérom. 1886, p. 3. — Reitt. Best.-Tab. XXV, 1893, p. 214. Südost-Algier
crinita Kl. Symb. phys. II, 1830, nr. 22, t. 12, f. 9. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 51. — Kraatz, Revis. Tenebr. 1865, p. 298. — Reitt. Best.-Tab. XXV, 1893, p. 215. Aegypten, Nubien
Maillei Sol. l. c. p. 50.
pygmaea Mill. Wien. Ent. Monatschr. V, 1861, p. 181. — Kraatz, Revis. Tenebr. 1865, p. 292. — Baudi, Ann. Mus. Genova VII, 1875, p. 688.
debilicornis Kraatz, Revis. Tenebr. 1865, p. 299. Aegypten, Tripolis
delicata Bedel, Abeille XXVIII, 1893, p. 102. Algier, Sahara
Heydeni Reitt. Best.-Tab. XXV, 1893, p. 214. Ober-Aegypten
Kraatzi Haag, Entom. Monatsbl. I, 1876, p. 75. Arabien
lanata Peyerimh. Abeille XXXI, 1907, p. 35. Sinai
longipilis Reitt. Wien. Ent. Zeit. XIV, 1895, p. 156. Turkestan
minuta Pic, Miscellanea Ent. 1897, p. 124 nota 2.
murina Baudi, Deutsche Ent. Zeitschr. XXV, 1881, p. 280. — Reitt. Best.-Tab. XXV, 1893, p. 214. Arabien
pastor Reitt. Best.-Tab. XXV, 1893, p. 216. Turkestan
pilipes Kraatz, Revis. Tenebr. 1865, p. 299. Aegypten
sororcula Reitt. Wien. Ent. Zeit. XIII, 1894, p. 303. Arabien
sparsicollis Reitt. Wien. Ent. Zeit. XXVIII, 1909, p. 311. Buchara
striato-granosa Fairm. in Révoil, Faune et Flore Çomal. Col. 1882, p. 67. Somaliland
Varvasi Sol. Ann. Soc. Ent. Fr. V, 1836, p. 52, t. 3, f. 5—9. — Kraatz, Revis. Tenebr. 1865, p. 299. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 10. — Reitt. Best.-Tab. XXV, 1893, p. 214. Oran, Tripolis,
var. *alternans* Baudi, l. c. p. 10. ,,
villosa Sol. l. c. p. 53. — Kraatz, Revis. Tenebr. 1865, p. 299. Nordafrika
19

Euthriptera Reitt.

Reitt. Best.-Tab. XXV, 1893, p. 203, 229.

grisescens Fairm. Ann. Mus. Genova VII, 1875, p. 528. — All. Ann. Soc. Ent. Belg. XXVII, 1883, I, p. 36, 39. — Reitt. Best.-Tab. XXV, 1893, p. 229. — Algier, Tunis
piceola Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 86 (38); Frelon VI, 1897—98, p. 81.
1

Pachyscelis Sol.

Sol. Ann. Soc. Ent. Fr. V, 1836, p. 54. — Cast. Hist. Nat. II, 1840, p. 182. — Lacord. Genera Col. V, 1859, p. 185. — Jacq. du Val, Genera Col. Eur. III, 1861, p. 259. — Kraatz, Revis. Tenebr. 1865, p. 301. — Reitt. Best.-Tab. XXV, 1893, p. 202, 208.

Phymatiotris Sol. l. c. p. 63.
Subgen. *Pachyscelodes* Sénac, Ann. Soc. Ent. Fr. (6) VII, 1887, p. 187.

Banghaasi Reitt. Best.-Tab. XXV, 1893, p. 208 *(Pachyscelis* s. str.). — Turkestan
crinita Sol. Ann. Soc. Ent. Fr. V, 1836, p. 61. — Cast. Hist. Nat. II, p. 182. — Luc. Expl. Alg. 1849, p. 299, t. 26, f. 2. — Kraatz, Revis. Tenebr. 1865, p. 311. (*Pachyscelis* s. str.). — Barbaria, Palaestina
chrysomeloides Ol. Ent. III, 1795, 59, p. 12, t. 4, f. 3. — Kraatz, Revis. Tenebr. 1865, p. 313. — Mars. Abeille V, 1868, p. 191. — Reitt. Best.-Tab. XXV, 1893, p. 209 (*Pachyscelis* s. str.). — Syrien, Libanon
coriacea Kl. Symb. phys. II, 1830, nr. 1, t. 11, f. 1.
Kraatzi Baudi, Ann. Mus. Genova VII, 1875, p. 689; Deutsche Ent. Zeitschr. XX, 1876, p. 15.
Piochardi Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 95 (47).
Henoni Sén. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 191 *(Pachyscelodes).* — Algier, Tunis
hirtella Sol. Ann. Soc. Ent. Fr. VII, 1836, p. 62. — Kraatz, Revis. Tenebr. 1865, p. 312. — Reitt. Best.-Tab. XXV, 1893, p. 209 (*Pachyscelis* s. str.). — Orient
malleata Woll. Ent. Monthly Mag. XI, 1875, p. 219. — Sén. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 189 *(Pachyscelodes).* — Atlas
metopotapha Fisch. in Ménétr. Cat. rais. 1832, p. 192. — Kraatz, Revis. Tenebr. 1865, p. 305. — Baudi, Ann. Mus. Genova VII, 1875, p. 690. — Reitt. Best.-Tab. XXV, 1893, p. 211 (*Pachyscelis* s. str.). — Westliches Transkaukasien, Nordpersien
gemmans Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 14.
granifera Fald. Fauna Transc. II, 1837, p. 13.
musiva Ménétr. Cat. rais. 1832, p. 193. — Kraatz, Revis. Tenebr. 1865, p. 307. — Reitt. Best.-Tab. XXV, 1893, p. 210 (*Pachyscelis* s. str.). — Caspimeer-Gebiet
var. *bilineata* Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 12. — Südrußland

var. *clavaria* Ménétr. Cat. rais. 1832, p. 193. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 59. — Kraatz, Revis. Tenebr. 1865, p. 305. — Reitt. Best.-Tab. XXV, 1893, p. 210.

leprosa Fald. Fn. Transcauc. II, 1837, p. 14, t. 2, f. 7.

var. *depressa* Sol. Ann. Soc. Ent. Fr. V, 1836, p. 57. — Kraatz, Revis. Tenebr. 1865, p. 306. — Reitt. Best.-Tab. XXV, 1893, p. 210. — Persien

var. *divisa* Reitt. Best.-Tab. XXV, 1893, p. 210. — Mesopotamien

var. *gastridula* Fald. Fn. Transcauc. II, 1837, p. 16. — Kraatz, Revis. Tenebr. 1865, p. 306. — Reitt. Best.-Tab. XXV, 1893, p. 210. — Armenien

var. *mammillata* Fald. Fn. Transcauc. II, 1837, p. 17, t. 2, f. 6. — Kraatz, Revis. Tenebr. 1865, p. 307. — Reitt. Best.-Tab. XXV, 1893, p. 210. — Russisch Armenien

? *euphratica* Kraatz, Revis. Tenebr. 1865, p. 310.

var. *ordinata* Sol. Ann. Soc. Ent. Fr. V, 1836, p. 58. — Reitt. Best.-Tab. XXV, 1893, p. 210. — Persien

nitidula Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 86. — Reitt. Best.-Tab. XXV, 1893, p. 213 (*Pachyscelis* s. str.). — Turkestan

var. *major* Kraatz, l. c. — Reitt. l. c.

obscura Sol. Ann. Soc. Ent. Fr. V, 1836, p. 65. — Küst. Käf. Eur. 1849, XVI, 17. — Jacq. du Val, Genera Col. Eur. III, 1861, t. 63, f. 313. — Reitt. Best.-Tab. XXV, 1893, p. 212 (*Pachyscelis* s. str.). — Griechenland, Thessalien

porphyrea Sol. l. c. p. 65.

parallela Sol. l. c. p. 64. — Reitt. Best.-Tab. XXV, 1893, p. 212 (*Pachyscelis* s. str.). — Euboea, Syra

? *cycladica* Reitt. Best.-Tab. XXV, 1893, p. 212.

pauxilla Hampe, Wagn. Reise Pers. 1852, p. 312 (*Pachyscelis* s. str.). — Persien

persica Redtenb. Denkschr. Wien. Ac. I, 1850, p. 48. — Kraatz, Revis. 1865, p. 308. — Baudi, Ann. Mus. Genova VII, 1875, p. 690. — Reitt. Best.-Tab. XXV, 1893, p. 209 *(Pachyscelis)*. — „

pygmaea Ménétr. Mém. Acad. Petr. VI, 1849, p. 222 (6), t. 3, f. 7. — Kraatz, Revis. Tenebr. 1865, p. 283. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 218. — Reitt. Best.-Tab. XXV, 1893, p. 212 (*Pachyscelis* s. str.). — Transkaspien

quadricollis Brll. Expéd. Morée III, 1832, p. 193, t. 40, f. 1. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 63, t. 3, f. 10, 12, 15. — Kraatz, Revis. Tenebr. 1865, p. 308. — Reitt. Best.-Tab. XXV, 1893, p. 212 (*Pachyscelis* s. str.). — Morea, Creta, Smyrna

smyrnensis Kraatz, Revis. Tenebr. 1865, p. 309.

Rickmersi Reitt. Wien. Ent. Zeit. XVII, 1898, p. 13 (*Pachyscelis* s. str.). — Buchara

rotundata Kraatz, Revis. Tenebr. 1865, p. 313. — Reitt. Best.-Tab. XXV, 1893, p. 209 (*Pachyscelis* s. str.). — Syrien

semiasperula Fairm. Pet. Nouv. Ent. II, 1876, p. 38; Ann. Soc. Ent. Fr. (5) X, 1880, p. 13. — Sén. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 192 *(Pachyscelodes)*. — Algier

thessalica Reitt. Best.-Tab. XXV, 1893, p. 212 (*Pachyscelis* s. str.). — Thessalien

tuberculifera Luc. Bull. Soc. Ent. Fr. 1858, p. CCXXI. — Bedel, Bull. Soc. Ent. Fr. 1887, p. CLXXXVII. — Sén. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 193 (*Pachyscelodes*). — Algier

dayensis Muls. et God. Ann. Soc. Linn. Lyon XII, 1865, p. 451. — Opusc. Ent. XIV, 1870, p. 21. — Mars. Abeille XII, 1875, p. 100.

serieperlata Fairm. Pet. Nouv. Ent. II, 1876, p. 38. — Bedel, Bull. Soc. Ent. Fr. 1876, p. CLXXXVIII.

villosa Drapiez, Ann. gén. Sc. Brux. V, 1820, p. 118, t. 74, f. 3. — Reitt. Best.-Tab. XXV, 1893, p. 208 (*Pachyscelis* s. str.). — Griechenland, Kleinasien, Syrien, Transkaukasien

? *euphratica* Kraatz, Revis. Tenebr. 1865, p. 310.

granulosa Sol. Ann. Soc. Ent. Fr. V, 1836, p. 60, t. 3, f. 11, 13, 14. — Kiesw. Berl. Ent. Zeitschr. V, 1861, p. 227. — Kraatz, Revis. Tenebr. 1865, p. 311. — Baudi, Ann. Mus. Genova VII, 1875, p. 688.

tenebrosa Sol. l. c. p. 60.

zophosioides Baudi, Ann. Mus. Genova VII, 1875, p. 691; Deutsche Ent. Zeitschr. XX, 1876, p. 28 nota. — Sén. Mon. Pimel. II, p. 144 (*Pachyscelis* s. str.). — Persien

22

Euryostola Reitt.

Reitt. Best.-Tab. XXV, 1893, p. 202, 207.

minor Baudi, Ann. Mus. Genova VII, 1875, p. 689; Deutsche Ent. Zeitschr. XX, 1876, p. 16. — Reitt. Best.-Tab. XXV, 1893, p. 208. — Persien

1

Pelerocnemis Solsky.

Solsky, Horae Soc. Ent. Ross. XI, 1875, p. 283. — Reitt. Best.-Tab. XXV, 1893, p. 202, 213.

Kraatzi Solsky, l. c. p. 285. — Reitt. l. c. p. 213. — Margelan, Karakum

punctata Gebl. Bull. Acad. Petr. III, 1845, p. 101; Bull. Mosc. XXXIII, 1860, III, p. 12. — Kraatz, Revis. Tenebr. 1865, p. 353. — Reitt. Best.-Tab. XXV, 1893, p. 213. — Turkestan

punctigera Mén. Mém. Acad. Petr. VI, 1849, p. 219 (4). — Kraatz, Revis. Tenebr. 1865, p. 358. — Sénac, Mon. Pimel. II, 1887, p. 139.

spectabilis Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 329; Soc. Entom. V, 1891, p. 169. — Ball. Soc. Entom. V, 1891, p. 146. — Sénac, Mon. Pim. II, 1887, p. 144.

2

Stalagmoptera Solsky.

Solsky, Horae Soc. Ent. Ross. XI, 1875, p. 286. — Reitt. Best.-Tab. XXV, 1893, p. 203, 225.

confusa Solsky, l. c. p. 289. — Reitt. l. c. p. 227. — Turkestan
var. *sordida* Kraatz, Deutsche Ent. Zeitschr. XXV, 1881, p. 331. — Margelan
incostata Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 327. — Reitt. Best.-Tab. XXV, 1893, p. 226. — Samarkand
intermedia Kraatz, l. c. p. 328. — Reitt. l. c. p. 226. — ,,
dubia Kraatz, l. c. p. 328.
modesta Kraatz, l. c. p. 328.
laticollis Solsky, Horae Soc. Ent. Ross. XI, 1875, p. 289. — Reitt. l. c. p. 228. — Turkestan
striata Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 328.
mollis Kraatz, l. c. p. 329. — Samarkand
? *laevicollis* Reitt. Best.-Tab. XXV, 1893, p. 211.
pterocomoides Reitt. Best.-Tab. XXV, 1893, p. 225. — Alexander-
ruginota Reitt. Deutsche Ent. Zeitschr. 1896, p. 39. — Gebirge, Transkasp.
seriato-gemmata Solsky, Horae Soc. Ent. Ross. XI, 1875, p. 288. — Reitt. Best.-Tab. XXV, 1893, p. 225. — Samarkand
Heydeni Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 326.
tuberculosa Kraatz, l. c. p. 328.
Staudingeri Reitt. Best.-Tab. XXV, 1893, p. 227. — Turkestan
tomentosa Reitt. l. c. p. 226. — Taschkent
tuberculato-costata Solsky, Horae Soc. Ent. Ross. XI, 1875, p. 287. — Reitt. l. c. p. 225. — ,,
variabilis Kraatz, Deutsche Ent. Zeitschr. XXV, 1881, p. 331; XXVI, 1882, p. 337.

11

Urielina Reitt.

Reitter, Deutsche Ent. Zeitschr. 1888, p. 331; 1889, p. 261; 1907, p. 412.

nitida Baudi, Ent. Monatsbl. I, 1876, p. 30; Deutsche Ent. Zeitschr. XX, 1876, p. 30. — Sén. Mon. Pim. I, 1884, p. 2. — Reitt. Deutsche Ent. Zeitschr. 1888, p. 331. — Turkestan

1

Podhomala Sol.

Sol. Ann. Soc. Ent. Fr. V, 1836, p. 72. — Cast. Hist. Nat. II, 1840, p. 181. — Kraatz, Revis. Tenebr. 1865, p. 371. — Sénac, Monogr. Pimel. I, 1884, p. VI, VII, XI. — Reitt. Deutsche Ent. Zeitschr. 1888, p. 331; 1907, p. 412.

Subgen. *Pterocomodes* Reitt. Wien. Ent. Zeit. XX, 1901, p. 159; Deutsche Ent. Zeitschr. 1907, p. 413.
Subgen. *Uriela* Reitt. Deutsche Ent. Zeitschr. XXXI, 1887, p. 518; 1889, p. 261; 1907, p. 413.

bicostata Sén. Mon. Pim. I, 1884, p. 3. — Reitt. Deutsche Ent. Zeitschr. 1907, p. 414 *(Uriela?)*. — Sibirien
Fausti Kraatz, Deutsche Ent. Zeitschr. XXV, 1881, p. 332. — Reitt. Deutsche Ent. Zeitschr. XXXI, — Margelan

1887, p. 518; 1907, p. 413. — Sén. Mon. Pim. I, 1884, p. 6; Bull. Soc. Ent. Fr. 1888, p. LV *(Uriela)*.

cristata Sén. Bull. Soc. Ent. Fr. 1882, p. XXX.

Heydeni Reitt. Deutsche Ent. Zeitschr. 1907, p. 414 *(Uriela)*. — Turkestan

serrata Fisch. Bull. Mosc. II, 1830, p. 187; Bull. Mosc. Ent. I, 1836, p. 97. — Sén. Mon. Pim. I, 1884, p. 5. — Reitt. Deutsche Ent. Zeitschr. 1907, p. 413 *(Pterocomodes)*. — Kirghisien, Transkaspien, Turkestan

acuta Reitt. Wien. Ent. Zeit. XX, 1901, p. 160, t. 3, f. 4.

bicarinata Gebl. Bull. Acad. Petr. 1841, p. 373; Bull. Mosc. XXXII, 1859, IV, p. 335. — Kraatz, Revis. Tenebr. 1865, p. 372. — Sén. Mon. Pim. I, 1884, p. 5.

suturalis Sol. Ann. Soc. Ent. Fr. V, 1836, p. 74, t. 4, f. 6—7. — Jacq. du Val, Genera Col. Eur. III, 1861, t. 63, f. 312. — Kraatz, Revis. Tenebr. 1865, p. 372. — Sén. Mon. Pim. I, 1884, p. 1. — Reitt. Deutsche Ent. Zeitschr. 1907, p. 414 *(Podhomala)*. — Südrußland

lucidula Kryn. Bull. Mosc. V, 1832, p. 132; Bull. Mosc. Ent. I, 1836, p. 179.

5

Pimelia F.

F. Syst. Ent. 1775, p. 251. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 76. — Muls. Col. Fr. Latigènes 1854, p. 48. — Lacord. Genera Col. V, 1859, p. 187. — Jacq. du Val, Genera Col. Eur. III, 1861, p. 258. — Kraatz, Revis. Tenebr. 1865, p. 341. — Sénac, Essai monogr. Pimelia I, 1884; II, 1887 (Mon. I und II). — Reitt. Deutsche Ent. Zeitschr. 1888, p. 331; 1907, p. 412. — Desbr. Frelon X, 1901, p. 1.

Subgen. *Amblyptera* Sol. Ann. Soc. Ent. Fr. V, 1836, p. 188, 195 nota. — Sénac, Mon. Pim. II, 1887, p. V.

Subgen. *Aphanaspis* Woll. Sén. l. c. II, 1887, p. V.

Subgen. *Camphonota* Sol. Ann. Soc. Ent. Fr. V, 1836, p. 195.

Subgen. *Ecphoroma* Sol. l. c. p. 195. — Sén. l. c. p. V.

Subgen. *Gedeon* Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 219. — Lacord. Genera Col. V, 1859, p. 186. — Sén. Mon. II, 1887, p. V.

Subgen. *Melanostola* Sén. Mon. II, 1887, p. V.

Subgen. *Piesterotarsa* Motsch. Sén. l. c. I, 1884, p. XI.

abyssinia Haag, Ent. Monatsbl. I, 1876, p. 75. — Sén. Mon. II, p. 135 *(Piesterotarsa)*. — Abessinien

akbesiana Fairm. Ann. Soc. Ent. Fr. (6) IV, 1884, p. 170. — Sén. Mon. II, p. 52 *(Pimelia)*. — Hochsyrien

Alluaudi Sén. Ann. Soc. Ent. Fr. LXI, 1892, p. 107. — Canar. Inseln

ambigua Woll. Cat. Can. Col. 1864, p. 475; Col. Atlant. 1865, p. 405. — Mars. Abeille XI, 1875, p. 102. — Sén. Mon. II, p. 135 *(Pimelia)*. — ,,

angulata F. Syst. Ent. 1775, p. 252; Ent. Syst. I, 1792, p. 101; Syst. El. I, 1801, p. 131. — Herbst, Käfer VIII, 1799, p. 65, t. 121, f. 8. — Serv. Encycl. méth. X, 1825, p. 128, t. 195, f. 12. — Kl. Symb. phys. II, 1830, nr. 16, t. 12, f. 3. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 90. — Aegypten, Syrien

— Cast. Hist. Nat. II, 1840, p. 183. — Kraatz, Revis. Tenebr. 1865, p. 333, 340. — Sén. Mon. I, p. 22 *(Piesterotarsa)*.

asperrima Pall. Icon. I, 1781, p. 55, t. H, f. C 22.

spinosa Forsk. Descr. anim. 1775, p. 80.

var. *aculeata* Kl. Symb. phys. II, 1830, nr. 17, t. 12, f. 4. — Sén. Mon. I, p. 24.

var. *alternata* Sén. Mon. I, p. 24.

var. *syriaca* Sén. l. c.

angulosa Ol. Ent. III, 1795, 59, p. 11, t. 2, f. 23. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 91. — Cast. Hist. Nat. II, 1840, p. 183. — Sén. Mon. I, p. 33 *(Piesterotarsa)*. — Senegal, Aegypten

anomala Sén. Bull. Fr. 1880, p. XXIV; Ann. Soc. Ent. Fr. (5) X, 1880, p. 261; Mon. I, p. 14 *(Piesterotarsa)*. — Algier

arabica Kl. Symb. phys. II, 1830, nr. 18, t. 12, f. 5. — Sén. Mon. I, p. 78 *(Piesterotarsa)*. — Arabien

arenacea Sol. Ann. Soc. Ent. Fr. V, 1836, p. 114. — Sén. Mon. I, p. 71 *(Piesterotarsa)*. — Algier, Tunis

ascendens Woll. Cat. Canar. Col. 1864, p. 473; Col. Atlant. 1865, p. 404. — Sén. Mon. II, p. 27 (*Pimelia* s. str.). — Canar. Inseln

barbara Brll. Webb. et Berth. Ins. Canar. 1838, p. 67.

atarnites Baudi, Ann. Mus. Genova VII, 1875, p. 692; Deutsche Ent. Zeitschr. XX, 1876, p. 19. — Sén. Mon. I, p. 89 *(Piesterotarsa)*. — Persien

var. *torquata* Baudi, l. c. p. 692; l. c. p. 19. — Sén. Mon. I, p. 89. — Kaspisches Meer

var. *tuberculata* Baudi, l. c. p. 692. — Sén. l. c. p. 89. — ?Nord-Persien

auriculata Woll. Cat. Can. Col. 1864, p. 479. — Sén. Mon. II, p. 5 *(Aphanaspis)*. — Canar. Inseln

bajula Brll. Webb. et Berth. Ins. Canar. 1838, p. 67.

baetica Sol. Ann. Soc. Ent. Fr. V, 1836, p. 170. — Kraatz, Revis. Tenebr. 1865, p. 322, 331. — Sén. Mon. II, p. 99 (*Pimelia* s. str.). — Spanien

var. *distincta* Sol. l. c. p. 172.

bajula Kl. Symb. phys. II, 1830, nr. 8, t. 11, f. 8. — Sén. Mon. II, p. 2 *(Melanostola)*. — Syrien, Kleinasien

cylindrica Sol. Ann. Soc. Ent. Fr. V, 1836, p. 124.

var. *Solieri* Muls. et Wachanru, Mém. Ac. Lyon (2) II, 1852, p. 8. — Sén. Mon. II, p. 3. — Palaestina

Mulsanti Reiche, Ann. Soc. Ent. Fr. (4) I, 1861, p. 88.

balcanica Kirchsb. Ent. Monatsbl. I, 1876, p. 30 (*Pimelia* s. str.). — Balkan

Barthelemyi Sol. Ann. Soc. Ent. Fr. V, 1836, p. 350. — Sén. Mon. II, p. 41 (*Pimelia* s. str.). — Aegypten, ? Syrien

bipunctata F. Spec. Ins. I, 1781, p. 316; Mant. Ins. I, 1787, p. 208; Ent. Syst. I, 1792, p. 101; Syst. El. I, 1801, p. 130. — Herbst, Käf. VIII, 1799, p. 87, t. 123, f. 1. — Latr. Hist. Nat. X, p. 265. Genera Crust. et Ins. II, 1807, p. 147. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 174, t. 4, f. 12, 15. — Cast. Hist. Nat. II, 1840, p. 183. — Küst. Käf. Eur. 1849, XVI, p. 11. — Muls. Col. Fr. Latigènes 1854, p. 49. — Kraatz, Revis. Tenebr. — Südfrankreich, Korsika, Italien

1865, p. 324, 331. — Sén. Mon. II, p. 95. — Desbr. Frelon X, 1901, p. 5 (*Pimelia* s. str.).
aspera Germ. Ins. spec. nov. 1824, p. 134.
muricata Ol. Ent. III, 1795, 59, p. 9, t. 1, f. 1a, b; t. 4, f. 4.
sulcata Fourcr. Ent. Par. I, 1785, p. 159.
var. *cajetana* Sén. Mon. II, p. 96. — Italien
Biologie: Muls. Col. Fr. Latig. 1854, p. 51.

Bottae Sén. Mon. II, p. 48 (*Pimelia* s. str.). — Arabien
var. *carinosa* Sén. l. c. — ,,

Bottegi Gestro, Ann. Mus. Genova (2) XV, 1895, p. 369 (*Pimelia* s. str.). — Somaliland

Boyeri Sol. Ann. Soc. Ent. Fr. V, 1836, p. 143. — Luc. Expl. Alg. 1849, p. 302, t. 26, f. 8. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 24. — Sén. Mon. II, p. 109 (*Pimelia* s. str.). — Algier
atlantis Sol. l. c. p. 139.
var. *asphaltina* Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 100. — ,,
var. *granifera* Sol. l. c. p. 147. — Sén. Mon. II, p. 109.
var. *graniventris* Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 25. — ,,
var. *rugifera* Sol. Ann. Soc. Ent. Fr. V, 1836, p. 144. — Sén. Mon. II, p. 109.
Biologie: Larve: Xambeu, Ann. Soc. Linn. Lyon XLV, p. 59.

brevicollis Sol. Ann. Soc. Ent. Fr. V, 1836, p. 172. — Kraatz, Revis. Tenebr. 1865, p. 324, 330. — Sén. Mon. II, p. 93 (*Pimelia* s. str.). — Spanien

Brisouti Sén. Bull. Soc. Ent. Fr. 1885, p. LXXXII; Mon. II, p. 116 (*Pimelia* s. str.). — Algier

Buqueti Luc. Bull. Soc. Ent. Fr. 1858, p. CCXXI. — Sén. Mon. II, p. 118 (*Pimelia* s. str.). — ,,

canariensis Brll. Webb et Berth. Ins. Canar. 1838, p. 67. — Woll. Cat. Canar. Col. 1864, p. 472. — Sén. Mon. II, p. 45 (*Pimelia* s. str.). — Canar. Inseln

canescens Kl. Symb. phys. II, 1830, nr. 3, t. 11, f. 3. — Sén. Mon. II, p. 40 (*Pimelia* s. str.). — Aegypten
depilata Sol. Ann. Soc. Ent. Fr. V, 1836, p. 129.

capito Kryn. Bull. Mosc. V, 1832, p. 131; Bull. Mosc. Ent. I, 1836, p. 178. — Kraatz, Revis. Tenebr. 1865, p. 359. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 219. — Sén. Mon. I, p. 96 *(Piesterotarsa)*. — Südrußland, Kaukasus, Kirghisien, Georgien
anomala Sol. Ann. Soc. Ent. Fr. V, 1836, p. 118.
neglecta Fisch. in Ménétr. Cat. rais. 1832, p. 194.
Schönherri Sol. Ann. Soc. Ent. Fr. V, 1836, p. 117. — Kraatz, Revis. Tenebr. 1865, p. 354.
var. *Schönherri* Fald. Fn. Transcauc. II, 1837, p. 11.

castellana Perez, Ins. nuev. 1865, p. 13. — Mars. Abeille XII, 1875, p. 98. — Sén. Mon. II, p. 80 (*Pimelia* s. str.). — Spanien

cephalenica Kraatz, Revis. Tenebr. 1865, p. 348, 351. — Sén. Mon. II, p. 64 (*Pimelia* s. str.). — Kephallinia

cephalotes Pall. Icon. I, 1781, p. 49, t. C, f. 15. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 119. — Kraatz, Revis. Tenebr. 1865, p. 354, 359. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 219. — Sén. Mon. I, p. 91 *(Piesterotarsa)*. — Südrußland, Kaukasus, Turkmenien

oxysterna Sol. Ann. Soc. Ent. Fr. V, 1836, p. 121.
var. *kirgisica* Motsch. Bull. Mosc. XXXII, 1859, p. 472; Bull. Acad. Petr. II, 1860, p. 533. — Sén. Mon. II, p. 144.
Menetriesi Sén. Mon. I, p. 93.

Claudia Buquet, Rev. Zool. 1840, p. 242. — Sén. Mon. II, p. 92 (*Pimelia* s. str.). — Algier, Marokko
Georgi Ol. Delam. Bull. Soc. Linn. Normand. VI, 1882, p. 148.
spectabilis Haag, Deutsche Ent. Zeitschr. XIX, 1875, Heft VII, p. 52. — Sén. Bull. Soc. Ent. Fr. 1881, p. XIX.

comata Kl. Symb. phys. II, 1830, nr. 4, t. 11, f. 4. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 128. — Sén. Mon. II, p. 38 (*Pimelia* s. str.). — Aegypten
ornata Mill. Wien. Ent. Monatschr. V, 1861, p. 179, t. 5, f. 16.

confusa Sén. Bull. Soc. Ent. Fr. 1884, p. XXIV; Mon. I, p. 31 *(Piesterotarsa)*. — Algier, Tunis

consobrina Luc. Bull. Soc. Ent. Fr. 1858, p. 220. — Sén. Mon. I, p. 35 *(Piesterotarsa)*. — „

cordata Kraatz, Revis. Tenebr. 1865, p. 368. — Sén. Mon. I, p. 44 *(Piesterotarsa)*. — Marokko
maroccana Fairm. Pet. Nouv. Ent. I, 1875, p. 543. — Kraatz, Deutsche Ent. Zeitschr. XX, 1876, p. 352. — Sén. Bull. Soc. Ent. Fr. 1881, p. XIX.

costata Waltl, Reise Span. II, 1835, p. 69. — Kraatz, Revis. p. 322, 332. — Sén. Mon. II, p. 102 (*Pimelia* s. str.). — Spanien
var. *Gadium* Sol. Ann. Soc. Ent. Fr. V, 1836, p. 169. — Sén. Mon. II, p. 103.
var. *graphica* Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 22. — Sén. Mon. II, p. 104.
var. *hesperica* Sol. Ann. Soc. Ent. Fr. V, 1836, p. 167. — Küst. Käf. Eur. 1849, XVI, 10. — Sén. Mon. II, p. 103.
var. *lineata* Sol. l. c. p. 169. — Sén. Mon. II, p. 103.

costipennis Woll. Cat. Can. Col. 1864, p. 476. — Mars. Abeille XII, 1875, p. 101. — Sén. Mon. II, p. 29 (*Pimelia* s. str.). — Canar. Inseln

crenata F. Suppl. Ent. Syst. 1798, p. 44; Syst. El. I, 1801, p. 131. — Geb. Deutsche Ent. Zeitschr. 1906, p. 210, 211 *(Piesterotarsa)*. — Marokko
grandicollis Kraatz, Revis. Tenebr. 1865, p. 368. — Sén. Mon. I, p. 49.

cribra Sol. Ann. Soc. Ent. Fr. V, 1836, p. 151. — Kraatz, Revis. Tenebr. 1865, p. 319, 329. — Sén. Mon. II, p. 73 (*Pimelia* s. str.). — Balearen
var. *elevata* Sén. Mon. II, p. 73.

cribripennis Sol. l. c. p. 117. — Luc. Expl. Alg. 1849, p. 301, t. 26, f. 6. — Sén. Mon. I, p. 65 *(Piesterotarsa)*. — Algier, Tunis

cultrimargo Sén. Bull. Soc. Ent. Fr. 1884, p. XXV; Mon. II, p. 129 *(Piesterotarsa)*. — Kordofan, ? Aegypten

cursor Ménétr. Cat. rais. 1832, p. 192. — Fald. Fn. transcauc. II, 1837, p. 9. — Kraatz, Revis. Tenebr. 1865, p. 355, 360. — Sén. Mon. I, p. 98 *(Piesterotarsa)*. — Transkaukasien, Armenien, Persien

damasci Sén. Bull. Soc. Ent. Fr. 1880, p. XLVIII; Ann. Soc. Ent. Fr. (5) X, 1880, p. 265; Mon. II, p. 42 (*Pimelia* s. str.). — Syrien

densegranata Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 149 *(Piesterotarsa)*. — Somaliland

depressa Sol. Ann. Soc. Ent. Fr. V, 1836, p. 116. — Sén. Mon. I, p. 67 *(Piesterotarsa)*. — Algier

papulosa Sol. l. c. p. 113.

var. *subquadrata* l. c. p. 113. — Sén. Mon. I, p. 68.

derasa Kl. Symb. phys. II, 1830, nr. 7, t. 11, f. 7. — Sén. Mon. II, p. 25 (*Pimelia* s. str.). — Aegypten, Syrien

discicollis Fairm. Pet. Nouv. Ent. I, 1875, p. 544. — Sén. Mon. I, p. 47 *(Piesterotarsa)*. — Marokko

dubia Fald. Fn. Transcauc. II, 1837, p. 8, t. 2, f. 9. — Sén. Mon. I, p. 100 *(Piesterotarsa)*. — Persien, Kaukasien

persica Fald. l. c. p. 10, t. 2, f. 8.

Duponti Sol. Ann. Soc. Ent. Fr. V, 1836, p. 146. — Luc. Expl. Alg. 1849, p. 302, t. 26, f. 9. — Sén. Mon. II, p. 106 (*Pimelia* s. str.). — Algier

echidna Fairm. Pet. Nouv. Ent. I, 1875, p. 544. — Sén. Mon. II, p. 11 (*Pimelia* s. str.). — Marokko

var. *oblonga* Sén. Bull. Soc. Ent. Fr. 1885, p. LXXXI; Mon. II, p. 11.

errans Mill. Wien. Ent. Monatschr. V, 1861, p. 181, t. 5, f. 18. — Sén. Mon. II, p. 15 (*Pimelia* s. str.). — Syrien

externeserrata Fairm. Pet. Nouv. Ent. I, 1875, p. 544. — Sén. Mon. I, p. 40 *(Piesterotarsa)*. — Marokko

fornicata Herbst, Käf. VIII, 1799, p. 79, t. 122, f. 8. — Küst. Käf. Eur. 1849, XVI, 15. — Jacq. du Val, Genera Col. Eur. III, 1861, t. 63, f. 311. — Kraatz, Revis. Tenebr. 1865, p. 322. — Sén. Mon. II, p. 123 *(Amblyptera)*. — Südspanien, Marokko

obesa Sol. Ann. Soc. Ent. Fr. V, 1836, p. 191. — Kraatz, Revis. Tenebr. 1865, p. 325.

var. *rotundipennis* Kraatz, Revis. Tenebr. 1865, p. 370. — Sén. Mon. II, p. 124.

mogadora Fairm. Ann. Soc. Ent. Fr. (4) X, 1870, p. 387. — Mars. Abeille XII, 1875, p. 99. — Kraatz, Deutsche Ent. Zeitschr. XX, 1876, p. 352.

var. *Simonis* Sén. Mon. II, p. 124.

Biologie: Rosenh. Thiere Andalus. 1856, p. 193.

Gestroi Sén. Mon. I, p. 94 *(Piesterotarsa)*. — Persien

gibba F. Ent. Syst. I, 1792, p. 100; Syst. El. I, 1801, p. 128. — Geb. Deutsche Ent. Zeitschr. 1906, p. 228 *(Melanostola)*. — Algier

simplex Sol. Ann. Soc. Ent. Fr. V, 1836, p. 123. — Luc. Expl. Alg. 1849, p. 301, t. 26, f. 7. — Küst. Käf. Eur. 1849, XVI, 6. — Sén. Mon. II, p. 1.

gracilenta Haag, Deutsche Ent. Zeitschr. XIX, 1875, Heft VII, p. 52. — Sén. Mon. I, p. 45 *(Piesterotarsa)*. — Marokko

gracilipes Sén. Bull. Soc. Ent. Fr. 1886, p. XLVI; Mon. II, p. 133 *(Piesterotarsa)*. — Persien

graeca Brll. Expéd. Morée III, 1832, p. 192, t. 40, f. 2. — Kraatz, Revis. Tenebr. 1865, p. 350. — Sén. Mon. II, p. 65 (*Pimelia* s. str.). — Griechenland

exanthematica Sol. Ann. Soc. Ent. Fr. V, 1836, p. 183. — Küst. Käf. Eur. 1849, XVI, 13. — Kraatz, Revis. Tenebr. 1865, p. 346.
monilifera Sol. l. c. p. 184. — Kr. l. c. p. 363, 366.
var. *asperula* Sol. l. c. p. 182. — Kr. l. c. p. 346. — Sén. Mon. II, p. 67.

grandis Kl. Symb. phys. II, 1830, nr. 5, t. 11, f. 5. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 133, t. 4, f. 11. — Sén. Mon. II, p. 22 (*Pimelia* s. str.). — Aegypten, Abessinien, Sudan, Oberer Senegal
sudanica Fairm. Ann. Soc. Ent. Fr. (6) II, 1882, p. 66.

granulata Sol. Ann. Soc. Ent. Fr. V, 1836, p. 103. — Sén. Mon. I, p. 58 *(Piesterotarsa)*. — Algier, Tunis
Doumeti Sén. Bull. Soc. Ent. Fr. 1882, p. XXXI.
intertuberculata Luc. Bull. Soc. Ent. Fr. 1858, p. 220.
Lucasi Reiche, Ann. Soc. Ent. Fr. (4) I, 1861, p. 87.

granulicollis Woll. Cat. Can. Col. 1864, p. 478. — Mars. Abeille XII, 1875, p. 102. — Sén. Mon. II, p. 4 *(Aphanaspis)*. — Canar. Inseln

grossa F. Ent. Syst. I, 1792, p. 101. — Küst. Käf. Eur. XX, 1850, 2, t. 1, f. 3. — Sén. Mon. II, p. 144 *(Piesterotarsa)*. — Tunis, Algier, Sicilien, Sardinien
barbara Sol. Ann. Soc. Ent. Fr. V, 1836, p. 106, t. 4, f. 8—10. — Luc. Expl. Alg. 1849, p. 300, t. 26, f. 4. — Kraatz, Revis. Tenebr. 1865, p. 333, 340.
inflata Herbst, Käf. VIII, 1799, p. 98, t. 123, f. 12. — Kraatz, Revis. Tenebr. 1865, p. 333, 340. — Sén. Mon. I, p. 54. — Desbr. Frelon X, 1901, p. 3.
vestita Sén. Mon. I, p. 54.
Biologie: Schioedte, Nat. Tidsskr, 1879, III, 11, p. 523, t. 5, f. 1—11.

hemisphaerica Sol. Ann. Soc. Ent. Fr. V, 1836, p. 193. — Sén. Mon. II, p. 127 *(Ecphoroma)*. — Marokko
insignis Fairm. Ann. Soc. Ent. Fr. (4) VII, 1867, p. 407. — Mars. Abeille XII, 1875, p. 101.
var. *capillata* Sol. l. c. p. 194. — Sén. Mon. II, p. 128.

hierichontica Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 221, t. 5, f. 8. — Sén. Mon. II, p. 8 *(Gedeon)*. — Arabien, Syrien, Aegypten
arabica Sol. Ann. Soc. Ent. Fr. V, 1836, p. 126. — Kraatz, Revis. Ten. 1865, p. 373.

Hildebrandti Har. Monatsber. Acad. Berl. 1878, p. 221. — Sén. Mon. II, p. 18 (*Pimelia* s. str.). — Ostafrika
var. *cenchronota* Fairm. in Révoil, Faune et Flore Comal. Col. 1882, p. 68. — Somaliland

hirtella Sén. Mon. II, p. 47 *(Pimelia)*. — Aegypten

incerta Sol. Ann. Soc. Ent. Fr. V, 1836, p. 166. — Küst. Käf. Eur. 1849, XVI, 9. — Kraatz, Revis. Tenebr. 1865, p. 321, 331. — Sén. Mon. II, p. 100. — Spanien, Portugal
muricata F. Syst. Ent. 1775, p. 251 (*Pimelia* s. str.).

indica Sén. Bull. Soc. Ent. Fr. 1882, p. LVI; Mon. I, p. 103 *(Piesterotarsa)*. — Indien

inexpectata Sén. l. c. p. XXXI; Mon. I, p. 50 *(Piesterotarsa)*. — ,,

♀ *convexicollis* Sén. Bull. Soc. Ent. Fr. 1882, p. LVII.

integra Rosenh. Thiere Andalus. 1856, p. 190. — Kraatz, Revis. Tenebr. 1865, p. 329, 330. — Sén. Mon. II, p. 77 (*Pimelia* s. str.). — Spanien

interjecta Sol. Ann. Soc. Ent. Fr. V, 1836, p. 152. — Kraatz, Revis. Tenebr. 1865, p. 319. — Sén. Mon. II, p. 75 (*Pimelia* s. str.). — Balearen

intermedia Fisch. Bull. Mosc. X, 1837, IV, p. 13. — Sén. Mon. II, p. 136 *(Piesterotarsa)*. — Turkmenien

interpunctata Kl. Symb. phys. II, 1830, nr. 2, t. 11, f. 2. — Sén. Mon. II, p. 144 *(Piesterotarsa)*. — Aegypten

carinata Sol. Ann. Soc. Ent. Fr. V, 1836, p. 97. — Sén. Mon. I, p. 8.

interstitialis Sol. l. c. p. 105, t. 4, f. 14, 16. — Sén. Mon. I, p. 52 *(Piesterotarsa)*. — Südalgier, Tunis, Tripolis

Dejeani Sol. l. c. p. 132 (pars).

Kraatzi Sén. Mon. II, p. 17 (*Pimelia* s. str.). — Mesopotamien

laevigata Brll. Webb et Berth. Ins. Canar. 1838, p. 67, t. 1, f. 12. — Woll. Cat. Can. Col. 1864, p. 477. — Sén. Mon. II, p. 30 *(Pimelia)*. — Canar. Inseln

laeviuscula Kraatz, Revis. Tenebr. 1865, p. 367. — Sén. Mon. I, p. 43 *(Piesterotarsa)*. — Marokko

Latastei Sén. Bull. Soc. Ent. Fr. 1884, p. X; Mon. II, p. 23 (*Pimelia* s. str.). — Algier, Marokko

latipes Sol. Ann. Soc. Ent. Fr. V, 1836, p. 109. — Sén. Mon. I, p. 56. — Tunis

amicta Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 20.

Latreillei Sol. Ann. Soc. Ent. Fr. V, 1836, p. 93. — Luc. Expl. Alg. 1849, t. 26, f. 3. — Sén. Mon. I, p. 25 *(Piesterotarsa)*. — Aegypten

var. *sericea* Sol. l. c. p. 95.

permixta Sén. Bull. Soc. Ent. Fr. 1881, p. XX; Mon. I, p. 25.

var. *denticulata* Sol. Ann. Soc. Ent. Fr. V, 1836, p. 95. — Kraatz, Revis. Tenebr. 1865, p. 317. — Sén. Mon. I, p. 25, 27. — Balearen

Letourneuxi Sén. Bull. Soc. Ent. Fr. 1880, p. XXIV; Ann. Soc. Ent. Fr. (5) X, 1880, p. 263; Mon. I, p. 85 *(Piesterotarsa)*. — Algier

limosa Gestro, Ann. Mus. Genova (2) XV, 1895, p. 370 (*Pimelia* s. str.). — Somaliland

lutaria Brll. Webb et Berth. Ins. Canar. 1838, p. 68, t. 1, f. 11. — Woll. Cat. Can. Col. 1864, p. 471; Col. Atlant. p. 403. — Sén. Mon. II, p. 44 (*Pimelia* s. str.). — Canar. Inseln

canariensis Heer in Hart. Geol. Verh. Lanzarote 1856, p. 140, 141.

var. *lutulenta* Woll. Col. Atl. p. 403 nota.

marginata Fisch. Bull. Mosc. XVII, 1844, I, p. 53. — Sén. Mon. II, p. 137. — Turkmenien

Marseuli Sén. Mon. II, p. 50 (*Pimelia* s. str.). — Arabien

maura Sol. Ann. Soc. Ent. Fr. V, 1836, p. 137. — Luc. Expl. Alg. 1849, p. 302, t. 26, f. 10. — Kraatz, Revis. Tenebr. 1865, p. 320, 329. — Sén. Mon. II, p. 67 (*Pimelia* s. str.). — Spanien, Portugal, Tanger

mauritanica Sol. Ann. Soc. Ent. Fr. V, 1836, p. 139. — Sén. Mon. II, p. 107 (*Pimelia* s. str.). — Algier

Mittrei Sol. l. c. p. 134. — Sén. Mon. II, p. 35 (*Pimelia* s. str.). — Griechenland, Syrien

modesta Herbst, Käf. VIII, 1799, p. 96, t. 123, f. 11. — Sén. Mon. II, p. 97 (*Pimelia* s. str.). — Spanien, Portugal

distincta Kraatz, Revis. Tenebr. 1865, p. 323, 331.

monticola Rosenh. Thiere Andalus. 1856, p. 192. — Kraatz, Revis. Tenebr. 1865, p. 323, 330. — Sén. Mon. II, p. 113 (*Pimelia* s. str.). — Spanien

nazarena Mill. Wien. Ent. Monatschr. V, 1861, p. 178, t. 5, f. 15. — Sén. Mon. I, p. 18 *(Piesterotarsa)*. — Syrien

nilotica Sén. Mon. I, p. 27 *(Piesterotarsa)*. — Aegypten

obsoleta Sol. Ann. Soc. Ent. Fr. V, 1836, p. 104. — Sén. Mon. I, p. 72 *(Piesterotarsa)*. — Algier, Tunis, Tripolis

orientalis Sén. Bull. Soc. Ent. Fr. 1886, p. XLV; Mon. II, p. 34 (*Pimelia* s. str.). — Syrien

pachyscelis Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882. p. 85. — Turkestan

papulenta Reiche, Ann. Soc. Ent. Fr. (4) I, 1861, p. 88. — Sén. Mon. I, p. 61 *(Piesterotarsa)*. — Algier

var. *sefrensis* Pic, Natural. 1894, p. 247. — „

parallela Sol. Ann. Soc. Ent. Fr. V, 1836, p. 125. — Sén. Mon. II, p. 7 *(Gedeon)*. — Syrien, Mesopotamien

Borrei Haag, Mitth. Münchn. Ent. Ver. II, 1878, p. 91.

Payraudi Latr. Régne anim. ed. 2, V, 1829, p. 7. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 158. — Kraatz, Revis. Tenebr. 1865, p. 335, 342. — Sén. Mon. II, p. 83. — Desbr. Frelon X, 1901, p. 4 (*Pimelia* s. str.). — Corsika, Sardinien

var. *angusticollis* Sol. l. c. p. 163. — Kraatz, Revis. Tenebr. 1865, p. 338, 342.

var. *rugatula* Sol. l. c. p. 159. — Kraatz, Revis. Tenebr. 1865, p. 336. — Sén. Mon. II, p. 84.

Perezi Sén. Mon. II, p. 69 *(Pimelia* s. str.). — Spanien

persica Baudi, Ann. Mus. Genova VII, 1875, p. 694; Deutsche Ent. Zeitschr. XX, 1876, p. 29, 30 nota. — Sén. Mon. II, p. 9 *(Gedeon)*. — Südpersien

Baudii Ganglb. Ann. k. k. Hofmus. Wien XX, 1905, p. 277 (31) nota.

pilifera Sén. Bull. Soc. Ent. Fr. 1884, p. XI; Mon. I, p. 74 *(Piesterotarsa)*. — Algier, Tunis

var. *rugosipennis* Escher. Verh. zool.-bot. Ges. Wien XLVI, 1896, p. 276.

Biologie: Larve: Xambeu, Ann. Soc. Linn. Lyon XLV, p. 57.

platynota Fairm. Pet. Nouv. Ent. I, 1875, p. 544. — Sén. Mon. I, p. 41 *(Piesterotarsa)*. — Marokko

plinthota Fisch. Bull. Mosc. X, 1837, IV, p. 17. — Sén. Mon. II, p. 138. — Turkmenien

polita Sol. Ann. Soc. Ent. Fr. V, 1836, p. 176. — Kraatz, Revis. Tenebr. 1865, p. 343, 351. — Sén. Mon. II, p. 55 (*Pimelia* s. str.). — Türkei, Griechenland, Kleinasien

var. *euboica* Boield. Ann. Soc. Ent. Fr. (4) V, 1865, p. 7, t. 1, f. 3. — Mars. Abeille XII. 1875, p. 99. — Sén. Mon. II, p. 56.

prolongata Mill. Wien. Ent. Monatschr. V, 1861, p. 180, t. 5, f. 17. — Sén. Mon. II, p. 13 (*Pimelia* s. str,). — Syrien, Palaestina

Prophetei Sén. Bull. Soc. Ent. Fr. 1884, p. X; Mon. I, p. 63 *(Piesterotarsa)*. — Algier

puberula Chevr. Ann. Soc. Ent. Fr. (5) III, 1873, p. 203. — Sén. Mon. II, p. 139 *(Pimelia)*. — Syrien

punctata Sol. Ann. Soc. Ent. Fr. V, 1836, p. 148. — Kraatz, Revis. Tenebr. 1865, p. 318, 330. — Sén. Mon. II, p. 112 (*Pimelia* s. str.). — Spanien

crassipes Sol. l. c. p. 190.

var. *manchega* Lauff. Bol. Soc. Real Esp. V, 1905, p. 406. — „

radula Sol. Ann. Soc. Ent. Fr. V, 1836, p. 136. — Woll. Cat. Can. Col. 1864, p. 474. — Sén. Mon. p. 28 (*Pimelia* s. str.). — Canar. Inseln

Raffrayi Sén. Bull. Soc. Ent. Fr. 1882, p. LVII; Mon. I, p. 10 *(Piesterotarsa)*. — Massaua

retrospinosa Luc. Bull. Soc. Ent. Fr. 1858, p. CLXXIX. — Sén. Mon. I, p. 29 *(Piesterotarsa)*. — Algier

semihispida Fairm. Pet. Nouv. Ent. I, 1874, p. 407; Rev. Mag. Zool. 1879, p. 191 (14).

robusta Kraatz, Revis. Tenebr. 1865, p. 362, 366. — Sén. Mon. II, p. 14 (*Pimelia* s. str.). — Amasia

rotundata Sol. Ann. Soc. Ent. Fr. V, 1836, p. 149. — Kraatz, Revis. Tenebr. 1865, p. 318. — Sén. Mon. II, p. 115. (*Pimelia* s. str.). — Spanien

hispanica Sol. l. c. p. 150. — Kraatz, l. c. p. 319, 330.

rugosa F. Ent. Syst. I, 1792, p. 103; Syst. El. I, 1801, p. 132. — Geb. Deutsche Ent. Zeitschr. 1906, p. 229 *(Amblyptera)*. — Marokko

Fairmairei Kraatz, Revis. Tenebr. 1865, p. 369. — Rolph, Deutsche Ent. Zeitschr. XX, 1876, p. 349. — Sén. Mon. II, p. 125.

var. *curticollis* Haag, Deutsche Ent. Zeitschr. XIX, 1875, Heft VII, p. 53. — Sén. Mon. II, p. 126.

var. *Haroldi* Sén. Mon. II, p. 127.

Olcesi Sén. Mon. II, p. 127.

var. *laevisulcata* Kraatz, Deutsche Ent. Zeitschr. 1887, p. 363.

var. *monilis* Haag, Deutsche Ent. Zeitschr. XIX, 1875, Heft VII, p. 55. — Sén. Mon. II, p. 137.

var. *tristis* Haag, l. c. p. 54. — Sén. l. c. p. 127, 142.

var. *tumidipennis* Haag, l. c. p. 54; XX, 1876, p. 352. — Sén. l. c. p. 126, 142.

rugulosa Germ. Ins. spec. nov. 1824, p. 134.— Sol. Ann. Soc. Ent. Fr. V, 1836, p. 155. — Er. Arch. Naturgesch. III, 1837, I, p. 298. — Küst. Käf. Eur. 1849, XVI, 7. — Kraatz, Revis. Tenebr. 1865, p. 340. — Rottenb. Berl. Ent. Zeitschr. XIV, 1870, p. 248. — Sén. Mon. II, p. 81 (*Pimelia* s. str.). — Italien, Sardinien, Sicilien

var. *bifurcata* Sol. l. c. p. 157. — Kraatz, l. c. p. 335. — Sén. Mon. II, p. 83.

ruida Sol. l. c. p. 153. — Kraatz, l. c. p. 320, 329. — Sén. Mon. II, p. 72 (*Pimelia* s. str.). — Südspanien

ryssos Herbst, Käf. VIII, 1799, p. 90, t. 123, f. 4 (*Pimelia* s. str.). — Algier

rugosa Ol. Ent. III, 1795, 59, p. 10, t. 4, f. 8. — Sén. Mon. II, p. 104.

salebrosa Sol. Ann. Soc. Ent. Fr. V, 1836, p. 142.
var. *ryssos* Sol. l. c. p. 141. — Sén. Mon. II, p. 106.

sardea Sol. l. c. p. 164. — Küst. Käf. 1849, XVI, 8. — Kraatz, Revis. Tenebr. 1865, p. 337, 341. — Rottenb. Berl. Ent. Zeitschr. XIV, 1870, p. 248. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 100. — Sén. Mon. II, p. 86. — Desbr. Frelon X, 1901, p. 4 (*Pimelia* s. str.). — Sardinien, Sicilien, Malta
var. *corsica* Sol. l. c. p. 164. — Sén. l. c. p. 88.
var. *Goryi* Sol. l. c. p. 162. — Kraatz, Revis. 1865, p. 338. — Sén. l. c. p. 88.
var. *sublaevigata* Sol. l. c. p. 154. — Kraatz, l. c. p. 334. — Sén. l. c. p. 88.
var. *subscabra* Sol. l. c. p. 160. — Kraatz, l. c. p. 336. — Sén. l. c. p. 88.
Biologie: Larve: Perris, Larves 1877, p. 258.

scabra F. Syst. El. I, 1801, p. 130. — Geb. Deutsche Ent. Zeitschr. 1906, p. 229 (*Pimelia* s. str.). — Algier, Marokko
valida Er. Wagn. Reise III, 1841, p. 146, t. 7. — Sén. Mon. II. p. 120.

scabricollis Sén. Bull. Soc. Ent. Fr. 1886, p. XLV; Mon. II, p. 131 *(Piesterotarsa)*. — Algier

scabrosa Sol. Ann. Soc. Ent. Fr. V, 1836, p. 188. — Kraatz, Revis. Tenebr. 1865, p. 324, 332. — Sén. Mon. II, p. 121 *(Amblyptera)*. — Südspanien, Marokko

semiopaca Sén. Bull. Soc. Ent. Fr. 1884, p. XXIV; Mon. II, p. 37 (*Pimelia* s. str.). — Algier

senegalensis Ol. Ent. III, 1795, 59, p. 7, t. 1, f. 7. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 131. — Sén. Mon. II, p. 20 (*Pimelia* s. str.). — Marokko Sahara, Senegal

sericata Zoubk. Bull. Mosc. VI, 1833, p. 326; Bull. Mosc. Ent. I, 1836, p. 310. — Sén. Mon. II, p. 140. — Turkmenien

sericella Sol. Ann. Soc. Ent. Fr. V, 1836, p. 185. — Küst. Käf. Eur. 1849, XVI, 14. — Kraatz, Revis. Tenebr. 1865, p. 346. — Sén. Mon. II, p. 60 (*Pimelia* s. str.). — Griechenland, as. Türkei
graeca var. A Kraatz, Revis. Tenebr. 1865, p. 351.
var. *calculosa* Sol. l. c. p. 186. — Sén. Mon. II, p. 62.
var. *Minos* Luc. Rev. Zool. 1853, p. 575, t. 19, f. 2. — Sén. Mon. II, p. 62. — Kreta
var. *phymatodes* Sol. Ann. Soc. Ent. Fr. V, 1836, p. 187. — Kraatz, Revis. Tenebr. 1865, p. 347. — Sén. Mon. II, p. 62.
var. *praetermissa* Sén. Mon. II, p. 62.
var. *trachyderma* Sol. Ann. Soc. Ent. Fr. V, 1836, p. 186. — Sén. Mon. II, p. 62.

sericea Ol. Ent. III, 1795, 59, p. 8, t. 4, f. 1. — Kl. Symb. phys. II, 1830, nr. 19, t. 12, f. 6. — Er. Arch. Naturgesch. III, 1837, I, p. 298. — Kraatz, Revis. Tenebr. 1865, p. 328. — Sén. Mon. I, p. 80 *(Piesterotarsa)*. — Aegypten
aggregata Kl. Symb. phys. II, 1830, nr. 14, t. 12, f. 1.
asperata Kl. Symb. phys. II, 1830, nr. 10, t. 11, f. 10. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 110.
miliaris Kl. l. c. nr. 15, t. 12, f. 2.

pubifera Sol. Ann. Soc. Ent. Fr. V, 1836, p. 110. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 26.

var. *balearica* Sol. l. c. p. 111. — Kraatz, Revis. Tenebr. 1865, p. 317, 328. — Sén. Mon. I, p. 82. — Balearen

serricosta Sol. Ann. Soc. Ent. Fr. V, 1836, p. 102. — Sén. Mon. II, p. 141 *(Piesterotarsa)*. — Senegal

Servillei Sol. l. c. p. 112. — Sén. Mon. I, p. 69 *(Piesterotarsa)*. — Algier

simulatrix Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 85. — Margelan

sparsa Brll. Webb. et Berth. Ins. Canar. 1838, p. 67. — Woll. Cat. Col. 1864, p. 475. — Sén. Mon. II, p. 32. — Canar. Inseln

Fritschi Heyd. Jahrb. Senckenb. Ges. 1874—75, p. 141.

var. *serrimargo* Woll. Cat. Can. Col. 1864, p. 477. — Sén. Mon. II, p. 33.

verrucosa Brll. Webb. et Berth. Ins. Canar. 1838, p. 67, t. 1, f. 10.

spinulosa Kl. Symb. phys. II, 1830, nr. 6, t. 11, f. 6. — Sén. Mon. I, p. 76 *(Piesterotarsa)*. — Aegypten

subglobosa Pall. Icon. I, 1781, p. 50, t. C, f. 16 a, b. — L. Syst. Nat. ed. Gmel. I, IV, p. 2007. — Fisch. Ent. Ross. I, 1822, p. 158, t. 15, f. 5. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 179. — Küst. Käf. Eur. XVI, 1849, 12. — Kraatz, Revis. Tenebr. 1865, p. 352, 357. — Sén. Mon. II, p. 57 *(Pimelia* s. str.). — Südrußland, Krim, Rumänien

var. *Mongeneti* Sol. l. c. p. 177. — Kraatz, Revis. Tenebr. 1865, p. 343. — Sén. Mon. II, p. 58.

subquadrata Sturm, Cat. 1826, p. 68, t. 3, f. 19. — Kl. Symb. phys. II, 1830, nr. 9, t. 11, f. 9. — Sén. Mon. I, p. 17 *(Piesterotarsa)*. — Aegypten, Nubien

irrorata Sol. Ann. Soc. Ent. Fr. V, 1836, p. 99.

tenuicornis Sol. l. c. p. 100. — Sén. Mon. I, p. 37 *(Piesterotarsa)*. — Tripolis, Nubien

var. *tripolitana* Sén. Mon. I, p. 37.

Theveneti Sén. Bull. Soc. Ent. Fr. 1880, p. XLIX; Ann. Soc. Ent. Fr. (5) X, 1880, p. 267; Mon. I, p. 15 *(Piesterotarsa)*. — Aegypten,

Thomsoni Nevins. Ent. Monthly Mag. XXV, 1889, p. 255. — Sén. Bull. Soc. Ent. Fr. 1892, p. LXXIII *(Pimelia* s. str.) — Atlas

timarchoides Ménétr. Bull. Acad. Petr. I, 1836, p. 150; Cat. Ins. Balkan 1838 (Mém. Acad. Petr. (6) V), p. 33, t. 2, f. 1. — Kraatz, Revis. Tenebr. 1865, p. 364, 366. — Sén. Mon. II, p. 53 *(Pimelia* s. str.). — Amasia

interstincta Fisch. Bull. Mosc. X, 1837, IV, p. 16. — Sén. Mon. II, p. 137.

var. *testudo* Kraatz, Revis. Tenebr. 1865, p. 362, 366. — Sén. Mon. II, p. 55.

tuberculata Fisch. in Mén. Cat. rais. 1832, p. 194. — Fald. Fn. Transcauc. II, 1837, p. 12. — Kraatz, Revis. Tenebr. 1865, p. 353, 358. — Sén. Mon. I, p. 87 *(Piesterotarsa)*. — Kaukasus, Sibirien, Südpersien

tunisea Fairm. Rev. et Mag. Zool. 1879, p. 191 (14). — Sén. Mon. II, p. 90 *(Pimelia* s. str.). — Tunis

undulata Sol. Ann. Soc. Ent. Fr. V, 1836, p. 161. — Kraatz, Revis. Tenebr. 1865, p. 337, 341. — Sén. Mon. II, p. 89 (*Pimelia* s. str.). — Sardinien

urticata Kl. Symb. phys. II, 1830, nr. 11, t. 11, f. 11. — Sén. Mon. I, p. 82 *(Piesterotarsa)*. — Aegypten

tuberosa Kl. l. c. nr. 12, t. 11, f. 12.

var. *exanthematica* Kl. l. c. nr. 13, t. 11, f. 13. — Sén. Mon. I, p. 84.

Valdani Guér. Bull. Soc. Ent. Fr. 1859, p. CLXXXVII. — Sén. Mon. I, p. 12 *(Piesterotarsa)*. — Südalgier

variolosa Sol. Ann. Soc. Ent. Fr. V, 1836, p. 130. — Kraatz, Revis. Tenebr. 1865, p. 317, 328. — Sén. Mon. II, p. 71 (*Pimelia* s. str.). — Südspanien

velutina Kl. Erman's Reise, Atl. 1835, p. 39. — Sén. Mon. I, p 9 *(Piesterotarsa)*. — Senegal

vestita Sol. Ann. Soc. Ent. Fr. V, 1836, p. 98, t. 4, f. 13. — Gory in Guér. Ic. t. 28, f. 1.

verrucosa Fisch. Lettre à Pander 1821, p. 12; Ent. Ross. I, 1822, p. 148, t. 14, f. 2. — Sén. Mon. II, p. 143 *(Pimelia)*. — Kirghisia

verruculifera Sol. Ann. Soc. Ent. Fr. V, 1836, p. 180. — Kraatz, Revis. Tenebr. 1865, p. 344, 350. — Sén. Mon. II, p. 58 (*Pimelia* s. str.). — Griechenland, Rumelien, Smyrna

coordinata Fisch. Bull. Mosc. X, 1837, IV, p. 17.

Mongeneti var. A Sol. Ann. Soc. Ent. Fr. V, 1836, p. 177.

varicosa Mén. Bull. Ac. Petr. I, 1836, p. 150. — Cat. Ins. Balk. (Mém. Ac. Petr. (6) V), 1838, p. 34, t. 2, f. 2. — Kraatz, Revis. Tenebr. 1865, p. 363.

verrucifera Waltl, Isis 1838, p. 459.

var. *diffusa* Sol. Ann. Soc. Ent. Fr. V, 1836, p. 180. — Sén. Mon. II, p. 60.

var. *graeca* Sol. l. c. p. 118. — Kraatz, Revis. Tenebr. 1865, p. 345. — Sén. Mon. II, p. 60.

var. *Mongeneti* var. B Sol. l. c. p. 177.

var. *grandipenna* Sol. l. c. p. 178.

phymatoptera Sol. l. c. p. 177.

villanovae Sén. Mon. II, p. 78 (*Pimelia* s. str.). — Granada

Werneri Ganglb. Ann. Wien. Hofmus. XX, 1905, p. 277. — Kleinasien

148

Pterolasia Sol.

Sol. Ann. Soc. Ent. Fr. V, 1836, p. 66. — Cast. Hist. Nat. II, 1840, p. 183. — Lacord. Genera Col. V, 1859, p. 189.

Polpogenia Sol. l. c. p. 70.

asidioides Sol. l. c. p. 71, t. 4, f. 1—5. — Cast. Hist. Nat. II, 1840, p. 183. — Kraatz, Revis. Tenebr. 1865, p. 374. — Senegal

granocostata Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 148. — „

Laglaizii Bates, Ent. Monthly Mag. X, 1873, p. 47. — Cap Verde

rimosa Bates, Ent. Monthly Mag. IX, 1872, p. 149. — Niger

squalida Sol. Ann. Soc. Ent. Fr. V, 1836, p. 68, t. 3, f. 16—19. — Cast. Hist. Nat. II, 1840, p. 183. — Kraatz, Revis. Tenebr. 1865, p. 375. — Senegal

♂ *distincta* Sol. l. c. p. 69.

5

XLVII. Remipedellinae.

Semenow, Rev. Russe Ent. V, 1905, p. 257. — Horae Soc. Ent. Ross. XXXVIII, 1907, p. 176.

Remipedella Sem.

Sem. Rev. Russe Ent. V, 1905, p. 257.

deserti Semen. l. c. p. 257. Transkaspien

1

XLVIII. Blaptinae.

Latreille, Règne anim. I, 1817, p. 296 (pars). — Solier, Studi entom. II, 1848, p. 149—370 (1—224), t. 4—15 (pars). — Mulsant, Col. Fr. Latigènes, 1854, p. 104. — Lacordaire, Genera Col. V, 1859, p. 139, 141. — Jacq. du Val, Genera Col. Eur. III, 1861, p. 265. — Leconte, Class. Col. N. Amer. 1862, p. 225. — Horn, Revis. Tenebr. N. Amer. (in Trans. Amer. Phil. Soc. [n. ser.] XIV) 1870, p. 300. — Allard, Ann. Soc. Ent. Fr. (5) X, 1880, p. 269—320; (6) I, 1881, p. 131—180; 493—526; (6) II, 1882, p. 77—140. — Leconte u. Horn, Class. Col. N. Amer. 1883, p. 373. — Seidlitz, Naturg. Ins. Deutschl. V, 1893, p. 234. — Reitter, Deutsche Entom. Zeitschr. 1893, p. 313—316; Best.-Tab. LIII (in Verh. naturf. Ver. Brünn) 1904, p. 31; Horae Soc. Ent. Ross. XXI, 1887, p. 362 (8).

Tagona Fisch.

Fisch. Ent. Ross. I, 1822, p. 179. — Sol. Stud. entom. II, 1848, p. 154 (8), 281 (135). — Lacord. Genera Col. V, 1859, p. 141. — Jacq. du Val, Genera Col. Eur. III, 1861, p. 266. — Allard, Ann. Soc. Ent. Fr. (5) X, 1880, p. 272. — Seidlitz, Naturg. Ins. Deutschl. V, 1893, p. 237.

longicollis Brancs. Jahresh. Ver. Trencsen XXI, p. 100, t. 4, f. 4. Ashabad

macrophthalma Fisch. Lettre à Pander 1821, p. 13; Ent. Ross. I, 1822, p. 182, t. 16, f. 9. — Sol. Studi entom. II, 1848, p. 284 (138). — Jacq. du Val, Genera Col. Eur. III, 1861, t. 65, f. 321. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 272, f. 1. Centralasien

♂ *tinodactyla* Fisch. Bull. Mosc. XVII, 1844, I, p. 121.

♀ *acuminata* Fisch. Ent. Ross. I, 1822, p. 181, t. 16, f. 8. — Sol. Studi entom. 1848, II, p. 283 (137), t. 13, f. 5—9.

rugipleuris Reitt. Deutsche Ent. Zeitschr. 1901, p. 76. Turkestan

3

Gnaptor Brll.

Brullé, Expéd. Morée III, 1832 (sub. Errata). — Sol. Studi entom. II, 1848, p. 154 (8), 275 (129). — Lacord. Genera Col. V, 1859, p. 142. —

Jacq. du Val, Genera Col. Eur. III, 1861, p. 266. — Allard, Ann. Soc. Ent. Fr. (5) X, 1880, p. 273. — Seidlitz, Naturg. Ins. Deutschl. V, 1893, p. 237, 239.

Petrobius Brullé, Expéd. Morée III, 1832, p. 202. — Cast. Hist. Nat. II, 1840, p. 208.

prolixus Fairm. Ann. Soc. Ent. Fr. (4) VI, 1866, p. 264. — Mars. Abeille XII, 1875, p. 97. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 275. — Kleinasien

spinimanus Pall. Icon. I, 1781, p. 55, t. C, f. 23. — Panzer, Fauna Germ. 59, nr. 1, t. 1. — Brll. Exped. Morée III, 1832, p. 203. — Cast. Hist. Nat. II, 1840, p. 208. — Küst. Käf. Eur. 1845, III, 37; IX, 1847, 3, f. 1. — Sol. Studi entom. II, 1848, p. 278 (132), t. 12, f. 11—18. — Redtenb. Fn. Austr. ed. II, 1858, p. 589; ed. III, 1874, 2, p. 84. — Jacq. du Val, Genera Col. Eur. III, 1861, t. 65, f. 322. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 274. — Seidl. Naturg. Ins. V, 1893, p. 240. — Südosteuropa

Boryi Cast. Hist. Nat. II, 1840, p. 208 nota.

glabratus F. Ent. Syst. I, 1792, p. 100; Syst. El. I, 1801, p. 129. — Herbst, Käf. VIII, 1799, p. 56, t. 120, f. 12.

graecus Küst. Käf. Eur. 1848, XIII, 64. — Fairm. Ann. Soc. Ent. Fr. (4) VI, 1866, p. 265. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 16.

laevigatus F. Ent. Syst. I, 1792, p. 100; Syst. El. I, 1801, p. 129. — Herbst, Käf. VIII, 1799, p. 58, t. 121, f. 1. — Sturm, Käf. II, 1807, p. 207.

2

Tagonoides Fairm.

Fairm. Ann. Soc. Ent. Fr. (6) VI, 1886, p. 343; (6) IX, 1889, p. 45.

Gnaptorina Reitt. Horae Soc. Ent. Ross. XXI, 1887, p. 364; XXIII, 1889, p. 692. — Seidl. Naturg. Ins. Deutschl. V, 1893, p. 238.

ampliata Fairm. Ann. Soc. Ent. Belg. XXXI, 1887, p. 126. — Yunnan

asperula Fairm. Notes Leyd. Mus. XVIII, 1897, p. 95. — Simla

costulata Fairm. Bull. Soc. Ent. Fr. 1901, p. 267. — Nordindien

cylindricollis Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 693. — Kanssu

Delavayi Fairm. Ann. Soc. Ent. Fr. (6) VI, 1886, p. 343. — Yunnan

felicitana Reitt. Horae Soc. Ent. Ross. XXI, 1887, p. 365. — Centr. Asien

Potanini Reitt. l. c. XXIII, 1889, p. 694. — Kanssu

proxima Reitt. l. c. p. 694. — „

pustulosa Fairm. Ann. Soc. Ent. Fr. (6) VI, 1886, p. 344. — China

Somers-smithi Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 54. — Indien

zabriformis Fairm. l. c. p. 55. — „

11

Itagonia Reitt.

Reitt. Horae Soc. Ent. Ross. XXI, 1887, p. 362. — Seidl. Naturg. Ins. Deutschl. V, 1893, p. 238.

gnaptorinoides Reitt. l. c. p. 362. — Turkestan

Semenowi Reitt. l. c. XXIII, 1889, p. 694. — Kanssu

2

Asidoblaps Fairm.

Fairm. Ann. Soc. Ent. Fr. (6) VI, 1886, p. 342; (6) IX, 1889, p. 45. — Seidlitz, Naturg. Ins. Deutschl. V, 1893, p. 238.

Davidis Fairm. l. c. p. 342. Yunnan
glyptoptera Fairm. l. c. p. 343. „

2

Coelocnemodes Bates.

F. Bates, Cist. Ent. II, 1879, p. 474; Second Yark. Miss. Col. 1890, p. 64. — Allard, Ann. Soc. Ent. Fr. (5) X, 1880, p. 278. — Fairm. Ann. Soc. Ent. Fr. (6) VI, 1886, p. 341. — Seidlitz, Naturg. Ins. Deutschl. V, 1893, p. 238.

Hoplitoblaps Fairm. Ann. Soc. Ent. Belg. XXXII, 1888, p. 26.

aspericollis Fairm. Ann. Soc. Ent. Fr. (6) VI, 1886, p. 341. Yunnan
fallaciosus Fairm. Ann. Soc. Ent. Belg. XXXII, 1888, p. 27. „
Stoliczkanus Bates, Cist. Ent. II, 1879, p. 475; Sec. Yark. Miss. Col. 1890, p. 65, t. 2, f. 12. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 278, f. 6. Nordindien

3

Dila Fisch.

Fisch. Bull. Mosc. XVII, 1844, I, p. 111. — Lacord. Genera Col. V, 1859, p. 147. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 242. — Allard, Ann. Soc. Ent. Fr. (5) X, 1880, p. 276. — Seidlitz, Naturg. Ins. Deutschl. V, 1893, p. 238. — Übersicht: Reitt. Ent. Nachr. XXVI, 1900, p. 295 (Mon.).

angustata Baudi, Deutsche Ent. Zeitschr. XIX, 1875, p. 102. — Reitt. Mon. p. 295. Persien
♀ *laticollis* Baudi, l. c. p. 103.
Mniszechi All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 277, f. 5.
laevicollis Gebl. Bull. Acad. Petr. VIII, 1841, p. 373; Bull. Mosc. XXXII, 1859, IV, p. 338. — Fisch. Bull. Mosc. XVII, 1844, I, p. 113. — Motsch. Bull. Mosc. XVIII, 1845, I, p. 72. — Lacord. Genera Atl. 1859, t. 51, f. 2. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 243. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 276. — Reitt. Mon. p. 295. Turkestan, Altai, Songorei
leptoscelis Reitt. Entom. Blätter V, 1909, p. 239. Persien
persiana Reitt. Mon. p. 295. „
16-striata Reitt. Mon. p. 295. Turkestan
seriata Reitt. Wien. Ent. Zeit. XIII, 1894, p. 242; Mon. p. 296. Transkaspien
var. *bucharica* Reitt. Mon. p. 296. Buchara
transversecordata Reitt. Deutsche Ent. Zeitschr. 1899, p. 203; Mon. p. 296. Kurdistan

7

Agnaptoria Reitt.

Reitt. Horae Soc. Ent. Ross. XXI, 1887, p. 372; Deutsche Ent. Zeitschr. 1893, p. 315.

rubripes Reitt. l. c. p. 372. Centr.-China
Seidlitzi Reitt. Deutsche Ent. Zeitschr. 1893, p. 315 nota. Chines.-Turkestan

2

Ablapsis Reitt.

Reitt. Horae Soc. Ent. Ross. XXI, 1887, p. 364; Deutsche Ent. Zeitschr. 1893, p. 316.

compressipes Reitt. l. c. p. 368. Centr. China

1

Nalepa Reitt.

Reitt. Horae Soc. Ent. Ross. XXI, 1887, p. 364, 368; Deutsche Ent. Zeitschr. 1893, p. 316.

cylindracea Reitt. l. c. p. 366. Centr. China

1

Prosodes Eschsch.

Eschsch. Zool. Atl. III, 1829, p. 9. — Lacord. Genera Col. V, 1859, p. 146. — Jacq. du Val, Genera Col. Eur. III, 1861, p. 267. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 232. — Allard, Ann. Soc. Ent. Fr. (5) X, 1880, p. 279. — Seidl. Naturg. Ins. Deutschl. V, 1893, p. 238. — Reitt. Deutsche Ent. Zeitschr. 1893, p. 315; 1893, p. 261—312 (Mon. I); Wien. Ent. Zeit. XXVIII, 1909, p. 113—168 (Mon. II). — Semenow, Horae Soc. Ent. Ross. XXVIII, 1894, p. 179.

Eupomeca Sol. Studi ent. II, 1848, p. 289 (143).
Gebleria Motsch. Bull. Acad. Petr. 1860, II, p. 529.
Nyctipates Sol. Studi ent. II, 1848, p. 154 (8), 285 (139).
Peltarium Fisch. Bull. Mosc. XVII, 1844, I, p. 106.
Subgen. *Aulonoscelis* Reitter, Deutsche Ent. Zeitschr. 1896, p. 173, Mon. II, p. 114.
Subgen. *Blaptoprosodes* Reitt. Mon. I, p. 120, 154.
Subgen. *Dilopersina* Reitt. Mon. II, p. 117, 131.
Subgen. *Diprosodes* Reitt. Mon. II, p. 115, 125.
Subgen. *Euryprosodes* Reitt. Mon. II, p. 122, 165.
Subgen. *Hypoprosodes* Reitt. Mon. II, p. 122, 164.
Subgen. *Lioprosodes* Reitt. Mon. II, p. 121, 160.
Subgen. *Lyprosodes* Reitt. Mon. II, p. 116, 128.
Subgen. *Megaprosodes* Reitt. Mon. II, p. 118, 134.
Subgen. *Meropersina* Reitt. Mon. II, p. 117, 130.
Subgen. *Oliprosodes* Reitt. Mon. II, p. 118, 138.
Subgen. *Paraprosodes* Reitt. Mon. II, p. 119, 144.
Subgen. *Platyprosodes* Reitt. Mon. II, p. 121, 162.
Subgen. *Prosodella* Reitt. Mon. II, p. 120, 153.
Subgen. *Prosodes* s. str. Reitt. Mon. II, p. 119, 145.
Subgen. *Prosodestes* Reitt. Mon. II, p. 114, 123.
Subgen. *Prosodila* Reitt. Mon. II, p. 121, 161.

Subgen. *Prosodinia* Reitt. Mon. II, p. 115, 124.
Subgen. *Prosodopria* Reitt. Mon. II, p. 116, 129.
Subgen. *Prosodoscelis* Reitt. Mon. II, p. 117, 129.
Subgen. *Prosodura* Reitt. Mon. II, p. 118, 133.
Subgen. *Pseudoprosodes* Reitt. Mon. II, p 120, 156.
Subgen. *Uroprosodes* Reitt. Mon. II, p. 119, 138.

aciculata Reitt. Mon. I, p. 274; Mon. II, p. 129 *(Lyprosodes)*. — Turkestan

alaiensis Kraatz, Deutsche Ent. Zeitschr. XXIX, 1885, p. 288. — Reitt. Mon. I, p. 273; Mon. II, p. 135 *(Megaprosodes)*. — „

var. *sparsa* Reitt. Mon. II, p. 135. — Buchara

amathia Reitt. Mon. I, p. 275; Mon. II, p. 135 *(Megaprosodes)*. — Turkestan

angulicollis Kraatz, Deutsche Ent. Zeitschr. XXVII, 1883, p. 347. — Reitt. Mon. I, p. 266; Mon. II, p. 125 *(Diprosodes)*. — Taschkent, Osch

angustata Zoubk. Bull. Mosc. VI, 1833, p. 329; Bull. Mosc. Ent. I, 1836, p. 312. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 242. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 281. — Reitt. Mon. I, p. 268; Mon. II, p. 129. — Kirghisien, Transkaspien, Turkestan

asperata Zoubk. l. c. p. 330; l. c. p. 314. — Fisch. Bull. Mosc. XVII, 1844, I, p. 120.

carinata Fisch. l. c. p. 119. — Sol. Studi ent. II, 1848, p. 288 (142), t. 14, f. 1—9.

coriacea Sol. l. c. p. 289 (143).

mamillata Fald. Bull. Mosc. IX, 1836, p. 382, t. 7, f. 7.

angustipleuris Reitt. Mon. I, p. 292; Mon. II, p. 155 *(Blaptoprosodes)*. — Taschkent

areolata Reitt. Mon. I, p. 269; Mon. II, p. 165 *(Euryprosodes)*. — Turkestan

var. *plicata* Reitt. Mon. II, p. 166.

bactriana Sem. Horae Soc. Ent. Ross. XXVIII, 1894, p. 199. — Reitt. Mon. II, p. 154 *(Prosodella)*. — Ostbuchara

var. *subopaca* Sem. l. c. p. 201. — Reitt. Mon. II, p. 154.

bactrianiformis Reitt. Deutsche Ent. Zeitschr. 1901, p. 77; Mon. II, p. 154. — Buchara

Baeri Fisch. Cat. Col. Karel. 1843, p. 16; Bull. Mosc. XVII, 1844, I, p. 114, t. 2, f. 2. — Reitt. Mon. II, p. 143 nota, 151 (*Prosodes* s. str.). — Songorei, Taschkent, Margelan

♀ *marginata* Fisch. Bull. Mosc. XVII, 1844, I, p. 108.

Ballionis Kraatz, Deutsche Ent. Zeitschr. XXIX, 1885, p. 288. — Reitt. Mon. I, p. 297; Mon. II, p. 142 *(Uroprosodes)*. — Taschkent, Margelan

lucida Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 324.

var. *suturidens* Reitt. Mon. II, p. 142.

Banghaasi Reitt. Mon. I, p. 293; Mon. II, p. 148 (*Prosodes* s. str.). — Amasia

biformiopaca Reitt. Mon. II, p. 127 *(Diprosodes)*. — Buchara

biformis Sem. Horae Soc. Ent. Ross. XXVIII, 1894, p. 181. — Reitt. Mon. II, p. 127 *(Diprosodes)*. — Ostbuchara

blapoides Reitt. Mon. I, p. 292; Mon. II, p. 155 *(Blaptoprosodes)*. — Taschkent, Margelan

var. *cribripennis* Reitt. Mon. II, p. 155.

brevicauda Reitt. Mon. II, p. 156 *(Blaptoprosodes)*. — Taschkent, Margelan

brevipes Reitt. Mon. I, p. 269; Mon. II, p. 166 *(Eury-prosodes)*. — Turkestan

brevitarsis Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 305. — Reitt. Mon. I, p. 299; Mon. II, p. 153 (*Prosodes* s. str.). — Samarkand

var. *Georgii* Reitt. Mon. II, p. 153.

calcarata Reitt. Mon. I, p. 309; Mon. II, p. 124. — Sem. Horae Soc. Ent. Ross. XXVIII, 1894, p. 223 *(Prosodina)*. — Turkmenien

catenulata Kraatz, Deutsche Ent. Zeitschr. XXVII, 1883, p. 346. — Reitt. Mon. I, p. 288; Mon. II, p. 139 *(Uroprosodes)*. — Turkestan

convergens Reitt. Mon. I, p. 283; Mon. II, p. 144 *(Para-prosodes)*. — Ostbuchara

cordicollis All. Ann. Soc. Ent. Belg. XXVII, 1883, I, p. 25. — Reitt. Mon. II, p. 131 *(Meropersina)*. — Persien

costifera Kraatz, Deutsche Ent. Zeitschr. XXX, 1886, p. 187. — Reitt. Mon. I, p. 279, 308; Mon. II, p. 139 *(Uroprosodes)*. — Turkestan

novemcostata Semen. Horae Soc. Ent. Ross. XXV, 1890—91, p. 367.

? *sulcata* Fisch. Bull. Mosc. XVII, 1844, I, p. 116. — Motsch. Bull. Mosc. XVIII, 1845, I, p. 70.

cribella Baudi, Ann. Mus. Genova VI, 1874, p. 110; Deutsche Ent. Zeitschr. XIX, 1875, p. 104. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 288, f. 11. — Reitt. Mon. I, p. 280; Mon. II, p. 132 *(Dilopersina)*. — Persien, Transkaspien

consanguinea All. Wien. Ent. Zeit. XV, 1885, p. 180.

pustulata Faust, Horae Soc. Ent. Ross. XI, 1875, p. 237; XII, 1876, p. 331.

♀ *vestita* All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 289.

degenerata Sem. Horae Soc. Ent. Ross. XXVIII, 1894, p. 198; Reitt. Mon. II, p. 163 *(Platyprosodes)*. — Chines.-Dsungarei

dentimana Reitt. Mon. II, p. 130 *(Prosodoscelis)*. — Persien

deplanata Ball. Bull. Mosc. LIII, 1878, I, p. 314. — Reitt. Mon. I, p. 271; Mon. II, p. 161 *(Lio-prosodes)*. — Issyk-kul, Tianschan

dilaticollis Motsch. Bull. Ac. Petr. I, 1860, p. 302. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 234. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 297. — Reitt. Mon. I, p. 302; Mon. II, p. 161 *(Lio-prosodes)*. — Centralasien

lucida Ball. Bull. Mosc. LIII, 1878, I, p. 316.

diloides Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 323. — Reitt. Mon. I, p. 298; Mon. II, p. 146 *(Prosodes* s. str.). — Samarkand

divergens Reitt. Mon. I, p. 283; Mon. II, p. 144 *(Para-prosodes)*. — Ostbuchara

diversa Waterh. Trans. Linn. Soc. Lond. (2) V, 1889, p. 126, t. 14, f. 10, 11. — Afghanistan

dubia Ball. Bull. Mosc. LIII, 1878, I, p. 316. — Reitt. Mon. I, p. 271. — Kuldia

Edmundi Sem. Horae Soc. Ent. Ross. XXVIII, 1894, p. 220. — Reitt. Mon. II, p. 159 *(Pseudoprosodes)*. — Tianschan

elateroides Sem. l. c. p. 185. — Reitt. Mon. II, p. 128 *(Diprosodes)*. Ostbuchara
var. *callosa* Sem. l. c. p. 188.

fallax Kraatz, Deutsche Entom. Zeitschr. XXX, 1886, p. 189. — Reitt. Mon. I, p. 306; Mon. II, p. 150. — Heyd. Deutsche Ent. Zeitschr. 1889, p. 332 (*Prosodes* s. str.). Turkestan

Fausti Sem. Horae Soc. Ent. Ross. XXVIII, 1894, p. 217. — Reitt. Mon. II, p. 147 (*Prosodes* s. str.). „

Fleischeri Reitt. Wien. Ent. Zeit. XIII, 1894, p. 243; Mon. II, p. 141 *(Uroprosodes)*. Samarkand

foveicollis Sem. Horae Soc. Ent. Ross. XXVIII, 1894, p. 213. — Reitt. Mon. II, p. 147 (*Prosodes* s. str.). Turkestan

fulminans Reitt. Mon. I, p. 303; Mon. II, p. 161 *(Lioprosodes)*. „
var. *suturipubens* Reitt. Mon. II, p. 161.

Gebieni Reitt. Mon. II, p. 152 (*Prosodes* s. str.). Samarkand

Glasunowi Sem. Horae Soc. Ent. Ross. XXVIII, 1894, p. 208. — Reitt. Mon. II, p. 141 Westbuchara, Turkestan
var. *rugicostata* Reitt. Mon. II, p. 141.

gnaptorina Reitt. Mon. II, p. 123 *(Aulonoscelis)*. „

gracilis Faust, Horae Soc. Ent. Ross. XI, 1875, p. 241. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 285. — Reitt. Mon. I, p. 295; Mon. II, p. 156 *(Pseudoprosodes)*. „

grandicollis Kraatz, Deutsche Ent. Zeitschr. XXVII, 1883, p. 348. — Reitt. Mon. I, p. 310; Mon. II, p. 123 *(Prosodestes)*. „

Grombczewskii Sem. Horae Soc. Ent. Ross. XXVIII, 1894, p. 203. — Reitt. Mon. II, p. 144 *(Uroprosodes)*. Ostbuchara

gymnandra Sem. Horae Soc. Ent. Ross. XXVIII, 1894, p. 189. — Reitt. Mon. II, p. 127 *(Diprosodes)*. Ostbuchara

Hauseri Reitt. Mon. I, p. 300; Mon. II, p. 146 (*Prosodes* s. str.). Altai

Hetschkoi Reitt. Mon. II, p. 163 *(Platyprosodes)*. Turkestan

Heydeni Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 324. — Reitt. Mon. I, p. 289; Mon. II, p. 142 *(Uroprosodes)*. Samarkand, Buchara
var. *parumpunctata* Kraatz, l. c. p. 321. — Reitt. Mon. I, p. 289; Mon. II, p. 142.
var. *pubibasis* Reitt. Mon. II, p. 142.

Jakowlewi Sem. Horae Soc. Ent. Ross. XXVIII, 1894, p. 192, 549 *(Dilopersina)*. Persien, Transkaspien
Grouvellei Reitt. Mon. II, p. 132. — Sem. Rev. Russe Ent. IX, 1909, p. 434.

jardanus Reitt. Mon. II, p. 135 *(Megaprosodes)*. Ostbuchara

Karelini Gebl. Bull. Mosc. XIV, 1841, p. 593. — Fisch. Bull. Mosc. XVII, 1844, I, p. 117. — Motsch. Bull. Mosc. XVIII, 1845, I, p. 71. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 235. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 283. — Reitt. Mon. I, p. 301: Mon. II, p. 143 *(Uroprosodes)*. Nor-Saisan, Altai, Songorei, Mujuncum
var. *altaica* Reitt. Mon. II, p. 147 (*Prosodes* s. str.).

Kraatzi Reitt. Mon. I, p. 309; Mon. II, p. 125 *(Prosodina)*. ? Persien

Kreitneri Friv. Term. füzetek XII, 1889, p. 206. — Reitt. Mon. I, p. 270; Mon. II, p. 162 *(Platyprosodes)*. Nordchina

laevigata Baudi, Ann. Mus. Genova VI, 1874, p. 109; Deutsche Ent. Zeitschr. XIX, 1875, p. 101. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 297. — Reitt. Mon. I, p. 308; Mon. II, p. 130. *(Meropersina).* — Persien

persica Faust, Horae Soc. Ent. Ross. XI, 1875, p. 236; XII, 1876, p. 331.

laticauda Reitt. Deutsche Ent. Zeitschr. 1896, p. 38; Mon. II, p. 136 *(Megaprosodes).* — Transkaspien, Persien

longicornis Kraatz, Deutsche Ent. Zeitschr. XXVII, 1883, p. 349. — Reitt. Mon. I, p. 273, 302; Mon. II, p. 158 *(Pseudoprosodes).* — Osch (Turkestan)

Mithras Reitt. Wien. Ent. Zeit. XXIII, 1904, p. 258; Mon. II, p. 133 *(Dilopersina).* — Persien

minuta Kraatz, Deutsche Ent. Zeitschr. XXV, 1881, p. 62; Mon. I, p. 267; Mon. II, p. 165 *(Hypoprosodes).* — Turkestan

angulata Reitt. Deutsche Ent. Zeitschr. 1890, p. 361.

var. *sulcipubens* Reitt. Mon. II, p. 165.

mucronata Reitt. Mon. I, p. 291; Mon. II, p. 155 *(Blaptoprosodes).* — Taschkent

var. *composita* Reitt. Mon. I, p. 291; Mon. II, p. 155.

nalepoides Reitt. Mon. I, p. 299; Mon. II, p. 150 (*Prosodes* s. str.). — Ostbuchara

neopersis Sem. Rev. Russ. Ent. IX, 1909, p. 435 *(Dilopersina).* — Buchara

Jakowlewi Reitt. Mon. II, p. 131.

nitida Kraatz, Deutsche Ent. Zeitschr. XXIX, 1885, p. 289. — Reitt. Mon. I, p. 267; Mon. II, p. 126 *(Diprosodes).* — Turkestan

nuratensis Sem. Horae Soc. Ent. Ross. XXVIII, 1894, p. 214. — Reitt. Mon. II, p. 147 (*Prosodes* s. str.). — Westturkestan

obliquesulcata Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 322. — Reitt. Mon. I, p. 294; Mon. II, p. 153 (*Prosodes* s. str.). — Samarkand

obtusa F. Ent. Syst. Suppl. 1798, p. 40; Syst. El. I, 1801, p. 141. — Jacq. du Val, Gen. Col. Eur. III, 1861, t. 65, f. 324 ♂. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 234. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 295. — Reitt. Mon. I, p. 304; Mon. II, p. 151 (*Prosodes* s. str.). — Podolien, Südrußland, Turkestan

♂ *attenuata* Fisch. Ent. Ross. I, 1822, p. 188, t. 16, f. 5; Bull. Mosc. XVII, 1844, I, p. 115.

♂ *cylindrica* Herbst, Käf. VIII, 1799, p. 185, t. 128, f. 4. — Fisch. Bull. Mosc. XVII, 1844, I, p. 115. — Motsch. Bull. Mosc. XVIII, 1845, I, p. 71. — Sol. Studi Ent. II, 1848, p. 290 (144).

♂ *cylindropastica* Kryn. Bull. Mosc. V, 1832, p. 133; Bull. Mosc. Ent. I, 1836, p. 179.

♀ *pastica* Sol. Studi ent. II, 1848, p. 290 (144). — Motsch. Bull. Mosc. XVIII, 1845, I, p. 71.

♂ *punctata* Fisch. Bull. Mosc. XVII, 1844, I, p. 109, t. 2, f. 7. — Motsch. Bull. Mosc. XVIII, 1845, I, p. 71.

taurica Sturm. Cat. 1823, p. 101.

Oschanini Sem. Horae Soc. Ent. Ross. XXV, 1891, p. 366; XXVIII, 1894, p. 207. — Reitt. Mon. I, p. 275; Mon. II, p. 137 *(Megaprosodes).* — Süd-Turkestan

parallelocollis Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 108. — Reitt. Mon. I, p. 296; Mon. II, p. 158 *(Pseudoprosodes)*. Margelan
var. *rudesculpta* Reitt. Mon. II, p. 158.
Peclrkana Reitt. Mon. II, p. 157 *(Pseudoprosodes)*. Turkestan
pekinensis Fairm. Rev. d'Ent. VI, 1887, p. 323. China
peloroides Reitt. Mon. II, p. 134 *(Prosodura)*. Ostbuchara
phylacoides Fisch. Bull. Mosc. XVII, 1844, I, p. 118 ♂. Kirghisien,
— Lacord. Genera Col. V, 1859, p. 146 nota. Turkestan,
— All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 293. Tianschan,
— Reitt. Mon. I, p. 285; Mon. II, p. 122 *(Aulonoscelis)*. Songorei
brevis Gebl. Bull. Ac. Petr. III, 1845, p. 103: Bull. Mosc. XXXIII, 1860, III, p. 22.
Hauseri Reitt. Wien. Ent. Zeit. XIV, 1895, p. 156; XXII, 1903, p. 171.
pleuralis Reitt. Mon. I, p. 266; Mon. II, p. 126 *(Diprosodes)*. Namangan
praelonga Reitt. Mon. I, p. 286; Mon. II, p. 138 *(Megaprosodes)*. Turkestan
prosternalis Reitt. Mon. I, p. 284; Mon. II, p. 134 *(Prosodura)*. „
Przewalskii Sem. Horae Soc. Ent. Ross. XXVIII, 1894, p. 195. — Reitt. Mon. II, p. 162 *(Platyprosodes)*. Tianschan
pseudaciculata Reitt. Mon. II, p. 129 *(Lyprosodes)*. Ostbuchara
pubistriata Reitt. Mon. I, p. 307; Mon. II, p. 137 *(Megaprosodes)*. Turkestan
♀ *lateralis* Reitt. Mon. I, p. 276.
pygmaea Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 325. — Reitt. Mon. I, p. 310; Mon. II, p. 124 *(Prosodestes)*. „
minima Kraatz, l. c. p. 326.
quadricostata Reitt. Mon. I, p. 278; Mon. II, p. 128 *(Lyprosodes)*. „
quadriimpressa Reitt. Mon. II, p. 149 (*Prosodes* s. str.). Transkaspien
reflexicollis Reitt. Mon. I, p. 290; Mon. II, p. 140 *(Uroprosodes)*. Ostbuchara
Regeli Sem. Horae Soc. Ent. Ross. XXVIII, 1894, p. 202. — Reitt. Mon. II, p. 122 *(Aulonoscelis)*. Dsungarei
Reitteri Reitt. Mon. I, p. 285; Mon. II, p. 124 *(Prosodestes)*. Südwestsibirien
var. *asperipennis* Reitt. Mon. I, p. 311; Mon. II, p. 124.
rufosulcata Fairm. Compte rend. Soc. Ent. Belg. 1891, p. XCIV. Kaschmir
rugosicollis Kraatz, Deutsche Ent. Zeitschr. XXIX, 1885, p. 290. — Reitt. Mon. I, p. 305; Mon. II, p. 157 *(Pseudoprosodes)*. Turkestan
rugulosa Gebl. Bull. Ac. Petr. VIII, 1841, p. 373; Bull. Mosc. XXXII, 1859, IV, p. 339. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 240. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 286. — Reitt. Mon. I, p. 270; Mon. II, p. 164 *(Platyprosodes)*. Tarbagatei, Sergiopol
♀ *bicostata* Fisch. Bull. Mosc. XVII, 1844, I, p. 108, t. 2, f. 6.
♂ *foveata* Fisch. Cat. Col. Karel. 1843, p. 15; Bull. Mosc. XVII, 1844, I, p. 116, t. 2, f. 4.
var. *costipennis* Ball. Bull. Mosc. LIII, 1878, I, p. 312. — Reitt. Mon. I, p. 270; Mon. II, p. 164. Kuldja, Taschkent

costata Fisch. Bull. Mosc. XVII, 1844, I, p. 120. — Motsch. Bull. Mosc. XVIII, 1845, I, p. 71.
var. *granulosa* Ball. Bull. Mosc. LIII, 1878, I, p. 307. — Reitt. Mon. I, p. 270; Mon. II, p. 164. — Turkestan
var. *nitidula* Motsch. Bull. Acad. Petr. I, 1860, p. 308, f. C. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 284. — Reitt. Mon. I, p. 270; Mon. II, p. 164. — Issyk-kul, Kuldja, Kirghisia
var. *similis* Ball. Bull. Mosc. LIII, 1878, I, p. 309. — Reitt. Mon. I, p. 270; Mon. II, p. 164. — Kuldja, Issyk-kul

Semenowi Reitt. Mon. I, p. 273; Mon. II, p. 133 *(Prosodura)*. — Ostbuchara, Turkestan
var. *punctimana* Reitt. Mon. I, p. 284; Mon. II, p. 133.
var. *punctatostriata* Reitt. Mon. II, p. 133.

singularis Reitt. Mon. II, p. 145 *(Paraprosodes)*. — Buchara

Solskyi Faust, Horae Soc. Ent. Ross. XI, 1875, p. 239. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 294. — Reitt. Mon. I, p. 281; Mon. II, p. 129 *(Prosodoscelis)*. — Transkaspien

spectabilis Reitt. Mon. I, p. 287; Mon. II, p. 139 *(Uroprosodes)*. — Margelan, Alai, Turkestan
var. *inconstans* Reitt. Mon. II, p. 139.

sphodroides Sem. Horae Soc. Ent. Ross. XXVIII, 1894, p. 190. — Reitt. Mon. II, p. 128 *(Diprosodes)*. — Ostbuchara

Staudingeri Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 305. — Reitt. Mon. I, p. 301; Mon. II, p. 151 *(Prosodes* s. str.). — Samarkand

striata Reitt. Mon. I, p. 289; Mon. II, p. 137 *(Megaprosodes)*. — Turkestan, Ostbuchara
var. *obliterata* Sem. Horae Soc. Ent. Ross. XXVIII, 1894, p. 206. — Reitt. Mon. II, p. 137.

strigiventris Reitt. Mon. I, p. 277, 305; Mon. II, p. 162 *(Prosodila)*. — Alai, Turkestan

sulcicauda Reitt. Mon. I, p. 290; Mon. II, p. 156 *(Blaptoprosodes)*. — Margelan, Taschkent

suturangula Reitt. Deutsche Ent. Zeitschr. 1900, p. 55; Mon. II, p. 143 *(Uroprosodes)*. — Buchara

transfuga Reitt. Mon. I, p. 304; Mon. II, p. 160 *(Pseudoprosodes)*. — Kirghisien, Alexandergebirge, Turkestan, Buchara
var. *sulcatissima* Reitt. Deutsche Ent. Zeitschr. 1901, p. 78; Mon. II, p. 160.

transversosulcata All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 292, f. 13. — Reitt. Mon. I, p. 280. — ?Himalaya

triangulipes Reitt. Mon. I, p. 282; Mon. II, p. 145 *(Paraprosodes)*. — Turkestan

trifossa Reitt. Mon. II, p. 165 *(Euryprosodes)*. — ,,

trisulcata Bates, Cist. Ent. II, 1879, p. 473; Second Yark. Miss. Col. 1890, p. 64, t. 2, f. 11. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 291, f. 12. — Reitt. Mon. I, p. 280; Mon. II, p. 138 *(Oliprosodes)*. — Kaschmir

turkestanica Sem. Horae Soc. Ent. Ross. XXVIII, 1894, p. 211. — Reitt. Mon. II, p. 148 *(Prosodes* s. str.). — Turkestan

undulata Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 322. — Reitt. Mon. I, p. 294; Mon. II, p. 148 (*Prosodes* s. str.). — Samarkand

valida Reitt. Mon. I, p. 304; Mon. II, p. 160 *(Pseudoprosodes)*. Margelan
vermiculosa Reitt. Mon. II, p. 131 *(Meropersina)*. Persien
vicina Bates, Cist. Ent. II, 1879, p. 474; Second Yark. Miss. Col. 1890, p. 63. — Reitt. Mon. I, p. 280; Mon. II, p. 138 *(Oliprosodes)*. Kaschmir
vincens Reitt. Deutsche Ent. Zeitschr. 1900, p. 55; Mon. II, p. 141 *(Uroprosodes)*. Samarkand, Buchara
ypsilon Reitt. Mon. I, p. 296; Mon. II, p. 153 *(Prosodes* s. str.). Samarkand

109

Blaps

F. Syst. Ent. 1775, p. 254. — Fisch. Bull. Mosc. XVII, 1844, I, p. 69 (Spicil.). — Sol. Studi entom. II, 1848, p. 154 (8), 291 (145). — Muls. Col. Fr. Latigènes, 1854, p. 105. — Woll. Ins. Mader. 1854, p. 506. — Lacord. Genera Col. V, 1859, p. 143. — Jacq. du Val, Genera Col. Eur. III, 1861, p. 267. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 300; (6) II, 1882, p. 84. — Seidl. Naturg. Ins. Deutschl. V, 1893, p. 238, 242 (Mon.). — Reitt. Deutsche Ent. Zeitschr. 1893, p. 316. — Desbr. Frelon IX, 1901, p. 185.

Acanthoblaps Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 687.
Agroblaps Motsch. Bull. Acad. Petr. II, 1860, p. 531. — All. Ann. Soc. Ent. Fr. (6) II, 1882, p. 104. — Seidl. Fn. Balt. ed. II, 1891, p. 513.
Blapidurus Fairm. Compte rend. Soc. Ent. Belg. XXXII, 1888, p. 26.
Blapimorpha Motsch. Bull. Acad. Petr. II, 1860, p. 531. — All. Ann. Soc. Ent. Fr. (6) II, 1882, p. 77.
Blapisa Motsch. l. c. p. 530. — All. l. c. 1881, p. 494. — Seidl. Fn. Balt. ed. II, 1891, p. 513.
Dineria Motsch. l. c. p. 530. — All. l. c. 1882, p. 97. — Seidl. l. c. p. 513.
Leptocolena All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 320. — Seidl. l. c. p. 513.
Leptomorpha Fald. Mém. Acad. Petr. sav. étrang. II, 1835, p. 406. — Cast. Hist. Nat. II, 1840, p. 201. — Lacord. Genera Col. V, 1859, p. 150. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 299.
Lithoblaps Motsch. Bull. Acad. Petr. II, 1860, p. 532. — All. l. c. 1881, p. 151. — Seidl. Fn. Balt. ed. II, 1891, p. 513.
Platyblaps Motsch. l. c. p. 531. — Allard, l. c. p. 512. — Seidl. l. c. p. 513.
Rhizoblaps Motsch. l. c. p. 532. — Allard, l. c. p. 161. — Seidl. l. c. p. 513.
Uroblaps Motsch. l. c. p. 530. — Allard, l. c. p. 31. — Seidl. l. c. p. 513.

Anatomie etc.: Wielowieyski, Arb. Zool. Inst. Un. Wien u. Zool. Stat. Triest XVI, p. 1—62; Arch. f. Protistenkunde IV, p. 335—383, f. 13, 14.

Biologie: Letourneux, Pet. Nouv. I, 1875, p. 537.

abbreviata Mén. Bull. Acad. Petr. I, 1836, p. 150; Ins. Balk. (Mém. Acad. Petr. VI, 1838), p. 35. — Küst. Käf. Eur. 1846, IV, 75. — Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 251. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 312; (6) I, 1881, Oesterreich, Ungarn, Balkanhalbinsel, Kleinasien,

p. 510, f. 69, 70. — Ball. Bull. Mosc. n. ser. I, 1887, IV, p. 903 (4). — Seidl. Mon. p. 298, 329. Syrien
ecaudata Küst. Käf. Eur. 1845, III, 45.
ovata Sol. Studi ent. II, 1848, p. 294 (148), 305 (159). — Mill. Wien. Ent. Monatschr. II, 1858, p. 16. — Redtenb. Fauna Austr. ed. III, 2, 1876, p. 86.

acuminata Fisch. Ent. Ross. I, 1822, p. 187, t. 16, f. 4.; Spicil. p. 89. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 311; (6) I, 1881, p. 499, f. 60. — Ball. Bull. Mosc. (n. s.) I, 1887, IV, p. 912 (13). — Seidl. Mon. p. 274. Sibirien
var. *Przewaldskyi* Reitt. Horae Soc. Ent. Ross. XXI, 1887, p. 370. Kanssu

acuta Seidl. Mon. p. 285, 307. Kaukasus

affinis Seidl. Mon. p. 284, 307. „

alaiensis Seidl. Mon. p. 302, 309. Alai

Allardiana Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 691. — Seidl. Mon. p. 301. Kanssu

alternans Brll. Webb. et Berth. Ins. Canar. 1838, p. 68. — Woll. Cat. Can. Col. 1864, p. 470. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 304; (6) I, 1881, p. 134. — Seidl. Mon. p. 253. Canar. Inseln

amurensis All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 318; (6) II, 1882, p. 109, f. 108. — Seidl. Mon. p. 279. Mandschurei

angusta Seidl. Mon. p. 283, 307. Turkestan

antennalis All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 305; (6) I, 1881, p. 141, f. 25. — Seidl. Mon. p. 253. Marokko

anura Seidl. Mon. p. 276, 306. Turkestan

appendiculata Motsch. Bull. Mosc. XXIV, 1851, I, p. 653. — Seidl. Mon. p. 259. Algier, Marokko
caudata Sol. Studi ent. II, 1848, p. 296 (150), 297 (151), 332 (186).
caudigera Gemm. Col. Hefte VI, 1870, p. 121.

approximans Seidl. Mon. p. 256, 304. Tunis

araxicola Seidl. Mon. p. 280, 306. Kaukasus

barbara Sol. Studi ent. II, 1848, p. 296 (150), 298 (152), 343 (197). — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 309; (6) I, 1881, p. 175, f. 52. — Seidl. Mon. p. 265. Marokko

Batesi All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 304; (6) I, 1881, p. 139, f. 23. — Seidl. Mon. p. 266. Mesopotamien

bifurcata Sol. Studi ent. II, 1848, p. 298 (152), 348 (202). — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 308; (6) I, 1881, p. 169, f. 47. — Seidl. Mon. p. 262. Aegypten
dimidiata Sol. l. c. p. 349 (203).

bipunctata All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 320; (6) II, 1882, p. 127, f. 122. — Seidl. Mon. p. 279. Ekaterinoslaw

brachyura Küst. Käf. Eur. 1848, XIII, 66. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 306; (6) I, 1881, p. 156, f. 35. — Seidl. Mon. p. 265. Südspanien
abbreviata Sol. Studi ent. II, 1848, p. 297 (151), 339 (193).

brevicollis Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. CXXXI. Kaschmir

brevicornis Seidl. Mon. p. 283, 307. Casp. Meer

brevipes Seidl. Mon. p. 302, 310. Himalaya

brunnea All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 316; (6) II, 1882, p. 89, f. 93. „

bucharensis Seidl. Mon. p. 295, 308. — Buchara

caraboides All. Ann. Soc. Ent. Fr. (6) II, 1882, p. 135; Stett. Ent. Zeitschr. XLIII, 1882, p. 389. — Seidl. Mon. p. 294. — Turkestan

longicornis Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 95, 236.

carinula Seidl. Mon. p. 281, 306. — Sibirien

caudata Gebl. Bull. Acad. Petr. III, 1845, p. 103. — Fisch. Bull. Mosc. XXXIII, 1860, III, p. 21; Spicil. p. 110. — Lacord. Gen. Col. V, 1859, p. 146, nota 3. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 314; (6) II, 1882, p. 79, f. 85. — Seidl. Mon. p. 289. — Turkestan

granulata Fisch. Spicil. p. 103.

granulosa Mén. Motsch. Etud. Ent. III, 1854, p. 34.

obliterata Mén. Mém. Acad. Petr. VI, 1849, p. 326 (20). — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 315; (6) II, 1882, p. 79. — Ball. Bull. Mosc. (n. s.) I, 1887, IV, p. 914 (15).

turcomana Fisch. Cat. Col. Karel. 1843, p. 16; Spicil. p. 88.

caudigera All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 306; (6) I, 1881, p. 151, f. 32. — Seidl. Mon. p. 260. — Algier, Tunis,

chinensis Fald. Mém. Acad. Petr. sav. étr. II, 1835, p. 407, t. 2, f. 1a—h. — Cast. Hist. Nat. II, 1840, p. 201. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 299. — Seidl. Mon. p. 303. — China

Clotzeri Fisch. Spicil. p. 105. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 316; (6) II, 1882, p. 96, f. 99. — Ball. Bull. Mosc. (n. s.) I, 1887, IV, p. 920 (21); (n. s.) II, 1888, II, p. 271 (3). — Seidl. Mon. p. 299. — Astrabad, Persien

Dehaani Baudi, Deutsche Ent. Zeitschr. XIX, 1875, p. 100.

cognata Sol. Studi ent. II, 1848, p. 297 (151), 336 (190). — Seidl. Mon. p. 263. — Aegypten

Conradti Seidl. Mon. p. 294, 308. — Buchara

convexa Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 243. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 310; (6) I, 1881, p. 494, f. 56. — Seidl. Mon. p. 272. — Syrien

? *crassa* Reiche l. c. p. 245. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 311; (6) I, 1881, p. 503, f. 63.

mutata Gemm. Col. Hefte VI, 1870, p. 122.

cordicollis Sol. Studi ent. II, 1848, p. 298 (152), 346 (200). — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 308; (6) I, 1881, p. 167, f. 45. — Seidl. Mon. p. 265. — „

crassicornis Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. XCVI. — Seidl. Mon. p. 301. — Kaschmir

cribrosa Sol. Studi ent. II, 1848, p. 294 (148), 304 (158). — Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 245. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 311; (6) I, 1881, p. 502, f. 62. — Ball. Bull. Mosc. (n. s.) II, 1888, II, p. 273 (5). — Seidl. Mon. p. 272. — Syrien

angulata Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 245.

cychroides Fairm. Ann. Soc. Ent. Belg. XXXI, 1887, p. 127. — Seidl. Mon. p. 300. — Yunnan

Davidea Deyr. Ann. Soc. Ent. Fr. (5) VIII, 1878, p. 119. — Peking
Davidis All. 6 esp. nouv. Col. Hétérom. 1886, p. 6. — Seidl. Mon. p. 290. — Mongolei
dentitibia Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 687. — Seidl. Mon. p. 276. — Kanssu
deplanata Ménétr. Catal. rais. 1832, p. 199. — Fald. Fn. Transcauc. II, 1837, p. 45, t. 7, f. 1. — Fisch. Spicil. p. 75. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 313; (6) I, 1881, p. 516, f. 75. — Ball. Bull. Mosc. (n. s.) I, 1887, IV, p. 912 (13). — Seidl. Mon. p. 288. — Turkestan, Baku
holconota All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 313; (6) I, 1881, p. 514, f. 74.
var. *cordata* Seidl. Mon. p. 288. — Turkestan
corrosa All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 314; (6) I, 1881, p. 519, f. 78.
var. *curvipes* Baudi, Ann. Mus. Genova VI, 1874, p. 111. — Südpersien
var. *muricata* Fisch. in Ménétr. Catal. rais. 1832, p. 199. — Fald. Fn. Transcauc. II, 1837, p. 46. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 313; (6) I, 1881, p. 517, f. 77. — Ball. Bull. Mosc. (n. s.) II, 1888, IV, p. 698 (5). — Seidl. Mon. p. 288. — Kaukasus, Baku
var. *quinquecostata* Fisch. Spicil. p. 76. — Motsch. Bull. Mosc. XVIII, 1845, I, p. 64. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 313; (6) I, 1881, p. 516, f. 76. — Seidl. Mon. p. 288. — Songorei
dispar Seidl. Mon. p. 291, 308. — Turkestan
divergens Fairm. Ann. Mus. Genova VII, 1875, p. 527. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 309; (6) I, 1881, p. 177, f. 53. — Seidl. Mon. p. 257. — Tunis
dorsogranata Fairm. Ann. Soc. Ent. Belg. XXXI, 1887, p. 128. — Yunnan
ecaudata Seidl. Mon. p. 277, 306. — Kleinasien
elliptica Seidl. Mon. p. 296, 309. — Turkestan
emoda All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 320; (6) II, 1882, p. 128, f. 123. — Seidl. Mon. p. 300. — Himalaya
Emondi Sol. Studi ent. II, 1848, p. 296 (150), 331 (185). — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 305; (6) I, 1881, p. 148, f. 30. — Seidl. Mon. p. 259. — Algier, Sicilien
var. *nitidula* Sol. Studi ent. II, 1848, p. 296 (150), 330 (184). — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 305; (6) I, 1881, p. 149, f. 31. — Seidl. Mon. p. 259. — Algier, Ceuta
fascinosa Seidl. Mon. p. 296, 305. — Mesopotamien
Fausti Seidl. Mon. p. 267, 305. — Turkmenien
felix Waterh. Trans. Linn. Soc. Lond. (2) V, 1889, p. 126, t. 14, f. 12. — Afghanistan
femoralis Fisch. Bull. Mosc. XVII, 1844, I, p. 141. — Seidl. Mon. p. 275. — Anatolien
foveicollis All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 320; (6) II, 1882, p. 132. — Seidl. Mon. p. 293. — Malta
gentilis Fairm. Ann. Soc. Ent. Belg. XXXI, 1887, p. 127. — Seidl. Mon. p. 300. — Yunnan
gibba Cast. Hist. Nat. II, 1840, p. 200. — Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 252. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 310; (6) I, 1881, p. 495 f. 57. — Ball. Bull. Mosc. (n. s.) II, 1888, — Südeuropa v. Kaukasus bis Portugal

II, p. 272 (4). — Seidl. Mon. p. 277, 315. — Desbr. Frelon IX, 1901, p. 190.
australis Sol. Studi ent. II, 1848, p. 296 (150), 322 (176).
impressicollis Sol. l. c. p. 322 (176).
? *Jaegeri* Humm. Essais ent. VI, 1827, p. 40. — — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 311; (6) I, 1881, p. 504, f. 64 (pars). — Ball. Bull. Mosc. (n. s.) I, 1887, IV, p. 901 (2).
planicollis Sol. Studi ent. II, 1848, p. 322 (176).
rectangularis Sol. l. c. 295 (149), 316 (170).
var. *italica* Baudi, Deutsche Ent. Zeitschr. XIX, 1875, p. 97. — Seidl. Mon. p. 277. — Italien, Griechenland

gigantea Motsch. Bull. Mosc. XVIII, 1845, I, p. 65. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 223. — Seidl. Mon. p. 268. — Turkmenien

gigas L. Syst. Nat. ed. XII, 1767, p. 676. — F. Syst. Ent. 1775, p. 254. — Herbst, Käf. VIII, 1799, p. 181, t. 128, f. 1. — Cast. Hist. Nat. II, 1840, p. 200. — Muls. Col. Fr. Latigènes 1854, p. 109. — Seidl. Mon. p. 258, 312. — Küstengebiet des Mittelmeeres, Teneriffa
armeniaca All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 308; (6) I, 1881, p. 170, f. 48 (pars).
gages F. Spec. Ins. 1781, p. 321; Mant. 1787, p. 210; Ent. Syst. I, 1792, p. 106; Syst. El. I, 1801, p. 141. — Panz. Ins. Deutschl. Heft 96, 1805, 1. — Fisch. Spicil. p. 79. — Küst. Käf. Eur. III, 1845, 43. — Sol. Studi ent. II, 1848, p. 297 (151), 334 (188), t. 15, f. 2—4, 8, 12. — Woll. Ins. Mader. 1854, p. 506. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 306; (6) I, 1881, p. 152, f. 33. — Desbr. Frelon IX, 1901, p. 188.
gigantea Petagna, Mem. Ins. Regn. Napol. 1819, p. 30, t. 3, f. 3.
producta Brll. Exp. Morée 1832, p. 203, t. 40, f. 7.
sarda Ball. Bull. Mosc. (n. s.) II, 1888, II, p. 276 (8).
sulcata Küst. Käf. Eur. III, 1845, 41.
var. *avenae* Sahlb. Öfv. Finska Vet. Ak. Förh. 1903, p. 13. — Syrakus
var. *azorica* Seidl. Mon. p. 258. — Marokko, Azoren
var. *occulta* Seidl. Mon. p. 258, 312. — wie Stammform
Biologie: Larve: Muls. Mém. Acad. Lyon XIX, 1872, p. 340—342; Opusc. XV, 1872, p. 92—96. — Seidl. Mon. p. 245, 246.
Anatomie etc.: Léger u. Hagenmüller, Bull. Soc. Ent. Fr. 1899, p. 192—194. — Escher, Zeitschr. wiss. Zool. LVII, 1894, p. 634, t. 26, f. 6.

glabrata Seidl. Mon. p. 303, 310. — China

gracilicollis Kraatz, Deutsche Ent. Zeitschr. XXIX, 1885, p. 292. — Seidl. Mon. p. 296. — Turkestan

graeca Sol. Studi ent. II, 1848, p. 295 (149), 312 (166). — Baudi, Deutsche Ent. Zeitschr. XIX, 1875, p. 98. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 316; (6) II, 1882, p. 92, f. 96. — Ball. Bull. Mosc. (n. s.) II, 1888, II, p. 274 (6). — Seidl. Mon. p. 292. — Kleinasien, ? Griechenland
Ledereri Fairm. Ann. Soc. Ent. Fr. (4) VI, 1866, p. 263.

granulata Gebl. Humm. Essais IV, 1825, p. 47. — Fisch. Spicil. p. 103. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 314; (6) II, 1882, p. 78, f. 84. — Ball. Bull. Mosc. (n. s.) I, 1887, IV, p. 916 (17). — Seidl. Mon. p. 289. — Turkestan

gressoria Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 689. — Seidl. Mon. p. 289. — Kanssu

Haberhaueri Seidl. Mon. p. 292, 308. — Turkestan

halophila Fisch. Ent. Ross. I, 1822, p. 190, t. 16, f. 7; Spicil. p. 111, t. 2, f. 5. — Kraatz, Berl. Ent. Zeitschr. XIII, 1869, p. 133. — Seidl. Mon. p. 295, 327. — Südosteuropa von Wien bis Kaukasus, Sibirien

confluens Fisch. Spicil. p. 84.

confusa Mén. Cat. rais. 1832, p. 201. —Redtenb. Fn. Austr. ed. III, 1874, II, p. 85. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 317; (6) II, 1882, p. 97, f. 100. — Ball. Bull. Mosc. (n. s.) I, 1887, IV, p. 917 (18).

longicollis Stev. Mus. Univ. Mosqu. 1829, p. 69. — Fisch. Cat. Col. Karel. p. 15; Spicil. p. 83.

helopioides Seidl. Mon. p. 301, 309. — Centr. Asien

Heydeni All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 305; (6) I, 1881, p. 144, f. 27. — Seidl. Mon. p. 253. — Marokko

hispanica Sol. Studi ent. II, 1848, p. 296 (150), 297 (151), 333 (187). — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 305; (6) I, 1881, p. 147, f. 29. — Seidl. Mon. p. 255. — Spanien, Marokko, Südfrankr., Sicilien

holconota Fisch. Spicil. p. 71. — Motsch. Bull. Mosc. XVIII, 1845, I, p. 64. — Seidl. Mon. p. 288. — Kirghisensteppe

gigas Fisch. Ent. Ross. I, 1822, p. 184, t. 16, f. 1. — Motsch. Bull. Mosc. XVIII, 1845, I, p. 64.

var. *corrosa* Fisch. Spicil. p. 74. — Motsch. l. c. I, p. 64. — Ball. Bull. Mosc. (n. s.) I, 1887, IV, p. 913 (14). — Seidl. Mon. p. 288. — Songorei

indicola Bates, Cist. Ent. II, 1879, p. 472; Second Yark. Miss. Col. 1890, p. 61, t. 2, f. 10. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 314; (6) I, 1881, p. 521, f. 80. — Seidl. Mon. p. 282. — Himalaya, Kaschmir

♀ *lucens* Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. XCV.

♂ *urophora* Fairm. l. c. p. CXV.

inflata All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 305; (6) I, 1881, p. 143, f. 26. — Seidl. Mon. p. 254. — Marokko

var. *uniformis* Seidl. Mon. p. 254.

inflatipennis Sahlb. Öfv. Finska Vet. Soc. Förh. L, 1907—1908 (1909), nr. 7, p. 75. — Libanon

inflexa Zoubk. Bull. Mosc. VI, 1833, p. 331; Bull. Mosc. Ent. I, 1836, p. 315. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 227. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 316; (6) II, 1882, p. 95, f. 98. — Ball. Bull. Mosc. (n. s.) I, 1887, IV, p. 916 (17). — Seidl. Mon. p. 292. — Turkestan

carbonaria Kraatz, Deutsche Ent. Zeitschr. 1888, p. 197.

japonensis Mars. Abeille XVII, 1879, Nouv. et Faits. I, p. 99. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 320; (6) II, 1882, p. 133, f. 125. — Seidl. Mon. p. 272. — Japan

judaeorum Mill. Wien. Ent. Monatschr. V, 1861, p. 178, t. 4, f. 2. — Baudi, Ann. Mus. Genova VI, 1874, p. 113. — Seidl. Mon. p. 265. — Syrien
var. *judaica* Seidl. Mon. p. 295. — Libanon
judaeorum All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 307; (6) I, 1881, p. 164, f. 42.
Juliae All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 311; (6) I, 1881, p. 505, f. 65. — Seidl. Mon. p. 254. — Jerusalem
kaifensis Seidl. Mon. p. 265, 305. — Syrien
rotundata All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 307; (6) I, 1881, p. 159, f. 38.
kashgarensis Bates, Cist. Ent. II, 1879, p. 473; Second Yark. Miss. Col. 1890, p. 62. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 311; (6) I, 1881, p. 500, f. 61. — Seidl. Mon. p. 274. — Turkestan, Kaschgar
euosoma Kraatz, Deutsche Ent. Zeitschr. 1888, p. 195.
lobnoriana Reitt. Horae Soc. Ent. Ross. XXI, 1887, p. 371.
var. *gobiensis* Friv. Term. füzet. XII, 1889, p. 206. — Mongolei
var. *mongolica* Seidl. Mon. p. 274. — „
Könige Seidl. Mon. p. 283, 307. — Kaukasus, Kleinasien

Kollari Seidl. Mon. p. 263, 305. — Aegypten
ladakensis Bates, Cist. Ent. II, 1879, p. 472; Second Yark. Miss. Col. 1890, p. 62. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 317; (6) II, 1882, p. 103, f. 103. — Kaschmir
lata Seidl. Mon. p. 300, 309. — Kleinasien
miliaria All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 315; (6) II, 1882, p. 80, f. 86.
latericosta Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 688. — Seidl. Mon. p. 296. — Kanssu
laticollis Sol. Studi ent. II, 1848, p. 296 (150), 324 (178). — Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 247. — Aegypten
lethifera Marsh. Ent. Brit. Col. 1802, p. 479. — Seidl. Mon. p. 279, 317. — Ganz Europa bis Centralasien, Kleinasien, Kaukasus
?*asiatica* Sol. Studi Ent. II, 1848, p. 295 (149), 31*Y*(164).
brevis Fisch. Spicil. p. 96. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 310; (6) I, 1881, p. 498, f. 59. — Ball. Bull. Mosc. (n. s.) I. 1887, IV, p. 911 (12).
convexa Fisch. Spicil. p. 92. — Kraatz, Berl. Ent. Zeitschr. XIII, 1869, p. 138.
damascena Fisch. Spicil. p. 101. — Kraatz, Deutsche Ent. Zeitschr. XXV, 1881, p. 60.
dorsata Fisch. Spicil. p. 98. — Ball. Bull. Mosc. (n. s.) I, 1887, IV, p. 908 (9).
fatidica Sturm, Käf. II, 1807, p. 205, t. 45a, f. b. — Duftschm. Fn. Austr. II, 1812, p. 282. — Fisch. Ent. Ross. I, 1822, p. 186, t. 16, f. 3; Spicil. p. 92. — Küst. Käf. Eur. 1845, III, 47. — Sol. Studi ent. II, 1848, p. 295 (149), 308 (162). — Woll. Ins. Mader. 1854, p. 508. — Muls. Col. Fr. Latigènes, 1854, p. 121. — Bach, Käferfauna III, 1856, p. 220. — Mill. Wien. Ent. Monatschr. II, 1858, p. 17. — Redtenb. Fn. Austr. 1849, p. 598; ib. ed. II, 1858, p. 591. — Thoms. Skandin. Col. VI, 1864, p. 238.

mortisaga Scopol. Ent. Carn. 1763, p. 81. — Duméril, Dict. sc. IV, p. 453, t. 15, f. 12. — Ill. Käf. Preuß. 1798, p. 112. — Herbst, Käf. VIII, 1799, p. 182, t. 128, f. 3.
mucronata Sol. Studi ent. II, 1848, p. 295 (149), 309 (163).
obtusa Gyll. Ins. Suec. III, 1813, p. 712. — Curt. Brit. Ent. IV, p. 148.
plicaticollis Mén. Bull. Acad. Petr. I, 1836, p. 151.
♀ *proxima* Sol. Studi ent. II, 1848, p. 295 (149), 313 (167).
rectangularis All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 314; (6) I, 1881, p. 524, f. 83.
similis Latr. Hist. Nat. Crust. Ins. X, 1804, p. 279; Gen. Crust. Ins. II, 1807, p. 162. — Redtenb. Fn. Austr. ed. III, 1874, II, p. 85. — Seidl. Fn. Baltica 1875, p. 360; ib. ed. II, 1891, p. 514; Fn. Transsylv. 1891, p. 550. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 320; (6) II, 1882, p. 124, f. 121.
subquadrata Brll. Expéd. Morée III, 1832, p. 204. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 320; (6) II, 1882, p. 126.
Biologie: Letzner, Arb. schles. Ges. Breslau 1843, p. 170. — Perris, Ann. Soc. Ent. Fr. (2) X, 1852, p. 609—612, t. 15, f. 20. — Candèze, Mém. Soc. Sc. Liège VIII, 1853, t. 6, f. 5. — Schioedte, Nat. Tidsskr. XI, 1879, p. 532, t. 6, f. 1—13.

licinoides Seidl. Mon. p. 294, 308. — Turkestan

longula Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 234. — Seidl. Mon. p. 297. — Syrien

luctuosa Ménétr. Cat. rais. 1832, p. 201. — Baudi, Ann. Mus. Genova VI, 1874, p. 112. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 227. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 312; (6) I, 1881, p. 511, f. 71. — Seidl. Mon. p. 298. — Kaukasus

lugens Seidl. Mon. p. 255, 304. — Lusitanien

lusitanica Herbst, Käf. VIII, 1799, p. 197, t. 129, f. 2. — Jacq. du Val, Gen. Col. Eur. III, 1861, t. 65, f. 323 ♂. — Kraatz, Berl. Ent. Zeitschr. XIII, 1869, p. 137. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 305; (6) I, 1881, p. 145, f. 28. — Ball. Bull. Mosc. (n. s.) II, 1888, II, p. 269 (1). — Seidl. Mon. p. 255. — Desbr. Frelon IX, 1901, p. 189. — Spanien, Portugal, Südfrankreich, Neapel
gigas Ol. Ent. III, 1795, 60, t. 1, f. 1.
producta Cast. Hist. Nat. II, 1840, p. 200. — Sol. Studi ent. II, 1848, p. 294 (148), 295 (149), 321 (174). — Muls. Col. Fr. Latigènes, 1854, p. 114.
var. *kordofana* Baudi, Deutsche Ent. Zeitschr. XIX, 1875, p. 92. — Kordofan
Biologie: Perris, Ann. Soc. Ent. Fr. (2) X, 1852, p. 606, t. 15, f. 13—19. — Seidl. Mon. p. 245.

maeander Kraatz, Deutsche Ent. Zeitschr. XXIX, 1885, p. 291. — Seidl. Mon. p. 296. — Turkestan

magica Er. Wagn. Reise III, 1841, p. 183, t. 7. — Küst. Käf. Eur. 1845, III, 38. — Sol. Studi Ent. II, — Algier

1848, p. 297 (151), 336 (190). — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 307; (6) I, 1881, p. 163, f. 41. — Seidl. Mon. p. 262.

marginicollis Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. CXXXI. — Kaschmir

maroccana Seidl. Mon. p. 257, 304. — Marokko

medusa Reitt. Wien. Ent. Zeit. XIX, 1900, p. 161, fig. — Kuku-noor

Menetriesi Kraatz, Deutsche Ent. Zeitschr. XXV, 1881, p. 56. — Derbent

miliaria Fisch. Spicil. p. 103. — Motsch. Bull. Mosc. XVIII, 1845, I, p. 68. — Ball. Bull. Mosc. (n. s.) II, 1888, II, p. 270 (2). — Seidl. Mon. p. 290. — Sibirien

Milleri Seidl. Mon. p. 279, 306, 320. — Oesterreich

reflexicollis Mill. Wien. Ent. Monatschr. II, 1858, p. 18. — Redtenb. Fn. Austr. ed. III, 1874, II, p. 85.

moerens All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 319; (6) II, 1882, p. 119, f. 117. — Seidl. Mon. p. 276. — Thibet, Himalaya

montana Motsch. Bull. Mosc. XII, 1839, p. 62, t. 2, f. e. — Fisch. Spicil. p. 117 nota. — Motsch. Bull. Mosc. XVIII, 1845, I, p. 70. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 227. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 316; (6) II, 1882, p. 90, f. 94. — Seidl. Mon. p. 284. — Kaukasus

?*scabriuscula* Ménétr. Cat. rais. 1832, p. 200.

mortisaga L. Syst. Nat. ed. X, 1758, p. 418; ed. XII, 1766, p. 676; Fauna Suec. ed. II, 1761, p. 226. — F. Syst. Ent. 1775, p. 254; Spec. Ins. 1781, p. 321; Ent. Syst. I, 1792, p. 107; Syst. El. I, 1801, p. 141. — Illig. Käf. Preuß. 1798, p. 112 (♂). — Payk. Fauna Suec. I, 1798, p. 87. — Herbst, Käfer VIII, 1799, p. 182 (♂), t. 128, f. 2. — Gyllenh. Ins. Suec. 1802, p. 595. — Sturm, Käf. II, 1807, p. 203. — Duftschm. Fauna Austr. II, 1812, p. 282. — Fisch. Spicil. 1844, p. 80. — Küst. Käf. Eur. 1845, III, p. 46. — Sol. Studi ent. II, 1848, p. 295 (149), 306 (160). — Redtenb. Fauna Austr. 1849, p. 598; ed. II, p. 282; ed. III, 1874, 2, p. 85. — Muls. Col. Fr. Latigènes, 1854, p. 117. — Bach, Käferfauna III, 1856, p. 220. — Mill. Wien. Ent. Monatschr. II, 1858, p. 18. — Thoms. Skand. Col. VI, 1864, p. 238. — Seidl. Fn. Baltica 1875, p. 360; ed. II, 1891, p. 513; Fauna Transsylv. 1891, p. 549; Mon. p. 283, 321. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 314; (6) II, 1882, p. 85, f. 90. — Ball. Bull. Mosc. (n. s.) I, 1887, IV, p. 921 (22). — Östl. Nord- u. Mitteleuropa bis Sibirien u. Transkaukasien

acuminata Geer, Mém. V, 1775, p. 31. — Übers. v. Goeze V, 1781, p. 252.

canaliculata Fisch. Spicil. p. 81. — Fald. Fn. Transc. II, 1837, p. 48.

Carbo Fisch. Spicil. p. 87. — Stev. Mus. Univ. Mosq. II, 1829, p. 69. — Sol. Studi ent. II, 1848, p. 294 (148), 303 (157).

confusa Fisch. Spicil. p. 81.

Dahli Sol. Stud. ent. II, 1848, p. 295 (149), 317 (171). — Kraatz, Deutsche Ent. Zeitschr. XXV, 1881, p. 56.

elongata Mén. Cat. rais. 1832, p. 199. — Baudi, Deutsche Ent. Zeitschr. XIX, 1875, p. 93.
ensifera Motsch. Bull. Mosc. XVIII, 1845, I, p. 67.
reflexicollis Fisch. Spicil. p. 76.
Biologie: Dickson, „Das Blatt f. Kampf" 1905, nr. 4, p. 42 (als Schädling in Weizenfeldern) (russ.).
Anatomie etc.: Gilson, La Cellule V, 1889, p. 1—23, tab. (Duftapparat).

mucronata Latr. Hist. Nat. X, 1804, p. 278 (except. fig.). — Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 250. — Redtenb. Fauna Austr. ed. III, 1874, II, p. 85. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 320; (6) II, 1882, p. 129, f. 130. — Seidl. Mon. p. 293, 324. — Desbr. Frelon IX, 1901, p. 190. — Mittel- u. Südeuropa, v. Spanien bis westl. Asien
Chevrolati Sol. Studi entom. II, 1848, p. 294 (148), 298 (152), t. 15, f. 1, 5—7, 10, 11, 13.
dilatata Cast. Hist. Nat. II, 1840, p. 200.
mortisaga Ol. Ent. III, 1795, nr. 60, p. 5 (exc. fig.). — Marsh. Ent. Brit. 1802, p. 479. — Latr. Gen. Crust. Ins. II, 1807, p. 161; Règne anim. 1817, p. 297; ed. II, 1829, II, p. 17.
obtusa Sturm, Deutschl. Fauna Käf. II, 1807, p. 206, t. 44, f. a. — Duftschm. Fn. Austr. II, 1812, p. 283. — Cast. Hist. Nat. II, 1840, p. 200, t. 18, f. 2. — Redtenb. Fn. Austr. 1849, p. 598; ed. II, 1858, p. 591. — Bach, Käferfauna III, 1856, p. 220.
reflexa Sol. Studi ent. II, 1848, p. 299 (153).
stricticollis Villa, Col. Eur. dupl. Suppl. 1835, p. 48. — Sol. Studi ent. II, 1848, p. 298 (152).
striolata Küst. Käf. Eur. 1846, VII, 46.
sublineata Brll. Expéd. Morée 1832, p. 204. — Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 236.
subovata Sol. Studi ent. II, 1848, p. 298 (152).
Biologie: Haliday, Trans. Ent. Soc. Lond. 1838, II, p. 100, t. 11. — Perris, Ann. Soc. Ent. Fr. (2) X, 1852, p. 609, t. 15, f. 20 *(Bl. fatidica)*. — Seidl. Mon. p. 246.

multistriata Ball. Bull. Mosc. LIII, 1878, I, p. 302. — Seidl. Mon. p. 287. — Kuldja

nefrauensis Seidl. Mon. p. 257, 304. — Tunis

nitens Cast. Hist. Nat. II, 1840, p. 200. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 309; (6) I, 1881, p. 178. — Seidl. Mon. p. 264. — Algier
stygia Er. Wagn. Reise III, 1841, p. 182, t. 7. — Küst. Käf. Eur. 1845, III, 44.

nitida Fisch. Spicil. p. 96. — Stev. Mus. Univ. Mosq. II, 1829, p. 69. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 318; (6) II, 1882, p. 110, f. 109. — Seidl. Mon. p. 280. — Kaukasus, Kirghisensteppe, Songarei, Sibirien
Jaegeri All. l. c. p. 311; l. c. p. 504, f. 64.
seriata All. l. c. p. 319; l. c. p. 115, f. 114.

Oberthüri Seidl. Mon. p. 299. — Thibet

oblonga Kraatz, Deutsche Ent. Zeitschr. XXVII, 1883, p. 349. — Seidl. Mon. p. 295. — Turkestan
major Kraatz, l. c. p. 350.

ocreata All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 314; (6) I, 1881, p. 525. — Seidl. Mon. p. 297. — Kleinasien, Kreta etc.

Oertzeni Seidl. Mon. p. 299, 309. — Griechenland

ominosa Mén. Cat. rais. 1832, p. 198. — Falderm. Fn. Transcauc. II, 1837, p. 43, t. 7, f. 3. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 225. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 304; (6) I, 1881, p. 138, f. 22. — Ball. Bull. Mosc. (n. s.) I, 1887, IV, p. 910 (11). — Kraatz, Wien. Ent. Zeit. VII, 1888, p. 66. — Seidl. Mon. p. 268. — Baku

armeniaca Fald. Fn. Transcauc. II, 1837, p. 42, t. 7, f. 2. — Fisch. Spicil. p. 79.

opaca Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 691. — Seidl. Mon. p. 293. — Turkestan

orbicollis Motsch. Bull. Mosc. XVIII, 1845, I, p. 68. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 312; (6) I, 1881, p. 506, f. 66. — Seidl. Mon. p. 287. — Südrußland, Baku

orientalis Sol. Studi ent. II, 1848, p. 296 (150), 327 (181). — Baudi, Deutsche Ent. Zeitschr. XIX, 1875, p. 88. — All. Ann. Soc Ent. Fr. (5) X, 1880, p. 304; (6) I, 1881, p. 132, f. 16. — Ball. Bull. Mosc. (n. s.) II, 1888, II, p. 273 (5). — Seidl. Mon. p. 266. — Lefroy, Ind. Ins. Life 1908, t. 21, f. 1. — Ostindien

♂ *spathulata* Sol. Studi ent. II, 1848, p. 296 (150); 328, (182).

ovipennis Seidl. Mon. p. 254, 304. — Marokko

Pallasi Seidl. Mon. p. 280, 306. — Armenien

parvicollis Zoubk. Bull. Mosc. I, 1829, VI, p. 160, t. 4, f. 8; Bull. Mosc. Ent. I, 1836, p. 38, t. 3, f. 10. — Sol. Studi ent. II, 1848, p. 295 (149), 318 (172). — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 319; (6) II, 1882, p. 117, f. 115. — Seidl. Mon. p. 281. — Rußland, Westasien

Krynickii Kryn. Bull. Mosc. I, 1829, VI, p. 195; Bull. Mosc. Ent. I, 1836, p. 60. — Fisch. Spicil. p. 101.

perlonga Bates, Cist. Ent. II, 1879, p. 472; Second Yark. Miss. Col. 1890, p. 62, t. 2, f. 9. — Pankong

persica Seidl. Mon. p. 272, 305. — Persien

persicola Seidl. Mon. p. 273, 306. — „

Pharao Seidl. Mon. p. 266, 305. — Aegypten

pinguis All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 309; (6) I, 1881, p. 179, f. 55. — Seidl. Mon. p. 254. — Marokko

plana Sol. Studi ent. II, 1848, p. 297 (151), 338 (192). — Muls. Col. Fr. Latigènes 1854, p. 112. — Kraatz, Wien. Ent. Zeit. VII, 1888, p. 67. — Seidl. Mon. p. 260. — Algier, ? Südfrankreich

armeniaca All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 308; (6) I, 1881, p. 170, f. 48 (pars).

Biologie: Xambeu, Echange 1893, p. 43.

planicollis Motsch. Bull. Mosc. XVIII, 1845, I, p. 65. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 314; (6) I, 1881, p. 519, f. 79. — Ball. Bull. Mosc. (n. s.) V, 1887, IV, p. 914 (15). — Seidl. Mon. p. 286. — Derbent, Sergiopol

robusta All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 318; (6) II, 1882, p. 106, f. 106.

striatopunctata All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 314; (6) I, 1881, p. 522, f. 81. — Ball. Bull. Mosc. (n. s.) I, 1881, IV, p. 905 (6).

platythorax Gemm. Col. Hefte VI, 1870, p. 121. — Südpersien
laticollis Redt. Denkschr. Wien. Ac. I, 1850, p. 49.

polychresta Forsk. Descr. anim. 1775, p. 79. — All. Ann. Soc. Ent. Fr. (6) I, 1881, p. 173, f. 50. — Seidl. Mon. p. 258. — Aegypten, Syrien, Cypern, ?Algier
lineata Sol. Studi ent. II, 1848, p. 298 (152); 347 (201).
maura Sol. l. c. p. 347 (201).
minor Sol. l. c. p. 347 (201).
sulcata F. Syst. Ent. 1775, p. 254. — Sol. Studi ent. II, 1848, p. 298 (152); 344 (198). — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 309; (6) I, 1881, p. 174, f. 175. — Ball. Bull. Mosc. (n. s.) II, 1888, II, p. 275 (7).

Potanini Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 690. — Seidl. Mon. p. 290. — Kanssu

prodigiosa Er. Wagn. Reise III, 1841, p. 182, t. 7. — Küst. Käf. Eur. III, 1845, 39. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 304; (6) I, 1881, p. 137, f. 21. — Seidl. Mon. p. 259. — Algier
multicosta Sol. Studi ent. p. 296 (150), 326 (180).
Küsteri Ball. Bull. Mosc. (n. s.) II, 1888, II, p. 276 (8).

prolongata Fairm. Bull. Soc. Ent. Fr. 1886, p. CLXXIX. — Seidl. Mon. p. 303. — Zentr.-Asien, Ladak

propheta Reiche, Ann. Soc. Ent. Fr. (4) I, 1861, p. 89. — All. Ann. Soc. Ent. Fr. (5) X,; 1880, p. 308; (6) I, 1881, p. 165, f. 43. — Seidl. Mon. p. 261. — Marokko
algerica Ball. Bull. Mosc. (n. s.) II, 1888, IV, p. 695 (2).
superstitiosa All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 308; (6) I, 1881, p. 166, f. 44. — Ball. Bull. Mosc. (n. s.) II, 1888, IV, p. 694 (1).

pruinosa Fald. Bull. Mosc. VI, 1833, p. 53; Bull. Mosc. Ent. I, 1836, p. 217. — Motsch. Bull. Mosc. XVIII, 1845, I, p. 66. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 226. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 307; (6) I, 1881, p. 160, f. 39. — Ball. Bull. Mosc. (n. s.) I, 1887, IV, p. 911 (12). — Seidl. Mon. p. 268. — Kirghisensteppe, Orenburg
anthrax Fisch. Mus. Univ. Mosq. II, 1829, p. 69; Spicil. p. 77.
Fischeri Fisch. Catal. Col. Karel. 1843, p. 15; Spicil. p. 94. — Motsch. Bull. Mosc. XVIII, 1845, I, p. 66.
longipes Zoubk. Bull. Mosc. VI, 1833, p. 331; Bull. Mosc. Ent. I, 1836, p. 315. — Motsch. Bull. Mosc. XVIII, 1845, I, p. 67.
rorulenta Motsch. Bull. Mosc. XVIII, 1845, I, p. 66.

pterosticha Fisch. Catal. Col. Karel. 1843, p. 27; Spicil. p. 93. — Gebl. Bull. Mosc. XX, 1847, IV, p. 476. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 318; (6) II, 1882, p. 111, f. 110. — Ball. Bull. Mosc. — Turkestan, Sibirien

(n. s.) I, 1887, IV, p. 919 (20). — Seidl. Mon. p. 286.

var. *akinina* All. Stett. Ent. Zeit. XLIII, 1882, p. 388; Ann. Soc. Ent. Fr. (6) II, 1882, p. 135.

pterotapha Fisch. in Ménétr. Cat. rais. 1832, p. 201. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 320; (6) II, 1882, p. 123, f. 120. — Seidl. Mon. p. 278. Kaukasus

angulicollis Motsch. Bull. Ac. Petr. II, 1860, p. 528.

anthracina Fald. Fn. Transcauc. II, 1837, p. 50. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 319; (6) II, 1882, p. 122.

scabriuscula All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 319; (6) II, 1882, p. 120, f. 118.

subalpina Mén. Cat. rais. 1832, p. 200. — Fald. Fn. Transcauc. II, 1837, p. 49. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 320; (6) II, 1882, p. 121, f. 119. — Ball. Bull. Mosc. (n. s.) I, 1887, IV, p. 907 (8).

tarda Motsch. Bull. Acad. Petr. II, 1860, p. 530.

pubescens All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 307; (6) I, 1881, p. 162, f. 40. — Seidl. Mon. p. 261. Algier

pudica Ball. Bull. Mosc. (n. s.) II, 1888, p. 704 (11). Kaukasus

puella All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 317; (6) II, 1882, p. 102, f. 102. — Seidl. Mon. p. 284. Kaukasus, Arexestal

pulvinata Ménétr. Mém. Ac. Petr. VI, 1849, p. 235 (19). — Seidl. Mon. p. 274. Kaukasus

putrida Motsch. Bull. Mosc. XVIII, 1845, I, p. 68; Bull. Acad. Petr. II, 1860, p. 528. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 318; (6) II, 1882, p. 107, f. 107 (pars). — Ball. Bull. Mosc. (n. s.) I, 1887, IV, p. 905 (6). — Seidl. Mon. p. 280. Östliches Rußland, nördliches Asien, Kaukasus,

?*asiatica* Sol. Studi ent. II, 1848, p. 295 (149), 311 (164). Derbent

punctostriata Sol. Studi ent. II, 1848, p. 296 (150). 329 (183). — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 307; (6) I, 1881, p. 158, f. 37. — Seidl. Mon. 254. Persien

var. *firmior* Seidl. Mon. p. 254.

quadricollis Ball. Bull. Mosc. LIII, 1878, I, p. 304. Kuldja

Quedenfeldti Seidl. Mon. p. 254, 304. Marokko

reflexa Gebl. Nouv. Mém. Mosc. II, 1832, p. 55. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 315; (6) II, 1882, p. 84, f. 89. — Seidl. Mon. p. 291. Sibirien, Daurien

variolaris Gemm. Col. Hefte VI, 1870, p. 122.

variolata All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 315; (6) II, 1882, p. 81, f. 87.

variolosa Fisch. Spicil. p. 89 (nicht 104).

reflexicollis Sol. Studi ent. II, 1848, p. 295 (149), 314 (168). — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 317; (6) II, 1882, p. 105, f. 105. — Seidl. Mon. p. 279. Rußland, Ungarn

?*asiatica* Sol. Studi ent. II, 1848, p. 295 (149), 311 (164).

putrida All. Ann. Soc. Ent. Fr. (6) II, 1882, p. 107 (pars).

sinuatocollis Sol. Studi ent. II, 1848, p. 314 (168).

regia Seidl. Mon. p. 292, 308. Turkmenien

Reitteri All. Wien. Ent. Zeit. IV, 1885, p. 180. — Seidl. Mon. p. 267. — Turkestan

Requieni Sol. Studi ent. II, 1848, p. 297 (151), 340 (194). — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 309; (6) I, 1881, p. 177, f. 54. — Seidl. Mon. p. 264. — Algier, Marokko, Cyrenaika

var. *cyrenaica* Seidl. Mon. p. 264.

var. *substriata* Sol. Studi ent. II, 1848, p. 298 (152), 345 (199). — Seidl. Mon. p. 264. — Marokko

var. *subteres* Sol. l. c. p. 297 (151), 341 (195). — Seidl. Mon. p. 264.

var. *tunisia* Seidl. Mon. p. 264. — Tunis

rhynchoptera Fairm. Ann. Soc. Ent. Fr. (6) VI, 1886, p. 344. — Seidl. Mon. p. 272. — Yunnan

inermis Fairm. Ann. Soc. Ent. Belg. XXXI, 1887, p. 127.

robusta Motsch. Bull. Mosc. XVIII, 1845, I, p. 68. — Seidl. Mon. p. 280. — Derbent

♂ *confluens* All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 317; (6) II, 1882, p. 99.

rotundata Sol. Studi ent. II, 1848, p. 296 (150), 325 (179). — Seidl. Mon. p. 271. — Syrien, Palästina

sodalis Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 249. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 312; (6) I, 1881, p. 507, f. 67.

var. *laticollis* All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 310; (6) I, 1881, p. 497, f. 58. — Syrien

rugosa Gebl. in Humm. Ess. IV, 1825, p. 48. — Fisch. Cat. Col. Karel. 1843, p. 15; Spicil. p. 102. — Sol. Studi ent. II, 1848, p. 295 (149), 319 (173). — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 319; (6) II, 1882, p. 118, f. 116. — Seidl. Mon. p. 275. — Sibirien, Mongolei, China

♀ *scabripennis* Fald. Mém. Acad. Petr. sav. étrang. II, 1835, p. 69.

variolata Gemm. Col. Hefte VI, 1870, p. 122.

variolosa Fisch. Spicil. p. 104 (nicht 89).

rugulipennis Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. XCVII. — Kaschmir

Ruhmeri Seidl. Mon. p. 260, 305. — Cyrenaika

sagitta Seidl. Mon. p. 282, 307. — Turkestan

scabiosa Baudi, Ann. Mus. Genova VI, 1874, p. 111; Deutsche Ent. Zeitschr. XIX, 1875, p. 93. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 229; XII, 1876, p. 331. — Seidl. Mon. p. 293. — Astrabad, Taschkent

coriacea All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 316; (6) II, 1882, p. 88, f. 92.

scabra Fisch. Cat. Col. Karel. 1843, p. 15; Spicil. p. 91. — Seidl. Mon. p. 281. — Sibirien

Schweinfurthi Seidl. Mon. p. 263, 305. — Aegypten

scutellata Fisch. Spicil. p. 72. — Motsch. Bull. Mosc. XVIII, 1845, I, p. 64. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 313; (6) I, 1881, p. 512, f. 72. — Seidl. Mon. p. 287. — Songorei, Turkestan

seriata Fisch. Ent. Ross. I, 1822, p. 185, t. 16, f. 2; Spicil. p. 90. — Ball. Bull. Mosc. (n. s.) I, 1887, IV, p. 906 (7). — Seidl. Mon. p. 281. — Buchara, Persien

Lajoyei All. Ann. Soc. Ent. Belg. XXVII, 1883, I, p. 26.

socia Seidl. Mon. p. 302, 309. — Himalaya

songorica Fisch. Spicil. p. 97. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 317; (6) II, 1882, p. 100. — Seidl. Mon. p. 295. — Kaukasus, Krim, Sarepta

?*acuminata* Sol. Studi ent. II, 1848, p. 294 (148), 302 (156).

convexicollis Motsch. Bull. Mosc. XVIII, 1845, I, p. 68.

dorsata All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 316; (6) II, 1882, p. 86.

intrusa Fisch. Spicil. p. 95. — Baudi, Deutsche Ent. Zeitschr. XIX, 1875, p. 97.

♀?*Solieri* All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 317; (6) II, 1882, p. 101, f. 101.

spinosa All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 304; (6) I, 1881, p. 135, f. 20. — Seidl. Mon. p. 266. — Mesopotamien

stenothorax Fisch. Spicil. p. 73. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 313; (6) I, 1881, p. 513, f. 73. — Seidl. Mon. p. 288. — Centralasien, Turkestan

Stoliczkana Bates, Cist. ent. II, 1879, p. 471; Second Yark. Miss. Col. 1890, p. 61. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 316; (6) II, 1882, p. 91, f. 95. — Pamir

Strauchi Reiche, Ann. Soc. Ent. Fr. (4) I, 1861, p. 88. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 308; (6) I, 1881, p. 168, f. 46. — Seidl. Mon. p. 262. — Algier

striola Motsch. Bull. Acad. Petr. II, 1860, p. 528. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 318; (6) II, 1882, p. 112, f. 111. — Seidl. Mon. p. 286. — Krasnowodsk, Turkestan

?*coriacea* Fisch. Cat. Col. Karel. 1843, p. 15; Spicil. p. 85.

pulvinata All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 318; (6) II, 1882, p. 113, f. 112.

?*seriatimpunctata* Fisch. Spicil. p. 86.

subcordata Seidl. Mon. p. 281, 306. — ,,

sulcata Cast. Hist. Nat. II, 1840, p. 200. — Seidl. Mon. p. 265. — Aegypten

sulcifera Seidl. Mon. p. 264, 305. — Cyrenaika

superstitiosa Er. Wagn. Reise III, 1841, p. 183, t. 7. — Küst. Käf. Eur. III, 1845, 40. — Luc. Expl. Alg. 1849, p. 320. — Seidl. Mon. p. 262. — Algier

taeniolata Mén. Cat. rais. 1832, p. 198. — Fald. Fn. Transcauc. II, 1837, p. 44. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 225. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 308; (6) I, 1881, p. 172, f. 49. — Ball. Bull. Mosc. (n. s.) II, 1888, IV, p. 695 (2). — Seidl. Mon. p. 259. — Syrien, Griechenland, Türkei, Kaukasus, Südrußland, Persien

aegyptiaca Sol. Studi ent. II, 1848, p. 296 (150), 330 (164).

hians Fisch. Spicil. p. 78. — Motsch. Bull. Mosc. XVIII, 1845, I, p. 65.

tentyrioides Seidl. Mon. p. 302, 310. — Himalaya

tenuicauda Seidl. Mon. p. 285, 307. — Turkestan

tenuicollis Sol. Studi ent. II, 1848, p. 294 (148), 301 (155). — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 312; (6) I, 1881, p. 509, f. 68. — Ball. Bull. Mosc. (n. s.) II, 1888, IV, p. 702 (9). — Seidl. Mon. p. 298. — Kleinasien, Syrien, Palaestina

rotundicollis Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 240. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 312.
var. *indagator* Reiche, l. c. p. 238.

tibialis Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 241. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 314; (6) I, 1881, p. 523, f. 82. — Seidl. Mon. p. 277. Balkanhalbinsel, Kleinasien, Südrußland
?*microphthalma* Fisch. Spicil. p. 86.
var. *strigicollis* Baudi, Bull. Soc. Ital. VII, 1875, p. 20. — Seidl. Mon. p. 278.

tibiella Seidl. Mon. p. 278, 306. Kleinasien

tingitana All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 305; (6) I, 1881, p. 140, f. 24. — Seidl. Mon. p. 253. Marokko

Titanus Ménétr. Mém. Acad. Petr. VI, 1849, p. 234 (18). — Motsch. Bull. Mosc. XVIII, 1845, I, p. 65. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 223. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 304; (6) I, 1881, p. 133. — Ball. Bull. Mosc. (n. s.) I, 1887, IV, p. 909 (10). — Seidl. Mon. p. 267. Krasnowodsk, Baku, Buchara

transversalis Gebl. Bull. Acad. Petr. III, 1845, p. 102; Bull. Mosc. XXXIII, 1860, III, p. 20. — Fisch. Spicil. p. 105. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 317; (6) II, 1882, p. 104, f. 104. — Seidl. Mon. p. 285. Turkestan
var. *evanida* Seidl. Mon. p. 283.

transversimsulcata Ball. Bull. Mosc. LIII, 1878, I, p. 301. — Seidl. Mon. p. 296. Kuldja, Turkestan

tridentata Waterh. Trans. Linn. Soc. Lond. (2) V, 1889, p. 125, t. 14, f. 9. Afghanistan

tripolitanica Karsch, Berl. Ent. Zeitschr. XXV, 1881, p. 48; Rohlf's Kufra p. 375. — Seidl. Mon. p. 261. Tripolis

turcomanorum Seidl. Mon. p. 268, 305. Turkmenien

turkestanica Seidl. Mon. p. 297, 309. Turkestan

umbilicata Seidl. Mon. p. 302, 310. Kanssu

varicosa Seidl. Mon. p. 291, 308. Centr.-Asien

variolaris All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 316; (6) II, 1882, p. 93, f. 97. — Seidl. Mon. p. 284. Turkestan

variolosa Fald. Mém. Acad. Petr. sav. étr. II, 1835, p. 404. — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 315; (6) II, 1882, p. 83, f. 88. — Seidl. Mon. p. 291. Centr.-Asien Peking

vicina Ménétr. Mém. Acad. Petr. VI, 1849, p. 235 (19). — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 319; (6) II, 1882, p. 114, f. 113. — Ball. Bull. Mosc. (n. s.) II, 1888, IV, p. 701 (8). — Seidl. Mon. p. 278. Baku
tenuepunctata Motsch. Bull. Acad. Petr. II, 1860, p. 528.

virgo Seidl. Mon. p. 282, 307. Songorei

Waltli Seidl. Mon. p. 255, 304. Spanien

Wiedemanni Sol. Studi ent. II, 1848, p. 298 (152), 350 (204). — All. Ann. Soc. Ent. Fr. (5) X, 1880, p. 306; (6) I, 1881, p. 157, f. 36. — Seidl. Mon. p. 256. Aegypten

189

XLIX. Eleodinae.

Blaisdell, Bull. Un. St. Nat. Mus. LXIII, 1909, p. 1—254, t. 1—13 (Mon.).

Eleodes Eschsch.

Eschsch. Zool. Atl. III, 1829, p. 8. — Sol. Studi ent. II, 1848, p. 154 (8), 235 (89). — Lacord. Genera Col. V, 1859, p. 148. — Horn, Revis. Tenebr. in Trans. Amer. Phil. Soc. XIV, 1870, p. 301. — Lec. and Horn, Class. Col. N. Amer. 1883, p. 374. — Cas. Ann. N. Y. Acad. Sc. V, 1890, p. 394. — Blaisd. Bull. Un. St. Nat. Mus. LXIII, 1909, p. 29, 31 (Mon.).

Xysta Eschsch. Zool. Atl. III, 1829, p. 8. — Cast. Hist. Nat. II, 1840, p. 201.

Subgen. *Blapylis* Horn, Revis. Tenebr. 1870, p. 301. — Blaisd. Mon. p. 34, 34, 35, 306.

Subgen. *Discogenia* Lec. New spec. Col. 1866, p. 117. — Horn, Revis. Tenebr. 1870, p. 319. — Lec. and Horn, Class. Col. N. Amer. 1883, p. 374. — Blaisd. Mon. p. 33, 35, 434.

Subgen. *Eleodes* s. str. Blaisd. Mon. p. 34, 34, 35, 183.

Subgen. *Heteropromus* Blaisd. Mon. p. 33, 35, 179.

Subgen. *Litheleodes* Blaisd. Mon. p. 34, 34, 35, 114.

Subgen. *Melaneleodes* Blaisd. Mon. p. 33, 34, 35, 36.

Subgen. *Metablapylis* Blaisd. Mon. p. 34, 34, 35, 391, t. 6, f. 16.

Subgen. *Promus* Lec. Class. Col. N. Amer. 1862, p. 226. — Horn, Revis. Tenebr. 1870, p. 302, 318. — Blaisd. Mon. p. 34, 34, 35, 152.

Subgen. *Pseudeleodes* Blaisd. Mon. p. 34, 35, 146.

Subgen. *Steneleodes* Blaisd. Mon. p. 33, 34, 35, 409.

Subgen. *Tricheleodes* Blaisd. Mon. p. 34, 35, 138.

acuta Say, Journ. Acad. Phil. III, 1823, p. 258; Amer. Entom. I, 1824, t. 16. — Lec. Compl. Writings Th. Say I, 1859, p. 31; Proc. Acad. Phil. 1858, p. 181. — Horn, Revis. Tenebr. 1870, p. 306. — Blaisd. Mon. p. 185, 185, 195, t. 1, f. 17 (*Eleodes* s. str.). — Kansas bis Texas

acuticauda Lec. Ann. Lyc. V, 1851, p. 135; Proc. Acad. Phil. 1858, p. 181. — Horn, Revis. Tenebr. 1870, p. 304, 314. — Blaisd. Mon. p. 234, 276, 278, t. 3, f. 7, 8, t. 11, f. 3 (*Eleodes* s. str.). — Californien

f. *punctata* Blaisd. Mon. p. 278. — ,,

var. *laticollis* Lec. l. c. p. 135. — Blaisd. Mon. p. 234, 280, 282, t. 3, f. 12, t. 11, f. 2. — ,,

f. *minor* Blaisd. Mon. p. 283.

aequalis Say, Bost. Journ. Nat. Hist. I, 1835, p. 185. — Lec. Compl. Writ. Th. Say II, 1859, p. 657 (*Eleodes* s. str.). — Mexico

? *alutacea* Sol. Studi ent. II, 1848, p. 237 (91), 240 (94).

Maillei Sol. l. c. p. 237 (91), 247 (101).

amaura Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 514 (*Eleodes* s. str.). — ,,

maura Champ. l. c. 1884, p. 81, t. 4, f. 4, 5.

ampla Blaisd. Mon. p. 40, 53, t. 4, f. 27, t. 10, f. 7, 8 (*Melaneleodes*). — Arizona, Neu-Mexico etc.

var. *dolosa* Blaisd. Mon. p. 40, 57.

angulata Eschsch. Zool. Atl. III, 1829, p. 9 (*Blapylis*). — Mexico

angusta Eschsch. l. c. p. 13. — Sol. Studi Ent. II, 1848, p. 237 (91), 248 (102). — Champ. Biol. Centr.-Amer. Col. IV, 1, t. 4, f. 12 (*Eleodes* s. str.). — ,,

arcuata Cas. Contr. Col. N. Amer. I, 1884, p. 47; Ann. N. York. Acad. V, 1890, p. 395. — Blaisd. Mon. p. 116, t. 4, f. 25, t. 11, f. 19 (*Litheleodes*). — Arizona

armata Lec. Ann. Lyc. N. York V, 1851, p. 134; Arcan. Nat. 1859, p. 125, t. 12, f. 2; Proc. Acad. Phil. 1858, p. 181. — Horn, Revis. Tenebr. 1870, p. 303, 310. — Blaisd. Mon. p. 234, 259, t. 1, f. 18, t. 10, f. 38, 39 (*Eleodes* s. str.). — Colorado, Arizona, Californien

var. *impotens* Blaisd. Ent. News VI, 1895, p. 236; Mon. p. 234, 263, t. 10, f. 37. — ,,

Blanchardi Blaisd. Mon. p. 312, 339, t. 6, f. 1 *(Blapylis)*. — ,,

blaptoides Eschsch. Zool. Atl. III, 1829, p. 12. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 78 (*Eleodes* s. str.). — Mexico

brevicollis Gemm. und Har. Catal. 1870, p. 1868. — ,,

obsoleta Sol. Studi Ent. II, 1848, p. 237 (91), 238 (92).

calcarata Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 86, t. 4, f. 15 *(Blapylis)*. — ,,

carbonaria Say, Journ. Acad. Phil. III, 1823, p. 260. — Lec. Compl. Writings Th. Say II, 1859, p. 125; Proc. Acad. Phil. 1858, p. 181. — Horn, Revis. Tenebr. 1870, p. 303, 308. — Cas. Ann. N. Y. Acad. Sc. V, 1890, p. 395. — Blaisd. Mon. p. 40, 45, t. 3, f. 16; t. 10, f. 10 *(Melaneleodes)*. — Colorado, Neu-Mexico, Arizona, Texas

immunis Lec. Proc. Acad. Phil. 1858, p. 186.

f. *glabra* Blaisd. Mon. p. 47, 48, t. 10, f. 9.

f. *interstitialis* Blaisd. Mon. p. 47, 48.

var. *soror* Lec. Proc. Acad. Phil. 1858, p. 185. — Blaisd. Mon. p. 40, 50, t. 10, f. 11. — Texas

Caseyi Blaisd. Mon. p. 313, 388, t. 6, f. 3; t. 12, f. 12 *(Blapylis)*. — Nevada, Californien

caudifera Lec. Proc. Acad. Phil. 1858, p. 184. — Horn, Revis. Tenebr. 1870, p. 304, 314. — Blaisd. Mon. p. 212, 212, 225, t. 4, f. 7; t. 10, f. 29, 30 (*Eleodes* s. str.). — Colorado, Arizona, Texas, Neu-Mexico

f. *glabra* Blaisd. Mon. p. 228. — Texas, Arizona

f. *scabra* Blaisd. Mon. p. 228. — Neu-Mexico

f. *sublaevis* Blaisd. Mon. p. 228. — Arizona

chihuahuensis Champ. Biol. Centr.-Am. Col. IV, 1, 1884, p. 86, t. 4, f. 14 (*Eleodes* s. str.). — Mexico

clavicornis Eschsch. Zool. Atl. III, 1829, p. 11. — Mannerh. Bull. Mosc. XVI, 1843, p. 269. — Lec. Proc. Acad. Phil. 1858, p. 182. — Horn, Revis. Tenebr. 1870, p. 304, 315. — Blaisd. Mon. p. 312, 371, t. 4, f. 11; t. 8, f. 6; t. 11, f. 38 *(Blapylis)*. — Californien

impressicollis Bohem. Freg. Eugen. Resa Ins. 1858, p. 90.

Biologie: Puppe: Blaisd. Mon. p. 500, t. 13, f. 1—3.

coarctata Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 91 *(Blapylis)*. — Mexico

connata Sol. Studi ent. II, 1848, p. 237 (91), 243 (97) (*Eleodes* s. str.). — ,,

consobrina Lec. Ann. Lyc. N. York V, 1851, p. 135. — Horn, Revis. Tenebr. 1870, p. 304, 316. — Blaisd. Mon. p. 312, 333, t. 4, f. 9, 10; t. 12, f. 3 *(Blapylis)*. — Californien

Veseyi Lec. Proc. Acad. Phil. 1858, p. 187.

cordata Eschsch. Zool. Atl. III, 1829, p. 12, t. 14, f. 6. — Mannerh. Bull. Mosc. XVI, 1843, p. 274. — Sol. Studi Ent. II, 1848, p. 237 (91), 250 (104), — ,, Oregon

t. 10, f. 18. — Lec. Proc. Acad. Phil. 1858, p. 182. — Horn, Revis. Tenebr. 1870, p. 304, 317. — Blaisd. Mon. p. 313, 379, t. 4, f. 6; t. 7, f. 1—4, 6; t. 12, f. 10 *(Blapylis)*.

intricata Mannerh. Bull. Mosc. XVI, 1843, II, p. 273.

stricta Lec. Entom. Report 1857, p. 50.

tuberculata Eschsch. Zool. Atl. III, 1829, p. 12. — Mannerh. Bull. Mosc. XVI, 1843, p. 274.

f. *elongata* Blaisd. Mon. p. 383. — Südcalifornien

f. *intermedia* Blaisd. Mon. p. 381. — Nördl. Californien

f. *oblonga* Blaisd. Mon. p. 383. — Californien

f. *sublaevis* Blaisd. Mon. p. 381. — „

var. *rotundipennis* Lec. Entom. Report 1857, p. 50. — Blaisd. Mon. p. 312, 384, t. 12, f. 5, 6. — Oregon, Washington

cuneaticollis Cas. Ann. N. Y. Acad. V, 1890, p. 397. — Blaisd. Mon. p. 40, 91, t. 3, f. 18, t. 10, f. 21 *(Melaneleodes)*. — Californien

curta Champ. Biol. Centr.-Am. Col. IV, 1, 1884, p. 82, t. 4, f. 8 (*Eleodes* s. str.). — Mexico

debilis Lec. Proc. Acad. Phil. 1858, p. 185. — Horn, Revis. Tenebr. 1870, p. 308. — Cas. Ann. N. Y. Acad. V, 1890, p. 396. — Blaisd. Mon. p. 40, 41, t. 4, f. 26, t. 10, f. 1 *(Melaneleodes)*. — Neu-Mexico, Arizona, Texas

dentipes Eschsch. Zool. Atl. III, 1829, p. 10, t. 14, f. 4. — Guér. Mag. Zool. 1834, p. 31, t. 117. — Mannerh. Bull. Mosc. XVI, 1843, p. 267. — Cast. Hist. Nat. II, 1840, p. 201. — Sol. Studi ent. II, 1848, p. 238 (92), 252 (106). — Lec. Proc. Acad. Phil. 1858, p. 181. — Horn, Revis. Tenebr. 1870, p. 304, 314. — Blaisd. Mon. p. 234, 251, 254, t. 3, f. 9—11; t. 6, f. 18, 19; t. 8, f. 1, 3, 10—13, 15—17; t. 9, f. 5, 6, 11, 12; t. 10, f. 33—35; t. 13, f. 5, 8—11, 15, 17, 18 (*Eleodes* s. str.). — Californien

f. *confinis* Blaisd. Ent. News VI, 1895, p. 237; Mon. p. 255, t. 3, f. 13; t. 10, f. 36. — Californien

f. *elegans* Cas. Ann. N. Y. Acad. V, 1890, p. 401. — Blaisd. Mon. p. 255. — „

f. *elongata* Blaisd. Mon. p. 254. — „

f. *elongata-laevis* Blaisd. Mon. p. 254. — „

f. *elongata-punctata* Blaisd. Mon. p. 254. — „

f. *pertenuis* Blaisd. Mon. p. 253. — „

f. *prominens* Cas. Ann. N. Y. Acad. V, 1890, p. 401. — Blaisd. Mon. p. 254. — „

f. *robusta* Blaisd. Mon. p. 255.

Biologie: Larve: Gissler, Bull. Brookl. Soc. I, 1880, p. 19, f. 4, 5. — Blaisd. Mon. p. 494, 495, 496, 497, t. 13, f. 4—14.

Anatomie etc.: Gissler, Psyche II, 1879, p. 209, f. 10.

dilaticollis Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 83, 515, t. 4, f. 10 (*Eleodes* s. str.). — Mexico

dissimilis Blaisd. Mon. p. 393, 393, 398, t. 5, f. 12; t. 12, f. 17 *(Metablapylis)*. — Arizona

var. *nevadensis* Blaisd. Mon. p. 393, 393, 402, t. 5, f. 11; t. 12, f. 16. — Nevada, Arizona

distincta Sol. Studi ent. II, 1848, p. 237 (91), 239 (93) *(Blapylis)*. — Mexico

elongatula Eschsch. Zool. Atl. III, 1829, p. 13 (*Eleodes* s. str.). — ,,

erratica Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 87, t. 4, f. 16 *(Blapylis)*. — ,,

Eschscholtzi Sol. Studi ent. II, 1848, p. 238 (92), 254 (108). — Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 77, t. 3, f. 24. — Blaisd. Mon. p. 235, 285, t. 11, f. 5 (*Eleodes* s. str.). — Mexico, Texas

var. *lucae* Lec. New spec. Col. 1866, p. 114. — Horn, Revis. Tenebr. 1870, p. 303, 312. — Blaisd. Mon. p. 235, 289, t. 1, f. 21, t. 11; f. 4. — Cap S. Lucas

f. *ecaudata* Blaisd. Mon. p. 291. — ,,

f. *grandis* Blaisd. Mon. p. 291. — ,,

f. *inflata* Blaisd. Mon. p. 291, t. 1, f. 22. — ,,

exarata Champ. Biol. Centr.-Am. Col. IV, 1, 1884, p. 78, t. 4, f. 3 *(Eleodes* s. str.). — Mexico

extricata Say, Journ. Ac. Phil. III, 1823, p. 261. — Lec. Proc. Acad. Phil. 1858, p. 181. — Horn, Revis. Tenebr. 1870, p. 303, 309. — Cas. Contrib. Col. N. Amer. I, 1884, p. 48. — Blaisd. Mon. p. 116, 121, t. 1, f. 12, t. 11; f. 20, 21 *(Litheleodes)*. — Kansas, Nebraska, Colorado, Texas, Utah, Britisch Amerika

cognata Haldem. Stansbury Explor. Append. C, 1852, p. 376. — Cas. Ann. N. Y. Acad. V, 1890, p. 395. — Amerika

f. *cognata typica* Blaisd. Mon. p. 123. — Arizona, Utah

f. *cognata punctata* Blaisd. Mon. p. 123. — Colorado, N. Mexico

f. *convexicollis* Blaisd. Mon. p. 123. — Wyoming, Montana

f. *elongata* Blaisd. Mon. p. 123. — Arizona

var. *arizonensis* Blaisd. Mon. p. 116, 125. — ,,

Forreri Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 88, 516, t. 4, f. 18 *(Blapylis)*. — Mexico

Fuchsi Blaisd. Mon. p. 312, 343, t. 12, f. 9 *(Blapylis)*. — Californien

fusiformis Lec. Proc. Acad. Phil. 1858, p. 184. — Horn, Revis. Tenebr. 1870, p. 304, 318. — Blaisd. Mon. p. 156, 172, t. 4, f. 3; t. 11, f. 14 *(Promus)*. — Nebraska, Kansas, Texas etc.

gigantea Mannerh. Bull. Mosc. XVI, 1843, II, p. 267; Mag. Zool. 1843, t. 127. — Lec. Proc. Acad. Phil. 1858, p. 181. — Lacord. Genera Col. V, Atl. 1859, t. 51, f. 1. — Horn, Revis. Tenebr. 1870, p. 303, 312. — Blaisd. Mon. p. 411, 412, t. 1, f. 4—6; t. 12, f. 19—20 *(Steneleodes)*. — Californien

var. *estriata* Cas. Ann. N. Y. Acad. V, 1890, p. 398, VII, 1893, p. 597. — Blaisd. Mon. p. 412, 421, t. 12, f. 21.

var. *gentilis* Lec. Proc. Acad. Phil. 1858, p. 187. — Horn, Revis. Tenebr. 1870, p. 303, 311. — Blaisd. Mon. p. 412, 416, t. 12, f. 36. — ,,

Biologie: Larve: Gissler, Bull. Brookl. Soc. I, 1880, p. 19, f. 4, 5. — Blaisd. Mon. p. 496.

Anatomie etc.: Gissler, Psyche II, 1879, p. 209, fig.

glabricollis Champ. Biol. Centr.-Am. Col. IV, 1, 1884, p. 85, 515 *(Eleodes* s. str.). — Mexico

Goryi Sol. Studi ent. II, 1848, p. 237 (91), 251 (105), t. 10, f. 14—17, 19. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 93, t. 4, f. 25. — Blaisd. Mon. p. 156, 164, t. 4, f. 5; t. 11, f. 16 *(Promus)*. Mexico, Neu-Mexico, Texas

seriata Lec. Proc. Acad. Phil. 1858, p. 185. — Horn, Revis. Tenebr. 1870, p. 319.

gracilis Lec. Proc. Acad. Phil. 1858, p. 184. — Horn, Revis. Tenebr. 1870, p. 303, 312. — Blaisd. Mon. p. 235, 237, t. 4, f. 19; t. 10, f. 32 *(Eleodes* s. str.). Neu-Mexico, Arizona etc.

var. *distans* Blaisd. Mon. p. 235, 242, t. 5, f. 19; t. 12, f. 34. Californien

grandicollis Mannerh. Bull. Mosc. XVI, 1843, II, p. 266; Mag. Zool. XIV, 1844, t. 130. — Horn, Revis. Tenebr. 1870, p. 303, 312. — Blaisd. Mon. p. 207, t. 1, f. 8; t. 11, f. 11 *(Eleodes* s. str.). ,,

f. *valida* Bohem. Freg. Eug. Resa Ins. 1858, p. 90. — Blaisd. Mon. p. 208. Süd-Californ., Arizona

granosa Lec. New Spec. Col. 1866, p. 116. — Horn, Revis. Tenebr. 1870, p. 304, 314, t. 14, f. 17. — Blaisd. Mon. p. 147, t. 4, f. 13; t. 11, f. 31, 32 *(Pseudeleodes)*. Californien, Nevada

forma fortis Blaisd. 1909 p 150

granulata Lec. Entom. Report 1857, p. 50.[1] — Horn, Revis. Tenebr. 1870, p. 303, 309. — Blaisd. Mon. p. 116, 127, t. 4, f. 28 *(Litheleodes)*. Oregon, Californien

?*subaspera* Sol. Studi ent. II, 1848, p. 237 (91), 246 (100).

subtuberculata Walk. Natur. Vancouver 1866, II, p. 328.

f. *aspera* Lec. New spec. Col. 1866, p. 115. — Blaisd. Mon. p. 131. Neu-Mexico

f. *obtusa* Lec. Proc. Ac. Phil. 1861, p. 352. — Blaisd. Mon. p. 131.

f. *tuberculata* Blaisd. Mon. p. 131, t. 11, f. 22.

gravida Eschsch. Zool. Atl. III, 1829, p. 9. — Guér. Mag. Zool. 1834, p. 30, t. 116. — Cast. Hist. Nat. II, 1840, p. 201. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 91 *(Blapylis)*. Mexico

Hepburni Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 88 *(Blapylis)*. ,,

hirsuta Lec. Proc. Acad. Phil. 1861, p. 352. — Horn, Revis. Tenebr. 1870, p. 304, 315. — Blaisd. Mon. p. 138, 139, t. 11, f. 30 *(Tricheleodes)*. Californien, Nevada

hispilabris Say, Journ. Ac. Phil. III, 1823, p. 259; Amer. Entom. I, 1824, p. 32, t. 16. — Lec. Complete Writ. Th. Say I, 1859, p. 32, II, 1859, p. 152. — Horn, Revis. Tenebr. 1870, p. 313. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 79. — Blaisd. Mon. p. 212, 217, t. 3, f. 19; t. 10, f. 26. Colorado, Kansas, Neu-Mexico, Texas, Mexico

Lecontei Gemm. Col. Hefte VI, 1870, p. 122.

sulcata Lec. Proc. Acad. Phil. VI, 1852, p. 67; 1858, p. 181.

f. *composita* Cas. Ann. N. York Acad. VI, 1891, p. 58. — Blaisd. Mon. p. 221. Texas

f. *convexa* Lec. Ent. Rep. 1857, p. 49. — Blaisd. Mon. p. 220. ,,

f. *elongata* Blaisd. Mon. p. 220. Arizona

f. *laevis* Blaisd. Mon. p. 220. Washington, Utah

f. *nupta* Lec. Proc. Acad. Phil. 1858, p. 183. — Blaisd. Mon. p. 220. — Texas

f. *sculptilis* Blaisd. Mon. p. 220. — Arizona etc.

Hoegei Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 91, t. 4, f. 23 *(Blapylis)*. — Mexico

Hoppingi Blaisd. Mon. p. 312, 368, t. 6, f. 2 *(Blapylis)*. — Californien

Horni Blaisd. Mon. p. 312, 350, t. 5, f. 15; t. 12, f. 1, 33 *(Blapylis)*. — ,,

humeralis Lec. Entom. Report 1857, p. 50; Proc. Acad. Phil. 1858, p. 182. — Horn, Revis. Tenebr. 1870, p. 303, 309. — Blaisd. Mon. p. 41, 95, t. 3, f. 17; t. 10, f. 19 *(Melaneleodes)*. — Washington, Oregon, Nördliches Californien

latiuscula Walk. Natur. Vancouver 1866, II, p. 329. — Idaho

f. *granulato-muricata* Blaisd. Mon. p. 97, t. 10, f. 20. — Nevada, Utah

f. *tuberculo-muricata* Blaisd. Mon. p. 97. — Colorado

impolita Say, Boston Journ. Nat. Hist. I, 1835, p. 183. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 90, t. 4, f. 22 *(Blapylis)*. — Mexico

Aubei Sol. Studi ent. II, 1848, p. 237 (91), 245 (99).

inculta Lec. Proc. Acad. Phil. 1861, p. 352. — Horn, Revis. Tenebr. 1870, p. 315. — Blaisd. Mon. p. 311, 329, t. 5, f. 13; t. 11, f. 34 *(Blapylis)*. — Californien

innocens Lec. New spec. Col. 1866, p. 114. — Horn, Revis. Tenebr. 1870, p. 303, 312. — Blaisd. Mon. p. 412, 429, t. 4, f. 20, 21; t. 12, f. 24 *(Steneleodes)*. — Nieder-Californien

insularis Linell, Proc. Ent. Soc. Wash. IV, 1901 (1899), p. 181. — Blaisd. Mon. p. 156, t. 4, f. 22; t. 11, f. 12 *(Promus)*. — ,,

Knausi Blaisd. Mon. p. 40, 67, t. 4, f. 24; t. 10, f. 15, 16 *(Melaneleodes)*. — Neu-Mexico

laevigata Sol. Studi Ent. II, 1848, p. 237 (91), 244 (98). — Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, t. 4, f. 19 *(Blapylis)*. — Mexico, Guatemala

Lecontei Horn, Revis. Tenebr. 1870, p. 304, 316. — Blaisd. Mon. p. 311, 321, t. 5, f. 21 *(Blapylis)*. — Colorado

subaspera Lec. N. spec. Col. 1866, p. 115.

Letcheri Blaisd. Mon. p. 116, 133, t. 3, f. 5, 6; t. 11, f. 25, 26 *(Litheleodes)*. — Nevada

var. *Vandykei* Blaisd. Mon. p. 116, 136. — Californien

f. *parvula* Blaisd. Mon. p. 137, t. 11, f. 23, 24. — ,,

longicollis Lec. Ann. Lyc. V, 1851, p. 134; Proc. Acad. Phil. 1858, p. 181. — Horn, Revis. Tenebr. 1870, p. 303, 311. — Blaisd. Mon. p. 411, 425, t. 1, f. 7; t. 8, f. 22, 23; t. 12, f. 22, 23 *(Steneleodes)*. — Arizona, Neu-Mexico, Texas etc.

Haydeni Lec. Proc. Acad. Phil. 1858, p. 186.

longicornis Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 87, 516, t. 4, f. 17 *(Blapylis)*. — Mexico

longipilosa Horn, Trans. Amer. Ent. Soc. XVIII, 1891, p. 42, t. 1, f. 13. — Blaisd. Mon. p. 212, 212, 230, t. 4, f. 23; t. 10, f. 31 *(Eleodes* s. str.). — Nevada, Californien

macrura Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 511. — Mexico

marginata Eschsch. Zool. Atl. III, 1829, p. 10. — Mannerh. Rev. Zool. 1840, p. 137; Bull. Mosc. XVI, 1843, II, p. 268; Lec. Proc. Acad. Phil. 1858, p. 182; New spec. Col. 1866, p. 117. — Californien

Horn, Revis. Tenebr. 1870, p. 320. — Blaisd. Mon. p. 435, 435, 436, t. 2, f. 11—13; t. 6, f. 20, t. 12, f. 25 *(Discogenia)*.

Fischeri Mannerh. l. c. p. 137; l. c. p. 269:

maura Say, Bost. Journ. Nat. Hist. I, 1835, p. 184. — Lec. Complete Writ. Th. Say II, 1859, p. 656. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 81, t. 4, f. 4, 5 *(Eleodes* s. str.). — Mexico

elongatula Sol. Studi ent. II, 1848, p. 237 (91) 242 (96).

melanaria Eschsch. Zool. Atl. III, 1829, p. 13. — Sol. Studi Ent. II, 1848, p. 237 (91), 241 (95) *Blapylis)*. — „

militaris Horn, Revis. Tenebr. 1870, p. 303, 310. — Blaisd. Mon. p. 234, 267, t. 1, f. 20; t. 10, f. 40 *(Eleodes* s. str.). — Nieder-Californien, Arizona

f. *subedentata* Blaisd. Mon. p. 270.

var. *femorata* Lec. Ann. Lyc. N. York V, 1851, p. 134; Proc. Acad. Phil. 1858, p. 181. — Horn, Revis. Tenebr. 1870, p. 303, 311. — Blaisd. Mon. p. 234, 272. — Californien

montana Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 86 *(Blapylis)*. — Mexico

neotomae Blaisd. Mon. p. 312, 347, t. 4, f. 2; t. 12, f. 2 *(Blapylis)*. — Californien

nigrina Lec. Proc. Acad. Phil. 1858, p. 186. — Horn, Revis. Tenebr. 1870, p. 303, 313. — Blaisd. Mon. p. 393, 393, 393, t. 1, f. 1—3; t. 6, f. 16, 17, t. 12, f. 13, 14 *(Metablapylis)*. — Oregon, Arizona, Colorado etc.

var. *perlonga* Blaisd. Mon. p. 393, 393, 398, t. 12, f. 15. — Wyoming

nitida Cas. Ann. N. York Ac. VI, 1891, p. 58. — Blaisd. Mon. p. 493 *(Eleodes* s. str.). — Arizona

obliterata Say, Bost. Journ. Nat. Hist. I, 1835, p. 184. — Mexico

obscura Say, Journ. Acad. Phil. III, 1823, p. 259; Amer. Entomol. I, 1824, p. 32, t. 16, f. 3. — Lec. Complete Writ. Th. Say I, 1859, p. 32; Proc. Acad. Phil. 1858, p. 181. — Horn, Revis. Tenebr. 1870, p. 302, 305. — Blaisd. Mon. p. 185, 185, 187, 190, 193, t. 1, f. 13; t. 8, f. 8, 9, 14; t. 10, f. 25 *(Eleodes* s. str.). — Colorado, Wyoming, Washington, Neu-Mexico, Oregon

conjuncta Walk. Natur. Vancouver 1866, II, p. 329.

convexicollis Walk. l. c. p. 328.

f. *deleta* Lec. Proc. Acad. Phil. 1858, p. 182. — Blaisd. Mon. p. 194. — Neu-Mexico

var. *arata* Lec. l. c. p. 182. — Blaisd. Mon. p. 194.

var. *dispersa* Lec. l. c. p. 182. — Horn, Revis. Tenebr. 1870, p. 305. — Blaisd. Mon. p. 190, 191, t. 1, f. 15. — Arizona, Colorado etc.

var. *sulcipennis* Mannerh. Bull. Mosc. XVI, 1843, II, p. 266; Mag. Zool. XIII, 1843, t. 128. — Lec. Proc. Acad. Phil. 1858, p. 182; Entom. Report 1857, p. 50. — Horn, Revis. Tenebr. 1870, p. 306. — Blaisd. Mon. p. 190, 194, t. 1, f. 16; t. 4, f. 15; t. 8, f. 4, 8, 9, 14. — Arizona, Idaho, Oregon, nördliches Californien

obsoleta Say, Journ. Acad. Phil. III, 1823, p. 261. — Lec. Compl. Writ. Th. Say II, 1859, p. 153. — Horn, Revis. Tenebr. 1870, p. 303, 308. — Blaisd. Mon. p. 40, 58, t. 3, f. 1—4, 15; t. 10, f. 13, 14 *(Eleodes* s. str.). — von Kansas bis Neu-Mexico

f. *annectans* Blaisd. Mon. p. 60.	Colorado
f. *glabra* Blaisd. Mon. p. 60.	Arizona
— f. *punctata* Blaisd. Mon. p. 60.	Neu-Mexico, Colorado
var. *porcata* Casey, Ann. N. Y. Acad. V, 1890, p. 396. — Blaisd. Mon. p. 40, 63, t. 3, f. 14; t. 10, f. 12.	Arizona, Neu-Mexico
olida Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 516 *(Blapylis)*.	Mexico
omissa Lec. Proc. Acad. Phil. 1858, p. 186. — Horn, Revis. Tenebr. 1870, p. 308. — Blaisd. Mon. p. 40, 72, 73, t. 2, f. 3, 4; t. 10, f. 2—4 *(Melaneleodes)*.	Californien
interrupta Blaisd. Ent. News III, 1892, p. 241.	
f. *catalinae* Blaisd. Mon. p. 73.	
f. *communis* Blaisd. Mon. p. 73, t. 2, f. 2.	,,
f. *emarginata* Blaisd. Mon. p. 74.	,,
var. *peninsularis* Blaisd. Mon. p. 40, 79.	Nieder-Californien
var. *pygmaea* Blaisd. Mon. p. 40, 77, t. 2, f. 9, 10; t. 10, f. 5, 6.	Süd-Californien
f. *borealis* Blaisd. Mon. p. 79.	
opaca Say, Journ. Acad. Phil. III, 1823, p. 262. — Lec. Proc. Acad. Phil. 1858, p. 182; Class. Col. N. Amer. 1861, p. 226. — Horn, Revis. Tenebr. 1870, p. 318. — Blaisd. Mon. p. 156, 175, t. 4, f. 4, t. 11, f. 17 *(Promus)*.	Texas, Nebraska, Kansas, Colorado
parvicollis Eschsch. Zool. Atl. III, 1829, p. 11. — Mannerh. Bull. Mosc. XVI, 1843, p. 271. — Lec. Proc. Acad. Phil. 1858, p. 182. — Horn, Revis. Tenebr. 1870, p. 304, 317. — Blaisd. Mon. p. 312, 354, t. 5, f. 4; t. 7, f. 5; t. 12, f. 7 *(Blapylis)*.	Californien
f. *farallonica* Blaisd. Mon. p. 356.	
var. *constricta* Lec. Proc. Acad. Phil. 1858, p. 187. — Blaisd. Mon. p. 312, 365.	,,
var. *planata* Eschsch. Zool. Atl. III, 1829, p. 12. — Mannerh. Bull. Mosc. XVI, 1843, p. 270. — Blaisd. Mon. p. 312, 359.	,,
var. *producta* Mannerh. Bull. Mosc. XVI, 1843, II, p. 271. — Blaisd. Mon. p. 312, 362, t. 12, f. 8.	,,
pedinoides Lec. Proc. Acad. Phil. 1858, p. 183. — Horn, Revis. Tenebr. 1870, p. 303, 307. — Blaisd. Mon. p. 41, 109, t. 1, f. 11; t. 10, f. 24 *(Melaneleodes)*.	Texas
f. *asperata* Lec. Proc. Ac. Phil. 1858, p. 183.	
var. *neomexicana* Blaisd. Mon. p. 41, 113, t. 10, f. 23.	Neu-Mexico
peropaca Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 517 *(Blapylis)*.	Mexico
pilosa Horn, Revis. Tenebr. 1870, p. 304, 314. — Blaisd. Mon. p. 138, 142, t. 4, f. 14; t. 11, f. 27—29 *(Tricheleodes)*.	Californien, Nevada, Oregon etc.
f. *ordinata* Blaisd. Mon. p. 143.	
pimeloides Mannerh. Bull. Mosc. XVI, 1843, II, p. 274; Mag. Zool. XIII, 1843, t. 129. — Lec. Proc. Acad. Phil. 1858, p. 182. — Horn, Revis. Tenebr. 1870, p. 304, 318. — Blaisd. Mon. p. 313, 384, t. 5, f. 5; t. 12, f. 11 *(Blapylis)*.	Californien, Washington, Nevada, Montana etc.
subligata Lec. Entom. Report 1857, p. 50.	

viator Lec. Proc. Acad. Phil. 1858, p. 188; 1873, p. 313.

var. *brunnipes* Cas. Ann. N. Y. Acad. V, 1890, p. 402. — Blaisd. Mon. p. 313, 386. — Idaho, Wyoming etc.

planipennis Lec. New spec. Col. 1866, p. 116. — Horn, Revis. Tenebr. 1870, p. 304, 316. — Blaisd. Mon. p. 435, 445, t. 5, f. 6; t. 9, f. 7; t. 12, f. 27 *(Discogenia)*. — Neu-Mexico, Arizona, Colorado

polita Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 513 (*Eleodes* s. str.). — Mexico

ponderosa Champ. l. c. 1884, p. 84, 515, t. 4, f. 11 (*Eleodes* s. str.). — ,,

quadricollis Eschsch. Zool. Atl. III, 1829, p. 12, t. 14, f. 5. — Mannerh. Bull. Mosc. XVI, 1843, p. 268. — Lec. Proc. Acad. Phil. 1858, p. 181. — Horn, Revis. Tenebr. 1870, p. 303, 308. — Cas. Ann. N. Y. Acad. V, 1890, p. 395. — Blaisd. Mon. p. 40, 81, t. 2, f. 8; t. 8, f. 7, 20, 21; t. 10, f. 17, 18 *(Melaneleodes)*. — Californien

f. *tarsalis* Cas. Ann. N. York Acad. V, 1890, p. 399; VII, 1893, p. 597. — Blaisd. Mon. p. 85, t. 2, f. 5—7.

var. *anthracina* Blaisd. Mon. p. 40, 87. — Arizona

var. *lustrans* Blaisd. Mon. p. 40, 89. — ,,

Biologie: Cooke and Riley, Bull. Dep. Agr. Ent. IV, 1884, p. 90.

reflexicollis Mannerh. Bull. Mosc. XVI, 1843, II, p. 270. — Blaisd. Mon. p. 494. — Californien

Rileyi Cas. Ann. N. Y. Acad. VI, 1892, p. 57. — Blaisd. Mon. p. 41, 100 *(Melaneleodes)*. — Arizona

rotundicollis Eschsch. Zool. Atl. III, 1829, p. 9. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 82, t. 4, f. 6, 7 (*Eleodes* s. str.). — Mexico

? *parva* Say, Bost. Journ. Nat. Hist. I, 1835, p. 186. — Lec. Complete Writ. Th. Say II, 1859, p. 658.

rugosa Perbosc, Rev. Zool. 1839, p. 263. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 77 (*Eleodes* s. str.). — ,,

caudata Sol. Studi Ent. II, 1848, p. 238 (92), 255 (109).

ruida Say, Bost. Journ. Nat. Hist. I, 1835, p. 183. — Lec. Compl. Writ. Th. Say II, 1859, p. 656. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 84, t. 3, f. 25 (*Eleodes* s. str.). — ,,

coriacea Sol. Studi Ent. II, 1848, p. 237 (91), 249 (103).

Sallaei Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 89, t. 4, f. 21 *(Blapylis)*. — ,,

scabricula Lec. Proc. Acad. Phil. 1858, p. 187. — Horn, Revis. Tenebr. 1870, p. 320. — Blaisd. Mon. p. 435, 435, 440, t. 4, f. 1; t. 8, f. 18, 19; t. 9, f. 8, 9; t. 12, f. 26 *(Discogenia)*. — Californien

scabripennis Lec. Proc. Acad. Phil. 1859, p. 77. — Horn, Revis. Tenebr. 1870, p. 304, 315. — Blaisd. Mon. p. 312, 338 *(Blapylis)*. — ,,

scabrosa Eschsch. Zool. Atl. III, 1829, p. 11. — Mannerh. Bull. Mosc. XVI, 1843, II, p. 272. — Lec. Proc. — ,,

Acad. Phil. 1858, p. 182. — Horn, Revis. Tenebr. 1870, p. 317. — Blaisd. Mon. p. 310, 311, 312, 375, t. 5, f. 22; t. 8, f. 5; t. 11, f. 4 *(Blapylis)*.

scapularis Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 81 (*Eleodes* s. str.). — Mexico

Schwarzi Blaisd. Mon. p. 393, 393, 406, t. 5, f. 10; t. 12, f. 18 *(Metablapylis)*. — Washington

segregata Champ. l. c. 1892, p. 513 (*Eleodes* s. str.). — Mexico

Snowi Blaisd. Mon. p. 311, 317, t. 4, f. 12; t. 11, f. 35, 36 *(Blapylis)*. — Colorado Arizona etc.

Solieri Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 89, t. 4, f. 20 *(Blapylis)*. — Mexico

? *celsa* Say, Bost. Journ. Nat. Hist. I, 1835, p. 185. — Lec. Compl. Writ. Th. Say II, 1859, p. 657.

spinipes Sol. Studi ent. II, 1848, p. 238 (92), 253 (107). — Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 77, t. 4, f. 2 (*Eleodes* s. str.). — „

Spinolae Sol. Studi Ent. II, 1848, p. 238 (92), 253 (107) *(Blapylis)*. — Mexico

sponsa Lec. Proc. Acad. Phil. 1858, p. 184. — Horn, Revis. Tenebr. 1870, p. 304, 313. — Blaisd. Mon. p. 212, 212, 213, t. 4, f. 8; t. 10, f. 27, 28 (*Eleodes* s. str.). — Colorado, Texas, Neu-Mexico, Vancouver

binotata Walk. Natur. Vancouver 1866, II, p. 329.

f. *convexa* Blaisd. Mon. p. 215.

stolida Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 92 *(Blapylis)*. — Mexico

striata Guér. Mag. Zool. 1834, Mélas. p. 30. — Cast. Hist. Nat. II, 1840, p. 202. — „

striolata Lec. Proc. Acad. Phil. 1858, p. 185. — Horn, Revis. Tenebr. 1870, p. 305, 319. — Blaisd. Mon. p. 156, 168, t. 5, f. 2; t. 11, f. 15 *(Promus)*. — Texas, Mexico

subcylindrica Cas. Ann. N. Y. Acad. V, 1890, p. 400. — Blaisd. Mon. p. 235, 246 (*Eleodes* s. str.). — Arizona

subnitens Lec. Ann. Lyc. N. York V, 1851, p. 134. — Horn, Revis. Tenebr. 1870, p. 304, 319. — Blaisd. Mon. p. 156, 161, t. 5, f. 3; t. 11, f. 13 *(Promus)*. — „

subpinguis Blaisd. Mon. p. 234, 247, t. 5, f. 18; t. 12, f. 35 (*Eleodes* s. str.). — Texas

sulcata Eschsch. Zool. Atl. III, 1829, p. 9. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 92, t. 4, f. 24 *(Blapylis)*. — Mexico

sulcatula Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 83, 514, t. 4, f. 9 (*Eleodes* s. str.). — „

suturalis Say, Journ. Acad. Phil. III, 1823, p. 257; Amer. Ent. I, 1824, t. 16. — Lec. Compl. Writ. Th. Say I, 1859, p. 30; Proc. Acad. Phil. 1858, p. 181. — Lacord. Genera Col. V, 1859, Atl. t. 51, f. 3. — Horn, Revis. Tenebr. 1870, p. 302, 306. — Blaisd. Mon. p. 185, 185, 199, t. 1, f. 14 (*Eleodes* s. str.). — Texas, Nebraska, Kansas, Dakota

var. *texana* Lec. Proc. Acad. Phil. 1858, p. 182; in Thomson, Arcana Naturae 1859, p. 124, t. 12, f. 5. — Horn, Revis. Tenebr. 1870, p. 306. — Blaisd. Mon. p. 202, t. 1, f. 19, 23. — Kansas, Texas, Colorado etc.

tenebricosa Gemm. Col. Hefte VI, 1870, p. 122. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 89 *(Blapylis)*. — Mexico

obscura Sol. Studi ent. II, 1848, p. 237 (91), 245 (99).

tenebrosa Horn, Revis. Tenebr. 1870, p. 304, 316. — Blaisd. Mon. p. 311, 325, t. 1, f. 9, 10; t. 11, f. 37 *(Blapylis)*. — Californien, Nevada

var. *nana* Blaisd. Mon. p. 311, 328. — Californien, Nevada

tenuipes Cas. Ann. N. Y. Acad. V, 1890, p. 399. — Blaisd. Mon. p. 235, 294, t. 11, f. 6 (*Eleodes* s. str.). — Texas

tessellata Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 517 *(Blapylis)*. — Mexico

tibialis Blaisd. Mon. p. 311, 313, t. 4, f. 16; t. 11, f. 33 *(Blapylis)*. — Nieder-Californien

f. *oblonga* Blaisd. Mon. p. 315.

tricostata Say, Journ. Acad. Phil. III, 1823, p. 262. — Lec. Proc. Acad. Philad. 1858, p. 181. — Horn, Revis. Tenebr. 1870, p. 303, 307. — Blaisd. Mon. p. 41, 104, t. 3, f. 20 *(Melaneleodes)*. — Mexico, Texas, Neu-Mexico, Kansas, Colorado etc.

alternata Kirby, Fn. Boreali Amer. IV, 1837, p. 232.

planata Sol. Studi ent. II, 1848, p. 366 (220).

f. *costata* Blaisd. Mon. p. 106.

f. *ovalis* Blaisd. Mon. p. 106.

f. *robusta* Lec. Proc. Acad. Phil. 1858, p. 183. — Blaisd. Mon. 106.

Biologie: Williston, Psyche IV, 1884, p. 168.

ventricosa Lec. Proc. Acad. Phil. 1858, p. 186. — Horn, Revis. Tenebr. 1870, p. 303, 311. — Blaisd. Mon. p. 235, 300, t. 5, f. 1; t. 11, f. 8, 9 *(Eleodes* s. str.). — Texas, Mexico

var. *Falli* Blaisd. Mon. p. 235, 305, t. 11, f. 10. — Texas

veterator Horn, Trans. Amer. Ent. Soc. V, 1874, p. 33. — Blaisd. Mon. 179, t. 4, f. 17; t. 11, f. 18 *(Heteropromus)*. — „

vicina Lec. Ann. Lyc. N. York V, 1851, p. 133. — Horn, Revis. Tenebr. 1870, p. 308. — Cas. Ann. N. York Acad. V, 1890, p. 395. — Blaisd. Mon. p. 493 *(Eleodes* s. str.). — Californien, nördliches Mexico

sonorae Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 85, 516, t. 4, f. 13.

Wickhami Horn, Trans. Amer. Ent. Soc. XVIII, 1891, p. 41, t. 1, f. 12. — Blaisd. Mon. p. 235, 297, t. 11, f. 7 *(Eleodes* s. str.). — Arizona

123

Trogloderus Lec.

Lec. N. Amer. Ent. I, 1879, p. 2. — Lec. and Horn, Class. 1883, p. 374. — Blaisd. Mon. p. 29, 483. — Col. N. Amer.

costatus Lec. l. c. p. 3, t. 1, f. 3. — Blaisd. Mon. p. 486, 486, t. 6, f. 7, 8, 13. — Nevada, Idaho

tuberculatus Blaisd. Mon. p. 486, 486, 490, t. 6, f. 14, 15; t. 12, f. 38. — Californien

2

Eleodimorpha Blaisd.

Blaisd. Bull. Un. St. Nat. Mus. LXIII, 1909, p. 477.

Bolcan Blaisd. l. c. p. 479, t. 6, f. 11, 12; t. 7, f. 8; t. 8, f. 24; t. 12, f. 39. — Californien

1

Embaphion Say.

Say, Journ. Acad. Phil. III, 1824, p. 254. — Lacord. Genera Col. V, 1859, p. 152. — Lec. Class. Col. N. Amer. 1861, p. 226. — Horn, Revis. Tenebr. 1870, p. 320. — Lec. and Horn, Class. Col. N. Amer. 1883, p. 374. — Blaisd. Bull. Un. St. Nat. Mus. LXIII, 1909, p. 29, 450 (Mon.).

contractum Blaisd. Mon. p. 453, 460, t. 5, f. 20; t. 12, f. 37. — Neu-Mexico

contusum Lec. Journ. Acad. Phil. (2) IV, 1858, p. 20; Col. Kansas a. east. N. Mex. 1859, p. 15, t. 1, f. 8. — Horn, Revis. Tenebr. 1870, p. 321, 323. — Blaisd. Mon. p. 453, 467, t. 5, f. 8; t. 7, f. 7; t. 12, f. 29. — Wyoming, Colorado, Arizona etc.

var. *laminatum* Cas. Ann. N. Y. Acad. V, 1890, p. 403. — Blaisd. Mon. p. 472. — Texas

depressum Lec. Ann. Lyc. V, 1851, p. 136; New spec. Col. 1866, p. 60. — Horn, Revis. Tenebr. 1870, p. 322, 323, t. 14, f. 41. — Blaisd. Mon. p. 453, 453. — Californien

elongatum Horn, Revis. Tenebr. 1870, p. 321, 323, t. 14, f. 40. — Blaisd. Mon. p. 453, 454, t. 12, f. 32. — Nevada, Californien

glabrum Blaisd. Mon. p. 453, 457, t. 5, f. 14; t. 12, f. 31. — Arizona, N. Mexico

muricatum Say, Journ. Acad. Phil. III, 1824, p. 251. — Lec. Compl. Writ. Th. Say II, 1859, p. 149; in Thomson Arcana Nat. I, 1859, t. 12, f. 10. — Lacord. Genera Col. V, 1859, Atl. t. 50, f. 2. — Horn, Revis. Tenebr. 1870, p. 320, 322. — Blaisd. Mon. p. 453, 473, t. 5, f. 7; t. 12, f. 28. — Texas, Colorado, Kansas, Nebraska, S. Dakota

concavum Lec. Proc. Acad. Phil. VI, 1853, p. 446.

Biologie: Schwarz, Amer. Natur. XVIII, 1884, p. 76.

planum Horn, Revis. Tenebr. 1870, p. 321, 323, t. 14, f. 39. — Blaisd. Mon. p. 453, 464, t. 5, f. 9; t. 12, f. 29. — Kansas, Colorado

7

Nycterinus Eschsch.

Eschsch. Zool. Atl. III, 1829, p. 9, 13. — Sol. Studi ent. II, 1848, p. 154 (8), 267 (121); in Gay, Hist. Chile V, 1851, p. 213. — Lacord. Genera Col. V, 1859, p. 150.

abdominalis Eschsch. Zool. Atl. III, 1829, p. 14. — Sol. Studi ent. II, 1848, p. 269 (123), 271 (125); in Gay, Hist. Chile V, 1851, p. 215. — Germain, Anal. Univ. Chile 1903, p. 12. — Chile

?*abbreviatus* Phil. Stett. Ent. Zeit. XXV, 1864, p. 347.

rufipes Sol. Studi ent. II, 1848, p. 272 (126).

Spinolae Sol. l. c. p. 272 (126).

angusticollis Phil. Stett. Ent. Zeit. XXV, 1864, p. 346. Chile
costulatus Phil. l. c. p. 344. „
ebeninus Sol. Studi ent. II, 1848, p. 269 (123). „
elongatus Sol. l. c. p. 269 (123), 273 (127), t. 12, f. 6—10; in Gay, Hist. Chile V, 1851, p. 215, t. 19, f. 13. „
Genei Sol. l. c. p. 269 (123), 274 (128); in Gay, Hist. Chile V, 1851, p. 216. — Germain, An. Univ. Chile CXII, 1903, p. 17. „
gracilipes Phil. Stett. Ent. Zeit. XXV, 1864, p. 345. — Germain, l. c. p. 11. „
laevigatus Phil. l. c. p. 345. — Germain, l. c. p. 21. „
Mannerheimi Sol. Studi ent. II, 1848, p. 269 (123), 275 (129); in Gay, Hist. Chile V, 1851, p. 216. — Germain, l. c. p. 15. „
quadricollis Germain, An. Univ. Chile CXII, 1903, p. 14. „
rugiceps Curt. Trans. Linn. Soc. Lond. XIX, 1845, p. 468. — Er. Arch. Naturgesch. XIII, 1847, I, p. 116. — Germain, l. c. p. 22. „
substriatus Sol. Studi ent. I, 1848, p. 269 (123), 271 (125); in Gay, Hist. Chile V, 1851, p. 214.
thoracicus Eschsch. Zool. Atl. III, 1829, p. 13, t. 14, f. 7. — Guér. Voy. Coquille II, 2, 1830, p. 93, t. 4, f. 3a—d. — Sol. Studi ent. II, 1848, p. 269 (123), 270 (124). — Germain, An. Univ. Chile 1903, p. 19. „

12

L. Platyscelinae.

Lacordaire, Genera Col. V, 1859, p. 229 (pars.). — Seidlitz, Naturg. Ins. Deutschl. V, 1, 1893, p. 338. — Reitter, Best.-Tab. LIII (Verh. Nat. Ver. Brünn XLII, 1904), p. 31.

Platyscelis Latr.

Latr. Fam. nat. 1825, p. 375. — Cast. Hist. Nat. II, 1840, p. 210. — Sol. Studi ent. II, 1848, p. 153 (7), 206 (60). — Lacord. Genera Col. V, 1859, p. 229. — Jacq. du Val, Genera Col. Eur. III, 1861, p. 268. — Seidl. Naturg. Ins. Deutschl. V, 1893, p. 339 (Mon.).

Subgen. *Oodoscelis* Motsch. Bull. Mosc. XVIII, 1845, I, p. 76. — Seidl. Mon. p. 343.
Subgen. *Leipopleura* Seidl. Mon. p. 342, 354.
Faustia Reitt. Horae Soc. Ent. Ross. XXI, 1887, p. 381 (27).
Subgen. *Platynoscelis* Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 91. — Seidl. Mon. p. 343.
Faustia Kraatz, l. c. p. 92.
Somocoelia Kraatz, l. c. p. 331.
Subgen. *Platyscelis* s. str. Seidl. Mon. p. 342.
Subgen. *Pleiopleura* Seidl. Mon. p. 342, 343.

acutangula Kraatz, Deutsche Ent. Zeitschr. XXVIII, 1884, p. 224. — Seidl. Mon. p. 353 *(Oodoscelis)*. Turkestan
affinis Seidl. Mon. p. 352, 355 *(Oodoscelis)*. „
angustata Fald. Mém. Acad. Petr. sav. étr. II, 1835, p. 409, t. 4, f. 7. — Seidl. Mon. p. 348 nota. Altai

Ballioni Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 698. — Seidl. Mon. p. 345 *(Platyscelis* s. str.). — Centralasien

blapoides Reitt. Deutsche Ent. Zeitschr. 1896, p. 175 *(Platynoscelis).* — Turkestan

Conradti Seidl. Mon. p. 349, 354 *(Platynoscelis).* — ,,

constricta Seidl. Mon. p. 350, 355 *(Platynoscelis).* — Margelan

crypticoides Reitt. Horae Soc. Ent. Ross. XXI, 1887, p. 384 (30). — Seidl. Mon. p. 347 *(Leipopleura).* — Central-Asien

Faldermanni Seidl. Mon. p. 349, 354 *(Platynoscelis).* — Turkestan

gages Fisch. Ent. Imp. Ross. II, 1823, p. 195, t. 20, f. 5. — Sol. Studi ent. II, 1848, p. 213 (67). — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 138. — Seidl. Mon. p. 352, 358 *(Oodoscelis).* — Südrußland

Biologie: Lindemann, Bull. Mosc. (n. s.) II, 1888, II, p. 56. — Seidl. Mon. p. 340.

Ganglbaueri Seidl. Mon. p. 344, 354 (*Platyscelis* s. str.). — Turkestan

globosa Seidl. Mon. p. 352, 355 *(Oodoscelis).* — Sibirien

globulus Seidl. Mon. p. 347, 354. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 296 *(Platynoscelis).* — Turkestan

gracilis Seidl. Mon. p. 349, 355 *(Platynoscelis).* — ,,

Haberhaueri Seidl. Mon. p. 347, 354. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 296 *(Platynoscelis).* — ,,

Hauseri Reitt. Deutsche Ent. Zeitschr. 1899, p. 205 *(Platyscelis* s. str.). — Kuku-noor

helopioides Kraatz, Deutsche Ent. Zeitschr. 1882, p. 92. — Seidl. Mon. p. 350 *(Platynoscelis).* — Turkestan

Heydeni Seidl. Mon. p. 351, 355 *(Oodoscelis).* — ,,

hirsuta Reitt. Deutsche Ent. Zeitschr. 1896, p. 176 *(Oodoscelis).* — ,,

hirta Seidl. Mon. p. 353, 355 *(Oodoscelis).* — ,,

humeralis Reitt. Deutsche Ent. Zeitschr. 1896, p. 175 *(Platynoscelis).* — ,,

hungarica Friv. A'Királyi magyar. 1865, p. 200, t. 11, f. 2. — Mars. Abeille XII, 1875, p. 108. — Seidl. Mon. p. 344 *(Platyscelis* s. str.). — Ungarn

hypolithos Pall. Icon. 1781, p. 44, t. C, f. 10. — Fisch. Ent. Ross. II, 1823, p. 194, t. 20, f. 1. — Cast. Hist. Nat. II, 1840, p. 210. — Sol. Studi ent. II, 1848, p. 209 (63), t. 8, f. 8—14. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 137. — Seidl. Mon. p. 343 *(Platyscelis* s. str.). — Südrußland

laevis Forsk. Descr. anim. p. 78.

integra Reitt. Horae Soc. Ent. Ross. XXI, 1887, p. 382 (28). — Seidl. Mon. p. 346 *(Leipopleura).* — Central-Asien

intermedia Motsch. Bull. Mosc. XXXII, 1859, II, p. 481; Bull. Acad. Petr. I, 1860, p. 307. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 138; Deutsche Ent. Zeitschr. XX, 1876, p. 35. — Seidl. Mon. p. 343 *(Platyscelis* s. str.). — Baschkirien, Kirghisensteppe

kirghisica Reitt. Deutsche Ent. Zeitschr. 1896, p. 174 *(Platyscelis* s. str.). — ,,

var. *aralensis* Reit. l. c. p. 174. — Aralsee

laeviuscula Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. XCVII *(Leipopleura).* — Kaschmir

Lederi Seidl. Mon. p. 350, 355 *(Platynoscelis).* — Turkestan

longicollis Kraatz, Deutsche Ent. Zeitschr. XXVIII, 1884, p. 224. — Seidl. Mon. p. 353 *(Oodoscelis).* — ,,

lucidicollis Kraatz, l. c. XXVI, 1882, p. 92. — Seidl. Mon. 350 *(Platynoscelis).* — ,,

margelanica Kraatz, l. c. 1882, p. 84. — Seidl. Mon. p. 348 *(Platynoscelis)*. — Turkestan
difficilis Kraatz, l. c. XXVII, 1883, p. 351.
latipes Kraatz, l. c. XXX, 1886, p. 189.

melas Fisch. Ent. Imp. Ross. II, 1823, p. 194, t. 20, f. 23. — Sol. Studi ent. II, 1848, p. 212 (66). — Jacq. du Val, Genera Col. Eur. III, 1861, t. 65, f. 325. — Seidl. Mon. p. 351, 357 *(Oodoscelis)*. — Südrußland, Ungarn
politus Redtenb. Fn. Austr. ed. II, 1858, p. 588; ed. III, 2, 1874, p. 93. — Bach, Käferf. III, 1856, p. 219. — Seidl. Fn. Transsylv. 1891, p. 550.

micans Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 699. — Seidl. Mon. p. 346 *(Leipopleura)*. — Kanssu

modesta Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 93. — Seidl. Mon. p. 349 *(Platynoscelis)*. — Turkestan

oblonga Ball. Bull. Mosc. LIII, 1878, I, p. 327. — Seidl. Mon. p. 353 *(Oodoscelis)*. — ,,

ovalis Ball. l. c. p. 329. — Kuldja

ovulum Seidl. Mon. p. 353, 355 *(Oodoscelis)*. — Turkestan

picipes Gebl. Bull. Mosc. VI, 1833, p. 287; Bull. Mosc. Ent. I, 1836, p. 260; Bull. Mosc. XX, 1847, IV, p. 478. — Seidl. Mon. p. 344 *(Platyscelis* s. str.). — Turkestan, Sibirien

pinguis Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 332. — Seidl. Mon. p. 347. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 176 *(Platynoscelis)*. — Samarkand

polita Sturm, Käf. II, 1807, p. 208, t. 45, f. c, C, D. — Duftschm. Fn. Austriae II, 1812, p. 286. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 138. — Seidl. Mon. p. 352, 358 *(Oodoscelis)*. — Österreich
gages Bach, Käferf. III, 1856, p. 219. — Redtenb. Fn. Austr. ed. II, 1858, p. 589; ed. III, 2, 1874, p. 93.
melas Redtenb. Fn. Austr. 1849, p. 599.

Provosti Fairm. Bull. Soc. Ent. Fr. 1888, p. CCI. — Peking

psalidium Seidl. Mon. p. 350, 355 *(Platynoscelis)*. — Turkestan

punctatissima Fairm. Ann. Soc. Ent. Fr. (6) VI, 1886, p. 345. — Seidl. Mon. p. 352 *(Oodoscelis)*. — Peking

Regeli Ball. Bull. Mosc. LIII, 1878, I, p. 326. — Seidl. Mon. p. 348 *(Platynoscelis)*. — Turkestan

Reitteri Seidl. Mon. p. 346, 354 *(Leipopleura)*. — Sibirien

rotundangula Kraatz, Deutsche Ent. Zeitschr. XXVII, 1883, p. 351. — Turkestan

rubripes Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 700. — Seidl. Mon. p. 346 *(Leipopleura)*. — Central-Asien

rufipalpis Reitt. l. c. XXI, 1887, p. 383 (29). — Seidl. Mon. p. 346 *(Leipopleura)*. — ,,

rugifrons Germ. Ins. spec. nov. 1824, p. 139. — Fisch. Ent. Imp. Ross. II, 1824, p. 194, t. 20, f. 4. — Seidl. Mon. p. 344 et nota *(Platyscelis* s. str.). — Sibirien
brevis Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 35.

Sahlbergi Reitt. Wien. Ent. Zeit. XIX, 1900, p. 220 *(Oodoscelis)*. — Turkestan

Seidlitzi Reitt. Deutsche Ent. Zeitschr. 1896, p. 173 *(Platyscelis* s. str.). — Patria?

seriepunctata Reitt. l. c. 1890, p. 362; 1896, p. 176 *(Platynoscelis)*. — Turkestan

simplex Kraatz, Deutsche Ent. Zeitschr. XXVII, 1883, p. 352. — Seidl. Mon. p. 348 *(Platynoscelis)*. Turkestan
siningensis Friv. Term. füzetek XII, 1889, p. 210 *(Leipopleura)*. N. China
sinuata Seidl. Mon. p. 345, 354 *(Platyscelis* s. str.). Turkestan
sinuatocollis Reitt. Deutsche Ent. Zeitschr. 1901, p. 180 *(Platynoscelis)*. Buchara
somocoeloides Seidl. Mon. p. 354, 356 *(Oodoscelis)*. Turkestan
Spinolae Sol. Studi ent. II, 1848, p. 211 (65). — Seidl. Mon. p. 344 *(Platyscelis* s. str.). Krim
striata Motsch. Bull. Acad. Petr. I, 1860, p. 307. — Seidl. Mon. p. 343 *(Pleiopleura)*. Turkestan
?*sulcata* Ball. Bull. Mosc. LIII, 1878, I, p. 322.
var. *ovata* Ball. l. c. p. 324.
strigicollis Lew. Ann. Mag. Nat. Hist. (6) XV, 1895, p. 447. Japan
subcordata Seidl. Mon. p. 345, 354 *(Platyscelis* s. str.). Turkestan
tenuissima Reitt. Deutsche Ent. Zeitschr. 1896, p. 174 *(Leipopleura)*. „
tibialis Ball. Bull. Mosc. LIII, 1878, I, p. 331. — Seidl. Mon. p. 351 *(Oodoscelis)*. „
turanica Reitt. Deutsche Ent. Zeitschr. 1896, p. 176 *(Platynoscelis)*. Transkaspien
turkestanica Seidl. Mon. p. 353, 355 *(Oodoscelis)*. Turkestan

65

Bioramix Bates.

Bates, Cist. Ent. II, 1879, p. 478; Sec. Yarkand Miss. Col. 1890, p. 69.

asidioides Bates, l. c. p. 479; l. c. p. 71, t. 2, f. 16, 16a. Kaschmir
ovalis Bates, l. c. p. 478; l. c. p. 71. „
pamirensis Bates, l. c. p. 478, l. c. p. 70. Pamir
puncticeps Bates, l. c. p. 479; l. c. p. 71. Kaschmir

4

Chianalus Bates.

Bates, Cist. Ent. II, 1879, p. 479; Sec. Yarkand Miss. Col. 1890, p. 72.

costipennis Bates, l. c. p. 480; l. c. p. 72, t. 2, f. 17. Kaschmir

1

Myatis Bates.

Bates, Cist. Ent. II, 1879, p. 480; Sec. Yark. Miss. Col. 1890, p. 73.

humeralis Bates, l. c. p. 480; l. c. p. 73, t. 2, f. 18. ? Kaschmir
quadraticollis Bates, l. c. p. 481; l. c. p. 74. „
variabilis Bates, l. c. p. 481; l. c. p. 74. „

3

Botiras Fairm.

Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. XCVIII.

oblongulus Fairm. Ann. Soc. Ent. Fr. LXVII, 1898, p. 398. Nordindien

punctatellus Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. XCIX. Kaschmir
sculptipennis Fairm. l. c. p. XCIX. „
striatellus Fairm. l. c. p. XCVIII. „
4

LI. Physogasterinae.

Lacordaire, Genera Col. V, 1859, p. 206. — Burmeister, Stett. Ent. Zeit. XXXVI, 1875, p. 488.

Edrotoporus Haag.

Haag, Stett. Ent. Zeit. XXXVIII, 1877, p. 129.

strigicollis Haag, l. c. p. 130. Cordoba
1

Pimelosomus Burm.

Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 489.

sphaericus Burm. l. c. p. 489. Mendoza
1

Myrmecosoma Germ.

Germain, An. Univ. Chile 1855, p. 403.

nycterinoides Germain, l. c. p. 404. Chile
1

Philorea Er.

Er. Nov. Act. Ac. Nat. Car.-Leop. XVI, 1834, p. 242. — Lacord. Genera Col. V, 1859, p. 207.

Polpocara Sol. Mem. Accad. Torino (2) VI, 1844, p. 258 (46).

picipes Er. l. c. p. 243, t. 38, f. 1. — Sol. l. c. p. 259 (47), t. 2, f. 15—19. Peru
1

Physogaster Guér.

Guér. Mag. Zool. 1834, Mélas. p. 2. — Cast. Hist. Nat. II, 1840, p. 184. — Sol. Mem. Accad. Torino (2) VI, 1844, p. 253 (41). — Sol. in Gay, Hist. Chile V, 1851, p. 205. — Lacord. Genera Col. V, 1859, p. 208. — Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 490.

globulus Fairm. et Germ. Coleopt. Chilensia II, 1861, p. 4. Chile
mendozina Lacord. Ann. Sc. Nat. XX, 1830, p. 276. — Guér. Mag. Zool. 1834, Mélas. p. 2, t. 101, f. 1. — Cast. Hist. Nat. II, 1840, p. 184. — Sol. Mendoza

Mem. Accad. Tor. (2) VI, 1844, p. 255 (43), t. 2, f. 5—9; in Gay, Hist. Chile V, 1851, p. 208. — Burm. Stett. Ent. Zeit. XXXVI, 1875, p.

oblongulus Fairm. et Germain, Col. Chilensia II, 1861, p. 4. Chile

peruana Er. Arch. Naturgesch. XIII, 1847, I, p. 116. Peru

4

Entomochilus Sol.

Sol. Mem. Accad. Tor. (2) VI, 1844, p. 260 (48). — Lacord. Genera Col. V, 1859, p. 208.

laevipennis Sol. in Gay, Hist. Chile V, 1851, p. 207. Chile

parvus Sol. l. c. p. 207. „

tomentosus Guér. Mag. Zool. III, 1834, Mélas. p. 3. — Sol. in Gay, Hist. Chile V, 1851, p. 206. — Cast. Hist. Nat. II, 1840, p. 184. „

pilosus Sol. Mem. Accad. Torino (2) VI, 1844, p. 261 (49), t. 2, f. 20—23. — Lacord. Genera Col. Atl. V, 1859, t. 53, f. 1.

3

Thylacoderes Sol.

Sol. Mem. Accad. Torino (2) VI, 1844, p. 256 (44). — Lacord. Genera Col. V, 1859, p. 209. — Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 491.

eumolpoides Sol. l. c. p. 257 (45), t. 2, f. 10—14. — Burm. l. c. p. 491. Tucuman

1

LII. Praocinae.

Solier, Ann. Soc. Ent. Fr. IX, 1840, p. 207. — Lacordaire, Genera Col. V, 1859, p. 210. — Burmeister, Stett. Ent. Zeit. XXXVI, 1875, p. 491. — Casey, Proc. Wash. Acad. Sc. X, 1908, p. 162.

Calymmophorus Sol.

Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 245. — Lacord. Genera Col. V, 1859, p. 211. — Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 494.

cucullatus Lacord. Ann. Sc. Nat. XX, 1830, p. 286; Gen. Col. Atl. 1859, t. 53, f. 2. — Guér. Mag. Zool. 1834, p. 9, t. 105, f. 1. — Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 246, t. 10, f. 2. — Cast. Hist. Nat. II, 1840, p. 187. Tucuman

dasypoides Lacord. l. c. p. 286; Gen. Col. V, 1859, p. 212 nota. San Luis

ursinus Lacord. l. c. p. 286. — Guér. Mag. Zool. 1834, Cl. IX, t. 105, f. 4. — Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 247, t. 10, f. 1, 3—5. Tucuman

uspallatensis Berg, An. Soc. Argent. XV, 1883, p. 77. Mendoza

4

Praocis Eschsch.

Eschsch. Zool. Atl. III, 1829, p. 6. — Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 214; in Gay, Hist. Chile V, 1851, p. 185. — Cast. Hist. Nat. II, 1840, p. 186. — Lacord. Genera Col. V, 1859, p. 212. — Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 495.

Anthrasomus Guér. Mag. Zool. III, 1834, Mélas. p. 32.
Filotarsus Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 239.
Orthogonoderes Sol. in Gay, Hist. Chile V, 1851, p. 198.

aenea Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 227; in Gay, Hist. Chile V, 1851, p. 193.	Chile
angulifera Phil. Stett. Ent. Zeit. XXV, 1864, p. 344.	,,
angustata Phil. l. c. p. 341.	,,
Audouini Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 222.	,,
bicarinata Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 495.	Patagonien
silphomorpha Fairm. Ann. Soc. Ent. Fr. (6) III, 1883, p. 495. — Berg, Bull. Soc. Ent. Fr. 1884, p. XCVIII.	
bicostata Phil. Stett. Ent. Zeit. XXV, 1864, p. 341.	Chile
castanea Germain, An. Univ. Chile 1855, p. 400.	,,
Chevrolati Guér. Mag. Zool. 1834, III, Mélas. p. 32. — Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 229, t. 9, f. 9. — Cast. Hist. Nat. II, 1840, p. 187, 204.	,,
silphoides Lacord. Ann. Sc. Nat. XX, 1830, p. 284. — Cast. Hist. Nat. II, 1840, p. 187.	
ciliata Germain, An. Univ. Chile 1855, p. 400.	,,
compacta Fairm. Ann. Soc. Ent. Fr. (6) III, 1883, p. 509.	Buenos Aires
concinna Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 496.	Cordova
consobrina Phil. Stett. Ent. Zeit. XXV, 1864, p. 339.	Chile
convexa Germain, An. Univ. Chile 1855, p. 402.	,,
costata Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 222; in Gay, Hist. Chile, V, 1851, p. 188.	,,
costatula Sol. l. c. p. 228; l. c. p. 191.	,,
costipennis Sol. in Gay, Hist. Chile V, 1851, p. 202.	,,
cribrata Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 236; in Gay, Hist. Chile V, 1851, p. 202.	,,
curta Sol. l. c. p. 226.	,,
Curtisi Sol. in Gay, Hist. Chile V, 1851, p. 192.	,,
denseciliata Fairm. Ann. Soc. Ent. Fr. (6) III, 1883, p. 508.	Patagonien
dentipes Germain, An. Univ. Chile V, 1855, p. 401.	Chile
depressicollis Germain, l. c. p. 402.	,,
ebenina Germain, l. c. p. 401.	,,
elliptica Phil. Stett. Ent. Zeit. XXV, 1864, p. 342.	,,
fimbriata Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 496.	Patagonien
Gayi Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 231; in Gay, Hist. Chile V, 1851, p. 195.	Chile
gravida Lac. Ann. Sc. Nat. XX, 1830, p. 285.	Mendoza
hirticollis Cast. Hist. Nat. II, 1840, p. 187.	Peru
hirtuosa Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 232; in Gay, Hist. Chile V, 1851, p. 198.	Chile
hispidula Phil. Stett. Ent. Zeit. XXV, 1864, p. 343.	,,
inermis Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 497.	Patagonien
interrupta Sol. in Gay, Hist. Chile V, 1851, p. 187.	Chile
laevicollis Phil. Stett. Ent. Zeit. XXV, 1864, p. 338.	,,
laevicosta Curt. Trans. Linn. Soc. Lond. XIX, 1845, p. 457.	,,
laticollis Phil. Stett. Ent. Zeit. XXV, 1864, p. 343.	,,
marginata Germain, An. Univ. Chile 1855, p. 401.	,,

nigroaenea Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 226; in Gay, Hist. Chile V, 1851, p. 191. Chile
nitidicollis Phil. Stett. Ent. Zeit. XXV, 1864, p. 337. ,,
oblonga Sol. in Gay, Hist. Chile V, 1851, p. 196. ,,
parva Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 232; in Gay, Hist. Chile V, 1851, p. 194. ,,
peltata Er. Arch. Naturgesch. XIII, 1847, I, p. 115. Peru
pentachorda Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 496. Cordova
pentagona Lacord. Ann. Sc. Nat. XX, 1830, p. 285. Anden
peruana Fairm. Bull. Soc. Ent. Fr. 1902, p. 149. Peru
picipes Germain, An. Univ. Chile 1855, p. 403. Chile
pilula Cast. Hist. Nat. II, 1840, p. 187. ,,
hirticollis Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 212, t. 9, f. 1—4; in Gay, Hist. Chile V, 1851, p. 185, t. 19, f. 8.
pleuroptera Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 234; in Gay, Hist. Chile V, 1851, p. 200. ,,
plicicollis Germain, An. Univ. Chile 1855, p. 403. ,,
pubens Phil. Stett. Ent. Zeit. XXV, 1864, p. 339. ,,
pubescens Phil. l. c. p. 342. ,,
punctata Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 236; in Gay, Hist. Chile V, 1851, p. 201. ,,
quadrisulcata Germain, An. Univ. Chile 1855, p. 399. ,,
Ricardae Sol. in Gay, Hist. Chile V, 1851, p. 212. — Lacord. Genera Col. V, 1859, p. 214 nota. ,,
reflexicollis Sol. in Gay, Hist. Chile V, 1851, p. 203. — Blanch. Voy. Pole Sud IV, 1853, p. 144, t. 10, f. 2. Patagonien
rotundata Cast. Hist. Nat. II, 1840, p. 187. — Sol. in Gay, Hist. Chile V, 1851, p. 190. Chile
rotundicollis Phil. Stett. Ent. Zeit. XXV, 1864, p. 340. Anden
rufilabris Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 233; in Gay, Hist. Chile V, 1851, p. 197. Chile
rufipes Eschsch. Zool. Atl. III, 1829, p. 6, t. 14, f. 2. — Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 221; in Gay, Hist. Chile V, 1851, p. 187. — Cast. Hist. Nat. II, 1840, p. 187. ,,
♂ *Mannerheimi* Fisch. Bull. Mosc. XVII, 1844, I, p. 125. — Motsch. Bull. Mosc. XVIII, 1845, I, p. 63.
rufitarsis Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 227; in Gay, Hist. Chile V, 1851, p. 194. ,,
rugata Sol. l. c. p. 234; l. c. p. 200. ,,
rugipennis Germain, An. Univ. Chile 1855, p. 400. ,,
sanguinolenta Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 223; in Gay, Hist. Chile V, 1851, p. 192. ,,
sellata Berg, An. Univ. Buenos Aires VI, 1889, p. 126. Patagonien
spinipes Cast. Hist. Nat. II, 1840, p. 187. Chile
Spinolae Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 223, t. 9, f. 6—8; in Gay, Hist. Chile V, 1851, p. 188, t. 19, f. 9. ,,
squalida Lacord. Ann. Sc. Nat. XX, 1830, p. 285. Anden
striolicollis Fairm. Ann. Soc. Ent. Fr. (6) III, 1883, p. 494. Patagonien
subaenea Er. Nov. Act. Ac. Leop. 1834, p. 248. Chile
subcostata Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 231; in Gay, Hist. Chile V, 1851, p. 195. ,,
sublaevigata Germain, An. Univ. Chili 1855, p. 401. — Phil. Reise Wüste Atacama 1860, p. 172. ,,
submetallica Guér. Mag. Zool. III, 1834, Mélas. p. 9, t. 105, f. 3. — Sol. Ann. Soc. Ent. Fr. IX, 1840, ,,

p. 224; in Gay, Hist. Chile V, 1851, p. 190. — Cast. Hist. Nat. II, 1840, p. 187.

subreticulata Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 234, t. 9, f. 10; in Gay, Hist. Chile V, 1851, p. 198. — Chile

subsulcata Sol. l. c. p. 224; t. 9, f. 5; l. c. p. 189. — „

var. *confusa* Sol. l. c. p. 224.

sulcata Eschsch. Zool. Atl. III, 1829, p. 7. — Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 235. — „

♀ *Mannerheimi* Fisch. Bull. Mosc. XVII, 1844, I, p. 125. — Motsch. Bull. Mosc. XVIII, 1845, I, p. 63. — Anden

rotundata Lacord. Ann. Sc. Nat. XX, 1830, p. 284.

tenuicornis Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 241; in Gay, Hist. Chile V, 1851, p. 197. — „

tibialis Sol. l. c. p. 225; l. c. p. 193. — „

vagecostata Fairm. Bull. Soc. Ent. Fr. 1902, p. 149. — Peru

variolosa Er. Nov. Act. Acad. Leop. 1834, p. 249, t. 38, f. 6. — Sol. in Gay, Hist. Chile V, 1851, p. 199. — „

78

Platesthes Waterh.

Waterh. Ann. Mag. Nat. Hist. XVI, 1845, p. 317. — Lacord. Gen. Col. V, 1859, p. 215. — Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 497.

Burmeisteri Haag, Stett. Ent. Zeit. XXXVIII, 1877, p. 156. — Patagonien

depressa Guér. Rev. Zool. 1841, p. 215. — Sol. in Gay, Hist. Chile V, 1851, p. 203. — Blanch. Voy. Pole Sud IV, 1853, p. 145, t. 10, f. 3. — Haag, Stett. Ent. Zeit. XXXVIII, 1877, p. 155. — „

silphoides Waterh. Ann. Mag. Nat. Hist. XVI, 1845, p. 319. — Lacord. Genera Col. Atl. 1859, t. 53, f. 3. — Fairm. Ann. Soc. Ent. Fr. (6) III, 1883, p. 496. — „

3

Praocidia Fairm.

Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 463.

nervosa Fairm. Bull. Soc. Ent. Fr. 1902, p. 149. — Peru

1

Platyholmus Sol.

Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 241. — Lacord. Gen. Col. V, 1859, p. 215. — Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 492.

dilaticollis Lacord. Ann. Sc. Nat. XX, 1830, p. 285. — Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 243, t. 9, f. 15—17. — Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 492. — Mendoza, Tucuman

var. *nigritus* Sol. l. c. p. 244. — Lacord. Genera Col. V, 1859, p. 216, nota 2.

murinus Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 493. — Cordoba

seminulum Burm. l. c. p. 493. — Mendoza

spinicollis Fairm. Ann. Soc. Ent. Fr. (6) III, 1883, p. 508. — Tucuman

uspallatensis Fairm. l. c. p. 507. — „

5

Eutelocera Sol.

Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 237. — Lacord. Genera Col. V, 1859, p. 216.

viatica Sol. l. c. p. 238, t. 9, f. 11—14. — Lacord. Genera Col. Atl. 1859, t. 53, f. 4. — Buenos Aires

1

Eurygona Cast.

Cast. Hist. Nat. II, 1840, p. 187. — Lacord. Genera Col. V, 1859, p. 217.

Aulacus Gray in Griff. Anim. Kingd. Ins. II, p. 783.

chilensis Gray, l. c. p. 783, t. 124, f. 1. — Cast. Hist. Nat. II, 1840, p. 188. — Lacord. Genera Col. V, 1859, p. 217. — Chile

LIII. Branchinae.

Horn, Revis. Tenebr. N. Amer. in Trans. Amer. Phil. Soc. (n. ser.) XIV, 1870, p. 276, 291. — Leconte and Horn, Class. Col. N. Amer. 1883, p. 370. — Casey, Proc. Wash. Acad. Sc. X, 1908, p. 53, 54.

Branchus Lec.

Lec. Class. Col. N. Amer. 1863, p. 222.

floridanus Lec. New spec. Col. 1866, p. 111. — Florida
obscurus Horn, Proc. Ac. Phil. 1866, p. 398. — Nicaragua
opatroides Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 507, t. 22, f. 24. — Mexico
Woodi Lec. New spec. Col. 1866, p. 111 nota. — Bahamas

4

Anectus Horn.

Horn, Proc. Ac. Phil. 1866, p. 399.

vestitus Horn, l. c. p. 399. — Honduras

1

Oxinthas Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 72.

praocioides Champ. l. c. p. 72, 507, t. 3, f. 23. — Mexico

1

LIV. Coniontinae.

Lacordaire, Genera Col. V, 1859, p. 218 (*Coniontides* vrais!). — Horn, Revis. Tenebr. N. Amer. in Trans. Amer. Philos. Soc. (n. ser.) XIV, 1870,

p. 276, 291; Trans. Amer. Ent. Soc. V, 1876, p. 200. — Leconte and Horn, Class. Col. N. Amer. 1883, p. 367, 371. — Casey, Proc. Wash. Acad. Sc. X, 1908, p. 53, 55 (Mon.).

Nesostes Cas.

Cas. Proc. Wash. Acad. Sc. X, 1908, p. 56, 58 (Mon.).

postremus Cas. Mon. p. 59. — Californien
robustus Lec. New spec. Col. 1866, p. 112. — Horn, Revis. Tenebr. 1870, p. 292; Trans. Amer. Ent. Soc. X, 1882, p. 305; Proc. Cal. Ac. Sc. (2) IV, 1894, p. 423. — Cas. Mon. p. 59. — „

2

Discodemus Lec.

Lec. Class. Col. N. Amer. 1863, p. 223. — Cas. Proc. Wash. Acad. Sc. X, 1908, p. 56, 59 (Mon.).

brevipennis Cas. Mon. p. 61. — Arizona
corrosus Cas. Mon. p. 61. — Texas
depressulus Cas. Mon. p. 62. — Arizona
elongatulus Cas. Mon. p. 61. — „
Knausi Cas. Mon. p. 62. — Colorado
reticulatus Say, Journ. Ac. Phil. III, 2, 1824, p. 250. — Lec. Col. of Kansas 1859, p. 14, t. 1, f. 7a. — Horn, Revis. Tenebr. 1870, p. 293; Trans. Am. Ent. Soc. X, 1882, p. 305. — Cas. Mon. p. 61. — Neu-Mexico
subsericeus Cas. Mon. p. 62. — Arizona

7

Megasattus Cas.

Cas. Proc. Wash. Acad. Sc. X, 1908, p. 56, 62 (Mon.).

costatus Horn, Revis. Tenebr. 1870, p. 293, t. 15, f. 22. Trans. Am. Ent. Soc. X, 1882, p. 305; Proc. Cal. Ac. Sc. (2) IV, 1894, p. 423. — Cas. Mon. p. 64. — Nieder-Californien
erosus Horn, l. c. p. 294, t. 15, f. 21; Trans. Am. Ent. Soc. X, 1882, p. 305; Proc. Cal. Ac. Sc. (2) IV, 1894, p. 423. — Cas. Mon. p. 63. — Nieder-Californien, Mexico

2

Eusattodes Cas.

Cas. Proc. Wash. Acad. Sc. X, 1908, p. 56, 64 (Mon.).

laevis Lec. New spec. Col. 1866, p. 113. — Horn, Revis. Tenebr. 1870, p. 294; Trans. Amer. Ent. Soc. X, 1882, p. 305; Proc. Cal. Ac. Sc. (2) IV, 1894, p. 423. — Cas. Mon. p. 64. — Nieder-Californien

1

Eusattus Lec.

Lec. Ann. Lyc. N. York V, 1851, p. 131. — Lacord. Genera Col. V, 1859, p. 220. — Horn, Revis. Tenebr. 1870, p. 292. — Cas. Proc. Wash. Acad. Sc. X, 1908, p. 56, 64 (Mon.). — Fall, Pap. Calif. Acad. VIII, p. 256.

Conipinus Lec. Class. Col. N. Amer. 1863, p. 223.

acutangulus Cas. Mon. p. 72.	Colorado
acutus Cas. Mon. p. 74.	Kansas
agnatus Cas. Mon. p. 70.	Californien
brevis Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 75, 509.	Mexico
compositus Cas. Mon. p. 71.	Oregon
congener Cas. Mon. p. 71.	Neu-Mexico
convexus Lec. Ann. Lyc. N. York V, 1851, p. 132 nota. — Horn, Revis. Tenebr. 1870, p. 294. — Cas. Mon. p. 72.	Neu-Mexico, Colorado
Coquilletti Linell, Proc. Ent. Soc. Wash. IV, 1899, p. 180. — Cas. Mon. p. 75 nota.	Californien
depressus Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 75, t. 4, f. 1.	Mexico
difficilis Lec. Ann. Lyc. N. York V, 1851, p. 132. — Lacord. Genera Atl. 1859, t. 52, f. 4. — Horn, Revis. Tenebr. 1870, p. 294; Trans. Am. Ent. Soc. X, 1882, p. 305; Proc. Cal. Ac. Sc. (2) IV, 1894, p. 423. — Cas. Mon. p. 70.	Californien
dubius Lec. l. c. p. 132, 216. — Horn, Revis. Tenebr. 1870, p. 294; Trans. Am. Ent. Soc. X, 1882, p. 305; Proc. Cal. Ac. Sc. (2) IV, 1894, p. 423. — Cas. Mon. p. 66.	Arizona, Californien
explanatus Cas. Mon. p. 68.	Californien
lobatus Cas. Mon. p. 68.	Arizona
mexicanus Champ. Biol. Centr.-Am. Col. IV, 1, 1892, p. 510.	Mexico
nanus Cas. Ann. N. York. Acad. Sc. VIII, 1895, p. 613; Mon. p. 66.	Californien
nitidipennis Lec. Ann. Lyc. N. York V, 1851, p. 133 nota. — Champ. Biol. Centr.-Am. Col. IV, 1, 1884, p. 75, t. 3, f. 22.	Mexico
oblongulus Cas. Mon. p. 67.	Californien
peropacus Cas. Mon. p. 74.	Kansas
politus Horn, Trans. Am. Ent. Soc. X, 1882, p. 304; Proc. Cal. Ac. Sc. (2) IV, 1894, p. 423. — Cas. Mon. p. 69.	Californien
productus Lec. Journ. Ac. Phil. IV, 1858, p. 20. — Horn, Revis. Tenebr. 1870, p. 295; Trans. Amer. Ent. Soc. X, 1882, p. 305; Proc. Cal. Ac. Sc. (2) IV, 1894, p. 423. — Cas. Mon. p. 67.	Arizona
rotundus Cas. Mon. p. 72.	Colorado
sculptus Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 510. — Horn, Proc. Cal. Ac. Sc. (2) IV, 1894, p. 424.	Mexico
obliteratus Champ. l. c. p. 510.	
secutus Horn, Proc. Cal. Ac. Sc. (2) IV, 1894, p. 421. — Cas. Mon. p. 65.	Nieder-Californien
subnitens Cas. Mon. p. 73.	Arizona
turgidus Cas. Mon. p. 73.	Kansas
venosus Champ. Biol. Centr.-Am. Col. IV, 1, 1892, p. 509.	Mexico
vicinus Cas. Mon. p. 68.	Arizona

Sphaeriontis Cas.

Cas. Proc. Wash. Ac. Sc. X, 1908, p. 56, 75 (Mon.).

acomana Cas. Mon. p. 76. — Neu-Mexico
ciliata Horn, Proc. Cal. Ac. Sc. (2) IV, 1894, p. 422. — Cas. Mon. p. 77. — Nieder-Californien
dilatata Lec. Ann. Lyc. N. York V, 1851, p. 132. — Horn, Revis. Tenebr. 1870, p. 294; Trans. Am. Ent. Soc. X, 1882, p. 304. — Cas. Mon. p. 76. — Californien
muricata Lec. Ann. Lyc. N. York V, 1851, p. 132. — Horn, Revis. Tenebr. 1870, p. 294; Trans. Am. Ent. Soc. X, 1882, p. 305; Proc. Cal. Acad. Sc. (2) IV, 1894, p. 423. — Cas. Mon. p. 76. — Oregon
puberula Lec. Proc. Ac. Phil. VII, 1854, p. 84. — Horn, Revis. Tenebr. 1870, p. 294; Trans. Am. Ent. Soc. X, 1882, p. 305; Proc. Cal. Acad. Sc. (2) IV, 1894, p. 423. — Cas. Mon. p. 77. — Texas

5

Coniontides Cas.

Cas. Proc. Wash. Ac. Sc. X, 1908, p. 57, 78 (Mon.).

clementinus Cas. Mon. p. 80. — Ins. Californien
finitimus Cas. Mon. p. 79. — ,,
insularis Cas. Ann. N. York Acad. V, 1890, p. 377; Mon. p. 79. — ,,
latus Lec. New spec. Col. 1866, p. 113. — Horn, Revis. Tenebr. 1870, p. 298. — Cas. Ann. N. York. Acad. V, 1895, p. 377; Mon. p. 78. — ,,

4

Coniontis Eschsch.

Eschsch. Zool. Atl. III, 1829, p. 7. — Lacord. Genera Col. V, 1859, p. 221. — Horn, Revis. Tenebr. 1870, p. 295. — Lec. and Horn, Class. Col. N. Am. 1883, p. 371. — Cas. Ann. N. Y. Acad. V, 1890, p. 373; Proc. Wash. Acad. Sc. X, 1908, p. 57, 80 (Mon).

Subgen. *Brachyontis* Cas. Mon. p. 82.
Subgen. *Crypticomorpha* Cas. Mon. p. 81.

abdominalis Lec. Proc. Ac. Phil. 1859, p. 77. — Horn, Revis. Tenebr. 1870, p. 295. — Cas. Ann. N. York Ac. V, 1890, p. 374; Mon. p. 83. — Californien
acerba Cas. Mon. p. 139. — Montana
affinis Lec. Ann. Lyc. N. York V, 1851, p. 130. — Horn, Revis. Tenebr. 1870, p. 297. — Cas. Ann. N. York Acad. V, 1890, p. 382; Mon. p. 123. — Californien
var. *patruelis* Cas. Mon. p. 123.
agrestis Cas. Mon. p. 131. — ,,
alutacea Cas. Ann. N. York Acad. V, 1890, p. 383; Mon. p. 139. — Nevada
ancilla Cas. Mon. p. 91. — Californien
anita Cas. Mon. p. 139. — Colorado
anxia Cas. Mon. p. 123. — Nordamerika
arida Cas. Mon. p. 138. — Utah

atronitens Cas. Mon. p. 110. — Californien
audax Cas. Mon. p. 121. — Nordamerika
Blaisdelli Cas. Mon. p. 98. — Californien
breviuscula Cas. Mon. p. 133. — ,,
callida Cas. Mon. p. 128. — ,,
canonica Cas. Mon. p. 114. — ,,
conferta Cas. Mon. p. 129. — ,,
congesta Cas. Mon. p. 131. — ,,
conicicollis Cas. Mon. p. 102. — S. Franzisko
convergens Cas. Mon. p. 122. — Nordamerika
corvina Cas. Mon. p. 140. — Colorado
costulata Cas. Mon. p. 89. — Californien
cuneata Cas. Mon. p. 111. — ,,
cylindrica Cas. Mon. p. 110. — ,,
degener Cas. Mon. p. 93. — ,,
elliptica Cas. Contr. Col. N. Am. I, 1884, p. 46; Ann. N. York Acad. Sc. V, 1890, p. 376; Mon. p. 88. — ,,
var. *catalina* Cas. Mon. p. 88.
elongata Cas. Ann. N. York Acad. V, 1890, p. 380; Mon. p. 99. — ,,
var. *limatula* Cas. Mon. p. 99. — ,,
Eschscholtzi Mannerh. Rev. Zool. 1840, p. 138; Bull. Mosc. XVI, 1843, II, p. 275. — Lacord. Gen. Col. 1859, Atl. t. 52, f. 5. — Horn, Revis. Tenebr. p. 297. — Cas. Ann. N. York Acad. V, 1850, p. 381; Mon. p. 129. — ,,
inaequalis Cas. Ann. N. Y. Ac. V, 1890, p. 375.
exigua Cas. Mon. p. 106. — S. Franzisko
expansa Cas. Mon. p. 120. — ,,
extricata Cas. Mon. p. 124. — Californien
farallonica Cas. Ann. N. Y. Acad. VIII, 1895, p. 610; Mon. p. 132. — Ins. Farallon
filiola Cas. Mon. p. 115. — Californien
franciskana Cas. Mon. p. 120. — S. Franzisko
genitiva Cas. Ann. N. York Acad. V, 1890, p. 385; Mon. p. 101. — Californien
globulina Cas. Ann. N. Y. Acad. VIII, 1895, p. 610; Mon. p. 141 *(Brachyontis)*. — ,,
gravis Cas. Mon. p. 85. — ,,
histrio Cas. Mon. p. 91. — Arizona
inconspicua Cas. Mon. p. 108. — Californien
inepta Cas. Mon. p. 137. — Colorado
inflexula Cas. Mon. p. 107. — S. Franzisko
inornata Cas. Mon. p. 130. — Californien
innocua Cas. Mon. p. 99. — ,,
integer Cas. Mon. p. 87. — Süd-Californien
laevigata Cas. Mon. p. 88. — Californien
lanuginosa Cas. Mon. p. 117. — Nevada
lassenica Cas. Mon. p. 95. — Californien
Levettei Cas. Mon. p. 87. — Nordamerika
longicollis Cas. Mon. p. 101. — ,,
lucidula Cas. Mon. p. 103. — Californien
luctuosa Cas. Mon. p. 89. — ,,
marginata Cas. Mon. p. 125. — S. Franzisko
microsticta Cas. Mon. p. 107. — Californien
minuta Cas. Mon. p. 126. — S. Franzisko
montana Cas. Ann. N. York Acad. V, 1890, p. 384; Mon. p. 112. — Californien

nemoralis Eschsch. Zool. Atl. III, 1829, p. 8. — Mannerh. Bull. Mosc. XVI, 1843, II, p. 276. — Horn, Revis. Tenebr. 1870, p. 297. — Cas. Ann. N. York Acad. V, 1890, p. 382; Mon. p. 125.	S. Franzisko
nevadensis Cas. Mon. p. 95.	Nevada
var. *carsonica* Cas. Mon. p. 95.	,,
oblita Cas. Mon. p. 137.	?Idaho
oblonga Cas. Mon. p. 92.	Californien
obsidiana Cas. Mon. p. 100.	,,
obsolescens Cas. Mon. p. 92.	,,
obtusa Cas. Mon. p. 116.	Utah
opaca Horn, Revis. Tenebr. 1870, p. 296. — Cas. Ann. N. York Acad. V, 1890, p. 379; Mon. p. 94.	Californien
opacicollis Cas. Mon. p. 101.	Nordamerika
oregona Cas. Mon. p. 124.	Oregon
ovalis Lec. Ann. Lyc. V, 1851, p. 131. — Horn, Revis. Tenebr. 1870, p. 297. — Cas. Ann. N. York Acad. V, 1890, p. 374; Mon. p. 140.	,,
pagana Cas. Mon. p. 130.	Californien
pallidicornis Cas. Ann. N. York Ac. V, 1890, p. 385; Mon. p. 93	Süd-Californien
parallela Cas. l. c. p. 386; Mon. p. 113.	Californien
parilis Cas. Mon. p. 135.	Ins. Vancouver
parva Cas. Mon. p. 126.	Californien
parviceps Cas. Ann. N. York Acad. V, 1890, p. 387; Mon. p. 115.	,,
paupercula Cas. Mon. p. 106.	,,
pectoralis Cas. Mon. p. 86.	Nordamerika
perpolita Cas. Mon. p. 127.	Californien
perspicua Cas. Mon. p. 114.	,,
picescens Cas. Mon. p. 87.	Nordamerika
picipes Cas. Mon. p. 107.	Californien
proba Cas. Mon. p. 104.	Oregon
protensa Cas. Mon. p. 104.	Californien
pubifera Cas. Mon. p. 118.	Washington Staat
pudica Cas. Mon. p. 127.	S. Franzisko
punctata Cas. Mon. p. 135.	Californien
puncticollis Lec. Ann. Lyc. V, 1851, p. 131. — Horn, Revis. Tenebr. 1870, p. 297. — Cas. Ann. N. York Acad. V, 1890, p. 383; Mon. p. 105.	,,
punctipes Cas. Ann. N. York Acad. V, 1890, p. 380; Mon. p. 96.	,,
regularis Cas. Mon. p. 134.	Staat Washington
robusta Horn, Revis. Tenebr. 1870, p. 296. — Cas. Ann. N. York Acad. V, 1890, p. 375; Mon. p. 89.	Californien
rotundicollis Cas. Mon. p. 97.	,,
rugosa Cas. Mon. p. 85.	Nordamerika
Sanfordi Blaisd. Ent. News VI, 1895, p. 235. — Cas. Mon. p. 90.	Californien
sculptipennis Cas. Mon. p. 134.	Staat Washington
setosa Cas. Ann. N. York Acad. V, 1890, p. 387; Mon. p. 116.	Idaho
shastanica Cas. Mon. p. 128.	Californien
sparsa Cas. Mon. p. 110.	,,
strenua Cas. Mon. p. 84.	,,

subpubescens Lec. Ann. Lyc. V, 1851, p. 131. — Horn, Revis. Tenebr. 1870, p. 297. — Cas. Ann. N. York Acad. V, 1890, p. 384; Mon. p. 113. — Californien
suturalis Cas. Mon. p. 121. — Nordamerika
symmetrica Cas. Mon. p. 122. — San Francisco
tenebrosa Cas. Mon. p. 86. — Californien
tenuis Cas. Mon. p. 141 *(Crypticomorpha)*. — „
thoracica Cas. Mon. p. 104. — „
timida Cas. Mon. p. 102. — San Francisco
tristis Cas. Mon. p. 84. — Californien
truncata Cas. Mon. p. 120. — San Francisco
uteana Cas. Mon. p. 136. — Utah
vancouveri Cas. Mon. p. 136. — Ins. Vancouver
verna Cas. Mon. p. 94. — Californien
viatica Eschsch. Zool. Atl. III, 1829, p. 7, t. 14, f. 3. — Mannerh. Bull. Mosc. XVI, 1843, II, p. 274. — Horn, Revis. Tenebr. 1870, p. 296. — Cas. Ann. N. York Acad. V, 1890, p. 381; Mon. p. 103. — San Francisco
Weidti Cas. Mon. p. 138. — Utah
Wickhami Cas. Mon. p. 117. — „

109

Coniontellus Cas.

Cas. Ann. N. York Acad. Sc. V, 1890, p. 388; Proc. Wash. Acad. Sc. X, 1908, p. 57, 142 (Mon.).

ampliatus Cas. Mon. p. 144. — Nevada
argutus Cas. Mon. p. 145. — Californien
hystrix Cas. Mon. p. 142. — Nevada
inflatus Cas. Ann. N. York Ac. V, 1890, p. 389; Mon. p. 143. — „
longipennis Cas. Mon. p. 143. — „
micans Cas. Mon. p. 145. — Colorado
obesus Lec. Ann. Lyc. N. York V, 1851, p. 131 nota. — Horn, Revis. Tenebr. 1870, p. 298. — Cas. Ann. N. York Acad. V, 1890, p. 389; Mon. p. 144. — „
subglaber Cas. Ann. N. York Acad. V, 1890, p. 389; VII, 1894, p. 597; Mon. p. 144. — Montana

8

Conisattus Cas.

Cas. Ann. N. York Acad. Sc. VIII, 1895, p. 614; Proc. Wash. Acad. Sc. X, 1908, p. 146 (Mon.).

rectus Cas. l. c. p. 614; Mon. p. 146. — Oregon

1

Coelotaxis Horn.

Horn, Trans. Amer. Ent. Soc. V, 1876, p. 200. — Cas. Proc. Wash. Acad. Sc. X, 1908, p. 57, 147. (Mon.).

angustula Cas. Ann. N. York Acad. V, 1890, p. 177; Mon. p. 149. — Guadeloupe
densa Cas. Mon. p. 149. — „

frontalis Cas. Mon. p. 149. Guadeloupe
muricata Horn, Trans. Amer. Ent. Soc. V, 1876, p. 201. — Cas. Mon. p. 148. ,,
punctulata Horn, l. c. p. 201. — Cas. Mon. p. 148. ,,
5

LV. Coelinae.

Casey, Proc. Wash. Acad. Sc. X, 1908, p. 53, 150 (Mon.).

Coelus Eschsch.

Eschsch. Zool. Atl. III, 1829, p. 5. — Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 211. — Cast. Hist. Nat. II, 1840, p. 218. — Lacord. Genera Col. V, 1859, p. 219. — Horn, Revis. Tenebr. 1870, p. 291. — Lec. and Horn, Class. Col. N. Amer. 1883, p. 371. — Cas. Proc. Wash. Acad. X, 1908, p. 152 (Mon.).

Subgen. *Pseudocoelus* Cas. Proc. Wash. Acad. Sc. X, 1908, p. 152.

amplicollis Cas. Mon. p. 157. Californien
arenarius Cas. Ann. N. York Acad. V, 1890, p. 179; Mon. p. 156. ,,
ciliatus Eschsch. Zool. Atl. III, 1829, p. 5, t. 14, f. 1. — Cast. Hist. Nat. II, 1840, p. 218. — Sol. Ann. Soc. Ent. Fr. IX, 1840, p. 213. — Mannerh. Bull. Mosc. XVI, 1843, II, p. 277. — Cas. Mon. p. 154. ,,
var. *longulus* Cas. Mon. p. 154. S. Francisko
Biologie: Casey, Ann. N. York Acad. Sc. V, 1890, p. 180.
curtulus Cas. Ann. N. York Acad. VIII, 1895, p. 612; Mon. p. 155. Californien
debilis Cas. Mon. p. 155. San Francisko
grossus Cas. Ann. N. York Acad. V, 1890, p. 178; Mon. p. 153. Californien
latus Cas. Ann. N. York Acad. VIII, 1895, p. 612; Mon. p. 158. ,,
obscurus Cas. Mon. p. 156. ,,
pacificus Fall. Canad. Entom. XXIX, 1897, p. 241. — Cas. Mon. p. 158 *(Pseudocoelus)*. Californ. Ins.
remotus Fall. l. c. p. 241; Cas. Mon. p. 158 *(Pseudocoelus)*. ,,
saginatus Cas. Mon. p. 154. Californien
scolopax Cas. Mon. p. 157. ,,
solidus Cas. Mon. p. 153. ,,
sternalis Cas. Mon. p. 156. ,,
14

Coelomorpha Cas.

Cas. Ann. N. York Acad. V, 1890, p. 182; Proc. Wash. Acad. Sc. X, 1908, p. 159 (Mon.).

maritima Cas. l. c. p. 183; Mon. p. 160. Nieder-Californien
pallens Cas. Mon. p. 160. ,,
2

LVI. Pedininae.

Solier, Ann. Soc. Ent. Fr. VIII, 1834, p. 506. — Castelnau, Hist. Nat. II, 1840, p. 208. — Lacordaire, Gen. Col. V, 1859, p. 226. — Jacquelin du Val, Gen. Col. Eur. III, 1861, p. 271. — Leconte, Class. Col. N. Amer. 1862, p. 226. — Horn, Revis. Tenebr. N. Amer. in: Trans. Amer. Phil. Soc. (n. s.) XIV, 1870, p. 300, 348. — Leconte and Horn, Class. Col. N. Amer. ed. II, 1883, p. 373, 378. — Seidlitz, Nat. Ins. Deutschl. V, 1893, p. 337 (excl. *Platyscelina*). — Reitter, Best.-Tab. LIII in: Verh. Naturf. Ver. Brünn XLII, 1904, p. 31, 49.

Pedinites, *Pandarites* et *Blapstinites* Muls. et Rey, Mém. Acad. Lyon (2) II, 1852, p. 226—466, t. 1—4; (2) IV, 1854, p. 153—400; Ann. Soc. Agr. Lyon (3) III, 1859, p. 129—201; Abdruck dieser Arbeit in: Opusc. Entom. IV, 1853, p. 1—242, t. 1—4; V, 1854, p. 9—255; IX, 1859, p. 65—137.

Pediniens et *Pandariens* Mulsant, Col. Fr. Latigènes, 1854, p. 130.

Psectropus Sol.

Sol. Studi Ent. II, 1848, p. 153 (7), 213 (67). — Lacord. Genera Col. V, 1859, p. 231.

bipartitus Sol. l. c. p. 215 (69), t. 9, f. 1—4. Capland
validus Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 661. Caffrarien

2

Oncotus Blanch.

Blanch. Hist. Nat. Ins. II, 1845, p. 13. — Sol. Studi ent. II, 1848, p. 153 (7), 216 (70). — Lacord. Gen. Col. V, 1859, p. 231.

bistriatus Fairm. Bull. Soc. Vaudoise XXXV, 1899, p. 180. Delagoa
capensis Sol. Studi ent. II, 1848, p. 217 (71), 220 (74). Capland
farctus Sol. l. c. p. 217 (71), 218 (72), t. 9, f. 5—7, 9, 11. „
obscuricollis Sol. l. c. p. 217 (71), 221 (75). „
planiusculus Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 194. Namaqualand
tardus Sol. Studi Ent. II, 1848, p. 217 (71), 219 (73), t. 9, f. 8, 10. Capland
var. *pedellus* Sol. l. c.
testaceus Sol. l. c. p. 217 (71), 221 (75). „

7

Crypticanus Fairm.

Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 119.

cuneatus Fairm. l. c. p. 119. Pt. Elizabeth

1

Trigonopus Muls. et Rey.

Muls. et Rey, Mém. Acad. Lyon 1853, p. 20; Opusc. Ent. IV, 1853, p. 104. — Lacord. Gen. Col. V, 1859, p. 234.

alternans Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 287. Caffrarien
amplicollis Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 118. Pt. Elizabeth

armaticeps Péring. Trans. S. Afr. Phil. Soc. VI, 2, 1892, p. 123. — Deutsch-Südwestafrika
armatus Muls. Mém. Ac. Lyon 1853, p. 48, t. 3, f. 7; Opusc. Ent. IV, 1853, p. 132. — Port Natal
brevior Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 118. — Capland
caffer Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 284. — Caffrarien
capicola Muls. Mém. Acad. Lyon 1853, p. 24; Opusc. Ent. IV, 1853, p. 108. — Capland
Chevrolati Muls. l. c. p. 52; l. c. p. 136, t. 3, f. 8. — ,,
dentipes Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 285. — Caffrarien
exaratus Muls. Mém. Acad. Lyon 1853, p. 34; Opusc. Ent. IV, 1853, p. 118. — Capland
funebris Muls. l. c. p. 42; l. c. p. 126, t. 2, f. 23. — Fåhrs. Öfv. Vet. Akad. Förh. XXVII, 1870, p. 286. — Südafrika
immundus Muls. l. c. p. 60; l. c. p. 144, t. 3, f. 10. — Capland
latemarginatus Muls. l. c. p. 44; l. c. p. 128. — ,,
laticollis Péring. Trans. S. Afr. Phil. Soc. VI, 2, 1892, p. 57. — Südwestafrika
lethaeus Muls. Mém. Acad. Lyon 1853, p. 32; Opusc. Ent. IV, 1853, p. 116, t. 2, f. 17, 18, t. 3, f. 4, 6. — Südafrika
longulus Muls. l. c. p. 50; l. c. p. 134. — Capland
lugubris Fåhrs. Öfv. Vet. Akad. Förh. XXVII, 1870, p. 283. — Caffrarien
Mannerheimi Muls. Mém. Acad. Lyon 1853, p. 56; Opusc. Ent. IV, 1853, p. 140. — Capland
micans Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 285. — Caffrarien
moerens Fåhrs. l. c. p. 284. — ,,
morosus Muls. Mém. Acad. Lyon 1853, p. 54; Opusc. Ent. IV, 1853, p. 138, t. 3, f. 10. — Capland
nigerrimus Muls. l. c. p. 46; l. c. p. 130, t. 2, f. 24. — ,,
platyderus Muls. l. c. p. 28; l. c. p. 112, t. 2, f. 20; t. 3, f. 12. — Südafrika
porcus Muls. l. c. p. 36; l. c. p. 120, t. 3, f. 10. — Capland
spinipes Muls. l. c. p. 30; l. c. p. 114, t. 2, f. 21; t. 3, f. 5, 6. — Südafrika
striatus Quens. in Schönh. Syn. Ins. I, 1806, p. 142, t. 2, f. 6. — Capland
marginatus Muls. Mém. Acad. Lyon 1853, p. 25; Opusc. Ent. IV, 1853, p. 109, t. 2, f. 19, t. 3, f. 11.
tenebrosus Muls. Mém. Acad. Lyon 1853, p. 39; Opusc. Ent. IV, 1853, p. 123. — ,,
trivialis Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 286. — Caffrarien
Typhon Muls. Mém. Acad. Lyon 1853, p. 40; Opusc. Ent. IV, 1853, p. 124, t. 2, f. 22. — Natal
Verreauxi Muls. l. c. p. 58; l. c. p. 142, t. 3, f. 9. — Capland
Wahlbergi Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 283. — Caffrarien

31

Clastopus Fairm.

Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 407.

eurynotoides Fairm. l. c. p. 408. — Madagascar

1

Melanopterus Muls. et Rey.

Muls. et Rey, Mém. Acad. Lyon 1854, p. 158; Opusc. Ent. V, 1854, p. 14. — Lacord. Gen. Col. V, 1859, p. 235.

amaroides Fåhrs. Öfv. Vet. Akad. Förh. XXVII, 1870, p. 287. — Caffrarien

Edwardsi Muls. Mém. Acad. Lyon 1854, p. 162; Opusc. Ent. V, 1854, p. 18. — Capland
marginicollis Muls. l. c. p. 160; l. c. p. 16. — „
porcatus Muls. l. c. p. 159; l. c. p. 15. — „

4

Platynotus F.

F. Syst. El. I, 1801, p. 138. — Latr. Hist. nat. Crust. Ins. X, 1804, p. 288. — Muls. Mém. Acad. Lyon 1852, p. 264; Opusc. Ent. IV, 1853, p. 39. — Lacord. Gen. Col, V, 1859, p. 236.

Belli Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 13. — Indien
Deyrollei Muls. et Rey, Mém. Acad. Lyon 1852, p. 272; Opusc. Ent. IV, 1853, p. 47, t. 1, f. 1, 7, 10; t. 2, f. 1. — „
excavatus F. Syst. Ent. 1775, p. 254; Spec. Ins. I, 1781, p. 322; Mant. Ins. I, 1787, p. 210; Ent. Syst. I, 1792, p. 107; Syst. El. I, 1801, p. 138. — Ol. Encycl. méth. IV, 1789, p. 308; Entom. III, 1795, 60, p. 7, t. 1, f. 4. — Muls. Mém. Acad. Lyon 1852, p. 268; Opusc. Ent. IV, 1853, p. 43. — „
ingens Herbst, Käf. VII, 1797, p. 249, t. 111, f. 9.
maurus F. Spec. Ins. 1781, p. 325; Mant. Ins. I, 1787, p. 214; Ent. Syst. I, 1792, p. 120.
mediocris Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 14. — „
pandaroides Fairm. l. c. p. 13. — „
pekinensis Fairm. Rev. d'Ent. VII, 1888, p. 127. — Peking
perforatus Muls. Mém. Acad. Lyon 1852, p. 269; Opusc. Ent. IV, 1853, p. 44. — Indien
punctatipennis Muls. l. c. p. 270; l. c. p. 45. — „
sternalis Muls. l. c. p. 267; l. c. p. 42. — „
striatus F. Spec. Ins. I, 1781, p. 322; Mant. Ins. I, 1787, p. 210; Ent. Syst. I, 1792, p. 108. — Ol. Encycl. méth. IV, 1789, p. 308; Entom. III, 1795, 60, p. 7, t. 1, f. 3. — Herbst, Käf. VIII, 1799, p. 186, t. 128, f. 5. — Muls. et Rey, Mém. Acad. Lyon 1852, p. 266; Opusc. Ent. IV, 1853, p. 41, t. 1, f. 2—6. — „
crenatus F. Syst. El. I, 1801, p. 139.
tumidipes Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 12. — „

11

Pseudoblaps Guér.

Guér. Mag. Zool. 1834, Mélas. p. 28. — Lacord. Gen. Col. V, 1859, p. 237.

Eucolus Muls. et Rey, Mém. Acad. Lyon 1852, p. 292; Opusc. Ent. IV, 1853, p. 67.
Notocorax Muls. et Rey, l. c. p. 273; l. c. p. 48.

ampliata Fairm. Ann. Soc. Ent. Fr. LXVII, 1898, p. 391. — Nepal
ambigua Muls. Mém. Acad. Lyon 1852, p. 280; Opusc. Ent. IV, 1853, p. 55. — Coromandel
Andrewesi Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 14. — Indien
arcuata Serv. Encycl. méth. X, 1825, p. 26. — Muls. Mém. Acad. Lyon 1852, p. 290; Opusc. Ent. IV, 1853, p. 65, t. 1, f. 11, 14, 15, t. 2, f. 4. — „

atrata F. Syst. Ent. I, 1775, p. 256. Indien
dispar Herbst, Käf. VII, 1797, p. 248, t. 111, f. 8.
nigrita F. Gen. Ins. Mant. 1776, p. 241; Spec. Ins. I, 1781, p. 325; Mant. Ins. I, 1787, p. 214; Ent. Syst. I, 1792, p. 120; Syst. El. I, 1801, p. 160. — Cast. Hist. Nat. II, 1840, p. 209. — Muls. Mém. Acad. Lyon 1852, p. 288; Opusc. Ent. IV, 1853, p. 63.
canaliculata Cast. Hist. Nat. II, 1840, p. 209. „
crenata F. Spec. Ins. I, 1781, p. 322; Mant. Ins. I, 1787, p. 210; Ent. Syst. I, 1792, p. 109; Syst. El. I, 1801, p. 143. — Ol. Encycl. méth. IV, 1789, p. 305; Ent. III, 1795, p. 60, p. 8, t. 1, f. 5. — Herbst, Käf. VIII, 1799, p. 186, t. 128, f. 6. — Muls. et Rey, Mém. Acad. Lyon 1852, p. 277; Opusc. Ent. IV, 1853, p. 52. „
reticulata F. Ent. Syst. Suppl. 1798, p. 40; Syst. El. I, 1801, p. 138.
curvipes Guér. Mag. Zool. 1834, Mélas. p. 29, t. 115, f. 4. — Cast. Hist. Nat. II, 1840, p. 203. „
♀ *substriata* Guér. l. c. p. 29, t. 115, f. 1—3. — Cast. l. c. p. 203.
javana Wied. Zool. Mag. I, 3, 1819, p. 163. — Muls. Mém. Acad. Lyon, 1852, p. 283; Opusc. Ent. IV, 1853, p. 58. Hinterindien, Sunda-Inseln
Mellyi Muls. l. c. p. 279; l. c. p. 54. Indien
nervosa Muls. l. c. p. 275; l. c. p. 50, t. 1, f. 12, t. 2, f. 2. „
Oedipus Fairm. Ann. Soc. Ent. Fr. LXVII, 1898, p. 390. „
parallela Muls. Mém. Acad. Lyon 1852, p. 281; Opusc. Ent. IV, 1853, p. 56, t. 2, f. 3. „
Polinieri Muls. l. c. p. 292; l. c. p. 67, t. 1, f. 16, 17. Coromandel
ramosus Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 15. Indien
simulatrix Fairm. Compt. rend. Ent. Belg. 1891, p. C. Kaschmir
strigipennis Muls. Mém. Acad. Lyon 1852, p. 286; Opusc. Ent. IV, 1853, p. 61. Bengalen
tenuestriata Fairm. Ann. Soc. Ent. Fr. LXVII, 1898, p. 391. Ceylon
Westermanni Mannerh. Bull. Mosc. XVII, 1844, IV, p. 862 nota. — Muls. Mém. Acad. Lyon 1852, p. 285; Opusc. Ent. IV, 1853, p. 60. Java

19

Platylus Muls. et Rey.

Muls. et Rey, Ann. Soc. Agr. Lyon 1859, p. 134; Opusc. Ent. IX, 1859, p. 70.

dilatatus F. Suppl. Ent. Syst. 1798, p. 47; Syst. El. I, 1801, p. 139. — Herbst, Käf. VIII, 1799, p. 202. — Muls. Ann. Soc. Agr. Lyon 1859, p. 135; Opusc. Ent. IX, 1859, p. 71. St. Thomas

1

Diastolinus Muls. et Rey.

Muls. et Rey, Ann. Soc. Agr. Lyon 1859, p. 138; Opusc. Ent. IX, 1859, p. 74.

acuticollis Fairm. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 299. Misiones
brevicollis Fairm. Ann. Soc. Ent. Fr. LXI, 1892, p. 80. Venezuela

clathratus F. Ent. Syst. I, 1, 1792, p. 109; Syst. El. I, 1801, p. 143. — Herbst, Käf. VIII, 1799, p. 197. — Muls. Ann. Soc. Agr. Lyon 1859, p. 138; Opusc. Ent. IX, 1859, p. 74. — Cayenne
clavatus Muls. l. c. p. 155; l. c. p. 91. — St. Thomas
costipennis Muls. l. c. p. 149; l. c. p. 85. — St. Domingo
curtus Muls. l. c. p. 157; l. c. p. 93. — Curaçao
fortipes Fairm. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 299. — Buenos Aires
fuscicornis Chevr. Bull. Soc. Ent. Fr. (5) VII, 1877, p. VIII. — Porto Rico
impressicollis Fairm. Ann. Soc. Ent. Fr. LXI, 1892, p. 81. — Venezuela
perforatus Sahlb. in Thon's Arch. II, 1, 1823, p. 15. — Muls. Ann. Soc. Agr. Lyon 1859, p. 141; Opusc. Ent. IX, 1859, p. 77. — Martinique, Barthelémy
puncticollis Muls. l. c. p. 147; l. c. p. 83. — St. Domingo
quadricollis Fairm. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 299. — Argentinien
Sallei Muls. Ann. Soc. Agr. Lyon 1859, p. 144; Opusc. Ent. IX, 1859, p. 80. — St. Domingo
Waterhousei Muls. l. c. p. 152; l. c. p. 88. — Cuba

14

Helibatus Muls. et Rey.

Muls. et Rey, Mém. Acad. Lyon X, 1860, p. 8; Opusc. Ent. X, 1859, p. 100.

morio Muls. et Rey, l. c. p. 9; l. c. p. 101. — Capland

1

Eurynotus Kirby.

Kirby, Trans. Linn. Soc. XII, 1818, p. 418. — Cast. Hist. Nat. II, 1840, p. 209. — Muls. et Rey, Mém. Acad. Lyon 1854, p. 164; Opusc. Ent. IV, 1854, p. 20. — Lacord. Gen. Col. V, 1859, p. 238.

Biolus Muls. et Rey, Mém. Acad. Lyon 1854, p. 169; Opusc. Ent. IV, 1854, p. 25.
Lasioderus Muls. et Rey, l. c. p. 186; l. c. p. 42.
Minorus Muls. et Rey, l. c. p. 185; l. c. p. 41.
Selenopistoma Muls. et Rey, l. c. p. 173; l. c. p. 29.
Zadenos Cast. Hist. Nat. II, 1840, p. 210. — Muls. Mém. Acad. Lyon 1854, p. 177; Opusc. Ent. IV, 1854, p. 33.

acutus Wied. Zool. Mag. II, 1, 1823, p. 33. — Muls. et Rey, Mém. Acad. Lyon 1854, p. 175; Opusc. Ent. IV, 1854, p. 31. — Capland
asperatus Muls. et Rey, l. c. p. 167; l. c. p. 23. — „
Bohemani Muls. et Rey, l. c. p. 180; l. c. p. 36. — „
capensis F. Ent. Syst. IV, 1794, p. 440; Syst. El. I, 1801, p. 161. — Geb. Deutsche Ent. Zeitschr. 1906, p. 211. — „
muricatus Kirby, Trans. Linn. Soc. XII, 1818, p. 419, t. 22, f. 1. — Cast. Hist. Nat. II, 1840, p. 209. — Muls. et Rey, Mém. Acad. Lyon 1854, p. 165; Opusc. Ent. IV, 1854, p. 21. — Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 289.
capriciosus Muls. et Rey, Mém. Acad. Lyon 1854, p. 184; Opusc. Ent. IV, 1854, p. 40. — Südafrika

Delalandei Muls. et Rey, l. c. p. 182; l. c. p. 38. Capland
denticosta Muls. et Rey, l. c. p. 173; l. c. p. 29. „
granulatus F. Mant. Ins. I, 1787, p. 214; Ent. Syst. I, 1792, p. 107; Syst. El. I, 1801, p. 140. — Geb. Deutsche Ent. Zeitschr. 1906, p. 230. „
asperipennis Muls. Mém. Acad. Lyon 1854, p. 169; Opusc. Ent. IV, 1854, p. 25.
inops Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 289. Caffrarien
laminicollis Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 322. Abessinien
Norrisi Muls. et Rey, Mém. Acad. Lyon 1854, p. 171; Opusc. Ent. IV, 1854, p. 27. Capland
ruficornis Germ. Ins. Spec. nov. 1824, p. 141. — Muls. et Rey, l. c. p. 178; l. c. p. 34. „
longipalpus Wied. Zool. Mag. II, 1, 1823, p. 32. — Cast. Hist. Nat. II, 1840, p. 210.
rugicollis Muls. et Rey, l. c. p. 185; l. c. p. 41. „
sulcipennis Muls. et Rey, l. c. p. 187; l. c. p. 43. „
tenuecostatus Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 117. St. Elisabeth

15

Phylacinus Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 349.

asperipennis Fairm. l. c. p. 349. Madagascar

1

Opatrinus Latr.

Latr. Règne anim. ed. II, V, 1829, p. 19. — Muls. et Rey, Mém. Acad. Lyon 1852, p. 295; Opusc. Ent. IV, 1853, p. 70. — Lacord. Gen. Col. V, 1859, p. 240. — Reitt. Best.-Tab. LIII, 1904, p. 51, 76.

Zidalus Muls. et Rey, Mém. Acad. Lyon 1852, p. 296; Opusc. Ent. IV, 1853, p. 71.
Zodinus Muls. et Rey, l. c. p. 315; l. c. p. 90.

aciculatus Lec. Proc. Ac. Phil. 1858, p. 75. — Horn, Revis. Tenebr. 1870, p. 349. Texas
angulicollis Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 283. Somaliland
angustus Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 499. Santa-Fé
annamita Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 356. Cochinchina
ater Müll. Tijdschr. Entom. XXX, 1887, p. 301, t. 12, f. 4. Ostafrika, Nossibé
atratus Quedf. Berl. Ent. Zeitschr. XXIX, 1885, p. 8. Westafrika
Blanchardi nom. nov. Timor
laticollis Blanch. Voy. Pole Sud IV, 1853, p. 158, t. 11, f. 8.
corvinus Muls. et Rey, Mém. Acad. Lyon 1852, p. 296; Opusc. Ent. IV, 1853, p. 71. — Fairm. Ann. Soc. Fr. (6) VII, 1887, p. 283. — Reitt. Best. Tab. LIII, 1904, p. 77. Aegypten, Abessinien, Somali
costulatus Guér. Voy. Lefebure 1849, p. 321, t. 5, f. 3. Abessinien

gemellatus Ol. Ent. III, 1795, 60, p. 9, t. 1, f. 8. — Muls. Mém. Acad. Lyon 1852, p. 299; Opusc. Ent. IV, 1853, p. 74. — Cayenne, Guayana, Guadeloupe
aethiops F. Syst. El. I, 1801, p. 162. — Geb. Deutsche Ent. Zeitschr. 1906, p. 212.
clathratus Ol. Encycl. méth. VIII, 1791, p. 499. — Guér. Icon. Ins. t. 29, f. 11, a, b.
geminatus Er. Schomb. Reise 1848, p. 565.

gibbicollis Muls. Mém. Acad. Lyon 1852, p. 303; Opusc. Ent. IV, 1853, p. 78. — Columbien

insularis Muls. l. c. p. 320; l. c. p. 95. — Madagascar

Josephi Karsch, Sitzungsber. nat. Fr. Berlin 1881, p. 58. — Ins. Guinea

laticollis Latr. Voy. Humb. et Bonpl. II, 1833, p. 66, t. 34, f. 7. — Muls. Mém. Acad. Lyon 1852, p. 301; Opusc. Ent. IV, 1853, p. 76. — Neu-Granada

latipes Sahlb. in Thon's Arch. II, 1, 1823, p. 13. — Sierra Leone

madagascariensis Muls. Mém. Acad. Lyon 1852, p. 319; Opusc. Ent. IV, 1853, p. 94. — Madagascar

minimus Beauv. Ins. Afr. et Am. 1805, p. 164; t. 31, f. 7. — Chevr. Ann. Soc. Ent. Fr. (2) X, 1852, p. 636. — Nordamerika
notus Say, Journ. Acad. Phil. V, 1827, p. 237. — Muls. Mém. Acad. Lyon 1852, p. 309; Opusc. Ent. IV, 1853, p. 84. — Horn, Revis. Tenebr. 1870, p. 348.

moestus Muls. l. c. p. 307; l. c. p. 82. — Mexico

niloticus Muls. l. c. p. 312; l. c. p. 87. — Aegypten

opacus Geb. Ark. för Zoologi II, 1904, nr. 5, p. 4, t. 1, f. 2. — Kamerun

ovalis Muls. Mém. Acad. Lyon 1852, p. 315; Opusc. Ent. IV, 1853, p. 90, t. 2, f. 8—10. — Senegal, Guinea

pullus Sahlb. in Thon's Arch. II, 1, 1823, p. 16. — Central-America,
anthracinus Muls. Mém. Acad. Lyon 1852, p. 304; Opusc. Ent. IV, 1853, p. 79, t. 2, f. 6, 7. — Antillen

Sayi Horn, Revis. Tenebr. 1870, p. 349. — Kansas

servus Muls. Mém. Acad. Lyon 1852, p. 317; Opusc. Ent. IV, 1853, p. 92. — Guinea

setuliger Müll. Tijdschr. Entom. XXX, 1887, p. 301. — Ostafrika

striatus Guér. Voy. Coqu. II, 1830, p. 99, t. 4, f. 12, a—e. — Chile

validus Burm. Stett. Ent. Zeit. XXXVI, 1875, p. 499. — Tucuman

Selinus Muls. et Rey.

Muls. et Rey, Mém. Acad. Lyon 1852, p. 322; Opusc. Ent. IV, 1853, p. 97. — Lacord. Gen. Col. V, 1859, p. 241.

abacoides Fairm. Ann. Soc. Ent. Fr. LXXI, 1902, p. 328. — Madagascar

asperulus Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 121. — Ostafrika

calcaripes Geb. Ark. Zool. II, 1904, nr. 5, p. 3. — Kamerun

convexipennis Geb. l. c. p. 2, t. 1, f. 1, a, b. — „

costulifer Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 122. — Ostafrika

crenatus Fairm. l. c. p. 121. — Portug. Congo

curtulus Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 143. — Oubanghi

elevatus Gerst. Arch. f. Naturg. XXXVII, 1871, p. 60; Decken's Reise III, 2, 1873, p. 178. — Ostafrika

foveipennis Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 286. — Somali

infernalis Gerst. Monatsber. Berl. Akad. 1854, p. 533; Peters' Reise 1862, p. 287. — Mozambique

laevistriatus Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 122. — Guinea
Lucasi Muls. Mém. Acad. Lyon 1852, p. 327; Opusc. Ent. IV, 1853, p. 102. — ?Asien
medius Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 122. — Guinea
Menouxi Muls. Mém. Acad. Lyon 1852, p. 322; Opusc. Ent. IV, 1853, p. 97. — Incert.-sedis
obsoletus Ancey, Natural. III, 1887, p. 468. — Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 286. — Deutsch-Ostafrika
parallelus Ancey, l. c. p. 468. — Fairm. l. c. p. 284. — „
planus F. Ent. Syst. I, 1792, p. 118; Syst. El. I, 1801, p. 90. — Herbst, Käf. V, 1793, p. 215. — Muls. Mém. Acad. Lyon 1852, p. 324; Opusc. Ent. IV, 1853, p. 99, t. 2, f. 11—13. — Guinea
platessa Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 286. — Somali
plicicollis Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 123. — Togo, Dahomey
punctatostriatus Gerst. Monatsber. Berl. Acad. 1854, p. 533; Peters' Reise 1862, p. 286. — Kongo
punctipennis Fairm. Ann. Soc. Ent. Fr. LXXI, 1902, p. 329. — Madagascar
quadricollis Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 284. — Deutsch-Ostafrika
rufimanus Har. Col. Hefte XVI, 1879, p. 116. — Kongo
simplicipes Geb. Ergebn. Exped. Kilimandscharo VII, 1910, p. 374. — Kilimandjaro
striatus F. Ent. Syst. IV, App. 1794, p. 440; Syst. El. I, 1801, p. 161. — Geb. Deutsche Ent. Zeitschr. 1906, p. 211. — Guinea
trivialis Gerst. Arch. f. Naturg. XXXVII, 1871, p. 60; Decken's Reise III, 2, 1873, p. 177. — Ostafrika
ventralis Geb. Ergebn. Exped. Kilimandscharo VII, 1910, p. 375, f. 1—3. — Deutsch-Ostafrika

27

Anchophthalmus Gerst.

Gerst. Peters' Reise 1862, p. 287.

Oxythorax Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 288.

algoensis Pér. Ann. S. Afr. Mus. III, 1904, p. 237. — Algoa-Bay
clathratus Gerst. Arch. f. Naturg. XXXVII, 1871, p. 60; Decken's Reise III, 2, 1873, p. 176. — Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 120. — Deutsch-Ostafrika
densaticollis Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 282. — Sudan
dentipes Gerst. Monatschr. Berl. Ac. 1854, p. 533; Peters' Reise 1862, p. 288, t. 17, f. 5. — Mozambique
Fahraei Pér. Ann. S. Afr. Mus. III, 1904, p. 238. — Caffrarien
clathratus Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 288.
impressicollis Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 121. — Ostafrika
indigus Pér. Ann. S. Afr. Mus. III, 1904, p. 237. — Rhodesia
modestus Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 282. — Ostafrika
plicipennis Pér. Ann. S. Afr. Mus. II, 1904, p. 238. — Rhodesia
scutatus Gerst. Arch. f. Naturg. XXXVII, 1871, p. 60; Decken's Reise III, 2, 1873, p. 176. — Jipe-See

silphoides Gerst. Monatsber. Berl. Acad. 1854, p. 533; Peters' Reise 1862, p. 288. — Mozambique

variabilis Geb. Erg. Exped. Kilimandscharo VII, 1910, p. 373. — Mozambique

12

Isocerus Latr.

Latr. Règne anim. ed. 2, V, 1829, p. 20. — Cast. Hist. Nat. II, 1840, p. 210. — Muls. et Rey, Mém. Acad. Lyon 1854, p. 189; Opusc. Ent. V, 1854, p. 45. — Lacord. Gen. Col. V, 1859, p. 246. — Jacq. du Val, Gen. Col. Eur. III, 1861, p. 275. — Seidl. Naturg. Ins. Deutschl. V, 1893, p. 384. — Reitt. Best.-Tab. LIII, 1904, p. 77.

balearicus Schauf. Nunq. Otios. III, 1879, p. 535. — Reitt. Wien. Ent. Zeit. V, 1886, p. 152; Best.-Tab. LIII, 1904, p. 78. — Balearen

ferrugineus Reitt. Wien. Ent. Zeit. V, 1886, p. 151; Best.-Tab. LIII, 1904, p. 78. — Algier, Tunis

purpurascens Herbst, Käf. VIII, 1799, p. 20, t. 119, f. 1. — Ol. Encycl. méth. VIII, 1811, p. 500. — Muls. Mém. Acad. Lyon 1854, p. 189; Opusc. Ent. V, 1854, p. 15. — Jacq. du Val, Gen. Col. III, 1861, t. 67, f. 332. — Reitt. Wien. Ent. Zeit. V, 1886, p. 151; Best.-Tab. LIII, 1904, p. 78. — Spanien

ferrugineus F. Ent. Syst. Suppl. 1798, p. 53; Syst. El. I, 1801, p. 148. — Küst. Käf. Eur. 1844, I, 46. — Cast. Hist. Nat. II, 1840, p. 210.

var. *Cameroni* Reitt. Best.-Tab. LIII, 1904, p. 78. — Portugal

var. *lusitanicus* Reitt. Wien. Ent. Zeit. V, 1886, p. 152; Best.-Tab. LIII, 1904, p. 78. — „

Biologie: Larve: Xambeu, Ann. Soc. Linn. Lyon XLV, p. 63.

3

Dendarus Latr.

Latr. Règne anim. ed. 2, V, 1829, p. 20. — Cast. Hist. Nat. II, 1840, p. 208. Jacq. du Val, Gen. Col. Eur. III, 1861, p. 273. — Seidl. Nat. Ins. Deutschl. V, 1893, p. 384, 385. — Reitt. Best.-Tab. LIII, 1904, p. 77, 79. — Desbr. Frelon X, 1901, p. 38.

Phylax Brll. Expéd. Morée III, 1832, p. 209.

Subgen. *Dendaroscelis* Reitt. Best.-Tab. LIII, 1904, p. 79.

Subgen. *Dendarus* s. str. Seidl. Nat. Ins. Deutschl. V, 1893, p. 388. — Reitt. l. c. p. 78.

Subgen. *Dichromma* Seidl. l. c. p. 388. — Reitt. l. c. p. 79.

Subgen. *Pandarinus* Muls. et Rey, Mém. Acad. Lyon 1854, p. 247; Opusc. Ent. V, 1854, p. 103. — Seidl. l. c. p. 389. — Reitt. l. c. p. 78.

Subgen. *Pandarus* Muls. Col. Fr. Latigènes 1854, p. 141; Mém. Acad. Lyon 1854, p. 194; Opusc. Ent. V, 1854, p. 50. — Lacord. Gen. Col. V, 1859, p. 241. — Seidl. l. c. p. 388. — Reitt. l. c. p. 78.

Subgen. *Paroderus* Muls. Mém. Acad. Lyon 1854, p. 255; Opusc. Ent. V, 1854, p. 111. — Seidl. l. c. p. 388. — Reitt. l. c. p. 79.

Subgen. *Rhizalemus* Reitt. l. c. p. 79.

Subgen. *Rizalus* Muls. Mém. Acad. Lyon 1854, p. 248; Opusc. Ent. V, 1854, p. 104. — Seidl. Naturg. Ins. Deutschl. V, 1893, p. 389. — Reitt. l. c. p. 79.

8

Alleonis Seidl. Naturg. Ins. Deutschl. V, 1893, p. 396, 399. — Reitt. Best.-Tab. LIII, 1904, p. 83 *(Pandarinus)*. — Konstantinopel

armeniacus Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 266; Ann. Mus. Genova VIII, 1876, p. 321; Bull. Soc. Ent. Ital. IX, 1878, p. 140. — Seidl. l. c. p. 397. — Reitt. l. c. p. 84 *(Pandarinus)*. — Kaspi-Gebiet, Nord-Persien

Aubei Muls. et Rey, Mém. Acad. Lyon 1854, p. 208; Opusc. Ent. V, 1854, p. 64. — Seidl. l. c. p. 390. — Reitt. l. c. p. 86 (*Dendarus* s. str.). — Südspanien

caelatus Brll. Expéd. Morée III, 1832, p. 208. — Muls. l. c. p. 252; l. c. p. 108. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 146. — Reitt. l. c. p. 81 *(Pandarinus)*. — Griechenland, Jonische Inseln, Brindisi

calcaratus Baudi, Deutsche Ent. Zeitschr. XXV, 1881, p. 281. — Seidl. Naturg. Ins. Deutschl. V, 1893, p. 391. — Reitt. l. c. p. 88 *(Pandarus)*. — Griechenland

carinatus Muls. Mém. Acad. Lyon 1854, p. 202; Opusc. Ent. V, 1854, p. 58. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 139. — Seidl. l. c. p. 390. — Desbr. Frelon X, 1901, p. 42. — Reitt. l. c. p. 87 (*Dendarus* s. str.). — Corsica, Sardinien

corsicus Perris, Abeille XIII, 1876, p. 5.

var. *tricostatus* Muls. l. c. p. 204; l. c. p. 60.

castilianus Pioch. Ann. Soc. Ent. Fr. (4) IX, 1869, p. 31. — Baudi, l. c. p. 141. — Mars. Abeille XII, 1875. p. 109. — Seidl. l. c. p. 389. — Reitt. l. c. p. 85 (*Dendarus* s. str.). — Südspanien, Portugal

crassiusculus Muls. Opusc. Ent. V, 1854, p. 246; Ann. Soc. Linn. Lyon (2) II, 1855, p. 134. — Seidl. l. c. p. 393. — Reitt. l. c. p. 91 *(Rhizalemus)*. — Syrien

crenulatus Ménétr. Cat. rais. 1832, p. 202. — Seidl. l. c. p. 395. — Reitt. l. c. p. 82 *(Pandarinus)*. — Kaukasus

dardanus Fald. Fn. Transcauc. II, 1837, p. 51.

var. *cribratus* Waltl, Isis 1838, p. 462. — Küst. Käf. Eur. II, 1845, 25. — Muls. Mém. Acad. Lyon 1854, p. 234; Opusc. Ent. V, 1854, p. 90. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 144. — Seidl. Naturg. Ins. Deutschl. V, 1893, p. 395. — Reitt. Best.-Tab. LIII, 1904, p. 82. — Kaukasus, Armenien, Kleinasien, Türkei etc.

dalmatinus Germ. Ins. spec. nov. 1824, p. 142. — Küst. Käf. Eur. II, 1845, p. 24. — Muls. Mém. Acad. Lyon 1854, p. 223; Opusc. Ent. V, 1854, p. 79. — Seidl. l. c. p. 395. — Reitt. l. c. p. 81 *(Pandarinus)*. — Istrien, Italien, Balkanhalbinsel etc.

elongatus Muls. l. c. p. 255; l. c. p. 111. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 146. — Seidl. l. c. p. 392. — Reitt. l. c. p. 89 *(Paroderus)*. — Spanien

nevadensis Pioch. Ann. Soc. Ent. Fr. (4) IX, 1869, p. 33. — Mars. Abeille XII, 1875, p. 110.

extensus Fald. Fn. Transcauc. II, 1837, p. 52. — Muls. l. c. p. 239; l. c. p. 95. — Seidl. l. c. p. 397. — Reitt. l. c. p. 84 *(Pandarinus)*. — Kaukasus

foraminosus Küst. Käf. Eur. XXII, 1851, 64. — Muls. Ann. Soc. Linn. Lyon 1855, p. 195. — Baudi, Bull. Soc. Ent. It. VII, 1875, p. 145. — Seidl. l. c. p. 392. — Reitt. l. c. p. 89 *(Paroderus)*. — Creta

creticus Motsch. Etudes Ent. VII, 1858, p. 188.

var. *politus* Reitt. Best.-Tab. LIII, 1904, p. 89.

foveolatus Seidl. Nat. Ins. Deutschl. V, 1893, p. 396, 399. — Reitt. l. c. p. 83 *(Pandarinus)*. — Armenien, Kleinasien

graecus Brll. Expéd. Morée III, 1832, p. 207, t. 40, f. 15. — Muls. Mém. Acad. Lyon 1854, p. 215; Opusc. Ent. V, 1854, p. 71. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 142. — Seidl. l. c. p. 390. — Reitt. l. c. p. 87 *(Pandarus)*. — Griechenland, Creta

impressus Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 255. — Seidl. l. c. p. 393. — Reitt. l. c. p. 91 *(Rhizalemus)*. — Syrien

insidiosus Muls. Mém. Acad. Lyon 1854, p. 210; Opusc. Ent. V, 1854, p. 66. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 141. — Seidl. l. c. p. 390. — Reitt. l. c. p. 86 *(Dendarus* s. str.). — Südspanien, Marokko, Algier

lugens Muls. l. c. p. 221; l. c. p. 77. — Baudi, l. c. p. 142. — Seidl. l. c. p. 391. — Reitt. l. c. p. 88 *(Dichromma)*. — Griechenland, Süditalien

var. *plicatulus* Brll. Expéd. Morée III, 1832, p. 210. — Seidl. l. c. p. 391. — Reitt. l. c. p. 88. — Griechenland, Syrien,

libanicus Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 116 (68). — Libanon

messenius Brll. Expéd. Morée III, 1832, p. 211. — Muls. Mém. Acad. Lyon 1854, p. 242; Opusc. Ent. V, 1854, p. 98. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 144. — Seidl. Nat. Ins. Deutschl. V, 1893, p. 397. — Reitt. Best.-Tab. LIII, 1904, p. 81 *(Pandarinus)*. — Griechenland, Türkei

gravidus Brll. l. c. p. 210, t. 40, f. 8. — Muls. l. c. p. 244. — Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 253.

ottomanus Muls. l. c. p. 245; Opusc. Ent. V, 1854, p. 101. — Kiesw. Berl. Ent. Zeitschr. V, 1861, p. 228.

tentyrioides Brll. Expéd. Morée III, 1832, p. 212. — Muls. l. c. p. 246; l. c. p. 102.

moesiacus Muls. Mém. Acad. Lyon 1854, p. 231; Opusc. Ent. V, 1854, p. 87. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 143. — Seidl. Naturg. Ins. Deutschl. V, 1893, p. 395. — Reitt. Best.-Tab. LIII, 1904, p. 82 *(Pandarinus)*. — Griechenland, Türkei

Oertzeni Seidl. l. c. p. 393, 398. — Reitt. l. c. p. 90 *(Rhizalemus)*. — Palästina

orientalis Seidl. l. c. p. 398, 399. — Reitt. l. c. p. 81 *(Pandarinus)*. — Syrien

pauper Muls. Mém. Acad. Lyon 1854, p. 258; Opusc. Ent. V, 1854, p. 114. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 147. — Seidl. l. c. p. 392. — Reitt. l. c. p. 91 *(Rhizalemus)*. — ,,

var. *libanicus* Baudi, Ann. Mus. Genova VII, 1875, p. 697. — Libanon

pectoralis Muls. l. c. p. 206; l. c. p. 62. — Baudi, l. c. p. 140. — Seidl. l. c. p. 389. — Reitt. l. c. p. 85 *(Dendarus)*. — Spanien, Algier

var. *coriaceus* Baudi, Deutsche Ent. Zeitschr. 1876, p. 36; Bull. Soc. Ent. Ital. VII, 1875, p. 141. — Tanger

piceus Ol. Encycl. méth. VIII, 1811, p. 501. — Muls. Mém. Acad. Lyon 1854, p. 248; Opusc. Ent. V, 1854, p. 104. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 145. — Seidl. Naturg. Ins. Deutschl. — Syrien, Aegypten

V, 1893, p. 394. — Reitt. Best.-Tab. LIII, 1904, p. 90 *(Rizalus)*.

tenuicornis Mill. Wien. Ent. Monatschr. V, 1861, p. 201.

punctatus Serv. Encycl. méth. X, 1825, p. 26. — Kryn. Bull. Mosc. V, 1832, p. 135; Bull. Mosc. Ent. I, 1836, p. 179. — Muls. Mém. Acad. Lyon 1854, p. 237; Opusc. Ent. V, 1854, p. 93. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 144. — Seidl. Naturgesch. Ins. Deutschl. V, 1893, p. 398. — Reitt. Best.-Tab. LIII, 1904, p. 82 *(Pandarinus)*. Südrußland, Kaukasus, Armenien, Kleinasien

Reitteri Seidl. l. c. p. 393, 398. — Reitt. l. c. p. 90 *(Rhizalemus)*. Syrien

rhodius Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 39. — Seidl. l. c. p. 392. — Reitt. l. c. p. 89 *(Paroderus)*. Ostgriechenland, Rhodos

saginatus Baudi, l. c. p. 41. — Seidl. l. c. p. 394. — Reitt. l. c. p. 92 *(Rhizalemus)*. Syrien

? *plorans* Muls. Opusc. Ent. IV, 1854, p. 245; Ann. Soc. Linn. Lyon (2) II, 1855, p. 133.

scoparipes Reitt. Best.-Tab. LIII, 1904, p. 86 *(Dendarus* s. str.). Ins. Cerigo

scrobiculatus Seidl. Naturg. Ins. Deutschl. V, 1893, p. 397, 399. — Reitt. l. c. p. 83 *(Pandarinus)*. Kleinasien, Türkei

Seidlitzi Reitt. Best.-Tab. LIII, 1904, p. 80 *(Pandarinus)*. Süddalmatien

serripes Reitt. l. c. p. 92 *(Dendaroscelis)*. Südspanien

simius Muls. Mém. Acad. Lyon 1854, p. 220; Opusc. Ent. V, 1854, p. 76. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p 142; Deutsche Ent. Zeitschr. XX, 1876, p. 37. — Seidl. Naturg. Ins. Deutschl. V, 1893, p. 394. — Reitt. l. c. p. 80 *(Pandarinus)*. Griechenland

simplex Seidl. l. c. p. 398, 399. — Reitt. l. c. p. 84 *(Pandarinus)*. Armenien, Syrien

sinuatus Muls. Mém. Acad. Lyon 1854, p. 213; Opusc. Ent. V, 1854, p. 69. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 141. — Seidl. l. c. p. 390. — Reitt. l. c. p. 87 *(Pandarus)*. Griechenland, Kleinasien

emarginatus Brll. Expéd. Morée III, 1832, p. 211.

stygius Waltl, Isis 1838, p. 462. — Muls. l. c. p. 217; l. c. p. 73. — Baudi, l. c. p. 142. — Seidl. l. c. p. 391. — Reitt. l. c. p. 88 *(Pandarus)*. Griechenland, Smyrna

subopacus Baudi, Deutsche Ent. Zeitschr. XXV, 1881, p. 282 *(Pandarinus)*. Antilibanon

syriacus Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 257. Seidl. Naturg. Ins. Deutschl. V, 1893, p. 394. — Reitt. Best.-Tab. LIII, 1904, p. 90 *(Rizalus)*. Syrien

♀ *viduus* Reiche l. c. p. 256.

var. *nitidulus* Seidl. l. c. p. 394.

tenellus Muls. Mém. Acad. Lyon 1854, p. 250; Opusc. Ent. V, 1854, p. 106. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 146. — Seidl. l. c. p. 397. — Reitt. l. c. p. 84 *(Pandarinus)*. Griechenland, Kleinasien, Mesopotamien

tibialis Seidl. l. c. p. 391, 398. — Reitt. l. c. p. 88 *(Dichromma)*. Griechenland, Kleinasien

torpidus Muls. Mém. Acad. Lyon 1854, p. 226; Opusc. Ent. V, 1854, p. 82. — Baudi, Bull. Soc. Ent. Ital. III, 1875, p. 143. — Seidl. l. c. p. 394 *(Pandarinus)*. Kleinasien

transcaspicus Brancsik, Jahresber. Ver. Trencs. XXI, 1899, p. 101. — Askabad

tristis Cast. Hist. Nat. II, 1840, p. 209. — Redtenb. Fauna Austr. ed. III, 1874, II, p. 93. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 140. — Stierl. Col. Helvet. II, 1886, p. 142. — Seidl. Naturg. Ins. Deutschl. V, 1893, p. 389, 400. — Desbr. Frelon X, 1901, p. 40. — Reitt. Best.-Tab. LIII, 1904, p. 85 (*Dendarus* s. str.). — Südfrankreich, Nördl. Italien, Tirol

bipunctatus Cristof. Cat. Col. Villa 1844, p. 46.

coarcticollis Muls. Col. Fr. Latigènes 1854, p. 142; Mém. Acad. Lyon 1854, p. 204; Opusc. Ent. V, 1854, p. 60. — Jacq. du Val, Gen. Col. Eur. III, 1861, t. 66, f. 328 ♀.

vagabundus Reitt. Best.-Tab. LIII, 1904, p. 84 *(Pandarinus)*. — Transkaspien

vagans Reitt. Deutsche Ent. Zeitschr. 1901, p. 180.

vagans Seidl. Naturg. Ins. Deutschl. V, 1893, p. 393, 399. — Reitt. Best.-Tab. LIII, 1904, p. 91 *(Rhizalemus)*. — Syrien

Victoris Muls. Mém. Acad. Lyon 1854, p. 228; Opusc. Ent. V, 1854, p. 84. — Seidl. l. c. p. 391. — Reitt. l. c. p. 88 *(Pandarus)*. — Albanien

47

Heliophilus Latr.

Latr. in Cuv. Règne anim. ed. II, II, 1829, p. 20. — Seidl. Naturg. Ins. Deutschl. V, 1893, p. 385. — Reitt. Best.-Tab. LIII, 1904, p. 77, 97. — Reitt. Wien. Ent. Zeit. XXV, 1906, p. 288.

Heliocaës Bed. Bull. Soc. Ent. Fr. LXXV, 1906, p. 92.

Heliopathes Muls. Col. Fr. Latigènes 1854, p. 157; Opusc. Ent. V, 1854, p. 227; Ann. Soc. Linn. Lyon X, 1855, p. 115. — Lacord. Gen. Col. V, 1859, p. 248. — Jacq. du Val, Gen. Col. Eur. III, 1861, p. 275.

Subgen. *Heliocrates* Reitt. Best.-Tab. LIII, 1904, p. 98.

agrestis Muls. Opusc. Ent. V, 1854, p. 239; Ann. Soc. Linn. Lyon X, 1855, p. 127; — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 164. — Reitt. Best.-Tab. LIII, 1904, p. 105. — Spanien

avarus Muls. l. c. p. 234; l. c. p. 122. — Reitt. l. c. p. 104. — Sicilien, Sardinien, Calabrien

ambiguus Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 164; Deutsche Ent. Zeitschr. XX, 1876, p. 49.

neptunius Baudi, l. c. p. 164; l. c. p. 49.

batnensis Muls. et God. Ann. Soc. Linn. Lyon XII, 1865, p. 455. — Mars. Abeille XII, 1875, p. 118. — Reitt. l. c. p. 104. — Algier, Sicilien

cribratostriatus Muls. Opusc. Ent. V, 1854, p. 229; Ann. Soc. Linn. Lyon X, 1855, p. 117. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 162. — Reitt. Best.-Tab. LIII, 1904, p. 100. — Andalusien, Tanger, Algier

cribratus Chevr. Rev. Zool. 1865, p. 391. — Baudi, l. c. p. 165. — Reitt. l. c. p. 104. — Spanien

conjunctus Reitt. l. c. p. 101. — Aragonien

emarginatus F. Ent. Syst. I, 1792, p. 108; Syst. El. I, 1801, p. 142. — Muls. Opusc. Ent. V, 1854, p. 241; Ann. Soc. Linn. Lyon X, 1855, p. 129. — Baudi, — Marokko, Südspanien,

Bull. Soc. Ent. Ital. VII, 1875, p. 165. — Reitt. l. c. p. 103. — Portugal

subvariolosus Luc. Expl. Alg. 1849, p. 330.

Heydeni Reitt. Best.-Tab. LIII, 1904, p. 102. — Spanien

humerangulus Reitt. l. c. p. 99 *(Heliocrates)*. — „

ibericus Muls. Opusc. Ent. V, 1854, p. 235; Ann. Soc. Linn. Lyon X, 1855, p. 123. — Jacq. du Val, Gen. Col. Eur. III, 1861, t. 67, f. 333. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 164. — Reitt. l. c. p. 106. — „

Biologie: Larve: Perris, Larves des Col. 1877, p. 263.

immarginatus Reitt. Best.-Tab. LIII, 1904, p. 101. — Cartagena

interstitialis Muls. Opusc. Ent. V, 1854, p. 231; Ann. Soc. Linn. Lyon X, 1855, p. 119. — Reitt. l. c. p. 100. — Algier, Südspanien

luctuosus Serv. Encycl. méth. X, 1825, p. 27. — Muls. Col. Fr. Latig. 1854, p. 158; Opusc. Ent. V, 1854, p. 240; Ann. Soc. Linn. Lyon X, 1855, p. 128. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 165. — Desbr. Frelon X, 1901, p. 84. — Reitt. l. c. p. 105. — Südfrankreich, Nordostspanien

lusitanicus Herbst, Käf. VII, 1797, p. 244, t. 111, f. 4. — Muls. Opusc. Ent. V, 1854, p. 228; Ann. Soc. Linn. Lyon X, 1855, p. 116. — Baudi, l. c. p. 162. — Desbr. l. c. p. 83. — Reitt. l. c. p. 101. — Südspanien, Südportugal

montivagus Muls. l. c. p. 233; l. c. p. 121. — Baudi, l. c. p. 163. — Reitt. l. c. p. 106. — Spanien

parcefoveatus Reitt. l. c. p. 100. — Portugal

Perroudi Muls. Opusc. Ent. V, 1854, p. 237; Ann. Soc. Linn. Lyon X, 1855, p. 125. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 164. — Reitt. l. c. p. 106. — Spanien, Portugal

simulans Chevr. Rev. Zool. 1865, p. 391. — Baudi, l. c. p. 163.

rotundicollis Luc. Expl. Alg. 1849, p. 329, t. 29, f. 6. — Muls. l. c. p. 237; l. c. p. 125. — Reitt. l. c. p. 103. — Algier, Südportugal, Südspanien

tripolianus Baudi, Deutsche Ent. Zeit. XX, 1876, p. 50.

rugipennis Fald. Fn. Transcauc. II, 1837, p. 56. — Persien

sculpturatus Reitt. Best.-Tab. LIII, 1904, p. 102. — Cartagena

strigicollis Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 163; Deutsche Ent. Zeitschr. XX, 1876, p. 49. — Marokko

strigosus Reitt. Best.-Tab. LIII, 1904, p. 98 *(Heliocrates)*. — Spanien

subimpressus Reitt. l. c. p. 103. — „

sulcipennis Reitt. l. c. p. 99 *(Heliocrates)*. — „

transversalis Muls. Opusc. Ent. V, 1854, p. 193; Ann. Soc. Linn. Lyon X, 1855, p. 120. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 163. — Reitt. l. c. p. 99. — „

25

Phylan Steph.

Steph. Ill. Brit. Ent. V, 1832, p. 20; Man. Brit. Ent. 1839, p. 322.

Olocrates Muls. Col. Fr. Latigènes 1854, p. 383; Opusc. Ent. V, 1854, p. 248. — Seidl. Naturg. Ins. Deutschl. V, 1893, p. 385. — Reitt. Best.-Tab. LIII, 1904, p. 77, 92.

Omocrates Muls. l. c. p. 150; l. c. p. 191.
Subgen. *Meladeras* Muls. Opusc. Ent. V, 1854, p. 219; Ann. Soc. Linn. Lyon X, 1855, p. 108. — Reitt. Best.-Tab. LIII, 1904, p. 96.
Subgen. *Meladocrates* Reitt. l. c. p. 96.
Subgen. *Litororus* Reitt. l. c. p. 96.

abbreviatus Ol. Entom. III, 1795, 57, p. 17, t. 2, f. 21. — Muls. Col. Fr. Latigènes, 1854, p. 151; Opusc. Ent. V, 1854, p. 211; Ann. Soc. Linn. Lyon X, 1855, p. 99. — Jacq. du Val, Gen. Col. Eur. III, 1861, t. 67, f. 334. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 404. — Reitt. Best.-Tab. LIII, 1904, p. 94. — Desbr. Frelon X, 1901, p. 82. Südfrankreich, Nordspanien
hybridus Latr. Hist. Nat. X, 1804, p. 284; Nouv. Dict. d'Hist. Nat. XXV, 1817, p. 112. — Germ. Fn. Ins. Eur. XI, 12, 1825. — Cast. Hist. Nat. II, 1840, p. 209. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 161.
dubius Baudi, l. c. p. 161; Deutsche Ent. Zeitschr. XX, 1876, p. 48.
Biologie: Xambeu, Rev. d'Ent. XIX, 1900, p. 10. — Larve: Rey, Ann. Soc. Linn. Lyon 1886, p. 224. — Xambeu, Rev. d'Ent. XX, 1901, p. 21. — Seidl. Nat. Ins. Deutschl. V, 1894, p. 403.
Anatomie etc.: Leger et Hagenmüller, Bull. Soc. Ent. Fr. LXVIII, 1899, p. 192—194.
amoenus Muls. Opusc. Ent. V, 1854, p. 224; Ann. Soc. Linn. Lyon X, 1855, p. 112. — Reitt. Best.-Tab. LIII, 1904, p. 97 *(Meladeras)*. Algier
barbarus Luc. Expl. Alg. 1849, p. 329. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 162. „
collaris Muls. l. c. p. 195; l. c. p. 83. — Pioch. Ann. Soc. Ent. Fr. (4), IX, 1869, p. 35. — Mars. Abeille XII, 1875, p. 115. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 405. Spanien
dendaroides Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 46. Andalusien
foveipennis Muls. Opusc. Ent. V, 1854, p. 203; Ann. Soc. Linn. Lyon X, 1855, p. 91. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 160. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 404. — Reitt. Best.-Tab. LIII, 1904, p. 94. Spanien
var. *foveatostriatus* Baudi, l. c. p. 160.
foveolatus Graëlls, Mém. Map. geol. 1858, p. 71, t. 3, f. 9. — Baudi, l. c. p. 159. — Seidl. l. c. p. 404. — Reitt. l. c. p. 95. „
var. *fossulatus* Muls. l. c. p. 200, l. c. p. 88. — Baudi, l. c. p. 159. — Seidl. l. c. p. 404. — Reitt. l. c. p. 95.
var. *milleporus* Baudi, l. c. p. 160.
gibbus F. Syst. Ent. 1775, p. 76. — Panz. Ent. Germ. 1795, p. 35; Fauna Ins. Germ. 39, 1797, p. 4. — Ill. Käf. Preuß. 1798, p. 108. — Latr. Hist. Nat. X, 1804, p. 283. — Sturm, Käf. II, 1807, p. 170. — Gyll. Ins. Suec. II, 1810, p. 598. — Steph. Ill. Brit. Ent. V, 1832, p. 20. — Sahlb. Ins. Fenn. I, 1834, p. 482. — Redt. Fauna Austr. 1849, p. 598; ed. III, 1874, II, p. 95. — Muls. Col. Fr. Latigènes 1854, p. 155; Opusc. Ent. Ostsee, Frankreich, Italien, Spanien, Österreich

V, 1854, p. 197, 248; Ann. Soc. Linn. Lyon X, 1855, p. 97. — Bach, Käferfauna III, 1856, p. 221. — Thoms. Skandin. Col. VI, 1864, p. 244. — Seidl. Fauna Balt. 1875, p. 361; ed. II, 1891, p. 514; Fn. Transsylv. 1891, p. 551; Naturg. Ins. Deutschl. V, 1894, p. 403, 405. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 159. — Desbr. Frelon X, 1901, p. 81. — Reitt. Best.-Tab. LIII, 1904, p. 93.

arenosus Marsh. Ent. Brit. 1802, p. 475.

campestris Baczko, Reise Preuß. I, p. 21.

gemellatus Marsh. Ent. Brit. 1802, p. 475.

gibbium Curt. Guide Brit. Ins. 1829, p. 255.

maritimus Leach, Edinb. Encycl. IX, 1815, p. 102. — Samouelle, Entom. 1819, p. 192 (92?), t. 4, f. 2.

paludicola Chevr. Rev. Zool. 1865, p. 391.

pilipes Herbst, Käf. VII, 1797, p. 260, t. 112, f. 3.

Biologie: Larve: Perris, Larves 1877, p. 261—263. — Schioedte, Nat. Tidsskr. 1879, III, 11, t. 7, f. 7—14. — Seidl. Nat. Ins. Deutschl. V, 1894, p. 403.

hamilcaris Reitt. Best.-Tab. LIII, 1904, p. 94. — Andalusien

indiscretus Muls. Opusc. Ent. V, 1854, p. 208; Ann. Soc. Linn. Lyon X, 1855, p. 96. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 161. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 405. — Reitt. l. c. p. 95. — „

nivalis Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 161; Deutsche Ent. Zeitschr. XX, 1876, p. 50.

italicus Reitt. l. c. p. 93. — Italien

lineatopunctatus Muls. Opusc. Ent. V, 1854, p. 205; Ann. Soc. Linn. Lyon X, 1855, p. 93. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 160. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 404. — Reitt. l. c. p. 94. — Spanien

mediterraneus Pioch. Ann. Soc. Ent. Fr. (4) IX, 1869, p. 37. — Mars. Abeille XII, 1875, p. 118. — Balearen

Mulsanti Pioch. l. c. p. 36. — Mars. Abeille XII, 1875, p. 116. — Estremadura

obscurus Muls. Opusc. Ent. V, 1854, p. 223; Ann. Soc. Linn. Lyon X, 1855, p. 111. — Reitt. Best.-Tab. LIII, 1904, p. 97 *(Meladeras)*. — Algier

planiusculus Muls. l. c. p. 216; l. c. p. 104. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 404. — Reitt. l. c. p. 96 *(Meladocrates)*. — Tanger, Andalusien

quadratulus Muls. l. c. p. 220; l. c. p. 108. — Reitt. l. c. p. 96 *(Meladeras)*. — Algier

Reyi Pioch. Ann. Soc. Ent. Fr. (4) IX, 1869, p. 37. — Mars. Abeille XII, 1875, p. 117. — Estremadura

semicostatus Muls. Mém. Acad. Lyon 1854, p. 332; Opusc. Ent. V, 1854, p. 178. — Reitt. l. c. p. 96 *(Litororus)*. — Balearen

balearicus Schauf. Verh. zool.-bot. Ges. Wien XXXI, 1881, p. 623. — „

var. *curtulus* Breit, Verh. zool.-bot. Ges. LVIII, 1908, p. 63. — „

subheliopates Reitt. l. c. p. 95. — Spanien

viaticus Muls. Opusc. Ent. V, 1854, p. 232; Ann. Soc. Linn. Lyon X, 1855, p. 106. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 162. — Seidl. Naturg. Ins. Deutchl. V, 1894, p. 404. — Reitt. l. c. p. 96 *(Meladocrates)*. Marokko, Andalusien

21

Penthicoides Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 20.

seriatoporus Fairm. l. c. p. 20. Ostindien

1

Pedinopsis Geb.

Geb. Ann. Soc. Ent. Belg. LIV, 1910, p. 157.

pilipes Geb. l. c. p. 157. Inneres Südafrika

1

Pedinus Latr.

Latr. Préc. car. génér. Ins. 1796, p. 20; Hist. nat. Crust. et Ins. III, 1802, p. 175; X, 1804, p. 282; Gen. Crust. et Ins. II, 1807, p. 163; Règne anim. ed. II, 1829, p. 20—21. — Cast. Hist. Nat. II, 1840, p. 210. — Muls. Col. Fr. Latigènes 1854, p. 131; Opusc. Ent. IV, 1853, p. 148; Mém. Acad. Lyon 1853, p. 64. — Lacord. Gen. Col. V, 1859, p. 244. — Jacq. du Val, Gen. Col. Eur. III, 1861, p. 274. — Seidl. Nat. Ins. Deutschl. V, 1893, p. 360, 362. — Desbr. Frelon X, 1901, p. 30. — Reitt. Best.-Tab. LIII, 1904, p. 50, 52.

Subgen. *Blindus* Muls. et Rey, Opusc. Ent. IV, 1853, p. 206; Mém. Acad. Lyon 1853, p. 122. — Seidl. l. c. p. 364, 374. — Reitt. l. c. p. 52.
Subgen. *Pedinulus* Seidl. l. c. p. 373. — Reitt. l. c. p. 52.
Subgen. *Vadalus* Muls. Opusc. Ent. IV, 1853, p. 150; Mém. Acad. Lyon 1853, p. 66. — Seidl. l. c. p. 364. — Reitt. l. c. p. 51.

aequalis Fald. Fn. Transcauc. II, 1837, p. 57. — Muls. Mém. Acad. Lyon. 1853, p. 116; Opusc. Ent. IV, 1853, p. 200. — Seidl. Naturg. Ins. Deutschl. V, 1893, p. 373. — Reitt. Best.-Tab. LIII, 1904, p. 60 (*Pedinus* s. str.). Österreich, Südrußland, Kaukasus

aetolicus Apfelb. Mitt. wiss. Anst. Bosn. VIII, 1901, p. 464. — Reitt. l. c. p. 54 (*Pedinus* s. str.). Griechenland

affinis Brll. Expéd. Morée III, 1832, p. 206. — Kiesw. Entom. Monatsbl. II, 1880, p. 70. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 149. — Seidl. Naturg. Ins. Deutschl. V, 1893, p. 368, 377. — Reitt. l. c. p. 56 (*Pedinus* s. str.). „

gibbosus Muls. Mém. Acad. Lyon 1853, p. 81; Opusc. Ent. IV, 1853, p. 165, t. 4, f. 5, 26, 27.

subdepressus var. 2. Kiesw. Ent. Monatsbl. II, 1880, p. 70.

balcanicus Apfelb. Mitt. wiss. Anst. Bosn. VIII, 1901, p. 465. — Reitt. l. c. p. 55 *(Pedinus* s. str.). Albanien, Bosnien

Bodemeyeri Reitt. l. c. p. 56 (*Pedinus* s. str.). Anatolien

circassicus Reitt. Deutsche Ent. Zeitschr. 1887, p. 520. — Seidl. Naturg. Ins. Deutschl. V, 1893, p. 365. — Reitt. l. c. p. 52 *(Vadalus)*. — Circassien

Clementis Seidl. l. c. p. 373. — Reitt. l. c. p. 60 *(Pedinus* s. str.). — Griechenland

curtulus Muls. Mém. Acad. Lyon 1853, p. 112; Opusc. Ent. IV, 1853, p. 196. — Seidl. l. c. p. 373. — Reitt. l. c. p. 60 *(Pedinus* s. str.). — Krim, Kaukasus

curvipes Muls. l. c. p. 105; l. c. p. 189, t. 4, f. 12. — Baudi Bull. Soc. Ent. Ital. VII, 1875, p. 154. — Seidl. l. c. p. 371. — Reitt. l. c. p. 58 (*Pedinus* s. str.). — Griechenland, Jon. Inseln, Kleinasien

tauricus Kiesw. Ent. Monatsbl. II, 1880, p. 70.

dilaticollis Sahlb. Öfv. Finska Vet. Soc. Förh. 1907—08 (1909), nr. 7, p. 78. — Syrien

fallax Muls. Mém. Acad. Lyon 1853, p. 84; Opusc. Ent. IV, 1853, p. 168, t. 4, f. 6, 18. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 150. — Kiesw. Ent. Monatsbl. II, 1880, p. 70. — Seidl. Naturg. Ins. Deutschl. V, 1893, p. 370, 380. — Reitt. Best.-Tab. LIII, 1904, p. 58 (*Pedinus* s. str.). — Istrien, Croatien, Steiermark, Südrußland

gracilis Muls. l. c. p. 87; l. c. p. 171.

helopioides var. Germ. Reise nach Dalmat. 1817, p. 191.

fatuus Muls. l. c. p. 94; l. c. p. 178. — Seidl. l. c. p. 372. — Reitt. l. c. p. 59 (*Pedinus* s. str.). — Sicilien, Griechenland

debilis Kiesw. Ent. Monatsbl. II, 1880, p. 68.

femoralis L. Syst. Nat. ed. XII, 1767, p. 679. — F. Ent. Syst. I, 1792, p. 109. — Ol. Ent. III, 1795, 57, p. 17, t. 2, f. 22. — Panz. Ent. Germ. 1795, p. 39; Fn. Ins. Germ. 1797, XXXIX, 6 ib. 5. — Herbst, Käf. VIII, 1799, p. 189, t. 128, f. 10. — Ill. Käf. Preuß. 1798, p. 110; Magaz. I, 1801, p. 46. — Latr. Hist. Nat. X, 1804, p. 282; Gen. II, 1807, p. 165. — Sturm, Käf. II, 1807, p. 209. — Duft. Fn. Austriae II, 1812, p. 286. — Cast. Hist. Nat. II, 1840, p. 210. — Redt. Fauna Austr. 1849, p. 599; ed. II, 1858, p. 592; ed. III, 2, 1874, p. 94. — Küst. Käf. Eur. 1849, XVI, p. 33. — Muls. Mém. Acad. Lyon 1853, p. 107; Opusc. Ent. IV, 1853, p. 191, t. 4, f. 11, 23; Col. Fr. Latig. 1854, p. 137. — Bach, Käferfauna III, 1856, p. 221. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 154. — Seidl. Fauna Balt. 1875, p. 361; ed. II, 1891, p. 514; Fauna Transsylv. 1891, p. 550; Naturg. Ins. Deutschl. V, 1893, p. 372, 382. — Stierl. Col. Helvet. II, 1886, p. 142. — Desbr. Frelon X, 1901, p. 32. — Reitt. Best.-Tab. LIII, 1904, p. 60 (*Pedinus* s. str.). — Europa bis Ostsibirien

dermestoides F. Mant. Ins. I, 1787, p. 212; Ent. Syst. I, 1792, p. 107; Syst. El. I, 1801, p. 142. — Panz. Ent. Germ. 1795, p. 39. — Ol. Nouv. Dict. hist. nat. XVII, 1803, p. 204.

femoratus Ill. Käf. Preuß. I, 1798, p. 109.

gemellatus Fourcr. Ent. Paris 1785, p. 157.

laevigatus Panz. Fn. Germ. L, p. 6.

striopunctatus Goeze, Entom. Beytr. I, 1777, p. 687.

Biologie: Lindemann, Ent. Nachr. XIII, 1887, p. 241—244; Bull. Mosc. (n. s.) II, 1888, 2, p. 30—36. — Seidl. Naturg. Ins. Deutschl. V, 1893, p. 362.

fornicatus Falderm. Fn. Transcauc. II, 1837, p. 58. — Transkaukasus

fulvicornis Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 700. — Seidl. Naturg. Ins. Deutschl. V, 1893, p. 375. — Reitt. Best.-Tab. LIII, 1904, p. 61 *(Blindus)*. — Mongolei

helopioides Ahrens, Fn. Ins. Eur. II, 1814, t. 2. — Germ. Reise Dalm. 1817, p. 190. — Küst. Käf. Eur. I, 1844, 44. — Muls. Mém. Acad. Lyon 1853, p. 78, t. 4, f. 4, 17, 25; Opusc. Ent. IV, 1853, p. 162. — Kiesw. Ent. Monatsbl. II, 1880, p. 70. — Seidl. Fn. Transsylv. 1891, p. 551; Naturg. Ins. Deutschl. V, 1893, p. 370, 379. — Reitt. l. c. p. 58 (*Pedinus* s. str.). — Dalmatien, Croatien, Sicilien, Griechenland, Türkei, Rumelien

gibbosus Brll. Expéd. Morée III, 1832, p. 206. — Gory in Guér. Iconogr. 1844, p. 117, t. 29, f. 13, a.

inflatus Reiche, Ann. Soc. Ent. Fr. (3) VI, 1858, p. 262.

?*laticollis* Herbst, Käf. VIII, 1799, p. 198, t. 129, f. 3.

hungaricus Seidl. l. c. p. 372, 376. — Reitt. l. c. p. 59 (*Pedinus* s. str.). — Ungarn

intermedius Seidl. l. c. p. 366, 375. — Reitt. l. c. p. 53 (*Pedinus* s. str.). — Syrien

ionicus Kiesw. Ent. Monatsbl. II, 1880, p. 66. — Seidl. l. c. p. 374. — Reitt. l. c. p. 61 *(Pedinulus)*. — Jon. Inseln

japonicus Seidl. l. c. p. 374, 376. — Reitt. l. c. p. 62 *(Blindus)*. — Japan

Kiesenwetteri Seidl. l. c. p. 368, 375. — Reitt. l. c. p. 56 (*Pedinus* s. str.). — Türkei, Smyrna

Krüperi Seidl. l. c. p. 368, 375. — Reitt. l. c. p. 56 (*Pedinus* s. str.). — Griechenland

longulus Rottb. Berl. Ent. Zeit. XIV, 1870, p. 249. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 151. — Mars. Abeille XII, 1875, p. 108. — Kiesw. Ent. Monatsbl. II, 1880, p. 68. — Seidl. l. c. p. 369. — Reitt. l. c. p. 57 (*Pedinus* s. str.). — Sicilien

meridianus Muls. Mém. Acad. Lyon 1853, p. 91; Opusc. Ent. IV, 1853, p. 175; t. 4, f. 8, 29, 30; Col. Fr. Latigènes 1854, p. 134. — Baudi, l. c. p. 152. — Kiesw. l. c. p. 70. — Seidl. l. c. p. 369, 378. — Desbr. Frelon X, 1901, p. 33. — Reitt. l. c. p. 57 (*Pedinus* s. str.). — Südfrankreich, Italien, Dalmatien, Corsica

var. *androgyne* Reitt. l. c. p. 57.

natolicus Muls. l. c. p. 103; l. c. p. 187. — Seidl. l. c. p. 371. — Reitt. l. c. p. 59 (*Pedinus* s. str.). — Natolien

oblongus Muls. l. c. p. 95; l. c. p. 179, t. 4, f. 9, 31, 32. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 153. — Seidl. l. c. p. 367. — Reitt. l. c. p. 54 (*Pedinus* s. str.). — Creta, Morea

Olivieri Muls. l. c. p. 73; l. c. p. 157, t. 4, f. 2, 21, 22. — Baudi, l. c. p. 149. — Seidl. l. c. p. 365. — Reitt. l. c. p. 52 (*Pedinus* s. str.). — Creta, Aegypten

punctulatus Kiesw. Entom. Monatsbl. II, 1880, p. 70.

olympicus Kiesw. Ent. Monatsbl. II, 1880, p. 67. — Seidl. l. c. p. 369. — Reitt. l. c. p. 57 *(Pedinus* s. str.). — Griechenland

ovatus Fald. Fn. Transcauc. II, 1837, p. 59. — Transkaukasus

paradoxus Reitt. Best.-Tab. LIII, 1904, p. 59 *(Pedinus* s. str.). — Syrien

peristericus Apfelb. Mitt. wiss. Anst. Bosn. VIII, 1901, p. 464. — Reitt. l. c. p. 54 *(Pedinus* s. str.). — Albanien

podager Seidl. Naturg. Ins. Deutschl. V, 1893, p. 366, 375. — Reitt. l. c. p. 55 (*Pedinus* s. str.). — Smyrna

punctatostriatus Muls. Mém. Acad. Lyon 1853, p. 88; Opusc. Ent. IV, 1853, p. 172; t. 4, f. 7; Col. Fr. Latigènes 1854, p. 132. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 150. — Seidl. l. c. p. 367. — Desbr. Frelon X, 1901, p. 34. — Reitt. l. c. p. 54 (*Pedinus* s. str.). — Sicilien, Südfrankreich Tunis

punctulatus Muls. l. c. p. 66, t. 3, f. 17, t. 4, f. 1, 19; l. c. p. 150. — Seidl. l. c. p. 364. — Reitt. l. c. p. 52 *(Vadalus).* — Türkei, Kleinasien

quadratus Brll. Expéd. Morée III, 1832, p. 205, t. 40, f. 14. — Muls. l. c. p. 75, t. 3, f. 16, 18; t. 4, f. 3, 16, 24; l. c. p. 159. — Jacq. du Val, Gen. Col. Eur. III, 1861, t. 67, f. 331. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 149. — Seidl. l. c. p. 366. — Reitt. l. c. p. 53 (*Pedinus* s. str.). — Griechenland

Ragusae Ragusa, Bull. Soc. Ent. Ital. VI, 1873, p. 308. — Baudi, l. c. p. 151; Deutsche Ent. Zeitschr. XX, 1876, p. 44. — Kiesw. Ent. Monatsbl. II, 1880, p. 65. — Seidl. l. c. p. 374. — Reitt. l. c. p. 61 *(Pedinulus).* — Sicilien, Calabrien, Jon. Inseln

Reitteri Seidl. l. c. p. 366, 375. — Reitt. l. c. p. 53 (*Pedinus* s. str.). — Griechenland

Schaumi Muls. Mém. Acad. Lyon 1853, p. 97; Opusc. Ent. IV, 1853, p. 181. — Seidl. l. c. p. 368. — Reitt. l. c. p. 55 (*Pedinus* s. str.). — Türkei, Syrien

siculus Seidl. l. c. p. 367. — Reitt. l. c. p. 54 (*Pedinus* s. str.). — Sicilien

simplex Seidl. l. c. p. 371, 376. — Reitt. l. c. p. 59 (*Pedinus* s. str.). — Griechenland

strabonis Seidl. l. c. p. 371, 375. — Reitt. l. c. p. 58 (*Pedinus* s. str.). — Kleinasien

strigicollis Reitt. l. c. p. 61 (*Pedinus* s. str.). — Taurien

strigosus Fald. Mém. Acad. Petr. Sav. étr. 1835, p. 410. — Muls. Mém. Acad. Lyon 1853, p. 122; Opusc. Ent. IV, 1853, p. 206. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 45. — Seidl. l. c. p. 374. — Reitt. l. c. p. 61 *(Blindus).* — Mongolei, Nordchina, Korea

subdepressus Brll. Expéd. Morée III, 1832, p. 207. — Muls. l. c. p. 100; l. c. p. 184, t. 3, f. 19, t. 4, f. 10, 28. — Baudi, l. c. p. 153. — Seidl. l. c. p. 367. — Reitt. l. c. p. 55 (*Pedinus* s. str.). — Griechenland, Türkei

cylindricus Waltl, Isis 1838, p. 462.

suturalis Say, Journ. Acad. Phil. III, 1823, p. 263. — Nordamerika

tauricus Muls. Mém. Acad. Lyon 1853, p. 113; Opusc. Ent. IV, 1853, p. 197, t. 4. f. 13. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 154. — Seidl. — Südrußland, Krim

Naturg. Ins. Deutschl. V, 1893, p. 373. — Reitt. Best.-Tab. LIII, 1904, p. 60 (*Pedinus* s. str.).

taygetanus Kiesw. Ent. Monatsbl. II, 1880, p. 67. — Seidl. l. c. p. 369. — Reitt. l. c. p. 57 (*Pedinus* s. str.). — Griechenland

thibetanus (scr. *thibetnaus*) Fairm. Notes Leyd. Mus. XIX, 1897, p. 217. — Thibet

Ulrichi Seidl. Naturg. Ins. Deutschl. V, 1893, p. 371, 375. — Reitt. Best.-Tab. LIII, 1904, p. 59 (*Pedinus* s. str.). — Ungarn, Siebenbürgen

volgensis Muls. Mém. Acad. Lyon 1853, p. 119; Opusc. Ent. IV, 1853, p. 203. — Seidl. l. c. p. 373. — Reitt. l. c. p. 60 (*Pedinus* s. str.). — Krim, Astrachan

50

Colpotus Muls.

Muls. et Rey, Mém. Acad. Lyon III, 1853, p. 124; Opusc. Ent. IV, 1853, p. 208. — Lacord. Gen. Col. V, 1859, p. 246. — Jacq. du Val, Gen. Col. Eur. III, 1861, p. 274. — Seidl. Naturg. Ins. Deutschl. V, 1893, p. 361. — Desbr. Frelon X, 1901, p. 35. — Reitt. Best.-Tab. LIII, 1904, p. 56, 62. — d'Amore-Fracassi, Natur. Sicil. XIX, 1907, nr. 8—9, p. 3 (Mon.).

angustulus Reitt. Deutsche Ent. Zeitschr. 1887, p. 520; Best.-Tab. LIII, 1904, p. 62. — d'Amore, Mon. p. 6, 9. — Circassien

byzantinicus Waltl, Isis 1838, p. 462. — Muls. Mém. Acad. Lyon 1853, p. 132; Opusc. Ent. IV, 1853, p. 216. — Reitt. Best.-Tab. LIII, 1904, p. 62. — d'Amore, Mon. p. 8. — Griechenland, Türkei

Faldermanni Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 46. — d'Amore, Mon. p. 12. — Mongolei

strigosus (Falderm.) Baudi, l. c. p. 45.

Ganglbaueri (scr. **Ganglabaueri**) d'Amore, Mon. p. 7, 17. — Italien

Godarti Muls. Mém. Acad. Lyon 1853, p. 130, t. 3, f. 20; Opusc. Ent. IV, 1853, p. 214. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 155. — Desbr. Frelon X, 1901, p. 36. — Reitt. Best.-Tab. LIII, 1904, p. 63. — d'Amore, Mon. p. 7, 19. — Corsica, Sicilien, Griechenland

magnicollis Fairm. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 148. — d'Amore, Mon. p. 6 nota. — Syrien

pectoralis Muls. Mém. Acad. Lyon 1853, p. 136; Opusc. Ent. IV, 1853, p. 220. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 156. — Reitt. Best.-Tab. LIII, 1904, p. 63. — Desbr. Frelon X, 1901, p. 37. — d'Amore, Mon. p. 8, 22. — Griechenland, Corfu

ruficornis Reitt. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 87.

punctipleuris Reitt. Best.-Tab. LIII, 1904, p. 63. — d'Amore, Mon. p. 8, 23. — Kleinasien

similaris Muls. Mém. Acad. Lyon 1853, p. 128, t. 4, f. 15, 34; Opusc. Ent. IV, 1853, p. 212. — Desbr. Frelon X, 1901, p. 37. — Reitt. l. c. p. 62. — d'Amore, l. c. p. 6, 11. — Spanien, Portugal, ? Süditalien

strigosus Costa, Ann. Ac. aspir. nat. (2) I, 1847, p. 144. — Desbr. Frelon 1907, p. 73. — Reitt. l. c. p. 63. — d'Amore, Mon. p. 7, 15. — Süditalien, Sardinien, Elba

strigicollis Muls. Mém. Acad. Lyon 1853, p. 126; Opusc. Ent. III, 1853, p. 210. — Jacq. du Val, Gen. Col. Eur. III, 1861, t. 66, f. 330.
var. *Ragusae* d'Amore, Mon. p. 16.

sulcatus Mén. Cat. Ins. Balkan 1838, p. 39 (Mém. Acad. Petr. (6) V). — Muls. Mém. Acad. Lyon 1853, p. 134, t. 4, f. 35; Opusc. Ent. IV, 1853, p. 218. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 156. — Reitt. l. c. p. 63. — d'Amore, Mon. p. 20. — Türkei, Creta, Kleinasien.

11

Colpotinus Fairm.

Fairm. Compt. rend. Soc. Ent. Belg. XXXV, 1891, p. XVII.

simulator Fairm. l. c. p. XVII. — Chang-yang

1

Cabirus Muls. et Rey.*)

Muls. et Rey, Mém. Acad. Lyon 1853, p. 139; Opusc. Ent. IV, 1853, p. 223. — Lacord. Gen. Col. V, 1859, p. 246. — Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 105 (57). — Seidl. Naturg. Ins. Deutschl. V, 1893, p. 361. — Reitt. Best.-Tab. LIII, 1904, p. 50, 63.

ampliatus Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 109 (61). — Reitt. Best.-Tab. LIII, 1904, p. 67. — Damaskus

castaneus Reitt. l. c. p. 67. — Jerusalem
rotundicollis Desbr. l. c. p. 114 (66).

cavimanus Sahlb. Öfv. Finska Vet. Soc. Förh. 1907—08 (1909) nr. 7, p. 81. — Libanon

cilicicus Sahlb. l. c. p. 82. — Tarsus

convexiusculus Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 110 (62). — Syrien

cribricollis Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 156. — Desbr. l. c. p. 115 (67). — Reitt. Best.-Tab. LIII, 1904, p. 68 nota. — Cypern

dentimanus Reitt. l. c. p. 64. — Centr.-Asien

Desbrochersi Reitt. l. c. p. 68. — Syrien

elongatus Sahlb. Öfv. Finska Vet. Soc. Förh. 1907—08, nr. 7, p. 79. — „

gracilis Reitt. Best.-Tab. LIII, 1904, p. 66. — „

libanicus Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 109 (61). — Libanon

minutissimus Muls. et Rey, Mém. Acad. Lyon 1853, p. 140, t. 4, f. 37; Opusc. Ent. IV, 1853, p. 224. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 157. — Reitt. Best.-Tab. LIII, 1904, p. 68. — Syrien
rectangulus Desbr. l. c. p. 112 (64).

Mulsanti Desbr. l. c. p. 111 (63). — Nazareth

obsoletus Baudi, Deutsche Ent. Zeitschr. XXV, 1881, p. 281. — Reitt. Best.-Tab. LIII, 1904, p. 66. — Syrien, Palästina,
latiusculus Desbr. l. c. p. 111 (63).

obtusicollis Reitt. Wien. Ent. Zeit. X, 1891, p. 224; Best.-Tab. LIII, 1904, p. 65. — Centr.-Asien

*) Der Name *Cabirus* ist von Hübner für eine Lepidopterengattung schon 1822 gebraucht worden. Doch ist er, weil diese Gattung mit *Castnia* synonym ist, wieder frei geworden.

persis Baudi, Ann. Mus. Genova VII, 1875, p. 697; Deutsche Ent. Zeitschr. XX, 1876, p. 43. — Süd-Persien
persicus Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 156.

procerulus Reitt. Best.-Tab. LIII, 1904, p. 65. — Aulie-Ata

puncticollis Reitt. l. c. p. 66. — Buchara

pusillus Ménétr. Mém. Acad. Petr. VI, 1849, p. 237 (21), t. 4, f. 6. — Muls. Mém. Acad. Lyon 1853, p. 141, t. 4, f. 36; Opusc. Ent. IV, 1853, p. 235. — Baudi, Ann. Mus. Genova VII, 1875, p. 698. — Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 113 (65). — Reitt. Wien. Ent. Zeit. X, 1891, p. 223; Best.-Tab. LIII, 1904, p. 64. — Samarkand, Turkmenien

rotundicollis Mill. Wien. Ent. Monatschr. V, 1861, p. 202, t. 4, f. 3. — Reitt. Best.-Tab. LIII, 1904, p. 67. — Syrien
pubescens Desbr. l. c. p. 108 (60).

Simonis Reitt. l. c. p. 68. — ,,

strictulus Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 110 (62). — Nazareth

subpubescens Reitt. Best.-Tab. LIII, 1904, p. 67. — Beirut

thoracicus Sahlb. Öfv. Finska Vet. Soc. Förh. 1907—08, nr. 7, p. 83. — Antilibanon

tibialis Reitt. Wien. Ent. Zeit. X, 1891, p. 224; Best.-Tab. LIII, 1904, p. 65. — Taschkent

validipes Reitt. l. c. p. 224; l. c. p. 65. — ,,

vicinus Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 112 (64). — Syrien

27

Heterophylus Muls. et Rey.

Muls. et Rey, Mém. Acad. Lyon IX, 1859, p. 69; Opusc. Ent. X, 1859, p. 7. — Reitt. Best.-Tab. LIII, 1904, p. 50, 69.

Dissonomus Jacq. du Val, Gen. Col. Eur. III, 1861, p. 280.

amplicollis Reitt. Deutsche Ent. Zeitschr. 1896, p. 160; Best.-Tab. LIII, 1904, p. 71. — Transkaspien

angustitarsis Reitt. l. c. p. 160; l. c. p. 71. — ,,

ellipticus Desbr. Bull. Acad. d'Hipp. 1881, p. 120 (72). — Reitt. l. c. p. 159; l. c. p. 70. — ,,

latiusculus Muls. Mém. Acad. Lyon 1859, p. 72; Opusc. Ent. X, 1859, p. 10. — Transkaspien, Turkestan
pygmaeus Reitt. l. c. p. 159; l. c. p. 70.

parvulus Reitt. l. c. p. 159; l. c. p. 70. — Araxestal

picipes Fald. Fn. Transcauc. II, 1837, p. 55. — Muls. Mém. Acad. Lyon IX, 1859, p. 70; Opusc. Ent. X, 1859, p. 8. — Jacq. du Val, Genera Col. Eur. III, 1861, t. 68, f. 340. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 246. — Reitt. l. c. p. 159; l. c. p. 69. — Kaukasus, Araxestal, Baku

seriepunctatus Reitt. l. c. p. 69. — Algier

substriatus Reitt. Deutsche Ent. Zeitschr. 1898, p. 348; Best.-Tab. LIII, 1904, p. 69. — Kleinasien

tibialis Reitt. Best.-Tab. LIII, 1904, p. 70. — Transkaspien

9

Dilamus Jacq. du Val.

Jacq. du Val, Gen. Col. Eur. III, 1861, p. 279. — Seidl. Naturg. Ins. Deutschl. V, 1893, p. 361. — Desbr. Frelon XI, 1902, p. 65. — Reitt. Best.-Tab. LIII, 1904, p. 71.

Subgen. *Ochrolamus* Reitt. l. c. p. 73.

Böhmi Reitt. l. c. p. 71. — Aegypten
brevicollis Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 660. — Abessinien
Fausti Reitt. Deutsche Ent. Zeitschr. 1890, p. 150; Best.-Tab. LIII, 1904, p. 71. — Transkaspien
laticollis Baudi, Deutsche Ent. Zeitschr. 1876, p. 241; Bull. Soc. Ent. Ital. VIII, 1876, p. 205. — Jerusalem
obsoletus Baudi, l. c. p. 240; l. c. p. 207. — Reitt. Best.-Tab. LIII, 1904, p. 72. — Syrien
pictus Baudi, Deutsche Ent. Zeitschr. XXV, 1881, p. 285. — Reitt. l. c. p. 73 *(Ochrolamus)*. — Cairo
planicollis Fairm. Compt. rend. Soc. Ent. Belg. XXVII, 1883, p. XLIV. — Reitt. l. c. p. 72. — Algier, Tripolis
rufipes Luc. Expl. Alg. 1849, p. 338, t. 30, f. 10. — Lacord. Gen. Col. V, 1859, p. 387 nota 2. — Jacq. du Val, Genera Col. Eur. III, 1861, p. 279, t. 68, f. 339. — Baudi, Bull. Soc. Ent. Ital. VIII, 1876, p. 206. — Desbr. Frelon XI, 1902, p. 66. — Reitt. l. c. p. 72. — Sicilien, Andalusien, Algier, Tunis
andalusiae Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 240; Bull. Soc. Ent. Ital. VIII, 1876, p. 206.
congener Rottb. Berl. Ent. Zeitschr. XIV, 1870, p. 250.
tangerianus Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 132 (84). — Reitt. l. c. p. 72. — Marokko

9

Pseudolamus Fairm.

Fairm. Pet. Nouv. Ent. I, 1874, p. 388; Ann. Soc. Ent. Fr. (5) X, 1880, p. 18. — Reitt. Best.-Tab. LIII, 1904, p. 51, 75.

amplicollis Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 152. — Senegal
rotundicollis Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 478. — Madagaskar
seriatoporus Fairm. Pet. Nouv. Ent. I, 1874, p. 389; Ann. Soc. Ent. Fr. (5) X, 1880, p. 19. — Reitt. Best.-Tab. LIII, 1904, p. 75. — Andalusien, Marokko, Algier
pusillus Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 219; Deutsche Ent. Zeitschr. XX, 1876, p. 61; XXV, 1881, p. 285.

3

Micropedinus Lew.

Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 379.

algae Lew. l. c. p. 379. — Japan
pallidipennis Lew. l. c. p. 380. — „

2

Scymena Pasc.

Pasc. Journ. Ent. II, 1866, p. 455. — Blackb. Trans. Roy. Soc. S. Austr. X, 1887, p. 269.

amphibia Pasc. Ann. Mag. Nat. Hist. (4) V, 1870, p. 94. — Queensland
australis Blackb. Trans. Roy. Soc. S. Austr. X, 1887, p. 270.
variabilis Pasc. Journ. Ent. II, 1866, p. 455. — N. S. Wales

2

Amblysphagus Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 16.

pachyderus Fairm. l. c. p. 16. — Ostindien

1

Pachypterus Luc.

Expl. Alg. 1849, p. 325. — Lacord. Gen. Col. V, 1859, p. 265. — Muls. Mém. Acad. Lyon IX, 1859, p. 146; Opusc. Ent. X, 1859, p. 84. — Jacq. du Val, Gen. Col. Eur. III, 1861, p. 278. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 409, 411. — Desbr. Frelon X, 1901, p. 85. — Reitt. Best.-Tab. LIII, 1904, p. 51, 75, 76.

Subgen. *Trachymetus* Reitt. l. c. p. 76.

cognatus Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 150. — Senegal
crenulatus Fairm. l. c. p. 151. — „
elongatus Muls. Mém. Acad. Lyon IX, 1859, p. 147; Opusc. Ent. X, 1859, p. 85. — Reitt. Best.-Tab. LIII, 1904, p. 76 *(Trachymetus)*. — „
infimus Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 150. — „
mauritanicus Luc. Expl. Alg. 1849, p. 325, t. 29, f. 4. — Jacq. du Val, Gen. Col. Eur. III, 1861, t. 68, f. 338. — Desbr. Frelon X, 1901, p. 86. — Reitt. Best.-Tab. LIII, 1904, p. 76. — Griechenland, Corsika, Spanien, Algier
niloticus Mill. Wien. Ent. Monatschr. V, 1861, p. 205, t. 4, f. 8. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 219. — Reitt. l. c. p. 75. — Aegypten
serrulatus Reitt. l. c. p. 75. — Kaukasus, Centralasien

7

Mesomorphus Seidl.

Seidl. Naturg. Ins. Deutschl. V, 1893, p. 361 nota. — Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 20. — Reitt. Best.-Tab. LIII, 1904, p. 73.

Hopatromorpha Blackb. Trans. Roy. Soc. S. Austr. XXXI, 1907, p. 289.

crassiusculus Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 20. — Indien
darlingensis Blackb. Trans. Roy. Soc. S. Austr. XVIII, 1894, p. 216; XXXI, 1907, p. 290. — N. S. Wales
Darwini Blackb. l. c. p. 217; l. c. p. 290. — Port Darwin

9

debilis Gerst. Arch. f. Naturg. XXXVII, 1871, p. 61; Decken's Reise III, 2, 1873, p. 181. — Ostafrika

fulvoscutatus Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 233. — Madagaskar

longicornis Blackb. Trans. Roy. Soc. S. Austr. XVI, 1892, p. 40; XVIII, 1894, p. 217; XXXI, 1907, p. 287. — Australien

longulus Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 263. — Reitt. Best.-Tab. LIII, 1904, p. 74. — Syrien, Kleinasien,
minutus Muls. Mém. Acad. Lyon IX, 1859, p. 78; Opusc. Ent. X, 1859, p. 16. — Reiche, Ann. Soc. Ent. Fr. (4) I, 1861, p. 212. — Persien, ?Ostsibirien

picescens Fairm. Ann. Soc. Ent. Fr. (6) III, 1883, p. 98. — Abessinien

setosus Muls. Mém. Acad. Lyon 1852, p. 313; Opusc. Ent. IV, 1853, p. 88. — Aegypten, Abessinien
murinus Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 227; Deutsche Ent. Zeitschr. XX, 1876, p. 70. — Reitt.-Best. Tab. LIII, 1904, p. 73, 74.

ussuriensis Solsky, Horae Soc. Ent. Ross. VII, 1870, p. 374. — Mars. Abeille XII, 1875, p. 123. — Reitt. Best.-Tab. LIII, 1904, p. 75. — Ostsibirien

vagabundus Champ. Trans. Ent. Soc. Lond. 1894, p. 361. — Blackb. Trans. Roy. Soc. S. Austr. XXXI, 1907, p. 290. — N. W.-Australien

Varendorffi Reitt. Best.-Tab. LIII, 1904, p. 74. — Trop. Afrika

villiger Blanch. Voy. Pole Sud IV, 1853, p. 154, t. 10, f. 15. — Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 20. — Australien, Südasien, Japan,
asperulus Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 234. — Trop. Afrika,
dermestoides Reitt. Best.-Tab. LIII, 1904, p. 74. — Madagaskar
dispersus Champ. Trans. Ent. Soc. Lond. 1894, p. 361.
mustelinus Fairm. Notes Leyd. Mus. IV, 1882, p. 221.
puberulus Fauv. Bull. Soc. Linn. Normand. (2) 1, 1867, p. 187 nota.

13

Cenophorus Muls. et Rey.

Muls. et Rey, Ann. Soc. Agr. Lyon 1859, p. 177; Opusc. Ent. IX, 1859, p. 113.

viduus Muls. l. c. p. 177; l. c. p. 113. — S. Domingo

1

Ulus Horn.

Horn, Revis. Tenebr. 1870, p. 358. — Cas. Ann. N. York Acad. V, 1890, p. 409; VIII, 1895, p. 616.

comatus Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 530. — Mexico

crassus Lec. Ann. Lyc. N. York V, 1851, p. 146. — Horn, Revis. Tenebr. 1870, p. 358. — Cas. Ann. N. York Acad. V, 1890, p. 414. — Californien

elongatulus Cas. Ann. N. York Acad. V, 1890, p. 414. — Texas

fimbriatus Cas. l. c. p. 413. — „

hirsutus Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 133, t. 6, f. 13. — Central-Amerika
latus Blaisd. Ent. News III, 1892, p. 243. — San Diego
lineatulus Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 134, t. 6, f. 14. — Guatemala
maritimus Cas. Ann. N. York Acad. V, 1890, p. 414. — Texas, Florida
obliquus Lec. New spec. Col. 1866, p. 117. — Horn, Revis. Tenebr. 1870, p. 358. — Cas. Ann. N. York Acad. V, 1890, p. 412. — Cap S. Lucas

9

Cybotus Cas.

Cas. Ann. N. York Acad. V, 1891, p. 409, 481; VIII, 1895, p. 617.

estriatus Lec. Proc. Am. Phil. Soc. XVII, 1878, p. 420. — Cas. l. c. p. 481. — Florida

1

Mecysmus Horn.

Horn, Revis. Tenebr. 1870, p. 349. — Cas. Ann. N. York Acad. V, 1891, p. 409; VIII, 1895, p. 617.

advena Cas. Ann. N. York Acad. V, 1890, p. 466. — Texas
angustus Lec. Ann. Lyc. N. York V, 1851, p. 147. — Horn, Revis. Tenebr. 1870, p. 350. — Cas. l. c. p. 464. — Californien
laticollis Cas. l. c. p. 463. — Texas
parvulus Cas. l. c. p. 466. — Neu-Mexico
tenuis Cas. l. c. p. 465. — Süd-Californien

5

Aconobius Cas.

Cas. Ann. N. York Ac. VIII, 1895, p. 617.

laciniatus Cas. Ann. N. York Acad. VI, 1892, p. 64. — Arizona

1

denosus Cas., Mem. Col., vol V. p. 377 . . . . . Marfa, Tex
nigripes Cas. l.c. p 378 . . . . . Deming, N. Mex

Ctesicles Champ.

Champ. Trans. Ent. Soc. Lond. 1896, p. 7.

insularis Champ. l. c. p. 7, t. 1, f. 2. — St. Vincent
maritimus Champ. l. c. p. 8. — Grenada

2

Blapstinus Latr.

Latr. Règne anim. ed. II, V, 1829, p. 21. — Waterh. Ann. Mag. Nat. Hist. XVI, 1845, p. 34. — Sol. in Gay, Hist. Chile V, 1851, p. 232. — Lacord. Gen. Col. V, 1859, p. 250. — Muls. et Rey, Ann. Soc. Agr. Lyon 1859,

p. 180; Opusc. Ent. IX, 1859, p. 116. — Horn, Revis. Tenebr. 1870, p. 351. — Cas. Ann. N. York Acad. V, 1891, p. 409, 416 (Monogr. Nordamer.); VIII, 1895, p. 616.

Aspidus Muls. et Rey, Ann. Soc. Agr. Lyon 1859, p. 187; Opusc. Ent. IX, 1859, p. 123.

Heteropus Cast. Hist. Nat. II, 1840, p. 221.

Lodinus Muls. et Rey, Ann. Soc. Agr. Lyon 1859, p. 195; Opusc. Ent. IX, 1859, p. 131.

aequalis Cas. Mon. p. 445.	Californien
alutaceus Cas. Mon. p. 423.	Florida
opacus Lec. Proc. Amer. Philos. Soc. XVII, 1878, p. 420.	
angustatus Champ. Biol. Centr.-Amer. Col. IV, 1, 1893, p. 528.	Mexico
arenarius Cas. Mon. p. 457, t. 4, f. 9.	Texas
atratus Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 131, t. 6, f. 20.	Central-Amerika
auripilis Horn, Revis. Tenebr. 1870, p. 353. — Cas. Mon. p. 450.	Arizona
brevicollis Lec. Ann. Lyc. N. York V, 1851, p. 147. — Horn, Revis. Tenebr. 1870, p. 353. — Cas. Mon. p. 452.	Californien, Staat Washington
brunneus Cas. Mon. p. 453.	Texas
Buqueti Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 128, t. 6, f. 17.	Central- u. Süd-Amerika
castaneus Cas. Mon. p. 432.	Texas
cisteloides Er. Arch. f. Naturg. XIII, 1847, I, p. 116.	Peru
coronadensis Blaisd. Entom. News III, 1892, p. 242.	Californien
crassicornis Cas. Mon. p. 440.	Nevada
cribricollis Cas. Mon. p. 437.	Arizona
debilis Cas. Mon. p. 458.	Texas
dilatatus Lec. Ann. Lyc. N. York V, 1851, p. 146. — Horn, Revis. Tenebr. 1870, p. 353. — Cas. Mon. p. 430, t. 4, f. 1.	Süd-Californien, Arizona
pullus Say, Journ. Acad. Phil. III, 1823, p. 264.	
discolor Horn, Revis. Tenebr. 1870, p. 354. — Cas. Mon. p. 462.	Californien
dispar Cas. Mon. p. 424.	Florida
egenus Champ. Biol. Centr.-Amer. IV, 1, 1885, p. 129, 528.	Central- u. S. Amerika
elongatus Cas. Mon. p. 441.	Californien
emmenastoides Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 131, t. 6, f. 22.	Central-Amerika
errabundus Champ. l. c. p. 127, 527.	„
exiguus Champ. l. c. 1893, p. 529.	Mexico
fortis Lec. Proc. Am. Phil. Soc. XVII, 1878, p. 420. — Cas. Mon. p. 429.	Florida, Texas, Mexico, Cuba
interstitialis Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 125, 526, t. 6, f. 16.	
punctulatus Jacq. du Val, Hist. Cuba VII, 1857, p. 141.	
fuliginosus Cas. Mon. p. 438.	Californien
funebris Cas. Mon. p. 446.	S. Californien
fuscus Cas. Mon. p. 427.	Texas
grandis Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 125, t. 6, f. 18.	Nicaragua

gregalis Cas. Mon. p. 442.	Californien etc.
helopioides Er. Arch. f. Naturg. XIII, 1847, I, p. 117.	Peru
hesperius Cas. Mon. p. 454.	Oregon
histricus Cas. Mon. p. 433.	Californien
holosericeus Cast. Hist. Nat. II, 1840, p. 221.	Peru
hospes Cas. Mon. p. 455.	Colorado etc.
humilis Cas. Mon. p. 459.	Florida
hydropicus Cas. Mon. p. 461.	Arizona
infimus Fairm. Ann. Soc. Ent. Fr. LXI, 1892, p. 82.	Venezuela
inquisitus Cas. Mon. p. 449.	Californien
insularis Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 127.	Ins. Taboga
intermedius Champ. l. c. p. 129.	Centr.-Amerika
intermixtus Cas. Mon. p. 451.	Arizona
interruptus Say, Journ. Acad. Phil. III, 1823, p. 264. — Horn, Revis. Tenebr. 1870, p. 355. — Cas. Mon. p. 426.	New-York, Minnesota, Colorado
luridus Muls. et Rey, Ann. Soc. Agr. Lyon 1859, p. 193; Opusc. Ent. IX, 1859, p. 129.	
lepidus Cas. Mon. p. 444.	Texas
longicollis Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 126.	Central-Amerika
longipennis Champ. l. c. p. 130.	Mexico
longulus Lec. Ann. Lyc. N. York V, 1851, p. 147. — Horn, Revis. Tenebr. 1870, p. 354. — Cas. Mon. p. 428.	Californien
metallescens Fairm. Ann. Soc. Ent. Fr. (6) III, 1883, p. 511.	Buenos-Aires
metallicus F. Syst. El. I, 1801, p. 143. — Horn, Revis. Tenebr. 1870, p. 355. — Cas. Mon. p. 425.	Von Canada bis Florida
var. *aeneolus* Melsh. Proc. Acad. Phil. III, 1846, p. 66. — Cas. Mon. p. 426.	Florida
mexicanus Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 124, 526.	Mexico
moestus Melsh. Proc. Acad. Phil. III, 1846, p. 65. — Horn, Revis. Tenebr. 1870, p. 355. — Cas. Mon. p. 442.	Rhode Island, Virginia etc.
niger Cas. Mon. p. 436, t. 4, f. 3.	Arizona
nitidus Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 130, t. 6, f. 15.	Mexico
obliteratus Champ. l. c. p. 132.	Panama
opacus Muls. et Rey, Ann. Soc. Agr. Lyon 1859, p. 186; Opusc. Ent. IX, 1859, p. 122.	Guadeloupe
opatrinoides Fairm. Ann. Soc. Ent. Fr. LXI, 1892, p. 81.	Venezuela
oregonensis Cas. Mon. p. 435.	Oregon
Palmeri Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 128, 527.	Mexico
parallelus Cas. Mon. p. 448, t. 4, f. 5.	Californien
piliferus Fairm. Ann. Soc. Ent. Fr. LXI, 1892, p. 82.	Venezuela
pimalis Cas. Contr. Col. N. Amer. II, 1885 (Jan.), p. 185; Mon. p. 456, t. 4, f. 7.	Arizona, Mexico
umbrosus Champ. Biol. Centr.-Amer. Col. IV, 1, 1885 (Oktob.), p. 127, 527.	
pratensis Lec. Col. of Kansas 1859, p. 15. — Horn, Revis. Tenebr. 1870, p. 354. — Cas. Mon. p. 434.	Kansas, Colorado etc.

pseudoaeneus Fairm. Ann. Soc. Ent. Fr. LXI, 1892, p. 81. — Venezuela
pubescens Lec. Ann. Lyc. N. York V, 1851, p. 147. — Cas. Mon. p. 459. — Californien
Lecontei Muls. et Rey, Ann. Soc. Agr. Lyon 1859, p. 192. — Horn, Revis. Tenebr. 1870, p. 353.
pulverulentus Mannerh. Bull. Mosc. XVI, 1843, II, p. 276. — Muls. et Rey, Ann. Soc. Agr. Lyon 1859, p. 190; Opusc. Ent. IX, 1859, p. 126. — Horn, Revis. Tenebr. 1870, p. 355. — Cas. Mon. p. 447. — ,,
californicus Motsch. Bull. Mosc. XVIII, 1845, I, p. 77.
punctatus F. Ent. Syst. I, 1792, p. 109; Syst. El. I, 1801, p. 143. — Herbst, Käfer VIII, 1799, p. 196. — Muls. et Rey, Ann. Soc. Agr. Lyon 1859, p. 187; Opusc. Ent. IX, 1859, p. 123. — Antillen
var. *anxius* Muls. et Rey, l. c. p. 190; l. c. p. 126.
puncticeps Muls. et Rey, l. c. p. 118; l. c. p. 117. — Cuba
puncticollis Champ. Biol. Centr.-Amer. Col. IV, 1, 1893, p. 529. — Mexico
punctulatus Sol. in Gay, Hist. Chile V, 1851, p. 233, t. 20, f. 4. — Südamerika
nigroaeneus Muls. et Rey, Ann. Soc. Agr. Lyon 1859, p. 195; Opusc. Ent. IX, 1859, p. 131.
Ridleyi Waterh. Journ. Linn. Soc. Zool. XX, 1890, p. 551. — Fernando Noronha
ruficornis Er. Schomb. Reise III, 1848, p. 565. — Guayana
rufipes Cas. Mon. p. 439, t. 4, f. 2. — Californien etc.
sonorae Cas. Mon. p. 431. — Sonora
striatulus Muls. et Rey, Ann. Soc. Agr. Lyon 1859, p. 183; Opusc. Ent. IX, 1859, p. 119. — Antillen
substriatus Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 128, 527. — Cas. Mon. p. 444. — Mexico, Verein. Staaten
sulcatus Lec. Ann. Lyc. N. York V, 1851, p. 147. — Horn, Revis. Tenebr. 1870, p. 352. — Cas. Mon. p. 460. — Californien
sulcipennis Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 129, t. 6, f. 21. — Guatemala
tibialis Champ. l. c. p. 125, 526, t. 6, f. 19. — Central-Amerika
validus Cas. Mon. p. 429. — Californien
vestitus Lec. Col. of Kansas 1859, p. 15. — Horn, Revis. Tenebr. 1870, p. 354. — Cas. Mon. p. 454. — Kansas, Colorado
yucatanus Champ. Biol. Centr.-Amer. Col. IV, 1, 1893, p. 526. — Yukatan

80

Cestrinus Er.

Er. Arch. f. Naturg. VIII, 1842, I, p. 172. — Lacord. Gen. Col. V, 1859, p. 276.

Adelodemus Haag, Journ. Mus. Godeffr. XIV, 1878, p. 120.
Isopteron Hope, Col. Manual III, 1840, p. 112. — Lacord. Gen. Col. V, 1859, p. 262. — Champ. Trans. Ent. Soc. Lond. 1894, p. 355.
Mitua Hope, Trans. Ent. Soc. Lond. V, 1848, p. 56.

angustior Blackb. Trans. Roy. Soc. S. Austr. XVIII, 1894, p. 211. — Südaustralien

aspersus Blackb. l. c. p. 210. Südaustralien
aversus Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 278. Tasmania
posticus Pasc. l. c. p. 278.
Bidwelli Hope, Trans. Ent. Soc. Lond. V, 1848, p. 56, t. 7, f. 6, a—e. Australien
brevis Champ. Trans. Ent. Soc. Lond. 1894, p. 356. West-Australien
Championi Blackb. Trans. Roy. Soc. S. Austr. XVIII, 1894, p. 210. Südaustralien
costatus Geb. Fauna Südwest-Austr. I, 1908, p. 326. West-Australien
eremicola Blackb. Trans. Roy. Soc. S. Austr. XVIII, 1894, p. 211. Central-Australien
excisicollis Cart. Proc. Linn. Soc. N. S. Wales 1908, p. 403. Viktoria
minor Blackb. Trans. Roy. Soc. S. Austr. XVIII, 1894, p. 212. „
obscurus Er. Arch. f. Naturg. VIII, 1842, I, p. 173. Tasmanien
opatroides Hope, Proc. Ent. Soc. Lond. 1842, p. 77; Trans. Ent. Soc. Lond. IV, 1845, p. 107. — Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 277. Adelaide
piceitarsis Hope, Proc. Ent. Soc. Lond. 1842, p. 76; Trans. Ent. Soc. Lond. IV, 1845, p. 108. — Champ. Trans. Ent. Soc. Lond. 1894, p. 355. „
puellus Geb. Fauna Südwest-Austr. I, 1908, p. 325. West-Australien
punctatissimus Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 278. Tasmanien
squalidus Macl. Trans. Ent. Soc. N. S. Wales II, 1872, p. 278. Queensland
asperulus Haag, Verh. Ver. naturw. Unterh. Hamb. III, p. 100; Journ. Mus. Godeffr. XIV, 1878, p. 121, t. 6, f. 7.
trivialis Er. Arch. f. Naturg. VIII, 1842, I, p. 173. — Lacord. Gen. Col. Atl. t. 53, f. 6. Tasmanien
longus Blanch. Voy. Pole Sud IV, 1853, p. 156, t. 40, f. 14. — Lacord. Gen. Col. V, 1859, p. 276 nota 2.
Zietzi Blackb. Trans. Roy. Soc. S. Austr. XVIII, 1894, p. 212. Central-Australien

18

Pedenoeces Waterh.

Waterh. Ann. Mag. Nat. Hist. XVI, 1845, p. 32. — Lacord. Gen. Col. V, 1859, p. 251. — Muls. et Rey, Ann. Soc. Agr. Lyon 1859, p. 160; Opusc. Ent. IX, 1859, p. 96.

Lachnoderus Muls. et Rey, l. c. p. 166; l. c. p. 102.
Tessaromma Boh. Res. Eug. Zool. I, 1858, p. 91.

Bauri Linell, Proc. U. S. Nat. Mus. XXI, 1898, p. 265. Galapagos-Inseln
costatus Waterh. Ann. Mag. Nat. Hist. XVI, 1845, p. 35. „
galapagoensis Waterh. l. c. p. 35. — Muls. et Rey, Ann. Soc. Agr. Lyon 1859, p. 160; Opusc. Ent. IX, 1859, p. 97. „
lugubris Boh. Res. Eugen. I, 1858, p. 91, t. 1, f. 5. Panama
morio Bohem. l. c. p. 92. Galapagos-Inseln

pubescens Waterh. Ann. Mag. Nat. Hist. XVI, 1845, p. 36. — Muls. et Rey, Ann. Soc. Agr. Lyon 1859, p. 167; Opusc. Ent. IX, 1859, p. 103. — Galapagos-Inseln

6

Penichrus Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 134.

blapstinoides Champ. l. c. p. 135, t. 6, f. 23. — Panama

1

Conibius Lec.

Lec. Ann. Lyc. N. York V, 1851, p. 145. — Lacord. Gen. Col. V, 1859, p. 251. — Muls. et Rey, Ann. Soc. Agr. Lyon 1859, p. 199; Opusc. Ent. IX, 1859, p. 135. — Horn, Revis. Tenebr. 1870, p. 349, 350. — Lec. and Horn, Class. Col. North Amer. ed. II, 1883, p. 379. — Cas. Ann. N. York Acad. V, 1890, p. 409, 467; VIII, 1895, p. 617.

Subgen. *Ooconibius* Cas. Ann. N. York Acad. VIII, 1895, p. 618.
Subgen. *Euconibius* Cas. l. c. p. 618.

brunnipes Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 183, 530, t. 6, f. 12. — Centr. Amerika

gagates Horn, Revis. Tenebr. 1870, p. 357, t. 14, f. 24. — Cas. Ann. N. York Acad. V, 1890, p. 474. — Arizona

guadeloupensis Cas. l. c. p. 470. — Ins. Guadeloupe

opacus Lec. New spec. Col. 1866, p. 118. — Horn, l. c. p. 351. — Cas. l. c. p. 471. — Californien

parallelus Lec. Ann. Lyc. N. York V, 1851, p. 146. — Horn, Revis. Tenebr. 1870, p. 351. — Cas. l. c. p. 468. — „

rotundicollis Lin. Proc. Ent. Soc. Wash. IV, 1901, p. 182. — Texas

seriatus Lec. Ann. Lyc. N. York V, 1851, p. 146. — Muls. et Rey, Ann. Soc. Agr. Lyon 1859, p. 199; Opusc. Ent. IX, 1859, p. 135. — Horn, Revis. Tenebr. 1870, p. 350. — Cas. Ann. N. York Acad. V, 1890, p. 469. — Californien

troglodytes Champ. Biol. Centr.-Amer. Col. IV, 1, 1893, p. 530. — Mexico

uniformis Cas. Ann. N. York Acad. V, 1890, p. 471. — Arizona

9

Notibius Lec.

Lec. Ann. Lyc. N. York V, 1851, p. 144. — Lacord. Gen. Col. V, 1859, p. 252. — Horn, Revis. Tenebr. 1870, p. 355. — Lec. and Horn, Class. Col. N. Amer. ed. II, 1883, p. 379. — Cas. Ann. N. York Acad. V, 1890, p. 409, 477, VIII, 1895, p. 617.

affinis Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 132, 529, t. 6, f. 11. — Mexico

laticeps Cas. Ann. N. York Acad. V, 1890, p. 480; VIII, 1895, p. 622. — Californien

puberulus Lec. Ann. Lyc. N. York V, 1851, p. 145. — Horn, Revis. Tenebr. 1870, p. 356. — Cas. l. c. p. 479; VIII, 1895, p. 622. — Californien etc.

puncticollis Lec. l. c. p. 145. — Horn, l. c. p. 356. — Cas. l. c. p. 481; l. c. p. 622. Californien
reflexus Horn, Proc. Calif. Acad. Sc. (2) IV, 1894, p. 429. Nieder-Californien
rugipes Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 132. Mexico
substriatus Cas. Ann. N. York Acad. V, 1890, p. 479; VIII, 1895, p. 622. Californien

7

Nocibiotes Cas.

Cas. Ann. N. York Acad. VIII, 1895, p. 617, 618.

Notibius Muls. et Rey, Ann. Soc. Agr. Lyon 1859, p. 164; Opusc. Ent. IX, 1859, p. 100.

acutus Cas. N. York Acad. VIII, 1895, p. 620. Arizona
caudatus Cas. l. c. p. 621. „
crassipes Cas. N. York Acad. V, 1890, p. 475; VIII, 1895, p. 619. Californien
gracilis Cas. l. c. VIII, 1895, p. 618. „
granulatus Lec. Ann. Soc. N. York V, 1851, p. 145. — Muls. et Rey, Ann. Soc. Agr. Lyon 1859, p. 164; Opusc. Ent. IX, 1859, p. 100. — Horn, Revis. Tenebr. 1870, p. 357. — Cas. Ann. N. York Acad. V, 1890, p. 474; VIII, 1895, p. 619. „
rubripes Cas. Ann. N. York Acad. VIII, 1895, p. 621. Arizona

6

Tonibius Cas.

Cas. Ann. N. York Acad. VIII, 1895, p. 617, 622.

alternatus Cas. Ann. N. York Acad. V, 1890, p. 473. Californien
sulcatus Lec. Ann. Lyc. N. York V, 1851, p. 145. — Horn, Revis. Tenebr. 1870, p. 357. — Cas. Ann. N. York Acad. V, 1890, p. 472. „

2

Tonibiastes Cas.

Cas. Ann. N. York Acad. VIII, 1895, p. 617.

costipennis Horn, Proc. Calif. Acad. (2) IV, 1894, p. 430. Nieder-Californien

1

Conibiosoma Cas.

Cas. Ann. N. York Acad. V, 1890, p. 476; VIII, 1895, p. 617.

elongatum Horn, Revis. Tenebr. 1870, p. 351. — Cas. Ann. N. York Acad. V, 1890, p. 476. Californien

1

Sellio Muls. et Rey.

Muls. et Rey, Ann. Soc. Agr. Lyon 1859, p. 169; Opusc. Ent. IX, 1859, p. 105.

coarctatus Muls. l. c. p. 170; l. c. p. 106. S. Domingo
tibidens Quens. in Schönh. Syn. Ins. I, 1, 1806, p. 147 nota e. — Muls. l. c. p. 173; l. c. p. 109. Antillen

2

LVII. Opatrinae.

Castelnau, Hist. Nat. II, 1840, p. 211. — Mulsant, Opusc. Ent. IV, 1853, p. 33; Col. France, Latigènes 1854, p. 160; Mém. Acad. Lyon IX, 1859, p. 63—155; X, 1860, p. 1—66; Opusc. Ent. X, 1859, p. 1—73. — Lacordaire, Gen. Col. V, 1859, p. 253. — Leconte, Class. Col. N. Amer. 1862, p. 227. — Horn, Revis. Tenebr. in Trans. Amer. Philos. Soc. (n. ser.) XIV, II, 1870, p. 358. — Leconte and Horn, Class. Col. N. Amer. ed. II, 1883, p. 379. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 209. — Seidlitz, Naturg. Ins. Deutschl. V, 1894, p. 222, 407. — Reitter, Best.-Tab. LIII, in Verh. naturf. Ver. Brünn XLII, 1904, p. 32, 106.

Gonopus Latr.

Latr. Règne anim. ed. 2, V, 1829, p. 17. — Cast. Hist. Nat. II, 1840, p. 204. — Sol. Studi Entom. 1848, p. 153 (7), 228 (82). — Lacord. Gen. Col. V, 1859, p. 256. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 411.

agrestis Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 292. — Caffrarien
amplipennis Fairm. Notes Leyd. Mus. X, 1888, p. 263. — Mossamedes
ater Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 290. — Caffrarien
costatus Fåhrs. l. c. p. 291. — „
deplanatus Fåhrs. l. c. p. 290. — „
exaratus Gerst. Monatsb. Berl. Acad. 1854, p. 533; Peters' Reise 1862, p. 285. — Mozambique
hirtipes Fåhrs. Öfv. Vet. Akad. Förh. XXVII, 1870, p. 292. — Caffrarien
plumosus Thunb. Mus. nat. Ac. Ups. IV, 1787, p. 48, f. 17. — Capland
cordicollis Sol. Studi Ent. 1848, p. 230 (84), 234 (88).
puncticollis Sol. l. c. p. 230 (84), 233 (87). — „
sulcatus Sol. l. c. p. 230 (84), 232 (86). — Fåhrs. Öfv. Vet. Akad. Förh. XXVII, 1870, p. 290. — „
tibialis F. Ent. Syst. Suppl. 1798, p. 48; Syst. El. I, 1801, p. 143. — Gray in Griff. Anim. Kingd. t. 96, f. 6. — Sol. l. c. p. 231 (85), t. 10, f. 8—13. — Südafrika
ventricosus Bertoloni, Nov. Comm. Ac. Bonon X, 1849, p. 418.

11

Ectatocnemis Horn.

Horn, Proc. Ac. Phil. 1866, p. 400.

multilineatus Horn, l. c. p. 400. — Coquimbo

1

Anomalipus Guér.

Guér. Icon. règne anim. texte 1846, p. 117. — Lacord. Gen. Col. V, 1859, p. 257. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 411. — Oertz. Deutsche Ent. Zeitschr. 1897, p. 33—46 (Mon.).

Acmaeus Fåhr. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 293.
Apodemus Fåhr. l. c. p. 293.
Heteroscelis Latr. Règne anim. ed. 2, V, 1829, p. 18. — Sol. Ann. Soc. Ent. Fr. V, 1836, p. 502.
Platynotus Cast. Hist. Nat. II, 1840, p. 208.

acutangulus Oertz. Mon. p. 38. — Südafrika
affinis Péring. Trans. S. Afr. Phil. Soc. IV (2) 1886, p. 128. — Oertz. Mon. p. 45. — Delagoa-Bay
agrestis Péring. Ann. S. Afr. Mus. I, 1899, p. 303. — Transvaal
amplipennis Péring. Nov. Zool. XI, 1904, p. 450. — „
asidioides Oertz. Mon. p. 40. — „
asperulatus Har. Mitth. Münchn. Ent. Ver. II, 1878, p. 107; Col. Hefte XVI, 1879, p. 117. — Oertz. Mon. p. 45. — W. Centr.-Afrika
babertoniensis Pér. Ann. S. Afr. Mus. III, 1904, p. 240. — Transvaal
carinatus Oertz. Mon. p. 37. — „
coriaceus Oertz. Mon. p. 34. — Capland
costatus Oertz. Mon. p. 38. — „
crassicauda Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 663. — Oertz. Mon. p. 45. — Transvaal
damaricus Oertz. Mon. p. 37. — Damaraland
deceptor Péring. Nov. Zool. XI, 1904, p. 450. — Transvaal
Decosteri Péring. Trans. S. Afr. Phil. Soc. III, 1885, p. 117. — Oertz. Mon. p. 42. — Delagoa-Bay
dentipes F. Ent. Syst. IV, 1794, App. p. 439; Syst. El. I, 1801, p. 140. — Latr. Règne anim. ed. II, V, 1829, p. 18. — Guér. Ic. Règne anim. t. 29, f. 7a, b. — Oertz. Mon. p. 45. — Capland
parallelus Sol. Ann. Soc. Ent. Fr. V, 1836, p. 506. — Er. Arch. f. Naturg. III, 1837, II, p. 301.
elephas Fåhr. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 294. Oertz. Mon. p. 33, 41. — Südwest-Afrika
expansicollis Fairm. Bull. Soc. Ent Fr. LX, 1891, p. CXCIII. — Mozambique
gasanus Pér. Ann. S. Afr. Mus. III, 1904, p. 239. — Rhodesia
granatus Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 622. — Oertz. Mon. p. 44. — Transvaal
Marshalli Pér. Trans. Ent. Soc. Lond. 1896, p. 170; Ann. S. Afr. Mus. III, 1904, p. 297.
granocostatus Fairm. l. c. p. 323. — Oertz. Mon. p. 41. — Mozambique
heraldicus Gerst. Arch. Naturgesch. XXXVII, 1871, p. 60; Decken's Reise III, 2, 1873, p. 178, t. 9, f. 3. — Oertz. Mon. p. 42. — Deutsch-Ostafrika
hybridus Oertz. Mon. p. 35. — Transvaal
hypocrita Péring. Ann. S. Afr. Mus. III, 1904, p. 241. — „
Kolbei Oertz. Mon. p. 36. — Südostafrika
lemur Fåhr. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 295. — Oertz. Mon. p. 43. — Caffrarien
lineatus Gerst. Monatsb. Berl. Acad. 1854, p. 531; Peters' Reise 1862, p. 275, t. 16, f. 4. — Oertz. Mon. p. 40. — Mozambique
mashunus Péring. Ann. S. Afr. Mus. III, 1904, p. 239. — Rhodesia
mastodon Fåhr. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 293. — Oertz. Mon. p. 34, 41. — Caffrarien, Transvaal
meles Fåhr. l. c. p. 296. — Oertz. Mon. p. 43. — Caffrarien
mustela Fåhr. l. c. p. 296. — Oertz. Mon. p. 41. — „
natalensis Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 662. — Oertz. Mon. p. 44. — Natal
obscurus Ol. Entom. III, 1795, 59, t. 21. — Südafrika
notaticollis Péring. Trans. S. Afr. Phil. Soc. IV, 1886, p. 129; Ann. S. Afr. Mus. III, 1904, p. 297. — Oertz. Mon. p. 45.
ovalipennis Oertz. Mon. p. 33. — Transvaal
pauxillus Péring. Ann. S. Afr. Mus. III, 1904, p. 241. — „

planus Fåhr. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 297. — Oertz. Mon. p. 45. — Caffrarien
plebejus Péring. Trans. Ent. Soc. Lond. 1896, p. 169. — Zambesi
podagricus Péring. l. c. p. 168. — Zambesi
porcus Fåhr. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 297. — Oertz. Mon. p. 42. — Caffrarien
proximus Péring. Trans. Ent. Soc. Lond. 1896, p. 169. — Zambesi
Savii Bertoloni, Mém. Acad. Bologna VI, 1855, p. 435, t. 22, f. 2. — Mozambique
sculpturatus Péring. Trans. S. Afr. Phil. Soc. IV, 1886, p. 128. — Oertz. Mon. p. 42. — Transvaal
segnis Péring. Trans. Ent. Soc. Lond. 1896, p. 171. — Zambesi
selatinus Péring. Nov. Zool. XI, 1904, p. 450. — Transvaal
seriatus Oertz. Mon. p. 35. — „
signaticollis Fairm. Notes Leyd. Mus. X, 1888, p. 264. — Oertz. Mon. p. 45. — Mossamedes
spectandrus Péring. Nov. Zool. XI, 1904, p. 449. — Transvaal
talpa Fåhr. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 295. — Oertz. Mon. p. 41. — Caffrarien
thoracicus Oertz. Mon. p. 39. — Patria?
turpis Péring. Ann. S. Afr. Mus. I, 1899, p. 304. — Zambesia
urus Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 293. — Oertz. Mon. p. 44. — Caffrarien
variabilis Oertz. Mon. p. 35. — Transvaal
variolosus Sol. Ann. Soc. Ent. Fr. V, 1836, p. 505, t. 13, f. 13—20. — Cast. Hist. Nat. II, 1840, p. 208. — Oertz. Mon. p. 43. — Capland
var. *porcatus* Sol. l. c. p. 505. — Oertz. Mon. p. 43.

52

Emmallus Er.

Er. Arch. Naturg. IX, 1843, I, p. 251. — Lacord. Gen. Col. V, 1859, p. 266.

Uzagaria Ancey, Natural. I, 1881, p. 509.

australis Péring. Trans. S. Afr. Phil. Soc. VI (2), 1892, p. 56. — Südwestafrika
major Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 287, t. 3, f. 1. — Deutsch-Ostafrika
pilosus Er. Arch. Naturg. IX, 1843, I, p. 252. — Angola
pubens Ancey, Natural. I, 1881, p. 509. — Deutsch-Ostafrika

4

Zophodes Fåhr.

Fåhr. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 298. — Péring. Ann. S. Afr. Mus. III, 1904, p. 297.

Doryagus Pasc. Ann. Mag. Nat. Hist. (5) XX, 1887, p. 12.

tristis Fåhr. l. c. p. 298. — Caffrarien, Natal
talpa Pasc. l. c. p. 12, t. 1, f. 9.

1

Blenosia Cast.

Cast. Hist. Nat. II, 1840, p. 209. — Lacord. Gen. Col. V, 1859, p. 259. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 411.

Blacodes Blanch. Hist. Ins. II, 1845, p. 13. — Muls. Mém. Acad. Lyon X, 1860, p. 11; Opusc. Ent. X, 1859, p. 103. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 410, 411.

calaharica Péring. Denkschr. med. Ges. Jena XIII, 1908 p. 415. — Südafrika
castanea Muls. Opusc. Ent. X, 1859, p. 106; Mém. Acad. Lyon X, 1860, p. 14. — Capland
cribricollis Muls. l. c. p. 115; l. c. p. 23. — „
exarata Quens. in Schönh. Syn. Ins. I, 1, 1806, p. 147 nota. — Muls. l. c. p. 110, l. c. p. 18. — „
planiuscula Muls. l. c. p. 112; l. c. p. 20. — „
sulcata Cast. Hist. Nat. II, 1840, p. 210. — Muls. l. c. p. 107; l. c. p. 15. — „
var. *subcostata* Muls. l. c. p. 109; l. c. p. 17. — „
vertagus Muls. l. c. p. 103; l. c. p. 11. — „

7

Planostibes Gemm.

Gemm. Cat. Col. VII, 1870, p. 1926.

Planodes Muls. et Rey, Opusc. Ent. X, 1859, p. 117; Mém. Acad. Lyon X, 1860, p. 25. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 410.

byrrhoides Muls. Opusc. Ent. X, 1859, p. 118; Mém. Acad. Lyon X, 1860, p. 26. — Capland
curvatus Muls. l. c. p. 122; l. c. p. 30. — „
namaqua Péring. Denkschr. med. Ges. Jena XIII, 1908, p. 414. — Südwest-Afrika
rufipes Muls. Opusc. Ent. X, 1859, p. 120; Mém. Acad. Lyon X, 1860, p. 28. — Südafrika

4

Ennychius Fåhr.

Fåhr. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 299.

morio Fåhr. l. c. p. 299. — Caffrarien

1

Melanocratus Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 21.

amplicollis Fairm. Ann. Soc. Ent. Fr. LXXI, 1902, p. 329. — Madagascar
convexicollis Fairm. l. c. p. 330. — „
major Fairm. Ann. Soc. Ent. Belg. XLIII, 1899, p. 533. — „
neuter Fairm. Ann. Soc. Ent. Fr. LXXI, 1902, p. 330. — „
ovoideus Fairm. l. c. p. 329. — „
validipes Fairm. Ann. Soc. Ent. Belg. XXIX, 1895, p. 22. — „

6

Madobalus Fairm.

Fairm. Notes Leyd. Mus. XXIII, 1901, p. 73.

rotundicollis Fairm. l. c. p. 73. — Madagascar

1

Styphacus Fairm.

Fairm. Notes Leyd. Mus. XXIII, 1901, p. 71.

Decorsei Fairm. l. c. p. 71. Madagascar
humerosus Fairm. l. c. p. 72. „
2

Pachymastus Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 350.

asperulus Fairm. l. c. p. 350. Madagascar
1

Stizopus Er.

Er. Arch. Naturg. IX, 1843, I, p. 245. — Lacord. Gen. Col. V, 1859, p. 260. — Muls. Opusc. Ent. X, 1859, p. 95; Mém. Acad. Lyon X, 1860, p. 3. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 410, 411.

balneorum Péring. Denkschr. med. Ges. Jena XIII, 1908, p. 413. Südwest-Afrika
bidens Muls. Opusc. Ent. X, 1859, p. 98; Mém. Acad. Lyon X, 1860, p. 6. Capland
caraboides Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 119. Transvaal
granulosus Cast. Hist. Nat. II, 1840, p. 210. — Lacord. Gen. Col. V, 1859, p. 259 nota. Capland
laticollis Er. Arch. Naturg. IX, 1843, I, p. 246. — Muls. Opusc. Ent. X, 1859, p. 95; Mém. Acad. Lyon X, 1860, p. 3. Angola
major Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 661. Caffrarien
rotundicollis Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 116. Transvaal
sulcatus Gerst. Monatsber. Berl. Acad. 1854, p. 533; Peters' Reise 1862, p. 286. Mozambique
8

Perithrix Fairm.

Fairm. Rev. Mag. Zool. (3) VII, 1879, p. 193 (16).

granidorsis Fairm. l. c. p. 193 (16). Souf
1

Bioplanes Muls.

Muls. Col. Fr. Latigènes 1854, p. 144; Mém. Acad. Lyon 1854, p. 261. — Opusc. Ent. V, 1854, p. 117. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 414. — Reitt. Best.-Tab. LIII, 1904, p. 107, 108.

meridionalis Muls. l. c. p. 145; l. c. p. 262; l. c. p. 118. — Jacq. du Val, Gen. Col. Eur. III, 1861, t. 66, f. 329. — Reitt. Best.-Tab. LIII, 1904, p. 109. — Desbr. Frelon X, 1901, p. 42. Süd-frankreich, Italien, ?Kaukasus
1

Phylax Muls.*)

Muls. Col. Fr. Latigènes 1854, p. 148; Mém. Acad. Lyon 1854, p. 275; Opusc. Ent. V, 1854, p. 131. — Lacord. Gen. Col. V, 1859, p. 272. — Jacq. du Val, Gen. Col. Eur. III, 1861, p. 227. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 412, 414. — Reitt. Best.-Tab. LIII, 1904, p. 108, 109.

Allophylax Bedel, Bull. Soc. Ent. Fr. 1906, p. 178.
Melansis Woll. Cat. Can. Col. 1864, p. 491.
Neophylax Bedel, Bull. Soc. Ent. Fr. 1906, p. 92.

angulatus Woll. Cat. Canar. Col. 1864, p. 492. — Canaren

brevicollis Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 214; Deutsche Ent. Zeitschr. XX, 1876, p. 55. — Reitt. Best.-Tab. LIII, 1904, p. 110. — Sardinien

calcaroides Peyerimh. Abeille XXXI, 1907, p. 36. — Sinai

costatipennis Luc. Expl. Alg. 1849, p. 328. — Muls. Mém. Acad. Lyon 1854, p. 278; Opusc. Ent. V, 1854, p. 134. — Reitt. Best.-Tab. LIII, 1904, p. 110. — Algier

var. *Sicardi* Reitt. l. c. p. 111. — Tunis, Algier

costatus Brll. Webb et Berthel. Ins. Canar. 1838, p. 69. — Woll. Cat. Can. Col. 1864, p. 491. — Canaren

ignavus Muls. Mém. Acad. Lyon 1854, p. 291; Opusc. Ent. V, 1854, p. 147. — Bedel, Abeille XXVIII, 1894, p. 154. — Reitt. Best.-Tab. LIII, 1904, p. 112. — Algier

incertus Muls. et Godart, Ann. Soc. Linn. Lyon 1865, p. 453; Opusc. Ent. XIV, 1870, p. 23. — Mars. Abeille XII, 1875, p. 113. — Reitt. l. c. p. 112. — ,,

oxyholmus Fairm. Pet. Nouv. Ent. II, 1876, p. 38. — Bedel, Ann. Soc. Ent. Fr. (6) VII, 1887, p. 199.

serripes Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 119 (71). — Bedel, l. c. p. 199.

insignis Reitt. Best.-Tab. LIII, 1904, p. 110. — Syrien

latipennis Champ. Trans. Ent. Soc. Lond. 1891, p. 384. — Marokko

ovipennis Fairm. Ann. Soc. Ent. Fr. (4) X, 1870, p. 391. — Mars. Abeille XII, 1875, p. 114. — Reitt. Best.-Tab. LIII, 1904, p. 112. — Algier

picipes Ol. Encycl. méthod. Ins. VIII, 1811, p. 500. — Reitt. l. c. p. 109. — Frankreich, Italien, Dalmatien, Algier, Kaukasus

fraternus Muls. Mém. Acad. Lyon 1854, p. 287; Opusc. Ent. V, 1854, p. 143.

ingratus Muls. Opusc. Ent. V, 1854, p. 134; Mém. Acad. Lyon 1854, p. 287. — Bedel, Abeille XXVIII, 1894, p. 154.

littoralis Muls. Col. Fr. Latigènes 1854, p. 148; Mém. Acad. Lyon 1854, p. 285; Opusc. Ent. V, 1854, p. 141. — Jacq. du Val, Gen. Col. Eur. III, 1861, t. 68, f. 336. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 213. — Bedel, Abeille XXVIII, 1894, p. 154. — Desbr. Frelon X, 1901, p. 38.

var. *dalmatinus* Reitt. Best.-Tab. LIII, 1904, p. 109. — Dalmatien

*) Meist wird *Phylax* Brll. zitiert. Aber dieser ist synonym mit *Dendarus* Latr. Dadurch wird der Name frei und ist von den oben genannten Autoren daher für unsere Gattung mit Recht wieder gebraucht worden. Ich folge also der von Bedel vorgeschlagenen Namensänderung nicht.

var. *melitensis* Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 54. — Reitt. l. c. p. 109. — Malta

Biologie: Muls. Mém. Acad. Lyon 1872, p. 90; Opusc. Ent. XV, 1873, p. 90. — Perris, Larves 1877, p. 263. — Seidl. Naturg. Ins. Deutschl. V, 1893, p. 214.

punctulatus Luc. Rev. Zool. 1854, p. 30. — Kiesw. Berl. Ent. Zeitschr. V, 1861, p. 229. — Creta

sardous Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 214; Deutsche Ent. Zeitschr. XX, 1876, p. 53. — Sardinien

segnis Muls. Mém. Acad. Lyon 1854, p. 289; Opusc. Ent. V, 1854, p. 145. — Reitt. Best.-Tab. LIII, 1904, p. 111. — Algier

undulatus Muls. l. c. p. 280; l. c. p. 136. — Reitt. l. c. p. 111. — ,,

variolosus Ol. Encycl. méth. VIII, 1811, p. 497. — Luc. Expl. Alg. 1849, p. 327. — Muls. l. c. p. 282; l. c. p. 138. Reitt. l. c. p. 111. — Andalusien, Portugal, Algier

16

Litoborus Muls. et Rey.

Muls. et Rey, Mém. Acad. Lyon 1854, p. 270; Opusc. Ent. V, 1854, p. 126. — Lacord. Gen. Col. V, 1859, p. 247. — Jacq. du Val, Gen. Col. Eur. III, 1861, p. 276. — Seidl. Naturg. Ins. Deutschl. V, 1893, p. 385. — Reitt. Best.-Tab. LIII, 1904, p. 108, 112.

Moreleti Luc. Expl. Alg. 1849, p. 327, t. 29, f. 5. — Muls. Mém. Acad. Lyon 1854, p. 270; Opusc. Ent. V, 1854, p. 126. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 158. — Reitt. Best.-Tab. LIII, 1904, p. 113. — Südspanien, Algier, Marokko

var. *Baudii* Reitt. l. c. p. 113. — ,,

Olcesii Fairm. Ann. Soc. Ent. Fr. (4) X, 1870, p. 392. — Mars. Abeille XII, 1875, p. 113. — Reitt. l. c. p. 112. — ,,

planicollis Waltl, Reise Span. II, 1835, p. 71; Silb. Revue IV, 1836, p. 153. — Muls. Mém. Acad. Lyon 1854, p. 272; Opusc. Ent. V, 1854, p. 128. — Jacq. du Val, Gen. Col. Eur. III, 1861, t. 67, f. 335. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 158. — Reitt. Best.-Tab. LIII, 1904, p. 113. — Spanien, Portugal, Sicilien, Algier

sternalis Fairm. Natural. VI, 1884, p. 446. — Casablanca

subtilimargo Reitt. Best.-Tab. LIII, 1904, p. 113. — Algier

5

Melambius Muls. et Rey.

Muls. et Rey, Mém. Acad. Lyon 1854, p. 268; Opusc. Ent. V, 1854, p. 124. — Lacord. Gen. Col. V, 1859, p. 273. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 412, 415. — Reitt. Best.-Tab. LIII, 1904, p. 108, 113.

Subgen. *Hoplambius* Reitt. Best.-Tab. LIII, 1904, p. 114.

asperocostatus Fairm. Ann. Soc. Ent. Fr. (4) X, 1870, p. 391. — Mars. Abeille XII, 1875, p. 112. — Bedel, Ann. Soc. Ent. Fr. (5) V, 1885, p. 87. — Reitt. l. c. p. 114. — Algier

barbarus Er. Wagn. Reis. III, 1841, p. 181, t. 7. — Muls. Mém. Acad. Lyon 1854, p. 268; Opusc. Ent. V, 1854, p. 124. — Reitt. Best.-Tab. LIII, 1904, p. 115. — Algier

breviusculus Fairm. Ann. Soc. Ent. Fr. (4) X, 1870, p. 390. — Mars. Abeille XII, 1875, p. 111. — Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 117 (69). — Reitt. l. c. p. 114. — „

melamboides Fairm. Echange 1893, p. 124; Bull. Soc. Ent. Fr. 1893, p. CXLVIII. — Reitt. Best.-Tab. LIII, 1904, p. 114 *(Hoplambius)*. — „

Teinturieri Muls. et God. Ann. Soc. Linn. Lyon 1865, p. 454; Opusc. Ent. XIV, 1870, p. 24. — Mars. Abeille XII, 1875, p. 113. — Reitt. l. c. p. 114. — „

tuniseus Levrat, Etud. Entom. 1859, p. 34. — Tunis

6

Micrositus Muls. et Rey.

Muls. et Rey, Mém. Acad. Lyon 1854, p. 292; Opusc. Ent. V, 1854, p. 148. — Lacord. Gen. Col. V, 1859, p. 272. — Jacq. du Val, Gen. Col. Eur. III, 1861, p. 277. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 412, 414. — Reitt. Best.-Tab. LIII, 1904, p. 108, 115.

Subgen. *Hoplariobius* Reitt. l. c. p. 115.

Subgen. *Platyolus* Muls. et Rey, l. c. p. 297; l. c. p. 153. — Reitt. l. c. p. 118.

decurtatus Fairm. Compte rend. Soc. Ent. Belg. 1884, p. CXX. — Reitt. Best.-Tab. LIII, 1904, p. 115 *(Hoplariobus)*. — Marokko

distinguendus Muls. Mém. Acad. Lyon 1854, p. 303; Opusc. Ent. V, 1854, p. 159. — Reitt. l. c. p. 115 *(Hoplariobus)*. — Algier

furvus Muls. l. c. p. 324; l. c. p. 181. — Reitt. l. c. p. 121 *(Platyolus)*. — Spanien

gibbulus Motsch. Bull. Mosc. XX, 1849, III, p. 124. — Muls. l. c. p. 317; l. c. p. 173. — Reitt. l. c. p. 119 *(Platyolus)*. — „

granulosus Billb. Nov. Act. Upsal. VII, 1815, p. 276, t. 9, f. 5. — Fairm. Ann. Soc. Ent. Fr. (3) IV, 1856, p. 546. — Reitt. l. c. p. 115 *(Hoplariobius)*. — Portugal, Algier

plicatus Luc. Expl. Alg. 1849, p. 326. — Muls. Mém. Acad. Lyon 1854, p. 301; Opusc. Ent. V, 1854, p. 157.

Heeri Muls. Mém. Acad. Lyon 1854, p. 315; Opusc. Ent. V, 1854, p. 171. — Reitt. l. c. p. 121 *(Platyolus)*. — Spanien

lapidarius Reitt. l. c. p. 121 *(Platyolus)*. — Andalusien

levis Perez, Ins. nuev. 1865, p. 15; An. Soc. Esp. I, 1872, p. 107, t. 1, f. 3. — Reitt. l. c. p. 115 nota *(Hoplariobius)*. — Spanien

longulus Muls. Mém. Acad. Lyon 1854, p. 329; Opusc. Ent. V, 1854, p. 185. — Reitt. l. c. p. 119 *(Platyolus)*. — Andalusien

melancholicus Muls. l. c. p. 320; l. c. p. 176; Reitt. l. c. p. 120 *(Platyolus)*. — Südspanien

Milleri Reitt. Best.-Tab. LIII, 1904, p. 120 *(Platyolus)*. — Andalusien

10

miser Muls. Mém. Acad. Lyon 1854, p. 312; Opusc. Ent. V, 1854, p. 168. — Reitt. l. c. p. 117 (*Micrositus* s. str.). — Südspanien, Portugal

obesus Waltl, Reise Span. II, 1835, p. 71. — Rosenh. Thiere Andalus. 1856, p. 205. — Reitt. l. c. p. 117 (*Micrositus* s. str.). — Andalusien

baeticus Muls. Mém. Acad. Lyon 1854, p. 310; Opusc. Ent. V, 1854, p. 166.

opacus Reitt. l. c. p. 116 (*Micrositus* s. str.). — Kleinasien

orbicularis Muls. Mém. Acad. Lyon 1854, p. 299; Opusc. Ent. V, 1854, p. 155. — Reitt. l. c. p. 116 (*Micrositus* s. str.). — Griechenland, Creta, Mesopotamien

saxicola Muls. Opusc. Ent. V, 1854, p. 193; Ann. Soc. Linn. Lyon X, 1855, p. 81. — Reitt. l. c. p. 118 (*Micrositus* s. str.). — Südspanien

saxeticola Graëlls, Mém. Map. geol. 1858, p. 71, t. 3, f. 10.

subcylindricus Motsch. Bull. Mosc. XX, 1849, III, p. 123. — Muls. Mém. Acad. Lyon 1854, p. 327; Opusc. Ent. V, 1854, p. 183. — Reitt. l. c. p. 120 *(Platyolus)*. — Andalusien

tenebrioides Reitt. Best.-Tab. LIII, 1904, p. 118 *(Platyolus)*. — Südspanien

ulyssiponensis Germ. Ins. spec. nov. 1824, p. 143. — Muls. Mém. Acad. Lyon 1854, p. 305; Opusc. Ent. V, 1854, p. 161. — Jacq. du Val, Gen. Col. Eur. III, 1861, t. 68, f. 337. — Reitt. l. c. p. 117 (*Micrositus* s. str.). — Südspanien, Portugal

var. *lusorius* Muls. l. c. p. 310; l. c. p. 166. — Reitt. l. c. p. 117.

var. *montanus* Muls. l. c. p. 304; l. c. p. 160. — Reitt. l. c. p. 117.

agricola Muls. l. c. p. 165. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 53. — Reitt. l. c. p. 117.

?var. *nitidicollis* Perez, An. Soc. Esp. I, 1872, p. 107, t. 1, f. 4. — Balearen

var. *obesus* Muls. Mém. Acad. Lyon 1854, p. 309; Opusc. Ent. V, 1854, p. 165. — Reitt. l. c. p. 117.

ventralis Mars. Abeille VI, 1868, p. 20, nota 1.

var. *Paivae* Perez, Ins. nuev. 1865, p. 51. — Reitt. l. c. p. 117. — Portugal

19

Hoplarion Muls. et Rey.

Muls. et Rey, Mém. Acad. Lyon 1854, p. 294; Opusc. Ent. V, 1854, p. 150. — Lacord. Gen. Col. V, 1859, p. 271. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 411. — Reitt. Best.-Tab. LIII, 1904, p. 108, 121.

compactum Fairm. Ann. Soc. Ent. Fr. (5) X, 1880, p. 16. — Reitt. Best.-Tab. LIII, 1904, p. 121. — Algier, Tunis

tumidum Muls. Mém. Acad. Lyon 1854, p. 294; Opusc. Ent. V, 1854, p. 150. — Reitt. l. c. p. 121. — Algier

2

Scleroides Fairm.

Fairm. Notes Leyd. Mus. V, 1883, p. 32.

pluricostatus Fairm. l. c. p. 33. — Saleyer
1

Brachyidium Fairm.

Fairm. Notes Leyd. Mus. V, 1883, p. 33.

aspericolle Fairm. Compte rend. Soc. Ent. Belg. 1885, p. CVIII. — Sumatra oder Borneo
breviusculum Fairm. Notes Leyd. Mus. V, 1883, p. 34. — Saleyer
2

Scleron Hope.

Hope, The Coleopt. Manual III, 1840, p. 111. — Muls. et Rey, Mém. Acad. Lyon IX, 1859, p. 135; Opusc. Ent. X, 1859, p. 73. — Lacord. Gen. Col. V, 1859, p. 263. — Jacq. du Val, Gen. Col. Eur. III, 1861, p. 284. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 409, 411, 415. — Reitt. Best.-Tab. LIII, 1904, p. 122, 123.

Sclerum Rosenh. Thiere Andalus. 1856, p. 209.

aequale Reitt. Best.-Tab. LIII, 1904, p. 124. — Arabien
amplicolle Fairm. Rev. d'Ent. XI, 1892, p. 108. — Obock
armatum Waltl, Reise Span. II, 1835, p. 72. — Rosenh. Thiere Andalus. 1856, p. 209. — Muls. Mém. Acad. Lyon IX, 1859, p. 141; Opusc. Ent. X, 1859, p. 79. — Jacq. du Val, Gen. Col. Eur. III, 1861, t. 70, f. 346. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 217. — Reitt. Best.-Tab. LIII, 1904, p. 125. — Andalusien, Sicilien, Algier, Tunis, Syrien
algiricum Luc. Expl. Alg. 1849, p. 335, t. 29, f. 10.
damascenum Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 60.
asperulum Woll. Cat. Can. Col. 1864, p. 486. — Mars. Abeille XII, 1875, p. 124. — Canaren
Depelchinii Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 21. — Bengalen
ferrugineum F. Syst. El. I, 1801, p. 118. — Reitt. Best.-Tab. LIII, 1904, p. 125. — Geb. Deutsche Ent. Zeitschr. 1906, p. 234. — Vorderindien, Hinterindien, Java, Sumatra
denticolle Fairm. Notes Leyd. Mus. IV, 1882, p. 219.
discicolle Reitt. Best.-Tab. LIII, 1904, p. 126.
tuberculatum Bess. Nouv. Mém. Mosc. II, 1832, p. 18.
fossulatum Muls. et Wachenru, Mém. Acad. Lyon 1852, p. 9. — Reitt. Best.-Tab. LIII, 1904, p. 124. — Kleinasien, Syrien, Centralasien, Persien
angustum Mill. Wien. Ent. Monatschr. V, 1861, p. 203, t. 4, f. 6.
var. *Mariae* Muls. Mém. Acad. Lyon IX, 1859, p. 140; Opusc. Ent. X, 1859, p. 78. — Reitt. l. c. p. 123.
carinatum Baudi, Ann. Mus. Genova VII, 1875, p. 700; Deutsche Ent. Zeitschr. XX, 1876, p. 60.

granulipenne Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 16. — Indien
humerosum Mill. Wien. Ent. Monatschr. V, 1861, p. 202, t. 4, f. 5. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 217. — Reitt. Best.-Tab. LIII, 1904, p. 124. — Damaskus
latipes Guér. Mag. Zool. 1834, Mélasomes, p. 33, t. 118, f. 3. — Bengalen
multistriatum Forsk. Descr. an. 1775, p. 77. — Reitt. Best.-Tab. LIII, 1904, p. 124. — Griechenland, Türkei, Kleinasien, Syrien, Aegypten
abbreviatum Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 260.
foveolatum Ol. Encycl. méth. VIII, 1811, p. 500. — Muls. Mém. Acad. Lyon IX, 1859, p. 142; Opusc. Ent. X, 1859, p. 80.
orientale F. Syst. Ent. 1775, p. 76. — Geb. Deutsche Ent. Zeitschr. 1906, p. 293. — Muls. Mém. Acad. Lyon IX, 1859, p. 137; Opusc. Ent. X, 1859, p. 75. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 217. — Aegypten, Kordofan
subclathratum Reitt. Best.-Tab. LIII, 1904, p. 125.
Reitteri Geb. Deutsche Ent. Zeitschr. 1906, p. 234. — Indien
orientale Reitt. Best.-Tab. LIII, 1904, p. 125.
strangulatum All. Ann. Soc. Ent. Belg. XXVII, 1883, I, p. 31. — Abessinien
sulcatum Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 59. — Reitt. Best.-Tab. LIII, 1904, p. 125 nota. — Arabien

15

Eurycaulus Fairm.

Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 492. — Mars. Abeille XII, 1875, p. 124. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 451. — Reitt. Best.-Tab. LIII, 1904, p. 122, 126.

Subgen. *Scleronimon* Reitt. Best.-Tab. LIII, 1904, p. 127.

granulatus Reitt. l. c. p. 127 *(Scleronimon)*. — Aegypten
Henoni Fairm. Bull. Soc. Ent. Fr. 1897, p. 121. — Reitt. l. c. p. 126 nota *(Scleronimon)*. — „
Peyerimhoffi Reitt. l. c. p. 127. — Peyerimh. Abeille XXXI, p. 37. — Sinai
hirsutus Mill. Wien. Ent. Monatschr. V, 1861, p. 204, t. 4, f. 7. — Reitt. l. c. p. 126 (*Eurycaulus* s. str.). — Aegypten
Marmottani Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 492. — Mars. Abeille XII, 1875, p. 125. — Reitt. l. c. p. 126 (*Eurycaulus* s. str.). — Algier, Tunis, Tripolis
Quedenfeldti Heyd. Deutsche Ent. Zeitschr. 1890, p. 75.

4

Epeurycaulus Kolbe.

Kolbe, Abh. Senckenb. Ges. XXVI, 1902, p. 579.

aldabricus Kolbe, l. c. p. 579. — Aldabra-Ins.
burbonicus Kolbe, l. c. p. 580. — Bourbon-Ins.
Levassorii Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 539. — Kolbe, l. c. p. 580. — Comoren

3

Platynosum Muls. et Rey.

Muls. et Rey, Mém. Acad. Lyon IX, 1859, p. 143; Opusc. Ent. X, 1859, p. 81. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 409, 415. — Reitt. Best.-Tab. LIII, 1904, p. 127. — Chobaut, Bull. Soc. Ent. Fr. 1904, p. 283.

collare Motsch. Bull. Mosc. XII, 1839, p. 60, t. 2, f. d, D.; XVIII, 1845, I, p. 78. — Reitt. Best.-Tab. LIII, 1904, p. 127. — Chobaut, Bull. Soc. Ent. Fr. 1904, p. 283. — Transkaukasien, Araxestal

Paulinae Muls. et Rey, Mém. Acad. Lyon IX, 1859, p. 143; Opusc. Ent. X, 1859, p. 81. — Reitt. l. c. p. 127. — Chobaut, Bull. Soc. Ent. Fr. 1904, p. 283. — Aegypten, Syrien

sabulosum Chob. Bull. Soc. Ent. Fr. 1900, p. 31; 1904, p. 283. — Tunis

Zacheus Sahlb. Öfv. Finska Vet. Soc. Förh. 1907—08 (1909) nr. 7, p. 84. — Jericho

3

Cnemeplatia Costa.

Costa, Ann. aspir. nat. (2) I, 1847, p. 146. — Reiche, Bull. Soc. Ent. Fr. 1855, p. CXI. — Kraatz, Berl. Ent. Zeitschr. III, 1859, p. 75. — Jacq. du Val, Gen. Col. III, 1861, p. 286. — Horn, Revis. Tenebr. 1870, p. 360. — Lec. and Horn, Class. Col. N. Amer. ed. II, 1883, p. 380. — Seidl. Naturg. Ins. Deutschl. V, 1854, p. 412, 452. — Reitt. Best.-Tab. LIII, 1904, p. 123, 128.

Autocera Woll. Cat. Madeira Col. 1857, p. 154. — Lacord. Gen. Col. V, 1859, p. 280.

Atropos Costa, Ann. aspir. nat. (2) I, 1847, p. 146. — Jacq. du Val, Gen. Col. Eur. III, 1861, t. 70, f. 349. — Reitt. Best.-Tab. LIII, 1904, p. 128. — Ungarn, Südeuropa, Nordwestafrika, Madeira

anticipes Woll. Cat. Col. Madeira 1857, p. 155.

rufa Tourn. Compte rend. Soc. Ent. Belg. 1874, p. LXXXVI.

indica Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 16. — Indien

laticeps Woll. Cat. Col. Madeira 1857, p. 155, t. 1, f. 2 a—f.; Cat. Can. Col. 1864, p. 485. — Madeira

laticollis Champ. Biol. Centr.-Amer. Col. IV, 1, 1884, p. 136, t. 6, f. 24. — Panama

sericea Horn, Revis. Tenebr. 1870, p. 360. — Californien

5

Alaudes Horn.

Horn, Revis. Tenebr. 1870, p. 361. — Lec. and Horn, Class. Col. N. Amer. ed. II, 1883, p. 380.

singularis Horn, l. c. p. 362, t. 14, f. 23, 23b. — Californien

1

Psilachnopus Reitt.

Reitt. Wien. Ent. Zeit. XX, 1901, p. 162; Best.-Tab. LIII, 1904, p. 123, 128.

cribratellus Reitt. l. c. p. 162, t. 3, f. 6; l. c. p. 128. — Russ.-Armenien

1

Melanimon Stev.

Stev. Tentyr. et Opatra 1829, p. 18. — Steph. Man. Brit. Col. 1839, p. 323. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 410, 412, 452. — Reitt. Best.-Tab. LIII, 1904, p. 128.

Microzoum Redtenb. Gatt. 1845, p. 129; Fauna Austr. ed. I, 1849, p. 53, 597; ed. II, 1858, p. 105, 598; ed. III, 1874, p. CXVIII, II, p. 101. — Muls. Col. Fr. Latigènes 1854, p. 177; Opusc. Ent. X, 1859, p. 125; Mém. Acad. Lyon X, 1860, p. 33. — Lacord. Gen. Col. V, 1859, p. 277. — Thoms. Skand. Col. I, 1859, p. 115 u. VI, 1864, p. 242. — Jacq. du Val, Gen. Col. Eur. III, 1861, p. 285. — Seidl. Fauna Balt. 1875, p. 96; ed. II, 1891, p. 130; Fauna Transsylv. 1891, p. 130. — Desbr. Frelon X, 1902, p. 99.

tibiale F. Spec. Ins. I, 1781, p. 90. — Herbst, Käf. V, 1793, p. 221, t. 52, f. 8. — Ol. Entom. III. 1795, 56, p. 10, t. 1, f. 10, a, b. — Panz. Fauna Germ. XLIII, 1797, Bl. 10. — Ill. Käf. Preuß. 1798, p. 107. — Payk. Fauna Suec. I, 1798, p. 83. — Marsh. Ent. Brit. 1802, p. 142. — Latr. Hist. nat. X, 1804, p. 286. — Sturm, Deutschl. Fauna Käf. II, 1807, p. 174. — Gyll. Ins. Suec. II, 1810, p. 599. — Duft. Fauna Austriae II, 1812, p. 292. — Stev. Tentyr. et Opatr. 1829, p. 18. — Steph. Illustr. V, 1832, p. 17. — Sahlb. Ins. Fenn. 1834, p. 482. — Küst. Käf. Eur. X, 1847, p. 64. — Redt. Fauna Austr. 1849, p. 597; ed. II, 1859, p. 598; ed. III, 1874, II, p. 101. — Muls. Col. Fr. Latigènes 1854, p. 177. — Bach, Käf. Deutschl. III, 1856, p. 216. — Jacq. du Val, Gen. Col. Eur. III, 1861, t. 70, f. 347. — Thoms. Skand. Col. VI, 1864, p. 243. — Seidl. Fauna Balt. 1875, p. 361; ed. II, 1891, p. 515; Fauna Transsylv. 1891, p. 552; Naturg. Ins. Deutschl. V, 1894, p. 454. — Desbr. Frelon X, 1902, p. 100. — Reitt. Best.-Tab. LIII, 1904, p. 129. — Europa bis Asien

var. *subaereus* Reitt. Best.-Tab. LIII, 1904, p. 129. — Centr. Asien

Biologie: Perris, Larves 1877, p. 264. — Altum, Dankelm. Zeit. XIX, 1887, p. 466; Entom. Nachr. XIII, 1887, p. 283. — Judeich, Forstins. 1889, 2, I, p. 619. — Seidl. Naturg. Ins. Deutschl. V, 1893, p. 213.

]

Anemia Cast.

Cast. Hist. Nat. II, 1840, p. 218. — Lacord. Gen. Col. V, 1859, p. 283. — Jacq. du Val, Gen. Col. III, 1861, p. 287. — Horn, Revis. Tenebr. 1870, p. 377. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 451. — Reitt. Festschr. Ver. Breslau 1897, p. 4; Best.-Tab. LIII, 1904, p. 129.

Ammidium Er. Arch. Naturg. IX, 1843, I, p. 250. — Lacord. Gen. Col. V, 1859, p. 232.

Eremonomus Woll. Ann. Mag. Nat. Hist. 1861, p. 199.

Subgen. *Ammidanemia* Reitt. Best.-Tab. LIII, 1904, p. 132.

Subgen. *Pseudanemia* Woll. Cat. Can. Col. 1864, p. 492. — Mars. Abeille XII, 1875, p. 125.

aphodioides Walk. List Col. Lord 1871, p. 16. — Peyerimh. Abeille XXXI, 1908, p. 37. — Sinai

asperula Reitt. Deutsche Ent. Zeitschr. 1884, p. 260; Best.-Tab. LIII, 1904, p. 132 *(Ammidanemia)*. — Syrien
var. *seriesetosa* Baudi, Boll. Mus. Torino IX, 1894, p. 8. — Reitt. l. c. p. 132 nota. — Damaskus

brevicollis Woll. Cat. Can. Col. 1864, p. 493; Col. Hesper. 1867, p. 199. — Mars. Abeille XII, 1875, p. 126 *(Pseudanemia)*. — Sahara, Aegypten, Canaren
rotundicollis Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 126 (78). — Peyerimh. Abeille XXXI, 1908, p. 37.

californica Horn, Revis. Tenebr. 1870, p. 378. — Verein. Staaten

ciliata Er. Arch. f. Naturg. IX, 1843, I, p. 251. — Woll. Col. Hesper. 1867, p. 195. — Muls. Mém. Acad. Lyon X, 1860, p. 59. — Angola, Cap Verde-Ins.
Huttoni Woll. Ann. Mag. Nat. Hist. 1861, p. 200.

convexa Gestro, Ann. Mus. Genova XVI, 1881, p. 662. — Sansibar

coriaria Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 21. — Indien

cornuta Pic, Bull. Soc. Autun XI, 2, 1898, p. 121. — Arabien

crassa Woll. Col. Hesper. 1867, p. 196. — Hesperiden

crispa Quedenf. Berl. Ent. Zeitschr. XXIX, 1885, p. 9. — Westafrika

denticulata Woll. Col. Hesper. 1867, p. 197. — Hesperiden

dentipes Ball. Bull. Mosc. LIII, 1, 1878, p. 332. — Reitt. Best.-Tab. LIII, 1904, p. 130. — Transkaspien, Turkestan

Fausti Solsky, Troudy Ent. Ross. XIII, 1881—82, p. 52. — Reitt. Best.-Tab. LIII, 1904, p. 132 *(Ammidanemia)*. — Turkestan, Transkasp., Aegypten, Algier

Fenyesi Reitt. Festschr. Ver. Bresl. 1897, p. 6; Best.-Tab. LIII, 1904, p. 131. — Aegypten, Algier

fissidens Reitt. Deutsche Ent. Zeitschr. 1898, p. 348; Best.-Tab. LIII, 1904, p. 132. — Südalgier

granulata Cast. Hist. Nat. II, 1840, p. 218. — Heyd. Deutsche Ent. Zeitschr. 1891, p. 223. — Senegal

Hauseri Reitt. Deutsche Ent. Zeitschr. 1894, p. 50; Best.-Tab. LIII, 1904, p. 133 *(Ammidanemia)*. — Transkaspien

oculata Woll. Journ. Ent. I, 1860, p. 145. — Capland

opacula Fairm. Natural. II, 1882, p. 191; Ann. Soc. Ent. Fr. (6) III, 1883, p. 99. — Abessinien

ovatula Fairm. Ann. Soc. Ent. Fr. LX, 1891, p. 250. — Gabun

palaestina Pic, Bull. Soc. Ent. Fr. 1899, p. 278. — Reitt. Best.-Tab. LIII, 1904, p. 132. — Palaestina

Pharao Reitt. Festschr. Ver. Breslau 1897, p. 7; Best.-Tab. LIII, 1904, p. 133 *(Ammidanemia)*. — Aegypten

pilosa Tourn. Abeille V, 1868, p. 146. — Reitt. Best.-Tab. LIII, 1904, p. 131. — Algier

Reitteri Pic, Ann. Soc. Ent. Fr. LXVIII, 1899, p. 278. — Reitt. Best.-Tab. LIII, 1904, p. 130. — Syrien, Süditalien, Algier
rotundicollis Reitt. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 260.
var. *Chobauti* Reitt. Deutsche Ent. Zeitschr. 1898, p. 349; Best.-Tab. LIII, 1904, p. 130.

sakalava Alluaud, Bull. Mus. Paris 1900, p. 18. — Madagaskar

sardoa Géné, Mem. Accad. Torino 1839, p. 73, t. 2, f. 12. — Küst. Käf. Eur. XX, 1850, 55. — Jacq. du Val, Gen. Col. Eur. III, 1861, t. 70, f. 350. — Reitt. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 260; Best.-Tab. LIII, 1904, p. 130. — Südeuropa, Algier, Marokko, Syrien, Armenien

Schultzei nom. nov. Südwestafrika
submetallica Péring. Denkschr. med. Ges. Jena XIII, 1908, p. 415.
sculpturata Rits. Tijdschr. voor Ent. XVIII, 1875, p. 131. Congo
sinuatifrons Reitt. Horae Ent. Ross. XXI, 1887, p. 389 (35); Best.-Tab. LIII, 1904, p. 131. Centr.-Asien
striolata Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 311. — Reitt. Best.-Tab. LIII, 1904, p. 132 nota. Algier
submetallica Raffr. Rev. Mag. Zool. 1873, p. 377, t. 15, f. 8. — Reitt. Best.-Tab. LIII, 1904, p. 131. Bouksoul, Aegypten
subterranea F. Ent. Syst. Suppl. 1798, p. 41; Syst. El. I, 1801, p. 118. — Geb. Deutsche Ent. Zeitschr. 1906, p. 217. Indien
suilla Fairm. Ann. Soc. Ent. Fr. XL, 1896, p. 22.
thoracica Fairm. Ann. Soc. Ent. Fr. LX, 1891, p. 250. Sennaar
trapezicollis Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 22. Indien

34

Proscheimus Desbr.

Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 127 (79).

arabicus Desbr. l. c. p. 128 (80). Aegypten, Arabien

1

Ecripsis Pasc.

Pasc. Journ. of Ent. II, 1866, p. 456.

pubescens Pasc. l. c. p. 456. Tasmanien

1

Priothorax nom. nov.

Prionotus Muls. et Rey, Mém. Acad. Lyon IX, 1859, p. 150; Opusc. Ent. X, 1859, p. 88. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 409.*)
Achora Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 279.

serricollis Hope, Proc. Ent. Soc. Lond. 1842, p. 77; Trans. Ent. Soc. Lond. IV, 1845, p. 108. — Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 278. — Champ. Trans. Ent. Soc. Lond. 1894, p. 358. Tasmanien, Südaustralien
denticollis Blanch. Voy. Pole Sud IV, 1853, p. 154, t. 10, f. 13. — Muls. Mém. Acad. Lyon IX, 1859, p. 151; Opusc. Ent. X, 1859, p. 89.

1

Apatelus Muls. et Rey.

Muls. et Rey, Mém. Acad. Lyon IX, 1859, p. 153; Opusc. Ent. X, 1859, p. 91. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 409.

Hopei Muls. Mém. Acad. Lyon IX, 1859, p. 154; Opusc. Ent. X, 1859, p. 92. Australien
squamosus Macl. Trans. Ent. Soc. N. S. Wales II, 1872, p. 278. Gayndah

2

*) Der Name *Prionotus* ist vergeben bei den Fischen (Lacep. 1802), bei den Hemipteren (Laporte 1833) und bei den Polypen (Hising).

Syrphetodes Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) XVI, 1875, p. 215.

bullatus Sharp, Trans. Roy. Dubl. Soc. (2) III, 1886, p. 407. — Neu-Seeland
cordipennis Broun, Mon. New Zeal. Col. VII, 1893, p. 1457. — ,,
crenatus Broun, l. c. I, 1880, p. 352. — ,,
decoratus Broun, l. c. p. 353. — ,,
dorsalis Broun, l. c. VII, 1893, p. 1458. — ,,
marginatus Pasc. Ann. Mag. Nat. Hist. (4) XVI, 1875, p. 216, t. 5, f. 10. — ,,
nodosalis Broun, Ann. Mag. Nat. Hist. (7) XIV, 1904, p. 56. — ,,
punctatus Broun, Man. New Zeal. Col. VII, 1893, p. 1458. — ,,
sylvius Broun, l. c. V, 1893, p. 1150. — ,,

9

Paraphylax Broun.

Broun, Man. New Zeal. Col. I, 1880, p. 354.

binodosus Broun, Ann. Mag. Nat. Hist. (6) XV, 1895, p. 240. — Neu-Seeland
squamiger Broun, Man. New Zeal. Col. I, 1880, p. 355. — Waterh. Aid ident. Ins. II, t. 153, f. 2. — ,,
sternalis Broun, Ann. Mag. Nat. Mist. (7) XIV, 1904, p. 57. — ,,
varius Broun, Mon. New Zeal. Col. I, 1880, p. 355. — ,,

4

Exohadrus Broun.

Broun, Man. New Zeal. Col. V, 1893, p. 1153.

volutithorax Broun, l. c. I, 1880, p. 356. — Neu-Seeland

1

Apostethus Pasc.

Pasc. Ann. Mag. Nat. Hist. (5) IX, 1882, p. 27.

terrenus Pasc. l. c. p. 28. — Queensland

1

Pseudadrus Fairm.

Fairm. Rev. d'Ent. XVI, 1897, p. 30.

scaphoides Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 99. — Japan

1

Hadrus Woll.

Woll. Ins. Mader. 1854, p. 502. — Lacord. Gen. Col. V, 1859, p. 274. — Mul. et Rey, Mém. Acad. Lyon IX, 1859, p. 125; Opusc. Ent. X, 1859, p. 63. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 409, 412, 417. — Reitt. Best.-Tab. LIII, 1904, p. 134, 140.

alpinus Woll. Ins. Mader. 1854, p. 502, t. 11, f. 5. — Reitt. Best.-Tab. LIII, 1904, p. 140. — Madeira

carbonarius Quens. in Schönh. Syn. Ins. I, 1, 1806, p. 142 nota. — Muls. Mém. Acad. Lyon IX, 1859, p. 126; Opusc. Ent. X, 1859, p. 64. — Reitt. l. c. p. 140. — Madeira
cinerascens Woll. Ins. Mader. 1854, p. 503, t. 11, f. 4. — Lacord. Gen. Col. V, 1859, p. 274, nota 1.
verrucatus Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 124 (76). — Fauv. Rev. d'Ent. XVI, 1897, p. 38.

europaeus Motsch. Etud. Ent. VII, 1858, p. 189. — Reitt. l. c. p. 140. — Corsica

illotus Woll. Ins. Mader. 1854, p. 503, t. 11, f. 6. — Reitt. l. c. p. 140. — Madeira
subellipticus Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 124 (76). — Fauv. Rev. d'Ent. XVI, 1897, p. 38.

Paivae Woll. Ann. Mag. Nat. Hist. (3) VI, 1860, p. 50; Col. Atlant. App. p. 61. — Mars. Abeille XII, 1875, p. 121. — „

5

Hadrodes Woll.

Woll. Col. St. Helena 1877, p. 226.

helenensis Woll. l. c. p. 227. — St. Helena

1

Tarphiophasis Woll.

Woll. Col. St. Helena 1877, p. 227.

tuberculatus Woll. l. c. p. 228. — St. Helena

1

Trichoton Hope.

Hope, Coleopt. Manual III, 1840, p. 111. — Lacord. Gen. Col. V, 1859, p. 275. — Muls. et Rey, Mém. Acad. Lyon IX, 1859, p. 117; Opusc. Ent. X, 1859, p. 55. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 412.

Epilasium Blanch. Hist. Nat. Ins. II, 1845, p. 14.

cayennense nom. nov. (Hope i. l.). — Guayana
rotundatum Muls. Mém. Acad. Lyon IX, 1859, p. 117; Opusc. Ent. IX, 1859, p. 55.

curvipes Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 136, t. 6, f. 25. — Panama

incisum Blanch. Voy. Pole Sud IV, 1853, p. 157, t. 10, f. 16. — Ins. Guam.

lapidicola Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 136. — Fairm. Compt. rend. Soc. Ent. Belg. XXXIII, 1889, p. XXXIII. — Centr.-u. Südamerika

rotundatum Curtis, Trans. Linn. Soc. XIX, 1845, p. 469. — Lacord. Gen. Col. V, 1859, p. 275, nota 2. — Plata

sordidum Lec. Ann. Lyc. N. York V, 1851, p. 146. — Horn, Revis. Tenebr. 1870, p. 352. — Cas. Ann. N. York Ac. V, 1890, p. 410. — Californien

6

Scleropatrum Seidl.

Seidl. Naturg. Ins. Deutschl. V, 1894, p. 418. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 149; Wien. Ent. Zeit. XVII, 1898, p. 36; Best.-Tab. LIII, 1904, p. 133, 137.

breviusculum Reitt. Deutsche Ent. Zeitschr. 1889, p. 32; 1890, p. 149; Wien. Ent. Zeitschr. XVII, 1898, p. 38; Best.-Tab. LIII, 1904, p. 139.	Russ. Armenien, Transkaspien
carinatum Gebl. Ledeb. Reise II, 1830, p. 126. — Reitt. Best.-Tab. LIII, 1904, p. 137.	Kirghisensteppe,
Prescoti Fald. Bull. Mosc. VI, 1833, p. 54, t. 3, f. 4; Bull. Mosc. Ent. I, 1836, p. 218, t. 10, f. 3.	nördl. Mongolei
crenatum F. Syst. El. I, 1801, p. 117. — Geb. Deutsche Ent. Zeitschr. 1906, p. 214.	Indien
hirtulum Baudi, Ann. Mus. Genova VII, 1875, p. 703; Deutsche Ent. Zeitschr. XX, 1876, p. 69. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 149; Wien. Ent. Zeit. XVII, 1898, p. 38; Best.-Tab. LIII, 1904, p. 139.	Russ. Armenien, Transkaspien, Turkestan, Bagdad
horridum Reitt. Wien. Ent. Zeit. XVII, 1898, p. 37; Best.-Tab. LIII, 1904, p. 138.	Mongolei
infimum Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 57.	Indien
Seidlitzi Reitt. Wien. Ent. Zeit. XVII, 1898, p. 39; Best.-Tab. LIII, 1904, p. 139.	Turkestan
sexcostatum Motsch. Etud. Ent. VII, 1858, p. 188. — Reitt. Best.-Tab. LIII, 1904, p. 137.	Griechenland, Creta
scleroides Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 234; Deutsche Ent. Zeitschr. XX, 1876, p. 72 nota.	
striatogranulatum Reitt. Deutsche Ent. Zeitschr. 1890, p. 149; Wien. Ent. Zeitschr. XVII, 1898, p. 38; Best.-Tab. LIII, 1904, p. 138.	Nordchina
strigatum F. Ent. Syst. Suppl. 1798, p. 41. — Stev. Nouv. Mém. Mosc. I, 1829, p. 95. — Besser, Nouv. Mém. Mosc. II, 1832, p. 18. — Geb. Deutsche Ent. Zeitschr. 1906, p. 215.	Indien
tuberculatum Reitt. Horae Soc. Ent. Ross. XXI, 1887, p. 388 (34); Deutsche Ent. Zeitschr. 1890, p. 149; Wien. Ent. Zeit. XVII, 1898, p. 37; Best.-Tab. LIII, 1904, p. 138.	Nordthibet
tuberculiferum Reitt. Deutsche Ent. Zeitschr. 1890, p. 149; Wien. Ent. Zeit. XVII, 1898, p. 38; Best.-Tab. LIII, 1904, p. 138.	Nordchina
turanicum Reitt. l. c. p. 149; l. c. p. 39; l. c. p. 139.	Transkaspien

Gonocephalum Chevr.

Chevr. Dict. univers. d'Hist. nat. VI, 1849, p. 274. — Muls. Col. Fr. Latigènes 1854, p. 168; Mém. Acad. Lyon IX, 1859, p. 128; Opusc. Ent. X, 1859, p. 66. — Seidl. Fauna Balt. ed. II, 1891, p. 129; Fauna Transsylv. 1891, p. 129; Naturg. Ins. Deutschl. V, 1894, p. 409, 418, 435. — Reitt. Best.-Tab. LIII, 1904, p. 134, 140.

Hopatrum Blackb. Trans. Roy. Soc. S. Austr. XXXI, 1907, p. 286.
Subgen. *Megadasus* Reitt. Best.-Tab. LIII, 1904, p. 146.

acutangulum Fairm. Notes Leyd. Mus. IV, 1882, p. 220. — Sumatra
adelaidae Blackb. Trans. Roy. Soc. S. Austr. XVIII, 1894, p. 214; XXXI, 1907, p. 287. — Südaustralien
adpressum Germ. Ins. spec. nov. 1824, p. 145. — Manila
aequatoriale Blanch. Voy. Pole Sud IV, 1853, p. 152, t. 10, f. 10—11. — Muls. Mém. Acad. Lyon IX, 1859, p. 129; Opusc. Ent. X, 1859, p. 67. — Borneo
affine Billb. Nov. Act. Ups. VII, 1815, p. 275, t. 9, f. 4, a, b. — Senegal
alternicostis Geb. Ergebn. Exped. Kilimandj. VII, 1910, p. 378. — Kilimandjaro
amplithorax Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 659. — Abessinien
angolense Er. Arch. f. Naturg. IX, 1843, I, p. 247. — Angola
angustatum Chevr. Ann. Soc. Ent. Fr. (5) III, 1873, p. 204. — Syrien
angusticolle Gerst. Monatsber. Berl. Acad. 1855, p. 638; Peters' Reise 1862, p. 289. — Ostafrika
arenarium F. Syst. Ent. 1775, p. 76. — Ol. Ent. III, 1795, 56, p. 8, t. 1, f. 7. — Miedel, Deutsche Ent. Zeitschr. XXIV, 1880, p. 139. — Bengalen, Molukken
assimile Küst. Käf. Eur. 1849, XVI, p. 52. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 232. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 438. — Reitt. Best.-Tab. LIII, 1904, p. 144. — Italien, Sardinien, Südfrankreich
aterrimum Montrouz. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 289. — Fauv. Rev. d'Ent. XXIII, 1904, p. 164. — N. Caledonien
australe Montrouz. l. c. p. 288.
caledonicum Chevr. l. c. p. 288 nota 1.
attenuatum Kl. Ins. Madag. 1833, p. 88. — Madagaskar
australe Boisd. Voy. Astrol. II, 1835, p. 251. — Australien
bilineatum Walk. Ann. Mag. Nat. Hist. (3) II, 1858, p. 284. — Indisches Gebiet
brevicolle Phil. Reise Wüste Atacama 1860, p. 172. — Chile
caesum Stev. Nouv. Mém. Mosc. I, 1829, p. 96. — Ins. Bourbon
calcaripes Karsch, Sitzungsber. Nat. Fr. Berl. 1881, p. 59. — Kolbe, Abh. Senckenb. Ges. 1902, p. 578. — Guinea-Ins.
calvulum Olliff, Ins. Fauna Lord Howe Isl. 1889, p. 87. — Ins. Lord Howe
carpentariae Blackb. Trans. Roy. Soc. S. Austr. XVIII, 1894, p. 213; XXXI, 1907, p. 287. — Australien
catenulatum Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 19. — Indien
chinense nom nov. *(Megadasus).* — China
subsetosum Reitt. Best.-Tab. LIII, 1904, p. 147.
complanatum Guer. Voy. Coqu. 1830, p. 98, t. 4, f. 10. — Ins. Buru
contractum Gerst. Arch. f. Naturg. XXXVII, 1871, p. 61; Decken's Reise III, 2, 1873, p. 179. — Ostafrika
contrahens Walk. Ann. Mag. Nat. Hist. (3) II, 1858, p. 284. — Ceylon
coriaceum Motsch. Etudes Ent. VI, 1857, p. 34. — Lewis, Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 381. — Reitt. Best.-Tab. LIII, 1904, p. 142. — Japan
costatum Brll. Expéd. Morée III, 1832, p. 218. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 229. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 440. — Reitt. Best.-Tab. LIII, 1904, p. 143. — Dalmatien, Balkanhalbins., Kleinasien, Persien
lineare Küst. Käf. Eur. 1849, XVI, p. 54. — Kraatz, Berl. Ent. Zeit. XVII, 1873, p. 438.

costiferum Waterh. Proc. Zool. Soc. Lond. 1881, p. 476, t. 43, f. 2. — Sokotra

cowardense Blackb. Trans. Roy. Soc. S. Austr. XVIII, 1894, p. 215; XXXI ,1907, p. 287. — Südaustralien

cristovallense Montrouz. Ann. Soc. Agr. Lyon VII, 1855, p. 30. — San Cristoval

curvicolle Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 705; Best.-Tab. LIII, 1904, p. 142. — Mongolei

depressum F. Ent. Syst. Suppl. 1798, p. 41. — Stev. Nouv. Mém. Mosc. I, 1829, p. 95. — Geb. Deutsche Ent. Zeitschr. 1906, p. 213. — Indien

dermestoides Gerst. Arch. Naturg. XXXVII, 1871, p. 61; Decken's Reise III, 2, 1873, p. 180. — Ostafrika

dilatatum Woll. Ins. Mader. 1854, p. 501. — Madeira

dorsogranosum Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 19. — Indien

dubium Arrow, Monogr. Christmas Isl. 1900, p. 105. — Christmas-Ins.

Elderi Blackb. Trans. Roy. Soc. S. Austr. XVI, 1892, p. 39; XXXI, 1907, p. 287. — Australien

elongatum Guér. Mag. Zool. 1834, Mélas. p. 32; Icon., t. 30, f. 2 a, b. — Indien

expansicolle Lewis, Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 380. — Japan

granohispidum Kolbe in Stuhlm. Ostafr. IV, 1897, p. 238. — Ostafrika

hadroides Fairm. Rev. d'Ent. VII, 1888, p. 129. — Peking

helopioides Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 19. — Indien

hispidocostatum Fairm. Ann. Soc. Ent. Belg. XXVII, 1883, 2, p. 23. — Neu-Guinea

Hoffmannseggi Stev. Nouv. Mém. Mosc. I, 1829, p. 96. — Ostindien

humeridens Fairm. Natural. V, 1883, p. 205; Ann. Soc. Ent. Fr. (6) III, 1883, p. 98. — Abessinien

insulanum Olliff, Proc. Linn. Soc. N. S. Wales (2) II, 1887, p. 1006. — Norfolk-Ins.

intermedium Fisch. Bull. Mosc. XVII, 1844, I, p. 127. Biologie: Lindem. Bull. Mosc. (n. s.) II, 1888, II, 2, p. 19. — Südrußland

irroratum Fauv. Bull. Soc. Linn. Norm. (2) I, 1867, p. 188. — Neue Hebriden

japanum Motsch. Etudes Ent. IX, 1860, p. 16. — Har. Deutsche Ent. Zeitschr. XXII, 1878, p. 77. — Japan

kamtschaticum Motsch. Schrenck's Reise 1860, p. 139, t. 9, f. 14. — Kamtschatka

kashgarense Bates, Cist. Ent. II, 1879, p. 481; Sec. Yark. Miss. Col. 1890, p. 74. — Kashgar

laticolle nom. nov. — Indien
expansicolle Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 19.

latifrons Lec. Trans. Am. Ent. Soc. V, 1874, p. 70. — Cas. Ann. N. York Acad. V, 1890, p. 393. — Vancouver

Lefranci Fairm. Ann. Soc. Ent. Fr. (4) III, 1863, p. 643. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 438. — Desbr. Frelon X, 1901, p. 94. — Reitt. Best.-Tab. LIII, 1904, p. 147 *(Megadasus)*. — Sardinien, Corsika, Sicilien, Algier

Macleayi Blackb. Trans. Roy. Soc. S. Austr. XXXI, 1907, p. 288. — Queensland

Mastersi Macl. Trans. Ent. Soc. N. S. Wales II, 1872, p. 277. — Blackb. l. c. p. 287. — ,,

Meyricki Blackb. Trans. Roy. Soc. S. Austr. XVIII, 1894, p. 213; XXXI, 1907, p. 287. — Westaustralien
micantipenne Fairm. Bull. Soc. Ent. Fr. 1893, p. CCCXXIV. — Seychellen
minusculum Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 20. — Indien
misellum Blackb. Trans. Roy. Soc. S. Austr. XXXI, 1907, p. 288. — S. Australien
moluccanum Blanch. Voy. Pole Sud IV, 1853, p. 153, t. 10, f. 12. — Molukken
mongolicum Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 706; Best.-Tab. LIII, 1904, p. 141. — Mongolei
?reticulatum Motsch. Etud. Ent. II, 1853, p. 47.
oblitum Woll. Cat. Canar. Col. 1864, p. 489. — Mars. Abeille XII, 1875, p. 122. — Canaren
oblongum F. Syst. El. I, 1801, p. 117. — Indien
occidentale Berg, Stett. Ent. Zeitschr. XLIV, 1883, p. 396. — Plata
ochthebioides Fauv. Bull. Soc. Linn. Norm. 1862, p. 145, t. 10, f. 24, 25. — Neu-Caledonien, ?Kaschmir
octocostatum Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 355. — Tonkin
opacum Walk. List Col. Lord 1871, p. 15. — Cairo
orarium Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 380. — Japan
papulosum Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 19. — Indien
peregrinum Kolbe, Abh. Senckenb. Ges. XXVI, 1902, p. 576. — Aldabra-Ins.
perplexum Luc. Expl. Alg. 1849, p. 334, t. 29, f. 9. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 440. — Reitt. Best.-Tab. LIII, 1904, p. 145. — Nordafrika, Syrien
?famelicum Ol. Encycl. méth. VIII, 1811, p. 497. — Muls. Mém. Acad. Lyon IX, 1859, p. 132; Opusc. Ent. X, 1859, p. 70. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 229.
persimile Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 381. — Japan
planatum Walk. Ann. Mag. Nat. Hist. (3) II, 1858, p. 284. — Ceylon
prolixum Er. Arch. Naturg. IX, 1843, I, p. 248. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 440. — Reitt. Best.-Tab. LIII, 1904, p. 145. — Miedel, Deutsche Ent. Zeitschr. XXIV, 1880, p. 139. — Südeuropa, Afrika
clavipes Woll. Col. Hesper. 1867, p. 188.
hespericum Motsch. Bull. Mosc. XX, 1849, III, p. 126.
lugens Küst. Käf. Eur. 1849, XVI, p. 50. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 234.
?modestum Reiche, Galin. Voy. Abyss. 1850, p. 368.
obscurum Küst. Käf. Eur. 1849, XVI, p. 46. — Kraatz, Berl. Ent. Zeitschr. XVII, 1873, p. 438. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 231.
parvulum Luc. Expl. Alg. 1849, p. 334.
sulcipenne Thoms. Arch. Ent. II, 1858, p. 84.
pruinosum Fisch. Bull. Mosc. XVII, 1844, I, p. 128. — Turkmenien
pubens Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 97. — Japan
pubescens Pal. Beauv. Ins. Afr. et Am. 1821, p. 142, t. 30 b, f, 6. — Oware
pubiferum Walk. List Col. Lord 1871, p. 16. — Cairo
pusillum F. Ent. Syst. I, 1791, p. 91; Syst. El. I, 1801, p. 120. — Sturm, Käf. II, 1807, p. 172. — Duft. Fn. Austr. II, 1812, p. 293. — Bach, — Mittel- u. Südeuropa, Nordafrika,

Käferf. III, 1856, p. 216. — Redt. Fn. Austr. ed. II, 1858, p. 569; ed. III, 1874, II, p. 99. — Seidl. Fn. Transsylv. 1891, p. 551; Naturg. Ins. Deutschl. V, 1894, p. 440, 446. — Reitt. Best.-Tab. LIII, 1904, p. 144. — Kaukasus, Turkestan

interstitiale Küst. Käf. Eur. 1849, XVI, 59.

muricatum Brll. Expéd. Morée III, 1832, p. 215.

nigrum Küst. l. c. 58. — Muls. Col. Fr. Latigènes 1854, p. 168. — Baudi, Ann. Mus. Genova VII, 1875, p. 702; Bull. Soc. Ent. Ital. VII, 1875, p. 231.

nitidulum Küst. l. c. 56.

ragusanum Küst. l. c. XIX, 1849, 52.

viennense Duft. Fn. Austr. II, 1812, p. 293. — Redt. Fn. Austr. 1849, p. 597; ed. II, 1858, p. 569; ed. III, 1874, II, p. 99. — Bach, Käferf. III, 1856, p. 215. — Desbr. Frelon X, 1901, p. 93.

var. *meridionale* Küst. Käf. Eur. 1849, XVI, 57. — Reitt. Best.-Tab. LIII, 1904, p. 144. — Spanien

Biologie: Lindemann, Bull. Mosc. (n. s.) II, 1888, 2, p. 58.

pygmaeum Stev. Nouv. Mém. Mosc. I, 1829, p. 98. — Küst. Käf. Eur. 1849, XVI, 61. — Muls. Col. Fr. Latigènes 1854, p. 174. — Lacord. Gen. Col. V, 1859, p. 254, nota 2. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 233. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 439. — Desbr. Frelon X, 1901, p. 96. — Reitt. Best.-Tab. LIII, 1904, p. 141. — Ungarn, Tirol, Italien, Frankreich

pedestre Rosenh. Beitr. Ins. Fn. Eur. 1847, p. 31. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 233.

pesthiense Bess. Nouv. Mém. Mosc. II, 1832, p. 16. — Küst. Käf. Eur. 1849, XVI, p. 63. — Baudi, l. c. p. 233.

pusillum Küst. Käf. Eur. 1849, XVI, 60.

Sturmi Küst. l. c. 62.

subnodosum Rey, Echange 1892, p. 42.

viennense Küst. l. c. XIX, 1849, 53.

Biologie: Fisch. Oryctogr. Russ. 1830, t. 9, f. c—g. — Westw. Introd. 1839, p. 319, f. 39, 6.

quadrinodosum Reitt. Best.-Tab. LIII, 1904, p. 146. — China

recticolle Motsch. Bull. Mosc. 1866, I, p. 173. — Lewis, Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 381. — Reitt. l. c. p. 142. — Japan

sexuale Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 98. — Lew. l. c. p. 381. — Har. Pet. Nouv. Entom. II, 1876, p. 85.

rugulosum Küst. Käf. Eur. 1849, XVI, 55. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 440. — Reitt. Best.-Tab. LIII, 1904, p. 143. — Türkei, Kleinasien

rusticum Ol. Encycl. méth. VIII, 1811, p. 498. — Brll. Expéd. Morée III, 1832, p. 218. — Muls. Col. Fr. Latigènes 1854, p. 171. — Jacq. du Val, Gen. Col. Eur. III, 1861, t. 69, f. 345. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 229. — Miedel, Deutsche Ent. Zeitschr. 1880, p 140. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 440. — Desbr. Frelon X, 1901, p. 95. — Reitt. Best.-Tab. LIII, 1904, p. 146. — Mittelmeergebiet, Kaukasus, Centralasien, Mongolei, Madeira

errans Woll. Ins. Mader. 1854, p. 501, t. 11, f. 3.
famelicum Küst. Käf. Eur. 1849, XVI, 48.
fuscum Woll. Catal. Can. Col. 1864, p. 487.
modestum Küst. Käf. Eur. 1849, XVI, 53.
obductum Gebl. Bull. Mosc. XXXIII, 1860, III, p. 38.
patruele Küst. Käf. Eur. 1849, XVI, 51. — Kraatz, Berl. Ent. Zeitschr. XVII, 1873, p. 437.
pulverulentum Ol. Encycl. méth. VIII, 1811, p. 500.
setulosum Küst. Käf. Eur. 1849, XVI, 47. — Kraatz, Berl. Ent. Zeitschr. XVII, 1873, p. 437.
substriatum Bess. Nouv. Mém. Mosc. II, 1832, p. 18. — Küst. Käf. Eur. XVI, 1849, 49.
terrosum Küst. Käf. Eur. 1845, II, 28. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 227.
trichopterum Gemm. Col. Hefte VI, 1870, p. 122.
? *vestitum* Küst. Käf. Eur. 1849, XVI, 45.
vicinum Gemm. l. c. p. 122.
villosum Stev. Nouv. Mém. Mosc. I, 1829, p. 97.
var. *patruele* Er. Arch. f. Naturg. IX, 1843, I, p. 248. — Woll. Col. Hesper. 1867, p. 187. — Reitt. Best.-Tab. LIII, 1904, p. 145. — Afrika, Persien
lutosum Woll. Cat. Can. Col. 1864, p. 486. — Mars. Abeille XII, 1875, p. 122.
sericeum Baudi, Ann. Mus. Genova VII, 1875, p. 701; Bull. Soc. Ent. Ital. VII, 1875, p. 228; Deutsche Ent. Zeitschr. XX, 1876, p. 72 nota. — Miedel, Deutsche Ent. Zeitschr. 1880, p. 140.

Schneideri Reitt. Wien. Ent. Zeit. XVII, 1898, p. 14; Best.-Tab. LIII, 1904, p. 142. — Turkestan

scutellare Perty, Obs. Col. Ind. 1831, p. 38. — Sunda-Ins.

seriatum Boisd. Voy. Astrol. II, 1835, p. 252. — Ins. Radack

setulosum Fald. Fn. Transcauc. II, 1837, p. 60. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 439. — Reitt. Best.-Tab. LIII, 1904, p. 141. — Mittelmeergebiet, Südrußland,
Demaisoni All. Ann. Soc. Ent. Belg. XXVII, 1883, I, p. 32. — Bedel, Abeille XXVIII, 1894, p. 154. — Kaukasus, Transkaspien
minutum Mén. Mém. Acad. Petr. VI, 1849, p. 239 (23).
var. *pubiferum* Reitt. Best.-Tab. LIII, 1904, p. 142. — Centralasien

sexcostulatum Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 151. — Somaliland

simplex F. Syst. El. I, 1801, p. 118. — Miedel, Deutsche Ent. Zeitschr. 1880, p. 139. — Geb. Deutsche Zeitschr. 1906, p. 213. — Trop. Afrika
aequale Er. Arch. f. Naturg. IX, 1843, I, p. 247. — Kolbe, Abh. Senck. Ges. 1902, p. 578.
crenatum Er. l. c. p. 248.
hadroides Woll. Journ. of Ent. 1861, p. 215.
micans Germ. Ins. spec. nov. 1824, p. 145.
segne Thoms. Arch. Entom. II, 1858, p. 85.
var. *inquinatum* Sahlb. Thon, Arch. II, 1, 1823, p. 12. — Küst. Käf. Eur. 1845, II, p. 29. — Ägypten, Palästina,
insidiosum Fairm. Ann. Soc. Ent. Fr. (5) X, 1880, p. 16. — Bedel, Abeille XXVII, p. 153. — Algier, Rotes Meer
soricinum Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 259.

Biologie: Xambeu, Ann. Soc. Linn. Lyon IL, 1902, p. 122 (Larve sub *micans*).

strangulatum Fairm. Rev. d'Ent. VII, 1888, p. 128. — Peking

strigosum Reiche, Galin. Voy. Abyss. 1850, p. 369. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 230. — Reitt. Best.-Tab. LIII, 1904, p. 145. — Ägypten, Abessinien

subsetosum Kolbe, Berl. Ent. Zeitschr. XXVII, 1883, p. 24. — Congo-Gebiet

subrugulosum Reitt. Horae Soc. Ent. Ross. XXI, 1887, p. 388 (34); Best.-Tab. LIII, 1904, p. 141. — Nord-China, Thibet

subspinosum Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 19. — Bengalen

subsulcatum Reiche, Galin. Voy. Abyss. 1850, p. 367. — Abessinien

tomentosum Walk. List Col. Lord 1871, p. 16. — Peyerimh. Abeille XXXI, 1908, p. 38. — Arabien

torridum Champ. Trans. Ent. Soc. Lond. 1894, p. 359. — Blackb. Horn's Exped. Centr. Austr. 1896, p. 274; Trans. Roy. Soc. S. Austr. XXXI, 1907, p. 287. — N.W. Austral.

vagum Stev. Nouv. Mém. Mosc. I, 1829, p. 96. — Ostindien

victoriae Blackb. Trans. Roy. Soc. S. Austr. XVIII, 1894, p. 218; XXXI, 1907, p. 287. — Victoria

Walkeri Champ. Trans. Ent. Soc. Lond. 1894, p. 360. — Blackb. Trans. Roy. Soc. S. Austr. XXXI, 1907, p. 287. — N.W.-Australien

103

Opatrum F.

F. Syst. Ent. 1775, p. 76; Gen. Ins. 1777, p. 27; Ent. Syst. 1792, p. 88; Epit. Ent. 1797, p. 6; Syst. El. I, 1801, p. 115. — Latr. Précis 1796, p. 19; Hist. Nat. III, 1802, p. 174; X, 1804, p. 284; Gen. Crust. Ins. II, 1807, p. 166. — Cast. Hist. Nat. II, 1840, p. 211. — Redt. Gatt. 1845, p. 129; Fn. Austr. 1849, p. 53, 597; ed. II, 1858, p. CV u. 595; ed. III, 1874, p. CXVIII u. II, p. 99. — Muls. Col. Fr. Latigènes 1854, p. 163; Mém. Acad. Lyon IX, 1859, p. 104; Opusc. Ent. X, 1859, p. 42. — Lacord. Gen. Col. V, 1859, p. 267. — Thoms. Skand. Col. I, 1859, p. 115; VI, 1864, p. 241. — Jacq. du Val, Gen. Col. Eur. III, 1861, p. 283. — Seidl. Fn. Balt. 1875, p. 96 (Gatt.); ed. II, 1891, p. 129 (Gatt.); Fn. Transsylv. 1891, p. 129 (Gatt.); Naturg. Ins. Deutschl. V, 1894, p. 411, 419. — Desbr. Frelon X, 1901, p. 86. — Reitt. Best.-Tab. LIII, 1904, p. 134, 148.

Subgen. *Colpopatrum* Reitt. Best.-Tab. LIII, 1904, p. 148.

Subgen. *Colpophorus* Muls. et Rey, Mém. Acad. Lyon IX, 1859, p. 106; Opusc. Ent. X, 1859, p. 44. — Reitt. Best.-Tab. LIII, 1904, p. 148.

alternatum Küst. Käf. Eur. 1849, XVI, 39. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 220. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 428. — Reitt. Best.-Tab. LIII, 1904, p. 153 (*Opatrum* s. str.). — Griechenland, Türkei, Kleinasien

alutaceum Reitt. l. c. p. 158 (*Opatrum* s. str.). — Chartum

asperidorsum Fairm. Bull. Soc. Ent. Fr. 1878, p. LVI. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 428. — Desbr. Frelon X, 1901, p. 92. — Reitt. l. c. p. 154 (*Opatrum* s. str.). — Corsica

asperipenne Reitt. Deutsche Ent. Zeitschr. 1897, p. 219; Best.-Tab. LIII, 1904, p. 148 (*Colpopatrum*). — Mongolei

baeticum Rosenh. Thiere Andalus. 1856, p. 206. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 223. — Seidl. — Andalusien, Algier

11

Naturg. Ins. Deutschl. V, 1894, p. 426. — Reitt. Best.-Tab. LIII, 1904, p. 150 *(Colpophorus)*.
granatum Fairm. Ann. Soc. Ent. Fr. (4) X, 1870, p. 392. — Mars. Abeille XII, 1875, p. 121. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 426.
var. *gregarium* Rosenh. Thiere Andalus. 1856, p. 208. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 223. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 426. — Reitt. Best.-Tab. LIII, 1904, p. 150.

cypraeum Reitt. l. c. p. 155 (*Opatrum* s. str.). — Cypern

Dahli Küst. Käf. Eur. XVI, 1849, 34. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 222. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 427. — Reitt. Best.-Tab. LIII, 1904, p. 156 (*Opatrum* s. str.). — Sardinien

emarginatum Luc. Expl. Alg. 1849, p. 333, t. 29, f. 8. — Muls. Mém. Acad. Lyon IX, 1859, p. 106; Opusc. Ent. X, 1859, p. 44. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 426. — Reitt. l. c. p. 149 *(Colpophorus)*. — Algier, Tunis
var. *inaequalis* Reitt. l. c. p. 149.

excisum Seidl. Naturg. Ins. Deutschl. V, 1894, p. 427. — Reitt. l. c. p. 151 (*Opatrum* s. str.). — Algier

geminatum Brll. Expéd. Morée III, 1832, p. 213. — Waltl, Isis 1838, p. 463. — Küst. Käf. Eur. 1849, XVI, 35. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 223. — Seidl. l. c. p. 428. — Reitt. l. c. p. 153 (*Opatrum* s. str.). — Balkanhalbinsel, Kleinasien, Kaukasus
var. *asiaticum* Reitt. l. c. p. 153.

Grenieri Perris, Abeille VII, 1870, p. 19. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 226. — Desbr. Frelon X, 1901, p. 91. — Reitt. l. c. p. 154 (*Opatrum* s. str.). — Corsica

granulosum Fisch. Cat. Col. Karel. 1843, p. 16; Bull. Mosc. XVII, 1844, I, p. 126 (*Opatrum* s. str.). — Songorei

Hookeri Woll. Ent. Monthly Mag. XI, 1875, p. 219. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 426. — Reitt. Best.-Tab. LIII, 1904, p. 150 *(Colpophorus)*. — Marokko

italicum Reitt. l. c. p. 156 (*Opatrum* s. str.). — Ischia

libani Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 222; Deutsche Ent. Zeitschr. XX, 1876, p. 64. — Reitt. l. c. p. 155 (*Opatrum* s. str.). — Syrien

lucifugum Küst. Käf. Eur. XVI, 1849, 41. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 225. — Seidl. Naturg. Ins. Deutschl. 1898, p. 830, 831. — Reitt. Best.-Tab. LIII, 1904, p. 158 (*Opatrum* s. str.). — Österreich, Dalmatien, Croatien, Südrußland

melitense Küst. Käf. Eur. XVI, 1849, 38. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 225. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 429, 830. — Reitt. Best.-Tab. LIII, 1904, p. 158 (*Opatrum* s. str.). — Malta, Italien, Spanien
distinctum Küst. XIX, 1849, 48.
sculptum Rey, Echange 1892, p. 42.
var. *subdilatatum* Reitt. Wien. Ent. Zeit. XXVII, 1908, p. 23. — Italien

nivale Géné, Mem. Accad. Torino 1839, p. 72, t. 2, f. 11. — Baudi, l. c. p. 224. — Seidl. l. c. p. 429. — Reitt. l. c. p. 150 *(Colpophorus)*. — Sardinien

obesum Ol. Encycl. méth. VIII, 1811, p. 497. — Waltl, Isis 1838, p. 463. — Muls. Mém. Acad. Lyon IX, 1859, p. 111; Opusc. Ent. X, 1859, p. 49. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 226. — Miedel, Deutsche Ent. Zeitschr. 1880, p. 137. — Seidl. l. c. p. 428. — Reitt. l. c. p. 154 (*Opatrum* s. str.). Italien, Sicilien, Türkei, Griechenland, Syrien, Mesopotamien, Ägypten

curtum Mill. Wien. Ent. Monatschr. V, 1861, p. 205.

dardanum Stev. Nouv. Mém. Mosc. I, 1829, p. 94. — Küst. Käf. Eur. 1849, XVI, 44. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 226.

messeniacum Rottenb. Berl. Ent. Zeitschr. XIV, 1870, p. 251, t. 2, f. 1, 1a. — Miedel, Deutsche Ent. Zeitschr. 1880, p. 137.

setuligerum Costa, Alcune notize sull' entom. Isola Ischia, 1856, p. 4.

sulcatum Küst. Käf. Eur. XIX, 1849, 49.

var. *elevatum* Brll. Expéd. Morée III, 1832, p. 215. — Kraatz, Berl. Ent. Zeitschr. XVII, 1873, p. 439. — Miedel, Deutsche Ent. Zeitschr. 1880, p. 137.

gibbum Bess. Nouv. Mém. Mosc. II, 1832, p. 17. — Küst. Käf. Eur. XVI, 1849, 42. — Kraatz, l. c. p. 439. — Miedel, l. c. p. 137.

var. *Parreyssi* Küst. Käf. Eur. 1849, XIX, 50.

perlatum Germ. Ins. spec. nov. 1824, p. 144. — Küst. Käf. Eur. XVI, 1849, 37. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 220. — Seidl. Naturg. Ins. Deutschl. 1894, p. 427. — Reitt. Best.-Tab. LIII, 1904, p. 152 (*Opatrum* s. str.). Spanien, Portugal

porcatum F. Ent. Syst. I, 1792, p. 89; Syst. El. I, 1801, p. 116. — Geb. Deutsche Ent. Zeitschr. 1906, p. 213 *(Colpophorus)*. Algier, Marokko, Ägypten

granuliferum Luc. Expl. Alg. 1849, p. 332. — Reitt. Best.-Tab. LIII, 1904, p. 150.

riparium Gerh. Deutsche Ent. Zeitschr. 1896, p. 383; Zeitschr. f. Ent. schles. Ver. (n. ser.) XXII, 1897, p. 1. — Seidl. Naturg. Ins. Deutschl. V, 1898, p. 831, 833. — Reitt. Best.-Tab. LIII, 1904, p. 152 (*Opatrum* s. str.). Deutschland, Niederösterreich

sabulosum L. Fauna Suec. ed. II, 1761, p. 150; Syst. Nat. ed. XII, T. I, P. II, 1767, p. 572. — Scopoli, Entom. Carn. 1763, p. 21, t. 2, f. 58. — F. Syst. Entom. 1775, p. 76; Spec. Ins. I, 1781, p. 89; Mant. Ins. I, 1787, p. 50; Ent. Syst. 1792, p. 89; Syst. El. I, 1801, p. 116. — Fourcr. Ent. Paris 1785, p. 158. — Herbst, Käf. V, 1793, p. 214, t. 52, f. 5. — Ol. Ent. III, 1795, 56, p. 6, t. 1, f. 5. — Ill. Verz. Käf. Preuß. 1798, p. 107. — Payk. Fauna Suec. I, 1798, p. 81. — Schrank, Fauna Boica I, 1798, p. 519. — Latr. Hist. Nat. X, 1804, p. 285, t. 88, f. 5. — Sturm, Käf. II, 1807, p. 169, t. 40. — Gyll. Ins. Suec. II, 1810, p. 597. — Duft. Fauna Austr. II, 1812, p. 292. — Sahlb. Ins. Fenn. I, 1834, p. 482. — Cast. Hist. Nat. II, 1840, p. 211. — Küst. Käf. Eur. II, 1845, p. 26. — Redt. Fn. Austr. 1849, p. 597; ed. II, 1858, p. 596; ed. III, 1874, II, p. 99. — Muls. Col. Fr. Latigènes 1854, p. 164. — Jacq. du Val, Gen. Col. Eur. III, 1861, t. 69, Europa, Nördl. Asien, Turkestan, Kaukasus

f. 344. — Thoms. Skand. Col. VI, 1864, p. 242. — Seidl. Fn. Baltica 1875, p. 360; ed. II, 1891, p. 514; Fauna Transsylv. 1891, p. 551; Naturg. Ins. Deutschl. V, 1894, p. 429, 432, 830. — Stierl. Col. Helv. II, 1886, p. 143. — Desbr. Frelon X, 1901, p. 90. — Reitt. Best.-Tab. LIII, 1904, p. 157 (*Opatrum* s. str.).

distinctum Villa Cat. Col. Eur. dupl. Suppl. 1835, p. 49.

rugosum Geer, Ins. V, 1775, p. 43, t. 2, f. 21—22. — Übers. Goeze V, 1781, p. 258, t. 2, f. 21, 22.

tricarinatum Motsch. Bull. Acad. Petr. I, 1860, p. 307.

var. *guttifer* Seidl. Naturg. Ins. Deutschl. V, 1898, p. 830. — Spanien

Biologie: Luc. Bull. Soc. Ent. Fr. 1870, p. LXXXII; Ann. Soc. Ent. Fr. (5) I, 1871, p. 452—460, t. 7, f. 9—17. — Schioedte, Nat. Tisdsskr. III, 1879, p. 541—543, 585, t. 7, f. 15—21. — Altum, Dankelm. Zeit. 1887, p. 495. — Judeich, Forstins. 1889, p. 619. — Rupertsb. Wien. Ent. Zeit. XII, 1893, p. 247. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 422.

Anatomie etc.: Kempers, Tijdschr. Ent. XLIV, 1901, p. 32, t. 3, f. 20.

Schlicki Geb. Deutsche Ent. Zeitschr. 1906, p. 213 *(Colpophorus)*. — Algier, Tunis

porcatum Muls. et Rey, Mém. Acad. Lyon IX, 1859, p. 107; Opusc. Ent. X, 1859, p. 45. — — Reitt. Best.-Tab. LIII, 1904, p. 149. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 426.

sculpturatum Fairm. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 630. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 428. — Desbr. Frelon X, 1901, p. 98. — Reitt. Best.-Tab. LIII, 1904, p. 155. (*Opatrum* s. str.). — Corsica

subaratum Fald. Mém. Acad. Petr. sav. étrang. II, 1835, p. 413. — Reitt. Best.-Tab. LIII, 1904, p. 157 (*Opatrum* s. str.). — Amur, Mongolei

tebessanum Reitt. l. c. p. 153 (Opatrum s. str.). — Algier

thalense Mayet, Bull. Soc. Ent. Fr. 1890, p. CIV. — Reitt. Best.-Tab. LIII, 1904, p. 151 *(Colpophorus)*. — Tunis

triste Stev. Nouv. Mém. Mosc. I, 1829, p. 94. — Küst. Käf. Eur. 1849, XVI, p. 36. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 429. — Reitt. Best.-Tab. LIII, 1904, p. 158 (*Opatrum* s. str.). — Südrußland

?areolatum Küst. Käf. Eur. 1849, XVI, p. 40.

granulatostriatum Küst. Käf. Eur. 1849, XVI, 43.

politum Bess. Nouv. Mém. Mosc. II, 1832, p. 17.

validum Rott. Berl. Ent. Zeitschr. XIV, 1870, p. 250, t. 2, f. 2. — Mars. Abeille XII, 1875, p. 120. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 222. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 426. — Reitt. Best.-Tab. LIII, 1904, p. 149 *(Colpophorus)*. — Sicilien, Algier

verrucosum Germ. Reise Dalmat. 1817, p. 188. — Brll. Expéd. Morée III, 1832, p. 216. — Küst. Käf. — Östl. Mittelmeergebiet,

Eur. II, 1845, p. 27. — Muls. Mém. Acad. Lyon IX, 1859, p. 113; Opusc. Ent. X, 1859, p. 51. — Baudi, l. c. p. 221. — Seidl. l. c. p. 428, 430. — Reitt. l. c. p. 155 (*Opatrum* s. str.). Illyrien, Ungarn

graniger Brll. Expéd. Morée III, 1832, p. 214.

granigerum Bess. Nouv. Mém. Mosc. II, 1832, p. 16. — Kraatz, Berl. Ent. Zeitschr. XVII, 1873, p. 439.

hispidosum Brll. l. c. p. 217.

trilobatum Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 221.

verruciferum Muls. Mém. Acad. Lyon IX, 1859, p. 116.

31

Opatropis Reitt.

Reitt. Best.-Tab. LIII, 1904, p. 134, 159.

hispida Brll. Webb et Berth. Ins. Canar. 1838, p. 68. — Woll. Col. Hesper. 1867, p. 190; Cat. Can. Col. 1864, p. 488. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 228. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 440. — Reitt. Best.-Tab. LIII, 1904, p. 159. Nördl. und trop. Afrika

fuscum Woll. Ins. Mader. 1854, p. 500, t. 11, f. 1.

virgatum Er. Arch. f. Naturg. IX, 1843, I, p. 249.

1

Pocadiopsis Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 17.

marginicollis Fairm. l. c. p. 17. Indien

simulator Fairm. l. c. p. 17. „

2

Sinorus Muls. et Rey.

Muls. et Rey, Ann. Soc. Linn. Lyon VII, 1860, p. 153. — Desbr. Frelon X, 1901, p. 97. — Reitt. Best.-Tab. LIII, 1904, p. 134, 148.

Colliardi Fairm. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 630. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 227. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 425. — Desbr. Frelon X, 1901, p. 98. — Reitt. Best.-Tab. LIII, 1904, p. 148. Corsica

ciliaris Muls. Ann. Soc. Linn. Lyon VII, 1860, p. 154.

Biologie: Perris, Larves 1877, p. 263—264.

1

Trichopodus Muls.

Muls. et Rey, Mém. Acad. Lyon IX, 1859, p. 121; Opusc. Ent. X, 1859, p. 59. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 409. — Woll. Ent. Monthly Mag. IX, p. 98.

Japetus Reitt. Best.-Tab. LIII, 1904, p. 160 nota.

Trichosternum Woll. Ann. Mag. Nat. Hist. 1861, p. 205.

granulosus Woll. Col. Hesper. 1867, p. 186. — Cap Verde Ins.

melanarius Er. Arch. f. Naturg. IX, 1843, I, p. 246. — Woll. l. c. p. 184. — Angola

nicolensis Woll. l. c. p. 186. — Cap Verde Ins.

tenebricosus Er. Arch. f. Naturg. IX, 1843, I, p. 246. — Woll. l. c. p. 183. — Angola, Canaren

striatum Woll. Ann. Mag. Nat. Hist. 1861, p. 206.

validus Muls. et Rey, Mém. Acad. Lyon IX, 1859, p. 122; Opusc. Ent. X, 1859, p. 60. — Cap Verde Ins.

5

Melasma Woll.

Woll. Cat. Can. Col. 1864, p. 484.

lineatum Brll. Webb et Berth. Ins. Canar. 1838, p. 69. — Woll. Cat. Can. Col. 1864, p. 485. — Canaren

1

Melanocoma Woll.

Woll. Col. Hesperid. 1867, p. 181.

vestita Woll. l. c. p. 182. — Cap Verde Ins.

1

Opatroides Brll.

Brll. Expéd. Morée III, 1832, p. 219. — Muls. Mém. Acad. Lyon X, 1859, p. 75; Opusc. Ent. X, 1859, p. 13. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 161; Best.-Tab. LIII, 1904, p. 134, 159.

Penthicus Fald. Fn. Transcauc. II, 1837, p. 81. — Cast. Hist. Nat. II, 1840, p. 213.

angulatus Baudi, Ann. Mus. Genova VII, 1875, p. 699; Bull. Soc. Ent. Ital. VII, 1875, p. 215; Deutsche Ent. Zeitschr. XX, 1876, p. 56. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 162; Best.-Tab. LIII, 1904, p. 159. — Persien, Syrien

curtulus Fairm. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 149. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 162; Best.-Tab. LIII, 1904, p. 160. — Syrien

?asiaticus Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 122 (94).

frater Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 21. — Indien

judaicus Baudi, Deutsche Ent. Zeitschr. 1881, p. 283. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 162; Best.-Tab. LIII, 1904, p. 160. — Syrien

punctulatus Brll. Exp. Morée III, 1832, p. 220, t. 40, f. 9. — Muls. Mém. Acad. Lyon IX, 1859, p. 75; Opusc. Ent. X, 1859, p. 13. — Jacq. du Val, Gen. Col. Eur. III, 1861, t. 69, f. 343. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 161; Best.-Tab. LIII, 1904, p. 159. — Mittelmeergebiet, Kaukasus, Centralasien, Ostsibirien,

parvulus Fald. Fn. Transcauc. II, 1837, p. 62, t. 1, f. 4. — Muls. l. c. p. 77; l. c. p. 15. Abessinien, Somaliland
subcylindricus Mén. Mém. Acad. Petr. VI, 1849, p. 238 (22), t. 4, f. 8.
striolatus Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 21. Indien
thoracicus Rosenh. Thiere Andalus. 1856, p. 205. — Muls. Mém. Acad. Lyon IX, 1859, p. 79; Opusc. Ent. X, 1859, p. 17. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 162; Best.-Tab. LIII, 1904, p. 160. Südspanien, Algier, Marokko
vicinus Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 21. Indien

8

Lobothorax Gemm.

Gemm. Col. Hefte VI, 1870, p. 124. — Reitt. Best.-Tab. LIII, 1904, p. 160.

Lobodera Muls. et Rey, Mém. Acad. Lyon IX, 1859, p. 80; Opusc. Ent. X, 1859, p. 18.
Penthicus Muls. et Rey, l. c. p. 82; l. c. p. 20. — Lacord. Genera Col. V, 1859, p. 269. (pars). — Jacq. du Val, Gen. Col. Eur. III, 1861, p. 282 (pars). — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 409, 411, 419. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 161.
Subgen. *Aulonolcus* Reitt. Best.-Tab. LIII, 1904, p. 161.
Subgen. *Discotus* Reitt. l. c. p. 161.
Subgen. *Hemitrichestes* Reitt. l. c. p. 161.
Subgen. *Myladion (Miladion)* Reitt. Horae Soc. Ent. Ross. XXI, 1887, p. 385 (31); Best.-Tab. LIII, 1904, p. 161.
Subgen. *Penthomegus* Reitt. Best.-Tab. LIII, 1904, p. 161.
Subgen. *Stonavus* Reitt. l. c. p. 161.

acuticollis Reitt. Horae Soc. Ent. Ross. XXI, 1887, p. 386 (32); Deutsche Ent. Zeitschr. 1896, p. 166; Best.-Tab. LIII, 1904, p. 166 *(Myladion)*. Thibet, Chines.-Turkestan
alaiensis Reitt. Deutsche Ent. Zeitschr. 1896, p. 171; Best.-Tab. LIII, 1904, p. 165 *(Stonavus)*. Alai-Gebirge
altaicus Gebl. Ledeb. Reise II, 1830, p. 123; Bull. Mosc. XX, 1847, IV, p. 479. — Muls. Mém. Acad. Lyon IX, 1859, p. 89; Opusc. Ent. X, 1859, p. 27. — Reitt. l. c. p. 169; l. c. p. 168 *(Aulonolcus)*. Altai
var. *sulcibasis* Reitt. Best.-Tab. LIII, 1904, p. 169. Mongolei
auliensis Reitt. Best.-Tab. LIII, 1904, p. 163 (*Lobothorax* s. str.). Turkestan
corpulentus Reitt. Deutsche Ent. Zeitschr. 1896, p. 163; Best.-Tab. LIII, 1904, p. 162 *(Penthomegus)*. Persien
cribellatus Fairm. Rev. d'Entom. VII, 1888, p. 127. Peking
dilectans Fald. Bull. Mosc. IX, 1836, p. 389, t. 8, f. 2. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 163; Best.-Tab. LIII, 1904, p. 161 *(Discotus)*. Südrußland bis Turkestan
explanatus Reitt. l. c. p. 165; l. c. p. 166 *(Myladion)*. Altai
fartilis Reitt. Deutsche Ent. Zeitschr. 1899, p. 206; Best.-Tab. LIII, 1904, p. 162 *(Penthomegus)*. Transkaspien
gibbulus Fald. Mém. Acad. Petr. Sav. étrang. II, 1835, p. 412. — Muls. Mém. Acad. Lyon IX, 1859, p. 92; Opusc. Ent. X, 1859, p. 30 *(Myladion)*. Altai
gracilis Bates, Cist. Ent. II, 1879, p. 482; Second Yark. Miss. Col. 1890, p. 75, t. 2, f. 19 (*Lobothorax* s. str.). Kaschmir
granulosus Ménétr. Mém. Acad. Petr. VI, 1849, p. 239 (23), t. 4, f. 7. — Reitt. Deutsche Ent. Zeitschr. Transkaspien, Turkestan

1896, p. 169; Best.-Tab. LIII, 1904, p. 162 *(Penthomegus)*.

var. *semigranosus* Reitt. l. c. p. 162. — Buchara

Heydeni Reitt. Deutsche Ent. Zeitschr. 1896, p. 168; Best.-Tab. LIII, 1904, p. 168 *(Myladion)*. — Turkestan

hirsutus Reitt. l. c. p. 170; l. c. p. 169 *(Hemitrichestes)*. — Kirghisien

humeridens Reitt. l. c. p. 164; l. c. p. 165 *(Myladion)*. — Nördl. Mongolei

hypolithus Gebl. Bull. Mosc. IX, 1836, p. 341, t. 5, f. 3; 1847, IV, p. 479. — Muls. Mém. Acad. Lyon IX, 1859, p. 91; Opusc. Ent. X, 1859, p. 29 *(Myladion)*. — Altai

iners Ménétr. Catal. rais. 1832, p. 202. — Falderm. Fn. Transcauc. II, 1837, p. 53, t. 1, f. 5. — Muls. l. c. p. 87; l. c. p. 25. — Jacq. du Val, Gen. Col. Eur. III, 1861, t. 69, f. 342. — Baudi, Ann. Mus. Genova VII, 1875, p. 700. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 169; Best.-Tab. LIII, 1904, p. 163 *(Penthomegus)*. — Talysch, Araxestal, Kirghisien

molestus Fald. Bull. Mosc. IX, 1836, p. 388. — Reitt. l. c. p. 169.

Netuschili Reitt. Best.-Tab. LIII, 1904, p. 162 *(Discotus)*. — Chines.-Turkestan

oblongopunctatus Reitt. Best.-Tab. LIII, 1904, p. 164 *(Lobothorax)*. — Transkaspien, Arabien

obtusangulus Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 709; Deutsche Ent. Zeitschr. 1896, p. 165; Best.-Tab. LIII, 1904, p. 166 *(Myladion)*. — Mongolei

pinguis Fald. Bull. Mosc. IX, 1836, p. 386, t. 8, f. 1. — Cast. Hist. Nat. II, 1840, p. 213. — Muls. Mém. Acad. Lyon IX, 1859, p. 86; Opusc. Ent. X, 1859, p. 24. — Reitt. Deutsche Ent. Zeitschr. 1896, p. 168; Best.-Tab. LIII, 1904, p. 163 (*Lobothorax* s. str.). — Talysch, West-Turkmenien

molestus Muls. Mém. Acad. Lyon IX, 1859, p. 83; Opusc. Ent. X, 1859, p. 21.

poricollis Reitt. l. c. p. 165; l. c. p. 165 *(Myladion)*. — Turkestan, Afghanistan

Reitteri Csiki, Zichy's Ergebn. II, 1901, p. 111. — Reitt. Best.-Tab. LIII, 1904, p. 168 *(Myladion)*. — Mongolei

remotus Reitt. Deutsche Ent. Zeitschr. 1896, p. 170; Best.-Tab. LIII, 1904, p. 164 *(Stonavus)*. — Transkaspien

rufescens Muls. Mém. Acad. Lyon IX, 1859, p. 80; Opusc. Ent. X, 1859, p. 18. — Gebl. Bull. Mosc. 1860, III, p. 37. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 248. — Reitt. l. c. p. 169; l. c. p. 164 (*Lobothorax* s. str.). — Südrußland bis Buchara

saginatus Ménétr. Cat. rais. 1832, p. 203. — Muls. Mém. Ac. Lyon IX, 1859, p. 85; Opusc. Ent. X, 1859, p. 23. — Baudi, Ann. Mus. Genova VII, 1875, p. 700. — Baku

samgarensis Reitt. Deutsche Ent. Zeitschr. 1896, p. 168; Best.-Tab. LIII, 1904, p. 164 (*Lobothorax* s. str.). — Turkestan

Sequensi Reitt. Deutsche Ent. Zeitschr. 1901, p. 79; Best.-Tab. LIII, 1904, p. 166 *(Myladion)*. — Sibirien

serpens Reitt. Deutsche Ent. Zeitschr. 1896, p. 168; l. c. p. 168 *(Myladion)*. — Alexandergebirge

truncatus Reitt. l. c. p. 167; l. c. p. 167 *(Myladion)*. — Turkestan

tuberculosus Heyd. Deutsche Ent. Zeitschr. 1887. p. 319. Turkestan
— Reitt. l. c. p. 166; l. c. p. 167 *(Myladion)*.
vulneratus Kraatz, Deutsche Ent. Zeitschr. 1885, p. 293. „
— Reitt. l. c. p. 166; l. c. p. 167 *(Myladion)*.
var. *tenebrioides* Reitt. l. c. p. 166; l. c. p. 167.
32

Myladina Reitt.

Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 706; Deutsche Ent. Zeitschr. 1896, p. 161; Best.-Tab. LIII, 1904, p. 135, 169.

Subgen. *Eumylada* Reitt. Best.-Tab. LIII, 1904, p. 170.

ordosona Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 708; Deutsche Ent. Zeitschr. 1896, p. 171; Best.-Tab. LIII, 1904, p. 170 *(Eumylada)*. Mongolei
Potanini Reitt. l. c. p. 708; l. c. p. 171; l. c. p. 170 *(Eumylada)*. Kanssu
punctifera Reitt. l. c. p. 707; l. c. p. 171; l. c. p. 170 *(Eumylada)*. Mongolei
unguiculina Reitt. l. c. p. 707; l. c. p. 171; l. c. p. 170 (*Myladina* s. str.). „
4

Penthicinus Reitt.

Reitt. Deutsche Ent. Zeitschr. 1896, p. 161, 171; Best.-Tab. LIII, 1904, p. 135, 170.

Koltzei Reitt. l. c. p. 171; l. c. p. 171. Turkestan
pedinoides Reitt. l. c. p. 172; l. c. p. 171. „
2

Glyptopteryx Geb.

Geb. Ergebn. Exped. Kilimandj. VII, 1910, p. 376.

forticostis Geb. l. c. p. 377, fig. Kilimandjaro
1

Phylacastus Fairm.

Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 116.

striolatus Fairm. l. c. p. 117. Transvaal
1

Aphaleria Reitt.

Reitt. Wien. Ent. Zeit. XV, 1896, p. 235; Best.-Tab. LIII, 1904, p. 135, 171.

capnisioides Reitt. l. c. p. 236, t. 3, f. 5; l. c. p. 171. Buchara
1

Brachyesthes Fairm.

Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 490. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 419. — Reitt. Best.-Tab. LIII, 1904, p. 136, 175.

brevior Fairm. Compte rend. Soc. Ent. Belg. 1883, p. CXIII. — Reitt. l. c. p. 175. Algier
pilosella Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 491; (5) III, 1873, p. 391.
chrysomelina Costa, Act. R. Scient. Neapol. Soc. VII, 2, 1875, p. 23. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 58. — Fairm. Rev. et Mag. Zool. 1879, p. 194 nota. — Reitt. Best.-Tab. LIII, 1904, p. 175. Ägypten, Kleinasien
Gastonis Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 392. — Reitt. l. c. p. 175. Algier
pilosella Mars. Abeille IV, 1867, p. XXXVI. — Reitt. l. c. p. 175. „
approximans Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 391; Compt. rend. Soc. Ent. Belg. 1883, p. CXIII.

4

Melanesthes Lacord.

Lacord. Gen. Col. V, 1859, p. 260. — Muls. et Rey, Mém. Acad. Lyon IX, 1859, p. 93; Opusc. Ent. X, 1859, p. 31. — Jacq. du Val, Gen. Col. Eur. III, 1861, p. 281. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 409, 411, 419. — Reitt. Best.-Tab. LIII, 1904, p. 135, 171.

Subgen. *Lesbidana* Reitt. l. c. p. 173.
Subgen. *Miglica* Reitt. l. c. p. 171.
Subgen. *Mongolesthes* Reitt. l. c. p. 174.
Subgen. *Opatronesthes* Reitt. l. c. p. 174.

ciliata Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 703; Best.-Tab. LIII, 1904, p. 173 (*Melanesthes* s. str.) Mongolei
coriaria Reitt. Best.-Tab. LIII, 1904, p. 173 *(Lesbidana).* Turkestan
Faldermanni Muls. et Rey, Mém. Acad. Lyon IX, 1859, p. 98; Opusc. Ent. X, 1859, p. 36. — Reitt. l. c. p. 172 (*Melanesthes* s. str.). Mongolei, Daurien
laticollis Falderm. Bull. Mosc. VIII, 1835, p. 167, t. 6, f. 2. — Jacq. du Val, Gen. Col. Eur. III, 1861, t. 69, f. 341.
Heydeni Csiki, Ergebn. Zichy's Reise II, 1901, p. 112. — Reitt. l. c. p. 174 *(Mongolesthes).* Mongolei
laticollis Gebl. Ledeb. Reise II, 1830, p. 123. — Muls. Mém. Acad. Lyon IX, 1859, p. 94; Opusc. Ent. X, 1859, p. 32. — Reitt. l. c. p. 171 *(Miglica).* Ostsibirien, Daurien
maxima Ménétr. in Motsch. Etudes Ent. III, 1854, p. 33. — Muls. Mém. Acad. Lyon IX, 1859, p. 96; Opusc. Ent. X, 1859, p. 34. — Reitt. l. c. p. 172 (*Melanesthes* s. str.). Mongolei
mongolica Csiki, Ergebn. Zichy's Reise II, 1901, p. 112. — Reitt, l. c. p. 173 (*Melanesthes* s. str.). „
opaca Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p.703; Best.-Tab. LIII, 1904, p. 172 *(Miglica).* „
punctipennis Reitt. l. c. p. 704; l. c. p. 174 *(Opatronesthes).* China
rugipennis Reitt. l. c. p. 704; l. c. p. 175 *(Opatronesthes).* „

sibirica Fald. Bull. Mosc. VI, 1833, p. 55, t. 3, f. 3; VIII, 1835, p. 170; Bull. Mosc. Ent. I, 1836, p. 220, t. 10, f. 4. — Muls. Mém. Acad. Lyon IX, 1859, p. 100; Opusc. Ent. X, 1859, p. 38. — Reitt. Best.-Tab. LIII, 1904, p. 172 (*Melanesthes* s. str.). Transbaikal, Ostsibirien, Mongolei

alutacea Mén. Bull. Acad. Petr. I, 1836, p. 181.

simplex Reitt. Deutsche Ent. Zeitschr. 1897, p. 220; Best.-Tab. LIII, 1904, p. 173 *(Lesbidana)*. Turkestan

subcoriacea Reitt. l. c. p. 220; l. c. p. 174 *(Lesbidana)*. „

tuberculosa Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 704; Best.-Tab. LIII, 1904, p. 175 *(Opatronesthes)*. China

14

Weisea Sem.

Sem. Horae Soc. Ent. Ross. XXV, 1891, p. 370. — Reitt. Best.-Tab. LIII, 1904, p. 136, 176.

sabulicola Sem. l. c. p. 371. — Reitt. l. c. p. 176. Transkaspien

1

Udebra Reitt.

Reitt. Wien. Ent. Zeit. XV, 1896, p. 236; Best.-Tab. LIII, 1904, p. 137, 176.

fimbriata Ménétr. Mém. Acad. Petr. VI, 1849, p. 217 (1); t. 3, f. 1. — Kraatz, Revis. Tenebr. 1865, p. 16, 67. — Reitt. Wien. Ent. Zeit. XXI, 1902, p. 222; Best.-Tab. LIII, 1904, p. 176 (auszulassen auf p. 5 des Katalogs!). Afghanistan, Transkaspien

Hauseri Reitt. Wien. Ent. Zeit. XV, 1896, p. 236, t. 3, f. 6.

1

Ammobius Guér.

Guér. Icon. règne anim. 1846, p. 121. — Muls. Col. Fr. Latigènes 1854, p. 186. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 452. — Desbr. Frelon XI, 1902, p. 3. — Reitt. Best.-Tab. LIII, 1904, p. 136, 176.

Ammophthorus Lacord. Genera Col. V, 1859, p. 284. — Jacq. du Val, Gen. Col. Eur. III, 1861, p. 288.

asperatus Champ. Ann. Mag. Nat. Hist. (6) XIV, 1894, p. 448. China

caspicus Sem. Rev. Russ. d'Ent. V, 1905, p. 124. Westasien

dilatatus Reitt. Wien. Ent. Zeit. XII, 1893, p. 315; Best.-Tab. LIII, 1904, p. 177. Südrußland

insularis Reitt. l. c. p. 315; l. c. p. 177. Corsica

Jakowlevi Sem. Rev. Russe d'Ent. V, 1905, p. 123. Krim

Kozlovi Sem. l. c. p. 124. Westasien

pseudocaedius Reitt. Wien. Ent. Zeit. XIV, 1895, p. 156; Best.-Tab. LIII, 1904, p. 177. Südturkestan

rufus Luc. Expl. Alg. 1849, p. 339, t. 30, f. 3. — Muls. Col. Fr. Latigènes 1854, p. 186. — Jacq. du Val, Gen. Col. III, 1861, t. 71, f. 351. — Reitt. Wien. Ent. Zeit. XII, 1893, p. 315; Best.-Tab. LIII, 1904, p. 177. — Desbr. Frelon XI, 1902, p. 3. Südeuropa, Syrien, Algier

rugosus Rosenh. Thiere Andalus. 1856, p. 214.

8

Ammotrypes Fairm.

Fairm. Rev. Mag. Zool. (3) VII, 1879, p. 194 (17).

crenulicollis Fairm. l. c. p. 195 (18). Souf
1

Philhammus Fairm.

Fairm. Ann. Soc. Ent. Fr. (4) X, 1870, p. 393. — Mars. Abeille XII, 1875, p. 126.

sericans Fairm. l. c. p. 393. — Mars. l. c. p. 127. Marokko
1

Hyocis Pasc.

Pasc. Journ. of Ent. II, 1866, p. 457.

Bakewelli Pasc. l. c. p. 457. — Champ. Trans. Ent. Soc. Lond. 1894, p. 363. Viktoria
bicolor Cart. Proc. Linn. Soc. N. S. Wales XXXIII, 1908, p. 402. N.-S.-Wales
Championi Fauv. Rev. d'Ent. XXIII, 1904, p. 166. Neu-Caledonien
nigra Blackb. Proc. Linn. Soc. N. S. Wales (2) IX, 1895, p. 101. S.-Australien
occidentalis Blackb. l. c. p. 102. W.-Australien
pallida Macl. Trans. Ent. Soc. N. S. W. II, 1872, p. 278. Queensland
pubescens Macl. l. c. p. 279. „
subparallela Champ. Trans. Ent. Soc. Lond. 1894, p. 363. W.-Australien
variegata Blackb. Proc. Linn. Soc. N. S. W. (2) IX, 1895, p. 102. S.-Australien
9

Caedius Blanch.

Blanch. Hist. nat. Ins. 1845, p. 13. — Muls. et Rey, Mém. Acad. Lyon X, 1860, p. 34; Opusc. Ent. IX, 1859, p. 126. — Lacord. Genera Col. V, 1859, p. 261. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 410, 411. — Reitt. Best.-Tab. LIII, 1904, p. 136, 178.

aegyptiacus Muls. Opusc. Ent. X, 1859, p. 136; Mém. Acad. Lyon X, 1860, p. 44. — Reitt. Best.-Tab. LIII, 1904, p. 178. Ägypten
alternatus Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 321. Senegal
asper Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 18. Indien
bengalensis Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 21. Bengalen
brevis Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 207. Madagaskar
cassidioides Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 661. Ägypten
ciliger Muls. Opusc. Ent. X, 1859, p. 135; Mém. Acad. Lyon X, 1860, p. 43. Thibet
coriaceus Muls. l. c. p. 127; l. c. p. 35. Ile de France
fulvus Muls. l. c. p. 133; l. c. p. 41. Thibet

globosus Fauv. Rev. d'Ent. 1904, p. 166. Neu-Caledonien

indicus Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 18. Indien

latipes Muls. Opusc. Ent. X, 1859, p. 131; Mém. Acad. Lyon X, 1860, p. 39. Senegal

Lindi Blackb. Trans. Roy. Soc. S. Austr. X, 1887, p. 271. Adelaide

madagascariensis Muls. Opusc. Ent. X, 1859, p. 129; Mém. Acad. Lyon X, 1860, p. 37. Madagaskar

malabaricus Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 22. Malabar

marinus Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 96. Japan

senegalensis nom. nov. Senegal
latipes Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 322.

sphaeroides Hope, Proc. Ent. Soc. Lond. 1842, p. 77; Trans. Ent. Soc. IV, 1845, p. 107. — Champ. Trans. Ent. Soc. Lond. 1894, p. 357. Adelaide

18

Pseudocaedius Blackb.

Blackb. Trans. Roy. Soc. S. Austr. XIII, 1890, p. 91.

squamosus Blackb. l. c. p. 91. — Champ. Trans. Ent. Soc. Lond. 1894, p. 357. N. W. Austral.

1

Caediomorpha Blackb.

Blackb. Trans. Roy. Soc. S. Austr. X, 1888, p. 272.

heteromerus King, Trans. Ent. Soc. N. S. Wales II, 1869, p. 44. — Lea, Proc. Linn. Soc. N. S. Wales XXXI, 1906, p. 226. Südaustralien
australis Blackb. Trans. Roy. Soc. S. Austr. X, 1888, p. 272. — Champ. Trans. Ent. Soc. Lond. 1894, p. 358.

1

Sobas Pasc.

Pasc. Journ. of Ent. II, 1863, p. 45 nota.

Trigonotarsus Hope, Trans. Ent. Soc. Lond. IV, 1845, p. 106. — Lacord. Gen. Col. V, 1859, p. 281.

australis Hope, Proc. Ent. Soc. Lond. 1842, p. 76; Trans. Ent. Soc. IV, 1845, p. 106. Adelaide

1

Nemanes Fairm.

Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 195.

expansicollis Fairm. l. c. p. 195. Südafrika

1

Clitobius Muls. et Rey.

Muls. et Rey, Opusc. Ent. X, 1859, p. 141; Mém. Acad. Lyon X, 1860, p. 49. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 410, 452. — Reitt. Best.-Tab. LIII, 1904, p. 136, 178.

Halonomus Woll. Ann. Mag. Nat. Hist. (3) VII, 1861, p. 201.
Subgen. *Pentholasius* Reitt. Best.-Tab. LIII, 1904, p. 178.

cribricollis All. Bull. Soc. Ent. Fr. 1882, p. LXXXVI; Ann. Soc. Ent. Belg. XXVII, 1883, I, p. 31. — Abessinien

grandis Fairm. Bull. Soc. Ent. Fr. 1896, p. 223. — Arabien

immarginatus Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 195. — Südafrika

laevipennis Fairm. Rev. d'Ent. XI, 1892, p. 111. — Obock

oblongiusculus Fairm. Pet. Nouv. Ent. I, 1875, p. 495; Rev. et Mag. Zool. 1879, p. 196 (19). — Reitt. Best.-Tab. LIII, 1904, p. 179. — Algier, Aegypten, Arabien, Südrußland

var. *lineicollis* Fairm. Natural. (2) I, 1879, p. 4; Rev. et Mag. Zool. 1879, p. 197 (20) nota. — Reitt. l. c. p. 179.

Schneideri All. Bull. Soc. Ent. Fr. 1882, p. XXXVI; Ann. Soc. Ent. Belg. XXVII, 1883, I, p. 31. — Bedel, Abeille XXIX, 1897, p. 36.

ovatus Er. Arch. Naturg. IX, 1843, I, p. 249. — Woll. Col. Hesper. 1867, p. 192; Ann. Mag. Nat. Hist. (3) VII, 1861, p. 203. — All. Ann. Soc. Ent. Belg. XXVII, 1883, I, p. 31. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 452. — Reitt. Best.-Tab. LIII, 1904, p. 179. — Mittelmeergebiet, Senegal, Angola, Bengalen

Grayi Woll. Ann. Mag. Nat. Hist. (3) VII, 1861, p. 203.

sabulicola Muls. Opusc. Ent. X, 1859, p. 141; Mém. Acad. Lyon X, 1860, p. 49.

subplumbeus Fairm. Ann. Soc. Ent. Fr. (3) IV, 1856, p. 533. — Rottenb. Berl. Ent. Zeitschr. XIV, 1870, p. 252, t. 2, f. 3.

rugulipennis Fairm. Bull. Soc. Ent. Fr. 1896, p. 224. — Reitt. Best.-Tab. LIII, 1904, p. 179. — Arabien

salinicola Woll. Ann. Mag. Nat. Hist. (3) VII, 1861, p. 203; Cat. Canar. Col. 1864, p. 490. — Fairm. Rev. Mag. Zool. 1879, p. 196 (19). — All. Ann. Soc. Ent. Belg. XXVII, 1883, I, p. 31. — Lanzarote, Marokko

strongyloides Fairm. Rev. d'Ent. XI, 1892, p. 111; Soc. Ent. Belg. XXXVIII, 1894, p. 321. — Zambesi

variolatus All. Wien. Ent. Zeit. III, 1884, p. 248. — Reitt. Best.-Tab. LIII, 1904, p. 178. — Syrien

subpubescens Reitt. Deutsche Ent. Zeitschr. 1896, p. 163.

10

Ammodonus Muls. et Rey.

Muls. et Rey, Opusc. Ent. X, 1859, p. 143; Mém. Acad. Lyon IX, 1860, p. 51. — Horn, Revis. Tenebr. 1870, p. 359. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 410, 412.

fossor Lec. Journ. Acad. Phil. (2) I, 1847, p. 92; Proc. Acad. Philad. 1854, p. 219. — Muls. Opusc. Ent. X, 1859, p. 144; Mém. Acad. Lyon X, 1860, p. 52. — Horn, Revis. Tenebr. 1870, p. 359. — Nordamerika

Sulpius Fairm.

Fairm. Bull. Mus. Paris 1906, p. 273.

punctostriatus Fairm. l. c. p. 273. Madagaskar
1

Adavius Muls. et Rey.

Muls. et Rey, Opusc. Ent. X, 1859, p. 138; Mém. Acad. Lyon X, 1860, p. 46. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 410. — Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 208.

Cyptus Gerst. Arch. f. Naturg. XXXVII, 1871, p. 61; Decken's Reise III, 2, 1873, p. 181.

aethiopicus Gestro, Ann. Mus. Genova XVI, 1881, p. 662. Bogos
clavipes Muls. Opusc. Ent. X, 1859, p. 138; Mém. Acad. Lyon X, 1860, p. 46. Thibet
intermedius Fairm. Ann. Soc. Ent. Fr. LX, 1891, p. 251. Congo
minor Fairm. Notes Leyd. Mus. X, 1888, p. 264. „
Nodieri Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 151. Senegal
orientalis Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 316. Cochinchina
ovatulus Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 384; Ann. Soc. Ent. Fr. LXXII, 1903, p. 207. Madagascar
Perrieri Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 208. „
scabrosus Gerst. Arch. f. Naturg. XXXVII, 1871, p. 61; Decken's Reise III, 2, 1873, p. 182, t. 9, f. 1. Deutsch-Ostafrika
9

Neoabantis nom. nov.

Abantiades Fairm. Ann. Soc. Ent. Belg. XXXIV, 1894, p. 395 (nicht Herr. Sch. 1853, Lepidopt.).
Abantis Fairm. Rev. d'Ent. XI, 1892, p. 109.

aenescens Fairm. l. c. p. 110. Obock
1

Ostorius Fairm.

Fairm. Compt. rend. Soc. Ent. Belg. 1889, p. XXXIII.

multicostatus Fairm. l. c. p. XXXIV. Minas Geraes
1

Leichenum Blanch.

Blanch. Hist. Nat. II, 1845, p. 14. — Muls. Col. Fr. Latigènes 1854, p. 179. — Rosenh. Thiere Andalus. 1856, p. 211. — Bach, Käferf. Deutschl. III, 1856, p. 216. — Redt. Fauna Austr. ed. II, 1858, p. CV u. 598; ed. III, 1874, p. CVIII u. II, p. 101. — Lacord. Gen. Col. V, 1859, p. 278. — Jacq. du Val, Gen. Col. Eur. III, 1861, p. 285. — Seidl. Fauna Balt. ed. II, 1891, p. 130; Fauna Transsylv. 1891, p. 130; Naturg Ins. Deutschl. V, 1894, p. 410, 412, 452, 456. — Reitt. Ent. Nachr. XXV, 1899, p. 83; Best.-Tab. LIII, 1904, p. 180. — Desbr. Frelon X, 1901, p. 101.

Lichenum auct.

argillaceum Motsch. Bull. Mosc. 1863, II, p. 475. — Ceylon
canaliculatum F. Ent. Syst. Suppl. 1798, p. 42; Syst. El. I, 1801, p. 127. — Geb. Deutsche Ent. Zeitschr. 1906, p. 216. — Indien
caucasicum Reitt. Ent. Nachr. XXV, 1899, p. 84; Best.-Tab. LIII, 1904, p. 181. — Caucasus
caudatum Reitt. l. c. p. 84; l. c. p. 181. — Lenkoran
foveistrium Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 102. — Reitt. Ent. Nachr. XXV, 1899, p. 85; Best.-Tab. LIII, 1904, p. 182. — Arabien, Bagdad
Gebieni Reitt. Cat. Col. Eur. 1906, p. 489. — Südfrankreich,
variegatum Küst. Käf. Eur. 1849, XVI, 66. — Jacq. du Val, Gen. Col. Eur. III, 1861, t. 70, f. 348. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 236. — Reitt. l. c. p. 85; l. c. p. 182. — Spanien, Marokko, Algier
pulchellum Luc. Expl. Alg. 1849, p. 336; t. 30, f. 1. — Rosenh. Thiere Andalus. 1856, p. 211.
impictum Fairm. Rev. Zool. 1849, p. 419. — Tonga Tabu
incisum Reitt. Ent. Nachr. XXV, 1899, p. 85; Best.-Tab. LIII, 1904, p. 182. — Araxestal, Mesopotamien
mucronatum Küst. Käf. Eur. 1849, XVI, p. 67. — Reitt. l. c. p. 84; l. c. p. 181. — Constantinopel, Mesopotamien
pictum F. Syst. El. I, 1801, p. 117. — Ill. Magaz. I, 1802, p. 333. — Charpent. Horae Ent. 1825, p. 218, t. 5, f. 8. — Küst. Käf. Eur. 1849, XVI, 64. — Bach, Käferf. Deutschl. III, 1856, p. 217. — Redt. Fauna Austr. ed. II, 1858, p. 598; ed. III, 1874, II, p. 101. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 235. — Seidl. Fauna Transsylv. 1891, p. 552; Naturg. Ins. Deutschl. V, 1894, p. 458. — Reitt. Ent. Nachr. XXV, 1899, p. 84; Best.-Tab. LIII, 1904, p. 180. — Siebenbürgen, Ungarn, Dalmatien, Italien
pingue Fairm. Rev. Zool. 1849, p. 420. — Tonga Tabu
pulchellum Küst. Käf. Eur. 1849, XVI, 65. — Muls. Col. Fr. Latigènes 1854, p. 180. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 235. — Reitt. Ent. Nachr. XXV, 1899, p. 85; Best.-Tab. LIII, 1904, p. 182. — Desbr. Frelon X, 1901, p. 102. — Aegypten, Italien
var. *pumilum* Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 73. — Ägypten
seriehispidum Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 101. — China, Japan
variegatum Kl. Ins. Madag. 1833, p. 88. — Madagascar
verrucosum Fairm. Rev. Zool. 1849, p. 418. — Tonga Tabu

15

Idisia Pasc.

Pasc. Journ. of Ent. II, 1866, p. 452.

ornata Pasc. l. c. p. 452, t. 18, f. 8. — Mandschurei, Japan
vestita Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 100. — Japan

2

Bycrea Pasc.

Pasc. Proc. Ent. Soc. Lond. 1868, p. 12. — Dugès, Ann. Soc. Ent. Belg. XXIX, 1885, II, p. 51—54, t. 4 (Biologie). — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 115.

villosa Pasc. l. c. p. 12. — Champ. l. c. t. 10, f. 5. Mexico

1

Pseudonomus Fairm.

Fairm. Ann. Soc. Ent. Fr. (6) III, 1883, p. 510.

dermestiformis Fairm. l. c. p. 511. Montevideo

1

Scaptes Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 222.

cayennensis Champ. l. c. p. 222 nota. Cayenne
ciliatus Champ. Trans. Ent. Soc. Lond. 1896, p. 9. St. Vincent
tropicus Kirsch, Berl. Ent. Zeitschr. X, 1866, p. 190. Centr. u. Süd-
squamulatus Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 223, 542, t. 10, f. 6, 6a, b. Amerika

3

Actizeta Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) XVI, 1875, p. 214.

albata Pasc. l. c. p. 215, t. 5, f. 5. Neu-Seeland
ammobioides Pasc. l. c. p. 215. „

2

Ectomida Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) XVII, 1876, p. 51.

lacerata Pasc. l. c. p. 51. Neu-Seeland

1

Trigonopilus Fairm.

Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 22.

laticeps Fairm. l. c. p. 23. Indo-China

1

Isarida Pasc.

Pasc. Journ. of Entom. II, 1866, p. 456.

testacea Pasc. l. c. p. 456. Indien

1

Isostira Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) V, 1870, p. 97.

crenata Pasc. l. c. p. 98. — Queensland
raucipennis Blackb. Trans. Roy. Soc. S. Austr. XV, 1892, p. 225. — „

2

LVIII. Trachyscelinae.

Mulsant, Col. Fr. Latigènes 1854, p. 184, 185. — Lacordaire, Gen. Col. V, 1859, p. 282 (*Trachyscelides* vrais pars). — Jacquelin du Val, Gen. Col. Eur. III, 1861, p. 286, 334 (pars). — Leconte, Class. Col. N. Amer. 1862, p. 234 (pars). — Horn, Revis. Tenebr. in Trans. Amer. Philos. Soc. n. ser. XIV, 1870 (1872), p. 374 (pars). — Pascoe, Ann. Mag. Nat. Hist. (4) V, 1870, p. 94 (pars). — Leconte and Horn, Class. Col. N. Amer. ed. II, 1883, p. 372, 382 (pars). — Redtenbacher, Fauna Austr. ed. III; 1874, II, p. 101 (pars). — Seidlitz, Naturg. Ins. Deutschl. V, 1894, p. 472 (pars). — Reitter, Best.-Tab. LIII, in Verh. naturf. Brünn XLII, 1904, p. 32, 182.

Lachnodactylus Seidl.

Seidl. Naturg. Ins. Deutschl. V, 1898, p. 837. — Reitt. Best.-Tab. LIII, 1904, p. 182.

Lachnopus Seidl. l. c. 1894, p. 476.

digitatus Seidl. l. c. p. 476 nota. — Reitt. Best.-Tab. LIII, 1904, p. 183. — Turkestan

1

Trachyscelis Latr.

Latr. Gen. Crust. et Ins. IV, 1809, p. 379. — Cast. Hist. Nat. II, 1840, p. 218. — Muls. Col. Fr. Latigènes 1854, p. 188. — Lacord. Gen. Col. V, 1859, p. 284. — Jacq. du Val, Gen. Col. Eur. III, 1861, p. 288. — Horn, Revis. Tenebr. 1870, p. 377. — Lec. and Horn, Class. Col. N. Amer. 1883, p. 382. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 475. — Desbr. Frelon XI, 1902, p. 2. — Reitt. Best.-Tab. LIII, 1904, p. 184. — Carter and Champion, Proc. Ent. Soc. Lond. 1907, p. XXVI.

aphodioides Latr. Gen. Crust. et Ins. IV, 1809, p. 379; Nouv. Dict. d'Hist. Nat. XXXIV, p. 369. — Serv. Encycl. méth. X, 1825, p. 695. — Germ. Fauna Ins. Eur. XIII, p. 11. — Steph. Illustr. Brit. Ent. III, 1830, p. 214; Manual, p. 325. — Westw. Introd. mod. Class. I, 1839, p. 315, f. 37. — Guér. Icon. règne anim. 1829—44, p. 121, t. 31, f. 3. — Küst. Käf. Eur. 1852, XXV, 66. — Muls. Col. Fr. Latigènes 1854, p. 188. — Jacq. du Val, Gen. Col. Eur. III, 1861, t. 71, f. 352. — Reitt. Best.-Tab. LIII, 1904, p. 184. — Desbr. Frelon XI, 1902, p. 2. — Italien, Frankreich, Canaren
chinensis Champ. Ann. Mag. Nat. Hist. (6) XIV, 1894, p. 448. — China

ciliaris Champ. Ent. Monthly Mag. XXIX, 1893, p. 254. — Westaustralien

flavipes Melsh. Proc. Acad. Phil. III, 1846, p. 61. — Horn, Revis. 1870, p. 377. — Verein. Staaten

laevis Champ. Ent. Monthly Mag. XXIX, 1893, p. 254. — Westaustral.

nigra Cart. Proc. Linn. Soc. N. S. Wales XXXI, 1906, p. 251, t. 20, f. 11. — Sydney

pallens Champ. Ent. Monthly Mag. XXIX, 1893, p. 255. — Ceylon

7

Histiaea Fairm.

Fairm. Rev. d'Entom. XI, 1892, p. 107.

bidentula Fairm. l. c. p. 108. — Obock

1

LIX. Phaleriinae.

Mulsant, Col. Fr. Latigènes 1854, p. 184, 190. — Lacordaire, Gen. Col. V, 1859, p. 285. — Jacquelin du Val, Gen. Col. Eur. III, 1861, p. 289. — Reitt. Best.-Tab. LIII, in Verh. naturf. Ver. Brünn XLII, 1904, p. 32.

Trachyscelinae pars: Redtenbacher, Fauna Austr. ed. III, 1874, II, p. 101. — Horn, Revis. Tenebr. in Trans. Amer. Phil. Soc. (n. ser.) XIV, 1870 (1872), p. 374. — Leconte and Horn, Class. Col. N. Amer. ed. II, 1883, p. 382. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 472.

Paranemia Heyd.

Heyd. Deutsche Ent. Zeitschr. 1892, p. 103.

bicolor Reitt. Wien. Ent. Zeit. XIV, 1895, p. 157. — Nördl. Mongolei

Schröderi Heyd. Deutsche Ent. Zeitschr. 1892, p. 103. — Turkestan

2

Phaleria Latr.

Latr. Hist. nat. Crust. et Ins. III, 1802, p. 162; X, 1804, p. 300; Règne anim. 1817, p. 302; ed. II, 1829, p. 28. — Cast. Hist. Nat. II, 1840, p. 219. — Sol. in Gay, Hist. Chile V, 1851, p. 243. — Muls. Col. Fr. Latigènes 1854, p. 190. — Woll. Ins. Mader. 1854, p. 488. — Redt. Fn. Austr. ed. II, 1858, p. CVI u. 600; ed. III, 1874, p. CXVIII u. II, p. 102. — Lacord. Gen. Col. V, 1859, p. 286. — Jacq. du Val, Gen. Col. Eur. III, 1861, p. 289. — Horn, Revis. Tenebr. 1870, p. 375. — Lec. and Horn, Class. Col. N. Amer. ed. II, 1883, p. 383. — Fauv. Rev. d'Ent. IV, 1885, p. 318. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 475, 477. — Desbr. Frelon X, 1901, p. 175. — Rey, Rev. d'Ent. IX, 1890, p. 327; X, 1891, p. 83, 236; XVIII, 1899, p. 277.

Emypsara Pasc. Journ. of. Ent. II, 1866, p. 460.
Epiphaleria Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 382.

acuminata Küst. Käf. Eur. 1852, XXV, 69. — Jacq. du Val, Gen. Col. III, 1861, t. 71, f. 353. — Mittelmeer-Gebiet

Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 227. Rey, Rev. d'Ent. X, 1891, p. 85. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 481. — Fauv. Rev. d'Ent. XVIII, 1899, p. 77. — Desbr. Frelon X, 1902, p. 184.

insulana Rey, Rev. d'Ent. IX, 1890, p. 239; X, 1891, p. 86. — Seidl. l. c. p. 481. — Fauv. l. c. p. 79.

oblonga Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 227.

var. *incerta* Rey, Rev. d'Ent. X, 1891, p. 86, 239. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 481.

var. *limbata* Baudi, Bull. Soc. Ent. Ital. VIII, 1876, p. 100; Deutsche Ent. Zeitschr. XX, 1876, p. 226. — Rey, l. c. p. 86, 239. — Seidl. l. c. p. 481.

var. *maculosa* Seidl. l. c. p. 481.

var. *seductor* Rey, Rev. d'Ent. X, 1891, p. 85.

var. *submaculata* Rey, l. c. p. 85. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 481.

angustata Chevr. Compte rend. Soc. Ent. Belg. 1878, p. CCXLVIII. — San Domingo

atlantica Fauv. Rev. d'Ent. XVIII, 1899, p. 77. — Desbr. Frelon X, 1902, p. 180. — Frankreich, Portugal, Gr.Salvages

bimaculata Woll. Col. Atlant. 1865, p. 417.

atriceps Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 383, fig. — Japan

attenuata Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 445. — Seychellen

Batesi Fairm. Bull. Soc. Ent. Fr. 1875, p. XXXIII. — Madagaskar

Bedeli Chob. Bull. Soc. Ent. Fr. 1900, p. 340. — Algier

bimaculata L. Syst. Nat. XII, 1767, p. 667. — Fauv. Rev. d'Ent. XVIII, 1899, p. 77. — Südeuropa

cadaverina Latr. Hist. nat. Crust. et Ins. X, 1804, p. 304. — Cast. Hist. nat. II, 1840, p. 219, t. 19, f. 2. — Blanch. in Cuv. Règne anim. p. 274, t. 50, f. 1, a—c. — Muls. Col. Fr. Latigènes 1854, p. 192. — Küst. Käf. Eur. 1852, XXV, 68. — Redt. Fauna Austr. ed. II, 1858, p. 600; ed. III, 1874, II, p. 103. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 227; Bull. Soc. Ent. Ital. VIII, 1876, p. 99. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 481. — Desbr. Frelon X, 1902, p. 180.

delata Rey, Rev. d'Ent. X, 1891, p. 85, 237.

dorsalis F. Ent. Syst. 1792, I, 2, p. 512.

dorsigera Fauv. Rev. d'Ent. 1885, p. 319. — Rey, Rev. d'Ent. 1890, p. 329; 1891, p. 84.

ligurica Schneid. Wien. Ent. Zeit. XXI, 1902, p. 10.

var. *abdominalis* Seidl. Naturg. Ins. Deutschl. V, 1894, p. 484.

var. *adriatica* Rey, Rev. d'Ent. X, 1891, p. 86, 239. — Seidl. l. c. p. 481.

ornata Schneid. Wien. Ent. Zeit. XXI, 1902, p. 10.

var. *bimaculata* Herbst, Käf. VIII, 1799, p. 16, t. 118, f. 7. — Latr. Nouv. Dict. Hist. nat. XXV, 1817, p. 492. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 481, 485.

signata Schneid. Wien. Ent. Zeit. XXI, 1902, p. 10.

var. *dorsigera* F. Mant. I, 1787, p. 201; Ent. Syst. I, 1792, p. 156; Syst. El. I, 1801, p. 198. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 481, 485.
cordata Schneid. Wien. Ent. Zeit. XXI, 1902, p. 10.
var. *nigricollis* Sahlb. Öfv. Finska Vet. Ak. Förh. 1899, p. 123. — Attica
var. *nigricordis* Schneid. l. c. p. 10.
var. *obscuriceps* Schneid. l. c. p. 10.
Biologie: Coquerel, Ann. Soc. Ent. Fr. (4) V, 1865, t. 11, f. 1—9. — Fairm. Ann. Soc. Ent. Fr. (4) V, 1865, p. 257. — Perris, Larves 1877, p. 269, f. 271. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 478.

brasiliensis Cast. Hist. Nat. II, 1840, p. 219. — Brasilien
var. *bisignata* Boh. Res. Eugen. 1858, p. 93.

cadaverina F. Ent. Syst. I, 1792, p. 113. — Syst. El. I, 1801, p. 149. — Panz. Fn. Germ. 1795, p. 40. — Steph. Ill. Brit. Ent. V, 1832. p. 15. — Thoms. Opusc. III, 1870, p. 335. — Fauv. Rev. d'Ent. IV, 1885, p. 318; XVIII, 1899, p. 77. — Rey, Rev. d'Ent. IX, 1890, p. 328; X, 1891, p. 83. — Geb. Deutsche Ent. Zeitschr. 1906, p. 217. — Nordsee, Ostsee
cava Herbst, Käfer VIII, 1799, p. 15, t. 118, f. 6a. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 488.
nigriceps Baudi, Bull. Soc. Ent. Ital. VIII, 1876, p. 101; Deutsche Ent. Zeitschr. 1876, p. 277 (pars).
var. *apicalis* Schneid. Wien. Ent. Zeitschr. XXI, 1902, p. 12.
var. *fuscata* Schneid. l. c. p. 12.
var. *Leegei* Schneid. l. c. p. 12.

capensis Cast. Hist. Nat. II, 1840, p. 219. — Lacord. Gen. Col. V, 1859, p. 287 nota. — Chevr. Compte rend. Soc. Ent. Belg. 1878, p. CCXLVIII. — Cap

cayennensis Cast. Hist. Nat. II, 1840, p. 219. — Cayenne

Chevrolati Fleut. et Sallé, Ann. Soc. Ent. Fr. (6) IX, 1889, p. 442. — Guadeloupe
var. *quadrinotata* Fleut. et Sallé, l. c. p. 442.
var. *thoracica* Fleut. et Sallé, l. c. p. 442.

ciliata Woll. Ins. Mader. 1854, p. 488. — Madeira

cinctipennis Alluaud, Bull. Mus. Paris 1896, p. 374. — Madagaskar

cistelina Kl. Ins. Madag. 1833, p. 180. — „

Clarki Woll. Ann. Mag. Nat. Hist. (2) XX, 1857, p. 505; Col. Hesper. 1867, p. 200; Ann. Mag. Nat. Hist. 1861, p. 246. — Cap Verden

debilis Lec. New spec. Col. 1866, p. 125, 126. — Horn, Revis. Tenebr. 1870, p. 376. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 480. — Californien

dytiscoides Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 218, 541, t. 10, f. 2. — Centr.-Amerika

ellipsodes Fairm. Rev. d'Ent. XX, 1901, p. 184. — Madagaskar, Ostafrika

encausta Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 288. — Somaliland

fimbriata Chevr. Compte rend. Soc. Ent. Belg. 1878, p. CCXLVII. — Capland

fulva Fleut. et Sallé, Ann. Soc. Ent. Fr. (6) IX, 1889, p. 423. — Guadeloupe

Gayi Cast. Hist. Nat. II, 1840, p. 219. — Sol. in Gay, Hist. Chile V, 1851, p. 244, t. 20, f. 10. — Chile
var. *marginata* Sol. l. c. p. 244.

globosa Lec. Entom. Report 1857, p. 51, t. 2, f. 4; New spec. Col. 1866, p. 125. — Horn, Revis. Tenebr. 1870, p. 377. — Seidl. Nat. Ins. Deutschl. V, 1894, p. 480. — Californien

gracilipes Cas. Ann. N. York Acad. V, 1890, p. 484. — Texas

guadeloupensis Fleut. et Sallé, Ann. Soc. Ent. Fr. (6) IX, 1889, p. 423. — Guadeloupe

guatemalensis Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 218, 541, t. 10, f. 1. — Guatemala

humeralis Cast. Hist. Nat. II, 1840, p. 219. — Horn, Revis. Tenebr. 1870, p. 377. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 480. — Californien

insularis Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 221, 541, t. 10, f. 4. — Mexiko

limbata Horn, Revis. Tenebr. 1870, p. 375. — San Franzisko

longula Lec. New spec. Col. 1866, p. 125. — Horn, Revis. Tenebr. 1870, p. 376. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 480. — Mississippi

manicata Boh. Res. Eugen. 1858, p. 92. — Galapagos-Ins.

marginipennis Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 219. — Mexiko

neotropicalis Champ. l. c. p. 220, t. 10, f. 3. — Guatemala

nigriceps Muls. et Wachenru, Mém. Acad. Lyon 1852, p. 10. — Rey, Rev. d'Ent. X, 1891, p. 85. — Syrien

oblonga Küst. Käf. Eur. 1852, XXV, 70. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 482. — Südspanien, Aegypten
aegyptiaca Seidl. Naturg. Ins. Deutschl. V, 1894, p. 482.
bimaculata Rey, Rev. d'Ent. X, 1891, p. 83.

opacicollis Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 219. — Mexiko

ornata Woll. Cat. Can. Col. 1864, p. 494. — Heyd. Deutsche Ent. Zeitschr. 1909, p. 486. — Canaren
cadaverina Brll. Webb et Berth. Ins. Canar. 1838, p. 70.
picta Woll. Ann. Mag. Nat. Hist. 1861, p. 246.
var. *biplagiata* Heyd. Deutsche Ent. Zeitschr. 1909, p. 486.
var. *Boeckeri* Heyd. l. c. p. 486.
var. *Giebeleri* Heyd. l. c. p. 486.
var. *nigrothoracica* Heyd. l. c. p. 486.

pacifica Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 220. — Centr.-Amer.

pallida Lewis, Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 383. — Ceylon

panamensis Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 218. — Panama

parallela Woll. Col. Hesper. 1867, p. 201. — Hesperiden

phalerata Chevr. Compt. rend. Soc. Ent. Belg. 1878, p. CCXLVIII. — Mozambique

picipes Say, Long's Exped. II, 1824, p. 280. — Haldem. Journ. Ac. Phil. (2) I, 1848, p. 102. — Lec. New spec. Col. 1866, p. 125. — Horn, Revis. Tenebr. 1870, p. 376. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 480. — Verein. Staaten

picta Mannerh. Bull. Mosc. 1843, II, p. 277. — Sitkha

Pilatei Chevr. Compt. rend. Soc. Ent. Belg. 1878, p. CCXLIX. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 220, 541. — Yukatan

pilifera Lec. New spec. Col. 1866, p. 125. — Horn, Revis. Tenebr. 1870, p. 376. — Seidl. Nat. Ins. Deutschl. V, 1894, p. 480. — Nieder-Californien

planata Geb. Ann. Soc. Ent. Belg. LIV, 1910, p. 158. — Deutsch-Ostafrika

pontica Sem. Rev. Russe d'Ent. I, 1901, p. 90. — Krim

prolixa Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 797. — Aden,
munda Walk. List Col. Lord 1871, p. 16. — Fairm. Ann. Soc. Ent. Fr. (6) V, 1885, p. 437. — Peyerimh. Abeille XXXI, 1908, p. 38. — Sinai

provincialis Fauv. Rev. d'Ent. XX, 1901, p. 253. — Desbr. Frelon X, 1901, p. 181. — Frankreich
var. *Pueli* Pic, Echange 1902, p. 64.
Biologie: Xambeu, Ann. Soc. Linn. Lyon IL, 1902, p.

punctipes Lec. Proc. Amer. Philos. Soc. XVII, 1878, p. 421. — Florida

pusilla Boh. Resa Eugen. 1858, p. 93. — Hongkong

Reveillieri Muls. Ann. Soc. agr. Lyon 1858, p. 310; Opusc. Ent. IX, 1859, p. 191. — Desbr. Frelon X, 1901, p. 182. — Corsica
Revelierii Muls. Opusc. Ent. IX, 1859, p. 52 (err. typ.).
oblonga Rey, Rev. d'Ent. X, 1891, p. 84.
Reyi Seidl. Naturg. Ins. Deutschl. V, 1894, p. 482.
var. *cinctella* Rey, Rev. d'Ent. X, 1891, p. 84. Seidl. l. c. p. 482. — Italien, Algier
var. *Heydeni* Seidl. l. c. p. 482. — Tunis
var. *Seidlitzi* Schneid. Wien. Ent. Zeit. XXI, 1902, p. 11.

Riederi Fald. Bull. Mosc. VI, 1833, p. 57, t. 3, f. 8; Bull. Mosc. Ent. I, 1836, p. 221, t. 10, f. 5. — Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 383. — Kamtschatka, Mandschurei, Japan
Adamsi Pasc. Journ. of Ent. 1866, p. 461, t. 19, f. 3.
flexuosa Pasc. l. c. p. 461.
Hilgendorfi Har. Deutsche Ent. Zeitschr. XXII, 1878, p. 76.

rotundata Lec. Ann. Lyc. N. York V, 1851, p. 148; New spec. Col. 1866, p. 125. — Horn, Revis. Tenebr. 1870, p. 375. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 480. — Californien

rufipes Walk. Ann. Mag. Nat. Hist. (3) II, 1858, p. 284. — Ceylon

senegalensis Chevr. Compte rend. Soc. Ent. Belg. 1878, p. CCXLVIII. — Senegal

subhumeralis Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 102. — Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 382. — Japan

sublaevicollis Rey, Rev. d'Ent. X, 1890, p. 236. — Tunis
var. *circumducta* Rey, l. c. p. 236.
var. *lineolata* Rey, l. c. p. 236.

subparallela Chevr. Compte rend. Soc. Ent. Belg. 1878, p. CCXLVIII. — Peru

testacea Say, Long's Exped. II, 1824, p. 280. — Horn, Revis. Tenebr. 1870, p. 376. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 480. — Östl. Verein. Staaten

Halammobia Sem.

Sem. Rev. Russe d'Ent. I, 1901, p. 92. — Desbr. Frelon X, 1901, p. 185.

pellucida Herbst, Käf. VIII, 1799, p. 19, t. 118, f. 11. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 481, 482. — Sem. l. c. p. 92. — Desbr. l. c. p. 186. Südfrankreich, Spanien, Sicilien
hemisphaerica Küst. Käf. Eur. 1852, XXV, 67. — Muls. Col. Fr. Latigènes 1854, p. 191. — Redt. Fauna Austr. ed. II, 1858, p. 600; ed. III, 1874, II, p. 103. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 227.
pallens Latr. Nouv. Dict. Hist. nat. XXV, 1817, p. 493.
Biologie: Perris, Larves 1877, p. 272, f. 278. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 478.
1

Sphargeris Pasc.

Pasc. Journ. of Ent. I, 1860, p. 122.

physodes Pasc. l. c. p. 122, t. 5, f. 2. Australien
1

Choerodes White.

White, Voy. Ereb. and Terr. Entom. 1846, p. 12. — Lacord. Genera V, p. 287.

concolor Sharp, Entom. Monthly Mag. XV, 1878, p. 81. Neu-Seeland
fuscatus Broun, Ann. Mag. Nat. Hist. (6) XV, 1895, p. 241. „
laetus Broun, Man. N. Zeal. Col. I, 1880, p. 358. — Waterh. Aid Ident. Ins. II, t. 149, f. 1.
trachysceloides White, Voy. Ereb. and Terror, Entom. 1846, p. 12, t. 2, f. 12. — Broun, Man. N. Zeal. Col. I, 1880, p. 357.
4

LX. Crypticinae.

Mulsant, Col. Fr. Latigènes 1854, p. 125. — Lacordaire, Gen. Col. V, 1859, p. 222. — Jaquelin du Val, Gen. Col. Eur. III, 1861, p. 269, 329. — Leconte, Class. Col. N. Amer. 1862, p. 234. — Horn, Revis. Tenebr. N. Amer. in Trans. Amer. Philos. Soc. (n. s.) XIV, 1870 (1872), p. 300, 362. — Leconte and Horn, Class. Col. N. Amer. ed. II, 1883, p. 373, 380. — Seidlitz, Naturg. Ins. Deutschl. V, 1893 u. 1894 p. 221, 459. — Reitter, Best.-Tab. LIII in Verh. Naturf. Ver. Brünn XLII, 1904, p. 32.

Crypticus Latr.

Latr. Règne anim. ed. I, 1817, III, p. 298; ed. II, 1829, p. 22. — Cast. Hist. Nat. II, 1840, p. 211. — Redt. Gatt. 1845, p. 129; Fauna Austr. 1849, p. 53, 600; ed. II, 1858, p. CV u. 598; ed. III, 1874, p. CXVII u. II, p. 91. — Muls. Col. Fr. Latigènes 1854, p. 125. — Lacord. Gen. Col. V, 1859, p. 223. — Thoms. Scand. Col. I, 1859, p. 114; VI, 1864, p. 239. — Jacq. du Val, Gen. Col. Eur. III, 1861, p. 269. — Seidl. Fauna Balt. 1875, p. 95 (Gatt.), ed. II, 1891, p. 130 (Gatt.); Fauna Transsylv. 1891, p. 130

(Gatt.); Naturg. Ins. Deutschl. V, 1894, p. 461. — Reitt. Ent. Nachr. XXII, 1896, p. 145—151 (Übers.). — Desbr. Frelon X, 1901, p. 26.

Subgen. *Seriscius* Motsch. Bull. Mosc. 1845, I, p. 77. — Lacord. l. c. p. 226. — Seidl. l. c. p. 464. — Reitt. l. c. p. 145.

adspersus Küst. Käf. Eur. 1851, XXIII, 51. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 466. —Reitt. Übers. p. 149 *(Seriscius)*. — Spanien

alpinus Comolli, Col. Novocom. 1837, p. 26. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 464, 468. — Reitt. Übers. p. 146 (*Crypticus* s. str.). — Norditalien

aterrimus Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 138 (*Crypticus* s. str.). — Centr.- und Südamerika

calvus Woll. Col. Atlant. 1865, p. 408; App. p. 59. — Mars. Abeille XII, 1875, p. 103 (*Crypticus* s. str.). — Canaren

canariensis Woll. Cat. Can. Col. 1864, p. 482 (pars).

Cameroni Reitt. Wien. Ent. Zeit. XXI, 1902, p. 194 *(Seriscius)*. — Malta

canariensis Woll. Cat. Can. Col. 1864, p. 481; Col. Atlant. p. 409 *(Crypticus* s. str.). — Canaren

glaber Brll. Webb et Berth. Ins. Canar. 1838, p. 69.

castaneus Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 34. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 465. — Reitt. Übers. p. 147 (*Crypticus* s. str.). — Kleinasien

corticeus Fairm. Ann. Soc. Ent. Fr. (4) X, 1870, p. 389. — Mars. Abeille XII, 1875, p. 107. — Reitt. Übers. p. 147 (*Crypticus* s. str.). — Marokko

dactylispinus Mars. Abeille XIII, 1875, p. 381. — Bedel, Ann. Soc. Ent. Fr. (6) VII, 1887, p. 199. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 466. — Reitt. Übers. p. 147 (*Crypticus* s. str.). — Algier, Tunis

melancroides Fairm. Rev. Mag. Zool. 1879, p. 193 (16).

detersus Walk. Ann. Mag. Nat. Mist. (3) II, 1858, p. 284. — Ceylon

Fairmairei Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 101 (53) (*Crypticus* s. str.). — Algier

gibbulus Quens. in Schönh. Syn. Ins. I, 1, 1806, p. 163. — Küst. Käf. Eur. 1847, X, 65. — Jacq. du Val, Gen. Col. Eur. III, 1861, t. 66, f. 326. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 466. — Reitt. Übers. p. 146 (*Crypticus* s. str.). — Südeuropa, Nordafrika, Syrien

pubescens Duf. Ann. gén. Sc. phys. Brux. VI, 1820, p. 311.

griseovestris Fairm. Rev. et Mag. Zool. 1879, p. 192 (15) *(Seriscius)*. — Algier

helvolus Küst. Käf. Eur. 1852, XXIV, p. 83. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 467. — Reitt. Übers. p. 148 *(Seriscius)*. — Italien, Sicilien,

Kraatzi Bris. Ann. Soc. Ent. Fr. (6) VI, 1866, p. 383. — Mars. Abeille XII, 1875, p. 106. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 464. — Reitt. Übers. p. 145 *(Crypticus* s. str.*)*. — Spanien

latiusculus Ménétr. Mém. Acad. Petr. VI, 1849, p. 237 (21), t. 4, f. 5. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 245. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 465. — Reitt. Übers. p. 148 (*Crypticus* s. str.). — Südrußland, Transkaspien, Aralsee

obtusus Reitt. Wien. Ent. Zeit. XV, 1896, p. 74.

substriatus Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 166 (118).

longipennis Walk. Ann. Mag. Nat. Hist. (3) II, 1858, p. 284. — Ceylon

maculatus Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 138, 531, t. 7, f. 1. — Centr.-Amerika

maculosus Fairm. Ann. Soc. Ent. Fr. (4) X, 1870, p. 390 nota. — Mars. Abeille XII, 1875, p. 108. — Reitt. Übers. p. 149 *(Seriscius)*. — Syrien

mexicanus Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 137, 531. — Centr.-Amerika

minutus Brll. Webb et Berth. Ins. Canar. 1838, p. 69. — Woll. Cat. Can. Col. 1864, p. 483 (*Crypticus* s. str.). — Canaren

mollis Reitt. Übers. p. 150 *(Seriscius)*. — Tunis

murinus All. Bull. Soc. Ent. Fr. 1882, p. LXXXVII; Ann. Soc. Ent. Belg. XXVII, 1883, I, p. 30. — Reitt. Übers. p. 149 *(Sericisus)*. — Aegypten

var. *mus* Reitt. Übers. p. 149. — „

navicularis Brll. Webb et Berth. Ins. Canar. 1838, p. 69. — Woll. Cat. Can. Col. 1864, p. 481. — Teneriffa

nebulosus Fairm. Ann. Soc. Ent. Fr. (4) X, 1870, p. 389. — Mars. Abeillle XII, 1875, p. 107. — Reitt. Übers. p. 149 *(Seriscius)*. — Algier, Marokko

nitidulus Woll. Col. Atlant. 1865, App. p. 60. — Mars. l. c. p. 104 (*Crypticus* s. str.). — Gomera

obesus Luc. Expl. Alg. 1849, p. 331, t. 29, f. 7. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 466. — Reitt. Übers. p. 148 (*Crypticus* s. str.). — Algier

oblongus Woll. Cat. Can. Col. 1864, p. 482. — Mars. Abeille XII, 1875, p. 105. — Canaren

obsoletus Say, Journ. Acad. Phil. III, 1823, p. 265. — Atl. Staaten

Olivieri Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 103 (55). — Reitt. Übers. p. 149 *(Seriscius)*. — Algier

ovalis Ball. Bull. Mosc. LIII (1), 1878, p. 321. — Kuldja

ovatulus Reitt. Übers. p. 150 *(Seriscius)*. — Mongolei

ovatus Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 137, 531. — Centr.-Amerika

paradoxus Reitt. Übers. p. 149 *(Seriscius)*. — Marokko

platensis Fairm. Ann. Soc. Ent. Fr. (6) III, 1883, p. 510 *(Crypticus* s. str.). — La Plata

pellitus (scr. *pelitus*) Reitt. p. 150 *(Seriscius)*. — Tunis

Pentheri Reitt. Ann. Wien. Hofmus. XX, 1906, p. 278 (32) (*Crypticus* s. str.). — Kleinasien

pruinosus Duf. Ann. gén. Sc. phys. Brux. VI, 1820, p. 310, t. 96, f. 4 a—c. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 466. — Reitt. Übers. p. 149 *(Seriscius)*. — Spanien

pubens Fairm. Bull. Soc. Ent. Fr. 1880, p. CXXXII. — Reitt. Übers. p. 146 (*Crypticus* s. str.). — „

pubescens Motsch. Bull. Mosc. XVIII, 1845, I, p. 77. — Reitt. Übers. p. 150 *(Seriscius)*. — Alai, Ostsibirien, Mongolei, Peking

asiaticus Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 698.

soricinus Fairm. Rev. d'Ent. VI, 1887, p. 324.

punctatissimus Woll. Cat. Col. 1864, p. 480. — Mars. Abeille XII, 1875, p. 105. — Canaren

punctatolineatus Fairm. Ann. Soc. Ent. Fr. (5) X, 1880, p. 251. — Marokko

pusillus Rosenh. Thiere Andalus. 1856, p. 212. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 464. — Reitt. Übers. p. 145 (*Crypticus* s. str.). — Andalusien

pyrenaeus Baudi, Deutsche Ent. Zeitschr. XX, 1876. p. 33. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 465. — Reitt. Übers. p. 146 (*Crypticus* s. str.). — Pyrenäen

quisquilius L. Fauna Suec. ed. II, 1761, p. 226, 821; Syst. Nat. ed. XII, I, 2, 1767, p. 676. — Gmelin, Linn. Syst. Nat. IV, 1788, p. 2011. — F. Syst. Ent. 1775, p. 258; Spec. Ins. I, 1781, p. 326; Mant. Ins. I, 1787, p. 214; Ent. Syst. I, 1792, p. 122; Syst. El. I, 1801, p. 163. — Payk. Fauna Suec. I, 1798, p. 96. — Steph. Illustr. V, p. 21; Manual, p. 324. — Küst. Käf. Eur. 1849, XIX, p. 54. — Muls. Col. Fr. Latigènes 1854, p. 126. — Thoms. Skandin. Col. VI, 1864, p. 240. — Seidl. Fauna Balt. 1875, p. 360; ed. II, 1891, p. 515; Fauna Transsylv. 1891, p. 552; Naturg. Ins. Deutschl. V, 1894, p. 465, 469. — Baudi, Bull. Soc. Ent. Ital. VII, 1875, p. 106. — Reitt. Übers. p. 146. — Desbr. Frelon, X, 1901, p. 27 (*Crypticus* s. str.). — Europa, Kaukasus, Ostsibirien, Mongolei

glaber F. Syst. Ent. 1775, p. 258; Spec. Ins. I, 1781, p. 326; Mant. Ins. I, 1787, p. 214; Ent. Syst. I, 1792, p. 109; Syst. El. I, 1801, p. 143. — Panz. Entom. Germ. 1795, p. 39; Fauna Ins. Germ L, 1798, nr. 1, t. 1, f. b, ed. II, Heft XXXVI, nr. 1, t. 1, f. b. (♂) u. Heft L, nr. 1, t. 1, f. b. (♀). — Ol. Entom. III, 1795, nr. 58, p. 16, t. 2, f. 12; Encycl. méth. VII, p. 49. — Tigny, Hist. Nat. VII, p. 202. — Ill. Käf. Preuß. 1798, p. 120. — Herbst, Käf. VIII, 1799, p. 192, t. 128, f. 12. — Lamarck, Hist. anim. sans vert. IV, 1817, p. 414. — Cast. Hist. Nat. II, 1840, p. 211. — Redt. Fauna Austr. 1849, p. 600; ed. II, 1858, p. 598; ed. III, 1874, II, p. 94. — Sturm, Käf. II, 1850, p. 211. — Bach, Käferf. III, 1856, p. 217.

laevis Gmelin, Linn. Syst. Nat. IV, 1788, p. 2011.

laticollis Panz. Ins. Germ. Heft XXXVI, nr. 1, t. 1, f. b. (Krit. Rev. I, 1803, p. 34). — Ill. Magaz. III, 1804, p. 153.

luctuosus Schrank, Enum. 1781, p. 219.

niger Fourcr. Ent. Paris I, 1785, p. 158.

pusillus Herbst, Käf. VIII, 1799, p. 199, t. 129, f. 4.

var. *opacus* Brancs. Jahresh. Ver. Trencsen XXI, p. 100.

Biologie: Bouché, Nat. Ins. 1834, p. 191. — Westw. Introd. 1839, I, p. 319. — Perris, Larves 1874, p. 269. — Thoms. Skandin. Col. VI, 1864, p. 239. — Schioedte, Nat. Tidsskr. 1879, III, 11, p. 535, 586, t. 7, f. 1—6. — Rosenh. Stett. Ent. Zeit. XLIII, 1882, .p 30. — Seidl. Naturg. Ins. Deutschl. V, 1893, p. 210, 213. — Schlick, Entomol. Meddel. (2) I, 1897, p. 62.

rufipes Gebl. Ledeb. Reise II, 1830, p. 125; Bull. Mosc. XX, 1847, IV, p. 481. — Reitt. Übers. p. 150 *(Seriscius)*. — Altai, China

fuscovariegatus Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 698.

sibiricus Solsky, Horae Soc. Ent. Ross. VII, 1870, p. 373 (*Crypticus* s. str.). — Ostsibirien

submaculatus Champ. Trans. Ent. Soc. Lond. 1894, p. 362. — N. W.-Australien

subpunctatus Walk. List Col. Lord 1871, p. 15. — Ägypten

tauri Pic, Echange XXIII, 1907, p. 123. — Asien

tenietensis Desbr. Bull. Soc. Ent. Fr. 1889, p. CLXXXV. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 465. — Reitt. Übers. p. 147 (*Crypticus* s. str.). — Algier

thessalicus Reitt. Übers. p. 147, 150 (*Crypticus* s. str.). — Thessalien

tonsilis Bedel, Abeille XXVIII, 1893, p. 103. — Reitt. Übers. p. 146 (*Crypticus* s. str.). — Algier

undatus Champ. Trans. Ent. Soc. Lond. 1896, p. 5, t. 1, f. 3. — Grenada

uniformis Reitt. Übers. p. 150 *(Seriscius)*. — Tripolis

Vaucheri Bedel, Bull. Soc. Ent. Fr. 1905, p. 272. — Marokko

viaticus Fairm. Rev. Zool. 1851, p. 528. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 33. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 465. — Reitt. Übers. p. 147 (*Crypticus* s. str.). — Spanien

ulomoides Fairm. Ann. Soc. Ent. Fr. (2) X, 1852, p. 85.

zophosioides Heyd. Berl. Ent. Zeitschr. 1870, Beiheft p. 131. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 464. — Reitt. Übers. p. 145 (*Crypticus* s. str.). — Portugal, Spanien

Zuberi Mars. Abeille 1869, p. 382. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 465. — Reitt. Übers. p. 148 (*Crypticus* s. str.). — Südrußland Talysch

59

Ellipsodes Woll.

Woll. Ins. Mader. 1854, p. 485. — Lacord. Gen. Col. V, 1859, p. 224. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 461.

glabrata F. Ent. Syst. I, 1792, p. 79; Syst. El. I, 1801, p. 93. — Woll. l. c. p. 486, t. 11, f. 2. — Madeira

oblongior Woll. Cat. Col. Madeira 1857, p. 150. — „

2

Oochrotus Luc.

Luc. Bull. Soc. Ent. Fr. 1852, p. 28; Rev. Zool. 1855, p. 337. — Lacord. Gen. Col. V, 1859, p. 225. — Jacq. du Val, Gen. Col. Eur. III, 1861, p. 270. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 461. — Desbr. Frelon X, 1901, p. 92.

Boyadjianii Lokay, Prag. Cas. Ceské Spol. Entom. IV, 1907, p. 91. — Kleinasien

glaber Demais. Bull. Fr. 1904, p. 287. — Sahlb. Öfv. Finska Vet. Soc. Förh. 1907—08 (1909) nr. 7, p. 86. — „

unicolor Luc. Bull. Fr. 1852, p. 29; Rev. Zool. 1855, p. 340, t. 9, f. 1a—e. — Rosenh. Thiere Andalus. 1856, p. 215. — Lacord. Gen. Col. Atl., t. 54, f. 5. — Jacq. du Val, Gen. Col. III, 1861, t. 66, f. 327. — Wasm. Deutsche Ent. Zeitschr. 1890, p. 296. — Desbr. Frelon X, 1901, p. 29. Biologie: Rosenh. l. c. p. 215. — Walk. Entom. Monthly Mag. XXV, 1889, p. 374. — Südfrankreich, Spanien, Algier

3

W. JUNK, Berlin W. 15.

Verlag und Antiquariat für Entomologie.

Pars 19: **M. Bernhauer** et **K. Schubert,** Staphylinidae I. 1910. 86 p. (Mark 8.10) Mk. 5.40

20: **A. Schmidt,** Aphodiinae. 1910. 111 p. (Mark 10.50) Mk. 7.—

21: **K. Ahlwarth,** Gyrinidae. 1910. 42 p. (Mark 4) Mk. 2.70

H. Disqué, Verzeichnis der in der Pfalz vorkommenden Kleinschmetterlinge (Micro-Lepidoptera). 1906. 73 p. Mk. 2.—

Jacobs, Diptères du voyage Antarctique du S. Y. „Belgica". 1906. 4. 12 p. av. 3 pl. (1 color.). Mk. 2.50

W. Junk, Entomologen-Adreßbuch. 1905. 302 p. Origbd. Mk. 5.—

K. Mitterberger, Verzeichnis der im Kronlande Salzburg bisher beobachteten Mikro-Lepidopteren (Kleinschmetterlinge). 1910. 358 p. Mk. 10.—

O. Prochnow, Über die Färbung der Lepidoptera. 1907. 262 p. mit 4 Tfln. (2 color.) Mk. 7.—

O. Prochnow, Die Laut-Apparate der Insekten. 1908. 178 p. mit 49 Fig. Mk. 5.—

O. Prochnow, Reactionen auf Temperatur-Reize. 1908. 63 p. mit Fig. Mk. 2.50

C. Ribbe, Anleitung zum Sammeln von Schmetterlingen in tropischen Ländern. 1907. 8. 44 p. Mk. 1.50

Zeitschrift für systemat. Hymenopterologie und Dipterologie. Herausg. von F. W. Konow. 8 Jahrgänge (soviel erschienen). 1901—1908 mit 7 Tfln. (Preis statt 80 Mark) Mk. 45.—

Coleopterorum Catalogus

auspiciis et auxilio

W. Junk

editus a

S. Schenkling.

Pars 28:

H. Gebien

Tenebrionidae III.

Einzel-Preis: Mark 21.75
Subscriptions-Preis: Mark 14.50



W. Junk
Berlin W. 15, Kurfuerstendamm 201.
24. III. 1911.

W. JUNK, Berlin W. 15.
Verlag und Antiquariat für Entomologie.

Coleopterorum Catalogus.

Pars 1: **R. Gestro,** Rhysodidae. 1910. 11 p.
(Mark 1) Mk. 0.65

2: **F. Borchmann,** Nilionidae, Othniidae, Aegialitidae, Petriidae, Lagriidae. 1910. 32 p.
(Mark 3) Mk. 2.—

3: **F. Borchmann,** Alleculidae. 1910. 80 p.
(Mark 7.50) Mk. 5.—

4: **M. Hagedorn,** Ipidae. 1910. 134 p.
(Mark 12.75) Mk. 8.50

5: **R. Gestro,** Cupedidae, Paussidae. 1910. 31 p.
(Mark 3) Mk. 2.—

6: **H. Wagner,** Curculionidae: Apioninae. 1910. 81 p.
(Mark 7.50) Mk. 5.—

7: **H. von Schönfeldt,** Brenthidae. 1910. 57 p.
(Mark 5.25) Mk. 3.50

8: **G. van Roon,** Lucanidae. 1910. 70 p.
(Mark 6.50) Mk. 4.35

9: **E. Olivier,** Lampyridae. 1910. 68 p.
(Mark 6.35) Mk. 4.25

10: **E. Olivier,** Rhagophthalmidae. Drilidae. 1910. 10 p.
(Mark 1) Mk. 0.65

11: **A. Léveillé,** Temnochilidae. 1910. 40 p.
(Mark 3.75) Mk. 2.50

12: **E. Csiki,** Endomychidae. 1910. 68 p.
(Mark 6.35) Mk. 4.25

13: **E. Csiki,** Scaphidiidae. 1910. 21 p.
(Mark 2) Mk. 1.30

14: **M. Pic,** Hylophilidae. 1910. 25 p.
(Mark 2.40) Mk. 1.60

15: **H. Gebien,** Tenebrionidae I. 1910. 166 p.
(Mark 15.60) Mk. 10.40

16: **P. Pape,** Brachyceridae. 1910. 36 p.
(Mark 3.40) Mk. 2.25

17: **Ph. Zaitzev,** Dryopidae, Cyathoceridae, Georyssidae, Heteroceridae. 1910. 68 p.
(Mark 6.35) Mk. 4.25

18: **E. Csiki,** Platypsyllidae, Orthoperidae, Phaenocephalidae, Discolomidae, Sphaeriidae. 1910. 35 p.
(Mark 3.30) Mk. 2.15

LXI. Bolitophaginae.

Mulsant, Col. Fr. Latigènes 1854, p. 218. — Lacordaire, Gen. Col. V, 1859, p. 292. — Thomson, Skand. Col. I, 1859, p. 115; VI, 1864, p. 244. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 293. — J. Leconte, Class. Col. N. Amer. 1862, p. 235. — Horn, Revis. Tenebr. N. Amer. in Trans. Amer. Philos. Soc. (n. s.) XIV, 1870 (1872), p. 300, 387. — Pascoe, Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 350 (Übers. üb. die Gatt.). — Seidlitz, Fn. Balt. 1875, Gatt. p. 95; ed. II, 1891, Gatt. p. 121; Fn. Transsylv. 1891, Gatt. p. 121; Naturg. Ins. Deutschl. V, 1893, p. 222, 489. — J. Leconte and Horn, Class. Col. N. Amer. 1883, p. 372, 384. — Reitter, Best.-Tab. LIII, in Verh. Naturf. Ver. Brünn XLII, 1904, p. 33.

Bolitotherus Cand.

Cand. Mém. Liége 1861, p. 367. — Horn, Revis. Tenebr. 1870, p. 388. — J. Lec. and Horn, Class. Col. N. Amer. 1883, p. 384.

Phellidius J. Lec. Class. Col. N. Amer. 1866, p. 236.

cornutus Panz. Fn. Amer. bor. Prodrom. 1794, t. 1, f. 5, 6. — F. Syst. El. I, 1801, p. 112. — Say, Amer. Ent. III, 1828, p. 51. — Guér. Icon. 1829—44, t. 31, f. 6a—c. — J. Lec. Class. Col. N. Amer. 1866, p. 236. — Horn, Revis. Tenebr. N. Amer. 1870, p. 388. — Verein. Staaten
bifurcus F. Ent. Syst. Suppl. 1798, p. 40.
1

Dicraeosis nom. nov.

Dicraeus Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 103, 104.

bacillus Mars. l. c. p. 103. — Japan
1

Calymmus Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 349.

Berardi Montr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 289. — Fauv. Bull. Soc. Normand. 1862, p. 148, t. 10, f. 28, 29; Rev. d'Ent. XXIII, 1904, p. 169. — Perroud, Ann. Soc. Linn. Lyon XI, 1864, p. 113. — Neu-Caledonien

cucullatus Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 349, t. 14, f. 8. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 225. — Centr.- und Südamerika
asperulus Pasc. l. c. p. 350.

longedentatus Fairm. Ann. Soc. Ent. Fr. LXI, 1892, p. 83. — Venezuela

scabriculus Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 225 nota. — Ecuador

variegatus Champ. l. c. p. 225, t. 10, f. 8. — Nicaragua

vestitus Champ. l. c. p. 226 nota. — Peru
6

Brachypilium Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 23.

sculpturatum Fairm. l. c. p. 24. — Indien

1

Bradymerus Perroud.

Perroud, Ann. Soc. Linn. Lyon XI, 1864, p. 110.

aequecostatus Fairm. Notes Leyd. Mus. XV, 1893, p. 20. — Borneo

alaticollis Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 23. — Indochina

alternatus Schauf. Horae Soc. Ent. Ross. XXI, 1887, p. 133. — Macassar

amicorum Fairm. Rev. Zool. 1849, p. 420. — Blanch. Voy. Pole Sud IV, 1853, p. 166, t. 11, f. 2. — Haag, Deutsche Ent. Zeitschr. XXIII, 1879, p. 411. — Fauv. Rev. d'Ent. XXIII, 1904, p. 169. — Tongainsel, Neu-Caledonien

tuberculatus Perroud, Ann. Soc. Linn. Lyon XI, 1864, p. 111.

aratus Fairm. Notes Leyd. Mus. XVIII, 1896, p. 100. — Sumatra

bidentulus Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 23. — Indien

cancellatus Fairm. Pet. Nouv. Ent. II, 1878, p. 286. — Viti

carinatus Fairm. Ann. Soc. Ent. Fr. (6) VI, 1886, p. 188; Notes Leyd. Mus. XIX, 1897, p. 218. — Philippinen

corinthius Fairm. Notes Leyd. Mus. XVIII, 1896, p. 229.

clathratus Schauf. Horae Soc. Ent. Ross. XXI, 1887, p. 134. — Macassar

convexicollis Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 478. — Madagascar

crenulicollis Fairm. Notes Leyd. Mus. IV, 1882, p. 221. — Sumatra

cucullatus Fairm. l. c. XIX, 1897, p. 218. — Bombay

cyaneipennis Pasc. Ann. Mag. Nat. Hist. (5) XI, 1883, p. 437. — Ceylon

elongatus Perty, Obs. Col. Ind. or. 1831, p. 40. — Indien

ferruginipes Fairm. Notes Leyd. Mus. XVIII, 1896, p. 230. — Philippinen

granaticollis Fairm. Ann. Soc. Ent. Belg. XXVII, 1883, II, p. 23. — Neu-pommern

grandis Fairm. Notes Leyd. Mus. XV, 1893, p. 19. — Java

granulipennis Fairm. l. c. p. 20. — Borneo

interstitialis Schauf. Horae Soc. Ent. Ross. XXI, 1887, p. 133. — Macassar

javanus Fairm. Notes Leyd. Mus. XIX, 1897, p. 217. — Java

modestus Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 23. — Indien

rugatulus Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 23. — Indochina

semiasperatus Fairm. Ann. Soc. Ent. Belg. XXVII, 1883, II, p. 24. — Neu-pommern

seminitidus Arrow, Monogr. Christmas Isl. 1900, p. 106. — Christmas-Ins.

serricollis Walk. Ann. Mag. Nat. Hist. (3) II, 1858, p. 284. — Waterh. Cist. Ent. II, 1876, p. 56. — Ceylon

spinicollis Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 22. — Indien

sublaevicollis Fairm. Pet. Nouv. Ent. II, 1878, p. 286; Ann. Soc. Ent. Fr. (6) I, 1881, p. 281. — Viti

violaceus Pasc. Ann. Mag. Nat. Hist. (5) XI, 1883, p. 437. — Philippinen

Scotoderus Perroud.

Perroud, Ann. Soc. Linn. Lyon XI, 1864, p. 114.

Dechius Pasc. Journ. of Ent. II, 1866, p. 455. — Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 2.

cancellatus Montr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 296. — Bates, Entom. Monthly Mag. IX, 1872, p. 98. — Perr. Ann. Soc. Linn. Lyon XI, 1864, p. 116. Neu-Caledonien, Queensland

aphodioides Pasc. Journ. of Ent. II, 1866, p. 455. — Fauv. Rev. d'Ent. XXIII, 1904, p. 169.

costatus Fairm. Rev. Zool. 1849, p. 421. — Haag, Deutsche Ent. Zeitschr. XXIII, 1879, p. 412. Ins. Wallis

scissicollis Bates, Trans. Ent. Soc. Lond. 1868, p. 266, t. 12, f. 8, 8*. Neusüdwales

3

Bolitophagus Ill.

Ill. Käf. Preuß. 1798, p. 100. — F. Syst. El. I, 1801, p. 112. — Gyllenh. Ins. Suec. II, 1810, p. 600. — Duft. Fn. Austr. II, 1812, p. 294. — Cast. Hist. Nat. II, 1840, p. 226. — Redt. Gatt. 1845, p. 128; Fn. Austr. II, 1849, p. 53 u. 596; ed. II, 1858, p. CVI u. 600; ed. III, 1874, p. CXVIII und II, 103. — Muls. Col. Fr. Latigènes 1854, p. 219. — Lacord. Gen. Col. V, 1859, p. 294. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 293. — Horn, Revis. Tenebr. 1870, p. 389. — Seidl. Fn. Balt. 1875, p. 96 (Gatt.); Naturg. Ins. Deutschl. V, 1894, p. 492. — Desbr. Frelon X, 1901, p. 103.

Boletophagus Zetterst. Fn. Ins. Lapp. 1828, p. 265; Ins. Lapp. 1840, p. 254. — Sahlb. Ins. Fennica I, 1834, p. 483. — Thoms. Skand. Col. I, 1859, p. 115; VI, 1864, p. 245. — J. Lec. Class. Col. N. Amer. 1862, p. 263. — J. Lec. and Horn, Class. Col. N. Amer. 1883, p. 384. — Seidl. Fn. Balt. ed. II, 1891, Gatt. p. 131; Fn. Transsylv. 1891, Gatt. p. 131.

angustatus Sol. in Gay, Hist. Chile V, 1851, p. 242. — Lacord. Gen. Col. II, p. 360, nota 3. Chile

armatus Panz. Fn. Ins. Germ. Heft 61, 1799, nr. 2; Krit. Revis. I, 1805, p. 29. — F. Syst. El. I, 1801, p. 114. — Latr. Hist. Nat. X, 1804, p. 314. — Sturm, Käf. II, 1807, p. 160. — Duft. Fn. Austr. II, 1812, p. 296. — Redt. Fn. Austr. 1849, p. 596; ed. II, 1858, p. 601; ed. III, 1874, II, p. 104. — Küst. Käf. Eur. XXIV, 1852, nr. 82. — Muls. Col. Fr. Latigènes 1854, p. 222. — Bach, Käferf. III, 1856, p. 218. — Seidl. Fn. Balt. ed. II, 1891, p. 515; Fn. Transsylv. 1891, p. 553; Naturg. Ins. Deutschl. V, 1894, p. 499. — Desbr. Frelon X, 1901, p. 163. Mitteleuropa

Biologie; Perris, Ann. Soc. Linn. Lyon XXIII, 1876, p. 116, t. 8, f. 288—289. — Schiödte, Nat. Tidskrift XI, 1879, p. 546, t. 9, f. 1—4. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 494.

aspericollis Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 798. Madagaskar

borbonicus Fairm. Le Natur. II, 1880, p. 293. Réunion

corticola Say, Journ. Ac. Phil. V, 1825, p. 238; Amer. Ent. III, 1828, t. 51. — Horn, Revis. Tenebr. 1870, p. 389. — Verein. Staaten

costulatus Fairm. et Germ. Col. Chile 1860, p. 2. — Chile

felix Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 384, t. 13, f. 2. — Japan

flexuosus Sol. in Gay, Hist. Chile V, 1851, p. 241, t. 20, f. 9. — Lacord. Gen. Col. II, 1854, p. 360, nota 3. — Chile

granulatus Fisch. Cat. Col. Karel. 1842, p. 16; Bull. Mosc. XVII, 1844, I, p. 129. — Songorei

interruptus Ill. in Wiedem. Arch. I, 1800, p. 112. — Sturm, Käf. II, 1807, p. 156. — Küst. Käf. Eur. X, 1847, 67. — Redt. Fn. Austr. 1849, p. 596; ed. II, 1858, p. 601; ed. III, 1874, II, p. 104. — Muls. Col. Fr. Latigènes 1854, p. 226. — Bach, Käferfauna III, 1856, p. 218. — Seidl. Fn. Transsylv. 1891, p. 553; Naturg. Ins. Deutschl. V, 1894, p. 498. — Desbr. Frelon X, 1901, p. 163. — Mitteleuropa

Goedeni Panz. Fn. Germ. Ins. Heft 94, 1805, nr. 1.

pannosus Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 384. — Japan

reticulatus L. Syst. Nat. ed. XII, I, 1767, p. 572; ed. Gmelin IV, 1788, p. 1632. — Villers, Entom. Linn. I, 1789, p. 81. — Ill. Käf. Preuß. 1798, p. 105. — Ol. Entom. III, 1795, nr. 56, p. 9, t. 1, f. 9. — Latr. Hist. Nat. X, 1804, p. 313. — Gyll. Ins. Suec. II, 1810, p. 600. — Duft. Fn. Austr. II, 1812, p. 295. — Sahlb. Ins. Fenn. I, 1834, p. 483. — Küst. Käf. Eur. X, 1847, 66. — Redt. Fn. Austr. 1849, p. 596; ed. II, 1858, p. 601; ed. III, 1874, II, p. 104. — Muls. Col. Fr. Latig. 1854, p. 220. — Bach, Käferf. III, 1856, p. 207. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, t. 71, f. 355. — Thoms. Skand. Col. VI, 1864, p. 246. — Seidl. Fn. Balt. 1875, p. 361; ed. II, 1891, p. 515; Fn. Transsylv. 1891, p. 552; Naturg. Ins. Deutschl. V, 1894, p. 495. — Desbr. Frelon X, 1901, p. 161. — Europa bis Sibirien

boleti Pill. et Mitterp. Iter per Pos. 1783, p. 113, t. 7, f. 9.

cornutus Thunb. Nov. Act. Ups. IV, 1784, p. 15, t. 1, f. 5, a—b. — Gmelin, Linn. Syst. Nat. IV, 1788, p. 1733.

crenatus F. Ent. Syst. I, 1792, p. 89. — Hbst. Naturg. Käfer V, 1793, p. 217. — Panz. Entom. Germ. 1795, p. 35. — Cederhielm. Fn. Ingr. Prodr. 1798, p. 11. — F. Syst. El. I, 1801, p. 113. — Walckenaer, Fn. Paris. I, 1802, p. 27. — Sturm, Käf. II, 1807, p. 154, t. 39, f. a. — Zetterst. Fn. Lapp. 1828, p. 265; Ins. Lapp. 1840, p. 254. — Cast. Hist. Nat. II, 1840, p. 226.

gibbus Panz. Naturf. XXIV, 1789, p. 19, t. 1, f. 19. — Hrbst. Käf. V, 1793, p. 216, t. 52, f. 6, a A. — Ol. Entom. III, 1795, 56, p. 7, f. 6. — Payk. Fauna Suec. I, 1798, p. 82.

Biologie: Curtis, Trans. Ent. Soc. Lond. III, 1854, p. 33—39. — Muls. Col. Fr. Latigènes 1854, p. 222. — Kraatz, Berl. Ent. Zeitschr. III, 1859, p. 309, t. 4, f. 5. — Perris, Ann. Soc. Linn. Lyon

XXIII, 1876, p. 113, t. 8, f. 279—287. — Schiödte, Met. Eleuth. X, Tenebr. 1877, p. 544, t. 8, f. 1—7.

serrifrons Reitt. Deutsche Ent. Zeitschr. 1890, p. 172; 1891, p. 30. — Kaukasus

subinteger Reitt. Wien. Ent. Zeit. XV, 1896, p. 74. — Talyschgeb.

tricostatus Fisch. Bull. Mosc. XVII, 1844, I, p. 128. — Turkmenien

15

Bolitonaeus Lewis.

Lewis, Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 387.

bifurcus Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 350. — Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 385. — Penang

mergae Lew. l. c. p. 387, t. 13, f. 5. — Japan

nasalis Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 350. — Lew. l. c. p. 387. — Penang

quadridentatus Cand. Mém. Liége 1861, p. 368. — Lew. l. c. p. 387. — Ceylon

Biologie: Cand. l. c. p. 368.

vacca Motsch. Études Ent. VII, 1858, p. 64. — Lew. l. c. p. 387. — Birma

5

Bolitoxenus Motsch.

Motsch. Études Ent. VII, 1858, p. 64.

gibber Motsch. l. c. p. 63, f. 15. — Birma

1

Byrsax Pasc.

Pasc. Journ. of Ent. I, 1860, p. 42.

cancroides Fauv. Rev. d'Ent. XXIII, 1904, p. 168. — Neu-Caledonien

coenosus Pasc. Journ. of Ent. I, 1860, p. 42, t. 3, f. 7; p. 124. — Singapur

cordicollis Fauv. Rev. d'Ent. XXIII, 1904, p. 167. — Neu-Caledonien

cornutus F. Ent. Syst. I, 1792, p. 88; Syst. El. I, 1801, p. 112. — Geb. Deutsche Ent. Zeitschr. 1906, p. 218. — Ceylon

egenus Pasc. Journ. of Ent. II, 1866, p. 459. — Australien

gibbifer Wesm. Bull. Ac. Brux. III, 1836, p. 112, t. 4, f. a—c. — Guér. Rev. Zool. 1838, p. 117. — Preudh. Bull. Acad. Roy. Belg. 1870, p. 379. — Java

horridus Ol. Entom. III, 1795, 55, p. 5, t. 1, f. 3a—d. — Latr. Hist. Nat. Crust. et Ins. X, 1804, p. 312. — Walk. Ann. Mag. Nat. Hist. (3) II, 1858, p. 284. — Ceylon

tuberculifer Motsch. Bull. Mosc. XXXVI, 1863, II, p. 476.

Macleayi Pasc. Journ. of Ent. II, 1866, p. 459. — Australien

niponicus Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 388. — Japan

saccharatus Pasc. Ann. Mag. Nat. Hist. (4) V, 1870, p. 95. — Queensland

spiniceps Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 388. — Japan

testudinarius Motsch. Bull. Mosc. XXXVI, 1863, II, p. 477, t. 9, f. 30. — Sundainseln

12

Bolitopertha Geb.

Geb. Ergebn. Exped. Kilimandj. I, 7, 1910, p. 379.

novemcostata Geb. l. c. p. 380, f. 5—8. Deutsch-Ostafrika

1

Ilyxerus Pasc.

Pasc. Journ. of Entom. II, 1866, p. 458.

asper Pasc. l. c. p. 458, t. 18, f. 3. N. S. Wales

1

Caanthus Champ.

Champ. Trans. Ent. Soc. Lond. 1894, p. 378.

gibbicollis Champ. l. c. p. 378, t. 8, f. 7, 7a, b. Tasmanien

1

Dysantes Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 348.

biluna Walk. Ann. Mag. Nat. Hist. (3) II, 1858, p. 284. Ceylon
elongatus Redt. Reise Novara II, 1868, p. 127, t. 4, f. 4. Java
— Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 31.
taurus Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 349. „

3

Atasthalus Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 348. — Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 385.

bellicosus Lew. l. c. p. 386, t. 13, f. 4. Japan
dentifrons Lew. l. c. p. 385, t. 13, f. 3. „
spectrum Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 348, t. 14, f. 3. Malakka
taprobanae Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 386. Ceylon

4

Xenius Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 224.

scabripennis Champ. l. c. p. 224, t. 10, f. 7, a, b. Nicaragua

1

Eleates Cas.

Cas. Bull. Calif. Acad. Sc. II, 1887, p. 253.

depressus Rand. Bost. Journ. II, 1838, p. 21. — Horn, Revis. Tenebr. 1870, p. 389. Verein. Staaten
explanatus Cas. Ann. N. York Acad. V, 1890, p. 486. Oregon
occidentalis Cas. Bull. Calif. Acad. Sc. II, 1887, p. 254. Californien

3

Megeleates Cas.

Cas. Ann. N. York Acad. VIII, 1895, p. 623.

sequoiarum Cas. l. c. p. 624. Californien
Biologie: Wickham, Journ. N. York Ent. Soc. IV, 1896, p. 118, fig.
1

Orcopagia Pasc.

Pasc. Proc. Ent. Soc. Lond. 1868, p. 12; Ann. Mag. Nat. Hist. (4) III; 1869, p. 30.

monstrosa Pasc. l. c. p. 12; l. c. p. 31, t. 10, f. 8. Australien
1

Ozolais Pasc.

Pasc. Journ. of Ent. II, 1866, p. 457.

divisa Pasc. Ann. Mag. Nat. Hist. (5) XI, 1883, p. 437. Ega
elongata Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 228, t. 10, f. 11 a, b. Nicaragua
gibbera Pasc. Ann. Mag. Nat. Hist. (5) XI, 1883, p. 437. Ega
lutosa Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 227, t. 10, f. 10. Costa Rica
nodosa Champ. l. c. p. 228. Nicaragua
scruposa Pasc. Journ. of Ent. II, 1866, p. 458, t. 18, f. 1. Ega
tuberculifera Champ. Trans. Ent. Soc. Lond. 1896, p. 10, t. 1, f. 1. Grenada
verrucosa Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 226, t. 10, f. 9. Panama
8

Mychestes Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) V, 1870, p. 96.

congestus Pasc. Ann. Mag. Nat. Hist. (5) XI, 1883, p. 436. Queensland
lignarius Pasc. Ann. Mag. Nat. Hist. (4) V, 1870, p. 97. „
Mastersi M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 279. „
Pascoei M'Leay, l. c. p. 279. „
4

Latometus Er.

Er. Arch. f. Naturg. VIII, 1842, I, p. 213. — Lacord. Gen. Col. V, 1859, p. 297.

pubescens Er. l. c. p. 213, t. 5, f. 3. Tasmanien
1

Elascus Pasc.

Pasc. Journ. of Entom. I, 1860, p. 119.

crassicornis Pasc. l. c. p. 120, t. 7, f. 7. Melbourne
lunatus Pasc. l. c. p. 120, t. 7, f. 8. „
2

Trachyderas Phil.

Phil. Stett. Ent. Zeitschr. XXV, 1864, p. 349.

cancellatum Phil. l. c. p. 350. Chile
1

LXII. Rhipidandrinae.

Sharp, Biol. Centr.-Amer. Col. II, 1, 1905, p. 690.

Rhipidandrus J. Lec.

J. Lec. Class. Col. N. Amer. 1866, p. 236. — Horn, Revis. Tenebr. 1870, p. 389. — Arrow, Ann. Mag. Nat. Hist. (7) XIV, 1904, p. 31.

Eutomus Lacord. Gen. Col. VII, 1866, p. 369.
Heptaphylla Friedenreich, Stett. Ent. Zeitschr. XLIV, 1883, p. 375.

Championi Sharp, Biol. Centr.-Amer. Col. II, 1, 1905, p. 691. Guatemala
flabellicornis Sturm, Catal. 1826, p. 59, t. 1, nr. 7. — Horn, Revis. Tenebr. 1870, p. 390, t. 14, f. 42. Verein. Staaten
fungicola Friedenr. Stett. Ent. Zeitschr. XLIV, 1883, p. 377. S. Catharina
Biologie: Friedenr. l. c. p. 378.
madagascariensis Lacord. Gen. Col. VII, 1866, p. 370, nota 1. Madagaskar
mexicanus Sharp, Biol. Centr.-Amer. Col. II, 1, 1905, p. 691. Centralamerika
micrographus Lacord. Gen. Col. VII, 1866, p. 370. Cayenne
6

Cherostus Waterh.

Waterh. Ann. Mag. Nat. Hist. (6) XIV, 1894, p. 68.

cornutus Arrow, Ann. Mag. Nat. Hist. (7) XIV, 1904, p. 31. Antillen, Mexico
crenipennis Motsch. Etud. Ent. VII, 1858, p. 64. — Arrow, l. c. p. 32. Birma, Andamanen
jamaicensis Arrow, l. c. p. 32. Jamaica
Simpsoni Waterh. Ann. Mag. Nat. Hist. (6) XIV, 1894, p. 69 nota. Ostaustralien
Walkeri Waterh. l. c. p. 69. Ins. Damma
5

Eledona Latr.

Latr. Précis de car. 1796, p. 19; Hist. Nat. X, 1804, p. 312; Gen. Crust. et Ins. II, 1807, p. 178; Règne anim. 1817, p. 302; ed. II, 1829, p. 31. — Lacord. Gen. Col. V, 1859, p. 296. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 294. — Redt. Fn. Austr. ed. III, 1874, p. CXVIII und II, p. 104. — Seidl. Fn. Balt. 1875, p. 96 (Gatt.); ed. II, 1891, p. 131 (Gatt.); Fn. Transsylv. 1891, p. 131 (Gatt.); Naturg. Ins. Deutschl. V, 1894, p. 501. — Desbr. Frelon X, 1901, p. 164.

agaricola Hbst. in Füßl. Arch. V, 1783, p. 35; Käfer V, 1793, p. 222, t. 52, f. 9. — F. Mant. Ins. I, Europa

1787, p. 51; Ent. Syst. I, 1792, p. 91; Syst. El. I, 1801, p. 114. — Linné ed Gmelin, IV, 1788, p. 1632. — Villers, Linn. Entom. IV, 1789, p. 233. — Panzer, Entom. Germ. 1795, p. 36; Fn. Germ. Heft 43, 1797, nr. 9. — Ol. Entom. III, 1795, 56, p. 11, t. 1, f. 11. — Illig. Käf. Preuß. 1798, p. 106. — Payk. Ins. Suec. I, 1798, p. 84. — Walckenaer, Fn. Paris I, 1802, p. 28. — Latr. Hist. Nat. X, 1804, p. 313; Gen. Crust. et Ins. II, 1807, p. 178. — Sturm, Käf. II, 1807, p. 158. — Gyll. Ins. Suec. II, 1810, p. 602. — Duft. Fn. Austr. II, 1812, p. 296. — Curtis, Brit. Entom. XIII, t. 586. — Sahlb. Ins. Fenn. I, 1834, p. 483. — Cast. Hist. Nat. II, 1840, p. 226. — Küst. Käf. Eur. XVI, 1849, 68. — Redt. Fn. Austr. 1849, p. 596; ed. II, 1858, p. 601; ed. III, 1874, II, p. 104. — Muls. Col. Fr. Latigènes 1854, p. 224. — Bach, Käferf. III, 1856, p. 218. — Thoms. Skand. Col. VI, 1864, p. 247. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, t. 72, f. 356. — Baudi, Bull. Soc. Ent. Ital. VIII, 1876, p. 103. — Seidl. Fn. Balt. 1875, p. 361; ed. II, 1891, p. 516; Fn. Transsylv. 1891, p. 553; Naturg. Ins. Deutschl. V, 1894, p. 503. — Desbr. Frelon X, 1901, p. 164.

fungicola Horn, Revis. Tenebr. 1870, p. 389. — J. Lec. and Horn, Class. Col. N. Amer. 1883, p. 384 nota. — Verein. Staaten

sulcata Thunb. Nov. Act. Upsal. IV, 1784, p. 2; Ins. Suec. 1794, p. 67.

Biologie: Bouché, Naturg. Ins. 1834, p. 191, t. 9, f. 7. — Er. Arch. f. Naturg. VIII, 1842, I, p. 365. — Dufour, Ann. Sc. Nat. (2) XX, 1843, p. 284, t. 12, f. 1—7. — Perr. Ann. Soc. Linn. Lyon XXIII, 1876, p. 117. — Schiödte, Met. Eleuth. X, 1877—1878, p. 547. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 502.

hellenica Reitt. Deutsche Ent. Zeitschr. XXIX, 1885, p. 381. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 503. — Türkei, Griechenland

turcica Seidl. Fn. Transsylv. 1891, p. 553.

peruviana Cast. Hist. Nat. II, 1840, p. 226. — Peru

3

LXIII. Ulodinae.

Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 31.

Dipsaconia Pasc.

Pasc. Journ. of Entom. I, 1860, p. 123.

australis Hope, Trans. Ent. Soc. IV, 1845, p. 108. — Adelaide

Bakewelli Pasc. Journ. of Ent. I, 1860, p. 124, t. 7, f. 6. — Tasmanien, Victoria

pyritosa Pasc. l. c. p. 124. — Victoria

3

Ulodes Er.

Er. Arch. f. Naturg. VIII, 1842, I, p. 180. — Lacord. Gen. Col. V, 1859, p. 296.

variicornis Hope, Proc. Ent. Soc. Lond. 1842, p. 78; Trans. Ent. Soc. Lond. IV, 1845, p. 108. — Adelaide
verrucosus Er. Arch. f. Naturg. VIII, 1842, I, p. 181, t. 5, f. 1 a, b. — Tasmanien

2

Ulodica Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 31.

hispida Pasc. l. c. p. 32. — Australien

1

Ganyme Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 32.

Howitti Pasc. l. c. p. 33, t. 10, f. 7. — Victoria
sapphira Newm. Entomol. 1842, p. 404. — Pasc. l. c. p. 32. — „

2

LXIV. Diaperinae.

Redtenbacher, Gattungen 1845, p. 128; Fn. Austr. 1849, p. 52; ed. II, 1858, p. CV; ed. III, 1874, II, p. 104. — Mulsant, Col. Fr. Latigènes 1854, p. 195. — Lacordaire, Gen. Col. V, 1859, p. 298. — Jacquelin du Val, Gen. Col. d'Eur. III, 1861, p. 295, 329. — Thomson, Skand. Col. I, 1859, p. 115; VI, 1864, p. 248; X, 1868, p. 122. — J. Leconte, Classif. Col. N. Amer. 1862, p. 236. — Horn, Revis. Tenebr. in Trans. Amer. Philos. Soc. (n. s.) XIV, 1870 (1872), p. 300, 378. — J. Leconte and Horn, Class. Col. N. Amer. 1883, p. 383. — Seidlitz, Fn. Balt. 1875, p. 95 (Gatt.); ed. II, 1891, p. 121, 131 (Gatt.); Fn. Transsylv. 1891, p. 121, 131 (Gatt.); Naturg. Ins. Deutschl. V, 1894, p. 506. — Champion, Biol. Centr.-Amer. Col. IV, 1, 1886, p. 170. — Reitter, Best.-Tab. LIII, in Verh. Naturf. Ver. Brünn XLII, 1904, p. 33.

Allophasia Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 351.

Fryi Pasc. l. c. p. 352. — Brasilien
Marseuli Bates, Entom. Monthly Mag. IX, 1873, p. 237. — Patria?

2

Diaperis Geoffr.

Geoffr. Ins. envir. Paris I, 1762, p. 337. — Müll. Zool. Dan. 1776, p. XXII. — F. Skr. nat. Selsk. 1790, p. 216; in Schneid. Mag. 1791, p. 21; Ent. Syst. I, 1792, II, p. 516; Syst. El. II, 1801, p. 585. — Latr. Précis 1796, p. 21; Hist. Nat. X, 1804, p. 306; Gen. Crust. et Ins. II, 1807, p. 176;

Règne anim. 1817, p. 301; ed. II, 1829, p. 29. — Gyll. Ins. Suec. II, 1810, p. 549. — Cast. et Brll. Ann. Sc. nat. XXIII, 1831, p. 333 (9) (Mon.). — Cast. Hist. Nat. II, 1840, p. 222. — Redt. Gatt. 1845, p. 128; Fn. Austr. 1849, p. 52 u. 590; ed. II, 1858, p. CVI u. 605; ed. III, 1874, p. CXVIII u. II, p. 104. — Muls. Col. Fr. Latig. 1854, p. 200 u. 205. — Lacord. Gen. Col. V, 1859, p. 301. — Thoms. Skand. Col. I, 1859, p. 116; VI, 1864, p. 250. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 295. — Seidl. Fn. Balt. 1875, p. 96 (Gatt.); ed. II, 1891, p. 131 (Gatt.); Fn. Transsylv. 1891, p. 131 (Gatt.); Naturg. Ins. Deutschl. V, 1894, p. 508, 512. — Desbr. [illegible] Frelon XI, 1902, p. 4.

bipustulata Cast. et Brll. Mon. p. 337 (13), t. 10, f. 1a, b. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, t. 72, f. 357. — Baudi, Bull. Soc. Ent. Ital. VIII, 1876, p. 103. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 514. — Spanien

boleti L. Syst. Nat. ed. X, 1, 1758, p. 371; ed. XII, I, 2, 1767, p. 591; Fn. Suec. ed. II, 1761, p. 165. — Geer, Mém. V, 1775, p. 49, t. 3, f. 3 u. 4. — F. Syst. Ent. 1775, p. 97; Spec. Ins. I, 1781, p. 120; Mant. Ins. I, 1787, p. 69; Nov. Ins. gen. Skrift nat. Selsk. Kjöb. I, 1790, p. 216; in Schneid. Mag. I, 1791, p. 21; Ent. Syst. I, 2, 1792, p. 516; Syst. El. II, 1801, p. 585. — Sulz. Abgek. Gesch. Ins. 1776, p. 33, t. 3, f. 9. — Schrank, Enum. 1781, p. 73. — L. Syst. Nat. ed. Gmelin I, 4, 1788, p. 1679. — Villers, Linnei Ent. I, 1789, p. 130. — Rossi, Fn. Etrusca I, 1790, p. 78; ed. Hellw. I, 1795, p. 83. — Fischer, Naturg. Livl. ed. II, 1791, p. 275. — Ol. Entom. III, 1795, 55, p. 4, t. 1, f. 1. — Panz. Ent. Germ. 1795, p. 350. — Payk. Fn. Suec. III, 1800, p. 357. — Schrank, Fn. Boica I, 1798, p. 536. — Latr. Hist. Nat. X, 1804, p. 307, t. 89, f. 2; Gen. Crust. et Ins. II, 1807, p. 177; Règne anim. III, 1817, p. 302; ed. II, II, 1829, p. 29. — Gyll. Ins. Suec. II, 1810, p. 549. — Duft. Fn. Austr. II, 1812, p. 306. — Zetterst. Fn. Lapp. 1828, p. 266; Ins. Lapp. 1840, p. 154. — Cast. et Brll. Monogr., p. 334 (10). — Curtis, Brit. Entom. VIII, t. 358. — Steph. Ill. Brit. Entom. V, 1832, p. 13. — Westw. Introd. I, 1839, p. 314, f. 37, p. 5—10. — Sahlb. Ins. Fenn. I, 1834, p. 459. — Cast. Hist. Nat. II, 1840, p. 222. — Blanch. in Cuv. Règne anim. ed. Croch. p. 375, t. 50, f. 2a—f. — Redt. Fn. Austr. 1849, p. 590; ed. II, 1858, p. 605; ed. III, 1874, II, p. 105. — Muls. Col. Fr. Latigènes 1854, p. 206. — Bach, Käferf. III, 1856, p. 204. — Thoms. Skand. Col. VI, 1864, p. 251. — Seidl. Fn. Balt. 1875, p. 361; ed. II, 1891, p. 516; Fn. Transsylv. 1891, p. 553; Naturg. Ins. Deutschl. V, 1894, p. 515. — Desbr. Frelon XI, 1902, p. 5. — Europa, Kaukasus, Sibirien

fasciata Scop. Ent. Carn. 1763, p. 79. — Fourcr. Ent. Paris. 1785, p. 153.

interrupta Heyd. Deutsche Ent. Zeitschr. 1890, p. 78.

quercana Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 228 (Artefact).
var. *fungi* Motsch. Bull. Mosc. XLVI, 1873, 1, p. 466. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 515.
var. *morio*Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 228. — Seidl. l. c. p. 515.
var. *posticalis* Heyd. Deutsche Ent. Zeitschr. 1890, p. 78. — Seidl. l. c. p. 515.
Biologie: Ol. Entom. III, 1795, 55, p. 9. — Dufour, Ann. Sc. nat. (2) XX, 1843, p. 290, t. 12 B, f. 10—13. — Muls. Col. Fr. Latigènes 1854, p. 208. — Schiödte, Nat. Tidskr. III, 1879, p. 547, 585, t. 8, f. 14—24. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 210, 213, 513.

coccinea Cast. Hist. Nat. II, 1840, p. 222. — Cayenne
Lewisi Bates, Ent. Monthly Mag. X, 1873—74, p. 14. — Japan, Ostsibirien
rubrofasciata Reitt. Deutsche Ent. Zeitschr. XXIII, 1879, p. 226.
maculata Ol. Encycl. méth. VI, 1791, p. 273; Ent. III, 1795, 55, p. 5, t. 1, f. 2 a, b. — Latr. Hist. Nat. Crust. Ins. X, 1804, p. 307. — Verein. Staaten, Mexico
hydactina F. Ent. Syst. Suppl. 1798, p. 178.
hydni F. Syst. El. II, 1801, p. 585. — Cast. et Brll. Mon. p. 335 (11). — Horn, Revis. Tenebr. 1870, p. 379.
suturalis Chevr. Pet. Nouv. Ent. II, 1877, p. 170.
niponensis Lew. Entomol. XX, 1887, p. 217. — Japan
rufipes Horn, Revis. Tenebr. 1870, p. 379. — Arizona
sanguineipennis Bates, Entom. Monthly Mag. X, 1873—1874, p. 14. — Ceylon
ceylonica Chevr. Pet. Nouv. Ent. II, 1877, p. 170.

8

Saptine Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 180.

ovata Champ. l. c. p. 181, t. 8, f. 10. — Mexico

1

Palembus Cas.

Cas. Ann. N. York Acad. VI, 1891, p. 65.

ocularis Cas. l. c. p. 65. — Florida

1

Martianus Fairm.

Fairm. Ann. Soc. Ent. Belg. XXVII, 1893, p. 540.

castaneus Fairm. l. c. p. 541. — Comoren
dermestoides Chevr. Pet. Nouv. Ent. II, 1878, p. 242. — Fairm. l. c. p. 28. — Viti-Ins.

2

Tenebriomimus Kolbe.

Kolbe, Allgem. Zeitschr. f. Entom. VI, 1901, p. 342.

adansoniarum Kolbe, l. c. p. 342. — Ostafrika
1

Hoplocephala Cast. et Brll.

Cast. et Brll. Ann. Sc. nat. XXIII, 1831, p. 338 (14) (Mon.). — Cast. Hist. Nat. II, 1840, p. 222. — Redt. Gatt. 1845, p. 128; Fn. Austr. 1849, p. 52, 590; ed. II, 1858, p. CVI u. 604; ed. III, 1874, p. CXVIII u. II, p. 105. — Muls. Col. Fr. Latigènes 1854, p. 215. — Lac. Genera Col. V, 1859, p. 302. — Thoms. Skand. Col. I, 1859, p. 116; VI, 1864, p. 248. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 295. — Horn, Revis. Tenebr. 1870, p. 379. — J. Lec. and Horn, Class. Col. N. Amer. 1883, p. 383. — Seidl. Fn. Balt. 1875, p. 96 (Gatt.); ed. II, 1891, p. 131 (Gatt.); Fn. Transsylv. 1891, p. 131 (Gatt.); Naturg. Ins. Deutschl. V, 1894, p. 509.

Arrhenoplita Kirby, Fn. Bor.-Amer. 1837, p. 235.
Evoplus J. Lec. New spec. Col. 1866, p. 128.
Neomida Muls. l. c. p. 217. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 528.

amazonica Bates, Ent. Monthly Mag. IX, 1873, p. 203. — Santarem
armata Cast. et Brll. Mon. p. 345 (21). — Cayenne
asiatica Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 392. — Japan
atra Motsch. Bull. Mosc. XLVI, 1873, I, p. 469. — Madagascar
bicornis F. Gen. Ins. Mant. 1777, p. 215; Mant. Ins. I, 1787, p. 47. — Ol. Entom. III, 1795, 55, p. 6, t. 1, f. 4, a, b. — Kirby, Fn. Bor.-Amer. 1837, p. 235. — Horn, Revis. Tenebr. 1871, p. 380. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 175. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 531. — Nord- und Centralamerika, Wien (importiert)
gracilis Motsch. Bull. Mosc. XLVI, 1873, p. 467.
metallica Beauv. Ins. Afr. et Am. 1805, p. 139, t. 30 b, f. 2.
virescens Cast. et Brll. Mon. p. 341 (17).
bituberculata Ol. Encycl. méth. VI, 1791, p. 274; Entom. III, 1795, 55, p. 8, t. 1, f. 6 a, b. — Latr. Hist. Nat. X, 1804, p. 309. — Cast. et Brll. Mon. p. 348 (24). — Muls. Col. Fr. Latigènes 1854, p. 217. — Chevr. Pet. Nouv. Ent. II, 1878, p. 210. — Desbr. Frelon XI, 1902, p. 11. — Frankreich (eingeschleppt)
bicornis F. Ent. Syst. I, 2, 1792, p. 502; Syst. El. II, 1801, p. 560.
callistomonis Motsch. Bull. Mosc. XLVI, 1873, I, p. 469. — Australien
capra Cast. et Brll. Mon. p. 345 (21). — Jamaica
castanea Bates, Ent. Monthly Mag. IX, 1873, p. 204. — Columbien
cavifrons Chevr. Pet. Nouv. Ent. II, 1878, p. 209. — Brasilien
cercyonoides Fairm. Le Natur. II, 1880, p. 308; Ann. Soc. Ent. Fr. (5) X, 1880, p. 335. — Nossibé
chalybea Cast. et Brll. Mon. p. 341 (17). — Horn, Revis. Tenebr. 1870, p. 380. — Philadelphia
cioides Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 180, t. 8, f, 9. — Panama
clavicornis Champ. l. c. p. 176, t. 8, f. 7. — Mexico
collaris Cast. et Brll. Mon. p. 347 (23). — Horn, Revis. Tenebr. 1870, p. 380. — Philadelphia

cornigera F. Spec. Ins. I, 1781, p. 82; Mant. Ins. I, 1787, p. 47. — Cast. et Brll. Mon. p. 342 (18). — Cuba

crassicornis Chevr. Pet. Nouv. Ent. II, 1877, p. 178. — Tahiti

distans Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 178, t. 8, f. 8. — Mexico

dytiscoides Chevr. Pet. Nouv. Ent. II, 1877, p. 170. — Venezuela

ensifera Fauv. Rev. d'Ent. XXIII, 1904, p. 172. — Neu-Caledonien

ephippiata Chevr. Pet. Nouv. Ent. II, 1878, p. 214. — Columbien

erecta Lea, Proc. Linn. Soc. N. S. Wales 1898, p. 581. — Sydney

exilis Champ. Trans. Ent. Soc. Lond. 1894, p. 372. — N. W. Australien

Fairmairei nom. nov.
cavifrons Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 445. — Nossibé

ferruginea J. Lec. New spec. Col. 1866, p. 128. — Verein. Staaten
castanea Motsch. Bull. Mosc. XLVI, 1873, I, p. 467.

haemorrhoidalis F. Mant. Ins. II, 1787, p. 378; Ent. Syst. I, 2, 1792, p. 513; Syst. El. II, 1801, p. 580. — Panz. Ent. Germ. 1795, p. 345. — Payk. Fn. Suec. III, 1800, p. 360. — Ill. Mag. IV, 1805, p. 167. — Gyll. Ins. Suec. II, 1810, p. 553. — Cast. et Brll. Mon. p. 339 (15). — Sahlb. Ins. Fenn. I, 1834, p. 459. — Cast. Hist. Nat. II, 1840, p. 222. — Muls. Col. Fr. Latigènes 1854, p. 215. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, t. 72, f. 358. — Bach, Käferf. III, 1856, p. 204. — Thoms. Skand. Col. VI, 1864, p. 249. — Redt. Fn. Austr. 1849, p. 590; ed. II, 1858, p. 605; ed. III, 1874, II, p. 105. — Seidl. Fn. Balt. 1875, p. 361; ed. II, 1891, p. 517; Fn. Transsylv. 1891, p. 554; Naturg. Ins.Deutschl. V, 1894, p. 529. — Desbr. Frelon XI, 1902, p. 10. — Europa
cornifrons Rossi, Mant. Ins. I, 1792, p. 92; ed. Hellwig I, 1795, p. 438.
quadricornis Motsch. Bull. Mosc. XLVI, 1, 1873, p. 466. — Reitt. Verh. Nat. Ver. Brünn XXII, 1883, p. 8. — Chevr. Bull. Soc. Ent. Fr. 1878, p. XXXVIII.
Biologie: Gernet, Horae Soc. Ent. Ross. VI, 1868, p. 8, t. 2, f. 9 (p. 22, t. 4, f. 9). — Perris, Larves 1877, p. 280, f. 297—299. — Thoms. Skand. Col. VI, 1864, p. 249. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 215.

Hoffmannseggi Cast. et Brll. Mon. p. 346 (22), t. 10, f. 2a—d. — Cayenne, Brasilien

indica Chevr. Pet. Nouv. Ent. II, 1877, p. 170. — Indien

inermis Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 179. — Guatemala

janthina Cast. et Brll. Mon. p. 343 (19). — Neuguinea

lateralis Bates, Ent. Monthly Mag. IX, 1873, p. 204. — Columbien

Lecontei Bates l. c. p. 233. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 177. — „

longula Geb. Ann. Soc. Ent. Belg. LIV, 1910, p. 166. — Deutsch-Ostafrika

lutea Chevr. Compt. rend. Soc. Ent. Belg. 1878, p. XCVII. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 177. — Venezuela, Mexico

nigricornis Champ. l. c. p. 179. — Guatemala

oblonga Chevr. Compt. rend. Soc. Ent. Belg. 1878, p. XCVII. — Champ. l. c. p. 176. — Central- und Südamerika, Mexico

obsoleta Champ. l. c. p. 178. — „

occidentalis Champ. l. c. p. 537. — „

orientalis nom. nov. — Indien

ferruginea Motsch. Bull. Mosc. XLVI, 1873, I, p. 467.

pentaphylloides Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 180. — Guatemala

picea Cast. et Brll. Mon. p. 344 (20). — Champ. l. c. p. 179. — Columbien, Guatemala

punctatissima Champ. l. c. p. 537. — Mexico

pygmaea Champ. Trans. Ent. Soc. Lond. 1894, p. 371. — N. W. Australien

quadrituberculata Curt. Trans. Linn. Soc. XIX, 1845, p. 468. — Magellan

rufotestacea Motsch. Bull. Mosc. XLVI, 1873, I, p. 468. — Indien

sanguinipennis Chevr. Pet. Nouv. Ent. II, 1877, p. 170. — „

semistriata Chevr. l. c. p. 170. — Senegal

spadicea Motsch. Bull. Mosc. XLVI, 1873, I, p. 468. — Madagaskar

suilla Champ. Trans. Ent. Soc. Lond. 1896, p. 11. — S. Vincent

testacea Motsch. Bull. Mosc. XLVI, 1873, I, p. 468. — Indien

viridipennis F. Syst. El. II, 1801, p. 586. — Cast. et Brll. Mon. p. 340 (16). — Horn, Revis. Tenebr. 1870, p. 380. — Carolina

vittula Chevr. Pet. Nouv. Ent. II, 1878, p. 214. — S. Brasilien

Scaphidema Redt.

Redt. Fn. Austr. 1849, p. 591; ed. II, 1858, p. CVI u. 603; ed. III, 1874, p. CXIX u. II, p. 105. — Muls. Col. Fr. Latigènes 1854, p. 200. — Lacord. Gen. Col. V, 1859, p. 303. — Thoms. Skand. Col. I, 1859, p. 116; VI, 1864, p. 253. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 297. — Seidl. Fn. Balt. 1875, p. 97 (Gatt.); ed. II, 1891, p. 131 (Gatt.); Fn. Transsylv. 1891, p. 131 (Gatt.); Naturg. Ins. Deutschl. V, 1894, p. 508, 509. — Desbr. Frelon XI, 1902, p. 5.

Nelites J. Lec. Rem. up. Col. of Lake Super. 1850, p. 232.

aeneolum J. Lec. in Agass. Lake Super. 1850, p. 232. — Horn, Revis. Tenebr. 1870, p. 386. — Oberer See

discale Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 397. — Japan

metallicum F. Ent. Syst. I, 2, 1792, p. 499; Syst. El. II, 1801, p. 570. — Thoms. Skand. Col. VI, 1864, p. 254. — Seidl. Fn. Balt. 1875, p. 362; ed. II, 1891, p. 516; Fn. Transsylv. 1891, p. 553; Naturg. Ins. Deutschl. V, 1894, p. 510. — Europa

aeneum Panz. Fn. Germ. VIII, 1793, nr. 2; Ent. Germ. 1795, p. 70; Krit. Revis. I, 1805, p. 138. — F. Syst. El. II, 1801, p. 586. — Payk. Fn. Suec. III, 1800, p. 359. — Latr. Hist. Nat. X, 1804, p. 308. — Gyll. Ins. Suec. II, 1810, p. 551. — Steph. Ill. Brit. Ent. V, 1832, p. 14. — Sahlb. Ins. Fenn. I, 1834, p. 459. — Muls. Col. Fr. Latigènes 1854, p. 201. — Jacq. du Val,

Gen. Col. d'Eur. III. 1861, t. 73, f. 362. — Desbr. Frelon XI, 1902, p. 6.

aheneum Marsh. Ent. Brit. 1802, p. 176. — Steph. Ill. Brit. Ent. V, 1832, p. 14.

? *lachicae* F. Mant. I, 1787, p. 75.

? *lactucae* F. Ent. Syst. I, 2, 1792, p. 18; Syst. El. I, 1801, p. 487.

var. *bicolor* F. Ent. Syst. Suppl. 1798, p. 179; Syst. El. II, 1801, p. 586. — Latr. Hist. Nat. X, 1804, p. 308. — Panz. Fn. Germ. 94, 1805, nr. 9. — Duft. Fn. Austr. II, 1812, p. 307. — Cast. et Brll. Mon. p. 364 (40). — Redt. Fn. Austr. 1849, p. 591; ed. II, 1858, p. 604; ed. III, 1874, II, p. 106. — Bach, Käferf. III, 1856, p. 203. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 511.

Biologie: Westw. Intr. mod. Class. Ins. I, 1839, p. 314, f. 37, nr. 11—19. — Schiödte, Nat. Tidskr. III, 1879, p. 552, t. 9, f. 10—16. — Seidl. Naturg. Ins. Deutschl. V, 1893, p. 212, 215.

nigricorne Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 397. — Japan

ornatellum Lew. l. c. p. 396. — „

pictipenne Lew. l. c. p. 397. — „

pictum Horn, Trans. Amer. Ent. Soc. V, 1874, p. 36. — Oregon

7

Spiloscapha Bates.

Bates, Ent. Monthly Mag. IX, 1873, p. 202.

thallioides Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 281. — N. S. Wales

crassicornis Bates, Ent. Monthly Mag. IX, 1873, p. 203.

1

Stomylus Fåhrs.

Fåhrs. Öfv. Vet.-Ak. Förh. XXVII, 1870, p. 300.

bicolor Fåhrs. l. c. p. 300. — Caffrarien

gracilis Fåhrs. l. c. p. 301. — „

nitidulus Fåhrs. l. c. p. 301. — „

3

Platydema Cast. et Brll.

Cast. et Brll. Ann. Sc. Nat. XXIII, 1831, p. 350 (26) (Mon.). — Redt. Gatt. 1845, p. 128; Fn. Austr. 1849, p. 52, 591; ed. II, 1858, p. CVI u. 604; ed. III, 1874, p. CXVIII u. II, p. 106. — Muls. Col. Fr. Latigènes 1854, p. 200, 211. — Lacord. Gen. Col. V, 1859, p. 304. — Thoms. Skand. Col. I, 1859, p. 116; VI, 1864, p. 252. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 297. — Horn, Revis. Tenebr. 1870, p. 380. — Seidl. Fn. Balt. 1875, p. 97 (Gatt.); ed. II, 1891, p. 131 (Gatt.); Fn. Transs. 1891, p. 131 (Gatt.); Naturg. Ins. Deutschl. V, 1894, p. 508, 518. — Champ. Biol. Centr.-Amer. IV, 1, 1886, p. 181. — Desbr. Frelon XI, 1902, p. 7.

Neomida Motsch. Bull. Mosc. XLVI, 1873, p. 476.

Histeropsis Chevr. Pet. Nouv. Ent. II, 1878, p. 221.

Typhobia Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 279.

abdominale Geb. Fn. Südw.-Austr. I, 1908, p. 327. — Westaustralien

affine Cast. et Brll. Mon. p. 370 (46). — Brasilien

agile Chevr. Pet. Nouv. Ent. II, 1877, p. 178, 187. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 187. — Mexico, Südamerika

americanum Cast. et Brll. Mon. p. 358 (34). — Horn, Revis. Tenebr. 1870, p. 381, 383. — Vereinigte Staaten

angulatum Chevr. Pet. Nouv. Ent. II, 1877, p. 186. — Champ. Biol. Centr.-Amer. Col. IV, I, 1886, p. 188. — Mexico

anguliferum Chevr. Compt. rend. Soc. Ent. Belg. 1878, p. C. — Brasilien

angustum J. Lec. Ann. Lyc. Nat. Hist. N. York V, 1851, p. 149. — Colorado

annamitum Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 24. — Indochina

antennatum Cast. et Brll. Mon. p. 366 (42). — Cuba

apicale Cast. et Brll. Mon. p. 359 (35). — „

apicatum Geb. Ann. Soc. Ent. Belg. LIV, 1910, p. 162. — D. Ostafrika

apicenotatum Champ. Trans. Ent. Soc. Lond. 1896, p. 13, t. 1, f. 5. — Grenada

apicicorne Chevr. Pet. Nouv. Ent. II, 1878, p. 209. — Brasilien

argentinum nom. nov. — Argentinien

basicorne Fairm. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 250.

aries Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 280. — Australien

asymmetricum Champ. Ent. Monthly Mag. (2) IV, 1893, p. 274; (2) VI, 1895, p. 47. — Ins. Damma

aterrimum Chevr. Pet. Nouv. Ent. II, 1877, p. 170. — Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 354. — Madagaskar

basicorne Chevr. Pet. Nouv. Ent. II, 1877, p. 178. — Cuba

bicinctum Champ. Trans. Ent. Soc. Lond. 1894, p. 373. — N. W. Australien

bicuspis Motsch. Bull. Mosc. XLVI, 1, 1873, p. 481. — Surinam

bimaculatum Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 193. — Centr.- u. S.-Amerika

biplagiatum Champ. l. c. p. 201, 539, t. 9, f. 5, 6. — Centralamerika

bisignatum Chevr. Pet. Nouv. Ent. II, 1877, p. 181. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 195, t. 8, f. 18. — Columbien Centralamerika

breve Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 200, t. 8, f. 28. — Centralamerika

breviceps Geb. Ann. Soc. Ent. Belg. LIV, 1910, p. 159. — D. Ostafrika

brevispinum Thoms. Arch. Ent. II, 1858, p. 85. — Geb. Arkiv f. Zool. II, 1904, nr. 5, p. 9. — Westafrika

calliope Chevr. Compt. rend. Soc. Ent. Belg. 1878, p. CL. — Gilolo

capitosum Chevr. Pet. Nouv. Ent. II, 1877, p. 181. — Columbien

capreola Chevr. l. c. p. 170; l. c. p. 221, 243. — Ceylon

carbonarium Cast. et Brll. Mon. p. 389 (65). — Brasilien

catopoides Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 24. — Indien

Championi Blackb. Trans. R. Soc. S. Austr. XIV, 1890—1891, p. 139. — S. Australien

obscurum Blackb. Proc. Linn. Soc. N. S. Wales (2) III, p. 1430.

Chevrolati Cast. et Brll. Mon. p. 371 (47). — Brasilien

concolor Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 539. — Nicaragua

unicolor Champ. l. c. 1886, p. 203, t. 9, f. 11.

contractum Fairm. Ann. Soc. Ent. Fr. LXI, 1892, p. 84. — Venezuela
convexifrons Chevr. Pet. Nouv. Ent. II, 1878, p. 243. — Sansibar
cordovense Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 203, 539, t. 9, f. 10. — Mexico
crenatum J. Lec. Proc. Am. Philos. Soc. XVII, 1878, p. 422. — Florida
cruentatum Cast. et Brll. Mon. p. 379 (55). — Cayenne
cruentum Perty, Del. anim. art. 1830, p. 60, t. 12, f. 12. — Brasilien
cyanescens Cast. et Brll. Mon. p. 356 (32). — Horn, Revis. Tenebr. 1870, p. 381. — Vereinigte Staaten
cyaneum Cast. et Brll. Mon. p. 392 (68). — „
Dejeani Cast. et Brll. Mon. p. 351 (27). — Cast. Hist. Nat. II, 1840, p. 223. — Redt. Fn. Austr. 1849, p. 591; ed. II, 1858, p. 604; ed. III, 1874, II, p. 106. — Muls. Col. Fr. Latigènes 1854, p. 214. — Bach, Käferf. III, 1856, p. 203. — Seidl. Fn. Balt. ed. II, 1891, p. 517; Fn. Transsylv. 1891, p. 554; Naturg. Ins. Deutschl. V, 1894, p. 521. — Mitteleuropa bis Sibirien
deplanatum Champ. Trans. Ent. Soc. Lond. 1894, p. 374. — N. W. Australien
dimidiatum Chevr. Pet. Nouv. Ent. II, 1878, p. 194. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 202, t. 9, f. 7. — Central-amerika
diophthalmum Cast. et Brll. Mon. p. 383 (59). — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 193, t. 8, f. 16. — Central-amerika, Cuba
luna Chevr. Pet. Nouv. Ent. II, 1877, p. 186.
Duponti Cast. et Brll. Mon. p. 368 (44), t. 10, f. 3 a, b. — Brasilien
Eichelbaumi Geb. Ann. Soc. Ent. Belg. LIV, 1910, p. 159. — D. Ostafrika
elegans Chevr. Pet. Nouv. Ent. II, 1878, p. 195. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 202, t. 9, f. 8. — Mexico
ellipticum F. Ent. Syst. Suppl. 1798, p. 49; Syst. El. II, 1801, p. 556. — Cast. et Brll. Mon. p. 380 (56). — Horn, Revis. Tenebr. 1870, p. 383. — Vereinigte Staaten
Biologie: Candèze, Mém. Liége 1861, p. 370.
erotyloides Chevr. Pet. Nouv. Ent. II, 1878, p. 243. — Brasilien
ornatum Chevr. l. c. p. 209.
erythrocerum Cast. et Brll. Mon. p. 355 (31). — Horn, Revis. 1870, p. 382. — Südamerika (nachCast.), südl. Ver. Staaten (nach Horn)
erythropterum Chevr. Pet. Nouv. Ent. II, 1877, p. 181. — Columbien
erythropus Chevr. Compt. rend. Soc. Ent. Belg. 1878, p. XCVIII. — Brasilien
europaeum Cast. et Brll. Mon. p. 365 (41). — Cast. Hist. Nat. II, 1840, p. 223. — Muls. Col. Fr. Latigènes 1854, p. 211. — Redt. Fn. Austr. ed. III, 1874, II, p. 106. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 521, 525. — Desbr. Frelon XI, 1902, p. 9. — Spanien, Südfrankreich, Tirol, Kaukasus, Cypern
atrum Motsch. Bull. Mosc. XLVI, 1873, I, p. 477.
Biologie: Muls. l. c. p. 383. — Perris, Hist. Pin mar. (1857) 1863, I, p. 403, f. 401—412.
excavatum Say, Journ. Ac. Phil. III, 1823, p. 267. — J. Lec. Compt. writ. Th. Say II, 1859, p. 157. — Horn, Revis. Tenebr. 1870, p. 381. — Champ. — Nord- und Central-amerika,

Biol. Centr.-Amer. Col. IV, 1, 1886, p. 184, t. 8, f. 11. — Antillen, Columbien

fraternum Chevr. Pet. Nouv. Ent. II, 1878, p. 210.

parvulum Cas. Contr. Col. N. Am. I, 1884, p. 50; Ann. N. York Acad. Sc. V, 1890, p. 485. — Horn, Entom. Amer. I, 1885, p. 111.

tuberculatum Cast. et Brll. Mon. p. 352 (28). — Chevr. Pet. Nouv. Ent. II, 1878, p. 210.

fasciatocolle Chevr. Pet. Nouv. Ent. II, 1878, p. 194. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 196. — Mexico

fasciatum F. Syst. El. II, 1801, p. 567. — Cast. et Brll. Mon. p. 382 (58). — Kirsch, Berl. Ent. Zeitschr. XVII, 1873, p. 403. — Champ. l. c. p. 193. — Central- und Südamerika

ferrugineum Chevr. Pet. Nouv. Ent. II, 1877, p. 186. — Champ. l. c. p. 190, 538. — Centralamerika

biimpressum Chevr. l. c. II, 1878, p. 214.

filicorne Chevr. l. c. p. 222. — Jamaika

flavicorne Motsch. Bull. Mosc. XLVI, 1873, I, p. 479. — N. Orleans

flavipalpe Chevr. Compt. rend. Soc. Ent. Belg. 1878, p. XCVIII. — Brasilien

flavipes F. Syst. El. II, 1801, p. 567. — Cast. et Brll. Mon. p. 388 (64). — Horn, Revis. Tenebr. 1870, p. 382. — Vereinigte Staaten

basale Haldem. Journ. Ac. Phil. (2) I, 1848, p. 101.

flexuosum Chevr. Pet. Nouv. II, 1877, p. 178. — Cuba

fossulatum Blackb. Trans. R. Soc. S. Austr. X, 1887, p. 273. — Australien

foveiceps Geb. Ann. Soc. Ent. Belg. LIV, 1910, p. 160. — D. Ostafrika

fuligineum Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 279. — Östliches Australien

fuliginosum Cast. et Brll. Mon. p. 374 (50). — Mexico

fumosum Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 395. — Japan

fuscicorne Chevr. Pet. Nouv. Ent. II, 1878, p. 222. — Malacca

fuscipes Cast. et Brll. Mon. p. 373 (49). — Columbien

globatum Cast. et Brll. Mon. p. 366 (42). — Brasilien

Goryi Cast. et Brll. Mon. p. 349 (25). — Westafrika

abnorme Geb. Ark. f. Zool. 1904, II, nr. 5, p. 9, t. 1, f. 5.

guatemalense Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 197, t. 8, f. 21. — Guatemala

hamatiferum Chevr. Compt. rend. Soc. Ent. Belg. 1878, p. C. — Brasilien

hemisphaericum Cast. et Brll. Mon. p. 367 (43). — Java

hieroglyphicum Cast. et Brll. Mon. p. 390 (66). — Brasilien

higonium Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 394. — Japan

histrio Cast. et Brll. Mon. p. 386 (62). — Brasilien

histrionicum Gemm. Col. Hefte VI, 1870, p. 122. — Peru

histrio Er. Arch. f. Naturg. XIII, 1847, I, p. 119.

Högei Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 195, 538, t. 8, f. 19. — Mexico

Hollmi Geb. Ark. f. Zool. II, 1904, nr. 5, p. 6, t. 1, f. 3. — Kamerun

holosericeum Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 108. — Indien

hondurense Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 186. — Britisch-Honduras

hydroporoides Chevr. Compt. rend. Soc. Ent. Belg. 1878, p. CXLIX. — Ega
illegitimum Chevr. Pet. Nouv. Ent. II, 1878, p. 209. — Patria?
immaculatum Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 192. — Panama
impressifrons Fairm. Ann. Soc. Ent. Fr. (6) III, 1883, p. 512. — Montevideo
inaequidens Fairm. Le Natur. II, 1880, p. 308; Ann. Soc. Ent. Fr. (5) X, 1880, p. 334. — Nossibé
infuscatum Cast. et Brll. Mon. p. 373 (49). — Nördliches Südamerika
inquilinum Lin. Proc. Ent. Soc. Wash. IV, 1901 (1899), p. 183. — Arizona
Janus Cast. et Brll. Mon. p. 372 (48). — Peru
laevipes Haldem. Journ. Ac. Phil. (2) I, 1848, p. 101. — Horn, Revis. Tenebr. 1870, p. 383. — Vereinigte Staaten
laticolle M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 280. — Queensland
laticorne Fairm. Notes Leyd. Mus. IV, 1882, p. 222. — Sumatra
latitarse Geb. Ann. Soc. Ent. Belg. LIV, 1910, p. 161. — D.-Ostafrika
limacella Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 280. — Victoria
lituratum nom. nov.
hieroglyphicum Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 25. — Indien
lucens Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 202, t. 9, f. 9. — Mexico
lynceum Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 395. — Japan
macularium Gemm. Col. Hefte VI, 1870, p. 122. — Westafrika
maculosum Thoms. Arch. Ent. II, 1858, p. 85.
maculatum Perty, Del. anim. art. 1830, p. 60, t. 12, f. 11. — Brasilien
maculicolle Cast. et Brll. Mon. p. 374 (50). — Sundainseln, Indien
moerens Perty, Obs. Col. Ind. or. 1831, p. 40.
Biologie: Weele, Tijdschr. voor Ent. LI, 1908, p. LXXIII.
maculipenne Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 201. — Centralamerika
maculosum Cast. et Brll. Mon. p. 384 (60). — Südbrasilien
malaccum Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 108. — Malacca
marginale Chevr. Pet. Nouv. Ent. II, 1878, p. 209. — Brasilien
Marseuli Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 393. — Japan
nigroaeneum Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 105.
melancholicum Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 190. — Guatemala
melanocephalum Chevr. Pet. Nouv. Ent. II, 1878, p. 209. — Madagascar
metallicum Cart. Proc. Linn. Soc. N. S. Wales 1908, p. 404. — Sydney
mexicanum Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 187, t. 8, f. 12. — Mexico
micans Horn, Revis. Tenebr. 1870, p. 383. — S. Carolina
minarum Chevr. Compt. rend. Soc. Ent. Belg. 1878, p. CXLVII. — Minas Geraes
monilicorne Chevr. Pet. Nouv. Ent. II, 1877, p. 186. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 195. — Mexico
multimaculatum Chevr. Compt. rend. Soc. Ent. Belg. 1878, p. CXLVIII. — Amazonas
nicaraguense Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 192. — Nicaragua
nigratum Motsch. Bull. Mosc. XLVI, 1873, I, p. 478. — Californien

nigricorne Cast. et Brll. Mon. p. 360 (36). Brasilien
nigrifrons Chevr. Compt. rend. Soc. Ent. Belg. 1878, p. CXLVIII. Amazonas
nigritum Motsch. Bull. Mosc. XLVI, 1873, I, p. 470. New-Orleans
nigroaeneum Motsch. Étud. Ent. IX, 1860, p. 18. Japan
musiva Har. Deutsche Ent. Zeitschr. XXII, 1878, p. 78. — Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 393.
nigrobrunneum Geb. Ark. f. Zool. II, 1904, nr. 5, p. 5. Kamerun
nigromaculatum Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 199, t. 9, f. 1, 2. Centralamerika
nitidum Chevr. Pet. Nouv. Ent. II, 1877, p. 170. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 204. Yukatan
notatum Cast. et Brll. Mon. p. 385 (61). Cayenne
novicum Motsch. Bull. Mosc. XLVI, 1873, I, p. 470. Australien
obliquemacula Chevr. Compt. rend. Soc. Ent. Belg. 1878, p. XCIX. Brasilien
oblongulum Motsch. Bull. Mosc. XLVI, 1873, I, p. 470. Florida
obscuratum Fairm. Ann. Soc. Ent. Fr. (6) III, 1883, p. 512. Misiones
obscurum Sharp, Trans. Roy. Dubl. Soc. (2) III, p. 167. Sandwich-Ins.
ochraceum Motsch. Bull. Mosc. XLVI, 1873, I, p. 471. Indien
octopunctatum Chevr. Compt. rend. Soc. Ent. Belg. 1878, p. CXLVIII. Amazonas
oculatum Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 191. Mexico
opacum Chevr. Pet. Nouv. Ent. II, 1877, p. 181. Columbien
oregonense J. Lec. Entom. Report 1857, p. 51. — Horn, Revis. Tenebr. 1870, p. 383. Oregon bis Californien
ornatum Chevr. Pet. Nouv. Ent. II, 1877, p. 186. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 197, t. 8, f. 22. Mexico
pallidicolle Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 398; (6) XV, 1895, p. 448. Japan
pallidicorne Chevr. Compt. rend. Soc. Ent. Belg. 1878, p. XCIX. Brasilien
palliditarse Cast. et Brll. Mon. p. 354 (30). Madagaskar
fronticorne Kl. Ins. Madag. 1833, p. 180 und Nachtrag.
Biologie: Xambeu, Ann. Soc. Linn. Lyon LI, 1904, p. 123.
panamense Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 198, t. 8, f. 24. Panama
phalacroides Chevr. Pet. Nouv. Ent. II, 1874, p. 170. Caracas
picicorne F. Ent. Syst. I, 2, 1792, p. 498. — Cast. et Brll. Mon. p. 353 (29). Brasilien
picilabrum Melsh. Proc. Acad. Phil. III, 1846. p. 62. — Horn, Revis. Tenebr. 1870, p. 384. Nordamerika
picipes Cast. et Brll. Mon. p. 353 (29). Mauritius
vicinum Gemm. Col. Hefte VI, 1870, p. 122.
piciventre Chevr. l. c. II, 1878, p. 214. Columbrien
piliferum Champ. Trans. Ent. Soc. Lond. 1896, p. 12. S. Vincent
plagiatum Waterh. Ann. Mag. Nat. Hist. (6) XIV, 1894, p. 70. Ins. Damma
polyspila Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 25. Indien
politum Cast. Mon. p. 361 (37). — Horn, Revis. Tenebr. 1870, p. 384. Philadelphia
pretiosum Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 197, t. 8, f. 23. Britisch-Honduras

pugionatum Chevr. Compt. rend. Soc. Ent. Belg. 1878, p. XCVIII. — Brasilien
pugnax Chevr. Pet. Nouv. Ent. II, 1878, p. 242. — Sansibar
punctatostriatum Chevr. l. c. II, 1877, p. 178. — Cuba
quadrimaculatum Cast. et Brll. Mon. p. 383 (59). — Philadelphia
quindecimmaculatum Chevr. Compt. rend. Soc. Ent. Belg. 1878, p. CXLIX. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 198, t. 8, f. 26, 27. — Centralamerika
ramulosum Chevr. l. c. p. C. — Brasilien
recticorne Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 394. — Japan
reflexum Chevr. Pet. Nouv. Ent. II, 1878, p. 222. — Malacca
Rodriguezi Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 185, t. 8, f. 15. — Guatemala
rotundatum Chevr. Pet. Nouv. Ent. II, 1877, p. 186. — Champ. l. c. p. 191. — Centralamerika
rubidum Chevr. l. c. p. 178. — Chile
rubromarginatum Chevr. l. c. II, 1878, p. 242. — Singapur, Sumatra
? *quadrispilotum* Chevr. Compt. rend. Soc. Ent. Belg. 1878, p. CXLIX.
rubropictum Chevr. l. c. p. 209. — Cayenne
ruficolle Cast. et Brll. Mon. p. 375 (51). — Haldem. Journ. Acad. Phil. (2) I, 1848, p. 102. — Horn, Revis. Tenebr. 1870, p. 382. — Vereinigte Staaten
sanguinicolle Melsh. Proc. Acad. Phil. III, 1846, p. 61.
ruficorne Sturm, Cat. 1826, p. 69, t. 3, f. 21. — Horn, Revis. Tenebr. 1870, p. 382. — „
anale Haldem. Journ. Acad. Phil. (2) I, 1848, p. 101.
opaculum Cas. Contr. Col. N. Amer. I, 1884, p. 51; Ann. N. York Acad. V, 1890, p. 485.
? *pallens* Cast. et Brll. Mon. p. 377 (53).
rufiventre Cast. et Brll. Mon. p. 378 (54). — Haldem. l. c.
rufum Melsh. Proc. Acad. Phil. III, 1846, p. 61.
rufipenne Cast. et Brll. Mon. p. 376 (52). — Brasilien
rufipes Chevr. Compt. rend. Soc. Ent. Belg. 1878, p. XCIX. — „
rufulum Motsch. Bull. Mosc. XLVI, 1873, I, p. 480. — Bedel, Ann. Soc. Ent. Fr. (6) VII, 1887, p. 199. — Ägypten
caesifrons Mars. Abeille XVI, 1876, Nouv. et faits p. 38.
rugiceps Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 191. — Centralamerika
Schröderi Geb. Ark. f. Zool. II, 1904, nr. 5, p. 7, t. 1, f. 4. — Westafrika
scriptipenne Fairm. Bull. Soc. Ent. Fr. 1875, p. XXXIII. — Waterh. Ann. Mag. Nat. Hist. (6) XIV, 1894, p. 66. — Trop. Asien, trop. Afrika
bifasciatum Chevr. Pet. Nouv. Ent. II, 1878, p. 222. — Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 25.
scriptum Lewis, Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 396.
sedecimmaculatum Chevr. Compt. rend. Soc. Ent. Belg. 1878, p. CXLIX. — Amazonas
seminitens Chevr. Pet. Nouv. Ent. II, 1878, p. 242. — Celebes
semirufa Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 25. — Indien
sericans Fairm. l. c. p. 24. — „
serripes Chevr. Pet. Nouv. Ent. II, 1877, p. 181. — Columbien

setipes Chevr. l. c. II, 1878, p. 210. — Capland
sexmaculatum Chevr. l. c. p. 194. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 196. — Mexico
sexnotatum Chevr. l. c. p. 194. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 196, t. 8, f. 20. — „
sexpunctatum Chevr. l. c. p. II, 1877, p. 181. — Columbien
signatum Kl. Ins. Madag. 1833, Nachtr. — Madagaskar
variegatum Kl. l. c. p. 181, t. 4, f. 5.
variipenne Gemm. Col. Hefte VI, 1870, p. 122.
silphoides Cast. et Brll. Mon. p. 369 (45). — Cayenne
sobrinum Chevr. Pet. Nouv. Ent. II, 1877, p. 186. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 189. — Central- und Südamerika
? *discolor* Motsch. Bull. Mosc. XLVI, 1873, I, p. 477.
? *texanum* Motsch. l. c. p. 478.
sodale Waterh. Ann. Mag. Nat. Hist. (6) XIV, 1894, p. 70. — Ins. Damma
spicatum Olliff, Ins. Fauna Lord Howe Isl. 1889, p. 87. — Insel Lord Howe
striatum Montr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 290. — Fauv. Rev. d'Ent. XXIII, 1904, p. 172. — Neu-Caledonien, Australien
kanalense Perroud, Ann. Soc. Linn. Lyon 1864, p. 113.
oritica Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 280.
subcostatum Cast. et Brll. Mon. p. 362 (38). — Horn, Revis. Tenebr. 1870, p. 384. — Vereinigte Staaten
clypeatum Haldem. Journ. Ac. Phil. (2) I, 1848, p. 102.
subfascia Walk. Ann. Mag. Nat. Hist. (3) II, 1858, p. 284. — Indien, Sunda-inseln, Südchina etc.
celebum Chevr. Pet. Nouv. Ent. II, 1877, p. 177.
diversidens Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 24.
japanum Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 109. — Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 397.
submaculatum Chevr. Compt. rend. Soc. Ent. Belg. 1878, p. XCIX. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 194, 538. — Centralamerika ? Brasilien
subquadratum Motsch. Bull. Mosc. XLVI, 1873, I, p. 477. — Champ. l. c. p. 188, 538. — Nord- und Centralamerika
Janus Horn, Revis. Tenebr. 1870, p. 382.
pernigrum Cas. Contr. Col. N. Amer. I, 1884, p. 49. — Horn, Entom. Americ. I, p. 111, 113.
ventrale Chevr. Pet. Nouv. Ent. II, 1877, p. 186.
subsericeum Motsch. Bull. Mosc. XLVI, 1873, I, p. 478. — Syrien
sylvestre Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 394. — Japan
tarsale Chevr. Pet. Nouv. Ent. II, 1878, p. 210. — Ceylon
tetraspilotum Hope, Proc. Ent. Soc. 1842, p. 78; Trans. Ent. Soc. IV, 1845, p. 108. — Redt. Reise Novara II, 1868, p. 124. — Australien
Pascoei M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 280.
tasmanum Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 110.
tibiale Chevr. Compt. rend. Soc. Ent. Belg. 1878, p. CXLVIII. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 198, t. 8, f. 25. — Central- und Südamerika

timorense Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 108. — Timor
tomentosum Geb. Ark. f. Zool. 1904, nr. 5, p. 5. — Kamerun
transversum Cast. et Brll. Mon. p. 381 (57). — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 194, t. 8, f. 7. — Panama, Südamerika
tricolor Champ. l. c. p. 200, t. 9, f. 4. — Guatemala
tricorne Kl. Ins. Madag. 1833, p. 181. — Madagaskar
tricuspis Motsch. Bull. Mosc. XLVI, 1873, 1, p. 479. — Indien
triste Cast. et Brll. Mon. p. 359 (35). — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 521. — Südrußland, Kaukasus
armeniacum Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 129 (81).
cophosioides Fald. Fn. Transcauc. II, 1837, p. 64, t. 1, f. 3. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 250.
umbratum Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 107. — Japan
undatum Chevr. Pet. Nouv. Ent. II, 1878, p. 194. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 185, t. 8, f. 13, 14. — Centralamerika
pictum Motsch. Bull. Mosc. XLVI, 1873, I, p. 480.
unguiculare Geb. Ann. Soc. Ent. Belg. LIV, 1910, p. 163. — D. Ostafrika
unicolor Chevr. Pet. Nouv. Ent. II, 1878, p. 222. — Ceylon
vagum Geb. Ergebn. Exped. Kilim. I, 7, 1910, p. 381. — Trop. Afrika
varians Cast. et Brll. Mon. p. 387 (63). — Cayenne
variegatum Cast. et Brll. Mon. p. 391 (67). — Columbien
velutinum Walk. Ann. Mag. Nat. Hist. (3) II, 1858, p. 283. — Ceylon
venustum Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 204, t. 9, f. 12. — Centralamerika
versicolor Chevr. Pet. Nouv. Ent. II, 1878, p. 194. — Champ. l. c. p. 200, t. 9, f. 3. — Mexico
victoriense Blackb. Trans. Roy. Soc. S. Austr. XVII, 1892—93, p. 297. — Victoria
violaceum F. Nov. Ins. gen. Skrift. Nat. Selsk. I, 1790, p. 16; in Schneid. Mag. I, 1791, p. 21; Ent. Syst. I, 2, 1792, p. 517; Syst. El. II, 1801, p. 586. — Panz. Fn. Germ. III, 1793, nr. 19; Ent. Germ. 1795, p. 350. — Kugel. in Schneid. Mag. V, 1794, p. 559. — Payk. Fn. Suec. III, 1800, p. 358. — Latr. Hist. Nat. X, 1804, p. 308. — Gyll. Ins. Suec. II, 1810, p. 551. — Duft. Fn. Austr. II, 1812, p. 306. — Cast. et Brll. Mon. p. 357 (33). — Cast. Hist. Nat. II, 1840, p. 222. — Redt. Fn. Austr. 1849, p. 591; ed. II, 1858, p. 604; ed. III, 1874, II, p. 106. — Muls. Col. Fr. Latigènes 1854, p. 213. — Bach, Käferf. III, 1856, p. 203. — Thoms. Skand. Col. VI, 1864, p. 252. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, t. 73, f. 361. — Seidl. Fn. Balt. 1875, p. 362; ed. II, 1891, p. 516; Fn. Transsylv. 1891, p. 554; Naturg. Ins. Deutschl. V, 1894, p. 521, 523. — Europa
Biologie: Perris, Ann. Soc. Ent. Fr. (3) V, 1857, p. 346; Larves 1877, p. 278—280, f. 290—296. — Schiödte, Nat. Tidskr. III, 1879, p. 550, t. 8, f. 25—29. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 212, 215.

virens Cast. et Brll. Mon. p. 391 (67). Cuba
flavicorne Chevr. Pet. Nouv. II, 1877, p. 170; II, 1878, p. 243.
viriditinctum Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 186. Mexico
zona Chevr. Compt. rend. Soc. Ent. Belg. 1878, p. CXLVIII. 218 Amazonas

Cosmonota Blanch.

Blanch. Hist. Nat. Ins. II, 1845, p. 30. — Lacord. Gen. Col. V, 1859, p. 305.

angustata Blanch. Voy. d'Orb. 1843, p. 198, t. 14, f. 6. Bolivien
corallipes Chevr. Compt. rend. Soc. Ent. Belg. 1878, p. XCVII. Brasilien
melanocera Chevr. l. c. p. XCVIII. „
nigripes Chevr. Pet. Nouv. Ent. II, 1877, p. 173. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 210, t. 9, f. 20. Centralamerika
pubescens Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 210, t. 9, f. 21. Nicaragua
rubripennis Chevr. Pet. Nouv. Ent. II, 1877, p. 173. Brasilien
sexvittata Chevr. l. c. p. 178. „
unicolor Blanch. Voy. d'Orb. 1843, p. 198, t. 14, f. 7. 8 Bolivien

Metaclisa Jacq. du Val.

Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 296. — Horn, Revis. Tenebr. 1870, p. 369. — J. Lec. and Horn, Class. Col. N. Amer. 1883, p. 381. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 508.

Amarantha Faust, Horae Soc. Ent. Ross. XI, 1875, p. 249.

atrocyanea Lew. Ent. Monthly Mag. (2) II, 1891, p. 70; Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 392. Japan
azurea Waltl, Isis 1838, p. 463. Sicilien, Türkei Kleinasien
parallela Fairm. Rev. Zool. 1855, p. 108; Ann. Soc. Ent. Fr. (3) III, 1855, p. 316. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, t. 72, f. 359.
marginalis Horn, Rev. Tenebr. 1870, p. 369. Californien
viridis Motsch. Etud. Ent. VIII, 1859, p. 141. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 249. Transkaukasien, Persien
chlorodia Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 247; Bull. Soc. Ent. Ital. VIII, 1876, p. 104. — Bedel, Abeille XXVIII, 1894, p. 154.
4

Stenoscapha Bates.

Bates, Ent. Monthly Mag. IX, 1873, p. 237.

jalapensis Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 208, t. 9, f. 19. Mexico,
tibialis Bates, Ent. Monthly Mag. IX, 1873, p. 237. Ega
2

Liodema Horn.

Horn, Revis. Tenebr. 1870, p. 385. — Bates, Ent. Monthly Mag. IX, 1873, p. 235. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 205.

connexum Bates, Ent. Monthly Mag. IX, 1873, p. 236. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 207, t .9, f. 15, 16. Columbien, Centralamerika
cruciatum Chevr. Pet. Nouv. Ent. II, 1877, p. 182, 187 nota, 243 nota.
nigrofasciatum Chevr. l. c. II, 1878, p. 215; 243 nota.
flavovariegatum Champ. l. c. p. 208, t. 9, f. 18. Ega, Panama
fulvum Bates, Ent. Monthly Mag. IX, 1873, p. 236. Venezuela
Horni Bates, l. c. p. 236. Santarem
irradians Chevr. Pet. Nouv. Ent. II, 1877, p. 178. Cayenne
Kirschi Bates, Ent. Monthly Mag. IX, 1873, p. 235. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 205, t. 9, f. 13. Columbien, Centralamerika
inscriptum Chevr. Pet. Nouv. Ent. II, 1878, p. 222.
tergocinctum Chevr. l. c. II, 1878, p. 178, 243 nota.
laeve Haldem. Journ. Acad. Phil. (2) I, 1848, p. 101. — Horn, Revis. Tenebr. 1870, p. 385. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 205. Nord- und Centralamerika
maculatum F. Syst. El. II, 1801, p. 556. — Geb. Deutsche Ent. Zeitschr. 1906, p. 219. Essequibo
obydense Bates, Ent. Monthly Mag. IX, 1873, p. 235. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 206, 539. Obydos, Centralamerika
proximum Chevr. Pet. Nouv. Ent. II, 1877, p. 178, 243 nota.
quadrinotatum Cast. et Brll. Mon. p. 380 (56). — Chevr. Pet. Nouv. Ent. II, 1878, p. 243. Columbien
serricorne Bates, Ent. Monthly Mag. IX, 1873, p. 236. — Champ. Biol. Centr.-Amer. Col. IV, 1886, p. 207, t. 9, f. 17. Cayenne, Centralamerika
tenuicorne Chevr. Pet. Nouv. Ent. II, 1877, p. 182; II, 1878, p. 243 nota. Caracas
Zimmermani Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 206, t.9, f. 14. Guatemala

13

Ischnodactylus Chevr.

Chevr. Pet. Nouv. Ent. II, 1877, p. 173.

Batesi Chevr. Bull. Soc. Ent. Fr. 1878, p. LXXXVIII. Sumatra
loripes Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 392, t. 13, f. 6. Japan
quadrioculatus Chevr. Pet. Nouv. Ent. II, 1877, p. 178. Java
quadridentatus Chevr. l. c. p. 173.
tetradymus Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 123. Sansibar

4

Basanus Lacord.

Lacord. Gen. Col. V, 1859, p. 306 nota. — Chevr. Compt. rend. Soc. Ent. Belg. 1878, p. CLI.

erotyloides Lew. Ent. Monthly Mag. (2) II, 1891, p. 71; Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 396, t. 13, f. 7. — Japan
guineensis Fairm. Notes Leyd. Mus. XX, 1898, p. 213. — Kamerun
javanus Chevr. Compt. rend. Soc. Ent. Belg. 1878, p. CLI. — Java

3

Basides Motsch.

Motsch. Bull. Mosc. XLVI, 1873, I, p. 471.

bifasciatus Motsch. l. c. p. 472. — Indien
crassicornis Motsch. l. c. p. 474. — „
flavomaculatus Motsch. l. c. p. 475. — Natal
lunatus Motsch. l. c. p. 474. — „
octomaculatus Motsch. l. c. p. 474. — Indien
picicollis Motsch. l. c. p. 474. — „
plagiatus Motsch. l. c. p. 472. — „
ruficollis Motsch. l. c. p. 473. — „
rufopiceus Motsch. l. c. p. 473. — „
ziczac Motsch. l. c. p. 475. — „

10

Tetragonomenes Chevr.

Chevr. Compt. rend. Soc. Ent. Belg. 1878, p. CLII.

semiviridis Chevr. l. c. p. CLII. — Molukken

1

Gargilius Fairm.

Fairm. Ann. Soc. Ent. Fr. LX, 1891, p. 251.

bicornutus Fairm. l. c. p. 252, t. 5, f. 7. — Ashanti
rufitarsis Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 660. — Geb. Mem. Soc. Esp. Hist. Nat. I, 1907, p. 404. — Guinea
trispinosus Fairm. Ann. Soc. Ent. Fr. LX, 1891, p. 252. — Deutsch-ostafrika
typhoeus Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 123. — Benin

4

Alphitophagus Steph.

Steph. Ill. Brit. Ent. V, 1832, p. 12. — Redt. Fn. Austr. ed. II, 1858, p. CVI u. 602; ed. III, 1874, p. CXVIII u. II, p. 106. — Lacord. Gen. Col. V, 1859, p. 306. — Thoms. Skand. Col. I, 1859, p. 116; VI, 1864, p. 254. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 298. — Horn, Revis. Tenebr. 1870, p. 385. — Seidl. Fn. Balt. 1875, p. 97 (Gatt.); ed. II, 1891, p. 131 (Gatt.); Fn. Transs. 1891, p. 131 (Gatt.); Naturg. Ins. Deutschl. V, 1894, p. 509, 533. — Desbr. Frelon XI, 1902, p. 12.

Phyletes Redt. Gatt. deutschen Käf.-Fn. 1845, p. 128; Fn. Austr. 1849, p. 52.

Phylethus Redt. Fn. Austr. 1849, p. 589. — Muls. Col. Fr. Latigènes 1854, p. 203. — J. Lec. and Horn, Class. Col. N. Amer. 1883, p. 383.

bifasciatus Say, Journ. Acad. Phil. III, 1823, p. 268. — Horn, Revis. Tenebr. 1870, p. 385. — Hamilton, Entom. Americ. VI, 1890, nr. 3. — Heyd. Wien. Ent. Zeit. IX, 1890, p. 132. — Fauv. Rev. d'Ent. VIII, 1889, p. 155. Europa, Nordamerika

pictus Ménétr. Cat. rais. 1832, p. 203. — Falderm. Fn. Transcauc. II, 1837, p. 65. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 251.

populi Redt. Fn. Austr. 1849, p. 589.

quadripustulatus Steph. Ill. Brit. Ent. V, 1832, p. 12, t. 24, f. 1. — Bach, Käferf. III, 1856, p. 302. — Muls. Col. Fr. Latigènes 1854, p. 204. — Redt. Fn. Austr. ed. II, 1858, p. 603; ed. III, 1874, II, p. 107. — Thomson, Skand. Col. VI, 1864, p. 255. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, t. 73, f. 363. — Seidl. Fn. Balt. 1875, p. 362; ed. II, 1891 p. 517; Fn. Transs. 1891, p. 554.; Naturg. Ins. Deutschl. V, 1894, p. 534. — Baudi, Bull. Soc. Ent. Ital. VIII, 1876, p. 106; Deutsche Ent. Zeitschr. XX, 1876, p. 229. — Schilsky, Deutsche Ent. Zeitschr. 1893, p. 355. — Desbr. Frelon XI, 1902, p. 12.

Biologie: Schiödte, Nat. Tidskr. 1879, II, p. 555, 586, t. 9, f. 17—27. — Seidl. Naturg. Ins. Deutschl. V, 1893, p. 212, 215.

nigrotrabeatus Fairm. Rev. et Mag. Zool. 1879, p. 197 (20). El Amri

obtusangulus Müll. Münch. Kol. Zeitschr. II, 1904, p. 209. Dalmatien

plagiatus Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 108. Japan

quadrinotatus Mars. l. c. p. 110. Australien

sexmaculatus Motsch. Bull. Mosc. XXIV, 1851, I, p. 664; XLVI, 1873, I, p. 475. Indien

6

Ceropria Cast. et Brll.

Cast. et Brll. Ann. Sc. nat. XXIII, 1831, p. 396 (72) (Mon.). — Lacord. Gen. Col. V, 1859, p. 307. — Har. Stett. Ent. Zeit. XXXIX, 1877, p. 345 (Übersicht).

Epilampus Blanch. Hist. Nat. Ins. II, 1845, p. 30.

anthracina Quedf. Berl. Ent. Zeitschr. XXIX, 1885, p. 17. — Geb. Ark. f. Zool. II, 1904, nr. 5, p. 10. Westafrika

axillaris Chevr. Compt. rend. Soc. Ent. Belg. 1878, p. CL. Molukken

bifasciata Chevr. l. c. p. CL. — Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 26. Indien

bifoveata Fairm. Notes Leyd. Mus. XV, 1893, p. 21. Borneo

chrysosticta Hope, Proc. Ent. Soc. 1842, p. 63; Trans. Ent. Soc. Lond. IV, 1845, p. 16. Canton

coerulea Fauv. Rev. d'Ent. XXIII, 1904, p. 171. Neu-Caledonien

Coquereli Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 797. — Waterh. Cist. Ent. II, 1876, p. 53. — Har. Übers. p. 348. Madagaskar

Biologie: Xambeu, Ann. Soc. Linn. Lyon LI, 1904, p. 128.

dolorosa Fairm. Notes Leyd. Mus. V, 1883, p. 34. — Saleyer

ellipsodes Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 408. — Madagaskar

erythrocnema (scr. *erythroctena*) Cast. et Brll. Mon. p. 402 (78). — Har. Übers. p. 350. — Java

femorata Motsch. Bull. Mosc. XLVI, 1873, I, p. 476. — ,,

humeralis Har. Übers. p. 355. — Amboina

impressifrons Fairm. Notes Leyd. Mus. IV, 1882, p. 222. — Sumatra

induta Wied. Zool. Mag. I, 3, 1819, p. 164. — Har. Übers. p. 351. — Indien, Malay. Archipel

? *induta* Cast. et Brll. Mon. p. 399 (75).

insignis Chevr. Compt. rend. Soc. Ent. Belg. 1878, p. CLI. — Molukken

intermedia Har. Übers. p. 354. — Neuguinea

iris Chevr. Compt. rend. Soc. Ent. Belg. 1878, p. CLI. — Molukken

janthinipennis Chevr. Pet. Nouv. Ent. II, 1877, p. 170; II, 1878, p. 243 nota. — Australien

laticollis Fairm. Ann. Soc. Ent. Belg. XLVII, 1903, p. 13. — Tonkin

maculata nom. nov. — Queensland

bifasciata Cart. Proc. Linn. Soc. N. S. Wales 1908, p. 404.

metallica Chevr. Compt. rend. Soc. Ent. Belg. 1878, p. CL. — Neuguinea

opulenta Har. Übers. p. 354. — Sumatra

peregrina Pasc. Journ. of Ent. II, 1866, p. 460. — Queensland

posticalis Motsch. Bull. Mosc. XLVI, 1873, I, p. 476. — Java

pulchra Hope, Proc. Ent. Soc. Lond. 1842, p. 63; Trans. Ent. Soc. Lond. IV, 1845, p. 16. — Canton

Romandi Cast. et Brll. Mon. p. 403 (79). — Har. Übers. p. 437. — Trop. Afrika

janthina Thoms. Arch. Ent. II, 1858, p. 86. — — Har. Übers. p. 347. —Geb. Ark. f. Zool. II, 1904, nr. 5, p. 10.

viridis Kraatz, Deutsche Ent. Zeitschr. 1897, p. 160. — Geb. l. c.

Westermanni Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 300.

rufofasciata Fairm. Notes Leyd. Mus. XV, 1893, p. 22. — Borneo

spectabilis Cast. et Brll. Mon. p. 397. — Cast. Hist. Nat. II, 1840, p. 223. — Australien

striata Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 399. — Japan

subocellata Cast. et Brll. Mon. p. 398. — Har. Übers. p. 353. — Lewis, Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 399. — Java, Japan etc.

Biologie: Cand. Mém. Liége 1861, p. 369.

sulcifrons Har. Übers. p. 353. — Lew. l. c. p. 399. — Japan

superba Wied. Zool. Mag. II, 1, 1823, p. 43. — Har. Übers. p. 350. — Java

festiva Cast. et Brll. Mon. p. 400 (76), t. 10, f. 4a, b.

Paykulli Dalm. Analect. Ent. 1823, p. 60. — Geb. Wien. Ent. Zeitschr. XXIV, 1905, p. 259.

tristis Har. Übers. p. 349. — Timor

valga Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 281. — Queensland

versicolor Cast. et Brll. Mon. p. 401 (77). — Har. Übers. p. 351. — Java

violaceus Blanch. Voy. Pole Sud IV, 1853, p. 170, t. 12, f. 3. — Borneo

viridula Fairm. Ann. Soc. Ent. Belg. XXVII, 1883, 2, p. 24. — Neu-Pommern

Addia Lew.

Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 465.

scatebrae Lew. l. c. p. 446. Japan

1

Exapinaeus Pasc.

Pasc. Ann. Mag. Nat. Hist. (5) IX, 1882, p. 34.

politus Pasc. l. c. p. 34. Oberer Amazonas

1

Paniasis Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 208.

dilatipes Champ. l. c. p. 209, t. 9, f. 22. Mexico

1

Lelegeis Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 209.

aeneipennis Champ. l. c. p. 210, t. 9, f. 23. Mexico

1

Hemicera Cast. et Brll.

Cast. et Brll. Ann. Sc. Nat. XXIII, 1831, p. 393 (69) (Mon.). — Lacord. Gen. Col. V, 1859, p. 308.

alternicolor Fairm. Compt. rend. Soc. Ent. Belg. 1885, p. CX. Sundainseln

compacta Fairm. Notes Leyd. Mus. IV, 1882, p. 244. Sumatra

splendens Wied. Zool. Mag. II, 1, 1823, p. 44. — Cast. et Brll. Mon. p. 394 (70), t. 10, f. 5a, b. Java, Sumatra

zigzaga Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 111. — Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 474. Japan

4

Apsida Lacord.

Lacord. Gen. Col. V, 1859, p. 309, nota 2. — Bates, Ent. Monthly Mag. X, 1873—74, p. 14. — Champ. Biol. Centr.-Amer. Col. IV, I, 1886, p. 211.

aeneomicans Bates, l. c. p. 16. — Chevr. Pet. Nouv. Ent. II, 1877, p. 173. — Champ. l. c. p. 213. Mexico

Belti Bates, l. c. p. 16. — Champ. l. c. p. 213, 539. Central-Amerika

Boucardi Bates, l. c. p. 17. — Champ. l. c. p. 215, t. 9, f. 27, 28. „

geminata Chevr. Pet. Nouv. Ent. II, 1877, p. 173, 178, 182 nota.

grammica Chevr. l. c. p. 173, 178 nota.

chrysomelina Lacord. Gen. Col. V, 1859, p. 309, nota 2. — Bates, l. c. p. 15. — Champ. l. c. p. 211, t. 9, f. 24. — Central-Amerika
gibbosa Champ. l. c. p. 212. — „
punctipennis Champ. l. c. p. 213. — Guatemala
purpureomicans Bates, Ent. Monthly Mag. X, 1873—74, p. 16. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 213. — Columbien, Central-Amerika
seriatopunctata Champ. l. c. p. 212, t. 9, f. 25. — Mexico
terebrans Champ. l. c. p. 214, 539, t. 9, f. 26. — Central-Amerika

9

Gonospa Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 216.

amazonica Champ. l. c. p. 216 nota. — Amazonas
brasiliensis Champ. l. c. p. 216 nota. — „
phaedonoides Champ. l. c. p. 217, t. 9, f. 29. — Panama

3

Diphyrrhynchus Fairm.

Fairm. Rev. Zool. 1849, p. 445. — Lacord. Gen. Col. V, 1859, p. 309. — Champ. Trans. Ent. Soc. Lond. 1894, p. 366.

Acanthosternus Montr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 289.

apicalis Champ. Trans. Ent. Soc. Lond. 1894, p. 368, t. 8, f. 4. — West-australien
caledonicus Bates, Trans. Ent. Soc. Lond. 1872, p. 268. — Neu-Caledonien
nigrobrunneus Bates, l. c. p. 269.
chalceus Fairm. Rev. Zool. 1849, p. 445, t. 11, f. 9. — Blanch. Voy. Pole Sud IV, 1853, p. 168, t. 11, f. 19, 20. — Tonga-Ins., Neuseeland
ellipticus Champ. Trans. Ent. Soc. Lond. 1894, p. 367, t. 8, f. 1. — N. W. Australien
geminatus All. Bull. Soc. Ent. Fr. 1896, p. 320. — Sikkim
halorhageos Montr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 290. — Neu-Caledonien
nicobaricus Redt. Reise Novara II, 1868, p. 124. — Nicobaren
ovalis Bates, Trans. Ent. Soc. Lond. 1872, p. 268. — Neu-Caledonien

8

Heterochira Lacord.

Lacord. Gen. Col. V, 1859, p. 335, nota 3. — Bates, Trans. Ent. Soc. Lond. 1872, p. 266.

australis Boisd. Voy. Astrol. II, 1835, p. 258. — Bates, l. c. p. 268. — Cart. Proc. Linn. Soc. N. S. Wales 1908, p. 406. — West-australien
nitida Cart. l. c. p. 405. — Queensland

2

Paita Fauv.

Fauv. Rev. d'Ent. XXIII, 1904, p. 173.

setosella Fauv. l. c. p. 173. — Neu-Caledonien

Menimus Sharp.

Sharp, Ent. Monthly Mag. XIII, 1876, p. 73.

Batesi Sharp, l. c. p. 74. — Broun, Man. N. Zeal. Col. I, 1880, p. 361. — Neuseeland
coecus Sharp, l. c. p. 75. — Broun, l. c. p. 362. — „
crassus Sharp, l. c. p. 74. — Broun, l. c. p. 363. — „
crinalis Broun, l. c. p. 363. — „
curtulus Broun, N. Zeal. Journ. of Sc. I, p. 376. — „
dubius Broun, Man. N. Zeal. Col. I, 1880, p. 363. — „
laevicollis Broun, Ann. Mag. Nat. Hist. (6) XV, 1895, p. 242. — „
niponicus Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 398. — Japan
oblongus Broun, Man. N. Zeal. Col. I, 1880, p. 362. — Neuseeland
obscurus Broun, l. c. p. 364. — „
piceus Broun, New Zeal. Journ. of Sc. I, p. 377. — „
puncticeps Broun, Man. N. Zeal. Col. I, 1880, p. 361. — „
thoracicus Broun, l. c. p. 364. — „
vicinus Broun, Ann. Mag. Nat. Hist. (6) XII, 1893, p. 288. — „

14

Menimopsis Champ.

Champ. Trans. Ent. Soc. Lond. 1896, p. 16.

excaesus Champ. l. c. p. 17, t. 1, f. 17, 17a. — St. Vincent

1

Heterophyllus Kl.

Kl. Ins. Madag. 1833, p. 20. — Cast. Hist. Nat. II, 1840, p. 225. — Lacord. Gen. Col. V, 1859, p. 311.

chrysomelinus Kl. l. c. p. 179, t. 4, f. 4. — Cast. l. c. p. 226. — Fairm. Ann. Soc. Ent. Fr. (4) IX, 1869, p. 228. — Madagaskar
Biologie: Xambeu, Ann. Soc. Linn. Lyon LI, 1904, p. 124.
curtus Fairm. l. c. p. 229. — „
Goudoti Fairm. l. c. p. 229. — „
Biologie: Xambeu, Ann. Soc. Linn. Lyon LI, 1904, p. 126.
minutus Brancs. Jahrb. Ver. Trencsen XV, 1893, p. 236. — Nossibé
natalis Motsch. Bull. Mosc. XLVI, 1873, I, p. 482. — Natal
punctatissimus Fairm. Ann. Soc. Ent. Fr. (4) IX, 1869, p. 229. — Madagaskar

Madagaskar

6

4-maculatus Gebien

humeralis Gebien

Enneboeus Waterh.

Waterh. Trans. Ent. Soc. Lond. 1878, p. 228. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 539.

australis Champ. Trans. Ent. Soc. Lond. 1894, p. 375, t. 8, f. 2, 2a. — Tasmanien
marmoratus Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 540. — Mexico

ovalis Waterh. Trans. Ent. Soc. Lond. 1878, p. 229. — Tasmanien
seriatus Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 540 nota. — Columbien
uniformis Champ. l. c. p. 540, t. 23, f. 4. — Panama
5

Enneboeopsis Champ.

Champ. Trans. Ent. Soc. Lond. 1894, p. 375.

pruinosus Champ. l. c. p. 376, t. 8, f. 3, 3a. — Tasmanien
1

Pentaphyllus Latr.

Latr. Règne anim. ed. II, II, 1829, p. 30. — Redt. Gatt. 1845, p. 128; Fn. Austr. 1849, p. 52, 589; ed. II, 1858, p. CVI und 602; ed. III, 1874, p. CXVIII und II, p. 107. — Muls. Col. Fr. Latigènes 1854, p. 196. — Lacord. Gen. Col. V, 1859, p. 312. — Thoms. Skand. Col. I, 1859, p. 116; VI, 1864, p. 256. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 299. — Horn, Revis. Tenebr. 1870, p. 378. — Seidl. Fn. Balt. 1875, p. 96 (Gatt.); ed. II, 1891, p. 131 (Gatt.); Fn. Transsylv. 1891, p. 131 (Gatt.); Naturg. Ins. Deutschl. V, 1894, p. 509, 536. — Desbr. Frelon X, 1901—02, p. 187.

Iphicorynus Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 299.

americanus Motsch. Bull. Mosc. XLVI, 1873, I, p. 482. — Georgia
angustior Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 112. — Madagaskar
barbarus Motsch. Bull. Mosc. XLVI, 1873, I, p. 481. — Algier
californicus Horn, Revis. Tenebr. 1870, p. 387. — Californien
capricornis Geb. Ann. Soc. Ent. Belg. LIV, 1910, p. 165. — D.-Ostafrika
chrysomeloides Rossi, Mant. Ins. I, 1792, p. 24; Fn. Etr. ed. Hellw. I, 1795, p. 361. — Baudi, Bull. Soc. Ent. Ital. VIII, 1876, p. 106. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 540. — Desbr. Frelon X, 1901—02, p. 188. — Korsika, Italien, Galizien, Südrußland, Cypern, Turkestan
melanophthalmus Muls. Col. Fr. Latigènes 1854, p. 197. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 299, t. 73, f. 365.
fronticornis Geb. Ann. Soc. Ent. Belg. LIV, 1910, p. 166. — D.-Ostafrika
nitidulus Reitt. Verh. Ver. Brünn XXII, p. 8. — Radde, Fn. u. Fl. Südw. Casp. 1886, p. 228. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 538. — Lenkoran
oblongus Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 398. — Japan
pallidus J. Lec. New spec. Col. 1866, p. 126. — Horn, Revis. Tenebr. 1870, p. 387. — Pennsylvanien, Canada
seriepilosus Geb. Ann. Soc. Ent. Belg. LIV, 1910, p. 165. — D.-Ostafrika
testaceus Hellw. in Schneid. Mag. II, 1792, p. 400. — F. Ent. Syst. I, 2, 1792, p. 499; Syst. El. II, 1801, p. 507. — Panz. Ent. Germ. 1795, p. 339. — Gyll. Ins. Suec. III, 1813, p. 400; IV, 1827, p. 631. — Redt. Fn. Austr. 1849, p. 589; ed. II, 1858, p. 602; ed. III, 1874, II, p. 108. — Muls. Col. Fr. Latigènes 1854, p. 198. — Bach, Käferf. III, 1856, p. 202. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 299, t. 73, f. 364. — Thoms. Skand. Col. VI, 1864, p. 257. — Baudi, Bull. — Europa

Soc. Ent. Ital. VIII. 1876, p. 106. — Seidl. Fn. Balt. 1875, p. 362; ed. II, 1891, p. 517; Fn. Transsylv. 1891, p. 554; Naturg. Ins. Deutschl. V, 1894, p. 538. — Desbr. Frelon X, 1901—02, p. 188.

Biologie: Er. Arch. f. Naturg. VIII, 1842, I, p. 366. — Letzn. Denkschr. schles. Ges. 1853, p. 218, t. 2, f. 39—40. — Perris, Larves 1877, p. 281, f. 300—303. — Schiödte, Nat. Tidskr. III, 1879, p. 557, 586, t. 10, f. 1—7. — Seidl. Naturg. Ins. Deutschl. V, 1893, p. 212, 216.

12

Derispia Lew.

Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 389.

coccinelloides Westw. Tijdschr. voor Entom. XXVI, 1883, p. 75. — Lew. l. c. p. 389. — Ceylon

maculipennis Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 105. — Lew. l. c. p. 389. — Japan

2

LXV. Leiochrinae.

Lewis, Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 390.

Leiochrinus Westw.

Westw. Tijdschr. voor Entom. XXVI, 1883, p. 68. — Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 390.

fulvicollis Westw. l. c. p. 70, t. 3, f. 14; t. 5, f. 1—7. — Neuguinea

lutescens Westw. l. c. p. 71. — Mt. Ophir

nigricornis Westw. l. c. p. 70. — Waigiou

rufofulvus Westw. l. c. p. 71. — Aru

satsumae Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 390, f. 2. — Japan

testaceus Westw. Tijdschr. voor Entom. XXVI, 1883, p. 71. — Menado

6

Leiochrodes Westw.

Westw. Tijdschr. voor Entom. XXVI, 1883, p. 69. — Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 391. — Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 26.

Ades Guér. in Thoms. Arch. Ent. I, 1857, p. 277.
Hades Thoms. Mus. scient. 1860, p. 13, t. 2, f. 1a—d.
Leiochrota Westw. Tijdschr. voor Entom. XXVI, 1883, p. 70.
Leiochrotina Westw. l. c. p. 70.
Pimplema Pasc. Ann. Mag. Nat. Hist. (5) XX, 1887, p. 16.

agathidioides Westw. Tijdschr. voor Ent. XXVI, 1883, p. 75. — Aru

ampliata Pasc. Ann. Mag. Nat. Hist. (5) XX, 1887, p. 17. — Penang

bispilotus Westw. Tijdschr. voor Ent. XXVI, 1883, p. 74. Borneo
castaneus Westw. l. c. p. 74. „
chalybeatus Westw. l. c. p. 73. Batjan
convexus Lew. Ann. Mag. Nat. Hist. (6) XIII, p. 391, f. 3. Japan
discicollis Fairm. Ann. Soc. Ent. Belg. XXVII, 1883, 2, p. 27. Neu-Pommern
discoidalis Westw. Tijdschr. voor Ent. XXVI, 1883, p. 71, t. 3, f. 15; t. 5, f. 8—13. Sumatra
fulvescens Westw. l. c. p. 72. „
hemisphaericus Guér. in Thoms. Arch. Ent. I, 1857, p. 277. Madagaskar
indicus Westw. Tijdschr. voor Ent. XXVI, 1883, p. 76. Indien
limbatus Westw. l. c. p. 74. Singapur
marginellus Thoms. Typi Cetonid. etc. 1878, p. 43. Java
medianus Westw. Tijdschr. voor Ent. XXVI, 1883, p. 73. Batjan
nigripennis Westw. l. c. p. 72. Ceram
obscuricornis Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 25. Hué
octomaculatus Westw. Tijdschr. voor Ent. XXVI, 1883, p. 74. Borneo
parvulus Westw. l. c. p. 74. Malay. Archipel
piceus Westw. l. c. p. 72. Sumatra
picicollis Westw. l. c. p. 73. Mysol
purpuripennis Poll, Notes Leyd. Mus. VIII, 1886, p. 34. Assam
Raffrayi Thoms. Typi Cetonid. 1878, p. 43. Java
ruficollis Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 26. Singapur
rufofulvus Westw. Tijdschr. voor Ent. XXVI, 1883, p. 74. Celebes
rufolimbatus Fairm. Notes Leyd. Mus. IV, 1882, p. 257. Sumatra
subpurpurascens Westw. Tijdschr. voor Ent. XXVI, 1883, p. 73. Aru
suturalis Westw. l. c. p. 73. Amboina
tenebrosus Thoms. Mus. scient. 1860, p. 13. Java
uniformis Westw. Tijdschr. voor Ent. XXVI, 1883, p. 75. Menado
varicolor Westw. l. c. p. 76. Borneo
vernicatus Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 481. Madagaskar

31

LXVI. Phrenapatinae.

Lacordaire, Gen. Col. V, 1859, p. 312.

Phrenapates Kirby.

Kirby, Fn. bor.-Amer. IV, 1837, p. 188. — Cast. Hist. Nat. II, 1840, p. 217. — Lacord. Gen. Col. V, 1859, p. 313. — Geb. Deutsche Ent. Zeitschr. 1911, Heft 2, t. 1 (Mon.).

— **Bennetti** Kirby, Fn. bor.-Amer. IV, 1837, p. 188. — Cast. Hist. Nat. II, 1840, p. 217. — Lacord. Gen. Col. Atl. t. 53, f. 5. — Geb. Deutsche Ent. Zeitschr. 1910, p. 503; Mon. t. 1, f. 1, 9, 12, 21, 23, 27. Central-amerika, Columbien
— **dux** Geb. l. c. p. 504; Mon. t. 1, f. 4, 8, 19, 22, 31. Boliv., Peru
educator Geb. l. c. p. 504; Mon. t. 1, f. 6, 10, 11, 20, 30. Ecuador
Latreillei Geb. l. c. p. 504; Mon. t. 1, f. 3, 26. Neu-Granada
mandibularis Geb. l. c. p. 504; Mon. t. 1, f. 25, 29. Südamerika
— **Ohausi** Geb. l. c. p. 503; Mon. t. 1, f. 2, 5, 7, 13, 14, 17, 18, 24, 28. Ecuador

6

Delognatha Lacord.

Lacord. Gen. Col. V, 1859, p. 315.

auriculata Lacord. l. c. p. 316, nota 1. Südbrasilien
brevicornis Bates, Ent. Monthly Mag. X, 1873—74, p. 48. Espirito-Santo
Buckleyi Bates, l. c. p. 40. Ecuador
Lacordairei Lacord. Gen. Col. V, 1859, p. 316, nota 1; Atl. t. 54, f. 2. Brasilien
puncticollis Bates, Ent. Monthly Mag. X, 1873—74, p. 49. „

5

Pycnochilus Waterh.

Waterh. Trans. Ent. Soc. Lond. 1879, p. 263.

advenus Waterh. l. c. p. 264. — Fairm. Notes Leyd. Mus. XVIII, 1896, p. 99. Madagaskar
insignis Dohrn, Stett. Ent. Zeit. LI, 1890, p. 196.

1

Daochus Champ.

Champ. Biol. Centr.-Amer. Col. IV, I, 1886, p. 139.

mandibularis Champ. l. c. p. 140, 531, t. 7, f. 2, 2a, b. Centralamerika

1

Pycna Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 141.

aphodina Fairm. l. c. p. 142. Madagaskar
cavifrons Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 540. Comoren
impressifrons Fairm. op. cit. XLI, 1897, p. 111. Madagaskar
minor Fairm. l. c. p. 111. „

4

Scolytocaulus Fairm.

Fairm. Notes Leyd. Mus. XVIII, 1896, p. 98.

Bouchardi l. c. p. 99. Sumatra

1

LXVII. Ulominae.

J. Leconte, Class. Col. N. Amer. 1862, p. 232. — Mulsant, Col. Fr. Latigènes *(Ulomiens, Triboliens* et *Hypophlèens)* 1854, p. 184. — Lacordaire, Gen. Col. V, 1859, p. 316 (excl. *Toxicides*). — Jacquelin du Val, Gen. Col. d'Eur. III, 1861, p. 300. — Horn, Revis. Tenebr. in Trans. Amer. Philos. Soc. (n. s.) XIV, 1870 (1872), p. 303, 363. — J. Leconte and Horn, Class. Col. N. Amer. 1883, p. 380. — Champion, Biol. Centr.-Amer. Col. IV, 1, 1886, p. 140. — Seidlitz, Naturg. Ins. Deutschl. V, 1894, p. 541. — Reitter, Best.-Tab. LIII in Verh. Naturf. Ver. Brünn XLII, 1904, p. 33.

Peneta Lacord.

Lacord. Gen. Col. V, 1859, p. 319.

Haagi Kirsch, Berl. Ent. Zeitschr. XXX, 1886, p. 334. Ecuador
Lebasi Lacord. Gen. Col. V, 1859, p. 319, nota 1. Columbien
Mülleri Kirsch, Berl. Ent. Zeitschr. XXX, 1886, p. 334. „
obtusicornis Kirsch, Berl. Ent. Zeitschr. X, 1866, p. 191. Bogotá
panamanensis Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 142, t. 7, f. 3, 3a; p. 531.
4

Cleolaus Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 142.

Sommeri Lacord. Gen. Col. V, 1859, p. 320, nota 1. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 142, t. 7, f. 4. Mexico
1

Telchis Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 142.

clavicornis Champ. l. c. p. 143, t. 7, f. 5, 5a—c. Panama
1

Molion Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 142.

cervus Bates, Ent. Monthly Mag. X, 1873—74, p. 50. Peru
Goudoti Lacord. Gen. Col. V, 1859, p. 320, nota 1. Columbien
taurus Lacord. l. c.; Atl. t. 54, f. 1. „
3

Gnathocerus Thunb.

Thunb. Vetensk. Acad. Handl. 1814, p. 47. — Bach, Käferf. III, 1856, p. 208. — Redt. Fn. Austr. ed. II, 1858, p. CVII u. 609; ed. III, 1874, p. CXIX u. II, p. 109. — Lacord. Gen. Col. V, 1859, p. 322. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 307. — J. Lec. Class. Col. N. Amer. 1862, p. 233. — Horn, Rev. Tenebr. 1870, p. 364, 365. — Seidl. Fn. Balt. 1875, p. 97 (Gatt.); ed. II, 1891, p. 133 (Gatt.); Fn. Transs. 1891, p. 133 (Gatt.); Naturg. Ins. Deutschl. V, 1894, p. 571, 586.

Cerandria Luc. Expl. Alg. 1849, p. 344. — Muls. Col. Fr. Latigènes 1854, p. 247. — Woll. Ins. Mader. 1854, p. 489. — Sol. in Gay, Hist. Chile V, 1851, p. 237.
Uloma Steph. Ill. Brit. Ent. V, 1832.
Subgen. *Echocerus* Horn, Revis. Tenebr. N. Amer. 1870, p. 366. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 145. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 589.

analis Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 146, t. 7, f. 7 *(Echocerus)*. Guatemala
cornutus F. Ent. Syst. Suppl. 1798, p. 51; Syst. El. I, 1801, p. 155. — Latr. Gen. Crust. II, 1807, Kosmopolit

p. 175; l, 1806, t. 10, f. 4 u. 5. — Curt. Prit. Ent. VIII, p. 363. — Steph. Ill. Brit. Ent. V, 1832, p. 10. — Er. Arch. f. Naturg. XIII, 1847, I, p. 119. — Sol. in Gay, Hist. Chile V, 1851, p. 238, t. 20, f. 7a—f. — Luc. Expl. Alg. 1849, p. 345. — Muls. Col. Fr. Latigènes 1854, p. 247. — Woll. Ins. Mader. 1854, p. 490. — Bach, Käferf. III, 1856, p. 208. — Redt. Fn. Austr. II, 1858, p. 609; ed. III, 1874, II, p. 109. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, t. 75, p. 373. — Seidl. Fn. Balt. 1875, p. 363; ed. II, 1891, p. 519; Fn. Transsylv. 1891, p. 557; Naturg. Ins. Deutschl. V, 1894, p. 589. — Desbr. Frelon XI, 1902, p. 31 (*Gnathocerus* s. str.).

cucullatus Montr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 294.

laeviusculus Steph. Ill. Brit. V, 1832, p. 10.

maxillaris Beauv. Ins. Afr. et Am. 1805, p. 125, t. 32, f. 4.

ruber Thunb. Vetensk. Acad. Handl. 1814, p. 47, t. 4, f. A. F. 1.

Biologie: Motsch. Etud. Ent. III, 1854, p. 67. — Gernet, Horae Soc. Ent. Ross. VI, 1869, p. 11, t. 2, f. 10. — Letzn. Arb. schles. Ges. Breslau 1874, p. 166. — Xambeu, Ann. Soc. Linn. Lyon XLV, p. 180. — Reineck, Zeit. wiss. Insektenbiol. III, p. 126.

curvicornis Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 533 (*Echocerus*). — Mexico, Florida

recurvatus Chittenden, Proc. U. S. Nat. Mus. XVIII, 1895, p. 80; Ins. Life VII, p. 331.

dentiger Chitt. l. c. p. 79; l. c. p. 331. — Vereinigte Staaten

maxillosus F. Syst. El. I, 1801, p. 155. — Woll. Ann. Mag. Nat. Hist. (3) VI, 1860, p. 49; Col. Atl. App. p. 61. — Mars. Abeille XII, 1875, p. 127. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 589. — Amerika, Madeira, Canar. Inseln, Südfrankreich

5

Sicinus Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 146.

brevipes Champ. l. c. p. 147. — Guatemala

guatemalensis Champ. l. c. p. 147, t. 7, f. 10, 10a. — „

2

Iccius Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 147.

cephalotes Champ. l. c. p. 148, t. 7, f. 8, 8a. — Centralamerika

cylindricus Champ. l. c. p. 148, 534, t. 7, f. 9, 9a. — „

grenadensis Champ. Trans. Ent. Soc. Lond. 1896. p. 18. — Grenada

rufotestaceus Champ. l. c. p. 19. — S. Vincent

Lyphia Muls. et Rey.

Muls. et Rey, Opusc. Ent. IX, 1859, p. 166; Ann. Soc. Agr. Lyon 1859, p. 230. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 305. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 571. — Desbr. Frelon XI, 1902, p. 25.

Lindia Blackb. Trans. Roy. Soc. S. Austr. X, 1888, p. 275.

abyssinica Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 29. — Shoa

angusta Luc. Expl. Alg. 1849, p. 345, t. 30, f. 7. — Bedel, Ann. Soc. Ent. Fr. (6) VII, 1887, p. 199; Abeille XVIII, 1894, p. 154. — Algier

australis nom. nov. — Australien
angusta Blackb. Trans. Roy. Soc. S. Austr. X, 1888, p. 275.

exigua Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 113. — Japan

madagascariensis Mars. l. c. p. 113. — Madagaskar

tasmanica Champ. Trans. Ent. Soc. Lond. 1894, p. 370, t. 8, f. 6. — Tasmanien

tetraphylla Fairm. Ann. Soc. Ent. Fr. (3) IV, 1856, p. 534. — Jacq. du Val, Genera Col. d'Eur. III, 1861, t. 79, f. 395. — Bedel, Abeille XXVIII, 1894, p. 154. — Desbr. Frelon XI, p. 26. — Italien
ficicola Muls. et Rey, Opusc. Ent. IX, 1859, p. 166; Ann. Soc. Agr. Lyon 1859, p. 230. — Baudi, Bull. Soc. Ent. Ital. VIII, 1876, p. 107.
Biologie: Perris, Larves 1877, p. 283, f. 304—309. — Rudow, Zeitschr. Nat. III, 3, p. 242.

7

Cynaeus J. Lec.

J. Lec. Class. Col. N. Amer. 1866, p. 233. — Horn, Revis. Tenebr. 1870, p. 369.

angustus J. Lec. Ann. Lyc. N. York V, 1851, p. 149. — Horn, Revis. Tenebr. 1870, p. 369. — Californien

depressus Horn, l. c. p. 369. — „

opacus Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 156. — Mexico

8

Mesotretis Bates.

Bates, Ent. Monthly Mag. IX, 1872, p. 151.

ferruginea Bates, l. c. p. 151. — Blackb. Trans. Roy. Soc. S. Austr. X, 1887, p. 273. — King George's Sund

1

Latheticus Waterh.

Waterh. Ann. Mag. Nat. Hist. (5) V, 1880, p. 147. — Seidl. Fn. Balt. ed. II, 1891, p. 132 (Gatt.); Fn. Transsylv. 1891, p. 132 (Gatt.); Naturg. Ins. Deutschl. V, 1894, p. 570, 572.

oryzae Waterh. l. c. p. 148; Aid ident. Ins. I, 1880—82, t. 15. — Fowl. Ent. Monthly Mag. XIX, 1883, p. 269. — Seidl. Fn. Balt. ed. II, 1891, p. 517; Fn. Transsylv. 1891, p. 554; Naturg. Ins. Deutschl. V, 1894, p. 573. — Europa, Arabien, Indien, Abessinien

striolata Fairm. Rev. d'Ent. XI, 1892, p. 111. — Bedel, Abeille XXIX, p. 36.

prosopis Chitt. Journ. N. York Ent. Soc. XII, 1904, p. 167. Arizona

2

Tribolium M'Leay.

M'Leay, Annul. Jav. 1825, p. 47. — Guér. Bull. Soc. Ent. Fr. 1845, p. CXVII. — Woll. Ins. Mader. 1854, p. 491. — Redt. Fn. Austr. ed. II, 1858, p. CVII u. 608; ed. III, 1874, p. CXIX u. II, p. 108. — Bach, Käferf. III, 1856, p. 207. — Lacord. Gen. Col. V, 1859, p. 323. — Thoms. Skand. Col. I, 1859, p. 117 u. VI, 1864, p. 271. — Horn, Revis. Tenebr. 1870, p. 365. — Seidl. Fn. Balt. 1875, p. 97 (Gatt.); ed. II, 1891, p. 132 (Gatt.); Fn. Transs. 1891, p. 132 (Gatt.); Naturg. Ins. Deutschl. V, 1894, p. 571, 578, 581. — Desbr. Frelon XI, 1902, p. 27.

Margus Redt. Gatt. 1845, p. 127; Fn. Austr. 1849, p. 593.
Stene Steph. Ill. Brit. Ins. V, 1832, p. 9.
Subgen. *Stene* Seidl. Naturg. Ins. Deutschl. V, 1894, p. 580, 585.
Tribolium Muls. Col. Fr. Latigènes 1854, p. 244.

confusum Jacq. du Val, Gen. Col. d'Eur. Cat. 1868, p. 181, nota 1. — Seidl. Fn. Balt. ed. II, 1891, p. 518; Fn. Transs. 1891, p. 555; Naturg. Ins. Deutschl. V, 1894, p. 581, 585. — Desbr. Frelon XI, 1902, p. 30 *(Stene)*. Europa
ferrugineum Muls. Col. Fr. Latigènes 1854, p. 244.
Biologie: Horn, Trans. Amer. Ent. Soc. XXII, 1895, p. 197. — Felt, U. S. Dep. Agr. Div. Ent. Bull. XXVI, 1901, p. 40, f. 72. — Xambeu, Rev. d'Ent. XX, 1901, p. 63.

madens Charp. Horae Entom. 1825, p. 218. — Kryn. Bull. Mosc. V, 1832, p. 136; l. c. ed. Lequien 1836, p. 179. — Redt. Fn. Austr. 1849, p. 593, ed. II, 1858, p. 608; ed. III, 1874, II, p. 109. — Bach, Käferf. III, 1856, p. 208. — Seidl. Fn. Balt. 1875, p. 362; ed. II, 1891, p. 517; Fn. Transs. 1891, p. 555; Naturg. Ins. Deutschl. V, 1894, p. 581. — Desbr. Frelon XI, 1902, p. 29. Europa, ?Nordamerika
obscurum Redt. Quaed. gen. et spec. Austr. 1842, p. 17.

myrmecophilum Lea, Proc. Roy. Soc. Vict. XVII, 1904, p. 383. Australien

ferrugineum F. Mant. Ins. I, 1787, p. 212; Ent. Syst. I, 1792, p. 116; Syst. El. I, 1801, p. 155. — Ol. Ent. III, 1795, nr. 57, p. 18, t. 2, f. 24. — Herbst, Käfer VII, 1797, p. 276. — Duft. Fn. Austr. II, 1812, p. 304. — Say, Bost. Journ. I, p. 188 (Horn, Rev. Tenebr. 1870, p. 402). — Steph. Ill. Brit. Ent. V, 1832, p. 9. — Westw. Introd. I, 1839, p. 319, f. 39. — Redt. Fn. Austr. 1849, p. 593; ed. II, 1858, p. 608; ed. III, 1874, II, p. 108. — Küst. Käf. Eur. X, 1847, p. 69. — Woll. Ins. Mad. 1854, p. 491. — Bach, Käferf. III, 1856, p. 208. — Thoms. Skand. Col. VI, 1864, p. 272. — Seidl. Fn. Balt. 1875, p. 362; ed. II, 1891, p. 517; Fn. Transs. 1891, p. 555. — Waterh. Ann. Mag. Nat. Hist. (6) XVII, Kosmopolit

1896, p. 230. — Champ. Entom. Monthly Mag. (2) VII, 1896, p. 82. — Desbr. Frelon XI, 1902, p. 28.

bifoveolatum Duft. Fn. Austr. II, 1812, p. 304. — Redt. Fn. Austr. ed. II, 1858, p. 608; ed. III, 1874, II, p. 108. — Bach, Käferf. III, 1856, p. 208. — Seidl. Fn. Balt. ed. II, 1891, p. 517; Fn. Transs. 1891, p. 555; Naturg. Ins. Deutschl. V, 1894, p. 583.

castaneum Herbst, Käf. VII, 1797, p. 282, t. 112, f. 3. — Gyll. Ins. Suec. II, 1810, p. 588. — M'Leay, Annulosa Jav. 1825, p. 47. — Luc. Expl. Alg. 1849, p. 343.

navale Herbst, Käf. IV, 1792, p. 138. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 583.

rubens Cast. Hist. Nat. II, 1840, p. 220.

testaceum F. Ent. Syst. Suppl. 1798, p. 179.

Biologie: Schiödte, Nat. Tidskr. 1879, III, p. 563, t. 10, f. 18—22. — Müller, Entom. Monthly Mag. IX, 1873, p. 276. — Dugès, Le Nat. mex. VI, 1883, p. 294, t. 6. — Luc. Bull. Soc. Ent. Fr. (6) III, 1883, p. LXXI. — Lintner, Second Report 1885, p. 136, f. 34. — Kessler, Ber. Ver. Nat. Kassel 1891, p. 109. — Horn, Trans. Amer. Ent. Soc. XXII, 1895, p. 197. — Seidl. Naturg. Ins. Deutschl. V, 1893, p. 212, 215, 579.

Anatomie: Kempers, Tijdschr. voor Ent. XLIV, 1891, p. 32 (Flügelgeäder).

4

Dioedus J. Lec.

J. Lec. Class. Col. N. Amer. 1866, p. 238. — Horn, Revis. Tenebr. 1870, p. 365. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 548.

punctatus Lec. New spec. Col. 1866, p. 131. — Horn, l. c. p. 365. — Vereinigte Staaten

1

Enanea Lew.

Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 467.

testacea Lew. l. c. p. 467, f. 4. — Japan

1

Aphthora Bates.

Bates, Trans. Ent. Soc. Lond. 1872, p. 265.

glabritarsis Sharp, Trans. Roy. Dubl. Soc. (2) III, 1886, p. 408. — Neu-Seeland

rufipes Bates, Trans. Ent. Soc. Lond. 1872, p. 266. — „

2

Phthora Muls.

Muls. Col. Fr. Latigènes 1854, p. 228. — Lacord. Gen. Col. V, 1859, p. 324. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 300. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 570.

Clamoris Gozis, Récherch. 1886, p. 25. — Seidl. Fn. Balt. ed. II, 1891, p. 132 (Gatt.).

americana Horn, Trans. Amer. Ent. Soc. V, 1874, p. 35. — Oregon

armata Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 532, t. 23, f. 2, 2a. — Guatemala

canalicollis Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 466. — Japan

crenata Muls. Col. Fr. Latigènes 1854, p. 229. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, t. 74, f. 366. — Desbr. Frelon XI, 1902, p. 16. — Südfrankreich, Italien

insurgens Gozis, Récherches 1886, p. 25.

Biologie: Perris, Ann. Soc. Ent. Fr. (3) V, 1857, p. 451, t. 8, f. 421—429.

elongata Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 532. — Mexico

lifuana Montr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 293. — Fauv. Rev. d'Ent. XXIII, 1904, p. 187. — Ins. Lifu

6

Palorus Muls.

Muls. Col. Fr. Latigènes 1854, p. 250. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 308. — Thoms. Skand. Col. VI, 1864, p. 271. — Seidl. Fn. Balt. ed. II, 1891, p. 132 (Gatt.); Fn. Transs. 1891, p. 132; Naturg. Ins. Deutschl. V, 1894, p. 57, 573. — Champ. Ent. Monthly Mag. (2) VII, 1896, p. 26. — Fleisch. Wien. Ent. Zeit. XIX, 1900, p. 236 (Übers.).

Caenocorse Thoms. Skand. Col. I, 1859, p. 117.
Subgen. *Circomus* Fleisch. l. c. p. 236.

austrinus Champ. Ent. Monthly Mag. (2) VII, 1896, p. 30. — Ins. Damma

delicatulus Reitt. Mitth. Münchn. Ent. Ver. I, 1877, p. 140. — Indien

depressus F. Skrivter Naturh. Selsk. I, 1790, p.; in Schneid. N. Mag. I, 1791, p. 25; Ent. Syst. I, 2, 1792, p. 501; Syst. El. II, 1801, p. 559. — Panz. Fn. Germ. I, 1793, nr. 23; Ent. Germ. 1795, p. 340. — Payk. Fn. Suec. III, 1800, p. 325. — Latr. Hist. Nat. X, 1804, p. 311. — Gyll. Ins. Suec. II, 1810, p. 583. — Duft. Fn. Austr. II, 1812, p. 310. — Steph. Ill. Brit. Ent. V, 1832, p. 7. — Sahlb. Ins. Fenn. I, 1834, p. 477. — Redt. Fn. Austr. 1849, p. 592; ed. II, 1858, p. 610; ed. III, 1874, II, p. 110. — Bach, Käferf. III, 1856, p. 209. — Muls. Col. Fr. Latigènes 1854, p. 250. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, t. 75, f. 374. — Seidl. Fn. Balt. 1875, p. 363; ed. II, 1891, p. 518; Fn. Transs. 1891, p. 555; Naturg. Ins. Deutschl. V, 1894, p. 575. — Champ. Ent. Monthly Mag. (2) VII, 1896, p. 27. — Desbr. Frelon XI, 1902, p. 136. — Fleischer, Wien. Ent. Zeit. XIX, 1900, p. 236. — Europa

unicolor Ol. Ent. II, 1790, nr. 18, p. 12, t. 2, f. 8; Encycl. méth. VIII, 1811, p. 406
Biologie: Schiödte, Nat. Tidskr. III, 1879, p. 561, 587, t. 10, f. 12—17. — Seidl. Naturg. Ins. Deutschl. V, 1893, p. 212, 215. — Cook, Bull. U. S. Agr. Ent. II, 1883, p. 32.

euphorbiae Woll. Trans. Ent. Soc. 1862, p. 183; Col. Atl. 1865, p. 442; Cat. Can. Col. 1864, p. 499. — Champ. l. c. p. 29. — Teneriffa

exilis Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 116. — Champ. l. c. p. 29. — Japan, Java

ficicola Woll. Col. Hesp. 1867, p. 205. — Champ. l. c. p. 29. — Cap Verde

laxipunctus Fauv. Rev. d'Ent. XXIII, 1904, p. 176. — Neu-Caledonien

minor Waterh. Ann. Mag. Nat. Hist. (6) XIV, 1894, p. 71. — Champ. l. c. p. 29. — Ins. Damma

orientalis Fleisch. Wien. Ent. Zeit. XIX, 1900, p. 237. — Trans-kaukasien

quadricollis Fairm. Ann. Soc. Ent. Fr. LXXI, 1902, p. 331. — Madagaskar

Ratzeburgi Wissm. Stett. Ent. Zeitschr. IX, 1848, p. 77. — Redt. Fn. Austr. ed. II, 1858, p. 610; ed. III, 1874, II, p. 111. — Bach, Käferf. III, 1856, p. 209. — Seidl. Fn. Balt. ed. II, 1891, p. 518; Fn. Transs. 1891, p. 555; Naturg. Ins. Deutschl. V, 1894, p. 577. — Champ. Ent. Monthly Mag. (2) VII, 1896, p. 27, 28. — Fleischer, Wien. Ent. Zeit. XIX, 1900, p. 237. — Europa, Syrien, Madeira, Japan

ambiguus Woll. Cat. Col. Madeira 1857, p. 152.
floricola Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 115.

subdepressus Woll. Cat. Can. Col. 1864, p. 499; Col. Hesper. 1867, p. 205. — Mars. Abeille XII, 1875, p. 130. — Champ. Ent. Monthly Mag. (2) VII, 1896, p. 27, 28. — Fleisch. Wien. Ent. Zeit. XIX, 1900, p. 236 *(Circomus)*. — Kosmopolit

bifoveolatus Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 235.

subfilum Fleisch. l. c. p. 237. — Biskra

13

Pseudostena Woll.

Woll. Ann. Mag. Nat. Hist. 1861, p. 247.

angusta Woll. l. c. p. 249; Col. Hesp. 1867, p. 202. — S. Vincent
fossoria Woll. l. c. p. 250; Cat. Can. Col. 1864, p. 497. — Canar. Inseln
subclavata Woll. l. c. p. 250. — Ägypten

3

Platyotus Gerst.

Gerst. Arch. f. Naturg. XXXVII, 1871, p. 62; Decken's Reise III, 2, 1873, p. 185.

carinicollis Geb. Mem. Real Soc. Esp. Hist. Nat. I, 1907, p. 405. — Guinea

glabratus Gerst. Arch. f. Naturg. XXXVII, 1871, p. 62; Decken's Reise III, 2, 1873, p. 186. — D.-Ostafrika

2

Zypoetes Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1893, p. 532.

epieroides Champ. l. c. p. 533, t. 23, f. 3, 3 a—c. Central-amerika

1

Alegoria Cast.

Cast. Hist. Nat. II, 1840, p. 221. — Lacord. Gen. Col. V, 1859, p. 325. — Bates, Ent. Monthly Mag. IX, 1873, p. 182.

bidens F. Ent. Syst. I, 1792, p. 116; Syst. El. I, 1801, p. 154. — Geb. Deutsche Ent. Zeitschr. 1906, p. 233. Südamerika

Castelnaui Fleut. et Sallé, Ann. Soc. Ent. Fr. (6) IX, 1889, p. 425. Guadeloupe

dilatata Cast. Hist. Nat. II, 1840, p. 221. Central- und Südamerika

parallela Bates, Ent. Monthly Mag. IX, 1873, p. 183. Brasilien

quadraticollis Bates, l. c. p. 182. Venezuela

Sallaei Bates, l. c. p. 181. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 149, t. 7, f. 11. Mexico

6

Mycotrogus Horn.

Horn, Revis. Tenebr. 1870, p. 367.

angustus Horn, l. c. p. 368. Arizona

piceus Horn, l. c. p. 367. Californien

2

Xenogloeus Woll.

Woll. Ann. Mag. Nat. Hist. 1861, p. 251.

politus Woll. l. c. p. 252; Col. Hesper. 1867, p. 210. St. Vincent

1

Oligocara Sol.

Sol. Studi Entom. 1848, p. 153 (7), 224 (78); in Gay, Hist. Chile V, 1851, p. 226. — Lacord. Gen. Col. V, 1859, p. 328.

nitidum Sol. l. c. p. 227 (81), t. 10, f. 1—7; in Gay, Hist. Chile V, 1851, p. 226, t. 20, f. 2. — Lacord. Gen. Col. Atl. t. 54, f. 4. Chile

1

Erelus Muls. et Rey.

Muls. et Rey, Opusc. Ent. II, 1854, p. 185. — Lacord. Gen. Col. V, 1859, p. 330. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 302. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 592.

sulcipennis Muls. l. c. p. 186. Sicilien

1

Antimachus Gistl.

Gistl, Isis 1829, p. 1054. — Lacord. Gen. Col. V, 1859, p. 330.

Ceratupis Perty, Del. anim. art. 1830, p. 57.

furcifer	Dalm. Act. Holm. 1821, II, p. 381; Anal. ent. 1823, p. 58, t. 4, f. 1—5. — Gistl, Isis 1829, p. 1055, fig.	Brasilien
nigerrimus	Perty, Del. anim. art. 1830, p. 58, t. 12, f. 8. — Cast. Hist. Nat. II, 1840, p. 220.	„
Roudeni	Fleut. et Sallé, Ann. Soc. Ent. Fr. (6) IX, 1889, p. 426.	Guadeloupe
triangulifer	Kirsch, Berl. Ent. Zeitschr. X, 1866, p. 192.	Bogota

4

Metabolocerus Bates.

Bates, Ent. Monthly Mag. IX, 1873, p. 259.

clypeatus	Bates, l. c. p. 260.	Venezuela
	var. *brevicornis* Bates, l. c. p. 260.	„
Fryi	Bates, l. c. p. 260.	Columbien
pilosus	Bates, l. c. p. 259.	„

3

Ulomimus Bates.

Bates, Ent. Monthly Mag. IX, 1873, p. 201.

indicus	Bates, l. c. p. 202.	Indien

1

Pycnuloma Fairm.

Fairm. Notes Leyd. Mus. XVIII, 1896, p. 99.

Raffrayi	Fairm. l. c. p. 100.	Singapur

1

Achthosus Pasc.

Pasc. Journ. of Ent. II, 1863, p. 42.

antimachoides	Fairm. Notes Leyd. Mus. IV, 1882, p. 223.	Sumatra
bihamatus	Fairm. Ann. Soc. Ent. Fr. LXVII, 1898, p. 392.	Borneo
brunneus	Cart. Proc. Linn. Soc. N. S. Wales XXXI, 1906, p. 251.	N. S. Wales
furcicollis	Fairm. Notes Leyd. Mus. IV, 1882, p. 224.	Sumatra
laticornis	Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 294.	Australien
minutus	Cart. Proc. Linn. Soc. N. S. Wales XXXI, 1906, p. 252.	N. S. Wales
Pascoei	Kirsch, Mitth. Mus. Dresd. I, 1875, p. 144.	Neu-Guinea
Westwoodi	Pasc. Journ. of Ent. II, 1863, p. 43, t. 2, f. 7.	Australien

8

Arrhabaeus Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 144.

convexus	Champ. l. c. p. 145, t. 7, f. 6, 6a—c.	Central-amerika

debilis Champ. Trans. Ent. Soc. Lond. 1896, p. 20. St. Vincent
guadeloupensis Fleut. et Sallé, Ann. Soc. Ent. Fr. (6) IX, 1889, p. 424. Guadeloupe
3

Ulomina Baudi.

Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 235; Bull. Soc. Ent. Ital. VIII, 1876, p. 112. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 592.

carinata Baudi, l. c. p. 236; l. c. p. 113. Toskana
1

Ulomoides Blackb.

Blackb. Trans. Roy. Soc. S. Austr. X, 1888, p. 274.

humeralis Blackb. l. c. p. 274. Südaustralien
1

Uleda Cast.

Cast. Hist. Nat. II, 1840, p. 220. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 151.

diaperoides Cast. l. c. p. 220. Brasilien
grossa Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 151, t. 7, f. 13, 13a—c. Central- und Südamerika
2

Tharsus J. Lec.

J. Lec. Class. Col. N. Amer. 1866, p. 233; New spec. Col. 1866, p. 122. — Horn, Revis. Tenebr. 1870, p. 370.

seditiosus J. Lec. New spec. Col. 1866, p. 122. — Horn, l. c. p. 370. Südl. Verein. Staaten
1

Uloma Cast.

Cast. Hist. Nat. II, 1840, p. 219. — Redt. Gatt. 1845, p. 127; Fn. Austr. 1849, p. 52 u. 593; ed. II, 1858, p. CVII u. 606; ed. III, 1874, p. CXIX u. II, p. 111. — Muls. Col. Fr. Latigènes 1854, p. 231. — Bach, Käferf. III, 1856, p. 207. — Lacord. Gen. Col. V, 1859, p. 332. — Thoms. Skand. Col. I, 1859, p. 117; VI, 1864, p. 260. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 301. — Horn, Revis. Tenebr. 1870, p. 370. — Bates, Ent. Monthly Mag. IX, 1873, p. 182. — Seidl. Fn. Balt. 1875, p. 97 (Gatt.); ed. II, 1891, p. 133 (Gatt.); Fn. Transsylv. 1891, p. 133 (Gatt.); Naturg. Ins. Deutschl. V, 1894, p. 591, 593. — J. Lec. and Horn, Class. Col. N. Amer. 1883, p. 381. — Desbr. Frelon XI, 1902, p. 13.

? *Melasia* Muls. Opusc. Ent. VII, 1856, p. 160.
Prioscelida White, Voy. Ereb. and Terror 1846, p. 11.

angustula Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 26. Indo-China
antillarum Champ. Trans. Ent. Soc. Lond. 1896, p. 22. Grenada
apicipennis Fauv. Rev. d'Ent. XXIII, 1904, p. 180. Neu-Caledonien

armata Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 154, t. 7, f. 16. — Centralamerika

bituberosa Kirsch, Mitth. Mus. Dresd. I, 1875, p. 145. — Neu-Guinea

bonzica Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 114. — Japan

brasiliana Chevr. Compt. rend. Soc. Ent. Belg. 1872, p. XLVII *(Melasia)*. — Brasilien

carbonaria Boh. Resa Freg. Eugen. 1858, p. 94. — Rio de Janeiro

cavicollis Fairm. Rev. Zool. 1849, p. 447. — Viti-Inseln

encausta Fairm. l. c. p. 447. — Blanch. Voy. Pole Sud IV, 1853, p. 164, t. 11, f. 4, 5 (sub *insularis*).

compacta Fairm. Notes Leyd. Mus. XV, 1893, p. 23. — Borneo

consentanea Perroud, Ann. Soc. Linn. Lyon 1864, p. 119. — Australien

depressa Pasc. Journ. of Ent. II, 1866, p. 454. — Blackb. Trans. Roy. Soc. S. Austr. XVIII, 1894, p. 219.

contracta Fairm. Notes Leyd. Mus. IV, 1882, p. 226. — Sumatra

Costae Karsch, Sitz. Ges. Nat. Freunde 1881, p. 59. — Guinea-Inseln

crenatostriata Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 799. — Madagaskar

culinaris L. Syst. Nat. ed. X, 1758, I, p. 417; ed. XII, I, 2, 1767, p. 675; Fn. Suec. ed. II, 1761, p. 225. — Müll. Zool. Dan. prodr. 1776, p. 74, nr. 792 u. 797. — Fisch. Vers. Nat. Livl. ed. II, 1791, p. 287. — F. Mantissa Ins. I, 1787, p. 212; Ent. Syst. I, 1, 1792, p. 113; Syst. El. I, 1801, p. 148. — Rossi, Fn. Etr. I, 1790, p. 233; ed. Hellwig I, 1795, p. 282. — Panz. Fn. Germ. IX, 1793, nr. 1; Ent. Germ. 1795, p. 41. — Hbst. Käf. VII, 1797, p. 246, t. 111, f. 6. — Ol. Entom. III, 1795, nr. 57, p. 12, t. 1, f. 13. — Cederhielm, Fn. Ingr. prodr. 1798, p. 13. — Ill. Käf. Preuß. 1798, p. 114. — Payk. Fn. Suec. I, 1798, p. 90. — Latr. Hist. Nat. X, 1804, p. 302; Gen. Crust. et Ins. II, 1807, p. 175. — Sturm, Käf. II, 1807, p. 227. — Gyll. Ins. Suec. II, 1810, p. 587. — Duft. Fn. Austr. II, 1812, p. 302. — Sahlb. Ins. Fenn. I, 1834, p. 479. — Cast. Hist. Nat. II, 1840, p. 220. — Küst. Käf. Eur. IV, 1846, nr. 76. — Redt. Fn. Austr. 1849, p. 593; ed. II, 1858, p. 607; ed. III, 1874, II, p. 111. — Muls. Col. Fr. Latigènes 1854, p. 232; Péctinip. 1856, Suppl. Latig.; Opusc. Ent. VI, 1855, p. 204; Ann. Soc. Linn. Lyon 1855, p. 424. — Bach, Käferf. III, 1856, p. 207. — Thoms. Skand. Col. VI, 1864, p. 261. — Kraatz, Berl. Ent. Zeitschr. XVII, 1873, p. 196. — Seidl. Fn. Balt. 1875, p. 362; ed. II, 1891, p. 519; Fn. Transsylv. 1891, p. 557; Naturg. Ins. Deutschl. V, 1894, p. 597. — Baudi, Bull. Soc. Ent. Ital. VIII, 1876, p. 111. — Desbr. Frelon XI, 1902, p. 14. — Europa, Kaukasus, Sibirien

cucullata Fischer in Ménétr. Cat. rais. 1832, p. 204. — Fald. Fn. Transcauc. II, 1837, p. 181.

ferruginea Panz. Fn. Germ. IX, 1793, nr. 2; Ent. Germ. 1795, p. 41; Krit. Revis. I, 1805, p. 31.

rufa Pill. et Mitterp. Iter per Poseg. 1783, p. 39, t. 7, f. 4.

Biologie: Perris, Larves 1877, p. 265.

cypraea Kraatz, Berl. Ent. Zeitschr. XVII, 1873, p. 196. — Heyd. Berl. Ent. Zeitschr. XVIII, 1874, p. 352. — Baudi, Bull. Soc. Ent. Ital. VIII, 1876, p. 112. *crenulata* Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 230. *cypria* All. Abeille XVI, 1876, p. 21. *cypriotes* Mars. Abeille XVI, 1876, Nouv. et faits (2) nr. 10, p. 40.	Kleinasien, Cypern
demersicollis Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 317.	Tonkin
denticornis Fairm. Notes Leyd. Mus. IV, 1882, p. 225. *retusa* F. Syst. El. II, 1801, p. 150. — Geb. Deutsche Ent. Zeitschr. 1906, p. 220.	Sunda-Inseln
divergens Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 155, t. 7, f. 18.	Guatemala
emarginata Montr. Ann. Soc. Agr. Lyon VII, 1855, p. 31; Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 294. — Fauv. Bull. Soc. Linn. Normand. 1862, p. 147, t. 10, f. 26, 27; Rev. d'Ent. XXIII, 1904, p. 179, 181. *artensis* Perroud, Ann. Soc. Linn. Lyon 1864, p. 117. *ferruginea* Montr. Ann. Soc. Agr. Lyon VII, 1855, p. 32. *ferruginis* Gemm. Col. Hefte VI, 1870, p. 212.	Neu-Caledonien
Fahraei Mannh. Bull. Mosc. XVII, 1844, IV, p. 850 nota.	Java
fastidiosa Fairm. Compt. rend. Soc. Ent. Belg. 1882, p. LI.	Deutsch-Ostafrika
fortestriata Fauv. Rev. d'Ent. XXIII, 1904, p. 180.	Neu-Caledonien
fossulata Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 153.	Central-amerika
foveicollis Thoms. Arch. Ent. II, 1858, p. 88. — Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 664. *procera* Kolbe, Käfer Ostafr. 1897, p. 239.	Ost- und Westafrika
gagatina Muls. Opusc. Ent. VII, 1856, p. 161.	Nordamerika
grenadensis Champ. Trans. Ent. Soc. Lond. 1896, p. 23.	Grenada
haemorrhoa Fairm. Notes Leyd. Mus. XV, 1893, p. 24.	Borneo
hondana Kolbe, Mitt. Mus. Hamb. XIV, 1897, p. 91.	Deutsch-Ostafrika
imberbis J. Lec. New spec. Col. 1866, p. 123. — Horn, Revis. Tenebr. 1870, p. 371. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 596.	Vereinigte Staaten
impressa Melsh. Proc. Acad. Phil. III, 1846, p. 64. — J. Lec. l. c. p. 124. — Horn, l. c. p. 371. — Seidl. l. c. p. 596.	„
impressicollis Cast. Hist. Nat. II, 1840, p. 220.	Brasilien
insularis Guér. Rev. Zool. 1841, p. 190. — Fairm. Rev. Zool. 1849, p. 446.	Viti-Inseln
intrusicollis Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 798.	Madagaskar
isoceroides Fauv. Rev. d'Ent. XXIII, 1904, p. 182.	Neu-Caledonien
laesicollis Thoms. Arch. Ent. II, 1858, p. 88. — Geb. Ark. f. Zool. II, 1904, nr. 5, p. 12.	Guinea
laesifrons Fairm. Notes Leyd. Mus. IV, 1882, p. 225.	Sumatra
laevicollis Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 153.	Central-amerika

laevicostata Blanch. Voy. Pole Sud IV, 1853, p. 165, t. 11, f. 6. — Neu-Seeland

latimanus Kolbe, Arch. f. Naturg. LII, 1886, I, p. 202, t. 11, f. 34. — Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 468. — Korea, Japan

longula J. Lec. Proc. Acad. Phil. 1861, p. 353; New spec. Col. 1866, p. 124. — Horn, Revis. Tenebr. 1870, p. 371. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 596. — Californien

major Cast. Hist. Nat. II, 1840, p. 220. — Cayenne

mentalis Horn, Rev. Tenebr. 1870, p. 371. — Kansas, Texas

mexicana Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 152, t. 7, f. 14. — Centralamerika

microcephala Fauv. Rev. d'Ent. XXIII, 1904, p. 181. — Neu-Caledonien

miriceps Fauv. l. c. p. 183. — „

multicornis Fairm. Pet. Nouv. Ent. II, 1878, p. 279; Ann. Soc. Ent. Fr. (6) I, 1881, p. 285. — Viti-Inseln

opacipennis Fauv. Rev. d'Ent. XXIII, 1904, p. 182. — Neu-Caledonien

orientalis Cast. Hist. Nat. II, 1840, p. 220. — Java

ovalis Perroud, Ann. Soc. Linn. Lyon 1864, p. 121. — Tasmanien

owariensis Beauv. Ins. Afr. et Am. 1805, p. 144, t. 30 b, f. 8. — Oware

pachysoma Montr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 292. — Fauv. Rev. d'Ent. XXIII, 1904, p. 179. — Neu-Caledonien

parvula Champ. Trans. Ent. Soc. Lond. 1896, p. 23. — St. Vincent

Perroudi Muls. et Guilleb. Ann. Soc. Linn. Lyon 1855, p. 421; Opusc. Ent. VI, 1855, p. 201; Col. Fr. Pectinipèd. 1856, Suppl. Latig. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, t. 74, f. 367. — Kraatz, Berl. Ent. Zeitschr. XVII, 1873, p. 196. — Baudi, Bull. Soc. Ent. Ital. VIII, 1876, p. 111. — Seidl. Fn. Balt. ed. II, 1891, p. 519; Fn. Transs. 1891, p. 557; Naturg. Ins. Deutschl. V, 1894, p. 599. — Desbr. Frelon XI, 1902, p. 15. — Europa

Biologie: Perris, Ann. Soc. Ent. Fr. (3) V, 1857, p. 347, t. 8, f. 413, 420; (4) II, 1862, p. 220, t. 6, f. 587.

picea Küst. Käf. Eur. IV, 1846, 77. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 597. — Dalmatien

picicornis Fairm. Notes Leyd. Mus. IV, 1882, p. 224. — Sumatra

polita Wied. in Germ. Mag. IV, 1821, p. 149. — Indien, Java

punctata Fauv. Rev. d'Ent. XXIII, 1904, p. 181. — Neu-Caledonien

punctulata J. Lec. New spec. Col. 1866, p. 124. — Horn, Revis. Tenebr. 1870, p. 372. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 596. — Texas, Florida, Louisiana

pusilla Gerst. Arch. f. Naturg. XXXVII, 1871, p. 62; Decken's Reise (3) II, 1873, p. 183. — Deutsch-Ostafrika

retusa F. Syst. El. I, p. 149. — Cast. Hist. Nat. II, 1840, p. 220. — Centr. u. Südamerika

var. *bicolor* Kirsch, Berl. Ent. Zeitschr. XVII, 1873, p. 403.

dimidiata Champ. Biol. Centr.-Amer. Col. IV, 1886, p. 154, t. 7, f. 15.

ruficornis All. Bull. Soc. Ent. Fr. 1896, p. 319. Sikkim
rufilabris Fairm. Notes Leyd. Mus. IV, 1882, p. 226. Sundainseln
scita Walk. Ann. Mag. Nat. Hist. (3) II, 1858, p. 284. — Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 37. Ceylon, Indien
sexdecimlineata Montr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 295. Ins. Art
Sjoestedti Geb. Ark. f. Zool. II, 1904, nr. 5, p. 10, t. 1, f. 6. Kamerun
spectabilis Perty, Obs. Col. Ind. 1831, p. 40. Java
spinipes Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 155, t. 7, f. 17. Guatemala
sulcata Champ. Trans. Ent. Soc. Lond. 1896, p. 21, t. 1, f. 4. St. Vincent
tarsalis Muls. Opusc. Ent. VII, 1856, p. 162. *(Melasia)* Venezuela
tenebrioides White, Voy. Ereb. Terr. Ent. 1846, p. 11. — Broun, Man. N. Zeal. Col. I, 1880, p. 366. *nitens* Redt. Reise Novara II, 1868, p. 125. Neu-Seeland
truncata Fairm. Notes Leyd. Mus. XV, 1893, p. 24. Borneo
Westringi Mannerh. Bull. Mosc. XVII, 1844, IV, p. 857 nota. Java

74

Proselytus Fåhrs.

Fåhrs. Öfv. Vet.-Ak. Förh. XXVII, 1870, p. 302.

caffer Fåhrs. l. c. p. 302. Caffrarien

1

Pseuduloma Fairm.

Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 27.

cribricollis Fairm. l. c. p. 27. Indo-China

1

Aphanotus J. Lec.

J. Lec. Class. Col. N. Amer. 1866, p. 233. — Horn, Rev. Tenebr. 1870, p. 368. — J. Lec. and Horn, Class. Col. N. Amer. 1883, p. 381.

brevicornis J. Lec. Proc. Acad. Phil. 1859, p. 78. — Horn, l. c. p. 368. Californien
parallelus Cas. Ann. N. York Acad. V, 1890, p. 483. Arizona, Mexico

2

Alphitobius Steph.

Steph. Ill. Brit. Ent. V, 1832, p. 11. — Muls. Col. Fr. Latigènes 1854, p. 234. — Woll. Ins. Mader. 1854, p. 497. — Lacord. Gen. Col. V, 1859, p. 333. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 302. — Redt. Fn. Austr. ed. III, 1874, p. CXIX u. II, p. 112. — Seidl. Fn. Balt. 1875, p. 97 (Gatt.); ed. II, 1891, p. 133 (Gatt.); Fn. Transs. 1891, p. 133 (Gatt.); Naturg. Ins. Deutschl. V, 1894, p. 592, 600. — Desbr. Frelon XI, 1902, p. 19.

Cryptops Sol. in Gay, Hist. Chile V, 1851, p. 235. — Lacord. Gen. Col. V, 1859, p. 340.
Heterophaga Redt. Gatt. 1845, p. 127; Fn. Austr. 1849, p. 52 u. 594; ed. II, 1858, p. CVII u. 606. — Luc. Expl. Alg. 1849, p. 341.
Subgen. *Diaclina* Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 296.

cinctellus Fairm. Ann. Soc. Ent. Fr. LXXI, 1902, p. 331. — Madagaskar

crenata Kl. Ins. Madag. 1833, p. 180. — Fairm. Ann. Soc. Ent. Fr. (4) IX, 1869, p. 231. — Kolbe, Abh. Senck. Nat. Ges. XXVI, p. 581. — Madagaskar, Comoren

luctuosa Fairm. Ann. Soc. Ent. Fr. (4) IX, 1869, p. 230.

diaperinus Panz. Fn. Germ. 1797, 37, p. 16; Krit. Revis. I, 1805, p. 31. — Ill. Käf. Preuß. 1798, p. 115. — Sturm, Käf. II, 1807, p. 232. — Latr. Hist. Nat. X, 1804, p. 303. — Redt. Fn. Austr. 1849, p. 594; ed. II, 1858, p. 606; ed. III, 1874, II, p. 113. — Woll. Ins. Mader. 1854, p. 498. — Muls. Col. Fr. Latigènes 1854, p. 335. — Bach, Käferf. III, 1856, p. 206. — Luc, Essai sur les anim. art. de Crête 1853, p. 45; Ann. Soc. Ent. Fr. (3) VI, 1857, p. 75. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, t. 74, f. 368. — Baudi, Bull. Soc. Ent. Ital. VIII, 1876, p. 114. — Seidl. Fn. Balt. 1875, p. 362; ed. II, 1891, p. 520; Fn. Transs. 1891, p. 557; Naturg. Ins. Deutschl. V, 1894, p. 604. — Desbr. Frelon XI, 1902, p. 22. — Kosmopolit

mauritanicus Curt. Brit. Ent. VIII, p. 333. — Steph. Brit. Entom. V, 1832, p. 11.

opatroides Brll. in Webb. et Berth. Ins. Canar. 1838, p. 70.

Biologie: Schiödte, Nat. Tidskr. III, 1879, p. 565, t. 11, f. 1—3. — Seidl. Nat. Ins. Deutschl. V, 1893, p. 601. — Xambeu, Ann. Soc. Linn. Lyon LI, 1904, p. 131.

Anatomie: Kempers, Tijdschr. voor Ent. XLIV, p. 32.

fagi Panz. Fn. Germ. 1799, LXI, nr. 3; Krit. Rev. I, 1805, p. 32. — Latr. Hist. Nat. X, 1803, p. 303. — Sturm, Käf. II, 1807, p. 233. — Duft. Fn. Austr. II, 1812, p. 303. — Redt. Fn. Austr. 1849, p. 594; ed. II, 1858, p. 606; ed. III, 1874, II, p. 113. — Bach, Käferf. III, 1856, p. 207. — Seidl. Naturg. Ins. Deutschl. V, 1898, p. 843. — Österreich, Griechenland, Cypern

gracilipes Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 231; Bull. Soc. Ent. Ital. VIII, 1876, p. 115. — Seidl. Nat. Ins. Deutschl. V, 1894, p. 604.

grandis Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 113. — Madagaskar

lateralis Motsch. Études Ent. VII, 1859, p. 101. — Ostindien

limbalis Fairm. Rev. d'Ent. XX, 1901, p. 185. — Madagaskar

nitidulus Motsch. Études Ent. VII, 1859, p. 100. — Ceylon

opacus Gerst. Arch. f. Naturg. XXXVII, 1871, I, p. 62; Decken's Reise III, 2, 1873, p. 184. — Deutsch-Ostafrika

parallelus Thoms. Arch. Ent. II, 1858, p. 87. — Guinea

piceus Ol. Encycl. méth. VII, 1792, p. 50; Entom. III, 1795, nr. 58, p. 17, t. 2, f. 13. — Muls. Col. Fr. Latigènes 1854, p. 237. — Woll. Col. Atlant. p. 419. — Baudi, Bull. Soc. Ent. Ital. VIII, 1876, p. 114. — Seidl. Fn. Balt. ed. II, 1891, p. 520; Fn. Transs. 1891, p. 557; Naturg. Ins. Deutschl. V, 1894, p. 606, 843. — Kosmopolit.

fagi Curt. Brit. Ent. VIII, 1831, p. 303.

? *mauritanicus* F. Ent. Syst. I, 1792, p. 113; Syst. El. I, 1801, p. 149. — Herbst, Käf. VII, 1797, p. 257. — Luc. Expl. Alg. 1849, p. 341; Ann. Soc. Ent. Fr. (3) V, 1857, p. 76.

? *oryzae* Herbst, Käf. VIII, 1799, p. 18, t. 118, f. 10.

picipes Steph. Ill. Brit. Ent. V, 1832, p. 11.

granivorus Muls. et God. Ann. Soc. Linn. Lyon (2) XVI, 1868, p. 288; Opusc. Ent. XIV, 1870, p. 45. — Mars. Abeille XII, 1875, p. 129.

striatulus Fairm. Ann. Soc. Ent. Fr. (4) IX, 1869, p. 231. — Fauv. Rev. d'Ent. XXIII, 1904, p. 185.

Biologie: Schiödte, Nat. Tidskr. III, 1879, p. 568, 587, t. 11, f. 4—5. — Karsch, Entom. Nachr. XIV, 1888, p. 187. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 602.

pictus Fauv. Rev. d'Ent. XXIII, 1904, p. 184. — Neu-Caledonien

pullulus Boh. Resa Eugen. 1858, p. 94. — Hongkong

punctatus Curt. Trans. Linn. Soc. XIX, 1845, p. 469. — Chile

punctulatus Motsch. Étud. Ent. VII, 1859, p. 101. — Ceylon

rufotinctus Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 29. — Indo-China

suffusus Woll. Col. Hesper. 1867, p. 207. — Cap Verde

sulcipennis Thoms. Arch. Ent. II, 1858, p. 87. — Gabun

testudineus Pill. et Mitterp. Iter per Poseg. 1783, p. 83, t. 7, f. 6. — Bedel, Abeille XXVII, 1892, p. 300. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 609. — Südost-europa

chrysomelinus Rossi, Fn. Etrusc. I, 1790, p. 233; ed. Hellw. I, 1795, p. 283. — Herbst, Käf. VIII, 1799, p. 17, t. 118, f. 9. — F. Syst. El. I, 1801, p. 149. — Latr. Hist. Nat. Crust et Ins. X, 1804, p. 304. — Sturm, Käf. II, 1807, p. 234. — Duft. Fn. Austr. II, 1812, p. 303. — Redt. Fn. Austr. 1849, p. 594; ed. II, 1858, p. 606. — Muls. Col. Fr. Latigènes 1854, p. 239. — Bach, Käferf. III, 1856, p. 207. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, t. 72, f. 360. — Baudi, Bull. Soc. Ent. Ital. VIII, 1876, p. 115. — Seidl. Fn. Transsylv. 1891, p. 558; Naturg. Ins. Deutschl. V, 1896, p. 609. — Desbr. Frelon XI, 1902, p. 24.

glabratus F. Syst. El. II, 1801, p. 567.

piceus Redt. Fn. Austr. ed. III, 1874, II, p. 113.

ulomoides Sol. in Gay, Hist. Chile V, 1851, p. 236, t. 20, f. 6 a—c. — Chile

viator Muls. et Godart, Ann. Soc. Linn. Lyon (2) XVI, 1868, p. 290. — Mars. Abeille XII, 1875, p. 128. — Wasm. Jaegersk. Exped. nr. 13, 1904, p. 12. — Marseille, Senegal, Ob. Nil, Abessinien

rufula Fairm. Le Nat. V, 1883, p. 206; Ann. Soc. Ent. Fr. (6) III, 1883, p. 99; Ann. Soc. Ent. Fr. LXXI, 1902, p. 331.

21

Sciophagus Sharp.

Sharp, Trans. Roy. Dubl. Soc. (2) III, 1885, p. 167.

Pachycerus Montr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 292.

pandanicola Boisd. Voy. Astr. Ent. 1835, p. 258. — Fairm. Rev. Zool. 1849, p. 42. — Sharp, l. c. p. 167, t. 5, f. 27. Ins. des Stillen Ozeans
domesticus Montr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 292.
1

Apithesis Waterh.

Waterh. Proc. Zool. Soc. Lond. 1881, p. 476.

obesa Waterh. l. c. p. 477, t. 43, f. 4. Sokotra
1

Pygidiphorus Muls.

Muls. Col. Fr. Pectinip. 1856, Suppl. Latig.: Ann. Soc. Linn. Lyon (2) III, 1856, p. 520. — Lacord. Gen. Col. V, 1859, p. 728. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 303.

Caroli Muls. l. c.; l. c. p. 521. Bordeaux
1

Leptoscapha Fairm.

Fairm. Ann. Soc. Ent. Fr. (6) VI, 1886, p. 73.

Brachyphloeus Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 113. — Alluaud, Bull. Soc. Ent. Fr. 1899, p. 342.
Stenoscapha Fairm. Ann. Soc. Ent. Fr. (6) IV, 1884, p. 234.

dimidiatipennis Fairm. Ann. Soc. Ent. Fr. (5) X, 1880, p. 335. Madagaskar, Nossibé
basalis All. Bull. Soc. Ent. Fr. 1897, p. 142.
spissicornis Fairm. Ann. Soc. Ent. Fr. (6) IV, 1884, p. 235; (6) VI, 1886, p. 73. Madagaskar
2

Pteroctenus Kirsch.

Kirsch, Berl. Ent. Zeitschr. X, 1866, p. 193.

pexus Kirsch, l. c. p. 194. Bogotá
1

Cataphronetis Luc.

Luc. Expl. Alg. 1849, p. 342. — Muls. Col. Fr. Latigènes 1854, p. 240. — Lacord. Gen. Col. V, 1859, p. 335. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 303. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 571. — Reitt. Ent. Nachr. XXI, 1895, p. 147 (Übersicht). — Desbr. Frelon XI, 1902, p. 18.

Phthora Seidl. Fn. Balt. ed. II, 1891, p. 132. (Gatt.); Fn. Transs. 1891, p. 132 (Gatt.).

angustula Fairm. Ann. Soc. Ent. Fr. (6) V, 1885, p. 449. Obock
apicilaevis Mars. Abeille XVI, 1876, Nouv. et faits (2) 9, p. 36. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 572. — Reitt. Übers p. 149. Ägypten

bicolor Reitt. Wien. Ent. Zeit. XVIII, 1899, p. 159. — Algier
confluens Reitt. Wien. Ent. Zeit. XIII, 1894, p. 104. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 571. — Reitt. Übers. p. 147. — Andalusien
crenata Germ. Fn. Ins. Eur. XVIII, 1836, nr. 11. — Küst. Käf. Eur. X, 1847, 68. — Seidl. l. c. p. 571. — Reitt. Übers. p. 147. — Frankreich, Corsica, Spanien, Algier
attenuata Motsch. Bull. Mosc. XX, 1849, III, p. 121.
brunnea Muls. Col. Fr. Latigènes 1854, p. 241. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, t. 74, f. 369. — Desbr. Frelon XI, 1902, p. 19.
Levaillanti Luc. Expl. Alg. 1849, p. 342, t. 30, f. 6.
Hauseriana Reitt. Übers. p. 149. — Turkestan
Millingeni Reitt. Wien. Ent. Zeit. XVIII, 1899, p. 159. — Mesopotamien, Ägypten
var. *aegyptiaca* Reitt. l. c. p. 159.
prolixa Fairm. Rev. et Mag. Zool. 1879, p. 198 (21). — Biskra
quadricollis Reitt. Übers. p. 148. — Turkestan
Reitteri Seidl. Naturg. Ins. Deutschl. V, 1894, p. 572 nota. — Griechenland
hellenica Reitt. Übers. p. 148.
soror Fairm. Rev. d'Ent. XI, 1892, p. 110. — Obock
tenuicornis Reitt. Übers. p. 148. — Turkestan
tenuis Mars. Abeille XVI, 1876, Nouv. et Faits (2) IX, p. 36. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 572 nota. — Arabien

13

Pheres Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 150.

Batesi Champ. l. c. p. 150, t. 7, f. 12, 12a—c. — Panama

1

Eutochia J. Lec.

J. Lec. Class. Col. N. Amer. 1862, p. 238. — Horn, Revis. Tenebr. 1870, p. 372. — J. Lec. and Horn, Class. Col. N. Amer. 1883, p. 381.

Aniara Lacord. Gen. Col. V, 1859, p. 336 nota.
Aniarus Gemm. et Har. Cat. Col. VII, 1870, p. 1964.
Cenoscelis Woll. Col. Hesper. 1867, p. 179.
Delopygus J. Lec. New spec. Col. 1866, p. 129.
Holaniara Fairm. Ann. Soc. Ent. Fr. (5) I, 1871, p. 43.

crenata J. Lec. New spec. Col. 1866, p. 130. — Horn, Revis. Tenebr. 1870, p. 372. — Texas
lateralis Boh. Resa Eugen. 1858, p. 94. — Indien bis Philippinen
picescens Fairm. Compt. rend. Soc. Ent. Belg. 1885, p. CIX; Notes Leyd. Mus. XV, 1893, p. 23.
Biologie: Koningsberger, Mededeel. Lands Plantent. XLIV, 1901, p. 43; Mededeel. Dep. Landb. VI, 1908, p. 82. — Deventer, de Dierlijke Vijanden van het Suikerruit 1906, p. 53.
latipes Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 208. — Madagaskar
opatrinoides Fairm. l. c. p. 208. — „
phylacoides Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 317. — Tonkin

picea Melsh. Proc. Acad. Phil. III, 1846, p. 64. — J. Lec. New spec. Col. 1866, p. 130. — Horn, Revis. Tenebr. 1870, p. 372. — Vereinigte Staaten

pulla Er. Arch. f. Naturg. IX, 1843, I, p. 253. — Trop. Afrika, trop. Asien
amaroides Gestro, Ann. Mus. Genova XIII, 1878, p. 321. — Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 28.
angulatipes Fairm. l. c. p. 316; XL, 1896, p. 26.
distincta Brancs. Jahr. Ver. Trencsen XV, 1893, p. 237.
distinguenda Fairm. Ann. Soc. Ent. Fr. (4) IX, 1869, p. 230.
tibialis Woll. Col. Hesper. 1867, p. 180. — Fauv. Rev. d'Ent. XXIII, 1904, p. 186.

quadricollis Fairm. Ann. Soc. Ent. Fr. (6) III, 1883, p. 512. — Argentinien

rotundicollis Fairm. Compt. rend. Soc. Ent. Belg. 1889, p. XXXV. — Brasilien

simillima Fairm. l. c. p. XXXIV. — „

vidua Fairm. Ann. Soc. Ent. Fr. (5) I, 1871, p. 43. — Madagaskar

11

Merotemnus Horn.

Horn, Revis. Tenebr. 1870, p. 367. — J. Lec. and Horn, Class. Col. N. Amer. 1883, p. 381.

filiformis Cast. Hist. Nat. II, 1840, p. 221. — Californien
elongatus Horn, Revis. Tenebr. 1870, p. 367.

1

Scotochares Boh.

Boh. Resa Eugen. Ins. 1858, p. 95. — Lacord. Gen. Col. V, 1859, p. 728.

insularis Boh. l. c. p. 95. — Marianen

1

Sitophagus Muls.

Muls. Col. Fr. Latigènes 1854, p. 264; Ann. Soc. Agr. Lyon (3) III, p. 204. — Lacord. Gen. Col. V, 1859, p. 387. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 306. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 160. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 592.

Adelina Woll. Ann. Mag. Nat. Hist. (3) II, 1858, p. 413; Col. Atl. 1865, App. p. 61.

cavifrons Reitt. Mitth. Münch. Ent. Ver. I, 1877, p. 10. — Venezuela

dilatifrons Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 162, t. 7, f. 22. — Guatemala

fuliginosus Champ. l. c. p. 161, t. 8, f. 1. — „

hololeptoides Cast. Hist. Nat. II, 1840, p. 220. — Champ. l. c. p. 161. — Central- und Südamerika, Antillen, Madeira
castaneus Reitt. Mitth. Münch. Ent. Ver. I, 1877, p. 9.
farinarius Woll. Ann. Mag. Nat. Hist. (3) II, 1858, p. 414; Col. Atl. 1865, App. p. 61. — Mars. Abeille XII, 1875, p. 130.

Solieri Muls. Col. Fr. Latigènes 1854, p. 265. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, t. 75, f. 372. — Bates, Ent. Monthly Mag. IX, 1873, p. 99.

nitidulus M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 168. — Queensland

Doliema Pasc.

Pasc. Journ. of Entom. I, 1860, p. 50. — Bates, Ent. Monthly Mag. IX, 1873, p. 98. — Champ. Biol. Centr.-Amer. Col. IV, I, 1886, p. 157. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 549.

Adelina J. Lec. Ann. Lyc. New York V, 1851, p. 149.
Schedarosus Reitt. Col. Hefte XV, 1876, p. 42.
Sitophagus Horn, Rev. Tenebr. 1870, p. 346.

angustata Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 159, t. 7, f, 25. — Guatemala

bifurcata Champ. l. c. 1892, p. 535. — Mexico

frontalis Champ. l. c. 1886, p. 159, t. 7, f. 24. — Central- und Südamerika

pallida Say, Journ. Acad. Phil. III, 1823, p. 271. — J. Lec. Proc. Acad. Phil. VII, 1854, p. 219. — Horn, Revis. Tenebr. 1870, p. 346.
cucujiformis Reitt. Col. Hefte XV, 1876, p. 43. — Champ. l. c. p. 158. — Nord-, Central- und Südamerika

plana F. Syst. El. II, 1801, p. 94. — J. Lec. Ann. Lyc. N. York V, 1851, p. 149; Class. Col. N. Amer. 1862, p. 238. — Jacq. du Val in Sagra, Hist. Cuba VII, 1857, p. 64. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 157.
depressa Er. Arch. f. Naturg. XIII, 1847, I, p. 119.
Lecontei Horn, Revis. Tenebr. 1870, p. 346, t. 14, f. 20.
scidarius Reitt. Col. Hefte XV, 1876, p. 44. — ,,

platisoides Pasc. Journ. of Ent. I, 1860, p. 50, t. 3, f. 8. — Ceylon bis Manila

quadridentatus Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 535. — Mexico

spinicollis Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 27. — Indo-China
var. *suturalis* Fairm. l. c. p. 28. — Andamanen

tenuicornis Fairm. l. c. p. 28. — Sumatra

turcica Reitt. Mitth. Münch. Ent. Ver. I, 1877, p. 8. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 549. — Türkei

Doliopines Horn.

Horn, Proc. Calif. Acad. of Sc. (2) IV, 1894, p. 427.

cucujinus Horn, l. c. p. 428, t. 7, f. 11, 12. — Nieder-Californien

Ulosonia Cast.

Cast. Hist. Nat. II, 1840, p. 220. — Lacord. Gen. Col. V, 1859, p. 336. — J. Lec. Class. Col. N. Amer. 1862, p. 233. — Horn, Revis. Tenebr. 1870, p. 366. — J. Lec. and Horn, Class. Col. N. Amer. 1883, p. 381.

biimpressa Latr. in Humb. et Bonpl. Voy. II, 1833, p. 17, t. 31, f. 6. — Central- und Südamerika

canaliculata Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 164. — Centralamerika

ceratodera Fairm. Ann. Soc. Ent. Fr. LXI, 1892, p. 85. — Venezuela

Dejeani Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 165, t. 7, f. 19. — Central- und Südamerika

depressa Champ. l. c. p. 164. — Mexico

marginata J. Lec. Ann. Lyc. N. York V, 1851, p. 149. — Horn, Revis. Tenebr. 1870, p. 367. — Californien

parvicornis Fairm. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 250. — Argentinien

tricornis Cast. Hist. Nat. II, 1840, p. 220. — Jacq. du Val, Hist. Cuba 1857, p. 148, t. 8, f. 16. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 163. — Centralamerika, Antillen

vacca F. Syst. El. I, 1801, p. 153. — Lacord. Gen. Col. V, 1859, p. 337, nota 1. — Brasilien

9

Pelleas Bates.

Bates, Ent. Monthly Mag. IX, 1872, p. 98 (nom. i. l.).

Crotchi Woll. Col. Atlant. App. 1865, p. 62. — Gomera

1

Phayllus Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 167.

minutus Champ. l. c. p. 167, t. 7, f. 21, 21a, b. — Central- und Südamerika

1

Aesymnus Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 168.

nitidus Champ. l. c. p. 168, t. 7, f. 23, 23 a, b. — Mexico

1

Mophis Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 168.

affinis Champ. l. c. p. 169, 536. — Mexico

aterrimus Champ. l. c. p. 169.

cynaeoides Champ. l. c. p. 162, 536, t. 8, f. 2. — ,,

marginicollis Champ. l. c. p. 169, t. 8, f. 3. — Guatemala

3

Metulosonia Bates.

Bates, Ent. Monthly Mag. IX, 1873, p. 261.

cayennensis Cast. Ann. Soc. Ent. Fr. (1) I, 1832, p. 402; Hist. Nat. II, 1840, p. 223. — Cayenne

egaensis Bates, Ent. Monthly Mag. IX, 1873, p. 262. — Amazonas
elongata Chevr. Pet. Nouv. Ent. II, 1878, p. 237. — Venezuela
gyrinoides Chevr. l. c. p. 237. — Südbrasilien
Horni Bates, Ent. Monthly Mag. IX, 1873, p. 262. — Panama
reflexa Chevr. Pet. Nouv. Ent. II, 1878, p. 237. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 166, t. 7, f. 20. — Central-amerika

6

Peltoides Cast.

Cast. Ann. Soc. Ent. Fr. (1) I, 1832, p. 401; Hist. Nat. II, 1840, p. 223. — Lacord. Gen. Col. V, 1859, p. 337. — Geb. Ergebn. Exped. Kilim. I, 7, 1910, p. 385 (Übers.).

Oopiestus Chevr. Silberm. Rev. I, 1832, p. 30.

biimpressus Geb. Mem. Real Soc. Esp. Hist. Nat. I, 1907, p. 407; Übers. p. 385. — Guinea
clypealis Geb. Übers. p. 383, f. 9—11. — Kilimandjaro
Eichelbaumi Geb. Ann. Soc. Ent. Belg. LIV, 1910, p. 167. — Deutsch-Ostafrika
hovanus Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 408. — Geb. Übers. p. 385. — Madagaskar
longulus Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 126. — Geb. Übers. p. 385. — Abessinien
pustulosus Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 323. — Geb. Übers. p. 385. — Guinea
quadriguttatus Fairm. l. c. p. 323. — Geb. Übers. p. 385. — „
senegalensis Cast. Ann. Soc. Ent. Fr. (1) I, 1832, p. 401; Hist. Nat. II, 1840, p. 223. — Geb. Übers. p. 385. — Trop. u. südl. Afrika
capensis Fåhr. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 303. — Bates, Ent. Monthly Mag. IX, 1873, p. 262.
ovalis Chevr. Silb. Rev. I, 1832, p. 31, t. 2.
politus Chevr. Pet. Nouv. Ent. II, 1878, p. 237.

8

Hoplopeltis Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 22.

tricornis Fairm. l. c. p. 23. — Andamanen, Cambodja

1

Astalbus Fairm.

Fairm. Ann. Soc. Ent. Fr. LXVIII, 1899, p. 484.

serobicollis Fairm. l. c. p. 484. — Madagaskar

1

Hypophloeus F.

F. Skrivt. Nat. Selsk. I, 1790, p.; deutsche Ausg. Kopenhagen I, 1, 1793, p. 198; in Schneid. N. Mag. I, 1, 1791, p. 24; Ent. Syst. I, 2, 1792, p. 500; Syst. El. II, 1801, p. 558. — Latr. Précis 1796, p. 22; Hist. Nat. X, 1804, p. 309; Gen. Crust. et Ins. II, 1807, p. 173. — Cast. Hist. Nat. II, 1840, p. 221. — Redt. Gatt. 1845, p. 127; Fn. Austr. 1849, p. 52, 592;

ed. II, 1858, p. CVII u. 609; ed. III, 1874, p. CXIX u. II, p. 110. — Muls. Col. Fr. Latigènes 1854, p. 250. — Lacord. Gen. Col. V, 1859, p. 338. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 308. — Thoms. Skand. Col. I, 1859, p. 117; VI, 1864, p. 262. — Horn, Revis. Tenebr. 1870, p. 378, 386. — J. Lec. and Horn, Class. Col. N. Amer. 1883, p. 383. — Seidl. Fn. Balt. 1875, p. 97 (Gatt.); ed. II, 1891, p. 132 (Gatt.); Fn. Transsylv. 1891, p. 132 (Gatt.); Naturg. Ins. Deutschl. V, 1894, p. 549. — Desbr. Frelon XI, 1902, p. 32.

Corticeus Crotch, Trans. Ent. Soc. Lond. 1870, I, p. 46.
Subgen. *Paraphloeus* Seidl. Naturg. Ins. Deutschl. V, 1894, p. 553.

australis Champ. Trans. Ent. Soc. Lond. 1894, p. 369. — Nordwest-Australien

basalis Reitt. Verh. nat. Ver. Brünn XXII, p. 9. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 554. — Kaukasus

— **bicolor** Ol. Entom. II, 1790, nr. 18, p. 12, t. 2, f. 14; Encycl. méth. VII, p. 407. — F. Ent. Syst. I, 2, 1792, p. 501; Syst. El. II, 1801, p. 559. — Panz. Fn. Germ. XII, 1793, nr. 14; Entom. Germ. 1795, p. 340. — Payk. Fn. Suec. III, 1800, p. 328. — Latr. Hist. Nat. X, 1804, p. 311; Gen. Crust. II, 1807, p. 174. — Gyll. Ins. Suec. II, 1810, p. 580. — Duft. Fn. Austr. II, 1812, p. 309. — Steph. Ill. Brit. Ent. V, 1832, p. 7. — Sahlb. Ins. Fenn. I, 1834, p. 476. — Cast. Hist. Nat. II, 1840, p. 221. — Redt. Fn. Austr. 1849, p. 593; ed. II, 1858, p. 610; ed. III, 1874, II, p. 111. — Muls. Col. Fr. Latigènes 1854, p. 257. — Bach, Käferf. III, 1856, p. 210. — Thoms. Skand. Col. VI, 1864, p. 264. — Seidl. Fn. Balt. 1875, p. 363; ed. II, 1891, p. 519; Fn. Transsylv. 1891, p. 556; Naturg. Ins. Deutschl. V, 1894, p. 563. — Desbr. Frelon XI, 1902, p. 37. — Europa

Biologie: Westw. Introd. mod. Class. Ins. I, 1839, p. 315, f. 38, nr. 6. — Schiödte, Nat. Tidskr. III, 1879, p. 559, t. 10, f. 8—11. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 551.

— **cavus** J. Lec. New spec. Col. 1866, p. 129; Proc. Amer. Phil. Soc. XVII, 1878, p. 424. — Horn, Revis. Tenebr. 1870, p. 387. — Kentucky ♀

colydioides Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 468. — Japan

crassicornis Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 173, t. 8, f. 6. — Guatemala

cylindricus Reitt. Mitth. Münch. Ent. Ver. I, 1877, p. 26. — Viti

ebeninus Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 541. — Comoren

ephippiatus nom. nov. — Madagaskar
longicollis Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 112.

— **erratus** Reitt. Wien. Ent. Zeit. XIII, 1894, p. 16. — Columbien
cylindricus Reitt. Verh. zool.-bot. Ges. Wien XXVII, 1877, p. 192.

— **fasciatus** F. Skrivt. Naturh. Selsk. I. 1, 1790, p. Deutsche Ausg. I, 1, 1793, p. 199; in Schneid. N. Mag. I, 1791, p. 25; Ent. Syst. I, 2, 1792, p. 501; Syst. El. II, 1801, p. 559. — Panz. Fn. Germ. VI, 1793, nr. 17; Ent. Germ. 1795, p. 340. — Europa

— Kugel. in Schneid. N. Mag. V, 1794, p. 527. — Payk. Fn. Suec. III, 1800, p. 324. — Latr. Hist. Nat. X, 1804, p. 310. — Gyllenh. Ins. Suec. II, 1810, p. 582. — Redt. Fn. Austr. 1849, p. 592; ed. II, 1858, p. 610; ed. III, 1874, II, p. 110. — Muls. Col. Fr. Latigènes 1854, p. 259. — Bach, Käferf. III, 1856, p. 210. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, t. 75, f. 375. — Thoms. Skand. Col. VI, 1864, p. 264. — Seidl. Fn. Balt. 1875, p. 363; ed. II, 1891, p. 519; Fn. Transs. 1891, p. 556; Naturg. Ins. Deutschl. V, 1894, p. 554, 564. — Desbr. Frelon XI, 1902, p. 38.

pusillus Rossi, Fn. Etrusca I, 1790, p. 50; ed. Hellw. I, 1795, p. 53.

var. *unicolor* Rag. Natur. Sicil. 1892, p. 31.

Biologie: Perris, Larves 1877, p. 287. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 551.

— **filum** Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 29. — China

flavipennis Motsch. Études ent. VII, 1859, p. 99. — Ceylon

— **fraxini** Kugel. in Schneid. Neu. Mag. V, 1794, p. 527. — Payk. Fn. Suec. III, 1800, p. 322. — Gyllh. Ins. Suec. II, 1810, p. 579. — Sahlb. Ins. Fenn. I, 1834, p. 475. — Redt. Fn. Austr. 1849, p. 592; ed. II, 1858, p. 610; ed. III, 1874, II, p. 110. — Thoms. Skand. Col. VI, 1864, p. 264. — Seidl. Fn. Balt. 1875, p. 363; ed. II, 1891, p. 518; Fn. Transs. 1891, p. 556; Naturg. Ins. Deutschl. V, 1894, p. 553, 558. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 233; Bull. Soc. Ent. Ital. VIII, 1876, p. 116. — Desbr. Frelon XI, 1902, p. 37. — Mittel- u. Nordeuropa

ferrugineus Muls. Col. Fr. Latigènes 1854, p. 254.

pini Zett. Fn. Lapp. 1828, p. 263; Ins. Lapp. 1840, p. 153.

fusciventris Reitt. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 256; Seidl. Naturg. Ins. Deutschl. V, 1894, p. 562. — Herzegowina

gentilis Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 468. — Japan

glaber J. Lec. Proc. Amer. Phil. Soc. XVII, 1878, p. 422, 424. — Florida

laesicollis Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 28. — Abessinien

Leonhardi Reitt. Wien. Ent. Zeit. XXV, 1906, p. 241. — Corsica

— **linearis** F. Skrivt. Naturh. Selsk. I, 1, 1790, p. Deutsche Ausg. Kopenhagen I, 1, 1793, p. 199; in Schneid. N. Mag. I, 1791, p. 25; Ent. Syst. I, 2, 1792, p. 501; Syst. El. II, 1801, p. 559. — Panz. Fn. Germ. VI, 1793, nr. 16; Ent. Germ. 1795, p. 339. — Kugel. in Schneid. N. Mag. V, 1794, p. 526. — Payk. Fn. Suec. 1800, p. 325. — Latr. Hist. Nat. X, 1804, p. 310. — Gyll. Ins. Suec. II, 1810, p. 582. — Duft. Fn. Austr. II, 1812, p. 310. — Sahlb. Ins. Fenn. I, 1834, p. 476. — Redt. Fn. Austr. 1849, p. 592; ed. II, 1858, p. 610; ed. III, 1874, II, p. 110. — Muls. Col. Fr. Latigènes 1854, p. 260. — Bach, Käferf. III, 1856, p. 210. — Thoms. — Europa

Skand. Col. VI, 1864, p. 265. — Seidl. Fn. Balt. 1875, p. 363; ed. II, 1891, p. 519; Fn. Transs. 1891, p. 556; Naturg. Ins. Deutschl. V, 1894, p. 566. — Desbr. Frelon XI, 1902, p. 39.
Biologie: Perris, Ann. Soc. Ent. Fr. (3) V, 1857, p. 458, t. 8, f. 439—443. — Seidl. l. c. p. 551.

longevittatus Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 542. — Comoren

longicollis Woll. Col. Hesper. 1867, p. 206. — Cap Verde

longicornis Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 172. — Mexico

— **longulus** Gyll. Ins. Suec. IV, 1827, p. 517. — Sahlb. Ins. Fenn. I, 1834, p. 476. — Thoms. Skand. Col. VI, 1864, p. 263. — Redt. Fn. Austr. ed. III, 1874, II, p. 111. — Seidl. Fn. Balt. 1875, p. 363; ed. II, 1891, p. 518; Fn. Transs. 1891, p. 556; Naturg. Ins. Deutschl. V, 1894, p. 557. — Baudi, Bull. Soc. Ent. Ital. VIII, 1876, p. 117. — Schweden, Deutschland, Finnland, Kaukasus

— **mexicanus** Reitt. Verh. zool.-bot. Ges. XXVII, 1877, p. 191. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 172. — Central- u. Südamerika

nemosomoides Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 112. — Madagaskar

fasciatus Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 776.

— **opaculus** J. Lec. Proc. Amer. Phil. Soc. XVII, 1878, p. 423, 424. — Südkalifornien

— **pallidipennis** Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 173, t. 8, f. 5. — Centralamerika

parallelus Melsh. Proc. Ac. Phil. III, 1846, p. 63. — Horn, Revis. Tenebr. 1870, p. 386. — J. Lec. Proc. Amer. Phil. Soc. XVII, 1878, p. 424. — Canada bis Arizona

Perrieri Fairm. Ann. Soc. Ent. Belg. XLIII, 1899, p. 483. — Madagaskar

piliger J. Lec. Proc. Amer. Phil. Soc. XVII, 1878, p. 422, 424. — Florida

— **pini** Panz. Fn. Germ. LXVII, 1799, nr. 19. — Latr. Hist. Nat. X, 1804, p. 311. — Duft. Fn. Austr. II, 1812, p. 310. — Redt. Fn. Austr. 1849, p. 592; ed. II, 1858, p. 610; ed. III, 1874, II, p. 110. — Muls. Col. Fr. Latigènes 1854, p. 256. — Bach, Käferf. III, 1856, p. 210. — Woll. Cat. Can. Col. 1864, p. 498. — Seidl. Fn. Balt. ed. II, 1891, p. 518; Fn. Transs. 1891, p. 556; Naturg. Ins. Deutschl. V, 1894, p. 553, 560. — Desbr. Frelon XI, 1902, p. 36. — Europa, Teneriffa

ferrugineus Creutz. Ent. Vers. 1799, p. 126, 140, t. 3, f. 30. — Duft. Fn. Austr. II, 1812, p. 309.

nocivus Woll. Ann. Mag. Nat. Hist. (3) IX, 1862, p. 442.

Biologie: ?Perris, Ann. Soc. Ent. Fr. (3) V, 1857, p. 354, t. 8, f. 430—438.

puncticollis Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 172. — Guatemala

punctipennis Geb. Ergebn. Exped. Kilim. I, 7, 1910, p. 382. — Kilimandjaro

— **rufipes** F. Syst. El. II, 1801, p. 558. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 171, t. 8, f. 4. — Central- u. Südamerika

ruficthorax Pic, Échange 1903, p. 162. — Griechenland
rufosellatus Fairm. Ann. Soc. Ent. Fr. (5) X, 1880, p. 335. — Madagaskar
— **rufulus** Rosenh. Beitr. Fn. Ins. Eur. 1847, p. 32. — Muls. Col. Fr. Latigènes 1854, p. 257. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 567. — Reitt. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 257. — Deutschland, Frankreich, Algier
insidiosus Muls. Col. Fr. Latigenes 1854, p. 384. — Seidl. l. c. p. 554, 561.
suberis Luc. Expl. Alg. 1849, p. 345, t. 30, f. 8. — Bedel, Bull. Soc. Ent. Fr. 1906, p. 92.
substriatus J. Lec. Proc. Amer. Phil. Soc. XVII, 1878, p. 423, 424. — Oregon
— **suturalis** Payk. Fn. Suec. III, 1800, p. 323. — Gyll. Ins. Suec. II, 1810, p. 580. — Sahlb. Ins. Fenn. I, 1834, p. 476. — Thoms. Skand. Col. VI, 1864, p. 264. — Redt. Fn. Austr. III, 1874, II, p. 111. — Seidl. Fn. Balt. 1875, p. 363; ed. II, 1891, p. 519; Fn. Transs. 1891, p. 556; Naturg. Ins. Deutschl. V, 1894, p. 554, 562. — Baudi, Bull. Soc. Ent. Ital. VIII, 1876, p. 117. — Nordosteuropa
bivittatus Reitt. Deutsche Ent. Zeitschr. XIX, 1875, p. 362.
— **tenuis** J. Lec. Proc. Amer. Phil. Soc. XVII, 1878, p. 424. — Massachusetts
— **teredoides** Fairm. Ann. Soc. Ent. Fr. LX, 1891, p. 252. — Gabun
— **thoracicus** Melsh. Proc. Acad. Phil. III, 1846, p. 63. — Horn, Revis. Tenebr. 1870, p. 386. — J. Lec. Proc. Amer. Phil. Soc. XVII, 1878, p. 424. — Canada bis Georgia
— **unicolor** Pill. et Mitterp. Iter per Pos. 1783, p. 87, t. 9, f. 3. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 555. — Europa
✓*castaneus* F. Skrivt. Naturh. Selsk. I, 1, 1790 p.; deutsche Ausg. I, 1, 1793, p. 199; in Schneid. N. Mag. I, 1791, p. 25; Ent. Syst. I, 1792, p. 500; Syst. El. II, 1801, p. 558. — Panz. Fn. Germ. XII, 1793, nr. 13; Ent. Germ. 1795, p. 339. — Payk. Fn. Suec. III, 1800, p. 321. — Latr. Hist. Nat. X, 1804, p. 310. — Gyll. Ins. Suec. II, 1810, p. 578. — Duft. Fn. Austr. II, 1812, p. 308. — Guér. Icon. règne anim. 1829—44, p. 121, t. 31, f. 2. — Redt. Fn. Austr. 1849, p. 592; ed. II, 1858, p. 609; ed. III, 1874, II, p. 110. — Muls. Col. Fr. Latigènes 1854, p. 252. — Bach, Käferf. Deutschl. III, 1856, p. 209. — Thoms. Skand. Col. VI, 1864, p. 263. — Seidl. Fn. Balt. 1875, p. 363; ed. II, 1891, p. 518; Fn. Transs. 1891, p. 555; Naturg. Ins. Deutschl. V, 1894, p. 555. — Desbr. Frelon XI, 1902, p. 35.
✓*cimeterius* Herbst, Füssl. Arch. IV, 1783, p. 38, t. 21, f. c. (nicht binäre Nomenklatur !).
nitidus Melsh. Proc. Acad. Phil. III, 1846, p. 62. — J. Lec. List Col. N. Amer. 1866, p. 63, nota 3.
taxicornis Rossi, Fn. Etrusca I, 1790, p. 49, t. 4, f. 2; ed. Hellw. I, 1795, p. 52, t. 4, f. 2.
var. *pseudocastaneus* Reitt. Wien. Ent. Zeit. XXV, 1906, p. 242. — Griechenland
var. *siculus* Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 233. — Sicilien

Biologie: Perris, Larves 1877, p. 285. — Seidl. Naturg. Ins. Deutschl. V, 1894, p. 551.

validus Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 541. — Comoren

versipellis Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 234; Bull. Soc. Ent. Ital. VIII, 1876, p. 118. — Seidl. Fn. Balt. ed. II, 1891, p. 519; Fn. Transs. 1891, p. 556; Naturg. Ins. Deutschl. V, 1894, p. 567. — Italien, Ungarn

Hopffgarteni Reitt. Verh. Nat. Ver. Brünn XV, 1876, p. 26, t. 1, f. 8.

volvulus Gerst. Arch. f. Naturg. XXXVI, 1871, p. 62; Decken's Reise III, 2, 1873, p. 185. — Deutsch-Ostafrika

47

Pogonoxenus Wasm.

Wasm. Deutsche Ent. Zeitschr. 1899, p. 172.

Kraatzi Wasm. l. c. p. 173, t. 2, f. 8. — Kamerun

1

Phanerops Sol.

Sol. in Gay, Hist. Chile V, 1851, p. 233. — Lacord. Gen. Col. V, 1859, p. 339.

elongata Sol. l. c. p. 234, t. 20, f. 5. — Chile

unicolor Germain, An. Univ. Chile 1855, p. 405. — „

2

LXVIII. Helaeinae.

Lacordaire, Gen. Col. V, 1859, p. 343. — M'Leay, Proc. Linn. Soc. N. S. Wales (2) II, 1888, p. 513—550 u. 635—675 (Mon.).

Cossyphides (pars) Brême, Essai monogr. Cossyph. I, 1842, p. 1—72, t. 1—7 (Mon.).

Encara Gemm.

Gemm. Col. Hefte VI, 1870, p. 124. — M'Leay, Mon. p. 515.

Encephalus Brême, Mon. p. 23, t. 1, f. 1—4 A. — Lacord. Gen. Col. V, 1859, p. 345.

floccosum Pasc. Ann. Mag. Nat. Hist. (4) V, 1870, p. 100. — M'Leay, Mon. p. 518. — Queensland

Lacordairei M'Leay, Mon. p. 519. — N. S. Wales

submaculatum Lacord. Gen. Col. Atl. t. 55, f. 3.

latum Cart. Proc. Linn. Soc. N. S. Wales XXXV, 1910, p. 115, f. 1. — N. W. Australien

nigrum Cart. Proc. Linn. Soc. N. S. Wales XXX, 1905, p. 178. — N. S. Wales

submaculatum Brême, Mon. p. 25, t. 7, f. 4. — M'Leay, Mon. p. 516. — „

Westwoodi Boisd. Voy. Astrol. II, 1835, p. 262. — M'Leay, Mon. p. 516. — Australien

gibbosum Brême, Mon. p. 23, t. 5, f. 5

6

Pterohelaeus Brême.

Brême, Mon. 1842, p. 27, t. 1, f. 1—4, B. — Lacord. Gen. Col. V, 1859, p. 346. — M'Leay, Mon. p. 519. — Cart. Proc. Linn. Soc. N. S. Wales XXXV, 1810, p. 124 (Übersicht über Gruppe I und II M'Leays). — Blackb. Trans. Roy. Soc. S. Austr. XXXI, 1907, p. 291 (Übersicht über Gruppe II, 2 Mac Leay's).

abdominalis Lea, Proc. Linn. Soc. N. S. Wales 1896, p. 286. — Cart. Übers. p. 125. — Westaustralien
acuticollis M'Leay, Mon. p. 523. — Cart. Übers. p. 124. — Queensland
agonus Pasc. Journ. of Ent. II, 1866, p. 461. — M'Leay, Mon. p. 542. — Südaustralien
alternatus Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 284. — M'Leay, Mon. p. 533. — Cart. Übers. p. 126. — Inneraustralien
arcanus Pasc. Ann. Mag. Nat. Hist. (4) V, 1870, p. 98. — M'Leay, Mon. p. 525. — Cart. Übers. p. 125. — Queensland
asellus Pasc. l. c. p. 99. — M'Leay, Mon. p. 542. — „
ater Blackb. Trans. Roy. Soc. S. Austr. X, 1887, p. 279. — Victoria
bagotensis Blackb. Horn's Exped. II, 1896, p. 274. — Centralaustralien
Bremei M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 281; Mon. p. 522. — Cart. Übers. p. 124. — Queensland
brevicornis Blackb. Übers. p. 292, 294. — Centralaustralien
Broadhursti Lea, Proc. Linn. Soc. N. S. Wales 1896, p. 285. — Westaustralien
bullatus Pasc. Journ. of Entom. II, 1866, p. 462. — M'Leay, Mon. p. 536. — Blackb. Übers. p. 292. — Queensland bis Südaustralien
cereus M'Leay, Mon. p. 545. — Westaustralien
confusus M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 283; Mon. p. 543. — Queensland
convexiusculus M'Leay, Mon. p. 549. — N. S. Wales
cornutus M'Leay, Mon. p. 522. — Cart. Übers. p. 124. — Queensland
costatus M'Leay, Mon. p. 526. — Cart. Übers. p. 124. — Nordaustralien
crenulatus M'Leay, Mon. p. 534. — Cart. Übers. p. 126. — „
Darwini Lea, Proc. Linn. Soc. N. S. Wales 1896, p. 284. — Westaustralien
darwiniensis M'Leay, Mon. p. 527. — Cart. Übers. p. 126. — Nordaustralien
depressiusculus M'Leay, Mon. p. 533. — Cart. Übers. p. 125. — Südaustralien
dispar Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 286. — M'Leay, Mon. p. 530. — Cart. Übers. p. 125. — Westaustralien
dispersus M'Leay, Mon. p. 549. — N. S. Wales
elongatus M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 282; Mon. p. 530. — Cart. Übers. p. 125. — Queensland
fraternus Blackb. Trans. Roy. Soc. S. Austr. XIX, 1895, p. 51. — Centralaustralien
geminatus Blackb. Proc. Linn. Soc. N. S. Wales (2) V, 1891, p. 153. — Südaustralien
glaber M'Leay, Mon. p. 547. — Darling
gracilicornis Blackb. Übers. p. 291, 293. — Westaustralien

granulatus Germ. Linn. Ent. III, 1848, p. 197. — Haag, Deutsche Ent. Zeitschr. XXIII, 1879, p. 412. — M'Leay, Mon. p. 535. — Blackb. Übers. p. 291. — Südaustralien

granuliger M'Leay, Mon. p. 537. — Blackb. Übers. p. 291. — N. S. Wales

Guerini Brême, Mon. p. 36, t. 2, f. 3. — M'Leay, Mon. p. 535. — Australien

hepaticus Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 285. — M'Leay, Mon. p. 529. — Cart. Übers. p. 125. — Melbourne

hirtus M'Leay, Mon. p. 532. — Cart. Mon. p. 125. — N. S. Wales

insignis Blackb. Trans. Roy. Soc. S. Austr. X, 1887, p. 277; Übers. p. 291. — Australien

insularis Brême, Mon. p. 30, t. 3, f. 6. — Blanch. Voy. Pole Sud IV, 1853, p. 151, t. 10, f. 8. — M'Leay, Mon. p. 528. — Cart. Übers. p. 125. — Nordaustralien

Kollari Brême, Mon. p. 32, t. 7, f. 3. — M'Leay, Mon. p. 547. — Westaustralien

laticollis Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 285. — M'Leay, Mon. p. 528. — Cart. Übers. p. 125. — Melbourne

litigiosus Pasc. l. c. p. 283. — M'Leay, Mon. p. 541. — Sydney

memnonius Pasc. Journ. of Ent. II, 1866, p. 462. — M'Leay, Mon. p. 539. — Südaustralien

minimus Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 284. — M'Leay, Mon. p. 548. — „

nigricornis Champ. Trans. Ent. Soc. Lond. 1894, p. 382. — N. W. Australien

nitidissimus Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 282. — M'Leay, Mon. p. 540. — Südaustralien

striatopunctatus Brême, Mon. p. 31, t. 2, f. 6.

nitidiusculus Mon. p. 538. — Blackb. Übers. p. 291. — „

nitiduloides Cart. Proc. Linn. Soc. N. S. Wales XXXIII, 1908, p. 406. — N. S. Wales

nodulosus Cart. Übers. p. 123, 126. — Nordaustralien

obliteratus M'Leay, Mon. p. 548. — Queensland

opatroides M'Leay, Mon. p. 544. — Clyde River

ovalis Blackb. Trans. Roy. Soc. S. Austr. X, 1887, p. 281. — Südaustralien

ovulum Haag, Verh. Ver. naturw. Unterh. Hamburg III, 1878, p. 97; Journ. Mus. Godeffr. XIV, 1879, p. 115. — M'Leay, Mon. p. 543. — Queensland

parallelus Brême, Mon. p. 33, t. 2, f. 7. — M'Leay, Mon. p. 542. — Westaustralien

Pascoei M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 282; Mon. p. 524. — Cart. Übers. p. 124. — Queensland

peltatus Er. Arch. f. Naturg. VIII, 1842, I, p. 175. — M'Leay, Mon. p. 545. — Tasmania, Victoria

peltoides M'Leay, Mon. p. 546. — N. S. Wales, Victoria

peltatus Brême, Mon. p. 34, t. 2, f. 1.

piceus Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 468. — Brême, Mon. p. 28, t. 2, f. 5. — M'Leay, Mon. p. 524. — Blackb. Trans. Roy. Soc. S. Austr. X, 1887, p. 280. — Cart. Übers. p. 124. — N. S. Wales, Südaustralien

planus Bless. Horae Soc. Ent. Ross. I, 1861, p. 90, t. 4, f. 1. — Blackb. l. c. p. 280. — Melbourne

pruinosus Pasc. Journ. of Entom. II, 1866, p. 461. — M'Leay, Mon. p. 526. — Nordaustralien

puer Blackb. Übers. p. 291. — N. S. Wales

puncticollis Cart. Übers. p. 121, 126 — N. W. Australien

punctipennis M'Leay, Mon. p. 544. — Queensland
pusillus M'Leay, Mon. p. 307, 540. — „
raucus Blackb. Proc. Linn. Soc. N. S. Wales (2) IV, 1889, p. 1266. — Cart. Übers. p. 125. — Nordaustralien
regularis Blackb. Übers. p. 291. — N. S. Wales
Reichei Brême, Mon. p. 35, t. 2, f. 2. — M'Leay, Mon. p. 531. — Cart. Übers. p. 125. — Australien
riverinae M'Leay, Mon. p. 523. — Cart. Übers. p. 124. — N. S. Wales
septemcostatus Cart. Übers. p. 120, 126. — Queensland
servus Pasc. Journ. of Ent. II, 1866, p. 462. — M'Leay, Mon. p. 539. — Victoria
silphoides Brême, Mon. p. 42, t. 3, f. 3. — M'Leay, Mon. p. 538. — Australien
simplicicollis Blackb. Übers. p. 291. — Südaustralien
sinuaticollis M'Leay, Mon. p. 526. — Cart. Übers. p. 125. — Cap York
solidus Cart. Übers. p. 117, 124. — Queensland
spinicollis M'Leay, Mon. p. 523. — Cart. Übers. p. 124. — „
squalidus M'Leay, Mon. p. 534. — Blackb. Übers. p. 292. — „
striatopunctatus Boisd. Voy. Astrol. II, 1835, p. 266. — M'Leay, Mon. p. 546. — Ins. Känguru
subgeminatus M'Leay, Mon. p. 537. — Blackb. Übers. p. 292. — Südaustralien
tenuistriatus Lea, Proc. Linn. Soc. N. S. Wales 1897, p. 586. — Westaustralien
tristis Lea, Proc. Linn. Soc. N. S. Wales 1896, p. 287.
thymaloides M'Leay, Mon. p. 549. — Südaustralien
tristis Germ. Linn. Ent. III, 1848, p. 197. — M'Leay, Mon. p. 536. — Blackb. Trans. Roy. Soc. S. Austr. X, 1887, p. 278; Übers. p. 291. — „
undulatus Cart. Übers. p. 118, 125. — Queensland
ventralis Blackb. Übers. p. 291, 294. — Westaustralien
vicarius Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 283. — M'Leay, Mon. p. 541. — N. S. Wales, Victoria
Walkeri Brême, Mon. p. 27, t. 2, f. 4. — Lacord. Gen. Col. Atl. t. 54, f. 3. — M'Leay, Mon. p. 521. — Cart. Übers. p. 124. — N. S. Wales

81

Helaeus Latr.

Latr. Règne anim. ed. I, III, 1817, p. 301. — Cast. Hist. Nat. II, 1840, p. 228. — Brême, Essai monogr. Coss. I, 1842, p. 55, t. 1, f. 1—8 (Mon.). — Lacord. Gen. Col. V, 1859, p. 347. — M'Leay, Proc. Linn. Soc. N. S. Wales (2) II, 1888, p. 635 (Mon.). — Blackb. Trans. Roy. Soc. S. Austr. 1899, p. 35 (Übersicht über Gruppe I Mac Leay's). — Cart. Proc. Linn. Soc. N. S. Wales XXXV, 1910, p. 88 (Übersicht über Gruppe III Mac Leay's.)

approximatus Cart. Übers. p. 93, 100. — Westaustralien
aridus Blackb. Trans. Roy. Soc. S. Austr. XVI, 1892, p. 41. — Blackb. Übers. p. 37. — Cart. Übers. p. 89. — Australien
brevicostatus Blackb. Proc. Linn. Soc. N. S. Wales (2) III, 1889, p. 865; Übers. p. 37, 41. — „
Browni Kirby, Trans. Linn. Soc. XII, 1818, p. 467, t. 23, f. 8. — Brême, Mon. p. 62, t. 6, f. 6. — M'Leay, Mon. p. 369. — Cart. Übers. p. 89. — Westaustralien

castor Pasc. Journ. of Ent. II, 1866, p. 464. — M'Leay, Mon. p. 646. — Cart. Übers. p. 92, 94. — Südaustralien

colossus Brême, Mon. p. 59, t. 6, f. 1. — M'Leay, Mon. p. 636. — Queensland

comatus Cart. Übers. p. 93, 101. — West-australien

consularis Pasc. Journ. of Ent. II, 1866, p. 463. — M'Leay, Mon. p. 645. — Blackb. Übers. p. 37. — Cart. Übers. p. 91, 93. — „

crenatipennis Cart. Übers. p. 94, 114. — Nord-australien

debilis Blackb. Trans. Roy. Soc. S. Austr. XVI, 1892, p. 42; Übers. p. 37. — Australien

derbyensis M'Leay, Mon. p. 648. — Cart. Übers. p. 92, 93. — N. W. Australien

echidna White, Voy. Capt. Grey 1841, App. p. 464. — Brême, Mon. p. 64, t. 7, f. 1. — M'Leay, Mon. p. 650. — King-George-Sund

ellipticus Lea, Proc. Linn. Soc. N. S. Wales 1897, p. 586. — Cart. Übers. p. 92, 93. — West-australien

elongatus Blackb. Proc. Linn. Soc. N. S. Wales (2) IV, 1889, p. 1267; Übers. p. 40. — Cart. Übers. p. 89. — „

Frenchi Cart. Übers. p. 94, 112. — „

fulvohirtus Lea, Proc. Linn. Soc. N. S. Wales 1896, p. 288. — Cart. Übers. p. 90. — „

Georgei Cart. Übers. p. 94, 103. — „

Gilesi Cart. Übers. p. 94, 104. — „

granulatus Lea, Proc. Linn. Soc. N. S. Wales 1896, p. 289. — Cart. Übers. p. 94. — „

Haagi Dohrn, Stett. Ent. Zeit. XLII, 1881, p. 314. — M'Leay, Mon. p. 648. — Cart. Übers. p. 94. — Südaustralien

Hopei Brême, Mon. p. 68, t. 5, f. 4. — M'Leay, Mon. p. 647. — Cart. Übers. p. 94. — ? West-australien

ingens Blackb. Trans. Roy. Soc. S. Austr. XVI, 1892, p. 37, 43. — Australien

interioris M'Leay, Mon. p. 639. — Blackb. Übers. p. 37. — Darling

intermedius Brême, Mon. p. 61, t. 5, f. 1. — M'Leay, Mon. p. 637. — Blackb. Übers. p. 37. — Südaustralien

Kirbyi Brême, Mon. p. 57, t. 6, f. 4. — M'Leay, Mon. p. 641. — Cart. Übers. p. 90. — West-australien

lubricus Blackb. Trans. Roy. Soc. Austr. XVI, 1892, p. 42; Übers. p. 37. — Australien

Mac Leayi Brême, Mon. p. 65, t. 6, f. 3. — M'Leay, Mon. p. 643. — Cart. Übers. p. 94. — King-George's Sund

Mastersi Pasc. Ann. Mag. Nat. Hist. (4) V, 1870, p. 99. — M'Leay, Mon. p. 644. — Cart. Übers. p. 92, 94. — West-australien

modicus Blackb. Übers. p. 37, 39. — Südaustralien

moniliferus Pasc. Journ. of Ent. II, 1866, p. 463. — M'Leay, Mon. p. 642. — Cart. Übers. p. 91, 93. — „

occidentalis Cart. Übers. p. 94, 106. — West-australien

opacicollis Cart. Übers. p. 94, 109. — „

ovatus Guér. Voy. Coqu. II, 1830, p. 105, t. 5, f. 7. — Brême, Mon. p. 69, t. 5, f. 2, t. 1; f. 3, 4. — M'Leay, Mon. p. 650. — Cart. Übers. p. 95. — Australien

var. *echinatus* Hope, Trans. Ent. Soc. Lond. V, 1848, p. 54, t. 7, f. 1.

var. *horridus* Blackb. Proc. Linn. Soc. N. S. Wales (2) III, 1889, p. 866.

pallidus M'Leay, Mon. p. 640. — Blackb. Übers. p. 37. — Südaustralien

perforatus Latr. Règne anim. ed. II, 1829, III, p. 32, t. 3, f. 6. — Brême, Mon. p. 55, t. 6, f. 2; t. 1, f. 1, 2, 5—8. — M'Leay, Mon. p. 641. — Süd- u. Westaustralien

Perroni Boisd. Voy. Astr. II, 1835, p. 259. — Brême, Mon. p. 66, t. 5, f. 3. — M'Leay, Mon. p. 644. — Cart. Übers. p. 90, 94, 96. — Westaustralien

falcatus Pasc. Journ. of Ent. II, 1866, p. 464.

princeps Hope, Trans. Ent. Soc. Lond. V, 1848, p. 52, t. 6, f. 1. — M'Leay, Mon. p. 634. — Blackb. Übers. p. 37. — „

rugosipennis Cart. Übers. p. 94, 107. — „

scaphiformis Blackb. Übers. p. 37, 38. — Südaustralien

sparsus Cart. Übers. p. 94, 110. — Westaustralien

Spencei Brême, Mon. p. 58, t. 6, f. 5. — M'Leay, Mon. p. 642. — Cart. Übers. p. 90. — „

spinifer Cart. Übers. p. 93, 98. — „

Spinolae Hope, Trans. Ent. Soc. Lond. V, 1848, p. 53, t. 6, f. 3. — M'Leay, Mon. p. 657. — Cart. Übers. p. 90. — „

squamosus Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 286, t. 12, f. 4. — M'Leay, Mon. p. 647. — Cart. Übers. p. 92, 93. — Darling River

subseriatus Blackb. Übers. p. 37, 40. — Cart. Übers. p. 89. — Westaustr.

tuberculatus Brême, Mon. p. 71, t. 7, f. 2. — Cart. Übers. p. 95. — Australien

Sympetes Pasc.

Pasc. Journ. of Ent. II, 1866, p. 464. — M'Leay, Proc. Linn. Soc. N. S. Wales (2) II, 1888, p. 651 (Mon.). — Cart. Proc. Linn. Soc. N. S. Wales XXXV, 1910, p. 77 (Übers.).

acutifrons Lea, Proc. Linn. Soc. N. S. Wales 1896, p. 290. — Cart. Übers. p. 87. — Westaustralien

bicolor Cart. Übers. p. 83, 87. — „

Bremei Hope, Trans. Ent. Soc. Lond. V, 1848, p. 54, t. 6, f. 5. — M'Leay, Mon. p. 517. — Lea, Proc. Linn. Soc. N. S. Wales XXII, 1897, p. 585. — Cart. Übers. p. 80, 88. — „

Duboulayi Pasc. Journ. of Ent. II, 1866, p. 466. — M'Leay, Mon. p. 670.

excisifrons Cart. Übers. p. 86, 88. — „

gagates Brême, Mon. p. 52, t. 4, f. 1. — Cart. Übers. p. 78, 87. — „

contractus Hope, Trans. Ent. Soc. Lond. V, 1848, p. 53, t. 6, f. 2.

tricostellus Brême, Mon. p. 53, t. 5, f. 6.

orbicularis Brême, Mon. p. 51, t. 4, f. 4. — Cart. Übers. p. 82, 88. — „

patelliformis Pasc. Ann. Mag. Nat. Hist. (4) V, 1870, p. 100. — M'Leay, Mon. p. 672. — Cart. Übers. p. 88. — „

quadratus Cart. Übers. p. 84, 88. — „

rotundatus Brême, Mon. p. 50, t. 4, f. 3. — Cart. Übers. p. 82, 88. — Westaustralien
subrugosus Brême, Mon. p. 49, t. 4, f. 5. — Cart. Übers. p. 82, 88. — „
testudineus Hope, Trans. Ent. Soc. Lond. V, 1848, p. 53, t. 6, f. 4. — M'Leay, Mon. p. 674. — Cart. Übers. p. 80, 88. — „
undulatus Lea, Proc. Linn. Soc. N. S. Wales 1896, p. 291.
tricostellus White, Voy. Capt. Grey 1841, App. p. 464. — Cart. Übers. p. 79, 88. — „
Macleayi Pasc. Journ. of Ent. II, 1866, p. 465.
unicarinatus Boisd. Voy. Astrol. II, 1835, p. 265. — Brême, Mon. p. 48, t. 4, f. 6. — Cart. Übers. p. 88. — Ins. Känguru

13

Saragus Er.

Er. Arch. f. Naturg. VIII, 1842, I, p. 171. — Lacord. Gen. Col. V, 1859, p. 348. — M'Leay, Proc. Linn. Soc. N. S. Wales (2) II, 1888, p. 653 (Mon.).

Cilibe Sol. Studi Entom. 1848, p. 154 (8), 354 (208).

addendus Blackb. Horn's Exped. II, 1896, p. 275. — Centralaustralien
asidoides Pasc. Journ. of Entom. II, 1866, p. 465. — M'Leay, Mon. p. 666. — Südaustralien
asperipes Pasc. Ann. Mag. Nat. Hist. (4) V, 1870, p. 101. — M'Leay, Mon. p. 667. — Blackb. Proc. Linn. Soc. N. S. Wales (2) III, 1889, p. 871. — „
australis Boisd. Voy. Astrol. II, 1835, p. 263. — Brême, Mon. p. 43, t. 4, f. 2. — M'Leay, Mon. p. 664. — Australien
bicarinatus Champ. Trans. Ent. Soc. Lond. 1894, p. 385, t. 8, f. 10. — N. W. Australien
Blackburni M'Leay, Mon. p. 656. — Südaustralien
brunnipennis M'Leay, Mon. p. 670. — King-George's Sund
brunnipes Boisd. Voy. Astrol. II, 1835, p. 264. — Brême, Mon. p. 37, t. 3, f. 4. — M'Leay, Mon. p. 669. — Westaustralien
carinatus Brême, Mon. p. 41, t. 3, f. 2. — M'Leay, Mon. p. 666. — Südaustralien
catenulatus M'Leay, Mon. p. 658. — N. S. Wales
clathratus M'Leay, Mon. p. 663. — Fitzroy-Downs
confirmatus Pasc. Ann. Mag. Nat. Hist. (4) V, 1870, p. 102. — M'Leay, Mon. p. 661. — Westaustralien
convexicollis M'Leay, Mon. p. 656. — Südaustralien
crenulatus M'Leay, Mon. p. 663. — Nordaustralien
emarginatus Guér. Voy. Coqu. II, 1830, p. 105. — Brême, Mon. p. 47, t. 3, f. 5. — M'Leay, Mon. p. 660. — Victoria
cassidoides Boisd. Voy. Astrol. II, 1835, p. 265. — Cast. Hist. nat. II, 1840, p. 227.
exulans Pasc. Journ. of Ent. II, 1866, p. 466. — M'Leay, Mon. p. 667. — Lord Howe's Ins.
Frenchi Cart. Proc. Linn. Soc. N. S. Wales XXXV, 1910, p. 128. — Südaustralien
geminatus M'Leay, Mon. p. 668. — N. S. Wales

Gulielmi Olliff, Ins. Fauna Lord Howe Isl. 1889, p. 88.	Lord Howe's Ins.
inaequalis Blackb. Proc. Linn. Soc. N. S. Wales (2) III, 1889, p. 867.	Südaustralien
incisus Pasc. Ann. Mag. Nat. Hist. (4) V, 1870, p. 101. — M'Leay, Mon. p. 655.	N. S. Wales
infelix Pasc. Journ. of Ent. II, 1866, p. 466. — M'Leay, Mon. p. 662.	Tasmania
interruptus Boisd. Voy. Astrol. II, 1835, p. 264. — Brême, Mon. p. 46, t. 4, f. 7. — M'Leay, Mon. p. 660.	Australien
intricatus Champ. Trans. Ent. Soc. Lond. 1894, p. 386.	N. W. Australien
laevicollis Ol. Entom. II, 1790, 11, p. 12, t. 1, f. 5. — F. Ent. Syst. I, p. 250. — Er. Arch. f. Naturg. VIII, 1842, I, p. 172, t. 4, f. 7. — Brême, Mon. p. 44, t. 3, f. 1. — Hope, Trans. Ent. Soc. Lond. V, 1848, t. 7, f. 5. — M'Leay, Mon. p. 657.	Tasmania, Victoria, Südaustralien
costatus Sol. Studi Entom. 1848, p. 355 (209), t. 13, f. 10—13.	
laevis M'Leay, Mon. p. 671.	N. S. Wales
latus Blackb. Proc. Linn. Soc. N. S. Wales (2) III, 1889, p. 869.	Südaustralien
levicostatus M'Leay, Mon. p. 659.	„
limbatus Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 287. — M'Leay, Mon. p. 665.	Victoria
Lindi Blackb. Proc. Linn. Soc. N. S. Wales (2) III, 1889, p. 868.	Südaustralien
lugubris Lea, Proc. Linn. Soc. N. S. Wales 1897, p. 587.	Kimberley-Distrikt
luridus Haag, Verh. Ver. naturw. Unterh. Hamburg III, 1878, p. 97; Journ. Mus. Godeffr. XIV, 1879, p. 116. — M'Leay, Mon. p. 662.	Queensland
var. *interstitialis* Haag, l. c. p. 97; l. c. p. 116.	
Macleayi Blackb. Proc. Linn. Soc. N. S. Wales (2) III, 1889, p. 871.	Südaustralien
magister Pasc. Journ. of Ent. II, 1866, p. 465. — M'Leay, Mon. p. 670. — Cart. Proc. Linn. Soc. N. S. Wales XXXV, 1910, p. 81.	Queensland, N. S. Wales
icarus Lea, Proc. Linn. Soc. N. S. Wales XXX, 1905, p. 177.	
marginatus Sol. Studi entom. 1848, p. 356 (210).	Australien
marginellus Hope, Trans. Ent. Soc. Lond. V, 1848, p. 55, t. 7, f. 4. — M'Leay, Mon. p. 661.	Norfolk-Sund
Mastersi Cart. Proc. Linn. Soc. N. S. Wales XXXV, 1910, p. 126.	N. W. Australien
mediocris Blackb. Proc. Linn. Soc. N. S. Wales (2) III, 1889, p. 870.	Südaustralien
montanus Cart. Proc. Linn. Soc. N. S. Wales XXXV, 1910, p. 127.	Blaue Berge
Odewahni Pasc. Journ. of Ent. II, 1866, p. 467. — M'Leay, Mon. p. 658.	Südaustralien
opacipennis M'Leay, Mon. p. 661.	N. W. Australien
ovalis M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 283; Mon. p. 674.	Queensland
Pascoei M'Leay, Mon. p. 669.	Südaustralien

reticulatus Haag, Verh. Ver. naturw. Unterh. Hamburg III, 1878, p. 97; Journ. Mus. Godeffr. XIV, 1879, p. 116. — M'Leay, Mon. p. 663. — Queensland
rudis M'Leay, Mon. p. 659. — N. S. Wales
rugosipennis M'Leay, Mon. p. 664. — „
rugosus Boisd. Voy. Astrol. II, 1835, p. 264. — M'Leay, Mon. p. 659. — Blackb. Proc. Linn. Soc. N. S. Wales (2) IV, 1889, p. 1269. — Victoria
satelles Blackb. Proc. Linn. Soc. N. S. Wales (2) III, 1889, p. 872. — Südaustralien
simplex Hope, Trans. Ent. Soc. Lond. V, 1848, p. 55, t. 7, f. 2. — M'Leay, Mon. p. 665. — West- und Südaustralien
striatipennis M'Leay, Mon. p. 668. — N. S. Wales
subrugosus Brême, Mon. p. 49, t. 4, f. 5. — M'Leay, Mon. p. 673. — Australien
tarsalis Hope, Trans. Ent. Soc. Lond. V, 1848, p. 55, t. 7, f. 3. — M'Leay, Mon. p. 666. — Westaustralien
tricarinatus Blackb. Trans. Roy. Soc. S. Austr. XVI, 1892, p. 43. — Südaustralien

Cilibe Brême.

Brême, Essai monogr. Cossyph. I, 1842, p. 37, t. 1, f. 1—4, D. — Lacord. Gen. Col. V, 1859, p. 349.

asidaeformis Fauv. Rev. d'Ent. XXIII, 1904, p. 188. — Neu-Caledonien
brevipennis Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 482 (11). — Neu-Seeland
Buchanani Broun, Man. New Zeal. Col. I, 1880, p. 377. — „
costella Broun, Ann. Mag. Nat. Hist. (7) XV, 1905, p. 544. — „
elongata Brême, Mon. p. 38, t. 7, f. 6. — Blanch. Voy. Pole Sud IV, 1853, p. 148, t. 10, f. 4, 5. — Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 478 (7). — „
phosphugoides White, Voy. Ereb. and Terror, Ent. 1846, p. 11. — Blanch. l. c. p. 150, t. 10, f. 7.
var. *granulipennis* Bates, l. c. p. 479 (8).
granulosa Brême, Mon. p. 39, t. 7, f. 5. — Blanch. l. c. p. 149, t. 10, f. 6. — Bates, l. c. p. 482 (11). — „
humeralis Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 480 (9). — „
Huttoni Sharp, Ent. Monthly Mag. XV, 1878, p. 51. — „
impressifrons Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 485 (14). — „
lateralis Broun, Ann. Mag. Nat. Hist. (8) III, 1909, p. 408. — „
Lewisiana Sharp, Ent. Monthly Mag. 1903, p. 108. — „
major Sharp, l. c. p. 106. — „
marginalis Broun, Man. New Zeal. Col. 1893, p. 1115. — „
meridionalis Sharp, Ent. Monthly Mag. 1903, p. 109. — „
nitidula Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 476 (5). — „
opacula Bates, l. c. p. 474 (3). — „
otagensis Bates, l. c. p. 476 (5). — „
var. *grandis* Bates, l. c. p. 477 (6). — „
Pascoei Bates, l. c. p. 479 (8). — „

rugosa Bates, l. c. p. 483 (12). Neu-Seeland
saragoides Broun, Trans. New Zeal. Instit. XLI, 1908, p. 148. „
Schauinslandi Sharp, Ent. Monthly Mag. 1903, p. 106. „
Smithiana Broun, Ann. Mag. Nat. Hist. (8) III, 1909, p. 409. „
subcostata Sharp, Ent. Monthly Mag. (8) III, 1909, p. 107. — Broun, Trans. New Zeal. Inst. XLI, 1908, p. 149. Chatham-Ins.
tarsalis Sharp, l. c. p. 107. Neu-Seeland
thoracica Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 481 (10). „
tibialis Bates, l. c. p. 484 (13). „
velox Sharp, Ent. Monthly Mag. 1903, p. 108. „

27

Pseudhadrus Kolbe.

Kolbe, Mitt. Zool. Mus. Berl. V, 1910, p. 31.

Braueri Kolbe, l. c. p. 33. Seychellen
seriatus Kolbe, l. c. p. 32. „

2

Pseudopatrum Sharp.

Sharp, Trans. Roy. Dubl. Soc. (2) III, 1886, p. 406.

sordidum Sharp, l. c. p. 406. Neu-Seeland
tuberculicostatum White, Voy. Ereb. and Terror 1846, p. 11, t. 1, f. 13. — Lacord. Gen. Col. V, 1859, p. 277, nota 2. „

2

Trichosaragus Blackb.

Blackb. Proc. Linn. Soc. N. S. Wales (2) IV, 1889, p. 1269.

pilosellus Blackb. l. c. p. 1271. Halbins. York

1

Ospidus Pasc.

Pasc. Journ. of Entom. II, 1866, p. 467.

chrysomeloides Pasc. l. c. p. 468. Queensland
gibbus Blackb. Trans. Roy. Soc. S. Austr. XXII, 1897, p. 94. „
paropsoides Cart. Proc. Linn. Soc. N. S. Wales XXXIV, 1909, p. 128. „

3

Amphianax Bates.

Bates, Trans. Ent. Soc. Lond. 1873, p. 350.

subcoriaceus Bates, l. c. p. 351. Australien

1

Hypocilibe Bates.

Bates, Trans. Ent. Soc. Lond. 1872, p. 275. — Blackb. Proc. Linn. Soc. N. S. Wales (2) V, 1890, p. 565.

heroina Blackb. Horn's Exped. II, 1896, p. 279.	Central-australien
impunctata Haag, Verh. Ver. naturw. Unterh. Hamburg III, 1878, p. 99. — Journ. Mus. Godeffr. XIV, 1879, p. 118.	Queensland
inconspicua Blackb. Proc. Linn. Soc. N. S. Wales (2) V, 1890, p. 572.	Südaustralien
laeta Blackb. l. c. p. 567.	,,
lugubris Blackb. l. c. p. 570.	,,
Macleayi Bates, Trans. Ent. Soc. Lond. 1872, p. 276.	Australien
major Blackb. Proc. Linn. Soc. N. S. Wales (2) V, 1890, p. 565.	West-australien
rotundata Blackb. l. c. p. 568.	N. S. Wales
sculpturata Blackb. l. c. p. 569.	Australien
veternosa Blackb. Trans. Roy. Soc. S. Austr. 1900, p. 140.	Südaustralien
vittata Blackb. Proc. Linn. Soc. N. S. Wales (2) IX, 1895, p. 104.	Queensland

11

Onosterrhus Pasc.

Pasc. Journ. of Ent. II, 1866, p. 451. — Bates, Trans. Ent. Soc. Lond. 1872, p. 277.

Batesi Haag, Verh. Ver. f. naturw. Unterh. Hamburg III, 1878, p. 99; Journ. Mus. Godeffr. XIV, 1879, p. 120 nota.	Queensland
laevipennis Haag, l. c. p. 100; l. c. p. 120 nota.	,,
laevis Pasc. Journ. of Entom. II, 1866, p. 451.	West-australien
marginicollis Bates, Trans. Ent. Soc. Lond. 1872, p. 277.	,,
opacus Bates, l. c. p. 278.	,,
punctulatus Bates, Ent. Monthly Mag. X, 1873—74, p. 51.	,,
vagepunctatus Haag, Verh. Ver. naturw. Unterh. Hamburg III, 1878, p. 99; Journ. Mus. Godeffr. XIV, 1879, p. 120 nota.	Queensland

7

Agasthenes Bates.

Bates, Trans. Ent. Soc. Lond. 1873, p. 352. — Cart. Proc. Linn. Soc. N. S. Wales XXXV, 1910, p. 132 (Übers.).

Championi Cart. Übers. p. 131, 132, fig.	Südaustralien
euclensis Cart. Übers. p. 129, 132.	,,
Frenchi Cart. Proc. Linn. Soc. N. S. Wales XXXIV, I, 1909, p. 131, fig.; Übers. p. 132.	West-australien
Goudiei Cart. l. c. p. 129, fig.; Übers. p. 132.	Victoria
Stephensi Cart. l. c. p. 133, fig.; Übers. p. 132.	,,
Westwoodi Bates, Trans. Ent. Soc. Lond. 1873, p. 353. — Cart. l. c. p. 134; Übers. p. 132.	Südaustralien

6

Edylius Champ.

Champ. Trans. Ent. Soc. Lond. 1894, p. 353.

canescens Champ. l. c. p. 354, t. 8, f. 5, 5a, b. — Tasmanien

1

Aglypta Geb.

Geb. Fn. Südw.-Austr. I, 1908, p. 329.

octocostata Geb. l. c. p. 331, t. 3, f. 3. — Westaustralien

1

Styrus Bates.

Bates, Trans. Ent. Soc. Lond. 1873, p. 348. — Blackb. Proc. Linn. Soc. N. S. Wales (2) V, 1890, p. 573.

Batesi Haag, Verh. Ver. naturw. Unterh. Hamburg III, 1878, p. 98; Journ. Mus. Godeffr. XIV, 1879, p. 117. — Queensland
elongatulus Bates, Trans. Ent. Soc. Lond. 1873, p. 350.
clathratus Blackb. Proc. Linn. Soc. N. S. Wales (2) V, 1890, p. 573. — Victoria
elongatulus M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 284. — Queensland
latior Cart. Proc. Linn. Soc. N. S. Wales XXXIV, 1, 1909, p. 127. — N. S. Wales

4

Byallius Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 42.

kosciuscoanus Cart. Proc. Linn. Soc. N. S. Wales XXXIII, 1908, p. 412; XXXIV, 1909, p. 141. — N. S. Wales
Mastersi Cart. l. c. XXXIV, 1909, p. 139, 141. — „
ovensensis Cart. l. c. p. 139, 141. — Victoria
reticulatus Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 43, t. 10, f. 6. — Cart. l. c. p. 141. — „

4

Saragodinus Bates.

Bates, Trans. Ent. Soc. Lond. 1872, p. 269.

Duboulayi Bates, l. c. p. 269. — Westaustralien

Howitti Bates, l. c. p. 273. — „
tuberculatus Blackb. Proc. Linn. Soc. N. S. Wales (2) III, 1889, p. 873. — Südaustralien

3

Aethalides Bates.

Bates, Ent. Monthly Mag. X, 1873, p. 50.

costipennis Cart. Proc. Linn. Soc. N. S. Wales XXXIV, 1, 1909, p. 135, fig. — N. S. Wales

decemcostata Cart. l. c. p. 138, fig. Victoria
marginicollis Cast. l. c. p. 136, fig. „
punctipennis Bates, Ent. Monthly Mag. X, 1873, p. 51. — Cart. l. c. p. 135. West-australien
4

Nyctozoilus Guér.

Guér. Voy. Coqu. Ent. II, 1830, p. 92. — Cast. Hist. Nat. II, 1840, p. 189. — Lacord. Gen. Col. V, 1859, p. 350.

Sphenogenius Sol. Studi entom. 1848, p. 154 (8), 351 (205).

approximatus Blackb. Horn's Exped. II, 1896, p. 277. Central-australien
crenaticollis M'Leay, Proc. Linn. Soc. N. S. Wales (2) I, 1887, p. 154. Neu-Guinea
crassicornis Blackb. Horn's Exped. II, 1896, p. 276. Central-australien
Daemeli Haag, Verh. Ver. naturw. Unterh. Hamburg III, 1878, p. 98; Journ. Mus. Godeffr. XIV, 1879, p. 117. Queensland
Deyrollei Bates, Trans. Ent. Soc. Lond. 1873, p. 348. Australien
inaequalis Blackb. Horn's Exped. II, 1896, p. 277. Central-australien
irregularis Blackb. l. c. p. 278. „
Mastersi M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 284. Queensland
obesus Guér. Voy. Coqu. Ent. II, 1830, p. 93, t. 4, f. 2; Mag. Zool. 1834, Cl. IX, p. 8, t. 104. — Cast. Hist. Nat. II, 1840, p. 190. — Lacord. Gen. Col. Atl. t. 55, f. 4. — Bates, Trans. Ent. Soc. Lond. 1873, p. 348. Australien
clathratus Sol. Studi ent. 1848, p. 352 (206), t. 14, f. 10—12.
reticulatus Bates, Trans. Ent. Soc. Lond. 1872, p. 274. N. S. Wales
Sloanei Blackb. Proc. Linn. Soc. N. S. Wales (2) IX, 1895, p. 103. „
sexcostatus Champ. Trans. Ent. Soc. Lond. 1894, p. 388, t. 8, f. 9. N. W. Australien
12

LXIX. Cossyphinae.

Latreille, Hist. Nat. X, 1804, p. 324. — Brême, Essai monogr. Cossyphides I, 1842, p. 11; II, 1846 (Mon.). — Lacordaire, Gen. Col. V, 1859, p. 290, 351. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 290. — Seidlitz, Naturg. Ins. Deutschl. V, 1893, p. 222, 228. — Reitter, Bestimmungstab. LIII, in Verh. Naturf. Ver. Brünn XLII, 1904, p. 33.

Cossyphus Ol.

Ol. Ent. III, 1795, 44 bis, p. 1. — Latr. Hist. Nat. Crust. et Ins. X, 1804, p. 324. — Cast. Hist. Nat. II, 1840, p. 228. — Brême, Essai monogr. II, 1846, p. 13, t. 1, f. A. — Lacord. Gen. Col. V, 1859, p. 352. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 291. — Desbr. Frelon IV, 1894, p. 4 (Mon.); Frelon XI, 1902, p. 108.

Subgen. *Acantodactylus* Desbr. Frelon IV, 1894, p. 5, 18.

algiricus Cast. Hist. Nat. II, 1840, p. 228. — Desbr. Mon. p. 7, 16; Frelon XI, 1902, p. 109. — Corsica, Sardinien, Algier
ovatus Brême, Mon. II, p. 22, t. 2, f. 6. — Luc. Expl. Alg. 1849, p. 347, t. 30, f. 5. — Baudi, Bull. Soc. Ent. Ital. VIII, 1876, p. 220.

asperatus Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 59. — Indien

costulicollis Fairm. Compt. rend. Soc. Ent. Belg. 1884, p. CXLII; Ann. Soc. Ent. Fr. (6) VII, 1887, p. 279. — Ostafrika

Dejeani Brême, Mon. p. 21, t. 3, f. 1. — Baudi, Bull. Soc. Ent. Ital. VIII, 1876, p. 200. — Desbr. Mon. p. 7, 17. — Spanien, Portugal

dentiventris Gerst. Arch. f. Naturg. XXXVII, 1871, p. 63; Decken's Reise (3) II, 1873, p. 187. — Deutsch-Ostafrika

depressus F. Spec. Ins. I, 1781, p. 254; Mant. Ins. I, 1787, p. 162. — Ol. Ent. III, 1795, 44 bis, p. 4, t. 1, f. 1a—c. — Hbst. Käfer VII, 1797, p. 228, t. 109, f. 12. — Latr. Hist. Nat. X, 1804, p. 325; Gen. Crust. et Ins. II, 1807, p. 185. — Cast. Hist. Nat. II, 1840, p. 229. — Brême, Mon. p. 13, t. 1, f. 2. — Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 27. — Desbr. Mon. p. 14, 20. — Indien
planus F. Syst. El. II, 1801, p. 98.

Edwardsi Brême, Mon. p. 30. — Indien

grandicollis Gerst. Monatsber. Berl. Acad. 1855, p. 638; Peters' Reise 1862, p. 290, t. 17, f. 6. — Mozambique

Hoffmannseggi Hbst. Käf. VII, 1797, p. 229, t. 109, f. 13. — Latr. Gen. Crust. et Ins. II, p. 185; Hist. des Ins. X, 1804, p. 324. — Cast. Hist. Nat. II, 1840, p. 228. — Brême, Mon. p. 19, t. 2, f. 5. — Luc. Expl. Alg. 1849, p. 347, t. 30, f. 4. — Küst. Käf. Eur. XIX, 1849, 55. — Baudi, Bull. Soc. Entom. Ital. VIII, 1876, p. 200. — Desbr. Mon. p. 7, 15. — Algier, Spanien, Italien
depressus F. Syst. El. II, 1801, p. 98.

incostatus Brême, Mon. p. 25, t. 3, f. 2. — Baudi, Bull. Soc. Ent. Ital. VIII, 1876, p. 201. — Desbr. Mon. p. 7, 10. — Spanien, Marokko

insularis Cast. Hist. Nat. II, 1840, p. 229. — Brême, Mon. p. 16, t. 2, f. 2. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, t. 71, f. 354. — Woll. Cat. Can. Col. 1864, p. 500. — Baudi, Bull. Soc. Ent. Ital. VIII, 1876, p. 199. — Desbr. Mon. p. 11, 20. — Sicilien, Sardinien, Ägypten, Algier, Canar. Inseln

laevis Cast. Hist. Nat. II, 1840, p. 228. — Berberei

limbatus Pasc. Ann. Mag. Nat. Hist. (5) XX, 1887, p. 13. — Cochinchina

madecassus Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 351. — Madagaskar

minutissimus Cast. Hist. Nat. II, 1840, p. 228. — Desbr. Mon. p. 18 *(Acantodactylus)*. — Spanien Marokko, Dongola
♂ *tuberculatus* Brême, Mon. p. 27, t. 3, f. 6.
♀ *pygmaeus* Brême, Mon. p. 29, t. 3, f. 5. — Baudi, Bull. Soc. Ent. Ital. VIII, 1876, p. 201.

moniliferus Chevr. in Guér. Icon. règne anim. 1829—44, p. 122, t. 31, f. 7a—d. — Cast. Hist. Nat. II, 1840, p. 228. — Brême, Mon. p. 18, t. 2, f. 3. — Desbr. Mon. p. 12, 20. — Algier, Ägypten ? Senegal

Odewahni Pasc. Journ. of Ent. II, 1866, p. 468. — Südaustralien

punctatissimus Brême, Mon. p. 23, t. 2, f. 4. — Natal

pusillus Pasc. Ann. Mag. Nat. Hist. (5) XX, 1887, p. 14. — Hinterindien
rugosulus Peyron, Rev. Zool. 1854, p. 224. — Baudi, Bull. Soc. Ent. Ital. VIII, 1876, p. 199. — Desbr. Mon. p. 10, 20. — Syrien, Cypern
striatus Wiedem. Zool. Mag. II, 1, 1823, p. 81. — Brême, Mon. p. 26, t. 3, f. 4. — Java
substriatus Cast. Hist. Nat. II, 1840, p. 229. — Baudi, Bull. Soc. Ent. Ital. VIII, 1876, p. 201. — Algier, Marokko
barbarus Brême, Mon. p. 24, t. 3, f. 3. — Desbr. Mon. p. 7, 9.
tauricus Stev. Mus. Mosq. II, 1829, p. 73. — Fisch. Bull. Mosc. IV, 1832, p. 425, t. 5, f. 1, 2; Bull. Mosc. Entom. I, 1836, p. 155, t. 5, f. 6. — Brême, Mon. p. 15, t. 2, f. 1. — Baudi, l. c. p. 199. — Desbr. Mon. p. 14, 20. — Südrußland, Griechenland, Anatolien

23

Endustomus Brême.

Brême, Essai monogr. Coss. II, 1846, p. 11, t. 1, f. 1—6. — Lacord. Gen. Col. V, 1859, p. 353.

bicaudatus Quedf. Berl. Ent. Zeitschr. XXIX, 1885, p. 12, t. 3, f. 3. — Quangofluß
coangoensis Kolbe, Stett. Ent. Zeitschr. L, 1889, p. 127. — Westafrika
costulatus Kolbe, l. c. p. 127. — „
fuscopictus Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 120. — Ostafrika
maculosus Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 281. — „
magnicollis Fairm. l. c. p. 280. — „
parallelogrammus Fairm. Notes Leyd. Mus. 1888, p. 265. — Mossamedes
planatus Geb. Ann. Soc. Ent. Belg. LIV, 1910, p. 169. — Deutsch-Ostafrika
plicicollis Fairm. Compt. rend. Soc. Ent. Belg. 1884, p. CXLVI; Ann. Soc. Ent. Fr. (6) VII, 1887, p. 280. — „
rhodesianus Péring. Ann. S. Afr. Mus. III, 1904, p. 242. — Rhodesia
senegalensis Cast. Silb. Rev. I, 1833, p. 34; Hist. Nat. II, 1840, p. 228. — Brême, Mon. II, p. 11, t. 1, f. 1 — Trop. Afrika
sudanensis Wasm. Jaegersk. Exped. nr. 13, 1904, p. 10, t. 1, f. 3, 3a. — Sudan
tuberculipennis Geb. Ann. Soc. Ent. Belg. LIV, 1910, p. 168. — Deutsch-Ostafrika

13

LXX. Eutelinae.

Lacordaire, Gen. Col. V, 1859, p. 291, 354.

Byzacnus Pasc.

Pasc. Journ. of Ent. II, 1866, p. 469.

capensis Pér. Trans. Ent. Soc. Lond. 1896, p. 171. — Capland
Martini Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 124. — Natal
picticollis Pasc. Journ. of Ent. II, 1866, p. 470, t. 19, f. 6. — Port Natal

3

Hyboproctus Kolbe.

Kolbe, Käfer Deutsch-Ostafrika 1897, p. 214.

nodifer Kolbe, l. c. p. 241. Deutsch-Ostafrika

tibialis Kolbe, l. c. p. 241. „

2

Eutelus Sol.

Sol. Mem. Accad. Torino (2) VI, 1844, p. 268 (56). — Lacord. Gen. Col. V, 1859, p. 355.

decurtatus Fairm. Le Natur. II, 1880, p. 308. Madagaskar

echinatus Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 459. „

nodosus Sol. Mem. Accad. Torino (2) VI, 1844, p. 271 (59), t. 3, f. 10, 12, 14, 16. Capland

ovatus Pasc. Journ. of Ent. II, 1866, p. 468. — Lacord. Genera V, 1859, p. 356. Port Natal

Requieni Sol. Mem. Accad. Torino (2) VI, 1844, p. 270 (58), t. 3, f. 9, 11, 13, 15. — Lacord. Gen. Col. V, 1859, p. 356, nota 1. Capland

turpis Fåhrs. Öfv. Vet.-Ak. Förh. XXVII, 1870, p. 304. Caffrarien

6

Conophthalmus Quedf.

Quedf. Berl. Ent. Zeitschr. XXIX, 1885, p. 13.

setulosus Quedf. l. c. p. 14, t. 3, f. 4. Westafrika

1

Cyrtotyche Pasc.

Pasc. Journ. of Ent. II, 1866, p. 469.

ricatlae Pér. Trans. Ent. Soc. Lond. 1896, p. 172. Mozambique

quadra Pasc. Ann. Mag. Nat. Hist. (5) XX, 1887, p. 14. Delagoa-Bay

satanas Pasc. Journ. of Ent. II, 1866, p. 469. Port Natal

nodosus Lacord. Gen. Col. Atl. t. 55, f. 5.

3

Cyrtotyctus Kolbe.

Kolbe, Käfer Deutsch-Ostafrika 1897, p. 241.

osdaroides Kolbe, l. c. p. 241. Deutsch-Ostafrika

1

Diceroderes Sol.

Sol. Ann. Soc. Ent. Fr. X, 1841, p. 46. — Lacord. Gen. Col. V, 1859, p. 356.

mexicanus Sol. l. c. p. 49, t. 2, f. 16—21. Mexico

1

Mechanetes Waterh.

Waterh. Ann. Mag. Nat. Hist. (5) XIX, 1887, p. 448.

cornutus Waterh. l. c. p. 449. Perak

1

Pulposipes Sol.

Sol. Studi entom. II, 1848, p. 154 (8), p. 260 (114). — Lacord. Gen. Col. V, 1859, p. 357.

herculeanus Sol. l. c. p. 262 (116), t. 11, f. 9—13. — Lacord. l. c. p. 358, nota 1. — Bengalen

1

Pteroderes Germain.

Germain, An. Univ. Chile LXXXVII, 1894, p. 446 (4).

tuberosus Germ. l. c. p. 448 (6), t. 1, f. 1, 1a—h. — Chile

1

LXXI. Tenebrioninae.

Redtenbacher, Gatt. 1845, p. 127; Fn. Austr. 1849, p. 52, ed. II, 1858, p. CVI. — Mulsant, Col. Fr. Latigènes 1854, p. 262; Ann. Soc. Agr. Lyon 1859, p. 202—221. — J. Leconte, Class. Col. N. Amer. 1862, p. 229. — Horn, Revis. Tenebr. N. Amer. in Trans. Amer. Philos. Soc. (n. s.) XIV, 1870 (1872), p. 330. — Motschulsky, Bull. Mosc. XLV, 1872, III, p. 23—27. — J. Leconte and Horn, Class. Col. N. Amer. 1883, p. 376. — Seidlitz, Naturg. Ins. Deutschl. V, 1896, p. 610. — Reitter, Best.-Tab. LIII in Verh. Naturf. Ver. Brünn XLII, 1904, p. 34.

Coelometopides, Tenebrionides vrais et *Toxicides*, Lacordaire, Gen. Col. V, 1859, p. 341, 358, 365.
Tenebrionites et *Coelometopites* Jacquelin du Val, Gen. Col. d'Eur. III, 1861, p. 309, 317, 329.

Polypleurus Eschsch.

Eschsch. Zool. Atl. IV, 1831, p. 11. — Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 194. — Lacord. Gen. Col. V, 1859, p. 359. — Horn, Revis. Tenebr. 1870, p. 331. — J. Lec. and Horn, Class. Col. N. Amer. 1883, p. 377.

geminatus Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 196, t. 8, f. 11—14. — Horn, Revis. Tenebr. 1870, p. 332. — Vereinigte Staaten

nitidus J. Lec. New spec. Col. 1866, p. 118. — Horn, l. c. p. 333, t. 14, f. 21. — Florida

perforatus Germ. Ins. spec. nov. 1824, p. 148. — Horn, l. c. p. 332. — Vereinigte Staaten

punctatus Sol. Ann. Soc. Ent. Fr. VII, 1838, p. 197.

3

Oenopion Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 98.

gibbosus Champ. l. c. p. 99, t. 5, f. 8, 8a, b. — Mexico

1

Rhinandrus J. Lec.

J. Lec. New spec. Col. 1866, p. 119. — Horn, Revis. Tenebr. 1870, p. 342. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 101. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 617.

Exerestus Bates, Ent. Monthly Mag. VI, 1870, p. 268; IX, 1872, p. 98. — Kraatz, Deutsche Ent. Zeitschr. XXIV, 1880, p. 132.
Proderops Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 393.

elegans Kraatz, Deutsche Ent. Zeitschr. XXIV, 1880, p. 134. — S. Carlos
elongatus Horn, Proc. Acad. Phil. 1866, p. 400. — Central-amerika
foraminosus Fairm. Ann. Soc. Ent. Fr. (5) III, 1873, p. 394. — Kraatz, Deutsche Ent. Zeitschr. XXIV, 1880, p. 132, 133. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 102.
Jansoni Bates, Ent. Monthly Mag. VI, 1870, p. 269, t. 2, f. 1, 1a; IX, 1872, p. 98.
foveolatus Kraatz, Deutsche Ent. Zeitschr. XXIV, 1880, p. 133. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 102, t. 5, f. 11. — Mexico
gracilis J. Lec. New spec. Col. 1866, p. 120. — Cap S. Lucas
helopioides Kraatz, Deutsche Ent. Zeitschr. XXIV, 1880, p. 135. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 102, t. 5, f. 12. — Mexico
obsoletus Champ. l. c. p. 102, t. 5, f. 15. — „
peruanus Kraatz, Deutsche Ent. Zeitschr. XXIV, 1880, p. 134. — Peru
sublaevis Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 160. — Arizona

Zophobas Blanch.

Blanch. Hist. Nat. II, 1845, p. 15. — Lacord. Gen. Col. V, 1859, p. 376. — Kraatz, Deutsche Ent. Zeitschr. XXIV, 1880, p. 122. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1885.

alternans Kraatz, Deutsche Ent. Zeitschr. XXIV, 1880, p. 131. — Mexico
ambiguus Kraatz, l. c. p. 124. — Brasilien
bifasciatus Er. Arch. f. Naturg. XIII, 1847, I, p. 118. — Kraatz, l. c. p. 124. — Peru
clavipes Walk. Ann. Mag. Nat. Hist. (3) II, 1858, p. 283. — Ceylon
confusus Geb. Deutsche Ent. Zeitschr. 1906, p. 222. — Brasilien
spectabilis Kraatz, Deutsche Ent. Zeitschr. XXIV, 1880, p. 124.
erosicollis Kraatz, l. c. p. 127. — „
Haagi Kraatz, l. c. p. 123. — Columbien
Kirschi Kraatz, l. c. p. 127. — Venezuela
Klingelhöfferi Kraatz, l. c. p. 126. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 103. — Mexico
var. *signatus* Champ. l. c. p. 104, t. 5, f. 13. — Central-amerika
Kraatzi Champ. l. c. p. 105. — Guatemala
laticollis Motsch. Bull. Mosc. XLV, 1872, 2, p. 35. — Kraatz, Deutsche Ent. Zeitschr. XXIV, 1880, p. 131. — Champ. l. c. p. 105, t. 5, f. 14. — Central- und Süd-amerika
lugubris Bohem. Resa Eugen. 1858, p. 97. — Kraatz, l. c. p. 131. — Peru

macretus Kraatz, l. c. p. 130. — Centralamerika

maculicollis Kirsch, Berl. Ent. Zeitschr. X, 1866, p. 196. — Kraatz, l. c. p. 122. — Columbien

morio F. Gen. Ins. Mant. 1776, p. 241; Spec. Ins. I, 1781, p. 325; Mant. Ins. I, 1787, p. 214; Ent. Syst. I, 1792, p. 120; Syst. El. I, 1801, p. 160. — Kraatz, l. c. p. 128. — Central- und Südamerika, Antillen, St. Helena, Guinea

concolor Woll. Ann. Mag. Nat. Hist. (4) V, 1870, p. 33.

elongatus Beauv. Ins. Afr. et Amer. 1805, p. 164, t. 31, f. 9. — Chevr. Ann. Soc. Ent. Fr. (2) X, 1852, p. 638.

nigritus Ol. Entom. III, 1795, 57, p. 5, t. 2, f. 26, a, b.

Biologie: Er. Arch. f. Naturg. VI, 1840, II, p. 253.

opacus Sahlb. Peric. entom. 1823, p. 17, t. 1, f. 7. — Thon, Arch. II, 1, 1829, p. 17, t. 1, f. 7. — Kraatz, l. c. p. 129. — Brasilien

pedestris Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 103, t. 5, f. 16. — Nicaragua

quadrifasciatus Kraatz, Deutsche Ent. Zeitschr. XXIV, 1880, p. 125. — Patria?

quadrimaculatus Ol. Entom. III, 1795, 57, p. 8, t. 1, f. 6. — Kraatz, l. c. p. 125. — Brasilien

quadrinotatus Kraatz, l. c. p. 125. — Para

quadripustulatus F. Syst. El. I, 1801, p. 157. — Geb. Deutsche Ent. Zeitschr. 1906, p. 222. — Cayenne

rugipes Kirsch, Berl. Ent. Zeitschr. X, 1866, p. 197. — Kraatz, Deutsche Ent. Zeitschr. XXIV, 1880, p. 130. — Central- und Südamerika

solidus Walk. Ann. Mag. Nat. Hist. (3) II, 1858, p. 283. — Ceylon

spectabilis Kraatz, Deutsche Ent. Zeitschr. XXIV, 1880, p. 123. — Brasilien

subnitidus Motsch. Bull. Mosc. XLV, 2, 1872, p. 35. — Amerika

tibialis Kraatz, Deutsche Ent. Zeitschr. XXIV, 1880, p. 126. — Brasilien

tridentatus Kraatz, l. c. p. 124. — Brasilien, Panama

27

Scotobates Horn.

Horn, Trans. Am. Ent. Soc. V, 1875, p. 151.

Centronopus Horn, Revis. Tenebr. N. Amer. 1870, p. 342.
Menechides Motsch. Bull. Mosc. XLV, 2, 1872, p. 26.

calcaratus F. Entom. Syst. Suppl. 1798, p. 52; Syst. El. I, 1801, p. 159. — Horn, Revis. Tenebr. 1870, p. 342. — Vereinigte Staaten

? *aeneus* Geer, Mém. V, 1775, p. 53, t. 13, f. 11.

carolinensis Beauv. Ins. Afr. et Amer. 1805, p. 162, t. 31, f. 1.

cribratus Chevr. Ann. Soc. Ent. Fr. 1852, p. 637.

reflexus Say, Journ. Acad. Phil. V, 1825, p. 203.

Biologie; Beutenmüller, Psyche VI, 1891, p. 13.

opacus J. Lec. Col. of Kansas 1859, p. 15. — Horn, l. c. p. 343. — Kansas

2

Centronopus Sol.

Sol. Studi ent. II, 1848, p. 154 (8), 258 (112). — Lacord. Gen. Col. V, 1859, p. 360.

Scotobaenus J. Lec. Proc. Acad. Phil. 1859, p. 87. — Horn, Revis. Tenebr. 1870, p. 340.

bimaculatus Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 521, t. 23, f. 1. — Mexico
grandicollis Champ. l. c. 1885, p. 100. — „
parallelus J. Lec. Proc. Acad. Phil. 1859, p. 88. — Horn, Revis. Tenebr. 1780, p. 340, t. 14, f. 35. — Californien
suppressus Say, Bost. Journ. Nat. Hist. I, 1835, p. 187. — J. Lec. Compl. writ. Th. Say II, 1859, p. 659. — Mexico
extensicollis Sol. Studi entom. II, 1848, p. 260 (114), t. 11, f. 4—8. — Champ. Biol. Centr.-Amer. Col. IV, 1, t. 5, f. 9.

4

Pyres Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 100.

Batesi Champ. l. c. p. 101 nota. — Columbien
speciosus Pasc. Ann. Mag. Nat. Hist. (5) XI, 1883, p. 439. — Nicaragua
metallicus Champ. l. c. p. 101, 521, t. 5, f. 10.

2

Merinus J. Lec.

J. Lec. Class. Col. N. Amer. 1866, p. 230. — Horn, Revis. Tenebr. 1870, p. 337. — J. Lec. and Horn, Class. Col. N. Amer. 1883, p. 377.

laevis Ol. Entom. III, 1795, 57, p. 10, t. 1, f. 8. — Horn, l. c. p. 338. — Vereinigte Staaten

1

Xylopinus J. Lec.

J. Lec. Class. Col. N. Amer. 1866, p. 230. — Horn, Revis. Tenebr. 1870, p. 343. — J. Lec. and Horn, Class. Col. N. Amer. 1883, p. 377.

Taenobates Motsch. Bull. Mosc. XLV, 2, 1872, p. 25.

aenescens J. Lec. New spec. Col. 1866, p. 120. — Horn, Revis. Tenebr. 1870, p. 344. — Vereinigte Staaten
saperdoides Ol. Entom. III, 1795, 57, p. 11, t. 1, f. 10. — Beauv. Ins. Afr. et Am. 1805, p. 162, t. 31, f. 2. — Horn, l. c. p. 343. — „
anthracinus Knoch, Neue Beitr. I, 1801, p. 169.
calcaratus Beauv. l. c. f. 3.
spinipes F. Ent. Syst. Suppl. 1798, p. 53; Syst. El. I, 1801, p. 162.
var. *rufipes* Say, Journ. Acad. Phil. V, 1825, p. 203. — Horn, l. c. p. 344.
Biologie: Osten-Sacken, Proc. Ent. Soc. Phil. I, p. 123 (sub *Anthracinus*).

2

Haplandrus J. Lec.

J. Lec. Class. Col. N. Amer. 1866, p. 230. — Horn, Revis. Tenebr. 1870, p. 332, 339.

ater J. Lec. New spec. Col. 1866, p. 127. — Horn, l. c. p. 339. — Südstaaten
concolor J. Lec. l. c. p. 121. — Horn, l. c. p. 340. — Canada
fulvipes Herbst, Käf. VII, 1797, p. 238, t. 110, f. 6. — Vereinigte Staaten
femoratus F. Ent. Syst. Suppl. 1798, p. 53. — Beauv. Ins. Afr. et Amer. 1805, p. 163, t. 31, f. 5. — Horn, l. c. p. 339.

3

Hesiodus Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 115, 525.

brasiliensis Champ. l. c. p. 116 nota. — Brasilien
caraibus Fleut. et Sallé, Ann. Soc. Ent. Fr. (6) IX, 1889, p. 424. — Guadeloupe
conspurcatus Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 116. — Panama
debilis Champ. l. c. p. 117, t. 6, f. 6. — Guatemala
egaensis Champ. l. c. 1893, p. 525 nota. — Amazonas
ellipticus Champ. l. c. p. 525. — Nicaragua
Jansoni Champ. l. c. 1885, p. 116. — „
longitarsis Champ. l. c. p. 115, t. 6, f. 7. — Centralamerika
sordidus Champ. l. c. p. 116. — Central- und Südamerika

9

Ilus Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 117.

apicicornis Champ. l. c. p. 118, t. 6, f. 3. — Costarica

1

Choastes Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1893, p. 526.

Choaspes Champ. l. c. 1885, p. 118.

angulicollis Champ. l. c. p. 119, t. 6, f. 5. — Nicaragua
purpureus Champ. l. c. p. 119, t. 6, f. 4. — Centralamerika
Simonis Fairm. Ann. Soc. Ent. Fr. LXI, 1892, p. 80. — Venezuela

3

Isicerdes Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 113, 524.

attenuatus Champ. l. c. p. 115 nota. — Columbien
funebris Champ. l. c. p. 114. — Guatemala
occultus Champ. l. c. p. 114, t. 6, f. 2. — Centralamerika
vicinus Champ. l. c. 1893, p. 524. — Yukatan

4

Cibdelis Mannerh.

Mannerh. Bull. Mosc. XVI, 1843, II, p. 284. — Lacord. Gen. Col. V, 1859, p. 362. — Horn, Revis. Tenebr. 1870, p. 341. — J. Lec. and Horn, Class. Col. N. Amer. 1883, p. 377.

Bachei J. Lec. Proc. Ac. Phil. 1861, p. 353. — Horn, Revis. Tenebr. 1870, p. 341. — Californien

Blaschkei Mannerh. Bull. Mosc. XVI, 1843, II, p. 284. — Lacord. Gen. Col. Atl. t. 56, f. 1. — Horn, Revis. Tenebr. 1870, p. 341. „

gibbosus Motsch. Bull. Mosc. XVIII, 1845, IV, p. 365.

laevigata Cas. Ann. N. York Acad. VI, 1892, p. 60. „

3

Coelocnemis Mannerh.

Mannerh. Bull. Mosc. XVI, 1843, II, p. 280; Mag. Zool. 1844, t. 133. — Lacord. Gen. Col. V, 1859, p. 363. — Horn, Revis. Tenebr. 1870, p. 335. — J. Lec. and Horn, Class. Col. N. Amer. 1883, p. 377.

dilaticollis Mannerh. l. c. p. 282; l. c. t. 133, p. 3. — Lacord. Gen. Col. Atl. t. 56, f. 5. — Horn, Revis. Tenebr. p. 336. Californien

californica Mannerh. l. c. p. 282, l. c. t. 133.

magna J. Lec. Ann. Lyc. N. York V, 1851, p. 150. — Horn, Revis. Tenebr. 1870, p. 336. „

Biologie: Gissl, Bull. Brookl. Soc. II, 1887, p. 7.

obesa J. Lec. l. c. p. 150. — Horn, l. c. p. 336. „

punctata J. Lec. Proc. Acad. Phil. VII, 1855, p. 255. — Horn, l. c. p. 337. Utah

rugosa Linell, Proc. Ent. Soc. Wash. IV, 1899 (1901), p. 181. Californien

sulcata Cas. Ann. N. York Acad. VIII, 1895, p. 615. Utah

6

Coelometopus Sol.

Sol. Studi ent. II, 1848, p. 154 (8), 278 (132). — Lacord. Gen. Col. V, 1859, p. 364. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 317. — Muls. et Rey, Opusc. Ent. IX, 1859, p. 145; Ann. Soc. Agr. Lyon 1859, p. 209.

clypeatus Germ. Mag. Ent. I, 1813, p. 122. — Charpent. Hor. ent. 1825, p. 217, t. 5, f. 3. — Sol. Studi ent. II, 1848, p. 280 (134), t. 13, f. 1—4. — Muls. l. c. p. 145; l. c. p. 209. — Jacq. du Val, l. c. t. 77, f. 365. Spanien

1

Macrostethus Woll.

Woll. Ins. Mader. 1854, p. 504. — Lacord. Gen. Col. V, 1859, p. 365.

tuberculatus Woll. l. c. p. 505, t. 11, f. 8. Madeira

1

Dysceladus Waterh.

Waterh. Ann. Mag. Nat. Hist. (4) XV, 1875, p. 411.

tuberculatus Waterh. l. c. p. 412. Mauritius

1

Sthenoboea Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 112.

apicalis Champ. l. c. p. 113, t. 6, f. 1. Mexico
1

Brises Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 145.

trachynotoides Pasc. l. c. p. 146, t. 11, f. 5. West-australien
1

Astathmetus Bates.

Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 472; (4) XIII, 1874, p. 23 (21).

alienus Bates, l. c. p. 24 (22). Columbien
1

Asphalus Pasc.

Pasc. Proc. Ent. Soc. Lond. 1868, p. 12; Ann. Mag. Nat. Hist. (4) III, 1869, p. 146.

ebeninus Pasc. l. c. p. 12; l. c. p. 147, t. 11, f. 3. Australien
1

Hypaulax Bates.

Bates, Trans. Ent. Soc. Lond. 1868, p. 259; Ann. Mag. Nat. Hist. (4) XIII, 1874, p. 16 (14).

ampliata Bates, Ann. Mag. Nat. Hist. (4) XIII, 1874, p. 19 (17). West-australien
var. *Parryi* Bates, l. c. p. 20 (18). „
gayndahensis M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 284. Queensland
insularis Hope, Proc. Ent. Soc. Lond. 1842, p. 76; Trans. Ent. Soc. Lond. IV, 1845, p. 107. — Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 277. Nord-australien
interioris Blackb. Proc. Linn. Soc. N. S. Wales (2) III, 1889, p. 1432. Australien
iridescens Blackb. l. c. p. 1433. — Champ. Trans. Ent. Soc. Lond. 1894, p. 389. Nord-australien
marginata Bates, Trans. Ent. Soc. Lond. 1868, p. 261, t. 12, f. 1, 1e; Ann. Mag. Nat. Hist. (4) XIII, 1874, p. 17 (15). Queensland
opacicollis M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 285. „
opacula Bates, Ann. Mag. Nat. Hist. (4) XIII, 1874, p. 18 (16). „
orcus Pasc. Journ. of Ent. II, 1866, p. 453. — Bates, l. c. p. 20 (18). West-australien
var. *acutangula* Bates, l. c. p. 21 (19). N. S. Wales
ovalis Bates, Trans. Ent. Soc. Lond. 1868, p. 263, t. 12, f. 1; Ann. Mag. Nat. Hist. (4) XIII, 1874, p. 22 (20). Queensland, N. S. Wales
oblonga Bates, l. c. p. 263; l. c. p. 22 (20).

sinuaticollis Bates, l. c. p. 261; l. c. p. 17 (15). Queensland
tarda Bates, l. c. p. 262; l. c. p. 17 (15). „
tenuistriata Bates, Ann. Mag. Nat. Hist. (4) XIII, 1874, p. 21 (19). Queensland, N. S. Wales
13

Chileone Bates.

Bates, Trans. Ent. Soc. Lond. 1868, p. 264.

Deyrollei Bates, l. c. p. 264, t. 12, f. 2. Queensland
1

Iphthimus Truqui.

Truqui, Stett. Ent. Zeit. XVIII, 1857, p. 92. — Lacord. Gen. Col. V, 1859, p. 370. — Muls. et Rey, Opusc. Ent. IX, 1859, p. 149; Ann. Soc. Agr. Lyon 1859, p. 213. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 316. — Horn, Revis. Tenebr. 1870, p. 334. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 623. — Desbr. Frelon XI, 1902, p. 66.

Bellardii Truqui, Mem. Accad. Torino XVII, 1857, p. 93; Stett. Ent. Zeit. XVIII, 1857, p. 94. Cypern
croaticus Truqui, Stett. Ent. Zeit. XVIII, 1857, p. 93. — Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 265. — Muls. et Rey, Opusc. Ent. IX, 1859, p. 153; Ann. Soc. Agr. Lyon 1859, p. 217. Italien, Croatien
italicus Truqui, l. c. p. 93. — Muls. et Rey, l. c. p. 150; l. c. p. 214. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, t. 77, f. 384. — Desbr. Frelon XI, 1902, p. 67. Italien
Biologie: Muls. Ann. Soc. Linn. Lyon (2) VI, 1859, p. 43; Opusc. Ent. XI, 1859, p. 63.
laevissimus Cas. Ann. N. York Acad. V, 1890, p. 408. Californien
Lewisi Horn, Rev. Tenebr. 1870, p. 335. — Cas. l. c. p. 408. Neu-Mexico
opacus J. Lec. New spec. Col. 1866, p. 121. — Horn, l. c. p. 334. Canada
serratus Mannerh. Bull. Mosc. XVI, 1843, II, p. 284. — Truqui, Stett. Ent. Zeit. XVIII, 1857, p. 94. — J. Lec. Entom. Report 1857, p. 51, t. 2, f. 5. — Horn, Revis. Tenebr. 1870, p. 334; Trans. Amer. Ent. Soc. V, 1874, p. 34. — Cas. Ann. N. York Acad. V, 1890, p. 407. Californien
servator Walk. Natural. Vancouver 1866, II, p. 327.
servilis Walk. l. c. p. 326.
subligatus Walk. l. c. p. 327.
sublaevis Bland, Proc. Ent. Soc. Phil. 1865, p. 382. — Horn, Revis. Tenebr. 1870, p. 334. — Cas. l. c. p. 408. Colorado, Californien
zopheroides Horn, Trans. Am. Ent. Soc. V, 1874, p. 34. Neu-Mexico
9

Hydissus Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 148 nota.

feronioides Pasc. Journ. of Ent. II, 1866, p. 453. N. S. Wales
1

Taraxides Waterh.

Waterh. Ann. Mag. Nat. Hist. (4) XVII, 1876, p. 289.

Dischidus Kolbe, Ent. Nachr. XII, 1886, p. 297.
Nyctobates Motsch. Bull. Mosc. XLV, 1872, II, p. 25.

aeneipennis Kolbe, Ent. Nachr. XII, 1886, p. 298. — Centralafrika
gibbipennis Champ. Proc. Zool. Soc. Lond. 1890, p. 637, t. 56, f. 1.
brevitarsis Quedf. Berl. Ent. Zeit. XXIX, 1885, p. 16. — Westafrika
crenatostriata Imh. Verhandl. Nat. Ges. Basel V, 1843, p. 174. — Mittelafrika
hypocritus Westw. Proc. Zool. Soc. Lond. 1842, p. 119; Trans. Zool. Soc. Lond. III, 1843, p. 225, t. 15, f. 9. — Motsch. Bull. Mosc. XLV, 1872, II, p. 28.
subsulcatus Kolbe, Mitt. Mus. Hamburg XIV, 1897, p. 92.
glabriculus Motsch. Bull. Mosc. XLV, 1872, II, p. 31. — Indien
levigatus Gestro, Ann. Mus. Genova XVI, 1881, p. 662. — Deutsch-
degener Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 125. — Ostafrika
luniferus Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 324. — Guinea
moerens Westw. Proc. Zool. Soc. Lond. 1842, p. 117; Trans. Zool. Soc. Lond. III, 1843, p. 222, t. 15, f. 4; Ann. Mag. Nat. Hist. XI, 1843, p. 532. — Waterh. Ann. Mag. Nat. Hist. (4) XVII, 1876, p. 289. — „
pictus Champ. Proc. Zool. Soc. Lond. 1890, p. 638, t. 56, f. 2. — Centralafrika
punctatus F. Syst. El. I, 1801, p. 160. — Westw. Proc. Zool. Soc. Lond. 1842, p. 118; Trans. Zool. Soc. Lond. III, 1843, p. 224, t. 15, f. 10; Ann. Mag. Nat. Hist. XI, 1843, p. 533. — Westafrika
ruficrus Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 665. — Geb. Arkiv. f. Zool. II, 1904, nr. 5, p. 13. — Guinea
rufocinctus Fairm. l. c. p. 665. — „
senegalensis Fairm. Ann. Soc. Ent. Fr. LX, 1891, p. 253. — Senegal
sinuatus F. Syst. El. I, 1801, p. 160. — Beauv. Ins. Afr. et Amer. 1805, p. 139, t. 30 b, f. 9, a, b. — Geb. Ark. f. Zool. II, 1904, nr. 5, p. 13. — Westafrika
confusa Westw. Proc. Zool. Soc. Lond. 1842, p. 118; Trans. Zool. Soc. Lond. III, 1843, p. 224, t. 15, f. 6, 7; Ann. Mag. Nat. Hist. XI, 1843, p. 532.
var. *lugens* Motsch. Bull. Mosc. XLV, 1872, II, p. 31.
subrobustus Motsch. l. c. p. 32. — Indien

Amenophis Thoms.

Thoms. Arch. Ent. II, 1858, p. 93. — Lacord. Gen. Col. V, 1859, p. 373. — Kolbe, Ent. Nachr. XII, 1886, p. 294 (Übers.). — Geb. Ark. f. Zool. II, 1904, nr. 5, p. 15 (Übersicht).

Hemerobates Kolbe, Berl. Ent. Zeitschr. XXVIII, 1884, p. 189.
Subgen. *Derilis* Motsch. Bull. Mosc. XLV, 1872, II, p. 27. — Waterh. Ann. Mag. Nat. Hist. (4) XVII, 1876, p. 289.
Anadischidus Kolbe, Käfer Deutsch-Ostafr. 1897, p. 241.

annulicrus Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 126. — Geb. Übers. p. 18. — Nied.-Guinea
angustata Geb. Übers. p. 16, 18. — Kamerun
Büttneri Kolbe, Übers. p. 296. — Nied.-Guinea
collaris Motsch. Bull. Mosc. XLV, 1872, II, p. 27. — Old Calabar
elongata Thoms. Arch. Ent. II, 1858, p. 94. — Geb. Übers. p. 18. — Gabun
epipleuralis Geb. Übers. p. 16, 18. — Kamerun
Fairmairei Thoms. Arch. Ent. II, 1858, p. 93, t. 2, f. 3. — Geb. Übers. p. 18. — Gabun, Kongo
Mechowi Kolbe, Berl. Ent. Zeitschr. XXVIII, 1884, p. 189, t. 1, f. 4; Übers. p. 295.
guineensis Motsch. Bull. Mosc. XLV, 1872, II, p. 27. — Old Calabar
iphthimoides Quedf. Berl. Ent. Zeit. XXIX, 1885, p. 15. — Kolbe, Übers. p. 295. — Geb. Übers. p. 18 *(Derilis)*. — Westafrika
ocularis Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 291. — Deutsch-Ostafrika
purpurata Kolbe, Übers. p. 296. — Geb. Übers. p. 18. — Westafrika
transversalis Westw. Proc. Zool. Soc. Lond. 1842, p. 119; Trans. Zool. Soc. Lond. III, 1843, p. 225, t. 15, f. 8; Ann. Mag. Nat. Hist. XI, 1843, p. 534. — Waterh. Ann. Mag. Nat. Hist. (4) XVII, 1876, p. 289 *(Derilis)*. — Westafrika
nyctobatoides Kolbe, Übers. p. 296. — Geb. Übers. p. 18.

12

Sophrobates Fairm.

Fairm. Compt. rend. Soc. Ent. Belg. XXXIII, 1889, p. XXXVI.

Arcadii Fairm. l. c. p. XXXVI. — Minas Geraës

1

Zophophilus Fairm.

Fairm. Le Natur. III, 1881, p. 359; Ann. Soc. Ent. Belg. XXVII, 1883, 2, p. 26.

curticornis Fairm. l. c. p. 359; l. c. p. 26. — Neupommern

1

Oeatus Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 111.

Chevrolati Champ. l. c. p. 111, 523, t. 5, f. 18. — Centralamerika
excavatus F. Syst. El. I, 1801, p. 158. — Geb. Deutsche Ent. Zeitschr. 1906, p. 221. — Essequibo
similis Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 523. — Centralamerika
variolosus F. Syst. El. I, 1801, p. 146. — Südamerika

4

Hicetaon Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 111.

frontalis Champ. l. c. p. 112, t. 6, f. 8. — Centralamerika

1

Taphrosoma Kirsch.

Kirsch, Berl. Ent. Zeitschr. X, 1866, p. 195.

Orobychus Pasc. Proc. Ent. Soc. Lond. 1868, p. 12. — Geb. Wien. Ent. Zeit. XXIV, 1905, p. 258.

Dohrni Kirsch, l. c. p. 196. — Nördl. Südamerika
Lacordairei Pasc. l. c. p. 12.
1

Nyctobates Guér.

Guér. Mag. Zool. 1834, Mélas. p. 33. — Cast. Hist. Nat. II, 1840, p. 212. — Lacord. Gen. Col. V, 1859, p. 371.

Milaris Motsch. Bull. Mosc. XLV, 1872, II, p. 23.

cayennensis Motsch. l. c. p. 27. — Guiana
exarata Fairm. Compt. rend. Soc. Ent. Belg. 1889, p. XXXV. — Brasilien
gigas L. Syst. Nat. ed. XII, 1787, I, 2, p. 674; Am. Acad. VI, 1763, p. 396. — Herbst, Käfer VII, 1797, p. 232, t. 110, f. 1. — F. Syst. El. I, 1801, p. 144. — Guér. Mag. Zool. 1834, Mélas. t. 118, f. 2a—d. — Cast. Hist. Nat. II, 1840, p. 212. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 106. — Central- und Südamerika
gigantea Pall. Ic. I, 1781, p. 37, C, 1, t. C, f. 1.
laminata F. Mant. Ins. I, 1787, p. 211; Ent. Syst. I, 1792, p. 117.
maxima Germ. Ins. spec. nov. 1824, p. 148. — Perty, Del. anim. art. 1830, p. 57, t. 12, f. 6. — Cast. Hist. Nat. II, 1840, p. 212. — Brasilien
procerus Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 107, t. 5, f. 19. — Centralamerika
punctulatus F. Ent. Syst. I, 1792, p. 117; Syst. El. I, 1801, p. 144. — Geb. Deutsche Ent. Zeitschr. 1906, p. 230. — ? Südamerika
? *attenuatocollis* Motsch. Bull. Mosc. XLV, 1872, II, p. 27.
6

Tauroceras Hope.

Hope, Col. Manual III, 1840, p. 130. — Lacord. Gen. Col. V, 1859, p. 375.

angulatum Perty, Del. anim. art. 1830, p. 57, t. 12, f. 7. — Cast. Hist. Nat. II, 1840, p. 212. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, t. 5, f. 17. — Central- und Südamerika
aries Dalm. Analect. Ent. 1823, p. 60. — Brasilien
cornutum F. Syst. Ent. 1775, p. 256. — Ol. Ent. III, 1795, 57, p. 6, t. 1, f. 2. — Hope, Col. Manual III, 1840, p. 130. — Waterh. Trans. Ent. Soc. Lond. 1878, p. 304. — Südamerika
3

Alobates Motsch.

Motsch. Bull. Mosc. XLV, 1872, II, p. 25.

Nyctobates Horn, Revis. Tenebr. 1870, p. 331. — J. Lec. and Horn, Class. Col. N. Amer. 1883, p. 377.

barbata Knoch, Neue Beitr. I, 1801, p. 166, t. 7, f. 1. — Horn, Revis. Tenebr. 1870, p. 333. Vereinigte Staaten
glabra Herbst, Käf. VIII, 1799, p. 32, t. 119, f. 8.
intermedia Haldem. Stansb. Expl. App. C. 1852, p. 376.
pensylvanica Kirby, Fn. bor.-Amer. 1837, p. 234.
Biologie: Gissl, Bull. Brookl. Soc. II, 1881, p. 8.
pennsylvanica Geer, Mém. V, 1775, p. 52, t. 13, f. 10. — Knoch, Neue Beitr. I, 1801, p. 167. — Horn, Revis. Tenebr. 1870, p. 333. Vereinigte Staaten, nördl. Mexico
chrysops Herbst, Käf. VII, 1797, p. 236, t. 110, f. 4.
inermis Mannerh. Bull. Mosc. XVI, 1843, II, p. 284.
sublaevis Beauv. Ins. Afr. et Amer. 1805, p. 163, t. 31, f. 4.
subnitens Horn, Trans. Amer. Ent. Soc. V, 1874, p. 35. Arizona

3

Setenis Motsch.

Motsch. Bull. Mosc. XLV, 1872, II, p. 24.

aequatorialis Blanch. Voy. Pole Sud IV, 1853, p. 161, t. 11, f. 11. Sundainseln
podagra Fairm. Notes Leyd. Mus. IV, 1882, p. 229.
Barbereti Fairm. Ann. Soc. Ent. Belg. XXXII, 1888, p. 27. China
brevicornis Westw. Proc. Zool. Soc. 1842, p. 119; Trans. Zool. Soc. Lond. III, 1843, p. 226, t. 15, f. 11; Ann. Mag. Nat. Hist. XI, 1843, p. 534. — Waterh. Ann. Mag. Nat. Hist. (4) XVII, 1886, p. 289. Guinea
carbonaria Arrow, Monogr. Christmas Isl. 1900, p. 106. Ins. Christmas
confusa Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 27. Indien
coracina Knoch, Neue Beitr. I, 1801, p. 172. — Kolbe, Entom. Nachr. XXVI, 1900, p. 72. Sundainseln
aereipennis Fairm. Notes Leyd. Mus. IV, 1882, p. 228.
cupripennis Boh. Resa Eugen. 1858, p. 96.
crenata Boisd. Voy. Astrol. II, 1835, p. 255. Australien
crenatostriata Motsch. Bull. Mosc. XLV, 1872, II, p. 30. Birma
cribrifrons Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 38. Tibet
Davidis Fairm. Ann. Soc. Ent. Fr. (5) VIII, 1878, p. 119. Centralchina
Fairmairei Kolbe, Entom. Nachr. XXVI, 1900, p. 74. Sumatra
coracina Fairm. Notes Leyd. Mus. IV, 1882, p. 230.
flavoarcuata Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 317. Tonkin
foveicollis Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 29. Indochina
higonia Lewis, Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 472. Japan
illaesicollis Fairm. Ann. Soc. Ent. Belg. XXVII, 1883, 2, p. 25. Neu-Guinea
impressa F. Syst. El. I, 1801, p. 146. — Motsch. Bull. Mosc. XLV, 1872, II, p. 30. — Geb. Deutsche Ent. Zeitschr. 1906, p. 231. Indo-Malay. Archipel, Indien
sulcator Knoch, Neue Beiträge I, 1801, p. 174.
tibialis Guér. Mag. Zool. 1834, Mélas. p. 34, t. 118, f. 1. — Cast. Hist. Nat. II, 1840, p. 212.
indosinica Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 296; XL, 1896, p. 168. Indochina

insomnis Lewis, Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 472. — Japan
laevis Fairm. Notes Leyd. Mus. XVIII, 1896, p. 230. — Sikkim
Lottini Boisd. Voy. Astrol. II, 1835, p. 257. — Montrouz. Ann. Soc. Agr. Lyon VII, 1855, p. 31. — Neu-Guinea
manilarum Fairm. Ann. Soc. Ent. Fr. (6) VI, 1886, p. 188. — Philippinen
microcephala Fairm. Ann. Soc. Ent. Fr. LXIX, 1900, p. 629. — China
noctivigila Lewis, Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 473. — Japan
parallela Fairm. Notes Leyd. Mus. XIX, 1897, p. 251. — China
parvicollis Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 37. — Nordindien
penicilligera nom. nov. — Sundainseln
brevicornis Schauf. Horae Soc. Ent. Ross. XXI, 1887, p. 134.
punctatostriata Motsch. Bull. Mosc. XLV, 1872, II, p. 29. — Assam
puncticollis Motsch. l. c. p. 29. — Java
punctulator Fairm. Ann. Soc. Ent. Belg. XXVII, 1883, 2, p. 26. — Neu-Guinea
quadricollis Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 297. — China
rectangula Motsch. Bull. Mosc. XLV, 1872, II, p. 28. — Ostindien
sanguinicrus Fairm. Notes Leyd. Mus. XV, 1893, p. 25. — Sundainseln
semisulcata Fairm. l. c. IV, 1882, p. 228. — Sumatra
striatifrons Fairm. l. c. XVIII, 1896, p. 101. — Kiangsi
striatipennis Lewis, Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 473. — Japan
sulcator Kl. Ins. Madag. 1833, p. 179. — Madagaskar
transversicollis Motsch. Bull. Mosc. XLV, 1872, II, p. 29. — Java
valga Wiedem. Zool. Mag. II, 1, 1823, p. 42. — Motsch. Bull. Mosc. XLV, 1872, II, p. 24. — Java, Sumatra
valgipes Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 117. — Lewis, Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 473. — Japan
villosipes Mars. l. c. p. 118. — Mandschurei

40

Tonkinius Fairm.

Fairm. Ann. Soc. Ent. Belg. XLVII, 1903, p. 13.

sculptilis Fairm. l. c. p. 13. — Tonkin

1

Hipalmus Bates.

Bates, Ent. Monthly Mag. VI, 1870, p. 269.

Lobetas Motsch. Bull. Mosc. XLV, 1872, II, p. 26.

aequatorius Kolbe, Berl. Ent. Zeit. XLVI, 1901, p. 479, t. 7, f. 3. — Ecuador
costatus Guér. Voy. Coqu. II, 1830, p. 97, t. 4, f. 5. — Lacord. Gen. Col. V, 1859, p. 378 nota. — Bates, Ent. Monthly Mag. VI, 1870, p. 270, t. 2, f. 2. — Peru

2

Calobosca Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 395.

Ascalabus Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 30.

pedinoides Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 30. Indochina
1

Homoeogenus Waterh.

Waterh. Ann. Mag. Nat. Hist. (5) IX, 1882, p. 174.

laticorne Waterh. l. c. p. 174. — Fairm. Notes Leyd. Mus. IV, 1882, p. 232. Sumatra
1

Pediris Motsch.

Motsch. Bull. Mosc. XLV, 1872, II, p. 24.

subopacus Waterh. Proc. Zool. Soc. Lond. 1884, p. 216. Maroe
sulcigera Boisd. Voy. Astrol. II, 1835, p. 256, t. 9, f. 11. Indo-australien
longipes Motsch. Bull. Mosc. XLV, 1872, II, p. 28. — Waterh. Ann. Mag. Nat. Hist. (4) XVII, 1876, p. 288.
2

Tenesis Duviv.

Duviv. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 163, 300.

femoratus Duviv. l. c. p. 163, 301. Congo
1

Nuptis Motsch.

Motsch. Bull. Mosc. XLV, 1872, II, p. 25. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 107.

caliginosus Champ. l. c. p. 109, 523, t. 5, f. 20. Central-amerika
cornutus Champ. l. c. p. 108. Central- und Südamerika
corticalis Champ. l. c. p. 110. Central-amerika
inquinatus Champ. l. c. p. 109, 523, t. 5, f. 21. „
laticollis Champ. l. c. 1892, p. 523. Panama
tenebrosus Champ. l. c. 1885, p. 110, t. 5, f. 23. Central-amerika
tenuis Motsch. Bull. Mosc. XLV, 1872, II, p. 32. Nicaragua
validus Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 110, t. 5, f. 22. Central-amerika
8

Glyptotus J. Lec.

J. Lec. Proc. Acad. Phil. 1858, p. 75. — Lacord. Gen. Col. V, 1859, p. 729. — Horn, Revis. Tenebr. 1870, p. 341. — J. Lec. and Horn, Class. Col. N. Amer. 1883, p. 377. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 616.

cribratus J. Lec. l. c. p. 75. — Horn, l. c. p. 343, t. 14, f. 19. Texas

? *variolosus* Beauv. Ins. Afr. et Amer. 1805, p. 164, t. 31, f. 8.
nitidus Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 113, t. 5, f. 24. — Centralamerika
yucatanus Champ. l. c. 1892, p. 524. — Yucatan
3

Telleas Fairm.

Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 465.

crenatus Fairm. l. c. p. 465. — Tucuman
1

Pachylesthus Fairm.

Fairm. Notes Leyd. Mus. XIX, 1897, p. 219.

validus Fairm. l. c. p. 219. — Malay. Archipel
1

Encyalesthus Motsch.

Motsch. Schrenck's Reise 1860, p. 139. — Mars. Abeille XVI, 1878, p. 103.

Cholipus Pasc. Journ. of Entom. II, 1866, p. 471.
Pachyurgus J. Lec. Class. Col. N. Amer. 1866, p. 230. — Horn, Revis. Tenebr. 1870, p. 338.

aereus Melsh. Proc. Acad. Phil. III, 1846, p. 65. — Horn, l. c. p. 338. — Indien
brevipennis Motsch. Bull. Mosc. XLV, 1872, II, p. 33. — J. Lec. Proc. Acad. Phil. 1873, p. 335.
aeruginosus F. Mant. Ins. I, 1787, p. 213; Syst. El. I, 1801, p. 158. — Mäkl. Act. Fenn. 1863, p. 552. — Java
andamanus Fairm. Notes Leyd. Mus. XV, 1893, p. 26. — Ins. Andaman
atroviridis M'Leay, Proc. Linn. Soc. N. S. Wales (2) II, 1888, p. 311. — Queensland
brevicornis Mäkl. Act. Fenn. 1863, p. 553 nota. — Pasc. Journ. of Ent. II, 1866, p. 472. — Java
coerulescens Guér. Voy. Coqu. II, 1830, p. 102, t. 5, f. 3. — Geb. Wien. Ent. Zeit. XXVII, 1908, p. 161. — Buru
coelestinus Fairm. Notes Leyd. Mus. XVIII, 1896, p. 102.
cribripennis Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. CCXI. — China
foveoseriatus Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 358. — Cambodja
fuscatus Fairm. Notes Leyd. Mus. XV, 1893, p. 25. — Sumatra
impressa Walk. Ann. Mag. Nat. Hist. (3) II, 1858, p. 283. — Ceylon
inaequalis Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 358; Notes Leyd. Mus. XIX, 1897, p. 218. — Tonkin
iridipennis Fairm. Notes Leyd. Mus. XIX, 1897, p. 220. — Neu-Guinea
metallescens Fairm. l. c. XI, 1893, p. 27. — Sumatra
nigra Wiedem. Zool. Mag. I, 3, 1819, p. 164. — Indien
nitidipennis Fairm. Ann. Soc. Ent. Fr. LXVII, 1898, p. 394. — Mindanao
punctipennis Pasc. Journ. of Ent. II, 1866, p. 472. — Queensland

sinensis Hope, Proc. Ent. Soc. 1842, p. 63; Trans. Ent. Soc. IV, 1845, p. 16. — Canton
subsulcatus Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 318. — Tonkin
subviolaceus Motsch. Schrenck's Reise 1860, p. 139, t. 9, f. 13. — Mars. Abeille XVI, 1878, p. 103. — Mandschurei
tenuestriatus Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 31. — Indochina
transversicollis Fairm. Notes Leyd. Mus. XV, 1893, p. 27. — Borneo
variicolor Fairm. l. c. XIX, 1897, p. 220. — Neuguinea
violaceipennis Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 118. — Japan
viridistriatus Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 319. — Tonkin
viriditinctus Fairm. Notes Leyd. Mus. IV, 1882, p. 234. — Sumatra

25

Necrobioides Fairm.

Fairm. Notes Leyd. Mus. IV, 1882, p. 234.

bicolor Fairm. l. c. XV, 1893, p. 28. — Borneo
coeruleatus Fairm. l. c. IV, 1882, p. 235. — Sumatra
sulcaticollis Fairm. l. c. XV, 1893, p. 28. — Borneo

3

Derosphaerus Thoms.

Thoms. Arch. Ent. II, 1858, p. 99. — Lacord. Genera Col. V, 1859, p. 374.

Notiolesthus Motsch. Bull. Mosc. XLV, 2, 1872, p. 25.

alutaceus Fairm. Notes Leyd. Mus. IV, 1882, p. 235. — Sumatra
asperipennis All. Bull. Soc. Ent. Fr. 1896, p. 320. — Sikkim
cancellatus Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 27. — Indien
carbonatus Linell, Proc. U. S. Nat. Mus. XVIII, 1895, p. 697. — Somaliland
crassicrus Fairm. Ann. Soc. Ent. Belg. XLVII, 1903, p. 14. — Tonkin
crenipennis Motsch. Bull. Mosc. XLV, 1872, II, p. 32. — Indien
cribrum Fairm. Notes Leyd. Mus. XVIII, 1896, p. 231. — Calcutta
foveolatus Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 119. — Japan
foveostriatus Thoms. Arch. Ent. II, 1858, p. 100. — Gabun
gibbicollis Fleut. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 65. — Annam
globicollis Thoms. Arch. Ent. II, 1858, p. 100. — Lacord. Genera Col. Atl. t. 56, f. 2. — Trop. Afrika, Madagaskar
brachialis Gerst. Arch. f. Naturg. XXXVII, 1871, p. 63; Decken's Reise (3) II, 1873, p. 188.
globulicollis Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 807; Notes Leyd. Mus. IV, 1882, p. 236.
natalensis Motsch. Bull. Mosc. XLV, 1872, II, p. 33.
grandipes Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 297. — China
interstitialis Fairm. Notes Leyd. Mus. V, 1883, p. 35. — Ins. Saleyer
Justi Karsch, Sitzungsber. Nat. Freunde Berl. 1881, p. 59. — Guineains.
Marquesi Karsch, l. c. p. 59. — „
morosus Motsch. Bull. Mosc. XLV, 1872, II, p. 34. — Ob. Guinea
rotundicollis Westw. Proc. Zool. Soc. Lond. 1842, p. 120; Trans. Zool. Soc. Lond. III, p. 226, t. 15, f. 5; Ann. Mag. Nat. Hist. XI, 1843, p. 534.

rugulicollis Fairm. Ann. Soc. Ent. Fr. LX, 1891, p. 255.
rotundicollis Cast. Hist. Nat. II, 1840, p. 213. — Manila
rufofasciatus Fairm. Ann. Soc. Ent. Fr. LX, 1891, p. 255. — Guinea
quadriplagiatus Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 665.
rugiceps Gestro, Ann. Mus. Genova XVI, 1881, p. 663. — Sansibar
sanguinicrus Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 125. — Gabun
simillimus Fairm. l. c. (6) VI, 1886, p. 188. — Philippinen
subcostulatus Fairm. l. c. (6) VIII, 1888, p. 356. — Cochinchina
tristis Motsch. Bull. Mosc. XLV, 1872, II, p. 34. — Old Calabar

23

Oectosis Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 149.

cylindrica Germ. Linn. Ent. III, 1848, p. 198. — Lacord. Gen. Col. V, 1859, p. 374, nota 4. — Südaustralien

1

Promethis Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 148.

Mederis Motsch. Bull. Mosc. XLV, 1872, II, p. 24.

angulata Er. Arch. f. Naturg. VIII, 1842, I, p. 174. — Tasmanien
Harmandi All. Bull. Soc. Ent. Fr. 1896, p. 318. — Sikkim
lethalis Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 148. — Queensland
nigra Bless. Horae Soc. Ent. Ross. I, 1861, p. 91, t. 3, f. 1. — Victoria
Pascoei M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 285. — Gayndah
quadricollis Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 149. — Westaustralien
sterrha Olliff, Ins. Fauna Lord Howe's Isl. I, 1889, p. 88, t. 6, f. 1. — Ins. Lord Howe

7

Upis F.

F. Ent. Syst. I, 2, 1792, p. 515. — Latr. Précis 1796, p. 15; Hist. Nat. III, 1802, p. 173; X, 1804, p. 296. — Cast. Hist. Nat. II, 1840, p. 213. — Redt. Fn. Austr. ed. II, 1858, p. CVIII u. 611; ed. III, 1874, p. CXX u. II, p. 117. — Lacord. Gen. Col. V, 1859, p. 374. — Muls. et Rey, Opusc. Ent. IX, 1859, p. 154; Ann. Soc. Agr. Lyon 1859, p. 218. — Thomson, Skand. Col. I, 1859, p. 116 u. VI, 1864, p. 257. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 315. — J. Lec. Class. Col. N. Amer. 1862, p. 230. — Horn, Revis. Tenebr. 1870, p. 338. — Seidl. Fn. Balt. 1875, p. 98 (Gatt.); ed. II, 1891, p. 134 (Gatt.); Fn. Transs. 1891, p. 134 (Gatt.); Naturg. Ins. Deutschl. V, 1896, p. 616, 617.

ceramboides L. Syst. Nat. ed. X, 1758, I, p. 388; ed. XII, 1767, p. 621; Fn. Suec. ed. II, 1761, p. 186; ed. Müller V, 1, 1774, p. 247; ed. Gmelin IV, 1788, p. 1812. — Villers, Linnaei Entom. I, 1789, p. 220. — F. Syst. Ent. 1775, p. 159; Spec. Ins. 1781, p. 203; Mant. Ins. I, 1787, — Nordeuropa, Nordasien, nördl. Amerika

p. 127; Ent. Syst. I, 2, 1792, p. 515; Syst. El. II, 1801, p. 584. — Goeze, Beitr. I, 1777, p. 421. — Panz. Naturf. XXIV, 1789, p. 24, t. 1, f. 33. — Scriba, Journ. 1790, p. 17. — Ol. Entom. III, 1795, 57, p. 9, t. 1, f. 7. — Herbst, Käf. VII, 1797, p. 237, t. 110, f. 5. — Cederjh. Fn. Ingr. Prodr. 1798, p. 115. — Payk. Fn. Suec. III, 1800, p. 356. — Latr. Hist. Nat. X, 1804, p. 296, t. 88, f. 7; Gen. Crust. et Ins. II, 1807, p. 171. — Gyll. Ins. Suec. II, 1810, p. 594. — Zetterst. Fn. Ins. Lapp. 1828, p. 260; Ins. Lapp. 1840, p. 152. — Sahlb. Ins. Fenn. I, 1834, p. 480. — Guér. Ic. régne anim. 1829—44, p. 120, t. 30, f. 9. — Cast. Hist. Nat. II, 1840, p. 213. — Küst. Käf. Eur. III, 1845, p. 49. — Redt. Fn. Austr. ed. II, 1858, p. 611; ed. III, 1874, II, p. 117. — Muls. et Rey, Ann. Soc. Agr. Lyon 1859, p. 219; Opusc. Ent. IX, 1859, p. 155. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, t. 77, f. 383. — Thomson, Skand. Col. VI, 1864, p. 258. — Horn, Revis. Tenebr. 1870, p. 338. — Seidl. Fn. Balt. 1874, p. 365; ed. II, 1891, p. 521; Naturg. Ins. Deutschl. V, 1896, p. 619.

reticulata Say, Longs Exped. II, 1824, p. 279.

variolosa Geer, Mém. V, 1775, p. 32, t. 2, f. 1—3; Übers. v. Goeze V, 1781, p. 253, t. 2, f. 1—3.

1

Rhopalobates Fairm.

Fairm. Notes Leyd. Mus. XVIII, 1896, p. 230.

Villardi Fairm. l. c. p. 231. Sikkim

1

Augolesthus Motsch.

Motsch. Bull. Mosc. XLV, 1872, II, p. 26.

australasiae Motsch. l. c. p. 35. Australien
purpureofasciatus Motsch. l. c. p. 34. Indien

2

Leprocaulus Fairm.

Fairm. Notes Leyd. Mus. XVIII, 1896, p. 95.

clavipes Fairm. l. c. p. 96. Java

1

Cedrosius Fairm.

Fairm. Ann. Soc. Ent. Fr. LXXI, 1902, p. 332.

calosomoides Fairm. l. c. p. 332. Madagaskar
coerulans Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 209. „

2

Rophobas Motsch.

Motsch. Bull. Mosc. XLV, 1872, II, p. 26.

asperatus Motsch. l. c. p. 36. Sundainseln
granifer Fairm. Notes Leyd. Mus. IV, 1882, p. 230. — Kolbe, Entom. Nachr. XXVI, 1900, p. 74.
1

Poeciltoides Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 352.

alternans Fairm. l. c. p. 352. Madagaskar
1

Achrostus Fairm.

Fairm. Ann. Soc. Ent. Fr. LX, 1891, p. 256.

amariformis Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 666. Sierra Leone
cylindricornis Linell, Proc. U. S. Nat. Mus. XVIII, 1895, p. 697. Ostafrika
elateroides Har. Col. Hefte XVI, 1870, p. 119. Angola
rufonitens Fairm. Ann. Soc. Ent. Fr. LX, 1891, p. 256. Westafrika
4

Menephilus Muls.

Muls. Col. Fr. Latigènes 1854, p. 291. — Redt. Fn. Austr. ed. II, 1858, p. CVIII u. 612; ed. III, 1874, p. CXX u. II, p. 118. — Lacord. Gen. Col. V, 1859, p. 378. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 311. — Seidl. Fn. Balt. 1875, p. 98 (Gatt.); ed. II, 1891, p. 134 (Gatt.); Fn. Transs. 1891, p. 134 (Gatt.); Naturg. Ins. Deutschl. V, 1896, p. 623, 624. — Desbr. Frelon XI, 1902, p. 48.

aeneus Cart. Proc. Linn. Soc. N. S. Wales XXX, 1905, p. 179. Sydney
arciscelis Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 119. Japan
bifasciatus Quedf. Berl. Ent. Zeitschr. XXIX, 1885, p. 16, t. 3, f. 5, 5a, b. Kongogebiet
blapoides Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 143. Guinea
coerulescens Haag, Verh. Ver. nat. Unterh. Hamburg III, 1878, p. 100; Journ. Mus. Godeffr. XIV, 1879, p. 122. Australien
colydioides Er. Arch. f. Naturg. VIII, 1842, I, p. 175. Tasmanien
conquinatus Karsch, Sitzungsber. Naturf. Freunde Berl. 1881, p. 60. Guineains.
convexiusculus Hope, Proc. Ent. Soc. Lond. 1842, p. 79; Trans. Ent. Soc. Lond. IV, 1845, p. 110. Südaustralien
corvinus Er. Arch. f. Naturg. VIII, 1842, I, p. 175. Australien
cyanipennis Hope, Proc. Ent. Soc. Lond. 1842, p. 79; Trans. Ent. Soc. Lond. IV, 1845, p. 111. — Champ. Trans. Ent. Soc. Lond. 1894, p. 390.
cribratellus Fairm. Bull. Soc. Ent. Fr. 1893, p. LXIX. Patria?

cylindricus Herbst in Fuessl. Arch. V. 1784, p. 144. — Rossi, Fn. Etr. ed. Hellw. 1795, p. 280 nota. — Seidl. Fn. Balt. 1875, p. 364; ed. II, 1891, p. 520; Fn. Transsylv. 1891, p. 558; Naturg. Ins. Deutschl. V, 1896, p. 625. — Europa

affinis Rossi, Fn. Etr. I, 1790, p. 232; ed. Hellw. I, 1795, p. 280.

curvipes F. Ent. Syst. I, 1792, p. 111; Syst. El. I, 1801, p. 145; in Schneid. N. Mag. III, 1792, p. 356. — Panz. Fn. Germ. 1793, XI, nr. 3; Ent. Germ. 1795, p. 40. — Payk. Fn. Suec. I, 1798, p. 88. — Herbst, Käf. VII, 1797, p. 242, t. 111, f. 2. — Latr. Gen. Crust. et Ins. II, 1807, p. 170. — Sturm, Käf. II, 1807, p. 225. — Gyll. Ins. Suec. II, 1810, p. 593. — Duft. Fn. Austr. II, 1812, p. 301. — Redt. Fn. Austr. 1849, p. 595; ed. II, 1858, p. 613; ed. III, 1874, II, p. 113. — Küst. Käf. Eur. XXVII, 1853, 89. — Muls. Col. Fr. Latigènes 1854, p. 292. — Bach, Käferf. III, 1856, p. 212. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, t. 76, f. 378. — Desbr. Frelon XI, 1902, p. 49.

loripes Ill. Käf. Preuß. I, 1798, p. 113. — Sturm, Käf. VII, 1807, p. 223 (pars). — Gyll. Ins. Suec. II, 1810, p. 592. — Thoms. Skand. Col. VI, 1864, p. 270.

Biologie: Perris, Ann. Soc. Ent. Fr. (3) V, 1857, p. 361, t. 76, f. 444. — Seidl. Naturg. Ins. Deutschl. V, 1893, p. 216.

distinguendus Fairm. Ann. Soc. Ent. Fr. LX, 1891, p. 254. — Ostafrika

fasciolatus Fairm. l. c. p. 253. — Guinea

gagatus Geb. Erg. Exped. Kilimandjaro I, 7, 1910, p. 385. — Deutsch-Ostafrika

humilis Er. Arch. f. Naturg. VIII, 1842, I, p. 174. — Blanch. Voy. Pole Sud IV, 1853, p. 162, t. 11, f. 9. — Tasmanien

indicus Motsch. Bull. Mosc. XLV, 1872, II, p. 37. — Indien

longipennis Hope, Proc. Ent. Soc. Lond. 1842, p. 79; Trans. Ent. Soc. Lond. IV, 1845, p. 110. — Australien

lucens Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 121. — Japan

medius Mars. l. c. p. 120. — „

nigerrimus Boisd. Voy. Astrol. II, 1835, p. 254. — Blanch. Voy. Pole Sud IV, 1853, p. 163, t. 11, f. 10. — Bless. Horae Soc. Ent. Ross. I, 1861, p. 95. — Australien

ornatipennis Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 324. — Gabun

parvulus M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 285. — Queensland

quadrilunatus Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 666. — Guinea

quadrinotatus Motsch. Bull. Mosc. XLV, 1872, II, p. 32. — „

camerunus Geb. Ark. för Zool. II, 1904, nr. 5, p. 19, t. 2, f. 2.

rufoplagiatus Fairm. Ann. Soc. Ent. Fr. LX, 1891, p. 254.

quadriplagiatus Fairm. l. c. p. 255. — Ostafrika

ruficornis Champ. Trans. Ent. Soc. Lond. 1894, p. 391. — Tasmanien

suberuciatus Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 124. — Westafrika

sydneyanus Blackb. Trans. Roy. Soc. S. Austr. XVII, 1893, p. 132. — N. S. Wales
tetrastictus Fairm. Ann. Soc. Ent. Belg. XXXVII,1893, p. 318. — Tonkin
29

Tenebrioloma Geb.

Geb. Ergebn. Exped. Kilimandjaro I, 7, 1910, p. 386.

semicostata Geb. l. c. p. 387, fig. — Trop. Afrika
1

Meneristes Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 150.

Asiris Motsch. Bull. Mosc. XLV, 1872, II, p. 24.

curtulus Olliff, Ins. Fauna Lord Howe's Isl. 1889, p. 90. — Ins. Lord Howe
intermedius Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 150. — Australien
laticollis Boisd. Voy. Astrol. II, 1835, p. 253. — Pasc. l. c. p. 150, t. 11, f. 2. — Blackb. Trans. Roy. Soc. S. Austr. 1887, p. 283. — „
? *angulicollis* Motsch. Bull. Mosc. XLV, 1872, II, p. 30.
australis Boisd. l. c. p. 254. — Bless. Horae Soc. Ent. Ross. I, 1861, p. 94.
natalensis Motsch. Bull. Mosc. XLV, 1872 II, p. 31. — Natal
politus Boisd. Voy. Astrol. II, 1835, p. 253. — Australien
servulus Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 151. — „
vulgaris Olliff, Ins. Fn. Lord Howe's Isl. 1889, p. 89, t. 6, f. 6. — Ins. Lord Howe
7

Sphenothorax Geb.

Geb. Deutsche Ent. Zeitschr. 1906, p. 233.

nitidulus F. Syst. El. I, 1801, p. 146. — Geb. l. c. p. 232. — Indien
1

Ariarathus Fairm.

Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. CCXI.

ulomoides Fairm. l. c. p. CCXI. — China
1

Ozaenimorphus Fairm.

Fairm. Le Natur. II, 1882, p. 127; Ann. Soc. Ent. Fr. (6) VI, 1886, p. 73.

angustior Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 460. — Madagaskar
costulipennis Fairm. Le Natur. II, 1882, p. 127; Ann. Soc. Ent. Fr. (6) VI, 1886, p. 73. — Nossibé
grandicollis Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 128. — Togo
3

Idiobates Cas.

Cas. Ann. N. York Acad. VI, 1891, p. 62.

castaneus Knoch, Neue Beitr. I, 1801, p. 171. — Horn, Revis. Tenebr. 1870, p. 345. Vereinigte Staaten
interstitialis Say, Journ. Acad. Phil. III, 1823, p. 266.
1

Anephyctus Fairm.

Fairm. Ann. Soc. Ent. Fr. LX, 1891, p. 257.

hirtulus Fairm. l. c. p. 257. Niger
1

Tenebrio L.

L. Syst. Nat. ed. X, 1758, p. 417; ed. XII, 1767, p. 674. — F. Syst. Ent. 1775, p. 255; Gen. Ins. 1777, p. 76; Ent. Syst. I, 1792, p. 110; Epit. Ent. 1797, p. 5; Syst. El. I, 1801, p. 144. — Latr. Précis 1798, p. 15; Hist. Nat. II, 1802, p. 173; X, 1804, p. 288; Gen. Crust. et Ins. II, 1807, p. 169. — Cast. Hist. Nat. II, 1840, p. 212. — Redt. Gatt. 1845, p. 127; Fn. Austr. 1849, p. 52 u. 594; ed. II, 1858, p. CVIII u. 612; ed. III, 1874, p. CXX u. II, p. 118. — Muls. Col. Fr. Latigènes 1854, p. 276; Ann. Soc. Agr. Lyon 1859, p. 205. — Woll. Ins. Mader. 1854, p. 496. — Thoms. Skand. Col. I, 1859, p. 117; VI, 1864, p. 267. — Lacord. Gen. Col. V, 1859, p. 379. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 311. — J. Lec. Class. Col. N. Amer. 1862, p. 231. — Kraatz, Berl. Ent. Zeitschr. XI, 1867, p. 394. — Horn, Revis. Tenebr. N. Amer. 1870, p. 344. — Seidl. Fn. Balt. 1875, p. 98 (Gatt.); ed. II, 1891, p. 134 (Gatt.); Fn. Transsylv. 1891, p. 134 (Gatt.); Naturg. Ins. Deutschl. V, 1896, p. 628. — J. Lec. and Horn, Class. Col. N. Amer. 1883, p. 378. — Stierl. Col. Helv. II, 1886, p. 149. — Zoufal, Wien. Ent. Zeit. XI, 1892, p. 283. — Desbr. Frelon XI, 1902, p. 42.

Menedrio Motsch. Bull. Mosc. XLV, 1872, II, p. 27.
Neatus J. Lec. Class. Col. N. Amer. 1862, p. 233.

alternicostis Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 123. Japan
angustus Zouf. Wien. Ent. Zeit. XI, 1892, p. 284. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 633. Nordpersien
atronitens Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. XVII. Changyang
capensis Motsch. Bull. Mosc. XLV, 1872, II, p. 37. Capland
carbo Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 288. Ostafrika
fuliginosus Fairm. Pet. Nouv. Ent. I, 1874, p. 388. Marokko
giganteus Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 127. Ostafrika
guineensis Imh. Verh. nat. Ges. Basel V, 1843, p. 174. Westafrika
foveicollis Thoms. Arch. Ent. II, 1858, p. 90. — Geb. Ark. f. Zool. II, 1904, nr. 5, p. 19.
Paivae Woll. Ann. Mag. Nat. Hist. (4) V, 1870, p. 249.
subrugosus Er. Arch. f. Naturg. IX, 1843, I, p. 252.
laticornis Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 127. Trop. Afrika
longipennis Motsch. Bull. Mosc. XLV, 1872, II, p. 37. Nordamerika
medius Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 131 (83). Algier
molitor L. Syst. Nat. ed. X, 1758, I, p. 417; ed. XII, 1767, I, p. 674; Fn. Suec. ed. II, 1761, p. 224. Kosmopolit

— Scopoli, Ent. Carn. 1763, p. 84. — Geer, Mém. V, 1775, p. 34, t. 2, f. 4—14; Übers. v. Götze V, 1781, p. 254, t. 2, f. 4—14. — F. Syst. Ent. 1775, p. 255; Spec. Ins. I, 1781, p. 322; Mant. Ins. I, 1787, p. 211; Ent. Syst. I, 1792, p. 111; Syst. El. I, 1801, p. 145. — Müll. Fn. Fridr. 1764, p. 21; Zool. Dan. Prodr. 1776, p. 74. — Fischer, Naturg. Livl. 1778, p. 138; ed. II, 1791, p. 287. — Schrank, Enum. 1781, p. 218. — Petagna, Spec. Ins. Cal. 1786, p. 26. — Rossi, Fn. Etr. I, 1790, p. 231; ed. Hellw. 1795, p. 280. — Herbst, Käf. VII, 1797, p. 240, t. 111, f. 1. — Panz. Ent. Germ. 1795, p. 40; Fn. Germ. XLIII, 1797, nr. 12. — Ol. Ent. III, 1795, 57, p. 12, t. 1, f. 12. — Ill. Verz. Käf. Preuß. 1798, p. 113. — Cederjh. Fn. Ingr. 1798, p. 12. — Payk. Fn. Suec. I, 1798, p. 89. — Marsh. Entom. Brit. 1802, p. 474. — Latr. Hist. Nat. X, 1804, p. 295; Gen. Crust. et Ins. II, 1807, p. 170. — Sturm, Käf. Deutschl. II, 1807, p. 219, t. 46, f. n—p. — Gyll. Ins. Suec. II, 1810, p. 590. — Duft. Fn. Austr. II, 1812, p. 300. — Lam. Anim. s. vert. IV, 1801, p. 415. — Samouelle, Ent. Comp. 1819, p. 59, t. 4, f. 1. — Curt. Brit. Entom. VII, p. 351. — Steph. Ill. Brit. Ent. V, 1832, p. 8. — Sahlb. Ins. Fenn. I, 1834, p. 479. — Guér. Icon. règne anim. p. 120, t. 30, f. 10, 11. — Cast. Hist. Nat. II, 1840, p. 212, t. 18, f. 7. — Blanch. in Cuv. Règne anim. ed. Croch. p. 370, t. 49, f. 10, 10a—d. — Küst. Käf. Eur. XXVII, 1853, 87. — Redt. Fn. Austr. 1849, p. 595; ed. II, 1858, p. 612; ed. III, 1874, II, p. 118. — Woll. Ins. Mader. 1854, p. 496. — Muls. Col. Fr. Latigènes 1854, p. 277. — Bach, Käferf. Deutschl. III, 1856, p. 211. — Thoms. Skand. Col. VI, 1864, p. 268. — Horn, Revis. Tenebr. 1870, p. 345. — Seidl. Fn. Balt. 1875, p. 364; ed. II, 1891, p. 520; Fn. Transsylv. 1891, p. 558; Naturg. Ins. Deutsch. V, 1896, p. 634, 640. — Baudi, Bull. Soc. Ent. Ital. VIII, 1876, p. 203. — Stierl. Col. Helv. II, 1886, p. 149. — Zoufal, Wien. Ent. Zeit. XI, 1892, p. 285. — Desbr. Frelon XI, 1902, p. 44. — Fiori, Riv. Coleott. Ital. I, 1903, p. 222, 224.

molitoria Fourcr. Entom. Paris 1785, p. 158.

Biologie: Mouffet, Insect. Theatr. 1634, p. 254. — Ray, Hist. Ins. 1710, p. 4. — Frisch, Beschreib. 1721, p. 1—3, t. 1, f. 1—4. — L. Fn. Suec. ed. II, 1761, p. 225; Syst. Nat. ed. XII, 1767, I, p. 674. — Geoffr. Hist. abr. Ins. I, p. 350. — Geer, Mém. V, 1775, p. 35, t. 2, f. 6—11. — Gmel. Car. Linn. Syst. Nat. I, p. 1995. — Ol. Entom. III, 1795, 57, p. 12. — Goeze, Belehrung 1796, p. 35—67. — Herbst, Käf. VII, 1797, p. 241. — Latr. Hist. Nat. X, 1804, p. 289; Règne anim. III, 1817, p. 300; ibid. 1829, II, p. 26. — Posselt, Beytr. 1804, p. 25, t. 3, f. 1—14. — Sturm, Deutschl. Fn. II, 1807, p. 217, t. 46, f. n. — Hammerschmidt, Beitr. Entom. 1833,

t. 6. — Westw. Introd. mod. Class. of Ins. I, 1839, p. 317, f. 38, nr. 14—16. — Chap. et Candèze, Catal. Larves 1853, p. 176. — Hagen, Stett. Ent. Zeit. XIV, 1853, p. 56. — Muls. Col. Fr. Latigènes 1854, p. 281. — Schiödte, Naturh. Tidskr. XI, 1879, p. 568, t. 11, f. 6—11. — Kittel, Correspbl. z.-m. Ver. Regensb. XXXVII, 1880, p. 144. — Riley, Amer. Natur. XVII, 1883, p. 547. — Apperson, Insect Life I, 1889, p. 379. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 630. — Xambeu, Ann. Soc. Linn. Lyon XLV, p. 196.

Anatomie etc.: Landois und Thelen, Reich. Arch. 1866, p. 391; Zeitschr. f. wiss. Zool. XVII, 1867, p. 34, t. 5, f. 1—12. — Reschatin, Horae Soc. Ent. Ross. XV, 1880, Bull. p. XVII. — Frenzel, Berl. Ent. Zeitschr. XXVI, 1882, p. 267—316, t. 5. — vom Rath, Ber. Naturf. Ges. Freib. VIII, 1894, p. — Rengel, Zeitschr. f. wissenschaftl. Zool. LXII, 1896, p. 1—60. — Heymons, Sitzungsb. nat. Fr. Berl. 1896, p. 142. — Biedermann, Arch. ges. Physiol. LXII, 1898, p. 105—162, t. 2—3. — Kolbe, Allg. Zeitschr. Entom. VIII, 1903, p. 28. — Plotnikow, Zeitschr. wiss. Zool. LXXVI, 1904, p. 358. — Wielowieyski, Arb. Zool. Inst. Wien u. Zool. Stat. Triest XVI, 1907, p. 1—62, t. 1—3. — Saling, Zool. Anz. XXIX, p. 587—590; Zeitschr. wiss. Zool. LXXXVI, 1906, p. 238—303, t. 17 u. 18, 14 fig. (Dissert. Freibg. 1906, p. 1—70). — Berger, Arch. ges. Physiol. CXVIII, 1907, p. 607—612. — Mégnin, C. rend. Soc. Biol. Paris LIII, 1901, p. 834. — Werber, Arch. Entw.-Mech. XIX, 1904, p. 259.

morio Herbst, Käf. VII, 1797, p. 247, t. 111, f. 7. — Indien

noctivagus Muls. et Rey, Mém. Soc. Linn. Lyon 1854—55, p. 7; Opusc. Ent. II, p. 9. — Fiori, Riv. Coleott. Ital. I, 1903, p. 222, 224. — Sicilien

var. *intermedius* Fiori, Riv. Col. Ital. I, 1903, p. 224. — Italien

obscurus F. Ent. Syst. I, 1792, p. 111; Syst. El. I, 1801, p. 146. — Panz. Ent. Germ. 1795, p. 40; Fn. Germ. XLIII, 1797, nr. 13. — Herbst, Käf. VII, 1797, p. 253. — Payk. Fn. Suec. I, 1798, p. 88. — Latr. Hist. Nat. X, 1804, p. 295; Gen. Crust. et Ins. II, 1807, p. 169. — Sturm, Deutschl. Fn. II, 1807, p. 218. — Gyllenh. Ins. Suec. II, 1810, p. 591. — Duft. Fn. Austr. II, 1812, p. 298. — Sahlb. Ins. Fenn. I, 1834, p. 480. — Cast. Hist. Nat. II, 1840, p. 212. — Luc. Expl. Alg. 1849, p. 337. — Küst. Käf. Eur. XXVII, 1853, 86. — Redt. Fn. Austr. 1849, p. 595; ed. II, 1858, p. 613; ed. III, 1874, II, p. 119. — Muls. Col. Fr. Latigènes 1854, p. 283. — Bach, Käferf. Deutschl. III, 1856, p. 211. — Woll. Ins. Mader. 1854, p. 497. — Thoms. Skand. Col. VI, 1864, p. 269. — Horn, Revis. Tenebr. 1870, p. 345. — Seidl. Fn. Balt. 1875, p. 364; ed. II, 1891, p. 520; Fn. Transs. 1891, — Kosmopolit.

p. 558; Naturg. Ins. Deutschl. V, 1896, p. 633, 636. — Baudi, Bull. Soc. Ent. Ital. VIII, 1876, p. 203. — Stierl. Col. Helvet. II, 1886, p. 149. — Zoufal, Wien. Ent. Zeit. XI, 1892, p. 283. — Desbr. Frelon XI, 1902, p. 46. — Fiori, Riv. Coleott. Ital. I, 1903, p. 222, 223.

var. *longicollis* Motsch. Bull. Mosc. XLV, 2, 1872, p. 37.

Biologie: Muls. Col. Fr. Latigènes 1854, p. 286. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 630.

olivensis Woll. Cat. Can. Col. 1864, p. 501. — Canaren

opacus Duft. Fn. Austr. II, 1812, p. 299. — Muls. Col. Fr. Latigènes 1854, p. 286. — Bach, Käferf. Deutschl. III, 1856, p. 211. — Redt. Fn. Austr. ed. II, 1858, p. 613; ed. III, 1874, II, p. 119. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, t. 76, f. 377. — Thoms. Skand. Col. VI, 1864, p. 269. — Seidl. Fn. Balt. 1875, p. 364; ed. II, 1891, p. 520; Fn. Transsylv. 1891, p. 558; Naturg. Ins. Deutschl. V, 1896, p. 633, 634. — Baudi, Bull. Soc. Ent. Ital. VIII, 1876, p. 203. — Zoufal, Wien. Ent. Zeit. XI, 1892, p. 283. — Desbr. Frelon XI, 1902, p. 45. — Fiori, Riv. Coleott. Ital. I, 1903, p. 221, 222. — Deutschland, Frankreich, Österreich, Kaukasus

Biologie: Muls. et Guilleb. Ann. Soc. Linn. Lyon 1855, p. 9; Opusc. Ent. VI, 1855, p. 9. — Schiödte, Naturhist. Tidskr. XI, 1879, p. 571. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 630.

picipes Herbst, Käf. VII, 1797, p. 245, t. 111, f. 5. — Kraatz, Berl. Ent. Zeitschr. XI, 1867, p. 393. — Redt. Fn. Austr. ed. III, 1874, II, p. 118. — Seidl. Fn. Balt. 1875, p. 364; ed. II, 1891, p. 521; Fn. Transs. 1891, p. 558; Naturg. Ins. Deutschl. V, 1896, p. 634, 643. — Baudi, Bull. Soc. Ent. Ital. VIII, 1876, p. 202. — Zoufal, Wien. Ent. Zeit. XI, 1892, p. 285. — Desbr. Frelon XI, 1902, p. 285. — Fiori, Riv. Coleott. Ital. I, 1903, p. 222, 227. — Europa, Sibirien, Japan, Nordamerika

badius Say, Journ. Acad. Phil. III, 1823, p. 265.

laticollis Steph. Ill. Brit. Entom. V, 1832, p. 8.

loripes Sturm, Deutschl. Fn. Käf. II, 1807, p. 223, t. 47, f. C. — Küst. Käf. Eur. XXVII, 1853, p. 88.

tenebrioides Beauv. Ins. Afr. et Amer. 1805, p. 121, t. 30, f. 3. — Horn, Revis. Tenebr. 1870, p. 345.

transversalis Duft. Fn. Austr. II, 1812, p. 300. — Redt. Fn. Austr. 1849, p. 595; ed. II, 1858, p. 612. — Muls. Col. Fr. Latigènes 1854, p. 289. — Bach, Käferf. III, 1856, p. 211.

ventralis Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 123.

Biologie: Westw. Intr. mod. Class. I, 1839, p. 317, f. 38, 14—16 (als *T. molitor.*). — Muls. et Guilleb. Ann. Soc. Linn. Lyon 1855, p. 11; Opusc. Ent. VI, 1855, p. 11 (als *T. transversalis*). — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 630.

punctipennis Seidl. l. c. p. 633, 639. Sardinien
quadrihamatus Fairm. Bull. Soc. Ent. Fr. 1875, p. XXXIII. Madagaskar
retentus Walk. Ann. Mag. Nat. Hist. (3) II, 1858, p. 283. Ceylon
rugulosus Montr. Ann. Soc. Agr. Lyon VII, 1855, p. 31. Ins. Woodlark
syriacus Zouf. Wien. Ent. Zeit. XI, 1892, p. 284. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 634. Syrien
trivialis Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 209. Madagaskar
tuberifer Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 124. Indien

25

Zolodinus Blanch.

Blanch. Voy. Pole Sud IV, 1853, p. 159. — Lacord. Gen. Col. V, 1859, p. 380. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 624.

zelandicus Blanch. l. c. p. 160, t. 11, f. 7. — Broun, Man. New Zeal. Col. I, 1880, p. 379. N.-Seeland

1

Strepsius Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 351.

spretulus Fairm. l. c. p. 351. Madagaskar

1

Microphyes M'Leay.

M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 286.

rufipes M'Leay, l. c. p. 286. Queensland

1

Catapiestus Perty.

Perty, Obs. Col. Ind. or. 1831, p. 38. — Lacord. Gen. Col. V, 1859, p. 381.
Plateia Cast. Hist. Nat. II, 1840, p. 215.

crenulicollis Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 357. Cambodja
indicus Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 28. Sikkim
mediocris Guér. Rev. Zool. 1841, p. 124. — Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 357. Borneo
piceiventris Fairm. Notes Leyd. Mus. XV, 1893, p. 29. Ins. Andaman.
piceus Perty, Obs. Col. Ind. or. 1831, p. 39, t. 7. — — Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 357. Java, Sumatra
orientalis Cast. Hist. Nat. II, 1840, p. 215.
simillimus Fairm. Notes Leyd. Mus. XV, 1893, p. 28. Sumatra

6

Teles Muls. et God.

Muls. et God. Ann. Soc. Linn. Lyon (n. s.) XXII, 1876, p. 181.

eutymi Muls. et God. l. c. p. 182. Kleinasien

1

Rhacius Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 120.

quadricollis Champ. l. c. p. 121, t. 6, f. 10. — Centr.- u. Südamerika

sulcatulus Champ. l. c. p. 121, 526, t. 6, f. 9. — „

2

Belopus nom. nov.

Calcar Latr. Règne anim. ed. II, 1829, II, p. 25. — Cast. Hist. Nat. II, 1840, p. 211. — Woll. Ins. Mader. 1854, p. 494. — Muls. Col. Fr. Latigènes 1854, p. 272. — Redt. Fn. Austr. II, 1858, p. CVIII u. 615; ed. III, 1874, p. CXX u. II, p. 120. — Lacord. Gen. Col. V, 1859, p. 383. — Seidl. Fn. Balt. ed. II, 1891, p. 134 (Gatt.); Fn. Transsylv. 1891, p. 134 (Gatt.); Naturg. Ins. Deutschl. V, 1896, p. 649. — Desbr. Frelon XI, 1902, p. 49.

Subgen. *Calcar* Muls. Col. Fr. Latigènes 1854, p. 274; Opusc. Ent. IX, 1859, p. 140. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 312, t. 76, f. 379a. — Zoufal, Wien. Ent. Zeit. XII, 1893, p. 115. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 653.

Subgen. *Centorus* Muls. Col. Fr. Latigènes 1854, p. 272; Opusc. Ent. IX, 1859, p. 140, 179. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 313. — Zoufal, Wien. Ent. Zeit. XII, 1893, p. 115.

aegyptiacus Zouf. Wien. Ent. Zeit. XII, 1893, p. 116, t. 2, f. 2 (*Calcar* i. sp.). — Ägypten

Bedeli Lesne, Bull. Mus. Paris I, 1895, p. 109 *(Centorus)*. — Algier

crassipes Fisch. Bull. Mosc. XVII, 1844, I, p. 123. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 653 *(Centorus)*. — Südrußland, Morea

Reitteri Zouf. Wien. Ent. Zeit. XII, 1893, p. 118, t. 2, f. 9.

elongatus Herbst, Käf. VII, 1797, p. 259, t. 112, f. 2 A. — Cast. Hist. Nat. II, 1840, p. 211. — Woll. Ins. Mader. 1854, p. 495. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, t. 76, f. 379. — Baudi, Bull. Soc. Ent. Ital. VIII, 1876, p. 204. — Zouf. Wien. Ent. Zeit. XII, 1893, p. 116. — Seidl. Nat. Ins. Deutschl. V, 1896, p. 652, 654. — Desbr. Frelon XI, 1902, p. 51 (*Calcar* i. sp.). — Westl. Mittelmeergebiet, Madeira

calcar F. Syst. El. I, 1801, p. 153. — Ill. Mag. I, 1802, p. 342.

var. *ecalcaratus* Seidl. l. c. p. 655.

elongatus Muls. Col. Fr. Latigènes 1854, p. 274.

filiformis Motsch. Bull. Mosc. XLV, 1872, II, p. 40. — Zoufal, l. c. p. 118, t. 2, f. 8 *(Centorus)*. — Kirghisensteppe, Armenien

armeniacus Motsch. (scr. *americanus*) l. c. p. 40.

Heydeni Zoufal, l. c. p. 116, t. 2, f. 3 (*Calcar* i. sp.). — Ägypten

humeralis Champ. Trans. Ent. Soc. Lond. 1891, p. 387 (*Calcar* i. sp.). — Tanger

truncaticollis Zoufal, l. c. p. 117, t. 2, f. 5.

Lucasi Muls. et Godart, Ann. Soc. Agr. Lyon 1859, p. 243; Opusc. Ent. IX, 1859, p. 179 *(Centorus)*. — Algier

microceps Motsch. Bull. Mosc. XLV, 1872, II, p. 39. — Zoufal, Wien. Ent. Zeit. XII, 1893, p. 119, t. 2, f. 10 *(Centorus)*. — Ägypten

procerus Muls. Col. Fr. Latigènes 1854, p. 272. — Rosh. Thiere Andalus. 1856, p. 217. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, t. 76, f. 380. — Baudi, Bull. Soc. Ent. Ital. VIII, 1876, p. 204. — Motsch. Bull. Mosc. XLV, 1872, II, p. 39. — Zoufal, Wien. Ent. Zeit. XII, 1893, p. 117, t. 2, f. 6, 6b. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 652. — Desbr. Frelon XI, 1902, p. 52 *(Centorus)*. — Frankreich, Südrußland, Kaukasus

Raffrayi Fairm. Rev. et Mag. Zool. 1873, p. 340. — Zoufal, l. c. p. 119. — Seidl. l. c. p. 653 *(Centorus)*. — Algier, Spanien

rufipes Gebl. Bull. Mosc. VI, 1833, p. 288; XX, 1847, IV, p. 485; Bull. Mosc. Ent. I, 1836, p. 261 *(Centorus)*. — Sibirien

sulcatus Fisch. Bull. Mosc. XVII, 1844, I, p. 124. — Motsch. Bull. Mosc. XLV, 1872, II, p. 39. — Zoufal, Wien. Ent. Zeit. XII, 1893, p. 119. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 653 *(Centorus)*. — Südrußland

syriacus Zoufal, l. c. p. 117, t. 2, f. 4 (*Calcar* i. sp.). — Syrien

tenuicornis Motsch. Bull. Mosc. XLV, 1872, II, p. 40. — Lenkoran

tibialis Zoufal, Wien. Ent. Zeit. XII, 1893, p. 118, t. 2, f. 7. — Seidl. Naturg. Ins. V, 1896, p. 652 *(Centorus)*. — Kaukasus

trogosita Motsch. Bull. Mosc. XLV, 1872, II, p. 39. — Zoufal, l. c. p. 118 *(Centorus)*. — Turkestan

17

Athrodactyla Kl.

Kl. Ins. Madag. 1833, p. 17. — Cast. Hist. Nat. II, 1840, p. 211. — Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 806.

elongata Kl. l. c. p. 178, t. 4, f. 3. — Cast. l. c. p. 212. — Fairm. l. c. p. 806. — Madagaskar

var. *attenuata* Kl. l. c. p. 179. — Cast. l. c. p. 212. — Fairm. l. c. p. 806. — „

intermedia Fairm. l. c. p. 806. — „

2

Toxicum Latr.

Latr. Hist. Nat. Crust. et Ins. X, 1804, p. 297: Gen. Crust. et Ins. II, 1807, p. 167. — Cast. Hist. Nat. II, 1840, p. 217. — Lacord. Gen. Col. V, 1859, p. 341. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 649.

Cryphaeus Kl. Ins. Madag. 1833, p. 19.

antilope Arrow, Monogr. Christmas Isl. 1900, p. 106. — Ins. Christmas

aries Kl. Ins. Madag. 1833, p. 177. — Cast. Hist. Nat. II, 1840, p. 217. — Fairm. Ann. Soc. Ent. Fr. (4) IX, 1869, p. 228. — Madagaskar

brevicorne Pasc. Journ. of Ent. II, 1866, p. 454. — Victoria

capreolus Fairm. Ann. Soc. Ent. Fr. (4) IX, 1869, p. 228. — Comoren

Chevrolati Montr. Ann. Soc. Agr. Lyon VII, 1855, p. 30. — Ins.

picticolle Bates, Ent. Monthly Mag. X, 1873—74, p. 45, 52. — Waterh. Ann. Mag. Nat. Hist. (6) XIV, 1894, p. 71. — Woodlark, Neu-Guinea

cribrarium Blanch. in Gay, Hist. Chile V, 1851, p. 441, t. 26, f. 10 (gen. dub.). — Chile

curvicorne Blackb. Trans. Roy. Soc. S. Austr. X, 1888, p. 276. — Victoria

distinctum M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 281. — Queensland

diversepunctatum Schauf. Horae Soc. Ent. Ross. XIX, 1885, p. 202. — Celebes

elongatum Schauf. l. c. p. 202. — Philippinen

Fairmairei nom. nov. — Sumatra
distinctum Fairm. Notes Leyd. Mus. IV, 1882, p. 227.

flavofemoratum Redt. Reise Novara II, 1868, p. 126. — Manila

funginum Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 469. — Japan

gazellae Schauf. Horae Soc. Ent. Ross. XIX, 1885, p. 201. — Celebes
var. *obtusum* Schauf. l. c. p. 201. — „

giganteum Schauf. l. c. p. 201. — Java

Goliath Fairm. Ann. Soc. Ent. Fr. LXVII, 1898, p. 395. — Borneo

gracile Pasc. Ann. Mag. Nat. Hist. (5) XI, 1881, p. 438. — N. S. Wales
— Blackb. Trans. Roy. Soc. S. Austr. X, 1888, p. 277.

grande Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 352. — Nord-Borneo
— Waterh. Aid ident. Ins. I, 1880—82, t. 34.

heros Friv. Term. füzetek VI, 1882, p. 139, t. 1, f. 5. — Borneo

indicum Schauf. Horae Soc. Ent. Ross. XIX, 1885, p. 202. — Indien

matabelicum Olliff in Oates's Matabeleland ed. II, p. 376. — Matabeleland

nudicorne Fairm. Ann. Soc. Ent. Belg. XXVII, 1883. 2, p. 25. — Duke of York

oppugnans Walk. Ann. Mag. Nat. Hist. (3) II, 1858, p. 284. — Ceylon

parvicorne M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 281. — Queensland

punctipenne Pasc. Journ. of Ent. II, 1866, p. 454. — Champ. Trans. Ent. Soc. Lond. 1894, p. 380. — Australien
addendum Blackb. Proc. Linn. Soc. N. S. Wales (2) II, 1888, p. 1431.

quadricorne F. Syst. El. I, 1801, p. 153. — Cast. Hist. Nat. II, 1840, p. 217. — Sundainseln

Richesianum Latr. Hist. Nat. Crust. et Ins. X, 1804, p. 298; Gen. Crust. et Ins. II, 1807, p. 168, t. 9, f. 9. — Gray in Griff. Anim. Kingd. II, 1832, t. 50, f. 3, t. 69, f. 5. — Cast. Hist. Nat. II, 1840, p. 217. — Indien

rufipes Kirsch, Mitth. Mus. Dresden I, 1875, p. 145. — Fairm. Ann. Soc. Ent. Belg. XXVII, 1883, 2, p. 25. — Neu-Guinea

spretum Blackb. Trans. Roy. Soc. S. Austr. X, 1888, p. 276. — N. S. Wales

sumatrense Fairm. Notes Leyd. Mus. IV, 1882, p. 227. — Sumatra

taurus F. Syst. El. I, 1801, p. 153. — Cast. Hist. Nat. II, 1840, p. 217. — Lacord. Gen. Col. Atl. t. 55, f. 2. — Fåhrs. Öfv. Vet. Akad. Förh. XXVII, 1870, p. 303. — Trop. Afrika
curvicorne Chevr. in Guér. Icon. règne anim. p. 119, t. 30, f. 6a—c.
gazella F. Ent. Syst. Suppl. 1798, p. 176. — Fåhrs. l. c. p. 304.

nitidifrons Schauf. Horae Soc. Ent. Ross. XIX, 1885, p. 201.
opacum Schauf. l. c. p. 202.
tenuiclavum Schauf. l. c. p. 202.
tenue Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 26. Indien
tricornutum Waterh. Ent. Monthly Mag. XI, 1874, p. 126. — Lewis, Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 468. Japan
umbrosum Har. Mittb. Münchn. Ent. Ver. IV, 1880, p. 165.
tuberculifrons Lew. l. c. p. 469. „
34

Anthracias Redt.

Redt. Fn. Austr. ed. II, 1858, p. 617. — Muls. et Rey, Ann. Soc. Agr. Lyon 1859, p. 206; Opusc. Ent. IX, 1859, p. 142. — Lacord. Gen. Col. V, 1859, p. 342. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 310. — Lewis, Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 470. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 649.

amurensis Heyd. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 295. Wladiwostok
boleti Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 471. Japan
cornutus Fisch. Ent. Ross. II, 1823, p. 199, t. 22, f. 3. — Lacord. Gen. Col. V, 1859, p. 343, Atl. t. 55, f. 1. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, t. 76, f. 376. Südrußland, Ungarn
bicornis Redt. Fn. Austr. ed. II, 1858, p. 617. — Muls. et Rey, Ann. Soc. Agr. Lyon 1859, p. 206; Opusc. Ent. IX, 1859, p. 142.
duellicus Lewis, Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 470, t. 13, f. 8. Japan
fagi Lewis, l. c. p. 471. „
punctatulus Lewis, l. c. p. 470. „
ruficollis Pasc. Ann. Mag. Nat. Hist. (5) XI, 1883, p. 439. — Waterh. Ann. Mag. Nat. Hist. (6) XVI, 1895, p. 71. Neu-Guinea
7

Epitoxicum Bates.

Bates, Ent. Monthly Mag. X, 1873, p. 46.

haplandroides Bates, l. c. p. 46. Indien
1

Paratoxicum Champ.

Champ. Trans. Ent. Soc. Lond. 1894, p. 380.

iridescens Champ. l. c. p. 381, t. 8, f. 8a—c. Tasmanien
1

Alaephus Horn.

Horn, Revis. Tenebr. N. Amer. 1870, p. 346. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 624.

gracilis Fall, Canad. Entom. XXXVII, 1905, p. 276. Arizona
macilentus Cas. Ann. N. York Acad. VI, 1892, p. 61. Arizona,
nitidipennis Fall, l. c. p. 275, 276; Ent. News XVIII, 1907, p. 175. Neu-Mexico

pallidus Horn, Revis. Tenebr. 1870, p. 346, t. 14, f. 22. — Fall, Canad. Entom. XXXVII, 1905, p. 276. Californien
puberulus Fall, Ent. News XVIII, 1907, p. 175. Utah
4

Eupsophulus Cockerell.

Cockerell, Ent. News XVII, 1906, p. 242.

Eupsophus Horn, Revis. Tenebr. 1870, p. 347. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 624.

castaneus Horn, l. c. p. 347, t. 14, f. 35. Californien
Horni Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 122. Mexico
2

Biomorphus Motsch.

Motsch. Bull. Mosc. XLV, 1872, II, p. 38, 40.

tuberculatus Motsch. l. c. p. 40, fig. Californien
1

Boros Herbst.

Herbst, Käf. VII, 1797, p. 318. — Cast. Hist. Nat. II, 1840, p. 217. — Muls. Col. Fr. Latigènes 1854, p. 269. — Redt. Fn. Austr. 1849, p. 814; ed. II, 1858, p. CVII u. 613; ed. III, 1874, p. CXIX u. II, p. 121. — Lacord. Gen. Col. V, 1859, p. 385. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 314. — Thoms. Skand. Col. I, 1859, p. 118; VI, 1864, p. 326. — J. Lec. Class. Col. N. Amer. 1862, p. 256; ed. II, 1883, p. 402. — Seidl. Fn. Balt. 1875, p. 98 (Gatt.), ed. II, 1891, p. 134 (Gatt.); Fn. Transsylv. 1891, p. 134 (Gatt.); Naturg. Ins. Deutschl. V, 1896, p. 659. — Desbr. Frelon XI, 1902, p. 53.

Schneideri Panz. Fn. Germ. XXXIV, 1795, nr. 1; Krit. Revis. 1805, p. 35. — Muls. Col. Fr. Latigènes 1854, p. 270. — Bach, Käferf. Deutschl. III, 1856, p. 213. — Redt. Fn. Austr. ed. II, 1858, p. 614; ed. III, 1874, II, p. 121. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, t. 77, f. 382. — Thoms. Skand. Col. VI, 1864, p. 327. — Seidl. Fn. Balt. 1875, p. 364; ed. II, 1891, p. 521; Fn. Transsylv. 1891, p. 561; Naturg. Ins. Deutschl. V, 1896, p. 660. — Desbr. Frelon X, 1902, p. 54. Nordeuropa, Siebenbürgen, Südfrankreich
Boros F. Syst. El. II, 1801, p. 558. — Latr. Hist. Nat. X, 1804, p. 310. — Ill. Mag. IV, 1805, p. 162.
corticalis Payk. Fn. Suec. I, 1798, p. 93. — Gyll. Ins. Suec. II, 1810, p. 584. — Sahlb. Ins. Fenn. I, 1834, p. 478. — Cast. Hist. Nat. II, 1840, p. 217. — Blanch. Règne anim. ed. Croch. p. 369, t. 49, f. 7.
elongatus Herbst, Käf. VII, 1797, p. 319, t. 110, f. 7. — Zetterst. Fn. Lappon. 1828, p. 264; Ins. Lappon. 1840, p. 154. — Redt. Fn. Austr. 1849, p. 814.
sibiricus Motsch. Bull. Mosc. XLV, 1872, II, p. 41. Sibirien
unicolor Say, Journ. Ac. Phil. V, 2, 1827, p. 238. Nordamerika
3

Synercticus Newm.

Newm. Entomol. 1842, p. 403.

Aposyla Pasc. Journ. Entom. I, 1862, p. 325.

heteromerus Newm. l. c. p. 403. — Australien
piceus Pasc. Journ. of Entom. I, 1862, p. 325. — Queensland

2

Tanylypa Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 152.

morio Pasc. l. c. p. 153, t. 11, f. 4. — Tasmanien

1

Iscanus Fauv.

Fauv. Rev. d'Entom. XXIII, 1904, p. 176.

kuniensis Fauv. l. c. p. 177. — Neu-Caledonien

1

Demtrius Broun.

Broun, Ann. Mag. Nat. Hist. (6) XV, 1895, p. 243.

carinulatus Broun, l. c. p. 243. — Neu-Seeland

1

Lorelus Sharp.

Sharp, Ent. Monthly Mag. XIII, 1876, p. 76.

armatus Montr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 293. — Neu-Caledonien
— Fauv. Rev. d'Entom. XXIII, 1904, p. 178.
brevicornis Champ. Trans. Ent. Soc. Lond. 1896, p. 14, t. 1, f. 6. — S. Vincent
crassicornis Broun, Man. N. Zeal. Col. I, 1880, p. 382. — Neu-Seeland
ocularis Fauv. Rev. Entom. XXIII, 1904, p. 178. — Neu-Caledonien
priscus Sharp, Ent. Monthly Mag. XIII, 1876, p. 77. — Neu-Seeland
pubescens Broun, Man. N. Zeal. Col. I, 1881, p. 381. — „
quadricollis Broun, New Zeal. Journ. Sc. I, p. 377. — „

7

Lorelopsis Champ.

Champ. Trans. Ent. Soc. Lond. 1896, p. 15.

pilosus Champ. l. c. p. 16, t. 1, f. 7. — S. Vincent

1

Boromorphus Woll.

Woll. Ins. Mader. 1854, p. 492. — Lacord. Gen. Col. V, 1859, p. 386. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 313. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 649. — Desbr. Frelon XI, 1902, p. 65. — Reitt. Wien. Ent. Zeit. XXVII, 1908, p. 217 (Übersicht).

aegyptiacus Reitt. l. c. p. 217. — Cairo
armeniacus Reitt. Deutsche Ent. Zeitschr. 1889, p. 33; Übers. p. 217. — Araxestal

libanicus Baudi, Deutsche Ent. Zeitschr. XXV, 1881, p. 286; Reitt. Übers. p. 217. — Syrien

lineellus Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 152. — Senegal

maderae Woll. Ins. Mader. 1854, p. 493, t. 11, f. 9. — Madeira

opaculus Reitt. Deutsche Ent. Zeitschr. XXXI, 1887, p. 521; Übers. p. 217. — Turkestan

parvus Woll. Cat. Can. Col. 1864, p. 502. — Canaren

tagenioides Luc. Expl. Alg. 1849, p. 338, t. 30, f. 9. — Redt. Fn. Austr. ed. II, 1858, p. 614. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, t. 77, f. 381. — Baudi, Bull. Soc. Ent. Ital. VIII, 1876, p. 205. — Desbr. Frelon XI, 1902, p. 65. — Reitt. Übers. p. 217. — Spanien, Algier, Marokko

8

Bius Muls.

Muls. Col. Fr. Latigènes 1854, p. 266; Opusc. Ent. IX, 1859, p. 140. — Redt. Fn. Austr. ed. II, 1858, p. CVII u. 616; ed. III, 1874, p. CXIX u. II, p. 119. — Lacord. Gen. Col. V, 1859, p. 384. — Thoms. Skand. Col. I, 1859, p. 117; VI, 1864, p. 266. — J. Lec. Class. Col. N. Amer. 1862, p. 231, ed. II, 1883, p. 378. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 305. — Seidl. Fn. Balt. 1875, p. 98 (Gatt.); ed. II, 1891, p. 134 (Gatt.); Fn. Transsylv. 1891, p. 134 (Gatt.); Naturg. Ins. Deutschl. V, 1896, p. 623, 645. — Desbr. Frelon XI, 1902, p. 55.

estriatus J. Lec. Ann. Lyc. N. York V, 1851, p. 149. — Horn, Revis. Tenebr. 1870, p. 345. — Californien

thoracicus F. Ent. Syst. I, 1792, p. 116; Syst. El. I, 1801, p. 152. — Herbst, Käf. VII, 1797, p. 276. — Payk. Fn. Suec. I, 1798, p. 92. — Gyll. Ins. Suec. II, 1810, p. 586. — Germ. Fn. Ins. Eur. IX, 1824, nr. 9. — Zetterst. Fn. Lappon. 1828, p. 264; Ins. Lappon. 1840, p. 154. — Sahlb. Ins. Fenn. I, 1834, p. 478. — Muls. Col. Fr. Latigènes 1854, p. 267. — Bach, Käferf. III, 1856, p. 213. — Redt. Fn. Austr. ed. II, 1858, p. 617; ed. III, 1874, II, p. 120. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, t. 75, f. 371. — Thoms. Skand. Col. VI, 1864, p. 267. — Seidl. Fn. Balt. 1875, p. 364; ed. II, 1891, p. 521; Fn. Transsylv. 1891, p. 558; Naturg. Ins. Deutschl. V, 1896, p. 646. — Baudi, Bull. Soc. Ent. Ital. VIII, 1876, p. 205. — Desbr. Frelon XI, 1902, p. 56. — Europa

2

Macellocerus Sol.

Sol. Stud. Entom. 1848, p. 154 (8), 263 (117).

Dolichoderus Kl. Ins. Madag. 1833, p. 15. — Guér. Mag. Zool. Ins. 1837, t. 203. — Cast. Hist. Nat. II, 1840, p. 202. — Lacord. Gen. Col. V, 1859, p. 388. — Bates, Trans. Ent. Soc. Lond. 1879, p. 278 (Übersicht).

Stierlinius Forel, Ann. Soc. Ent. Belg. XXXVII, 1893, p. 167.

acuminatus Kl. Ins. Madag. 1833, p. 175, t. 4, f. 1 a, b. — Guér. Mag. Zool. Ins. 1837, t. 203, f. 1. — Madagaskar

Cast. Hist. Nat. II, 1840, p. 202. — Sol. Studi Entom. 1848, p. 265 (119). — Bates, Übers. p. 278, 279.

Duponti Sol. Ann. Soc. Ent. Fr. III, 1834, p. 497, nota 4 *(Dillacerus)*.

ambiguus Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 24. — Madagaskar

approximatus Bates, Übers. p. 278, 283. — „

atroaenescens Fairm. Pet. Nouv. Ent. II, 1877, p. 137. — Bates, Übers. p. 279, 286. — „

connexus Bates, Übers. p. 279, 284. — „

dimidiatus Waterh. Cist. Ent. II, 1879, p. 365. — Dohrn, Stett. Ent. Zeitschr. XLIV, 1886, p. 106. — „

distinctus Bates, Übers. p. 278, 283. — „

gibbipennis Bates, Übers. p. 279, 285. — „

heterocerus Bates, Übers. p. 278, 281. — „

Klugi Cast. Hist. Nat. II, 1840, p. 202. — Bates, Übers. p. 279. — „

laticornis Fairm. Stett. Ent. Zeit. XLV, 1884, p. 135; Le Natur. V, 1883, p. 365. — „

longicornis Fairm. Bull. Soc. Ent. Fr. 1875, p. XXXIV. — Bates, Übers. p. 278, 282. — „

lucifugus Bates, Übers. p. 278, 281. — „

var. *tumidicollis* Bates, Übers. p. 278, 282. — „

mucronatus Bates, Übers. p. 278, 279. — „

opaculus Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 24. — „

pectoralis Bates, Übers. p. 278, 284. — „

politipennis Bates, Übers. p. 278, 280. — „

pulchripes Bates, Übers. p. 279, 285. — „

puncticeps Bates, Übers. p. 278, 280. — „

ruguliceps Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 23. — „

Solieri nom. nov. — „

Klugi Sol. Studi Entom. 1848, p. 266 (120), t. 12, f. 1—5. — „

striatus Cast. Hist. Nat. II, 1840, p. 202. — „

Nycteropus Kl.

Kl. Ins. Madag. 1833, p. 15. — Cast. Hist. Nat. II, 1840, p. 202. — Lacord. Gen. Col. V, 1859, p. 390.

abbreviatus Fairm. Bull. Soc. Ent. Fr. 1875, p. XXXIV. — Madagaskar

aeneovirens Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 542. — Comoren

anthracinus Kl. Ins. Madag. 1833, p. 178. — Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 802. — Bates, Trans. Ent. Soc. Lond. 1879, p. 287. — Madagaskar

attenuatus Fairm. Ann. Soc. Ent. Belg. XLIX, 1905, p. 126. — „

bicolor Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 25. — „

capensis Pér. Ann. S. Afr. Mus. I, 1899, p. 304, t. 7, f. 7. — Capland

chalybaeus Fairm. Ann. Soc. Ent. Belg. XLVII, 1903, p. 365. — Madagaskar

chrysochalceus Fairm. Ann. Soc. Ent. Belg. XLIX, 1905, p. 125. — „

coeruleipes Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 142. — „

coelestinus Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 802. Madagascar
coloratus Fairm. Ann. Soc. Ent. Belg. XLVII, 1903, p. 365. „
confusus Bates, Trans. Ent. Soc. Lond. 1879, p. 287. „
Coquereli Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 804. „
Biologie: Xambeu, Ann. Soc. Linn. Lyon LI, 1904, p. 121.
crassicollis Fairm. Ann. Soc. Ent. Belg. XLIX, 1905, p. 126. „
ebeninus Kl. Ins. Madag. 1833, p. 177, t. 4, f. 2 c, d. — Guér. Mag. Zool. 1837, t. 203, f. 2. — Cast. Hist. Nat. II, 1840, p. 202. — Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 801. „
laevisternus Fairm. Pet. Nouv. Ent. II, 1877, p. 137. — Bates, Trans. Ent. Soc. Lond. 1879, p. 286. „
obscurocupreus Fairm. Ann. Soc. Ent. Belg. XLVII, 1903, p. 366. „
ovalis Cast. Hist. Nat. II, 1840, p. 203. — Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 805. „
Perrieri Fairm. Ann. Soc. Ent. Belg. XLVII, 1903, p. 365. „
protensus Faimr. Ann. Soc. Ent. Belg. XLIX, 1905, p. 125. „
resplendens Cast. Hist. Nat. II, 1840, p. 203. — Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 805. „
rufipes Cast. l. c. p. 202. — Fairm. l. c. p. 805. „
seriatoporus Fairm. l. c. p. 803. „
splendidus Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 142. „
subcyaneus Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 800. „
suturatus Fairm. l. c. p. 804. „
Biologie: Xambeu, Ann. Soc. Linn. Lyon LI, 1904, p. 119.
virescens Fairm. l. c. p. 801. „
27

Chalcostylus Fairm.

Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 409.

Perrieri Fairm. l. c. p. 409. Madagaskar
striolatus Fairm. Bull. Mus. Paris 1906, p. 274. „
2

LXXII. Goniaderinae.

Lacordaire, Gen. Col. V, 1859, p. 390. — Champion, Biol. Centr.-Amer. Col. IV, 1, 1886, p. 229.

Xanthicles Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 231.

caraboides Champ. l. c. p. 232, t. 10, f. 16 a, b. Costa Rica
hirsutus Champ. l. c. p. 232. „
2

Goniadera Perty.

Perty, Del. anim. art. 1830, p. 62. — Cast. Hist. Nat. II, 1840, p. 238. — Blanch. Hist. Nat. Ins. II, 1845, p. 35. — Lacord. Gen. Col. V, 1859, p. 391. — Bates, Trans. Ent. Soc. Lond. 1868, p. 315 nota.

alternata Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 231, 542, t. 10, f. 15. — Centralamerika
crenata Perty, Del. anim. art. 1830, p. 63, t. 13, f. 4. — Cast. Hist. Nat. II, 1840, p. 238. — Brasilien
dissipata Kirsch, Berl. Ent. Zeitschr. IX, 1866, p. 197. — Central- und Südamerika
impressa Er. Arch. f. Naturg. XIII, 1847, I, p. 119. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 229. — Peru
interrupta Bates, Trans. Ent. Soc. Lond. 1868, p. 312, t. 15, f. 3. — „
nicaraguensis Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 230, t. 10, f. 13. — Nicaragua
novemcostata Fairm. Compte rend. Soc. Ent. Belg. 1889, p. XXXVII. — Südamerika
oculata Champ. Biol. Centr.-Amer. Col. IV, 1, 1886. p. 230, t. 10, f. 12. — Nicaragua
pilosa Champ. l. c. p. 230, t. 10, f. 14. — Centralamerika
repanda F. Syst. El. I, 1801, p. 165. — Cast. Hist. Nat. II, 1840, p. 238. — Bates, Trans. Ent. Soc. Lond. 1868, t. 15, f. 6 a—c. — Champ. l. c. p. 229. — Central- und Südamerika
simplex Fairm. Compte rend. Soc. Ent. Belg. 1889, p. XXXVIII. — Minas Geraës
tuberculifera Fairm. l. c. p. XXXVIII. — Amazonas

12

Etazeta Fairm.

Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 358.

aeneicolor Fairm. l. c. p. 359. — Tonkin

1

Phymatestes Pasc.

Pasc. Journ. Linn. Soc. Zool. IX, 1868, p. 142 nota.

Phymatodes Blanch. Hist. Nat. Ins. II, 1845, p. 39. — Lacord. Gen. Col. V, 1859, p. 394.

brevicornis Lacord. Gen. Col. V, 1859, p. 395, nota 2. — Cayenne
clavicornis Fairm. Ann. Soc. Ent. Fr. LXI. 1892, p. 87. — Buenos Aires
denticollis Fairm. l. c. p. 86. — Caracas
exsculptus Perty, Del. anim. art. 1830, p. 66, t. 13, f. 11. — Brasilien
Sipolisi Fairm. Compte rend. Soc. Ent. Belg. 1889, p. XXXIX. — Minas Geraës
tuberculatus F. Ent. Syst. I, 2, 1792, p. 48; Syst. El. II, 1801, p. 69. — Cast. Hist. Nat. II, 1840, p. 256. — Bates, Trans. Ent. Soc. Lond. 1868, t. 15, f. 8a—c. — Cayenne

6

Gamaxus Bates.

Bates, Trans. Ent. Soc. Lond. 1868, p. 314.

Hauxwelli Bates, l. c. p. 315 (sine descr.). Peru

1

Rhicnodus Fairm.

Fairm. Ann. Soc. Ent. Fr. LXI, 1892, p. 87.

asper Fairm. l. c. p. 87. Venezuela
parcegranatus Fairm. l. c. p. 88. „
Simonis Fairm. l. c. p. 88. „
striatopunctatus Fairm. l. c. p. 88. „

4

LXXIII. Heterotarsinae.

Lacordaire, Gen. Col. V, 1859, p. 392. — Horn, Revis. Tenebr. of America in Trans. Amer. Philos. Soc. (n. s.) XIV, 1870 (1872), p. 373. — J. Leconte und Horn, Class. Col. N. Amer. 1883, p. 382.

Phobelius Blanch.

Blanch. Hist. Nat. II, 1845, p. 39. — Lacord. Gen. Col. V, 1859, p. 395.

crenatus Blanch. Voy. d'Orb. 1843, p. 198, t. 14, f. 9. Brasilien
lucifugus Fairm. Compte rend. Soc. Ent. Belg. 1889, p. XXXIX. Minas Geraës
metallicus Kirsch, Berl. Ent. Zeitschr. XVII, 1873, p. 404. Peru
nodipennis Fairm. Compte rend. Soc. Ent. Belg. 1889, p. XL. Columbien
regularis Fairm. l. c. p. XL. Minas Geraës
semigranosus Fairm. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 300. Tucuman

6

Aemymone Bates.

Bates, Trans. Ent. Soc. Lond. 1868, p. 314 nota. — Champ. Biol. Centr. Amer. Col. IV, 1, 1892, p. 542.

cariosa Fairm. Ann. Mus. Genova IV, 1873, p. 533. Montevideo
crenata Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 542, t. 23, f. 5. Mexico

2

Chaetyllus Pasc.

Pasc. Journ. of Entom. I, 1860, p. 122.

anthicoides Pasc. l. c. p. 123, t. 6, f. 8. Amazonas

1

Anaedus Blanch.

Blanch. Hist. Nat. Ins. II, 1845, p. 35. — Lacord. Gen. Col. V, 1859, p. 396. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 233.

aeneotinctus Champ. l. c. 1892, p. 543. — Mexico
angusticollis Kirsch, Berl. Ent. Zeitschr. XVII, 1873, p. 405. — Peru
apicicornis Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 236, t. 10, f. 19. — Panama
brevicollis Champ. l. c. p. 236, t. 10, f. 20. — Guatemala
brunneus Ziegl. Proc. Acad. Phil. II, 1844, p. 45. — Horn, Revis. Tenebr. 1870, p. 373. — Vereinigte Staaten
clavicornis Fairm. Compte rend. Soc. Ent. Belg. 1889, p. XLI. — Minas Geraës
corvinus Bohem. Resa Eugen. 1858, p. 97. — Brasilien
fulvipennis Fairm. Compte rend. Soc. Ent. Belg. 1889, p. XL. — „
longicornis Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 235. — Central-Amerika
maculatus Champ. l. c. p. 235. — Panama
marginatus Champ. l. c. p. 236, t. 10, f. 18. — „
mexicanus Champ. l. c. p. 234, t. 10, f. 17. — Mexico
orientalis (scrips. *orietalis*) Motsch. Bull. Mosc. XLI, 1868, III, p. 195. — Mongolei
ovatus Fairm. Compte rend. Soc. Ent. Belg. 1889, p. XLI. — Minas Geraës
parvula Fairm. Ann. Mus. Genova IV, 1873, p. 533. — Haag, Deutsche Ent. Zeitschr. XXIII, 1879, p. 412. — Montevideo
posticalis Fairm. Ann. Soc. Ent. Fr. LXI, 1892, p. 89. — Venezuela
punctatissimus Blanch. Voy. d'Orb. 1843, p. 198, t. 14, f. 10. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 233. — Central- und Südamerika
quadrinotatus Champ. Trans. Ent. Soc. Lond. 1896, p. 26. — St. Vincent
rotundicollis J. Lec. Ann. Lyc. N. York V, 1851, p. 150. — Horn, Revis. Tenebr. 1870, p. 373. — Arizona
setulosus Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 237, t. 10, f. 21. — Central- und Südamerika
similis Champ. l. c. p. 234. — Central-amerika
texanus Linell, Proc. Ent. Soc. Wash. IV, 1901 (1899), p. 182. — Texas
villosus Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 543, t. 23, f. 6. — Guatemala

23

Prateus J. Lec.

J. Lec. Class. Col. N. Amer. 1866, p. 238. — Horn, Revis. Tenebr. 1870, p. 374. — J. Lec. and Horn, Class. Col. N. Amer. 1883, p. 382.

fusculus J. Lec. New spec. Col. 1866, p. 131. — Vereinigte Staaten

1

Tithassa Pasc.

Pasc. Journ. of Entom. I, 1860, p. 125.

corynomelas Pasc. l. c. p. 125, t. 5, f. 7. — Brasilien

1

Paratenetus Spin.

Spin. Essai Clérit. II, 1844, p. 116. — Motsch. Bull. Mosc. XLI, 1868, III, p. 192. — Horn, Revis. Tenebr. 1870, p. 373. — J. Lec. and Horn, Class. Col. N. Amer. 1883, p. 382. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 238.

Storthephora Mäkl. Act. Soc. Fenn. X, 1875, p. 635, 658.

auritus Mäkl. l. c. p. 659. — Brasilien
brevipennis Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 242. — Panama
cicatricosus Motsch. Bull. Mosc. XLI, 1868, III, p. 193. — Brasilien
constrictus Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 546, t. 23, f. 8, 8 a. — Central-amerika
corticaroides Champ. l. c. 1886, p. 241. — „
crenulatus Champ. l. c. p. 242. — Panama
cribratus Motsch. Bull. Mosc. XLI, 1868, III, p. 193. — Georgia
crinitus Fall, Trans. Amer. Ent. Soc. XXXIII, 1907, p. 253. — Neu-Mexico
denticollis Mäkl. Act. Soc. Fenn. X, 1875, p. 658. — Caracas
denticulatus Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 243, t. 10, f. 26. — Panama
epitragoides Berg, An. Univ. Buen. Air. VI, 1889, p. 137. — Buenos Aires
fuscus J. Lec. in Agass. Lake sup. 1850, p. 223. — Horn, Revis. Tenebr. 1870, p. 373. — Canada, gr. Seen
gibbipennis Motsch. Bull. Mosc. XLI, 1868, III, p. 193. — Georgia
grandicornis Motsch. l. c. p. 193. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 239. — Panama
inermis Champ. l. c. 1892, p. 545. — Guatemala
Lebasi Spin. Essai Clérites II, 1844, p. 119, t. 44, f. 6. — Columbien
luridus Motsch. Bull. Mosc. XLI, 1868, III, p. 192. — Brasilien
nigricornis Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 544, t. 23, f. 7, 7a. — Central-amerika
obovatus Champ. l. c. 1886, p. 241. — „
punctatus Spin. Essai Clérit. II, 1844, p. 118, t. 44, f. 5. — Horn, Revis. Tenebr. 1870, p. 373. — Champ. l. c. p. 241. — Nord- und Central-amerika
? *punctatus* Motsch. Bull. Mosc. XLI, 1868, III, p. 192, t. 8, f. 8.
punctulatus Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 545. — Central-amerika
ruficornis Champ. l. c. 1886, p. 239, t. 10, f. 23. — Panama
sexdentatus Champ. l. c. 1892, p. 546, t. 23, f. 9. — Central-amerika
tibialis Champ. l. c. 1886, p. 239, 544, t. 10, f. 22. — „
tropicalis Motsch. Bull. Mosc. XLI, 1868, III, p. 193, t. 8, f. 7 b. — Champ. l. c. p. 243. — Panama
tuberculatus Champ. l. c. p. 242, t. 10, f. 25. — „
villosus Champ. l. c. p. 240, t. 10, f. 24 a, b. — Central-amerika

Terametus Motsch.

Motsch. Bull. Mosc. XLI, 1868, III, p. 193.

capicola Motsch. l. c. p. 195, t. 8, f. 9. — Capland

Ancylopoma Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 354. — Bates, Ent. Monthly Mag. IX, 1872, p. 97.

punctigera Pasc. l. c. p. 354, t. 14, f. 6. Santarem
1

Mimocellus Wasm.

Wasm. Jaegersk. Exped. 1904, Col. p. 11.

Braunsi Wasm. l. c. p. 12. Oranje
trechoides Wasm. l. c. p. 12, t. 1, f. 5. Sudan
2

Dichastops Gerst.

Gerst. Arch. f. Naturg. XXXVII, 1871, 1, p. 63; Decken's Reise III, 2, 1873, p. 189.

congoanus Kolbe, Stett. Ent. Zeitschr. L, 1889, p. 129. Westafrika
mashunus Péring. Ann. S. Afr. Mus. III, 1904, p. 244. Rhodesia
subaeneus Gerst. Arch. f. Naturg. XXXVII, 1871, p. 63; Decken's Reise III, 2, 1873, p. 190, t. 10, f. 3, 3a. Ostafrika
3

Lyprops Hope.

Hope, Trans. Zool. Soc. Lond. I, 1835, p. 101. — Cast. Hist. Nat. II, 1840, p. 241. — Lacord. Gen. Col. V, 1859, p. 397.

atronitens Fairm. Ann. Soc. Ent. Belg. XXVII, 1883, 2, p. 27. Neuguinea
badius Müll. Tijdschr. voor Entom. XXX, 1887, p. 303. Trop. Afrika
breviusculus Gerst. Arch. f. Naturg. XXXVII, 1871, 1, p. 63; Decken's Reise III, 2, 1873, p. 189. Ostafrika
Büttneri Kolbe, Stett. Ent. Zeitschr. L, 1889, p. 128. Westafrika
chrysophthalmus Hope, Trans. Zool. Soc. Lond. I, 1835, p. 101, t. 14, f. 5. — Cast. Hist. Nat. II, 1840, p. 242. — Lacord. Gen. Col. Atl. t. 56, f. 3. Bengalen
cribratellus Fairm. Notes Leyd. Mus. XVIII, 1896, p. 102. Sikkim
cribrifrons Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 125. — Lewis, Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 474. Japan
curticollis Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 28. Indien
forticornis Fairm. Notes Leyd. Mus. V, 1883, p. 35. Saleyer
fuscicornis Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 24. Indien
gracilior Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 28. „
hovanus Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 234. Madagaskar
indicus Wiedem. Zool. Mag. II, 1, 1823, p. 42. Indien
marginicollis Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 29. „
mosambicus Pér. Ann. S. Afr. Mus. III, 1904, p. 243. Mozambique
namaquensis Pér. l. c. p. 243. Namaqualand
piceus Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 24. Indien
picinus Fairm. Notes Leyd. Mus. IV, 1882, p. 236. Sumatra

Cuzonicus Geb. (Phil. Journ. Sc. D 1913, 8 + 25 Palawan P.?

pilosus Müll. Tijdschr. voor Entom. XXX, 1887, p. 302. Ostafrika
rotundicollis Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 125. Patria?
rugatulus Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 325. Senegal
shanghaicus Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 125. China
sinensis Mars. l. c. p. 126. — Lewis, Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 474. Japan, China
striolatus Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 31. Indochina
yunnanus Fairm. Ann. Soc. Ent. Belg. XXXI, 1887, p. 128. China

25

Pseudolyprops Fairm.

Fairm. Notes Leyd. Mus. IV, 1882, p. 236.

amplicollis Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 29. Indien
Beloni Fairm. Bull. Soc. Ent. Fr. 1888, p. CXXXII. „
dilaticollis Fairm. Notes Leyd. Mus. IV, 1882, p. 237. Sumatra

3

Lyprochelida Fairm.

Fairm. Notes Leyd. Mus. XX, 1898, p. 214.

picta Geb. Ark. f. Zool. II, 1904, nr. 5, p. 20, t. 2, f. 4. Kamerun
purpurina Fairm. Notes Leyd. Mus. XX, 1898, p. 214. „

2

Xanthalia Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 395.

Xanthia Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 31.

curticollis Fairm. l. c. p. 32. Indochina

1

Heterotarsus Latr.

Latr. Règne anim. ed. 2, V, 1829, p. 26. — Cast. Hist. Nat. II, 1840, p. 214. — Lacord. Gen. Col. V, 1859, p. 398.

Helopimorphus Desbr. Bull. Acad. d'Hipp. XVI, 1881, p. 140 (92).
Hopatropteron Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 701.

aphodioides Fairm. Ann. Soc. Ent. Fr. (6) VI, 1886, p. 346. China
auricularis Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 128. Bengalen
carinula Mars. l. c. p. 127. Japan,
subcostatum Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 701. China
crenatus Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 23. Bengalen
foveoseriatus Fairm. l. c. p. 24. „
indicus Mars. Ann. Soc. Ent. Fr. VI, 1876, p. 128. — Fairm. l. c. p. 23. Indien
inflatus Lacord. Gen. Col. V, 1859, p. 399, nota 2, Atl. t. 56, f. 4. — Mars. l. c. p. 128. Java

insularis Fairm. Ann. Soc. Ent. Belg. LXXIV, 1905, p. 125. — Madagaskar
pustulifer Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 361. — Tonkin
recticollis Fairm. l. c. (6) VII, 1887, p. 288. — Ostafrika
subcrenatus Fairm. l. c. (6) VI, 1886, p. 345. — China
tenebrioides Guér. Icon. règn. anim. p. 121, t. 30, f. 11 a—d. — Cast. Hist. Nat. II, 1840, p. 214. — Blanch. in Cuv. Règn. anim. t. 49, f. 11. — Afrika
angulipennis Desbr. Bull. Ac. d'Hipp. XVI, 1881, p. 141 (93).
bogosicus Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 128.
12

LXXIV. Pycnocerinae.

Lacordaire, Gen. Col. V, 1859, p. 399. — Gebien, Deutsche Entom. Zeitschr. 1904, p. 101—176; 305—356, t. 1 (Mon.).

Chiroscelinae Kolbe, Arch. f. Naturg. 1903, I, 2, p. 161—180.

Chiroscelis Lm.

Lm. Ann. Mus. II, 1804, p. 260. — Latr. Hist. Nat. Crust. et Ins. X, 1804, p. 261. — Cast. Hist. Nat. II, 1840, p. 216. — Westw. Trans. Zool. Soc. Lond. III, 1843, p. 207. — Lacord. Gen. Col. V, 1859, p. 403. — Kolbe, Arch. f. Naturg. 1903, I, 2, p. 179. — Geb. Mon. p. 110.

bifenestrella Westw. Trans. Zool. Soc. Lond. III, 1843, p. 209, t. 14, f. 2; Arcana Ent. II, 1845, p. 160, t. 87, f. 3 a. — Geb. Mon. p. 115, t. 1, f. 2. — Westafrika
digitata F. Syst. El. I, 1801, p. 145. — Kl. Erm. Reise Atl. V, 1835, t. 15, f. 11. — Cast. Hist. Nat. II, 1840, p. 216. — Hope, Coleopt. Manual III, 1840, p. 185, t. 3, f. 3a—l. — Westw. Trans. Zool. Soc. Lond. III, 1843, p. 208, t. 14, f. 1a—g; Arcana Ent. II, 1845, p. 159, t. 87, f. a—c. — Kolbe, Arch. f. Naturg. 1903, I, 2, p. 179. — Geb. Mon. p. 113, t. 1, f. 1, 19. — „
bifenestrata Lm. Ann. Mus. II, 1804, p. 263, t. 22, f. 2. — Latr. Hist. Nat. Crust. et Ins. X, 1804, p. 262, t. 87, f. 1. — Guér. Icon. p. 118, t. 20, f. 5a—b.
striatopunctata Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 667.
2

Chirocharis Kolbe.

Kolbe, Arch. f. Naturg. 1903, I, 2, p. 166, 179. — Geb. Mon. p. 117.

australis Westw. Arcan. Ent. II, 1845, p. 160, t. 87, f. 2a. — Kolbe, l. c. p. 164, 166. — Geb. Mon. p. 118, t. 1, f. 3. — Westafrika
1

Hemipristis Kolbe*).

Kolbe, Arch. f. Naturg. 1903, I, 2, p. 165, 177. — Geb. Mon. p. 120.

Kraatzi Geb. Mon. p. 127. Deutsch-Ostafrika

Mülleri Kraatz, Deutsche Ent. Zeitschr. 1898, p. 400. — Geb. Mon. p. 122, 124, t. 1, f. 5. „

stygica Kolbe, Stett. Ent. Zeitschr. LV, 1894, p. 182; Käfer Ostafrikas 1897, p. 245, t. 3, f. 24. — Kraatz, Deutsche Ent. Zeitschr. 1898, p. 400. — Geb. Mon. p. 126. „

Biologie: Kolbe, Käfer Ostafr. 1897, p. 243.

ukamia Kolbe, Arch. f. Naturg. 1903, I, 2, p. 178. — Geb. Mon. p. 122, t. 1, f. 4. „

4

Prioproctus Kolbe.

Kolbe, Arch. f. Naturg. 1903, I, 2, p. 174. — Geb. Mon. p. 128.

Oertzeni Kolbe, l. c. p. 176. — Geb. Mon. p. 130, t. 1, f. 7, 16. Deutsch-Ostafrika

centralis Kolbe, l. c. p. 177.

1

Pristophilus Kolbe.

Kolbe, Arch. f. Naturg. 1903, I, 2, p. 174. — Geb. Mon. p. 133.

passaloides Westw. Trans. Zool. Soc. Lond. III, 1843, p. 210, t. 14, f. 3; Arcana Ent. II, 1845, p. 160, t. 87, f. 4. — Geb. Mon. p. 134, t. 1, f. 6, 12, 20. Westafrika

1

Prioscelis Hope.

Hope, Coleopt. Man. III, 1840, p. 128. — Westw. Trans. Zool. Soc. Lond. III, 1843, p. 211. — Thoms. Arch. Entom. II, 1858, p. 89. — Lacord. Gen. Col. V, 1859, p. 405. — Kolbe, Arch. f. Naturg. 1903, I, 2, p. 165, 168. — Geb. Mon. p. 136.

Fabricii Hope, Coleopt. Man. III, 1840, p. 129. — Westw. l. c. p. 212, t. 14, f. 4. — Kolbe, l. c. p. 172. — Geb. Mon. p. 139, 144, t. 1, f. 24, 28. Westafrika

clauda Thoms. Arch. Ent. II, 1858, p. 89.

Preussi Kolbe, Arch. f. Naturg. 1903, I, 2, p. 173.

humeridens Dohrn, Stett. Ent. Zeit. XXXVII, 1876, p. 117. — Geb. Mon. p. 139, 147. Liberia

serrata F. Syst. Ent. 1775, p. 255. — Ol. Ent. III, 1795, 57, p. 5, t. 1, f. 1. — Har. Col. Hefte XVI, 1879, p. 120. — Kolbe, Arch. f. Naturg. 1903, I, 2, p. 171. — Geb. Mon. p. 138, 142, t. 1, f. 8, 25. Westafrika

Raddoni Westw. Trans. Zool. Soc. Lond. III, 1843, p. 215, t. 14, f. 6.

---

*) Der Name *Hemipristis* soll schon von Agassiz bei den Fischen gebraucht worden sein, doch kann ich eine solche Gattung in den mir zugänglichen Katalogen nicht finden.

var. *haesitans* Kolbe, Arch. f. Naturg. 1903, I, 2, p. 171. — Geb. Mon. p. 143. S. Thomé
Biologie: Kolbe, Käfer Ostafr. 1897, p. 244, t. 3, f. 25, 25a.
Thomsoni Geb. Mon. p. 148. Guinea
clauda Kolbe, Arch. f. Naturg. 1903, I, 2, p. 172.
tridens Kolbe, Stett. Ent. Zeit. LV, 1894, p. 183; Käfer Ostafr. 1897, p. 244. — Geb. Mon. p. 151. Ostafrika
rugatifrons Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 393.
Westwoodi Kolbe, Arch. f. Naturg. 1903, I, 2, p. 169. — Geb. Mon. p. 139. Westafrika
serrata Westw. Trans. Zool. Soc. Lond. III, 1843, p. 213, t. 14, f. 5.
serrata ♀ Har. Col. Hefte XVI, 1879, p. 120.
var. *cameruna* Kolbe, Arch. f. Naturg. 1903, I, 2, p. 170. — Geb. Mon. p. 142. Kamerun
6

Pheugonius Fairm.

Fairm. Bull. Soc. Ent. Fr. 1899, p. 313. — Geb. Mon. p. 152.

borneensis Fairm. l. c. p. 314. — Geb. Mon. p. 154. Borneo
giganteus Geb. Mon. p. 157. „
2

Aediotorix Bates.

Bates, Trans. Ent. Soc. Lond. 1868, p. 315.

Sipirocus Fairm. Notes Leyd. Mus. XVIII, 1896, p. 103. — Geb. Mon. p. 156.

Jansoni Bates, l. c. p. 316, t. 15, f. 4. Java,
Ritsemae Fairm. Notes Leyd. Mus. XVIII, 1896, p. 104. — Geb. Mon. p. 166, t. 1, f. 26. — Kolbe, Arch. f. Naturg. 1903, I, 2, p. 167. Sumatra
Kolbei Geb. Mon. p. 169. Java
1

Prioscelides Kolbe.

Kolbe, Stett Ent. Zeit. L, 1889, p. 128; Arch. f. Naturg. 1903, I, 2, p. 166. — Geb. Mon. p. 159.

Gabonia Fairm. Ann. Soc. Ent. Ent. Belg. XXXVIII, 1894, p. 326.
Gabonisca Fairm. l. c. p. 395.

denticulatus Fairm. l. c. p. 326. — Geb. Mon. p. 164. Congo
rugosus Kolbe, Stett. Ent. Zeit. L, 1889, p. 128. — Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 144. — Geb. Mon. p. 162. Westafrika
simplicipes Geb. Mem. Soc. Real. Esp. I, 1907, p. 411. Guinea
striatus Kolbe, Arch. f. Naturg. 1903, I, 2, p. 167. — Geb. Mon. p. 164. Kamerun
4

Calostega Westw.

Westw. Proc. Zool. Soc. Lond. 1842, p. 117; Trans. Zool. Soc. Lond. III, 1843, p. 221. — Lacord. Gen. Col. V, 1859, p. 402. — Geb. Mon. p. 169.

Apristopus Kolbe, Arch. f. Naturg. 1903, I, 2, p. 167.

crassicornis Westw. Trans. Zool. Soc. Lond. III, 1843, p. 216, t. 14, f. 7. — Kolbe, Arch. f. Naturg. 1903, I, 2, p. 167. — Geb. Mon. p. 172. — Westafrika
obsoleta Fairm. Ann. Soc. Ent. Fr. LX, 1891, p. 258.

cylindrica Geb. Mon. p. 175. — Congo

purpuripennis Westw. Proc. Zool. Soc. Lond. 1842, p. 117; Trans. Zool. Soc. Lond. III, 1843, p. 222, t. 15, f. 1. — Geb. Mon. p. 174, t. 1, f. 10. — Guinea

3

Odontopezus Alluaud.

Alluaud, Bull. Soc. Ent. Fr. (6) IX, 1889, p. XLV. — Geb. Mon. p. 305.

Odontopus Silberm. Rev. Ent. I, 1833, nr. 3. — Cast. Hist. Nat. II, 1840, p. 213. — Lacord. Gen. Col. V, 1859, p. 401.

cupreus F. Ent. Syst. I, 1792, p. 110; Syst. El. I, 1801, p. 144. — Herbst, Käf. VIII, 1799, p. 29, t. 119, f. 6. — Cast. Hist. Nat. II, 1840, p. 214. — Westw. Trans. Zool. Soc. Lond. III, 1843, p. 218. — Geb. Mon. p. 307. — Afrika
tristis Westw. Proc. Zool. Soc. Lond. 1841, p. 67; Ann. Mag. Nat. Hist. IX, 1842, p. 65; Trans. Zool. Soc. Lond. III, 1843, p. 218.
violaceus Silberm. Rev. Ent. I, 1833, nr. 5, t. 4. — Cast. Hist. Nat. II, 1840, p. 213.
var. *asper* Alluaud, Bull. Soc. Ent. Fr. 1892, p. CCXXXVIII. — Geb. Mon. p. 311. — Ostafrika
var. *lucens* Geb. Mon. p. 311. — Kamerun
var. *obsoletus* Thoms. Arch. Ent. II, 1858, p. 90. — Geb. Mon. p. 311. — Gabun
var. *regalis* Har. Mitth. Münch. Ent. Ver. II, 1878, p. 107; Col. Hefte XVI, 1879, p. 119. — Geb. Mon. p. 311. — Congo
major Fairm. Ann. Soc. Ent. Fr. LX, 1891, p. 258.

1

Metallonotus Westw.

Westw. Trans. Zool. Soc. Lond. III, 2, 1843, p. 220. — Lacord. Gen. Col. V, 1859, p. 402. — Geb. Mon. p. 312.

Aspidosternum Mäkl. Act. Soc. Fenn. 1864, p. 392. — Gerst. Decken's Reise III, 2, 1873, p. 191. — Alluaud, Bull. Soc. Ent. Fr. 1889, p. XLII.

aerugineus Gerst. Monatsber. Berl. Acad. 1855, p. 639; Peters' Reise 1862, p. 294, t. 17, f. 9. — Geb. Mon. p. 314, 315. — Südl. Ostafrika
physodes Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 355.

var. *festivus* Gerst. Arch. f. Naturg. XXXVII, 1871, p. 64; Decken's Reise III, 2, 1873, p. 192, t. 10, f. 4. — Har. Col. Hefte XVI, 1879, p. 130. — Geb. Mon. p. 318.
purpurinus Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 325.

asperatus Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 355. — Bates, Ent. Monthly Mag. IX, 1872, p. 99. — Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 128. — Geb. Mon. p. 333. — Guinea
costatus Har. Col. Hefte XVI, 1879, p. 131 nota.

cariosus Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 130. — Geb. Mon. p. 321. „

denticollis Gray in Griff. Anim. Kingd. II, 1832, t. 80, f. 4. — Westw. Trans. Zool. Soc. Lond. III, 1843, p. 220. — Geb. Mon. p. 324. „
gibbosus Gray, l. c. p. 789, t. 74, f. 4.
metallonotus Gray, l. c. p. 35.
var. *antiquus* Har. Mitth. Münch. Entom. Ver. II, 1878, p. 107; Col. Hefte XVI, 1879, p. 130, t. 1, f. 7.
rugulosus Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 129.
var. *rugosus* Geb. Mon. p. 327. Kamerun

metallicus F. Syst. El. I, 1801, p. 157. — Geb. Mon. p. 328. Guinea,
cyaneus F. Ent. Syst. IV, 1798, App. p. 439. — Mäkl. Act. Soc. Fenn. 1863, p. 548; 1864, p. 393. — Cast. Hist. Nat. II, 1840, p. 213. — Westw. Trans. Zool. Soc. Lond. III, 1843, p. 219. Abessinien
speciosus Bertol. Nov. Comm. Bonon. X, 1849, p. 426. — Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 356.
var. *elegans* Geb. Mon. p. 330. Kamerun
var. *gloriosus* Geb. Mon. p. 331. Delagoabay
var. *prasinus* Geb. Mon. p. 330. Ostafrika
var. *simulator* Geb. Mon. p. 330. „
var. *sumptuosus* Har. Mitth. Münch. Ent. Ver. II, 1878, p. 107; Col. Hefte XVI, 1879, p. 130. — Geb. Mon. p. 331. Kongo

physopterus Har. Mitth. Münch. Ent. Ver. IV, 1880, p. 164. — Geb. Mon. p. 322. Guinea

pusio Geb. Ann. Soc. Ent. Belg. LIV, 1910, p. 171. Deutsch-Ostafrika

seriatoporus Geb. l. c. p. 172. „

splendens Geb. Mon. p. 318. „

tenuecostatus Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 130. — Geb. Mon. p. 320. Congo

violaceus Fairm. Notes Leyd. Mus. X, 1888, p. 266. — Geb. Mon. p. 331. Westafrika

Pycnocerus Westw.

Westw. Trans. Zool. Soc. Lond. III, 1843, p. 217. — Lacord. Gen. Col. V, 1859, p. 406. — Har. Col. Hefte XVI, 1879, p. 121. — Geb. Mon. p. 335.

Pachylocerus Hope, Coleopt. Manual III, 1840, p. 186.
Subgen. *Amorphochirus* Geb. Mon. p. 339.

Subgen. *Catamerus* Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 290. — Geb. Mon. p. 352.
Subgen. *Dinoscelis* Gerst. Monatsber. Berl. Acad. 1854, p. 533; Peters' Reise 1862, p. 290. — Geb. Mon. p. 339.

annulipes Geb. Ann. Soc. Ent. Belg. LIV, 1910, p. 170 *(Dinoscelis)*. — Deutsch-Ostafrika
cyanescens Fairm. Compte rend. Soc. Ent. Belg. 1882, p. LII. — Geb. Mon. p. 345 *(Dinoscelis)*. — „
gasanus Pér. Ann. S. Afr. Mus. III, 1904, p. 251, t. 13, f. 12 *(Catamerus)*. — Mozambique
gracilis Geb. Mon. p. 344 (*Pycnocerus* s. str.). — Westafrika
hercules Fairm. Compte rend. Soc. Ent. Belg. 1884, p. CXLVI; Ann. Soc. Ent. Fr. (6) VII, 1887, p. 289. — Geb. Mon. p. 350, t. 1, f. 27 *(Amorphochirus)*. — Somaliland
manicanus Pér. Ann. S. Afr. Mus. III, 1904, p. 250, t. 13, f. 11 *(Catamerus)*. — Rhodesia
Passerini Bertol. Nov. Comm. Bonon. X, 1849, p. 418, t. 9, f. 7. — Gerst. Monatsber. Berl. Acad. 1854, p. 533; Peters' Reise 1862, p. 291. — Geb. Mon. p. 247 *(Dinoscelis)*. — Ostafrika
caeruleatus Fairm. Compt. rend. Soc. Ent. Belg. 1884, p. LXXV; Ann. Soc. Ent. Fr. (6) VII, 1887, p. 290.
Revoili Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 290, t. 1, f. 12. — Geb. Mon. p. 354 *(Catamerus)*. — „
var. *intermedius* Gah. Proc. Zool. Soc. Lond. 1893, p. 742 nota. — Geb. Mon. p. 356.
var. *laevis* Geb. Mon. p. 356.
var. *rugosus* Gahan, Proc. Zool. Soc. Lond. 1893, p. 742 nota.
var. *transvaalensis* Pér. Trans. S. Afr. Phil. Soc. VI, 2, 1892, p. 125.
Fairmairei Alluaud, Bull. Soc. Ent. Fr. 1892, p. CCXXXIX.
rugosus Geb. Mon. p. 343 (*Pycnocerus* s. str.). — Guinea
sulcatus F. Ent. Syst. I, 1792, p. 110. — Har. Col. Hefte XVI, 1879, p. 122. — Geb. Mon. p. 340 (*Pycnocerus* s. str.) . — „
costatus Silberm. Rev. Ent. I, 1833, nr. 4. — Cast. Hist. Nat. II, 1840, p. 213. — Westw. Trans. Zool. Soc. Lond. III, 1843, p. 217.
var. *exaratus* Har. Col. Hefte XVI, 1879, p. 120. — Geb. Mon. p. 342.
validus Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 289. — Geb. Mon. p. 348 *(Dinoscelis)*. — Ostafrika
Westermanni Hope, Coleopt. Man. III, 1840, p. 186. — Westw. Trans. Zool. Soc. Lond. III, 1843, p. 217, t. 15, f. 2. — Geb. Mon. p. 342 (*Pycnocerus* s. str.). — Guinea
impressicollis Dohrn, Stett. Ent. Zeit. XXXVII, 1876, p. 117.

LXXV. Cyphaleinae.

Lacord. Gen. Col. V, 1859, p. 291, 407. — Pascoe, Ann. Mag. Nat. Hist. (4) III, 1869, p. 288.

Lepispilus Westw.

Westw. Arcana Ent. I, 1841, p. 44. — Lacord. Gen. Col. V, 1859, p. 413. — Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 288.

punctatolineatus All. Bull. Soc. Ent. Fr. 1896, p. 318. — Sikkim
rotundicollis Blackb. Trans. Roy. Soc. S. Austr. XII, 1889, p. 140. — Central-australien
stygianus Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 290. — Lea, Proc. Linn. Soc. N. S. Wales XXI, 1896, p. 293. — Cart. Proc. Linn. Soc. N. S. Wales 1906, p. 258. — Victoria
sulcicollis Boisd. Voy. Astr. II, 1835, p. 248, 268, t. 7, f. 5. — Westw. Arcana Ent. I, 1841, p. 44, t. 12, f. 4. — Blanch. Voy. Pole Sud IV, 1853, p. 172, t. 11, f. 14. — Lacord. Gen. Col. V, 1859, p. 414, nota 1. — Australien

4

Platyphanes Westw.

Westw. Trans. Ent. Soc. Lond. V, 1849. p. 206. — Lacord. Gen. Col.V, 1859, p. 410. — Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 288.

creber Blackb. Trans. Roy. Soc. S. Austr. XV, 1892, p. 225. — Queensland
cyaneus Pasc. Journ. of Ent. II, 1866, p. 472. — Nord-australien
elongatulus M'Leay, Proc. Linn. Soc. N. S. Wales (2) II, 1888, p. 308. — Queensland
gibbosus Westw. Trans. Ent. Soc. Lond. V, 1849, p. 206, t. 22, f. 6. — Australien
Godeffroyi Haag, Verh. Ver. nat. Unterh. Hamburg III, 1878, p. 100; Journ. Mus. Godeffr. XIV, 1879, p. 123. — Queensland
oblongus Waterh. Trans. Ent. Soc. Lond. 1874, p. 547. — Australien
superbus Blackb. Proc. Linn. Soc. N. S. Wales (2) IX, 1895, p. 105. — N. Queens-land
vittatus Westw. Trans. Ent. Soc. Lond. V, 1849, p. 206. — Adelaide

8

Hectus Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 289.

anthracinus Pasc. l. c. p. 290, t. 12, f. 6. — Queensland

1

Opigenia Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 288.

iridescens Pasc. l. c. p. 289. — Victoria

1

Ctimene Bates.

Bates, Trans. Ent. Soc. Lond. 1873, p. 359.

Brewerl Bates, l. c. p. 360. — West-australien

1

Paraphanes M'Leay.

M'Leay, Proc. Linn. Soc. N. S. Wales (2) II, 1888, p. 308.

Dumbrelli Lea, Proc. Linn. Soc. N. S. Wales (2) IX, 1895, p. 603. — N. S. Wales
nitidus M'Leay, Proc. Linn. Soc. N. S. Wales (2) II, 1888, p. 309. — Queensland

2

Olisthaena Er.

Er. Arch. f. Naturg. VIII, 1842, II, p. 177. — Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 288.

nitida Er. l. c. p. 178, t. 4, f. 8. — Tasmanien

1

Decialma Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 291.

Erichsoni Champ. Trans. Ent. Soc. Lond. 1894, p. 395, t. 8, f. 11. — Tasmanien
Pascoei Bates, Trans. Ent. Soc. Lond. 1873, p. 358. — Queensland
striatopunctata M'Leay, Proc. Linn. Soc. N. S. Wales (2) II, 1888, p. 310. — „
tenuitarsis Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 291. — Victoria
viridipennis M'Leay, Proc. Linn. Soc. N. S. Wales (2) II, 1888, p. 311. — Queensland

5

Hemicyclus Westw.

Westw. Arcana Ent. I, 1841, p. 44. — Lacord. Gen. Col. V, 1859, p. 411. — Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 288.

grandis Westw. l. c. p. 44, t. 12, f. 3a—c. — Australien
metallicus Westw. l. c. p. 44. — Lacord. Gen. Col. V, 1859, p. 412, nota 1. — „
punctulatus Pasc. Journ. of Ent. II, 1866, p. 472. — Südaustralien
Reaumuri Cast. Hist. Nat. II, 1840, p. 224. — Australien
sumptuosus Hope, Proc. Ent. Soc. Lond. 1842, p. 78; Trans. Ent. Soc. Lond. IV, 1845, p. 109. — Südaustralien

5

Altes Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 288, 290.

binodosus Pasc. Journ. of Ent. I, 1862, p. 327; Ann. Mag. Nat. Hist. (4) III, 1869, p. 291, t. 12, f. 2. — Queensland

1

Amarygmimus Bates.

Bates, Trans. Ent. Soc. Lond. 1873, p. 354.

Duboulayi Bates, l. c. p. 355. — Champion-Bay

1

Apomestris Bates.

Bates, Trans. Ent. Soc. Lond. 1873, p. 357.

Westwoodi Bates, l. c. p. 358. Victoria

1

Chartopteryx Westw.

Westw. Arcana Ent. I, 1841, p. 43. — Lacord. Gen. Col. V, 1859, p. 412. — Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 288.

Childreni Westw. l. c. p. 44, t. 12, f. 2. Australien

glaber M'Leay, Proc. Linn. Soc. N. S. Wales (2) II, 1888, p. 310. Queensland

imperialis Cart. Proc. Linn. Soc. N. S. Wales XXXIII, 1908, p. 407. „

Mastersi M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 287. „

victoriensis Blackb. Trans. Roy. Soc. S. Austr. XV, 1892, p. 226. Victoria

5

Oremasis Pasc.

Pasc. Journ. of Entom. II, 1866, p. 470; Ann. Mag. Nat. Hist. (4) III, 1869, p. 288.

cupreus Gray in Griff. Anim. Kingd. II, 1832, p. 22, t. 74, f. 2; t. 80, f. 2. — Pasc. Journ. of Entom. II, 1866, p. 470. Australien

Haagi Bates, Trans. Ent. Soc. Lond. 1873, p. 356. Queensland

2

Anausis Bates.

Bates, Trans. Ent. Soc. Lond. 1873, p. 355.

Macleayi Bates, l. c. p. 356. Champion-Bay

metallescens Westw. Trans. Ent. Soc. Lond. V, 1849, p. 204, t. 24, f. 5. — Lacord. Gen. Col. V, 1859, p. 411 nota. Australien

2

Laonicus Haag.

Haag, Verh. Ver. naturw. Unterh. Hamb. III, 1878, p. 100; Journ. Mus. Godeffr. XIV, 1879, p. 124.

Dämeli Haag, l. c. p. 101; l. c. p. 124 nota. Cap York

pilosus Haag, l. c. p. 100; l. c. p. 124. Queensland

2

Trisilus Haag.

Haag, Verh. Ver. naturw. Unterh. Hamburg III, 1878, p. 101; Journ. Mus. Godeffr. XIV, 1879, p. 126.

femoralis Haag, l. c. p. 101; l. c. p. 127. Queensland

1

Prophanes Westw.

Westw. Trans. Ent. Soc. Lond. V, 1849, p. 203. — Lacord. Gen. Col. V, 1859, p. 410. — Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 288.

aculeatus Westw. l. c. p. 204, t. 24, f. 4.	West-australien
cupricollis M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 287; Waterh. Trans. Ent. Soc. Lond. 1874, p. 547.	Queensland
cupreipennis M'Leay, Proc. Linn. Soc. N. S. Wales (2) I, 1887, p. 155.	Neuguinea
Mastersi Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 357. *chalybeipennis* M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 286. — Waterh. Trans. Ent. Soc. Lond. 1874, p. 546.	Queensland
plicipennis Perty, Obs. Col. Ind. or. 1831, p. 41. — Lacord. Gen. Col. V, 1859, p. 411 nota.	Ostindien
spinosus Waterh. Trans. Ent. Soc. Lond. 1874, p. 546.	Australien
striatopunctatus Westw. Trans. Ent. Soc. Lond. V, 1849, p. 205. — Lacord. Gen. Col. V, 1859, p. 411 nota.	N. S. Wales, Victoria
submetallicus M'Leay, Proc. Linn. Soc. N. S. Wales (2) I, 1887, p. 154.	Neuguinea
tricolor Haag, Verh. Ver. naturw. Unterh. Hamburg III, 1878, p. 101; Journ. Mus. Godeffr. XIV, 1879, p. 125.	Queensland

9

Moerodes Waterh.

Waterh. Ent. Monthly Mag. XIV, 1877, p. 72.

Westwoodi M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 287. — Waterh. l. c. p. 72.	Queensland

1

Lygestira Pasc.

Pasc. Journ. of Entom. II, 1866, p. 470; Ann. Mag. Nat. Hist. (4) III, 1869, p. 288.

lata Waterh. Ent. Monthly Mag. XIV, 1877, p. 72.	Australien
simplex Westw. Trans. Ent. Soc. Lond. V, 1849, p. 205. — Lacord. Gen. Col. V, 1859, p. 411 nota. *funerea* Pasc. Journ. of Ent. II, 1866, p. 471. — Blackb. Proc. Linn. Soc. N. S. Wales (2) III, 1889, p. 1434.	„

2

Ephidonius Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 151.

acuticornis Pasc. l. c. p. 152, t. 11, f. 6.	Australien
Duboulayi Bates, Trans. Ent. Soc. Lond. 1872, p. 279.	West-australien
parvicollis Blackb. Trans. Roy. Soc. S. Austr. XIX, 1895, p. 52.	Central-australien

3

Cyphaleus Westw.

Westw. Arcana Ent. I, 1841, p. 43. — Lacord. Gen. Col. V, 1859, p. 409. — Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 288.

aereus Waterh. Ent. Monthly Mag. XIV, 1877, p. 72. — Brisbane
formosus Westw. Arcana Ent. I, 1841, p. 43, t. 12, f. 1a—c. — Australien
fulgidipennis Boisd. Voy. Astrol. II, 1835, p. 267. — „
iopterus Westw. Arcana Ent. I, 1841, p. 43. — Lacord. Gen. Col. V, 1859, p. 409.
insignitus Pasc. Journ. of Entom. I, 1862, p. 327. — Waterh. Trans. Ent. Soc. Lond. 1874, p. 545. — Queensland
quadrispinosus Waterh. l. c. p. 545. — „
rugosus Gray in Griff. Anim. Kingd. II, 1832, t. 80, f. 5. — Westw. Arcana Ent. I, 1841, p. 43. — Australien
aterrimus Gray, l. c. p. 22, t. 74, f. 5.
Schmeltzi Haag, Verh. Ver. naturw. Unterh. Hamburg III, 1878, p. 101; Journ. Mus. Godeffr. XIV, 1879, p. 125. — Queensland
valdivianus Phil. Stett. Ent. Zeit. XXV, 1864, p. 350. — Chile

8

Barytipha Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 292.

socialis Pasc. l. c. p. 292, t. 12, f. 5. — Victoria

1

Mithippia Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 293.

aurita Pasc. l. c. p. 293, t. 12, f. 3. — Adelaide
Jansoni Bates, Trans. Ent. Soc. Lond. 1873, p. 359. — West-australien

2

Crypsis Waterh.

Waterh. Ent. Monthly Mag. XIV, 1877, p. 73.

violaceipennis Waterh. l. c. p. 74. — Laos

1

Artactes Pasc.

Pasc. Proc. Ent. Soc. Lond. 1868, p. 12; Ann. Mag. Nat. Hist. (4) III, 1869, p. 288.

aeneipes Fairm. Ann. Soc. Ent. Fr. LXVII, 1898, p. 392. — Borneo
corruscus Fairm. Notes Leyd. Mus. IV, 1882, p. 237. — Sumatra
cyaneicollis Fairm. Notes Leyd. Mus. XV, 1893, p. 32. — „
cyaneolimbatus Fairm. l. c. p. 30. — Indochina
cyaneus Fairm. l. c. p. 30. — Borneo
guttifer Waterh. Ent. Monthly Mag. XIV, 1877, p. 73. — Fairm. Notes Leyd. Mus. XV, 1893, p. 31. — Java
iodochalceus Fairm. Notes Leyd. Mus. IV, 1882, p. 242. — Sumatra
laevicollis Fairm. Notes Leyd. Mus. XV, 1893, p. 31. — „

Latreillei Cast. et Brll. Ann. Sc. Nat. XXIII, 1831, p. 405 (81), t. 10, f. 6a. — Cast. Hist. Nat. II, 1840, p. 224. — Manila
lepidus Waterh. Ent. Monthly Mag. XIV, 1877, p. 73. — Fairm. Notes Leyd. Mus. XV, 1893, p. 32. — Java
lunuliger Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 129. — Lewis, Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 475. — Japan
marginicollis Fairm. Notes Leyd. Mus. XV, 1893, p. 29. — Sumatra, Borneo
nigritarsis Pasc. Proc. Ent. Soc. Lond. 1868, p. 12; Ann. Mag. Nat. Hist. (4) III, 1869, p. 287 nota. — Sumatra
nitidiceps Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 297. — Lang-Song
orichalceus Fairm. Notes Leyd. Mus. IV, 1882, p. 243. — Sumatra
rutilans Fairm. Notes Leyd. Mus. XV, 1893, p. 32. — Borneo

16

LXXVI. Cnodaloninae.

Lacordaire, Gen. Col. V, 1859, p. 291, 414. — Kraatz, Deutsche Ent. Zeitschr. XXIV, 1880, p. 99.

Scotaeus Hope.

Hope, Trans. Ent. Soc. Lond. I, 1836, p. 14. — Cast. Hist. Nat. II, 1840, p. 214.

corallipes Hope, l. c. p. 15, t. 1, f. 4. — Cast. Hist. Nat. II, 1840, p. 214. — Java, Sumatra
seriatopunctatus Hell. Abh. Mus. Dresd. VII, 1898—99 (1899), nr. 8, p. 8. — Philippinen
xestothorax Hell. Abh. Mus. Dresd. VI, 1896—97, nr. 3, p. 16. — Celebes

3

Platycrepis Lacord.

Lacord. Gen. Col. V, 1859, p. 418 nota. — Kraatz, Deutsche Ent. Zeit. XXIV, 1880, p. 103.

alternicolor Fairm. Notes Leyd. Mus. XV, 1893, p. 35. — Sumatra
giganteus Fairm. l. c. p. 34. — „
kanarae Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 29. — Indien
latitarsis Fairm. Notes Leyd. Mus. IV, 1882, p. 239. — Sumatra, Kaschmir
magnificus Kraatz, Deutsche Ent. Zeitschr. XXIV, 1880, p. 104. — Sarawak
violaceus Kraatz, l. c. p. 103. — Philippinen
viridanus Fairm. Notes Leyd. Mus. XIX, 1897, p. 221. — Celebes
viridicinctus Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 29. — Indien

8

Eucyrtus Pasc.

Pasc. Journ. of Entom. II, 1866, p. 473. — Kraatz, Deutsche Ent. Zeitschr. XXIV, 1880, p. 99 (Mon.).

Scotaeus Lacord. Gen. Col. V, 1859, p. 417.

annulipes Kraatz, Mon. p. 103. — Java
anthracinus Kraatz, Mon. p. 102. — Fairm. Notes Leyd. Mus. IV, 1882, p. 238. — Malay. Arch.
aurobasalis Fairm. Notes Leyd. Mus. XV, 1893, p. 41. — Neuguinea
caeruleus Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 475, t. 13, f. 9. — Japan
carbunculus Fairm. Compte rend. Soc. Ent. Belg. 1885, p. CIX. — Sumatra
corinthus Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 359. — Tonkin
cupricollis Kraatz, Mon. p. 102. — Java
Deyrollei Kraatz, Mon. p. 100. — Malakka
fasciolatus Fairm. Notes Leyd. Mus. XV, 1893, p. 42. — Java, Borneo
femoralis Fairm. Notes Leyd. Mus. XVIII, 1896, p. 108. — Sumatra
foveipennis Oertz. Deutsche Ent. Zeitschr. 1903, p. 234. — Ceylon
gibbosulus Fairm. Notes Leyd. Mus. XV, 1893, p. 41. — Borneo
gloriosus Kraatz, Mon. p. 100. — „
Helleri Fairm. Notes Leyd. Mus. XIX, 1897, p. 221. — Celebes
gloriosus Fairm. Notes Leyd. Mus. XVIII, 1896, p. 106.
immarginatus Fairm. Notes Leyd. Mus. XV, 1893, p. 46. — Borneo
impressicollis Fairm. Notes Leyd. Mus. XVIII, 1896. p. 105. — Sumatra
infimus Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 360. — Indochina
interstitialis Fairm. Notes Leyd. Mus. IV, 1882, p. 239. — Sumatra
laticollis Fairm. Notes Leyd. Mus. XV, 1893, p. 37. — Malay. Arch.
laticornis Fairm. Ann. Soc. Ent. Fr. LXVII, 1898, p. 393. — Borneo
Lina Kraatz, Mon. p. 105. — „
Lisae Kraatz, Mon. p. 105. — Manila
multicolor Fairm. Notes Leyd. Mus. XV, 1893, p. 40. — Borneo
neomedinus Fairm. l. c. p. 47. — „
Nietneri Oertz. Deutsche Ent. Zeitschr. 1903, p. 234. — Ceylon
nigripes Kraatz, Mon. p. 100. — Luzon
oblongulus Fairm. Notes Leyd. Mus. XV, 1893, p. 43. — Singapore
opacus Kraatz, Mon. p. 102. — Himalaya
orichalceus Fairm. Ann. Soc. Ent. Fr. LXVII, 1898, p. 392. — Borneo
picicornis Fairm. Notes Leyd. Mus. XV, 1893, p. 46. — „
pilipes Fairm. l. c. p. 39. — „
pretiosus Lacord. Gen. Col. V, 1859, p. 417, nota 2. — Pasc. Journ. of Ent. II, 1866, p. 473. — Kraatz, Mon. p. 100. — Java, Sumatra
var. *impunctipennis* Kraatz, Mon. p. 100. — Java
protensus Fairm. Notes Leyd. Mus. XV, 1893, p. 44. — Singapore
punctatolineatus Fairm. Compt. rend. Soc. Ent. Belg. 1885, p. CIX. — Borneo oder Sumatra
purpureotinctus Fairm. Notes Leyd. Mus. XV, 1893, p. 38. — Borneo
purpurinus Fairm. l. c. p. 36. — Java
pyrozonius Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 29. — Indien
rutilans Kraatz, Mon. p. 106 — Malakka
sanguinicrus Fairm. Notes Leyd. Mus. XVIII, 1896. p. 232. — Java
semicyaneus Kraatz, Mon. p. 101. — „
semiopaculus Kraatz, Mon. p. 101. — Malakka
semipunctatus Fairm. Notes Leyd. Mus. XV, 1893, p. 42. — Java
semipurpureus Fairm. Notes Leyd. Mus. XVIII, 1896, p. 107. — Sumatra
splendens Lacord. Gen. Col. V, 1859, p. 417, nota 2. — Kraatz, Mon. p. 101. — Himalaya bis Java

subcostatus Fairm. Notes Leyd. Mus. XV, 1893, p. 44. Borneo
subvittatus Fairm. l. c. p. 38. „
testaceipes Fairm. Notes Leyd. Mus. XVIII, 1896, p. 107. Nias
trapezicollis Fairm. Notes Leyd. Mus. XV, 1893, p. 36. Java
truncaticeps Fairm. l. c. p. 40. Singapur
viridans Fairm. Ann. Soc. Ent. Fr. LXVII, 1898, p. 393. Celebes
vittulatus Fairm. Notes Leyd. Mus. XV, 1893, p. 45. Sumatra
Wallacei Kraatz, Mon. p. 104. Malakka
52

Cyclonesus Fairm.

Fairm. Notes Leyd. Mus. XVIII, 1896, p. 104.

parvicollis Fairm. l. c. p. 105. Sumatra
1

Plamius Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 30.

tenuestriatus Fairm. l. c. p. 31. Indien
1

Steneucyrtus Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 31.

pexicollis Fairm. l. c. p. 31. Indien
1

Gauromaia Pasc.

Pasc. Journ. of Ent. II, 1866, p. 473.

alternata Fairm. Notes Leyd. Mus. IV, 1882, p. 241. Sumatra
approximans Fairm. Notes Leyd. Mus. XIX, 1897, p. 221. Malay. Arch.
diversipes Fairm. Notes Leyd. Mus. XVIII, 1896, p. 110. Borneo
dives Pasc. Journ. of Entom. II, 1866, p. 474. — Fairm. Notes Leyd. Mus. IV, 1882, p. 240. Malakka
femoralis Fairm. Notes Leyd. Mus. XV, 1893, p. 33. Singapur
Haagi Fairm. Notes Leyd. Mus. XVIII, 1896, p. 109. Borneo
Hasselti Fairm. Notes Leyd. Mus. IV, 1882, p. 242. Sumatra
janthina Fairm. Notes Leyd. Mus. XV, 1893, p. 34. Singapur
semicyanea Fairm. l. c. p. 33. Sumatra
suturata Fairm. Notes Leyd. Mus. XVIII, 1896, p. 109. Nias
tenuestriata Fairm. Compt. rend. Soc. Ent. Belg. 1891. p. CXXXII. Kaschmir
viridi-janthina Fairm. Notes Leyd. Mus. IV, 1882, p. 241. Sumatra
12

Thydemus Lew.

Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 475.

purpurivittatus Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 130. — Lew. l. c. Japan
1

Oedemutes Pasc.

Pasc. Journ. of Entom. I, 1860, p. 51.

pretiosus Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 355. Philippinen
purpuratus Pasc. l. c. p. 355. „
tumidus Pasc. Journ. of Entom. I, 1860, p. 52, t. 2, f. 4. Ceylon
viridulus Kraatz, Deutsche Ent. Zeitschr. XXIV, 1880, p. 114. Philippinen

4

Pseudeumolpus Kraatz.

Kraatz, Deutsche Ent. Zeitschr. XXIV, 1880, p. 111 (Mon.)

bicolor Kraatz, Mon. p. 112. Sarawak
castaneipes Fairm. Notes Leyd. Mus. XV, 1893, p. 51. Borneo
decretus Fairm. l. c. p. 48. Singapur
dentipes Wiedem. Zool. Mag. II, 1823, p. 44. Java
Florentini Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 297. Lang-Song
ovalipennis Kraatz, Mon. p. 113. Celebes
picticollis Fairm. Notes Leyd. Mus. XV, 1893, p. 48. Singapur
polychromus Fairm. l. c. p. 49. „
pretiosus Kraatz, Mon. p. 113. Malakka
purpuricollis Fairm. Notes Leyd. Mus. XV, 1893, p. 49. Sumatra
Raffrayi Fairm. l. c. p. 50. Singapur
rotundicollis Fairm. l. c. p. 50. „
semiarmatus Fairm. l. c. p. 51. Sumatra
seriatoporus Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 361. Tonkin
simulator Fairm. Notes Leyd. Mus. XV, 1893, p. 47. Borneo
superbus Kraatz, Mon. p. 114. Manila

16

Phaedis Pasc.

Pasc. Journ. of Entom. II, 1866, p. 474.

elysius Pasc. l. c. p. 474. Sarawak

1

Pseudonautes Fairm.

Fairm. Notes Leyd. Mus. XV, 1893, p. 52.

helopinus Fairm. l. c. p. 53. Singapur
resplendens Fairm. Notes Leyd. Mus. XVIII, 1896, p. 108. Java
vagevittatus Fairm. Notes Leyd. Mus. XV, 1893, p. 52. Borneo

3

Pseudabax Kraatz.

Kraatz, Deutsche Ent. Zeit. XXIV, 1880, p. 107.

formosus Kraatz, l. c. p. 108. Luzon
opacus Kraatz, l. c. p. 109. „
viridipennis Kraatz, l. c. p. 109. Patria?

3

Tearchus Kraatz.

Kraatz, Deutsche Ent. Zeitschr. XXIV, 1880, p. 110.

annulipes Kraatz, l. c. p. 110. Assam

1

Elixota Pasc.

Pasc. Journ. of Entom. II, 1866, p. 475.

cuprea Pasc. l. c. p. 475. Nordchina
curva Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 316. — Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 466. Japan

2

Cyrtosoma Perty.

Perty, Del. anim. art. 1830, p. 59. — Lacord. Gen. Col. V, 1859, p. 418.

atrum Serv. Encycl. méth. X, 1825, p. 97. — Cast. Hist. Nat. II, 1840, p. 229. Cayenne
bogotanum Chevr. Pet. Nouv. Entom. II, 1878, p. 273. Columbien
columbinum Chevr. l. c. p. 273. Cayenne
cruentatum Chevr. l. c. p. 273. „
cupripenne Chevr. l. c. p. 273. Columbien
decemlineatum Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 244, t. 11, f. 2. Centralamerika
denticolle Chevr. Pet. Nouv. Ent. II, 1878, p. 273. — Champ. l. c. p. 244, t. 11, f. 1. Centralamerika, Columbien
impressipenne Fairm. Ann. Soc. Ent. Fr. LXI, 1892, p. 89. Venezuela
Lherminieri Chevr. in Guér. Icon. règne anim. p. 123, t. 31, f. 10a, b. Guadeloupe
lineatum Cast. Hist. Nat. II, 1840, p. 230. Cayenne
melanarium Chevr. Pet. Nouv. Ent. II, 1878, p. 273. Columbien
montanum Waterh. Trans. Linn. Soc. Lond. VIII, p. 76, Brit. Guayana
oblongulum Fairm. Ann. Soc. Ent. Fr. LXI, 1892, p. 89. Venezuela
piceum Cast. et Brll. Ann. Sc. nat. XXIII, 1831, p. 362 (38). Guadeloupe
picipenne Chevr. Pet. Nouv. Ent. II, 1878, p. 281. Brasilien
cupripenne Chevr. l. c. p. 274.
rufipes Chevr. Pet. Nouv. Ent. II, 1878, p. 274. Cayenne
unicolor Perty, Del. anim. art. 1830, p. 60, t. 12, f. 10. Brasilien

17

Cnodalon Latr.

Latr. Préc. car. génér. Ins. 1796, p. 23; Hist. nat. Crust. et Ins. X, 1804, p. 320. — Lacord. Gen. Col. V, 1859, p. 419.

viride Latr. Hist. Nat. Crust. et Ins. X, 1804, p. 321, t. 89, f. 5. — Cast. Hist. Nat. II, 1840, p. 230. Haiti

1

Deplanchesia Fauv.

Fauv. Bull. Soc. Linn. Norm. V, 1861, p. 310.

metallescens Fauv. l. c. p. 312. Cayenne

1

Aesthetus Waterh.

Waterh. Journ. Linn. Soc. Zool. XX, 1890, p. 552.

tuberculatus Waterh. l. c. p. 552. — Fernando Noronha

1

Sycophantes Kirsch.

Kirsch, Berl. Ent. Zeit. X, 1866, p. 198.

dentipes Kirsch, l. c. p. 199. — Bogotá
ruficoxis Kirsch, l. c. p. 199. — „

2

Thecacerus Lacord.

Lacord. Gen. Col. V, 1859, p. 420.

nodosus Gray in Griff. Anim. Kingd. II, 1832, p. 21, t. 80, f. 1, t. 74, f. 1. — Cast. Hist. Nat. II. 1840, p. 230. — Brasilien
sycophanta Pasc. Ann. Mag. Nat. Hist. (5) XI, 1883, p. 440. — Minas Geraes

2

Psydus Pasc.

Pasc. Proc. Ent. Soc. Lond. 1868, p. 12.

plantaris Pasc. l. c. p. 12. — Ceylon

1

Rehumius Fairm.

Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 32.

amplithorax Fairm. l. c. p. 32. — Indochina
laevior Fairm. l. c. p. 33. — Penang
longulus Fairm. l. c. p. 33. — Singapur
testaceipes Fairm. l. c. p. 33. — „

4

Cleomis Fairm.

Fairm. Notes Leyd. Mus. XV, 1893, p. 54.

opaculus Fairm. l. c. p. 55. — Singapur
violaceipes Fairm. l. c. p. 54. — Borneo

2

Asbolodes Fairm.

Fairm. Notes Leyd. Mus. XV, 1893, p. 55.

humerosus Fairm. l. c. p. 56. — Borneo
semigranosus Fairm. Notes Leyd. Mus. XIX, 1897, p. 225. — Perak

2

Othryoneus Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 245.

erotyloides Champ. l. c. p. 246, t. 11, f. 3, 3a, b. Nicaragua
maculipennis Champ. l. c. p. 245 nota. Columbien
2

Chemolanus Bates.

Bates, Trans. Ent. Soc. Lond. 1879, p. 296. — Fairm. Ann. Soc. Ent. Fr. (6) IV, 1884, p. 236.

consobrinus Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 808. Madagaskar
Coquereli Fairm. l. c. p. 808. „
episcopalis Fairm. Ann. Soc. Ent. Fr. (6) VI, 1886, p. 74. „
infimus Fairm. Rev. d'Ent. XX, 1901, p. 187. „
laeviceps Fairm. Ann. Soc. Ent. Fr. LXXI, 1902, p. 333. „
nitidipes Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 448. „
Perrieri Fairm. Rev. Entom. XX, 1901, p. 187. „
recticollis Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 479. „
sublimbalis Fairm. l. c. p. 479. „
subviolaceus Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 447. „
Vicki Fairm. Rev. d'Entom. XX, 1901, p. 186. „
villosipes Fairm. Ann. Soc. Ent. Fr. (6) IV, 1884, p. 236. „
12

Malacova Fairm.

Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 479.

bicolor Fairm. l. c. p. 480. Madagaskar
interstitialis Fairm. l. c. p. 480. „
2

Tetraphyllus Cast. et Brll.

Cast. et Brll. Ann. Sc. nat. XXIII, 1831, p. 404 (80). — Coquer. Ann. Soc. Ent. Fr. (2) X, 1852, p. 382. — Lacord. Gen. Col. V, 1859, p. 421. — Bates, Trans. Ent. Soc. Lond. 1879, p. 293.

Damatris Cast. Hist. Nat. II, 1840, p. 224.

acerbus Coquer. Rev. Zool. 1851, p. 88; Ann. Soc. Ent. Fr. (2) X, 1852, p. 386. Madagaskar
acidiferus Coquer. l. c. p. 88; l. c. p. 386. „
alternicolor Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 26. „
balteatus Coquer. Rev. Zool. 1851, p. 88; Ann. Soc. Ent. Fr. (2) X, 1852, p. 387. „
camoena Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 384. „
clypealis Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 353. „
cuprinus Coquer. Rev. Zool. 1851, p. 89; Ann. Soc. Ent. Fr. (2) X, 1852, p. 392. „
cyaneostriatus Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 353. „

cyanipennis Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 26. — Madagascar
Deyrollei Coquer. Rev. Zool. 1851, p. 88; Ann. Soc. Ent. Fr. (2) X, 1852, p. 385. — ,,
distinguendus Fairm. Ann. Soc. Ent. Belg. XLVIII, 1903, p. 366. — ,,
Fairmairei Bates, Trans. Ent. Soc. Lond. 1879, p. 295. — ,,
formosus Cast. et Brll. Ann. Sc. nat. XXIII, 1831, p. 406 (82). — Cast. Hist. Nat. II, 1840, p. 224. — Coquer. Ann. Soc. Ent. Fr. (2) X, 1852, p. 383. — ..
brevis Kl. Ins. Madag. 1833, p. 182.
laminatus Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 27; XLII, 1898, p. 410. — ,,
mirificus Coquer. Rev. Zool. 1851, p. 88; Ann. Soc. Ent. Fr. (2) X, 1852, p. 384. — ,,
parvicollis Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 478. — ..
pyropterus Fairm. Pet. Nouv. Ent. II, 1877, p. 137. — Bates, Trans. Ent. Soc. Lond. 1879, p. 294. — ,,
pyrrhoceras Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 478. — ..
retrogranatus Fairm. Ann. Soc. Ent. Fr. LXXI, 1902, p. 332. — ,,
similis Fairm. Ann. Soc. Ent. Belg. XLIII, 1899, p. 535. — ..
smaragdinus Coquer. Rev. Zool. 1851, p. 89; Ann. Soc. Ent. Fr. (2) X, 1852, p. 391. — ,,
splendidus Cast. et Brll. Ann. Sc. nat. XXIII, 1831, p. 407 (83). — Coquer. Ann. Soc. Ent. Fr. (2) X, 1852, p. 386. — ..
tuberculipennis Bates, Trans. Ent. Soc. Lond. 1879, p. 295. — ,,
zonulatus Fairm. Rev. d'Ent. XX, 1901, p. 186. — .

24

Camariodes Fairm.

Fairm. Ann. Soc. Ent. Fr. (4) IX, 1869, p. 232.

Tinophyllus Fairm. l. c. p. 234.

convexicollis Fairm. Ann. Soc. Ent. Belg. XLIII, 1899, p. 536. — Madagaskar
foveipennis Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 480. — ,,
helopioides Klug, Ins. Madag. 1833, p. 183. — ,,
Coquereli Fairm. Ann. Soc. Ent. Fr. (4) IX, 1869, p. 232.
var. *gracilicornis* Fairm. l. c. p. 234; (6) VI, 1886, p. 75. — ..
opacicollis Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 447. — ,,
purpurascens Fairm. Bull. Soc. Ent. Fr. 1895, p. CCLXXIX. — ..
suturatus Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 209. — ..

6

Holobrachys Fairm.

Fairm. Ann. Soc. Ent. Fr. (4) IX, 1869, p. 233.

fuscicornis Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 411. — Madagaskar
heterocerus Fairm. Ann. Soc. Ant. Fr. (4) IX, 1869, p. 233. — ,,

2

Porphyrrhyba Fairm.

Fairm. Pet. Nouv. Ent. II, 1877, p. 137. — Bates, Trans. Ent. Soc. Lond. 1879, p. 292.

Buqueti Coquer. Rev. Zool. 1851, p. 89; Ann. Soc. Ent. Fr. (2) X, 1852, p. 389. — Madagaskar
camoena Fairm. Rev. d'Ent. XX, 1901, p. 188. — „
cribricollis Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 411. — „
cyaneo-cuprea Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 144. — „
grandis Fairm. Compt. rend. Soc. Ent. Belg. 1889, p. VIII; Ann. Soc. Ent. Belg. XXXIX, 1895, p. 28. — „
latecincta Fairm. Ann. Soc. Ent. Belg. XLIII, 1899, p. 536. — „
obscurata Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 144. — „
purpurata Klug, Ins. Madag. 1833, p. 183. — „
Raffrayi Fairm. Ann. Soc. Ent. Fr. (6) IV, 1884, p. 235. — „
chalybeata Fairm. l. c. p. 236, 242.
violaceicolor Fairm. Pet. Nouv. Ent. II, 1877, p. 137. — Bates, Trans. Ent. Soc. Lond. 1879, p. 293. — „

10

Osternus Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 446.

opacicollis Fairm. l. c. p. 446; XL, 1896, p. 353. — Alluaud, Bull. Soc. Ent. Fr. 1897, p. 150*). — Madagaskar

1

Proscorus Fairm.

Fairm. Rev. d'Ent. XX, 1901, p. 188.

cyaneostriatus Fairm. l. c. p. 189. — Madagaskar

1

Hybocaulus Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 27.

laticornis Fairm. l. c. p. 28. — Madagaskar

1

Amarsenes Bates.

Bates, Trans. Ent. Soc. Lond. 1879, p. 297.

chalcophanus Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 145. — Madagaskar
coerulans Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 410. — „
interstitialis Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 29. — „
modestus Fairm. l. c. p. 29. — „
nepos Fairm. Rev. d'Ent. XX, 1901, p. 188. — „

*) In Fairmaire's erster Arbeit sind diese Art und die darauf folgende *Camariodes* beide *opacicollis* genannt, in der zweiten wird die *Camariodes* in *nitidipennis* umgetauft. Nach Alluaud ist das ein Versehen. und es sollte umgekehrt *Ost. nitidipennis* und *Cam. opacicollis* heißen. Hier ist Fairmaire's erste Fassung wiederhergestellt.

oblongo-camelus Fairm. Pet. Nouv. Ent. II, 1877, p. 137. — Bates, Trans. Ent. Soc. Lond. 1879, p. 298. Madagascar
viridistriatus Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 143. „
7

Agraecus Fairm.

Fairm. Bull. Soc. Ent. Fr. 1900, p. 21.

chalcoides Fairm. l. c. p. 22. Madagaskar
1

Charianus Bates.

Bates, Trans. Ent. Soc. Lond. 1897, p. 297.

purpuratus Coquer. Rev. Zool. 1851, p. 89; Ann. Soc. Ent. Fr. (2) X, 1852, p. 390. Madagaskar
1

Aphyllocerus Fairm.

Fairm. Le Natural. I, 1881, p. 348; Ann. Soc. Ent. Fr. (6) I, 1881, p. 282.

decipiens Fairm. l. c. p. 348; l. c. p. 282. Viti-Inseln
1

Bradynocerus Fairm.

Fairm. Notes Leyd. Mus. V, 1883, p. 36.

aulacopterus Fairm. l. c. p. 37. Saleyer
1

Calydonis Pasc.

Pasc. Ann. Mag. Nat. Hist. (5) IX, 1882, p. 31.

cuprea Pasc. l. c. p. 31. Unt. Amazonas
refulgens Pasc. l. c. p. 31. — Waterh. Aid ident. Ins. II, 1882—90, t. 153, f. 7. „
2

Camaria Serv.

Serv. Encycl. méth. X, 1825, p. 454. — Cast. Hist. Nat. II, 1840, p. 231. — Lacord. Gen. Col. V, 1859, p. 423.

Mylaris Pall. Icon. I, 1781, p. 38 (pars).
Eurypus Kirby, Trans. Linn. Soc. XII, 1818, p. 389 (pars).

alternans Kirsch, Berl. Ent. Zeitschr. X, 1866, p. 200. Bogotá
angulicollis Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 32. Indien
aurivittis Germ. Ins. spec. nov. 1824, p. 158. Brasilien
austera Berg, An. Soc. Arg. XV, 1883, p. 76. Argentinien
biaculeata Fairm. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 301. „

Billecocqui Fairm. Rev. d'Ent. XX, 1901, p. 189. Madagaskar
blapoides Fairm. Ann. Soc. Ent. Fr. LXXI, 1902, p. 335. „
calligramma Luc. Voy. Casteln. 1859, p. 137. Brasilien
Cardoni Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 25. Bengalen
chlorizans Pasc. Ann. Mag. Nat. Hist. (5) IX, 1882, p. 30. Santarem
clandestina Pasc. l. c. p. 30. „
Cottae Fairm. Ann. Soc. Ent. Fr. LXXI, 1902, p. 335. Madagaskar
decipiens Pasc. Ann. Mag. Nat. Hist. (5) IX, 1882, p. 30. Santarem
dolorosa Fairm. Bull. Mus. Paris 1906, p. 273. Madagaskar
femoralis Kirsch, Berl. Ent. Zeitschr. X, 1866, p. 200. Bogotá
Fruhstorferi Fairm. Ann. Soc. Ent. Belg. LXXII, 1903, p. 15. Tonkin
gibbosa Pall. Icon. I, 1781, p. 38, t. C, f. 2. Brasilien
striata Ol. Ent. III, 1795, 57, p. 7, t. 1, f. 3. — Herbst, Käf. VIII, 1799, p. 27, t. 119, f. 4.
haemorrhoidalis Kl. Ins. Madag. 1833, p. 184. Madagaskar
imperialis Fairm. Ann. Soc. Ent. Belg. XLVII, 1903, p. 15. Tonkin
impressifrons Fairm. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 301. Argentinien
malayana Fairm. Notes Leyd. Mus. XV, 1893, p. 56. Borneo
microdera Fairm. Ann. Soc. Ent. Fr. LXIX, 1900, p. 630. China
nitens Ol. Ent. III, 1795, 57, p. 7, t. 1, f. 4. Brasilien
aenea F. Ent. Syst. Suppl. 1798, p. 48. — Herbst, Käf. VIII, 1799, p. 28, t. 119, f. 5. — Mäkl. Act. Fenn. 1863, p. 548 (60). — Geb. Deutsche Ent. Zeitschr. 1906, p. 222.
nitida Serv. Encycl. méthod. X, 1825, p. 455. — Cast. Hist. Nat. II, 1840, p. 231. „
obscura Kl. Ins. Madag. 1833, p. 183. — Lacord. Gen. Col. V, 1859, p. 424, nota 1. Madagaskar
obscurina Fairm. Pet. Nouv. Ent. II, 1877, p. 137. „
var. *coerulescens* Fairm. Rev. d'Ent. XX, 1901, p. 189. „
obtusa Fairm. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 301. Argentinien
occidentalis Berg, An. Univ. Buen. Air. VI, 1889, p. 138. „
parallela Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 246, t. 11, f. 4. Panama
Passeti Fairm. Bull. Soc. Ent. Fr. 1894, p. LXXXVIII. Madagaskar
Perrieri Fairm. Ann. Soc. Ent. Fr. LXXI, 1902, p. 334. „
pulcherrima Berg, An. Soc. Argent. XV, 1883, p. 75. Parana
regia Fairm. Ann. Soc. Ent. Belg. XLVII, 1903, p. 16. Tonkin
var. *ducalis* Fairm. l. c. p. 16. „
rufitarsis Kl. Ins. Madag. 1833, p. 184. Madagaskar
semiaenescens Fairm. Ann. Soc. Ent. Belg. IL, 1905, p. 127. „
speciosa Pall. Icon. I, 1781, p. 39, t. C, f. 3. Brasilien
spectabilis Pasc. Journ. of Ent. I, 1860, p. 52. China
spinipennis Cast. Hist. Nat. II, 1840, p. 231. Brasilien
striata F. Syst. El. I, 1801, p. 161. „
marginata F. Ent. Syst. IV, 1798, App. p. 440.
tenuestriata Fairm. Ann. Soc. Ent. Belg. IL, 1905, p. 126. Madagaskar
transversicollis Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 445. „
trapezicollis Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 143. „
tucumana Berg, An. Univ. Buen. Air. VI, 1889, p. 140. Argentinien

Campsia Serv.

Serv. Encycl. méth. X, 1825, p. 455. — Cast. Hist. Nat. II, 1840, p. 231. — Lacord. Gen. Col. V, 1859, p. 424.

irrorata Dalm. Analect. ent. 1823, p. 62. — Cast. Hist. Nat. II, 1840, p. 231. — Brasilien
testacea Serv. Encycl. méth. X, 1825, p. 455. — Cast. l. c. p. 232. — „
flava Perty, Del. anim. 1830, p. 61, t. 12, f. 15.
2

Blapida Perty.

Perty, Del. anim. art. 1830, p. 58. — Cast. Hist. Nat. II, 1840, p. 232. — Lacord. Gen. Col. V, 1859, p. 425.

castaneipennis Champ. Trans. Ent. Soc. Lond. 1896, p. 28. — Grenada
neotropicalis Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 247, t. 11, f. 5. — Centralamerika
Okeni Perty, Del. anim. art. 1830, p. 59, t. 12, f. 9. — Cast. Hist. Nat. II, 1840, p. 232. — Brasilien
polita Gray in Griff. Anim. Kingd. II, t. 50, f. 4; t. 69, f. 2.
Pertyi Cast. Hist. Nat. II, 1840, p. 232. — „
Spixi Cast. l. c. p. 232. — „
5

Pseudocamaria Bates.

Bates, Trans. Ent. Soc. Lond. 1879, p. 287.

alternata Fairm. Bull. Soc. Ent. Fr. 1875, p. XXXIII. — Madagaskar
attenuata Fairm. Ann. Soc. Ent. Fr. LXXI, 1902, p. 333. — „
consobrina Bates, Trans. Ent. Soc. Lond. 1879, p. 288. — Fairm. l. c. p. 333. — „
oblongula Fairm. l. c. p. 334. — „
4

Actanorie Bates.

Bates, Trans. Ent. Soc. Lond. 1879, p. 289.

undaticollis Fairm. Bull. Soc. Ent. Fr. 1875, p. XXXIII. — Madagaskar
1

Drocleana Bates.

Bates, Trans. Ent. Soc. Lond. 1879, p. 291.

chalcoptera Kl. Ins. Madag. 1833, p. 182. — Madagaskar
gloriosa Fairm. Stett. Ent. Zeit. XLV, 1884, p. 135; Le Natural. (2) II, 1888, p. 365. — „
parvicollis Fairm. Pet. Nouv. Ent. II, 1877, p. 137. — Bates, Trans. Ent. Soc. Lond. 1879, p. 291. — „
violaceipennis Waterh. Cist. Ent. II, 1875—85 (1878), p. 365. — „
4

Thettea Bates.

Bates, Trans. Ent. Soc. Lond. 1879, p. 290.

tenuitarsis Bates, l. c. p. 290. Madagaskar
1

Callimaria Fairm.

Fairm. Le Natural. (2) II, 1888, p. 12; Ann. Soc. Ent. Belg. XXXIX, 1895, p. 29.

granulata Fairm. Ann. Soc. Ent. Fr. LXXI, 1902, p. 335. Madagaskar
impressipennis Fairm. Le Natural. (2) II, 1888, p. 12, f. 4; Ann. Soc. Ent. Belg. XXXIX, 1895, p. 29. „
2

Camarimena Motsch.

Motsch. Bull. Mosc. XXXVI, 1863, II, p. 473. — Mäkl. Act. Fenn. 1864, p. 113.

Sinopium Pasc. Journ. of Ent. II, 1866, p. 487.

brevicollis Fairm. Notes Leyd. Mus. XIX, 1897, p. 226. Java
cupreostriata Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 298. Indochina
laeviuscula Walk. Ann. Mag. Nat. Hist. (3) II, 1858, p. 285. — Mäkl. Act. Fenn. 1864, p. 114. Ceylon
Nietneri Dohrn, Stett. Ent. Zeit. XLI, 1880, p. 380. Colombo
nitidipes Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 298. Indochina
parabolica Walk. Ann. Mag. Nat. Hist. (3) II, 1858, p. 285. — Mäkl. Acta Fenn. 1864, p. 114. Ceylon
ovicauda Motsch. Bull. Mosc. XXXVI, 1863, II, p. 474; 1861, t. 9, f. 26.
Renardi Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 25. Bengalen
variabilis Walk. Ann. Mag. Nat. Hist. (3) II, 1858, p. 285. — Mäkl. Act. Fenn. 1864, p. 113. — Pasc. Journ. of Ent. II, 1866, p. 487. Indien, Ceylon
vicina Mäkl. l. c. p. 114. Burma
9

Hoploedipus Fairm.

Fairm. Ann. Soc. Ent. Fr. LXVII, 1898, p. 395.

armipes Fairm. Notes Leyd. Mus. IV, 1882, p. 244. Sumatra
basicruralis Fairm. Ann. Soc. Ent. Fr. LXVII, 1898, p. 396. Singapur
bidentulus Fairm. l. c. p. 396. „
heterodoxus Fairm. l. c. p. 397. „
4

Alcyonotus Pasc.

Pasc. Ann. Mag. Nat. Hist. (5) IX, 1882, p. 35.

Adonicus Fairm. Ann. Soc. Ent. Fr. LX, 1891, p. 258. — Geb. Wien. Ent. Zeit. XXIV, 1905, p. 255.
Sterces Champ. Proc. Zool. Soc. Lond. 1890, p. 640.

iridescens Pasc. Ann. Mag. Nat. Hist. (5) IX, 1882, p. 35. Westafrika
resplendens Champ. Proc. Zool. Soc. Lond. 1890, p. 641, t. 56, f. 3, 3a—c.
pauper Geb. Mem. Real Soc. Esp. Hist. Nat. I, 1907, p. 412. Guinea
purpuripennis Geb. Ark. f. Zool. II, 1904, nr. 5, p. 22. Kamerun
violaceipennis Champ. Proc. Zool. Soc. Lond. 1890, p. 640. Westafrika
purpuripennis Fairm. Ann. Soc. Ent. Fr. LX, 1891, p. 259.

4

Nannocerus Fairm.

Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 292.

angustulus Pér. Ann. S. Afr. Mus. III, 1904, p. 270. Mozambique
beiranus Pér. l. c. p. 271. „
cylindricus Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 293, t. 3, f. 3. Deutsch-Ostafrika

3

Perichilus Quedf.

Quedf. Berl. Ent. Zeitschr. XXIX, 1885, p. 18. — Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 291.

brevicornis Quedf. l. c. p. 19, t. 3, f. 6, 6a—d. Westafrika
ditissimus Pér. Ann. S. Afr. Mus. III, 1904, p. 270. Südafrika
violaceipes Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 292, t. 3, f. 2. Somaliland

3

Ectomopsis Fairm.

Fairm. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 299.

Bruchi Fairm. p. 300. Catamarca

1

Elomosda Bates.

Bates, Ent. Monthly Mag. VI, 1870, p. 273.

Belti Bates, l. c. p. 275, t. 2, f. 3. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 252. Centralamerika

1

Moeon Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 251.

isthmicus Champ. l. c. p. 251. Panama
panamensis Champ. l. c. p. 251, t. 11, f. 10, 11a, b. „

1

Mophon Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 247.

tinctipennis Champ. l. c. p. 248, t. 11, f. 6, 6a, b. — Centralamerika

1

Epicalla Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 249.

cupreonitens Champ. l. c. p. 250, t. 11, f. 9. — Panama
lata Champ. l. c. p. 250, t. 11, f. 8. — Mexico
varipes Champ. l. c. p. 249, t. 11, f. 7, 7a, b. — Nicaragua

3

Acropteron Perty.

Perty, Del. anim. art. 1830, p. 64. — Cast. Hist. Nat. II, 1840, p. 241. — Lacord. Gen. Col. V, 1859, p. 426. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 252. — Mäkl. Act. Soc. Fenn. 1862, p. 103 (2) (Mon.).

Arthroplatus Sol. in Gay, Hist. Chile V, 1851, p. 246.

abbreviatum Mäkl. Mon. p. 126 (22). — Columbien
acuminatum Mäkl. Mon. p. 110 (6). — Brasilien
aeneum Perty, Del. anim. art. 1830, p. 65, t. 13, f. 9. — Cast. Hist. Nat. II, 1840, p. 241. — Mäkl. Mon. p. 122 (18). — „
agriloides Mäkl. Mon. p. 121 (17). — Champ. Biol. Centr.-Amer. Col. IV, 1, t. 11, f. 13. — Mexico
angulicolle Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 255. — Nicaragua
Belti Champ. l. c. p. 253, t. 11, f. 11. — „
brunneum Mäkl. Mon. p. 119 (15). — Costa Rica
calcaratum Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 255, t. 11, f. 14. — Guatemala
castaneum Mäkl. Mon. p. 114 (10). — Brasilien
var. *affine* Mäkl. Mon. p. 114 (10). — „
Chabrieri Fleut. et Sallé, Ann. Soc. Ent. Fr. (6) IX, 1889, p. 429. — Guadeloupe
crenaticolle Mäkl. Mon. p. 127 (23). — Cayenne
cupriventre Mäkl. Mon. p. 115 (11). — Brasilien
fastigiatum Mäkl. Mon. p. 120 (16). — Columbien
geniculatum Germ. Mag. Ent. IV, 1821, p. 140. — Mäkl. Stett. Ent. Zeit. XXIII, 1862, p. 514. *nigricorne* Mäkl. Mon. p. 118 (14). — Brasilien
humile Mäkl. Mon. p. 124 (20). — Cayenne
laevipes Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 257. — Nicaragua
langurioides Champ. l. c. p. 254. — Panama
lineare Mäkl. Mon. p. 117 (13). — Brasilien
longipenne Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 256, t. 11, f. 15. — Guatemala
Mäklini Champ. l. c. p. 254, t. 11, f. 12. — Panama
magnicolle Fairm. Ann. Soc. Ent. Fr. LXI, 1892, p. 90. — Venezuela
mexicanum Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 256, t. 11, f. 16. — Mexico

modestum Mäkl. Mon. p. 113 (9). — Brasilien
nigripes Germ. Ins. spec. nov. 1824, p. 147. — Mäkl. Mon. p. 111 (7). — „
pallicrus Fairm. Bull. Soc. Ent. Fr. 1902, p. 150. — Peru
pallipes Sol. in Gay, Hist. Chile V, 1851, p. 247, t. 20, f. 11. — Mäkl. Mon. p. 126 (22). — Chile
picipes Mäkl. Mon. p. 121 (17). — Columbien
puncticolle Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 256. — Panama
quadraticolle Champ. Trans. Ent. Soc. Lond. 1896, p. 29. — St. Vincent
ruficorne Mäkl. Mon. p. 112 (8). — Brasilien
rufipes Perty, Del. anim. art. 1830, p. 65, t. 13, f. 8. — Cast. Hist. Nat. II, 1840, p. 241. — Mäkl. Mon. p. 109 (4); Stett. Ent. Zeit. XXIII, 1862, p. 514. — „
rugipes Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 257. — Nicaragua
stimuleum Mäkl. Mon. p. 116 (12). — Brasilien
teres Mäkl. Mon. p. 123 (19). — „
transversicolle Mäkl. Mon. p. 125 (21). — Columbien
viride Mäkl. Mon. p. 115 (11). — Brasilien

36

Titaena Er.

Er. Arch. f. Naturg. VIII, 1842, I. p. 178. — Lacord. Gen. Col. V, 1859, p. 428. — Bates, Ann. Mag. Nat. Hist. (4) XIII, 1874, p. 102 (22).

alcyonea Er. l. c. p. 180. — Bates, l. c. p. 104 (24). — Tasmanien, Westaustral.
var. *ruficollis* Bates, l. c. p. 104 (24). — „
columbina Er. l. c. p. 179, t. 4, f. 9 a, b. — Blanch. Voy. Pole Sud IV, 1853, p. 178. — Bates, l. c. p. 103 (23). — Australien
rugosa Blanch. l. c. t. 12, f. 2.
var. *virida* Bates, l. c. p. 103 (23). — Melbourne
pulchra Bates, l. c. p. 103 (23). — N. S. Wales
tasmanica Champ. Trans. Ent. Soc. Lond. 1894, p. 396, t. 8, f. 13. — Tasmanien
varicolor Haag, Verh. Ver. naturw. Unterh. Hamburg III, 1878, p. 102; Journ. Mus. Godeffr. XIV, 1879, p. 127. — Queensland

5

Hypocalis Lacord.

Lacord. Gen. Col. V, 1859, p. 427.

Hemicera Cast. (pars) Ann. Soc. Nat. XXIII, 1831, p. 393 (69).

arcuata Cast. et Brll. l. c. p. 395 (71). — Cast. Hist. Nat. II, 1840, p. 223. — Mauritius

1

Callismilax Bates.

Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 473; (4) XIII, 1874, p. 105 (25).

aenea Montr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 297. — Mäkl. Act. Soc. Fenn. 1864, p. 370. — Bates, — Neu-Caledonien

Ann. Mag. Nat. Hist. (4) XIII, 1874, p. 106 (26). — Fauv. Rev. d'Ent. XXIV, 1905, p. 215, 219.

grandis Bates, l. c. p. 109 (29).

arcitenens Fauv. Rev. d'Ent. XXIV, 1905, p. 215, 221. Neu-Caledonien

auripennis Fauv. l. c. p. 215, 223. „

basalis Fauv. l. c. p. 214, 220. „

Bavayi Fauv. l. c. p. 214, 216. „

caviceps Fauv. l. c. p. 215, 222. „

coelestina Fauv. l. c. p. 214, 218. „

Deplanchei Fauv. Bull. Soc. Linn. Norm. (2) I, 1867, p. 190; Rev. d'Ent. XXIV, 1905, p. 214. „

Mäklini Bates, Ann. Mag. Nat. Hist. (4) XIII, 1874, p. 107 (27).

externa Fauv. Rev. d'Ent. XXIV, 1905, p. 215, 220. „

fulgurans Fauv. l. c. p. 214, 217. „

gloriosa Fauv. l. c. p. 215, 222. „

interrupta Fauv. l. c. p. 214, 217. „

Mulsanti Montr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 297. — Mäkl. Act. Soc. Fenn. 1864, p. 370. — Bates, Ann. Mag. Nat. Hist. (4) XIII, 1874, p. 107 (27). „

numeensis Fauv. Rev. d'Ent. XXIV, 1905, p. 214, 218. „

plicicollis Fauv. l. c. p. 215, 223. „

prismalis Fauv. l. c. p. 215, 219. „

Deplanchei Bates, Ann. Mag. Nat. Hist. (4) XIII, 1874, p. 108 (28).

semiviolacea Fauv. Rev. d'Ent. XXIV, 1905, p. 215, 223. „

setigera Fauv. l. c. p. 214, 225. „

sternalis Bates, Ann. Mag. Nat. Hist. (4) XIII, 1874, p. 110 (30). — Fauv. l. c. p. 214, 216. „

sulcipennis Fauv. l. c. p. 215, 224. „

suturalis Fauv. l. c. p. 215, 220. „

venusta Bates, Ann. Mag. Nat. Hist. (4) XIII, 1874, p. 106 (26). — Fauv. l. c. p. 215, 220. „

variolosa Fauv. l. c. p. 214, 216. „

virescens Fauv. l. c. p. 215, 224. „

24

Thesilea Haag.

Haag, Verh. Ver. naturw. Unterh. Hamburg III, 1878, p. 103; Journ. Mus. Godeffr. XIV, 1879, p. 130.

baladica Montr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 291. — Mäkl. Act. Soc. Sc. Fenn. 1864, p. 370. — Bates, Ent. Monthly Mag. IX, 1873, p. 204. Neu-Caledonien

viridipennis Montr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 298. — Fauv. Bull. Soc. Normand. VII, 1862, p. 149, t. 10, f. 30, 31.

cuprina Fairm. Rev. Zool. 1849, p. 451. Ins. Wallis

Fauveli nom. nov. Neu-

versicolor Fauv. Rev. d'Ent. XXIII, 1904, p. 211. Caledonien

impressipennis Haag, Verh. Ver. naturw. Unterh. Hamburg III, 1878, p. 103; Journ. Mus. Godeffr. XIV, 1879, p. 130. — Fairm. Ann. Soc. Ent. Fr. (6) I, 1881, p. 280. Ovalau

kanalensis Fauv. Rev. d'Ent. XXIII, 1904, p. 211. — Neu-Caledonien
mirabilis Fauv. l. c. p. 210. — „
planicollis Fairm. Rev. Zool. 1849, p. 451. — Ins. Wallis,
oblonga Blanch. Voy. Pole Sud IV, 1853, p. 169, t. 12, f. 1. — Australien
politula Fauv. Rev. d'Ent. XXIII, 1904, p. 211. — Neu-Caledonien
puncticeps Fairm. Ann. Soc. Ent. Fr. (6) I, 1881, p. 281. — Vitiinseln
purpurea Fauv. Rev. d'Ent. XXIII, 1904, p. 213. — Neu-Caledonien
ruficornis Bates, Ann. Mag. Nat. Hist. (4) XIII, 1874, p. 109 (29). — Fauv. l. c. p. 212. — „
rugifrons Fairm. Notes Leyd. Mus. IV, 1882, p. 238. — Sumatra
versicolor Haag, Verh. Ver. naturw. Unterh. Hamburg III, 1878, p. 102; Journ. Mus. Godeffr. XIV, 1879, p. 130. — Ovalau

13

Chariotheca Pasc.

Pasc. Journ. of Ent. I, 1860, p. 125.

amaroides Pasc. Ann. Mag. Nat. Hist. 1862, p. 463. — Ins. Lizard
angusta All. Le Natur. XVI, 1894, p. 116. — Indien
Besti Blackb. Proc. Linn. Soc. N. S. Wales (2) IX, 1895, p. 105. — Nord-queensland
caraboides All. Le Natur. XVI, 1894, p. 104. — Indien
coruscans Pasc. Journ. of Entom. I, 1860, p. 126, t. 6, f. 7. — Molukken
cupripennis Pasc. l. c. p. 126. — Neuguinea
infima Fairm. Ann. Soc. Ent. Fr. (6) I, 1881, p. 279. — Vitiinseln
litigiosa Pasc. Journ. of Ent. I, 1860, p. 126. — Neuguinea
neomidina Fairm. Le Natur. III, 1881, p. 373; Ann. Soc. Ent. Fr. (6) I, 1881, p. 279. — Vitiinseln
ovalis All. Le Natur. XVI, 1894, p. 104. — Indien
smaragdipunctata Fairm. Le Natur. III, 1881, p. 373: Ann. Soc. Ent. Fr. (6) I, 1881, p. 278. — Vitiinseln
thalassina Fairm. Ann. Soc. Ent. Belg. XXVII, 1883, 2, p. 28. — Neu-Pommern
violacea Pasc. Ann. Mag. Nat. Hist. (5) XX, 1887, p. 17. — Dorey

14

Espites Pasc.

Pasc. Ann. Mag. Nat. Hist. (5) IX, 1882, p. 32.

basalis Pasc. l. c. p. 32. — Neuguinea

1

Malacodrya Sharp.

Sharp, Trans. Roy. Dubl. Soc. (2) III, 1886, p. 412.

pictipes Sharp, l. c. p. 413, t. 13, f. 7. — Neuseeland

1

Artystona Bates.

Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 472; (4) XIII, 1874, p. 104 (24).

collaris Sharp, Trans. Roy. Dubl. Soc. (2) III, 1886, p. 412.	Neuseeland
Erichsoni White, Voy. Ereb. Terr. 1846, p. 12. — Bates, Ann. Mag. Nat. Hist. (4) XII, 1873, p. 473; (4) XIII, 1874, p. 105 (25).	„
interrupta Redt. Reise Novara II, 1868, p. 128.	
obscura Sharp, Trans. Roy. Dubl. Soc. (2) III, 1886, p. 411.	„
obsoleta Sharp, l. c. p. 412.	„
rugiceps Bates, Ann. Mag. Nat. Hist. (4) XIII, 1874, p. 105 (25).	„
Wakefieldi Bates, l. c. p. 105 (25). — Broun, Man. N. Zeal. Col. I, 1880, p. 385.	„

6

Xanthothopia Mäkl.

Mäkl. Act. Soc. Fenn. 1864, p. 115.

angusticornis Gestro, Ann. Mus. Genova (2) XV, 1895, p. 378.	Somaliland
aruwimensis Champ. Proc. Zool. Soc. Lond. 1890, p. 643, t. 56, f. 7.	Centralafrika
basipennis Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 672.	Usambara
coeruleata Fairm. l. c. p. 672.	Guinea
delagoae Péring. Ann. S. Afr. Mus. III, 1904, p. 273.	Mozambique
laticornis Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 300.	Usambara
partiticornis Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 671.	Guinea
rufipennis Mäkl. Act. Soc. Fenn. 1864, p. 115.	Caffrarien
Schweizeri Dohrn, Stett. Ent. Zeit. XLI, 1880, p. 381.	Guinea
tripartita Fairm. Ann. Soc. Ent. Fr. LX, 1891, p. 264.	Westafrika

10

Melytra Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 34.

ovata Pasc. l. c. p. 34, t. 10, f. 1.	Tasmanien

1

LXXVII. Apocryphinae.

Lacordaire, Gen. Col. V, 1859, p. 432. — Horn, Revis. Tenebr. N. Amer. in Trans. Amer. Philos. Soc. (n. s.) XIV, 1870 (1872), p. 390. — Leconte and Horn, Class. Col. N. Amer. 1883, p. 373, 384. — Seidlitz, Naturg. Ins. Deutschl. V, 1896, p. 665.

Apocrypha Eschsch.

Eschsch. Zool. Atl. IV, 1831, p. 13. — Cast. Hist. Nat. II, 1840, p. 237. — Lacord. Gen. Col. V, 1859, p. 433.

Compsomorphus Sol. in Gay, Hist. Chile V, 1851, p. 208.

anthicoides Eschsch. Zool. Atl. IV, 1831, p. 13, t. 18, f. 7. — Cast. Hist. Nat. II, 1840, p. 237. — Mannerh. Bull. Mosc. 1843, II, p. 265. — Horn, Revis. Tenebr. 1870, p. 390. Californien
clivinoides Horn, l. c. p. 391. „
dyschirioides J. Lec. Ann. Lyc. N. York V, 1851, p. 137. — Lacord. Gen. Col. Atl. t. 57, f. 1. — Horn, l. c. p. 390. „
elegans Sol. in Gay, Hist. Chile V, 1851, p. 210, t. 19, f. 11 a—g. Chile

4

Pseudapocrypha Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 260.

Lacordairei Champ. l. c. p. 260, t. 11, f. 18, 18 a, b. Central-Amerika

1

Polytropus Kirsch.

Kirsch, Berl. Ent. Zeitschr. X, 1866, p. 201.

laenoides Kirsch, l. c. p. 202. Bogotá
tuberculatus Kirsch, l. c. XIV, 1870, p. 370. „

2

Plastica Waterh.

Waterh. Ann. Mag. Nat. Hist. (7) XII, 1903, p. 563.

polita Waterh. l. c. p. 564. Sorata

1

Melaps Cart.

Cart. Proc. Linn. Soc. N. S. Wales XXXIII, 1908, p. 409.

cisteloides Cart. l. c. p. 409, f. 3. Mt. Kosciusko

1

Diplocyrtus Quedf.

Quedf. Ent. Nachr. XIII, 1887, p. 257. — Reitt. Wien. Ent. Zeit. VI, 1887, p. 303. — Vauloger, Ann. Soc. Ent. Fr. LXVIII, 1899, p. 672.

floccosus Quedf. l. c. p. 258. — Reitt. l. c. p. 303. — Vauloger, l. c. p. 673. Marokko

1

LXXVIII. Adeliinae.

Lacordaire, Gen. Col. V, 1859, p. 434.

Amphidorinae J. Lec. Class. Col. N. Amer. 1862, p. 239. — Horn, Revis. Tenebr. N. Amer. in Trans. Amer. Phil. Soc. (n. s.) XIV, 1870 (1872), p. 327. — J. Lec. and Horn, Class. Col. N. Amer. 1883, p. 375.
Laeninae Seidl. Naturg. Ins. Deutschl. V, 1896, p. 669.

Cratidus J. Lec.

J. Lec. Class. Col. N. Amer. 1862, p. 239. — Horn, Revis. Tenebr. 1870, p. 327. — J. Lec. and Horn, Class. Col. N. Amer. 1883, p. 375.

fuscipilosus Cas.	Ann. N. York Acad. V, 1890, p. 407.	S. Californien
osculans J. Lec.	Ann. Lyc. N. York V, 1851, p. 136; Arcana Nat. 1859, p. 126, t. 12, f. 4. — Lacord. Gen. Col. Atl. t. 57, f. 3. — Horn, Revis. Tenebr. 1870, p. 328.	Californien
rotundicollis Horn,	l. c. p. 328.	Nieder-Californien

3

Amphidora Eschsch.

Eschsch. Zool. Atl. III, 1829, p. 9; IV, 1831, p. 13. — Cast. Hist. Nat. II, 1840, p. 237. — Sol. Studi Ent. 1848, p. 153 (7), 222 (76). — Lacord. Gen. Col. V, 1859, p. 435. — J. Lec. Class. Col. N. Amer. 1862, p. 239. — Horn, Revis. Tenebr. 1870, p. 327, 328. — J. Lec. and Horn, Class. Col. North Amer. 1883, p. 375.

caudata Horn,	Revis. Tenebr. 1870, p. 330.	Arizona
littoralis Eschsch.	Zool. Atl. IV, 1831, p. 13, t. 18, f. 6. — Mannerh. Bull. Mosc. 1843, II, p. 265. — Sol. Studi Ent. 1848, p. 224 (78), t. 9, f. 12—14. — Horn, l. c. p. 329.	Californien
nigropilosa J. Lec.	Ann. Lyc. N. York V, 1851, p. 136. — Horn, l. c. 329.	„
tenebrosa Horn,	l. c. p. 329.	Nieder-Californien

4

Stenotrichus J. Lec.

J. Lec. Class. Col. N. Amer. 1862, p. 239. — Horn, Revis. Tenebr. 1870, p. 327. — J. Lec. and Horn, Class. Col. N. Amer. 1883, p. 375.

rufipes J. Lec.	Ann. Lyc. N. York V, 1851, p. 136. — Horn, l. c. p. 330.	Californien

1

Ectyche Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 143.

coerulea Champ.	Trans. Ent. Soc. Lond. 1894, p. 397, t. 8, f. 15.	N. W. Australien
erebea Pasc.	Ann. Mag. Nat. Hist. (4) III, 1869, p. 144, t. 11, f. 1.	West-australien
nana Pasc.	l. c. p. 145.	Südaustralien
scabripennis Bates,	Trans. Ent. Soc. Lond. 1873, p. 360.	West-australien
sculpturata Bates,	l. c. p. 361.	„
tuberculipennis Bates,	l. c. p. 361.	„

6

Microctyche Bates.

Bates, Trans. Ent. Soc. Lond. 1873, p. 362.

ferruginea Bates, l. c. p. 364. — West-australien
var. *dubia* Bates, l. c. p. 364. — australien
intermedia Bates, l. c. p. 363. — „
Ryei Bates, l. c. p. 364. — „
3

Phaennis Champ.

Champ. Trans. Ent. Soc. Lond. 1894, p. 399.

fasciculata Champ. l. c. p. 400, t. 8, f. 14. — Tasmanien
1

Cardiothorax Motsch.

Motsch. Etudes Ent. VIII, 1859, p. 67 nota. — Bates, Entom. Monthly Mag. XVI, 1879—80, p. 30—33, 71—75, 131—133 (Übers.). — Carter, Proc. Linn. Soc. N. S. Wales XXXI, 1906, p. 236.

Adelium Sol. Studi Entom. 1848, p. 152 (6), 191 (45).
Atryphodes Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 37 nota.
Thoracophorus Hope, Col. Manual III, 1840, p. 188. — Lacord. Gen. Col. V, 1859, p. 436.

acutangulus Bates, Übers. p. 32, 131. — Carter, Proc. Linn. Soc. N. S. Wales XXXI, 1906, p. 238. — Brisbane
aeneus Bates, Übers. p. 33, 131. — Australien
aericollis Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 38. — Bates, Übers. p. 32, 75. — Queensland
Batesi Carter, Proc. Linn. Soc. N. S. Wales XXXI, 1906, p. 243.
aeripennis Blackb. Trans. Roy. Soc. S. Austr. XV, 1892, p. 226. — N. S. Wales
angulatus Bates, Übers. p. 32, 75. — N. Australien
angusticollis Carter, Proc. Linn. Soc. N. S. Wales XXXI, 1906, p. 240, t. 20, f. 8. — N. S. Wales
aratus Pasc. Journ. of Entom. II, 1866, p. 479. — Bates, Übers. p. 33. — Queensland
armipes Bates, Übers. p. 30, 71. — Rock-hampton
aureus Carter, Proc. Linn. Soc. N. S. Wales XXXI, 1906, p. 241, t. 20, f. 1. — Blaue Berge
australis Carter, l. c. p. 242. — Australien
brevicollis Redt. Reise Novara II, 1868, p. 130, t. 4, f. 6. — Bates, Übers. p. 31. — Sydney
caperatus Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 40. — Bates, Übers. p. 32, 75. — N. S. Wales
captiosus Bates, Übers. p. 33, 131. — N. Australien
carinatus Carter, Proc. Linn. Soc. N. S. Wales XXXIV, 1, 1909, p. 143, fig. — N. Queens-land
Castelnaudi Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 38. — Bates, Übers. p. 32. — N. S. Wales
chalceus Bates, Übers. p. 31, 74. — Queensland
coeruleoniger Carter, Proc. Linn. Soc. N. S. Wales XXXI, 1906, p. 250. — N. S. Wales

connexus Haag, Verh. Ver. nat. Unterh. Hamburg III, 1878, p. 102; Journ. Mus. Godeffr. XIV, 1879, p. 128. — Bates, Übers. p. 153. — Cap York

cordicollis Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 38. — Bates, Übers. p. 32. — Brisbane

crassicornis Bates, Übers. p. 31, 74. — Queensland

crenulicollis Bates, Übers. p. 33, 133. — ,,

curvipes Bates, Übers. p. 31, 73. — N. S. Wales

distinctus Bates, Übers. p. 33, 132. — ,,

egerius Pasc. Journ. of Ent. II, 1866, p. 478, t. 19, f. 4. — Bates, Übers. p. 33. — Australien

encephalus Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 39. — Bates, Übers. p. 32, 74. — Queensland

errans Pasc. Journ. of Ent. II, 1866, p. 479. — Bates, Übers. p. 31. — Carter, Proc. Linn. Soc. N. S. Wales XXXI, 1906, p. 237. — Australien

? *fraternalis* Bates, Übers. p. 31, 72.

? *valgipes* Bates, Übers. p. 31, 72.

pithecius Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 39.

femoratus Bates, Übers. p. 30, 71. — Wide-Bay

grandis Bates, Übers. p. 32, 75. — N. S. Wales

Haagi Bates, Übers. p. 33, 133. — Australien

Howitti Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 37. — Bates, Übers. p. 33. — N. S. Wales

humeralis Bates, Übers. p. 33, 133. — Australien

lachlanensis Carter, Proc. Linn. Soc. N. S. Wales XXXI, 1906, p. 244. — N. S. Wales

longipes Bates, Übers. p. 31, 73. — ,,

Mac Leayi Pasc. Journ. of Ent. II, 1866, p. 478. — Bates, Übers. p. 33. — ,,

licinoides Redt. Reise Novara II, 1868, p. 129, t. 4, f. 5.

Mastersi M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 288. — Bates, Übers. p. 32. — Queensland

? *simulans* Haag, Verh. Ver. naturw. Unterh. Hamburg III, 1878, p. 102; Journ. Mus. Godeffr. XIV, p. 127.

mimus Carter, Proc. Linn. Soc. N. S. Wales XXXIV, I, 1909, p. 141. — ,,

opacicollis M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 288. — ,,

politicollis Bates, Übers. p. 31, 73. — N. S. Wales

punctostriatus Carter, Proc. Linn. Soc. N. S. Wales XXXI, 1906, p. 246. — ,,

pygmaeus Carter, l. c. p. 247, t. 20, f. 9; XXXV, 1910, p. 134. — ,,

quadridentatus Waterh. Trans. Ent. Soc. Lond. 1875, p. 205. — Bates, Übers. p. 33. — Queensland

rotundicollis Carter, Proc. Linn. Soc. N. S. Wales XXIII, 1908, p. 413. — ,,

rugosus Carter, l. c. XXXI, 1906, p. 248. — N. S. Wales

Walckenaeri Hope, Col. Manual II, 1840, p. 189, t. 3, f. 5. — Bates, Übers. p. 32, 75. — Australien

?*dilaticollis* Guér. Voy. Coquille II, 1830, p. 100, t. 4, f. 11. — Boisd. Voy. Astrol. II, 1835, p. 279.

Kirbyi Sol. Studi Entom. 1848, p. 193 (47). t. 7, f. 1—4.

Otrintus Pasc.

Pasc. Journ. of Entom. II, 1866, p. 483.

Behri Germ. Linn. Ent. III, 1848, p. 196. — Pasc. Journ. of Entom. II, 1866, p. 483. — Bates, Entom. Monthly Mag. XVI, 1879—80, p. 30. — Australien

Jacksoni Carter, Proc. Linn. Soc. N. S. Wales XXX, 1905, p. 180. — N. S. Wales

striatus Carter, l. c. XXXI, 1906, p. 253, t. 20, f. 4. — „

3

Blepegenes Pasc.

Pasc. Proc. Ent. Soc. Lond. 1868, p. 12; Ann. Mag. Nat. Hist. (4) III, 1869, p. 41.

Ceradelium Preudh. de Borre, Ann. Soc. Ent. Belg. XI, 1868, p. 126.

aruspex Pasc. l. c. p. 12; l. c. p. 42, t. 10, f. 2. — Australien
armatus Borre, l. c. p. 128, t. 3.

equestris Pasc. Ann. Mag. Nat. Hist. (5) IX, 1882, p. 28. — N. S. Wales

nitidus Blackb. Proc. Linn. Soc. N. S. Wales (2) VI, 1891, p. 533. — Queensland

3

Daedrosis Bates.

Bates, Trans. Ent. Soc. Lond. 1868, p. 266.

ambigua Bates, l. c. p. 269, t. 12, f. 3. — N. S. Wales

crenatostriata Bates, l. c. p. 268. — „

hirsuta Carter, Proc. Linn. Soc. N. S. Wales XXXI, 1906, p. 254, t. 20, f. 14. — Mt. Kosciusko

monticola Blackb. Trans. Roy. Soc. S. Austr. XV, 1892, p. 227. — N. S. Wales

pygmaea Haag, Verh. Ver. naturw. Unterh. Hamburg III, 1878, p. 103; Journ. Mus. Godeffr. XIV, 1879, p. 129. — „

victoriae Blackb. Proc. Linn. Soc. N. S. Wales (2) VI, 1891, p. 533. — Victoria

6

Adelium Kirby.

Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 420. — Cast. Hist. Nat. II, 1840, p. 236. — Lacord. Gen. Col. V, 1859, p. 437. — Blessig, Horae Soc. Ent. Ross. I, 1861, p. 96. — Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 133. —Seidl. Naturg. Ins. Deutschl. V, 1896, p. 669. — Carter, Proc. Linn. Soc. N. S. Wales XXXIII, 2, 1908, p. 257—285 (Mon.).

Tropidopterus Blanch. Hist. Nat. II, 1845, p. 37.

abbreviatum Boisd. Voy. Astrol. II, 1835, p. 281. — Carter, Mon. p. 276; Proc. Linn. Soc. N. S. Wales XXXIV, 1909, p. 148. — Tasmanien
var. *latum* Pasc. Journ. of Entom. II, 1866, p. 482. — Carter, Mon. p. 264, 276. — Australien

aequale Blackb. Proc. Linn. Soc. N. S. Wales (2) VI, 1891, p. 539. — Carter, Mon. p. 273. — Südaustralien

aerarium Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 133. — Carter, Mon. p. 264, 274. — Queensland

alpicola Blackb. Proc. Linn. Soc. N. S. Wales (2) VI, 1891, p. 536. — Carter, Mon. p. 268, 275. — Victoria

ancilla Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 136. — Carter, Mon. p. 265, 275. — Queensland

angulatum Blackb. Proc. Linn. Soc. S. N. Wales (2) VI, 1891, p. 538. — Carter, Mon. p. 269, 273. — Südaustralien

angulicolle Cast. Hist. Nat. II, 1840, p. 236. — Blessig, Horae Soc. Ent. Ross. I, 1861, p. 99, t. 3, f. 4. — Carter, Mon. p. 261, 273. — N. S. Wales, Victoria

succisum Pasc. Journ. of Entom. II, 1866, p. 480.

augurale Pasc. Journ. of Entom. II, 1866, p. 480. — Carter, Mon. p. 263, 274. — Queensland

auratum Pasc. l. c. p. 481. — Carter, Mon. p. 263, 272. — Queensland, N. S.Wales

barbatum Carter, Mon. p. 274, 276, t. 3, f. 1. — Queensland

bicolor Carter, Mon. p. 275, 282, t. 3, f. 5. — Mt. Kosciusko

brevicorne Blessig, Horae Soc. Ent. Ross. I, 1861, p. 101, t. 3, f. 2. — Carter, Mon. p. 266, 276. — Champ. Trans. Ent. Soc. Lond. 1894, p. 402. — N. S. Wales, Victoria, Südaustralien

neophyta Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 136.

?*virescens* Boisd. Voy. Astrol. II, 1835, p. 281.

breviusculum Geb. Fauna Südwest-Austr. I, 1908, p. 344, t. 3, f. 4. — Westaustralien

calosomoides Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 420, t. 22, f. 2. — Boisd. Voy. Astrol. II, 1835, p. 275. — Carter, Mon. p. 261, 275. — Australien

harpaloides Boisd. Voy. Astrol. II, 1835, p. 280.

?var. *geniale* Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 135. — Carter, Mon. p. 265.

canaliculatum Carter, Mon. p. 276, 279, t. 3, f. 4. — Sydney

capitatum Lea, Proc. Linn. Soc. N. S. Wales 1898, p. 584. — Carter, Mon. p. 274. — N. S. Wales

coeruleum Carter, Proc. Linn. Soc. N. S. Wales XXXI, 1906, p. 255; Mon. p. 274. — Queensland

commodum Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p.139. — Carter, Mon. p. 265, 276. — Tasmanien

convexiusculum M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 289. — Carter, Mon. p. 268, 275. — Queensland

cuprescens Carter, Proc. Linn. Soc. N. S. Wales XXXIV, 1, 1909, p. 148. — Westaustralien

ellipticum Blackb. Trans. Roy. Soc. S. Austr. XVIII, 1894, p. 219. — Carter, Mon. p. 269, 275. — N. S. Wales

Fergusoni Carter, Proc. Linn. Soc. N. S. Wales XXXV, 1910, p. 132, fig. — Queensland

forticorne Geb. Fauna Südw.-Austr. I, 1908, p. 343, t. 3, f. 7. — Westaustralien

foveatum Carter, Proc. Linn. Soc. N. S. Wales XXXIV, 1, 1909, p. 147. — Tasmanien

geminatum Pasc. Ann. Mag. Nat. Hist. (4) V, 1870, p. 102. — Carter, Mon. p. 274. — Queensland

punctum Carter, Proc. Linn. Soc. N. S. Wales XXXI, 1906, p. 257, t. 20, f. 3.

Goudiei Carter, Proc. Linn. Soc. N. S. Wales XXXIII, 1909, 1, p. 150, f. 9. — Victoria

Hackeri Carter, Mon. p. 273, 278, t. 3, f. 2. — Queensland
Helmsi Carter, Proc. Linn. Soc. N. S. Wales XXX, 1905, p. 181; Mon. p. 275. — N. S. Wales
heterodoxum Lea, Proc. Linn. Soc. N. S. Wales 1898, p. 582. — Carter, Mon. p. 270, 274. — „
inconspicuum Blackb. Proc. Linn. Soc. N. S. Wales (2) VI, 1891, p. 536. — Carter, Mon. p. 269, 276. — Insel Kangaroo
licinoides Kirby ,Trans. Linn. Soc. Lond. XII, 1818, p.421. — Boisd. Voy. Astrol. II, 1835, p. 276. — Carter, Mon. p. 275. — Australien
cisteloides Er. Arch. f. Naturg. VIII, 1842, I, p. 176. — Blessig, Horae Soc. Ent. Ross. XXXIV, 1861, I, p. 101. — Champ. Trans. Ent. Soc. Lond. 1894, p. 401.
helopioides Boisd. Voy. Astrol. II, 1835, p. 280.
lindense Blackb. Proc. Linn. Soc. N. S. Wales (2) VI, 1891, p. 538. — Carter, Mon. p. 269, 273. — Südaustral., Westaustralien
nitidum Carter, Proc. Linn. Soc.N. S. Wales XXXI, 1906, p. 256, f. 1; Mon. p. 273. — N. S. Wales
nodulosum Champ. Trans. Ent. Soc. Lond. 1894, p. 404. — Cart. Mon. p. 276. — Tasmanien
obesum Pasc. Journ. of Ent. II, 1866, p. 481. — Carter, Mon. p. 264, 274. — Victoria
occidentale Blackb. Proc. Linn. Soc. N. S. Wales (2) V, 1890, p. 574. — Carter, Mon. p. 269, 273. — Westaustral., Südaustralien
orphanum Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 138. — Carter, Mon. p. 276. — Victoria
pestiferum Carter, Mon. p. 276, 281, t. 3, f. 6. — N. S. Wales
pilosum Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 134. — Carter, Mon. p. 266, 273. — Victoria
plicigerum Pasc. l. c. p. 133. — Carter, Mon. p. 266, 272. — Queensland
var. *rugosicolle* M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 289. — Carter, Mon. p. 272.
porcatum F. Syst. Ent. 1774, p. 239. — Ol. Entom. III, 1795, 35, p. 37, t. 7, f. 84. — Carter, Mon. p. 274. — Australien
caraboides Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 466, t. 23, f. 7. — Boisd. Voy. Astrol. II, 1835, p. 274.
porculatum F. Syst. El. I, 1801, p. 211.
punctipenne Boisd. Voy. Astrol. II, 1835, p. 278. — „
pustulosum Blackb. Proc. Linn. Soc. N. S. Wales (2) VI, 1891, p. 534. — Carter, Mon. p. 269, 275. — Victoria
reductum Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 135. — Carter, Mon. p. 266, 275. — N. S. Wales, Brisbane
regulare Lea, Proc. Linn. Soc. N. S. Wales 1898, p. 582. — Carter, Mon. p. 271, 276. — N. S. Wales
reticulatum Carter, op. cit. XXX, 1905, p. 181; Mon. p. 274. — „
rotundum Carter, Mon. p. 275, 284, t. 3, f. 7. — „
rugicolle Boisd. Voy. Astrol. II, 1835, p. 279. — Australien
ruptum Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 139. — Carter, Mon. p. 267, 275. — Queensland, Victoria
scutellare Pasc. l. c. p. 134. — Carter, Mon. p. 267, 273. — Queensland, N. S. Wales
scytalicum Pasc. l. c. p. 137. — Carter, Mon. p. 267, 273. — Westaustralien

similatum Germar, Linn. Ent. III, 1848, p. 198. — Carter, Mon. p. 274. — Südaustral., Victoria

simplex Blackb. Trans. Roy. Soc. S. Austr. XVI, 1892, p. 44. — Carter, Mon. p. 273. — Victoria

negligens Geb. Fauna Südw.-Austr. I, 1908, p. 343 nota.

Sloanei Carter, Proc. Linn. Soc. N. S. Wales XXXIV, 1909, 1, p. 151, f. 10. — N. S. Wales

steropoides Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 138. — Carter, Mon. p. 275. — Victoria

striatum Pasc. Journ. of Ent. II, 1866, p. 481. — Carter, Mon. p. 264, 273. — Queensland

viridipennis M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 289.

subdepressum Carter, Mon. p. 276, 283, t. 3, f. 3. — N. S. Wales

sulcatulum Fairm. et Germain, Col. Chile 1860, p. 2. — Chile

tasmanicum Champ. Trans. Ent. Soc. Lond. 1894, p. 403. — Carter, Mon. p. 276. — Tasmanien

tenebrioides Er. Arch. f. Naturg. VIII, 1842, I, p. 176. — Blessig, Horae Soc. Ent. Ross. XXXIV, 1861, I, p. 101. — Carter, Mon. p. 262, 274. — ,,

tralaticium Geb. Fauna Südw.-Austr. I, 1908, p. 341, t. 3, f. 5. — Westaustralien

tropicum Blackb. Proc. Linn. Soc. N. S. Wales (2) VI, 1891, p. 537. — Carter, Mon. p. 274. — Nordaustralien

vicarium Pasc. Journ. of Entom. II, 1866, p. 480. — Carter, Mon. p. 273. — Westaustralien

victoriae Blackb. Proc. Linn. Soc. N. S. Wales (2) VI, 1891, p. 535. — Carter, Mon. p. 270, 275. — Victoria

violaceum Carter, Proc. Linn. Soc. N. S. Wales XXX, 1905, p. 182; Mon. p. 273. — N. S. Wales

65

Apasis Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 139.

blepegenoides Carter, Proc. Linn. Soc. N. S. Wales XXXIV, 1909, 1, p. 145, f. 8. — Victoria

Howitti Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 140, t. 11, f. 7. — Carter, l. c. p. 146. — ,,

var. *longicollis* Carter, l. c. p. 146. — ,,

puncticeps Lea, Proc. Linn. Soc. N. S. Wales 1896, p. 293. — Mt. Kosciusko

3

Licinoma Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 140.

elata Pasc. Ann. Mag. Nat. Hist. (4) V, 1870, p. 103. — Queensland

nitida Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 140. — Victoria

nitidissima Lea, Proc. Linn. Soc. N. S. Wales 1898, p. 587. — N. S. Wales

pallipes Blackb. Proc. Linn. Soc. N. S. Wales (2) VI, 1891, p. 542. — Australien

sylvicola Blackb. Trans. Roy. Soc. S. Austr. XVIII, 1894, p. 219. — N. S. Wales

violacea M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 292. — Queensland

6

Brycopia Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 141. — Carter, Proc. Linn. Soc. N. S. Wales XXXIV, 1, 1909, p. 156 (Übersicht).

Cheesmani Carter, Übers. p. 154, 156. — N. S. Wales
crenaticollis Carter, Proc. Linn. Soc. N. S. Wales XXXIII, 1908, p. 415, f. 5; Übers. p. 156. — Australien
dubia M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 293. — Carter, Übers. p. 156. — Queensland
femorata Carter, Übers. p. 155, 156. — Victoria
globulosa Carter, Proc. Linn. Soc. N. S. Wales XXX, 1905; p. 184; Übers. p. 156. — N. S. Wales
longipes M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 293. — Carter, Übers. p. 156. — Queensland
minor Carter, Proc. Linn. Soc. N. S. Wales XXX, 1905, p. 183; Übers. p. 156. — N. S. Wales
minuta Lea, Proc. Linn. Soc. N. S. Wales, 1898, p. 583. — Carter, Übers. p. 156. — Sydney
monilicornis M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 289. — Carter, Übers. p. 156. — Queensland
parvula M'Leay, l. c. p. 290. — Carter, Übers. p. 156. — „
pilosella Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 141. — Victoria
Taylori Carter, Proc. Linn. Soc. N. S. Wales XXXI, 1906, p. 258, t. 20, f. 6; Übers. p. 156. — N. S. Wales
tuberculifera Champ. Trans. Ent. Soc. Lond. 1894, p. 405. — Carter, Übers. p. 156. — Tasmanien

13

Seirotrana Pasc.

Pasc. Journ. of Entom. II, 1866, p. 483. — Carter, Proc. Linn. Soc. N. S. Wales XXXIII, 2, 1908, p. 392—401 (Übers.).

bimetallica Carter, Proc. Linn. Soc. N. S. Wales XXXIV, 1909, 1, p. 153. — N. S. Wales
catenulata Boisd. Voy. Astrol. II, 1835, p. 276. — Pasc. Journ. of Ent. II, 1866, p. 483. — Carter, Mon. p. 393, 397. — Australien
crenicollis Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 43, t. 10, f. 4. — Carter, Übers. p. 397. — Victoria
denticollis Carter, Mon. p. 397, 400, f. 2. — Westaustralien
elongata Er. Arch. f. Naturg. VIII, 1842, I, p. 177. — Carter, Mon. p. 393, 398. — Tasmanien
femoralis M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 292. — Carter, Mon. p. 397. — Queensland
geniculata Haag, Verh. Ver. naturw. Unterh. Hamburg, III, 1878, p. 102; Journ. Mus. Godeffr. XIV, 1879, p. 129 nota. — Carter, Mon. p. 394, 397. — N. S. Wales?
integricollis Haag, l. c. p. 102; l. c. p. 128. — Carter, Mon. p. 393, 398. — Queensland
major Blackb. Trans. Roy. Soc. S. Austr. XV, 1892, p. 228. — Carter, Übers. p. 395, 397. — N. S. Wales
Mastersi Pasc. Ann. Mag. Nat. Hist (4) V, 1870, p. 104. — Carter, Übers. p. 396, 397. — Queensland
monticola Blackb. Proc. Linn. Soc. N. S. Wales (2) VI, 1891, p. 541. — Carter, Übers. p. 397. — Victoria

nosodermoides Pasc. Ann. Mag. Nat. Hist. (4) V, 1870, p. 104. — Carter, Übers. p. 397. — Queensland

parallela Germ. Linn. Ent. III, 1848, p. 199. — Carter, Übers. p. 393, 398. — Süd-australien, Victoria

congesta Pasc. Journ. of Ent. II, 1866, p. 482.

proxima Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 43. — Carter, Übers. p. 394, 397. — Victoria

punctifera M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 291. — Carter, Übers. p. 398. — Queensland

repanda Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 137. — Carter, Übers. p. 394, 398. — „

dispar Blackb. Proc. Linn. Soc. N. S. Wales (2) VI, 1891, p. 542. — N. S. Wales

simplex Blackb. l. c. p. 540. — Carter, Übers. p. 398. — Süd-australien

strigipennis Bates, Trans. Ent. Soc. Lond. 1873, p. 365. — Carter, Übers. p. 397. — Australien

uniformis Carter, Übers. p. 398, 401. — N. S. Wales

vertebralis Carter, Übers. p. 397, 398. — Blaue Berge

vicina Carter, Übers. p. 397, 399, f. 1. — „ „

21

Pseudhelops Guér.

Guér. Rev. Zool. 1841, p. 124. — Lacord. Gen. Col. V, 1859, p. 441. — Broun, Subant. Isl. New Zeal. I, 1909, p. 106.

annulipes Fauv. Rev. d'Ent. XXIII, 1904, p. 192. — Neu-Caledonien

fasciatus All. Le Natural. 1894, p. 116. — Indien

fossatus Fauv. Rev. d'Ent. XXIII, 1904, p. 191. — Neu-Caledonien

interruptus Broun, Subant. Isl. N. Zeal. I, 1909, p. 108. — Neu-Seeland

macellus Fauv. Rev. d'Ent. XXIII, 1904, p. 192. — Neu-Caledonien

posticalis Broun, Subant. Isl. New. Zeal. I, 1909, p. 107. — Neu-Seeland

quadricollis Broun, l. c. p. 107, t. 5, f. 8. — „

remotus Fauv. Rev. d'Entom. XXIII, 1904, p. 191. — Neu-Caledonien

trapezus Fauv. l. c. p. 190, 193. — „

tuberculatus Guér. Rev. Zool. 1841, p. 12. — Broun, Subant. Isl. New Zeal. I, 1909, p. 106. — Auckland

10

Neoadelium Carter.

Carter, Proc. Linn. Soc. N. S. Wales XXXIII, 1908, p. 259.

austrocaledonicum Montr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 301, t. 7, f. 7. — Fauv. Rev. d'Ent. XXIII, 1904, p. 189. — Neu-Caledonien

externecostatum Bates, Trans. Ent. Soc. Lond. 1873, p. 368. — Fauv. Rev. d'Ent. XXIII, 1904, p. 190. — „

Fairmairei Bates, l. c. p. 366. — Fauv. l. c. p. 190. — „

marginatum Bates, l. c. p. 367. — Fauv. l. c. p. 190. — „

pustulosum Fauv. l. c. p. 189. — „

5

Cymbeba Pasc.

Pasc. Journ. of Ent. II, 1866, p. 483.

Bavayi Fauv. Rev. d'Ent. XXIII, 1904, p. 194. Neu-Caledonien

dissimilis Pasc. Journ. Ent. II, 1866, p. 484, t. 19, f. 8. — Bates, Ann. Mag. Nat. Hist. (4) XIII, 1874, p. 111 (31). — Fauvel, l. c. p. 194, 195. Cap York, Neu-Caledonien

exul Montr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 302; Fauv. l. c. p. 194, 196. Neu-Caledonien

nigroaenea Bates, Trans. Ent. Soc. Lond. 1873, p. 36.

indigacea Fauv. Rev. d'Ent. XXIII, 1904, p. 194, 196. „

muscorum Fauv. l. c. p. 194, 195. „

planipennis Fauv. l. c. p. 194, 196. „

sulcipennis Fauv. l. c. p. 194, 195. „

7

Pheloneis Pasc.

Pasc. Journ. of Ent. II, 1866, p. 483. — Bates, Ann. Mag. Nat. Hist. (4) XIII, 1874, p. 112. — Carter, Proc. Linn. Soc. N. S. Wales XXXIII, 2, 1908, p. 258.

Amarosoma Redt. Reise Novara II, 1868, p. 131.

aeratum Broun, Man. New Zeal. Col. I, 1880, p. 388. Neuseeland

aucklandianum Broun, l. c. p. 387. „

bullatum Pasc. Ann. Mag. Nat. Hist. (4) XVII, 1875, p. 52. Otago

Chalmeri Broun, New Zeal. Journ. Sc. I, p. 378. Neuseeland

Cheesemani Broun, l. c. p. 378. „

dunedinis Sharp, Trans. Roy. Dubl. Soc. (2) III, 1886, p. 410. „

gratiosum Broun, Man. New Zeal. Col. V, 1893, p. 1158. „

Hanseni Broun, New Zeal. Journ. Sc. II, p. 385; Man. New Zeal. Col. IV, 1886, p. 929. „

harpaloides White, Voy. Ereb. Terror 1846, p. 11, t. 1, f. 14. „

amaroides Bates, Ann. Mag. Nat. Hist. (4) XIII, 1874, p. 112.

Hudsoni Broun, Ann. Mag. Nat. Hist. (8) III, 1910, p. 411. „

intermedium Sharp, Trans. Roy. Dubl. Soc. (2) III, 1886, p. 410. „

lentum Broun, Man. New Zeal. Col. I, 1880, p. 389. „

miniatum Broun, l. c. V, 1893, p. 1157. „

multistriatum Sharp, Trans. Roy. Dubl. Soc. (2) III, 1886, p. 409. „

nigritulum Broun, New Zeal. Journ. Sc. II, p. 386; Man. New Zeal. Col. IV, 1886, p. 930. „

sericatum Sharp, Trans. Roy. Dubl. Soc. (2) III, 1886, p. 409. „

simplex Sharp, l. c. p. 409. „

simulans Redt. Reise Novara II, 1868, p. 132. „

harpaloides Lacord. Gen. Col. V, 1859, p. 438, nota 1. — Pasc. Journ. of Entom. II, 1866, p. 483.

thoracicum Broun, Man. New Zeal. Col. I, 1880, p. 390. „

turgidulum Broun, l. c. V, 1893, p. 1158. „

Urquharti Broun, l. c. p. 1157. „

zelandicum Bates, Ann. Mag. Nat. Hist. (4) XIII, 1874, p. 110 (30). „

22

Coripera Pasc.

Pasc. Journ. of Ent. II, 1866, p. 483.

bistriata	Carter, Proc. Linn. Soc. N. S. Wales XXXIII, 1908, p. 414, f. 4.	Tasmanien
deplanata	Boisd. Voy. Astrol. II, 1835, p. 277, t. 7, f. 6. — Lacord. Gen. Col. V, 1859, p. 438, nota 1. — Pasc. Journ. of Entom. II, 1866, p. 483.	Australien
distincta	Carter, Proc. Linn. Soc. N. S. Wales XXX, 1905, p. 185.	N. S. Wales
geminata	Lea, op. cit. 1898, p. 588.	„
Mastersi	M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 292.	Queensland
Morleyana	Carter, Proc. Linn. Soc. N. S. Wales XXX, 1905, p. 184.	N. S. Wales
ocellata	Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 44, t. 10, f. 5.	Australien

7

Acrothymus Pasc.

Pasc. Journ. of Entom. II, 1866, p. 476.

coenosus	Pasc. l. c. p. 476.	Australien
tristis	Montr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 302.	Neu-Caledonien

2

Dinoria Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 141.

caelioides	Pasc. Ann. Mag. Nat. Hist. (4) V, 1870, p. 103.	Queensland
picta	Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 141.	Tasmanien

2

Dystalica Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 142.

homogena	Pasc. l. c. p. 142.	West-australien
panagaeicollis	M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 290.	Queensland
parallela	Lea, Proc. Linn. Soc. N. S. Wales 1898, p. 586.	West-australien
subpubescens	Bates, Trans. Ent. Soc. Lond. 1873, p. 369.	N. S. Wales

4

Mesopatrum Broun.

Broun, Man. New Zeal. Col. VI, 1893, p. 1355.

granulosum	Broun, l. c. p. 1355.	Neuseeland

1

Periatrum Sharp.

Sharp, Trans. Roy. Dubl. Soc. (2) III, 1886, p. 407.

Helmsi Sharp, l. c. p. 408, t. 13, f. 5. Neuseeland
tumipes Broun, Man. New Zeal. Col. VII, 1893, p. 1456. „
2

Cerodolus Sharp.

Sharp, Trans. Roy. Dubl. Soc. (2) III, 1886, p. 410.

aeneus Broun, Man. New Zeal. V, 1893, p. 1162. Neuseeland
chrysomeloides Sharp, Trans. Roy. Dubl. Soc. (2) III, 1886, p. 411, t. 13, f. 6. „
genialis Broun, Man. New Zeal. Col. V, 1893, p. 1162. „
3

Edalus Broun.

Broun, Man. New Zeal. Col. V, 1893, p. 1159.

alienus Broun, l. c. I, 1880, p. 391. Neuseeland
opacus Broun, l. c. V, 1893, p. 1160. „
pleuralis Broun, Ann. Mag. Nat. Hist. (6) XII, 1893, p. 289. „
3

Leptogastrus M'Leay.

M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 293.

Mastersi M'Leay, l. c. p. 294. Queensland
1

Asiopus Sharp.

Sharp in Whymper's Trav. Great Andes Equat. Suppl. 1891, p. 43.

opatroides Sharp, l. c. p. 43. Ecuador
1

Laena Latr.

Latr. Règne anim. ed. 2, II, 1829, p. 39. — Cast. Hist. Nat. II, 1840, p. 237. — Sol. Studi Ent. 1848, p. 152 (6), 188 (42). — Redt. Gattungen 1845, p. 129; Fn. Austr. 1849, p. 53, 599; ed. II, 1858, p. CVIII u. p. 619; ed. III, 1874, p. CXX u. II, p. 123. — Lacord. Gen. Col. V, 1859, p. 439. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 320. — Seidl. Fn. Balt. ed. 2, 1891, p. 135 (Gatt.); Fn. Transs. 1891, p. 135 (Gatt.); Naturg. Ins. Deutschl. V, 1896, p. 670. — Weise, Verh. Nat. Ver. Brünn XVI, 1878, p. 227. — Reitt. Deutsche Ent. Zeitschr. XXIX, 1885, p. 398—400 (Übers. üb. die ganze Gattung); XXXI, 1887, p. 521—523; 1899, p. 282—286; 1906, p. 443—448; 1908, p. 275—278; Wien. Ent. Zeit. XX, 1901, p. 61—63 (die letzten 5 Arbeiten sind Übersichten über einzelne Gruppen.)

Subgen. *Catolaena* Reitt. Deutsche Ent. Zeitschr. 1906, p. 443.

alaiensis Reitt. Deutsche Ent. Zeitschr. 1906, p. 446 *(Catolaena)*. Turkestan

alternata Reitt. Deutsche Ent. Zeitschr. XXIX, 1885, p. 398, 401. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 673 (*Laena* s. str.). — Türkei

angorensis Reitt. Deutsche Ent. Zeitschr. 1899, p. 284 (*Laena* s. str.). — Angora

angusta Weise, Verh. Nat. Ver. Brünn XVI, 1878, p. 233. — Reitt. Deutsche Ent. Zeitschr. XXIX, 1885, p. 399; XXXI, 1887, p. 522. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 673 (*Laena* s. str.). — Kaukasus

auliensis Reitt. Wien. Ent. Zeit. XXI, 1902, p. 190; Deutsche Ent. Zeitschr. 1906, p. 445 (*Laena* s. str.). — Turkestan

Baudii Weise, Verh. Nat. Ver. Brünn XVI, 1878, p. 239. — Reitt. Deutsche Ent. Zeitschr. XXIX, 1885, p. 400; 1899, p. 284 (*Laena* s. str.). — Kaukasus

bifoveolata Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 709; Wien. Ent. Zeit. XX, 1901, p. 61; Deutsche Ent. Zeitschr. 1906, p. 446 (*Laena* s. str.). — Kanssu

Bodemeyeri Reitt. Wien. Ent. Zeit. XXII, 1903, p. 224 (*Laena* s. str.). — Kleinasien

brevipennis Reitt. Wien. Ent. Zeit. XX, 1901, p. 63; Deutsche Ent. Zeitschr. 1906, p. 447 *(Catolaena)*. — Turkestan

ceylonica Motsch. Etudes Ent. VII, 1858, p. 111. — Ceylon

clivinoides Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 243; XXV, 1881, p. 290; Bull. Soc. Ent. Ital. VIII, 1876, p. 261 (*Laena* s. str.). — Cypern

clypealis Fairm. Notes Leyd. Mus. XVIII, 1896, p. 98. — Simla

convexicollis Reitt. Deutsche Ent. Zeitschr. 1908, p. 275 (*Laena* s. str.). — Himalaya

corallipes Reitt. l. c. p. 275, 277, 280 (*Laena* s. str.). — Kaschmir

cribrella Reitt. l. c. p. 275, 277, 280 (*Laena* s. str.). — „

curvipes Desbr. Bull. Ac. d'Hipp. XVI, 1881, p. 134 (86). — Reitt. Deutsche Ent. Zeitschr. XXIX, 1885, p. 400; 1899, p. 285 (*Laena* s. str.). — Cypern

denticrus Fairm. Notes Leyd. Mus. XVIII, 1896, p. 97. — Simla

dentipennis Reitt. Deutsche Ent. Zeitschr. 1908, p. 277, 277, 279 (*Laena* s. str.). — „

dentitibia Reitt. Wien. Ent. Zeit. XX, 1901, p. 62; Deutsche Ent. Zeitschr. 1906, p. 446 (*Laena* s. str.). — Buchara

deplanata Weise, Verh. Nat. Ver. Brünn XVI, 1878, p. 240. — Reitt. Deutsche Ent. Zeitschr. XXIX, 1885, p. 400; 1899, p. 284 (*Laena* s. str.). — Smyrna

dilutella Solsky, Trudy Ent. Ross. XIII, 1881, p. 55. — Reitt. Deutsche Ent. Zeitschr. 1899, p. 285; 1906, p. 445; Wien. Ent. Zeit. XX, 1901, p. 61 (*Laena* s. str.). — Turkestan, Transkaspien

Edda Reitt. Deutsche Ent. Zeitschr. 1906, p. 447 (*Laena* s. str.). — Turkestan

ferruginea Küst. Käf. Eur. V, 1846, 68. — Baudi, Bull. Soc. Ent. Ital. VIII, 1876, p. 260. — Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 133. — Reitt. Deutsche Ent. Zeitschr. XXIX, 1885, p. 400; 1899, p. 286. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 674 (*Laena* s. str.). — Dalmatien, Griechenland

Marthae Reitt. Verh. zool.-bot. Ges. Wien XXX, 1880, p. 224.

villosula Motsch. Bull. Mosc. XXIV, 1851, p. 594.

var. *minima* Motsch. Etudes Ent. VII, 1858, p. 111. — Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 133. — Reitt. Deutsche Ent. Zeitschr. 1899, p. 286.

Krueperi Reitt. Deutsche Ent. Zeitschr. XXV, 1881, p. 222 nota; XXIX, 1885, p. 400.

Ganglbaueri Reitt. Wien. Ent. Zeit. X, 1891, p. 33 (*Laena* s. str.). — Türkei

Gebieni Reitt. Deutsche Ent. Zeitschr. 1906, p. 443; 1908, p. 276 (*Laena* s. str.). — Kaschmir

var. *kaschmirensis* Reitt. l. c. p. 443; l. c. p. 276. — „

glabriuscula Sahlb. Öfv. Finska Vet. Ak. Förh. 1907—08 (1909), nr. 7, p. 87. — Libanon

graeca Weise, Verh. Nat. Ver. Brünn XVI, 1878, p. 231. — Reitt. Deutsche Ent. Zeitschr. XXIX, 1885, p. 399. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 673 (*Laena* s. str.). — Griechenland

Hauseri Reitt. Deutsche Ent. Zeitschr. 1906, p. 445 (*Laena* s. str.). — Turkestan

Heydeni Weise, Ent. Monatsbl. II, 1880, p. 102. — Reitt. Deutsche Ent. Zeitschr. XXIX, 1885, p. 398. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 672 (*Laena* s. str.). — Griechenland, Balkan

hirtella Solsky, Trudy Ent. Ross. XIII, 1881, p. 54. — Reitt Wien. Ent. Zeit. XX, 1901, p. 61; Deutsche Ent. Zeitschr. 1906, p. 445 (*Laena* s. str.). — Turkestan

hirtipes Reitt. Deutsche Ent. Zeitschr. XXV, 1881, p. 222; XXIX, 1885, p. 400; 1899, p. 283 (*Laena* s. str.). — Lenkoran

Hopffgarteni Weise, Verh. Nat. Ver. Brünn XVI, 1878, p. 230; Deutsche Ent. Zeitschr. XXII, 1878, p. 59. — Reitt. Deutsche Ent. Zeitschr. XXIX, 1885, p. 398. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 672 (*Laena* s. str.). — Ungarn, Serbien, Türkei

indica Fairm. Notes Leyd. Mus. XVIII, 1896, p. 96. — Reitt. Deutsche Ent. Zeitschr. 1908, p. 276 (*Laena* s. str.). — Simla

jalaorana Reitt. Deutsche Ent. Zeitschr. 1908, p. 276, 278 (*Laena* s. str.). — Himalaya

Justinae Reitt. Deutsche Ent. Zeitschr. XXXI, 1887, p. 523 (*Laena* s. str.). — Kaukasus

Kaufmanni Reitt. Deutsche Ent. Zeitschr. XXV, 1881, p. 222; XXIX, 1885, p. 398. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 672 (*Laena* s. str.). — Dalmatien

Korbi Heyd. Deutsche Ent. Zeitschr. 1890, p. 374. — Reitt. Deutsche Ent. Zeitschr. 1899, p. 284 (*Laena* s. str.). — Kleinasien

Kraatzi Weise, Verh. Nat. Ver. Brünn. XVI, 1878, p. 236. — Reitt. Deutsche Ent. Zeitschr. XXIX, 1885, p. 398. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 672 (*Laena* s. str.). — Türkei

kuluana Reitt. Deutsche Ent. Zeitschr. 1908, p. 276, 278 (*Laena* s. str.). — Himalaya

Lacordairei Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 133. — Indien

Lederi Weise, Verh. Nat. Ver. Brünn XVI, 1878, p. 229. — Reitt. Deutsche Ent. Zeitschr. XXIX, 1885, p. 398; XXXI, 1887, p. 523 (*Laena* s. str.). — Kaukasus

libanotica Reitt. l. c. p. 400, 401; 1899, p. 285 (*Laena* s. str.). — Libanon

ongula Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 133. — „

Merkli Weise, Deutsche Ent. Zeitschr. XXVII, 1883, p. 313. — Reitt. Deutsche Ent. Zeitschr. XXIX, 1885, p. 400. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 674 (*Laena* s. str.). Türkei

minuta Fairm. Notes Leyd. Mus. XVIII, 1896, p. 97. Simla

nigritissima Reitt. Deutsche Ent. Zeitschr. 1906, p. 444; 1908, p. 275 (*Laena* s. str.). Kaschmir

obscuricornis Reitt. op. cit. 1899, p. 283 (*Laena* s. str.). Kleinasien

Oertzeni Reitt. op. cit. XXIX, 1885, p. 399, 401. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 674 (*Laena* s. str.). Kreta

Ormayi Reitt. op. cit. XXXI, 1887, p. 523. — Seidl. l. c. p. 673 (*Laena* s. str.). Siebenbürgen

osmanlis Reitt. Deutsche Ent. Zeitschr. 1906, p. 447 (*Laena* s. str.). Türkei

parvidens Reitt. op. cit. 1890, p. 373; 1899, p. 285 (*Laena* s. str.). Kleinasien

parvula Reitt. op. cit. XXIX, 1885, p. 400, 402; 1899, p. 286 (*Laena* s. str.). Libanon

Pici Reitt. op. cit. 1900, p. 87 (*Laena* s. str.). Syrien

piligera Weise, Verh. Nat. Ver. Brünn XVI, 1878, p. 233. — Reitt. Deutsche Ent. Zeitschr. XXIX, 1885, p. 400; 1899, p. 285 (*Laena* s. str.). Kaukasus

♂ *longicornis* (scr. *longicollis*) Weise, l. c. p. 237.

var. *byzantina* Apfelb. Wiss. Mitt. Bosn. VIII, 1901, p. 466. Konstantinopel

pilosissima Reitt. Deutsche Ent. Zeitschr. 1906, p. 448 (*Laena* s. str.). Bukarest

pulchella Fisch. Ent. Imp. Ross. II, 1824, p. 201, t. 22, f. 8. — Reitt. Deutsche Ent. Zeitschr. XXIX, 1885, p. 399 (*Laena* s. str.). Türkei, Südrußland

pubella Sol. Studi Entom. 1848, p. 190 (44). — Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 132. — Baudi, Bull. Soc. Ent. Ital. VIII, 1876, p. 260. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 673.

rubiginosa Sol. l. c. p. 190. — Baudi, l. c. p. 260.

quadricollis Weise, Verh. Nat. Ver. Brünn XVI, 1878, p. 232. — Reitt. Deutsche Ent. Zeitschr. XXIX, 1885, p. 399; XXXI, 1887, p. 522 (*Laena* s. str.). Kaukasus

Reitteri Weise, l. c. XV, 1877, p. 27, t. 1, f. 9. — Reitt. l. c. p. 399, l. c. p. 522. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 673 (*Laena* s. str.). Karpathen, Siebenbürgen

robusta Reitt. Deutsche Ent. Zeitschr. 1906, p. 446 (*Catolaena*). Samarkand

Rosti Reitt. l. c. p. 444; 1908, p. 276 (*Laena* s. str.). Kaschmir

rotundicollis Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 134. Japan

rubripes Reitt. Deutsche Ent. Zeitschr. 1908, p. 277, 277, 279 (*Laena* s. str.). Kaschmir

Schwarzi Reitt. op. cit. XXIX, 1885, p. 402; XXXI, 1887, p. 523 (*Laena* s. str.). Corfu

Starcki Reitt. op. cit. XXXI, 1887, p. 523, 524 (*Laena* s. str.). Circassien

striolata Reitt. op. cit. 1899, p. 285 (*Laena* s. str.). Kleinasien

parvidens (pars) Reitt. op. cit. 1890, p. 373.

syriaca Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 243; Bull. Soc. Ent. Ital. VIII, 1876, p. 261. — Reitt. Deutsche Ent. Zeitschr. XXIX, 1885, p. 400; 1899, p. 286 (*Laena* s. str.). Syrien, Cypern

theana Reitt. Deutsche Ent. Zeitschr. 1899, p. 283 (*Laena* s. str.). — Kleinasien

turcica Reitt. l. c. p. 282 (*Laena* s. str.). — Türkei

turkestanica Reitt. Deutsche Ent. Zeitschr. 1897, p. 221; Wien. Ent. Zeit. XX, 1901, p. 62; Deutsche Ent. Zeitschr. 1906, p. 447 (*Catolaena*). — Turkestan

viennensis Sturm, Käf. II, 1807, p. 180, t. 41, f. a, A. — Lacord. Gen. Col. V, 1859, p. 730. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, t. 78, f. 387. — Baudi, Bull. Soc. Ent. Ital. VIII, 1876, p. 259. — Seidl. Fn. Transs. 1891, p. 559; Naturg. Ins. Deutschl. V, 1896, p. 673, 674 (*Laena* s. str.). — Österreich, Schweiz

pimelia Duft. Fn. Austr. II, 1812, p. 289. — Cast. Hist. Nat. II, 1840, p. 237. — Küst. Käf. Eur. V, 1846, 67. — Sol. Studi Ent. 1848, p. 189 (43), t. 6, f. 10—14. — Redt. Fn. Austr. 1849, p. 599, ed. II, 1858, p. 619; ed. III, 1874, II, p. 123. — Weise, Verh. Nat. Ver. Brünn XVI, 1878, p. 228. — Reitt. Deutsche Ent. Zeitschr. XXIX, 1885, p. 399; XXXI, 1887, p. 522.

Weisei Reitt. Verh. Nat. Ver. Brünn XVI, 1878, p. 238; Deutsche Ent. Zeitschr. XXIX, 1885, p. 399; 1899, p. 282. — Griechenland

71

Prolabrus Fairm.

Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 111.

parallelus Fairm. l. c. p. 111. — Madagaskar

1

LXXIX. Helopinae.

J. Leconte, Class. Col. N. Amer. 1862, p. 240; ed. II, 1883, p. 385. — Jacquelin du Val, Gen. Col. d'Eur. III, 1861, p. 320. — Horn, Revis. Tenebr. N. Amer. in Trans. Amer. Philos. Soc. (n. s.) XIV, 1870 (1872), p. 300, 391. — Seidlitz, Naturg. Ins. Deutschl. V, 1896, p. 676. — Reitter, Best.-Tab. LIII, in Verh. Nat. Ver. Brünn XLII, 1904, p. 34.

Helopides vrais et *Misolampides* Lacordaire, Gen. Col. V, 1859, p. 440, 447.

Omolipus Pasc.

Pasc. Journ. of Ent. I, 1860, p. 127.

affinis Geb. Fauna Südw.-Austr. I, 1908, p. 333. — Westaustralien

chalybeus Geb. l. c. p. 332. — „

corvus Pasc. Journ. of Ent. I, 1860, p. 127, t. 6, f. 9. — Australien

cyaneipennis Champ. Trans. Ent. Soc. Lond. 1894, p. 394, t. 8, f. 12. — N. W. Australien

cyaneus Pasc. Ann. Mag. Nat. Hist. (4) V, 1870, p. 98. — King George's Sund

gnesioides Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 143. — Queensland

grandis M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 294. — Queensland
laevis Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 142. — Cap York
oblongus Bates, Trans. Ent. Soc. Lond. 1873, p. 379. — Champ. Trans. Ent. Soc. Lond. 1894, p. 393. — West-australien
parvus Bates, l. c. p. 379. — „
socius Pasc. Ann. Mag. Nat. Hist. 1862, p. 463; (4) III, 1869, p. 143. — Ins. Lizard b. Queensland
submetallicus Geb. Fauna Südw.-Austr. I, 1908, p. 333 nota. — Cap York
12

Campolene Pasc.

Pasc. Journ. of Ent. II, 1863, p. 44.

nitida Pasc. l. c. p. 44, t. 2, f. 4. — N. S. Wales
1

Metisopus Bates.

Bates, Trans. Ent. Soc. Lond. 1873, p. 370.

purpureipennis Bates, l. c. p. 371. — Ins. Norfolk
1

Isopus Montrouz.

Montrouz. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 299. — Bates, Trans. Ent. Soc. Lond. 1873, p. 374.

Allardi Bates, l. c. p. 376. — Fauv. Rev. d'Ent. XXIII, 1904, p. 200. — Neu-Caledonien
apicipennis Fauv. l. c. p. 198, 201. — „
Blanchardi Montr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 299. — Bates, Trans. Ent. Soc. Lond. 1873, p. 375. — Fauv. Rev. d'Ent. XXIII, 1904, p. 198, 200. — „
caledonicus Bates, l. c. p. 377. — Fauv. l. c. p. 198, 199. — „
cyaneus Bates, l. c. p. 377. — Fauv. l. c. p. 197, 199. — „
kanak Fauv. l. c. p. 197, 198. — „
morychoides Fauv. l. c. p. 198, 202. — „
obtusus Fauv. l. c. p. 197, 199. — „
oxygaster Montrouz. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 300. — Bates, Trans. Ent. Soc. Lond. 1873, p. 378. — Fauv. l. c. p. 198, 202. — „
productus Fauv. l. c. p. 198, 200. — „
robustus Bates, Trans. Ent. Soc. Lond. 1873, p. 375. — Fauv. l. c. p. 198, 199. — „
sulcifer Fauv. l. c. p. 197, 201. — „
12

Episopus Bates.

Bates, Trans. Ent. Soc. Lond. 1873, p. 372. — Fauv. Rev. d'Ent. XXIII, 1904, p. 202.

cavipennis Fauv. l. c. p. 203. — Neu-Caledonien
Championi Fauv. l. c. p. 203, 204. — „

convexus Montr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 300. — Fauv. l. c. p. 203. Neu-Caledonien
politus Bates, Trans. Ent. Soc. Lond. 1873, p. 373. — Fauv. l. c. p. 203. „
violaceipennis Fauv. Rev. d'Ent. 1904, p. 204. „
viridipennis Fauv. l. c. p. 203, 205. „
6

Ceramba Fauv.

Fauv. Rev. d'Ent. XXIII, 1904, p. 206.

hydrovatina Fauv. l. c. p. 206. Neu-Caledonien
1

Chlorocamma Bates.

Bates, Trans. Ent. Soc. Lond. 1873, p. 371.

Iris Fauv. Bull. Soc. Linn. Normand. (2) I, 1867, p. 189 nota; Rev. d'Ent. XXIII, 1904, p. 205, 206. Neu-Caledonien
sulcatum Montr. Ann. Soc. Ent. Fr. (3) VIII, 1860, p. 291. — Fauv. Rev. d'Ent. XXIII, 1904, p. 205. „
elongatum Montr. l. c. p. 291.
carenipenne Bates, Trans. Ent. Soc. Lond. 1873, p. 372.
viridipennis Montrouz. Ann. Soc. Agr. Lyon VII, 1855, p. 32. Insel Woodlark
3

Leiopeplus Broun.

Broun, Man. New Zeal. Col. V, 1893, p. 1160.

expolitus Broun, l. c. I, 1880, p. 392. Neuseeland
1

Haporema Fairm.

Fairm. Rev. d'Ent. XI, 1892, p. 109.

decipiens Fairm. l. c. p. 109. Obock
1

Toxocnema Fåhr.

Fåhr, Öfv. Vet. Ak. Förh. XXVII, 1870, p. 304.

rufitarsis Fåhr. l. c. p. 305. Caffrarien
1

Stenophanes Solsky.

Solsky, Horae Soc. Ent. Ross. XI, 1875, p. 294. — Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. XVIII.

mesostena Solsky, l. c. VII, 1871, p. 376; XI, 1875, p. 295, t. 1, f. 8. — Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. XVIII. Ostsibirien, Korea

rubripennis Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 137. — All. Mitth. Schweiz. Ent. Ges. V, 1878, p. 62. — Lewis, Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 477. — Japan

strigipennis Mars. l. c. p. 138. — All. l. c. p. 62. — Lew. l. c. p. 477. — „

3

Hexaroptrum Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 38.

Hexarhopalus Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. XIX.

foveipenne Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 38. — Kurseong

sculpticolle Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. XIX. — Chang Yang

2

Misolampidius Solsky.

Solsky, Horae Soc. Ent. Ross. XI, 1875, p. 292. — Kolbe, Arch. f. Naturg. LII, 1886, I, p. 204, t. 10, f. 1, 11—19.

Ptilonix All. Mitth. Schweiz. Ent. Ges. V, 1878, p. 62.

clavicrus Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 139. — All. l. c. p. 63. — Lewis, Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 476. — Japan, Korea

morio Kolbe, Arch. Naturg. LII, 1886, I, p. 209, t. 11, f. 35.

entomogonoides All. Bull. Soc. Ent. Fr. 1896, p. 319. — Sikkim

indicus All. Mitth. Schweiz. Ent. Ges. V, 1878, p. 63. — Himalaya

laevicollis All. l. c. p. 62. — „

molytopsis Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 135. — Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 476. — Japan

rugipennis Lew. l. c. p. 476, t. 13, f. 10. — „

tentyrioides Solsky, Horae Soc. Ent. Ross. XI, 1875, p. 293, t. 1, f. 7. — Ostsibirien

7

Misolampus Latr.

Latr. Gen. Crust. et Ins. II, 1807, p. 160. — Cast. Hist. Nat. II, 1840, p. 204. — Brême, Rev. Zool. 1842, p. 81 (9). — Sol. Studi Ent. 1848, p. 151 (5), 183 (37). — Lacord. Gen. Col. V, 1859, p. 442. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 319. — Baudi, Bull. Soc. Ent. Ital. VIII, 1876, p. 262. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 677. — Vaulog. Ann. Soc. Ent. Fr. LXVIII, 1899, p. 672, 673.

Erichsoni Vaulog. l. c. p. 674. — Algier

Goudoti Er. Wagn. Reise III, 1841, p. 184, t. 8. — Sol. Studi Ent. 1848, p. 187 (41), t. 6, f. 6—9.

gibbulus Herbst, Käf. VIII, 1799, p. 51, t. 120, f. 7. — Sol. Studi Ent. 1848, p. 185 (39). — Cast. Hist. Nat. II, 1840, p. 204. — Lacord. Gen. Col. Atl. t. 57, f. 5. — Brême, Rev. Zool. 1842, p. 82 (10). — Portugal

Hoffmannseggi Latr. Gen. Crust. Ins. II, 1807, p. 161, t. 10, f. 8. — Guér. Icon. règne anim. t. 29, f. 3 a; Mag. Zool. 1834, t. 114, f. 2, 3.

Goudoti Guér. Mag. Zool. 1834, Mélas. p. 28, t. 114, f. 1. — Brême, Rev. Zool. 1842, p. 83 (11). — Vaulog. Ann. Soc. Ent. Fr. LXVIII, 1899, p. 674. Marokko

lusitanicus Brême, Rev. Zool. 1842, p. 82 (10). Portugal

Ramburi Brême, l. c. p. 83 (11). — Sol. Studi Ent. 1848, p. 186 (40). Spanien

scabricollis Graëlls, Rev. Zool. 1849, p. 621; Mem. Ac. Cienc. Madrid I, 2, p. 138; Ann. Soc. Ent. Fr. (2) IX, 1851, p. 15, t. 1, f. 4. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, t. 78, f. 386. „

subglaber Rosh. Thiere Andalus. 1856, p. 204. „

7

Gnesis Pasc.

Pasc. Journ. of Ent. II, 1866, p. 477.

Tromosternus Haag, Abh. Ver. Bremen, V, 1876, p. 130.

helopioides Pasc. l. c. p. 478. — Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 136. Japan

Haagi Har. Abh. Ver. Bremen V, 1876, p. 131. — Waterh. Aid ident. Ins. II, 1882—90, t. 158, f. 6. — Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 476.

1

Menandris Haag.

Haag, Verh. Ver. naturw. Unterh. Hamburg III, 1878, p. 103; Journ. Mus. Godeffr. XIV, 1879, p. 131.

aenea Haag, l. c. p. 103; l. c. p. 131. Ovalau, Upolu

1

Asopis Haag.

Haag, Verh. Ver. naturw. Unterh. Hamburg III, 1878, p. 104; Journ. Mus. Godeffr. XIV, 1879, p. 132.

suavis Haag, l. c. p. 104; l. c. p. 132. Ovalau

1

Carabelops Fairm.

Fairm. Ann. Soc. Ent. Belg. XLIII, 1899, p. 534.

aenescens Fairm. l. c. p. 534. Madagaskar

1

Telethrus Pasc.

Pasc. Ann. Mag. Nat. Hist. (5) IX, 1882, p. 29.

ebeninus Pasc. l. c. p. 29; (5) XX, 1887, t. 1, f. 10. Santarem

1

Heliofugus Guér.

Guér. Voy. Coquille Ent. II, 1830, p. 96. — Cast. Hist. Nat. II, 1840, p. 205. — Brême, Rev. Zool. 1842, p. 111 (21). — Lacord. Gen. Col. V, 1859, p. 443.

Euschatia Sol. in Gay, Hist. Chile V, 1851, p. 227.
Heliophygus Gemm. et Har. Cat. Col. VII, 1870, p. 2008. — Fairm. Ann. Soc. Ent. Fr. (5) V, 1875, p. 191 (Mon.).

arenosus Guér. Voy. Coqu. II. 1830, p. 96, t. 4 f. 6. — Brême, Rev. Zool. 1842, p. 112 (22). — Cast. Hist. Nat. II, 1840, p. 205. — Fairm. Mon. p. 199. — Chile
parvus Sol. in Gay, Hist. Chile V, 1851, p. 229.
brevipennis Fairm. Mon. p. 197. — „
collaris Germain, An. Univ. Chile 1855, p. 404. — Fairm. Mon. p. 191. — „
cribriceps Fairm. Mon. p. 196. — „
cryptocephalus Philippi, Stett. Ent. Zeit. XXV, 1864, p. 348. — Fairm. Mon. p. 192. — „
impressus Guér. Mag. Zool. 1834, Mélas. p. 27. — Brême, Rev. Zool. 1842, p. 113 (23). — Fairm. Mon. p. 194. — „
punctatus Sol. in Gay, Hist. Chile V, 1851, p. 228, t. 20, f. 3 a—e.
laticollis Sol. l. c. p. 230. — Fairm. Mon. p. 193. — „
proximus Sol. l. c. p. 229. — Fairm. Mon. p. 198. — „
punctatosulcatus Fairm. Mon. p. 197. — „
punctatostriatus Fairm. Col. Chili 1861, p. 5; Mon. p. 194. — „
tenuipunctatus Phil. Stett. Ent. Zeitschr. XXV, 1864, p. 349.
sulcatulus Gemm. Col. Hefte VI, 1870, p. 123. — Fairm. Mon. p. 192. — „
sulcatus Sol. in Gay. Hist. Chile V, 1851, p. 230.
sulcatus Guér. Mag. Zool. 1834, Mélas. p. 27, t. 113. — Brême, Rev. Zool. 1842, p. 113 (23). — Fairm. Mon. p. 197 nota. — La Plata
sulcipennis Germain, An. Univ. Chile 1855, p. 404. — Chile
?sulcipennis Fairm. Mon. p. 195.

13

Dinomus Brême.

Brême, Rev. Zool. 1842, p. 113 (23). — Lacord. Gen. Col. V, 1859, p. 444.

perforatus Brême, l. c. p. 114 (24). — Mexico

1

Zophius Brême.

Brême, Rev. Zool. 1842, p. 110 (20). — Lacord. Gen. Col. V, 1859, p. 444.

rufopictus Wiedem. Zool. Mag. II, 1, 1823, p. 40. — Brême, Rev. Zool. 1842, p. 111 (21). — Capland

1

Osdara Walk.

Walk. Ann. Mag. Nat. Hist. (3) II, 1858, p. 284. — Lacord. Gen. Col. V, 1859, p. 445.

brevipes Fairm. Ann. Soc. Ent. Fr. LXXI, 1902, p. 336. — Madagaskar
granosa All. Le Natur. 1894, p. 104. — Indien

hovana Fairm. Ann. Soc. Ent. Fr. LXXI, 1902, p. 336. Madagaskar
laevicollis Pasc. Journ. of Ent. I, 1862, p. 328. Ceylon
picipes Walk. Ann. Mag. Nat. Hist. (3) II, 1858, p. 285. — Lacord. Gen. Col. V, 1859, p. 446, Atl. t. 57, f. 4. ,,
plicicollis Fairm. Notes Leyd. Mus. XVIII, 1896, p. 233. Neu-Guinea
6

Baratus Fairm.

Fairm. Notes Leyd. Mus. XVIII, 1896, p. 233.

crenulatus Fairm. l. c. p. 234. Philippinen
1

Zabroideus Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 219.

pinguis Fairm. l. c. p. 220. Tibet
1

Ozotypus Pasc.

Pasc. Journ. of Ent. I, 1862, p. 328.

setosus Pasc. l. c. p. 329. Ceylon
1

Euphloeus Pasc.

Pasc. Ann. Mag. Nat. Hist. (5) XX, 1887, p. 15. — Fairm. Notes Leyd. Mus. XIX, 1897, p. 222.

bigranosus Fairm. l. c. p. 221. Südindien
verrucosus Pasc. Ann. Mag. Nat. Hist. (5) XX, 1887, p. 16. Malabar
2

Micreuphloeus Fairm.

Fairm. Notes Leyd. Mus. XIX, 1897, p. 223.

asperipellis Fairm. l. c. p. 224. Ceylon
1

Tanchirus Fairm.

Fairm. Notes Leyd. Mus. XIX, 1897, p. 224.

compactus Fairm. l. c. p. 225. Indien
1

Phymaeus Pasc.

Pasc. Ann. Mag. Nat. Hist. (5) XI, 1883, p. 439.

pustulosus Pasc. l. c. p. 440. — Waterh. Aid ident. Ins. II, 1882—90, t. 158, f. 4. Ceylon
1

Sphaerocaulus Fairm.

Fairm. Ann. Soc. Ent. Fr. (4) IX, 1869, p. 235.

echidna Fairm. Bull. Mus. Paris 1906, p. 276. Madagaskar
graniger Fairm. Ann. Soc. Ent. Fr. (4) IX, 1869, p. 236. „
laevicollis Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 210. „
Perrieri Fairm. l. c. LXXI, 1902, p. 329. „
4

Moromelas Fairm.

Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 481.

foveipennis Fairm. l. c. p. 481. Madagaskar
1

Asididius Fairm.

Fairm. Ann. Soc. Ent. Fr. (4) IX, 1869, p. 236.

convexicollis Fairm. Bull. Mus. Paris 1906, p. 275. Madagaskar
Coquereli Fairm. Ann. Soc. Entr. Fr. (4) IX, 1869, p. 237. „
2

Mimopeus Pasc.

Pasc. Journ. of Ent. II, 1866, p. 477.

amaroides Pasc. l. c. p. 477. — Bates, Ann. Mag. Nat. Hist. (4) XIII, 1874, p. 474 (3). Australien
1

Saziches Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 261.

subcaudatus Champ. l. c. p. 262, t. 11, f. 22, 22 a—c. Guatemala
1

Isaminas Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 266.

brevicollis Champ. l. c. p. 267. Guatemala
gibbipennis Champ. l. c. p. 267, t. 11, f. 21. Centr.-Amerika
2

Sphaerotus Kirby.

Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 416. — Cast. Hist. Nat. II, 1840, p. 234. — Brême, Rev. Zool. 1842, p. 107 (13). — Lacord. Gen. Col. V, 1859, p. 446.

costatus Brême, l. c. p. 109 (15). Brasilien
cribratus Brême, l. c. p. 108 (14). Paraguay

curvipes Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 417, t. 21, f. 15. — Guér. Icon. règne anim. t. 32, f. 2. — Cast. Hist. Nat. II, 1840, p. 234. — Brême, Rev. Zool. 1842, p. 107 (17). Brasilien
laevigatus Brême, l. c. p. 109 (15). „
4

Mitys Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1885, p. 97, 261, 520.

inflatus Champ. l. c. p. 97, t. 5, f. 7, 7a—b. Mexico
opacus Champ. l. c. p. 98. „
politus Brême, Rev. Zool. 1842, p. 109 (15). „
laevis Champ. l. c. p. 98, 261, 520, t. 5, f. 6.
3

Oxidates Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 263.

Sphaerotus Brême, Rev. Zool. 1842, p. 107 (13) (pars).

aurichalceus Champ. Biol. Centr.-Amer. Col. IV, 1, 1886, p. 265. Mexico
elongatus Champ. l. c. 1893, p. 548. „
gibbus Champ. l. c. p. 548, t. 23, f. 10. „
gravidus Brême, Rev. Zool. 1842, p. 109 (15). — Champ. l. c. p. 264. „
mexicanus Brême, l. c. p. 110 (18). — Champ. l. c. p. 265. „
planicollis Champ. l. c. p. 264, t. 11, f. 19, 19 a—c. „
princeps Champ. l. c. p. 265, 548, t. 11, f. 20. „
puncticeps Champ. l. c. p. 266. „
thoracicus Brême, Rev. Zool. 1842, p. 110 (16). — Champ. l. c. p. 264. „
9

Piloxys Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 23.

foveatus Fairm. l. c. p. 23. Madagaskar
Perrieri Fairm. Ann. Soc. Ent. Belg. IL, 1905, p. 127. „
2

Diopethes Pasc.

Pasc. Ann. Mag. Nat. Hist. (5) IX, 1882, p. 32.

arachnoides Pasc. l. c. p. 33. — Waterh. Aid ident. Ins. II, 1882—90, t. 158, f. 3. Bahia
1

Immedia Pasc.

Pasc. Ann. Mag. Nat. Hist. (5) IX, 1882, p. 33.

erosa Pasc. op. cit. (5) XX, 1887, p. 15. Bahia
integra Pasc. op. cit. (5) XX, 1887, p. 15. Rio Janeiro
occulta Pasc. op. cit. (5) IX, 1882, p. 33. — Waterh. Aid ident. Ins. II, 1882—90, t. 153, f. 1. Bahia
3

Camarothelops Kolbe.

Kolbe, Mitt. Zool. Mus. Berl. V, 1910, p. 30.

Braueri Kolbe, l. c. p. 31. Seychellen
1

Cyphelops Fairm.

Fairm. Notes Leyd. Mus. XXIII, 1901, p. 73.

inflatus Fairm. l. c. p. 74. Madagaskar
1

Periphanes Fairm.

Fairm. Notes Leyd. Mus. IV, 1882, p. 245.

orichalceus Fairm. l. c. p. 246. Sumatra
1

Enoplopus Sol.

Sol. Studi Ent. 1848, p. 151 (5), 158 (12). — Redt. Fn. Austr. ed. II, 1858, p. CVIII u. 617; ed. III, 1874, p. CXX u. II, p. 124. — Lacord. Gen. Col. V, 1859, p. 449. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 321. — Seidl. Fn. Balt. ed. II, 1891, p. 135 (Gatt.); Fn. Transsylv. 1891, p. 135 (Gatt.); Naturg. Ins. Deutschl. V, 1896, p. 677, 678.

Acanthopus Latr. Règne anim. ed. II, 2, 1829, p. 38. — Cast. Hist. Nat. II, 1840, p. 233. — All. Abeille XIV, 1876, p. 3; Mitth. Schweiz. Ent. Ges. V, 1877, p. 15 u. 64.

dentipes Rossi, Fn. Etr. I, 1790, p. 236; ed. Hellw. I, 1795, p. 285. — Panz. Fn. Germ. L, 1798, nr. 4. — Latr. Hist. Nat. X, 1804, p. 347. — Sol. Studi Ent. 1848, p. 160 (14), t. 4, f. 7—13. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 680. Deutschland, Österreich, Ungarn, Schweiz, Italien
caraboides Petagna, Spec. Ins. Calabr. 1786, t. 1, f. 15. (s. descr.) — Germ. Reise Dalm. 1817, p. 190. — Cast. Hist. Nat. II, 1840, p. 233. — Küst. Käf. Eur. XIV, 1848, 91. — Bach, Käferf. Deutschl. III, 1856, p. 222. — Redt. Fn. Austr. ed. II, 1858, p. 618. — Jacq. du Val. Gen. Col. d'Eur. III, 1861, t. 78, f. 388. — All. Abeille XIV, 1876, p. 5; Mitth. Schweiz. Ent. Ges. V, 1877, p. 65. — Seidl. Fn. Transs. 1891, p. 559.
latissimus Stierl. Mitth. Schweiz. Ent. Ges. X, 1902, p. 426.
Reitteri Brenske, Deutsche Ent. Zeitschr. XXVIII, 1884, p. 88. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 680. Morea
2

Hegemona Cast.

Cast. Hist. Nat. II, 1840, p. 230. — Lacord. Gen. Col. V, 1859, p. 448. — All. Abeille XIV, 1876, p. 4; Mitth. Schweiz. Ent. Ges. V, 1877, p. 60. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 267 (Mon).

Allardi All. Mitth. Schweiz. Ent. Ges. V, 1877, p. 251. Columbien
angustatus Champ. Mon. p. 272, t. 12, f. 3. Guatemala

bicaudatus Champ. Mon. p. 270, 549, t. 11, f. 24. Guatemala
chiriquensis Champ. Mon. p. 273, 549, t. 12, f. 4. Central-amerika
compressus All. Mitth. Schweiz. Ent. Ges. V, 1877, p. 254. — Champ. Mon. p. 271, t. 12, f. 1. „
costaricensis Champ. Mon. p. 275, t. 12, f. 5. Costa Rica
elongatus All. Mitth. Schweiz. Ent. Ges. V, 1877, p. 253. — Champ. Mon. p. 269. Mexico
flibuster Thoms. Rev. Zool. 1856, p. 475, t. 23, f. 4. — All. Abeille XIV, 1876, p. 9; Mitth. Schweiz. Ent. Ges. V, 1877, p. 254. — Champ. Mon. p. 275. Centr.-Amerika
furcillatus All. Mitth. Schweiz. Ent. Ges. V, 1877, p. 252. — Champ. Mon. p. 273. Mexico
guatemalensis Champ. Mon. p. 274, t. 11, f. 25. Guatemala
hondurensis Champ. Mon. p. 269. Brit. Honduras
interruptus Champ. Mon. p. 275, t. 12, f. 6. Costa Rica
lineatus Champ. Mon. p. 271, t. 11, f. 23. Central-amerika
mexicanus Champ. Mon. p. 274. Mexico
niger Champ. Mon. p. 271, t. 12, f. 2. Guatemala
refulgens Champ. Biol. Centr.-Amer. Col. IV, 1, 1892, p. 549. „
resplendens Cast. Hist. Nat. II, 1840, p. 230. — All. Abeille XIV, 1876, p. 9; Mitth. Schweiz. Ent. Ges. V, 1877, p. 251. — Champ. Mon. p. 268. Mexico
retrodentatus All. l. c. p. 253. — Champ. Mon. p. 270. „
zunilensis Champ. Mon. p. 272, t. 11, f. 26. Guatemala

19

Nautes Pasc.

Pasc. Journ. of Ent. II, 1866, p. 475. — All. Abeille XIV, 1876, p. 3; Mitth. Schweiz. Ent. Ges. V, 1877, p. 19, 245. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 277.

alternans Champ. Biol. Centr.-Amer. Col. IV, 1, 1893, p. 550. Guatemala
antennatus Champ. l. c. 1887, p. 281, t. 12, f. 11. Panama
asperipennis All. Le Natur. 1894, p. 259. Havana
azurascens Jacq. du Val in Ramon de la Sagra, Hist. Cuba VII, 1857, p. 153. — All. Abeille XIV, 1876, p. 5; Mitth. Schweiz. Ent. Ges. V, 1877, p. 58, 246. Cuba
Belti All. l. c. p. 59, 248. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 280, t. 12, f. 9. Central-amerika
breviceps Champ. l. c. p. 282, t. 12, f. 12. Panama
chrysomeloides Champ. l. c. p. 284, t. 12, f. 14. Brit. Honduras
enoplopoides Champ. l. c. p. 287, t. 12, f. 19. Guatemala
fervidus Pasc. Journ. of Ent. II, 1866, p. 476. — All. l. c. p. 6; l. c. p. 58, 245. — Champ. l. c. p. 278, t. 12, f. 7. Central-amerika
aeneus Bates, Ent. Monthly Mag. VI, 1870, p. 270. — All. l. c. p. 6; l. c. p. 58, 246.
glabratus Champ. l. c. p. 278. Mexico
hilaris Champ. l. c. p. 286. Guatemala
laeviventris Champ. l. c. p. 285, t. 12, f. 16. „
magnificus Champ. l. c. p. 284. „
nitidissimus Champ. l. c. p. 286, t. 12, f. 17. Mexico

nodulosus Champ. l. c. p. 287, t. 12, f. 18. — Guatemala
ovatus Bates, Ent. Monthly Mag. VI, 1870, p. 271. — All. Abeille XIV, 1876, p. 5; Mitth. Schweiz. Ent. Ges. V, 1877, p. 247. — Columbien
elegans Bates, l. c. p. 271. — All. l. c. p. 248.
rufipes All. Abeille XIV, 1876, p. 5, 45; Mitth. Schweiz. Ent. Ges. V, 1877, p. 59, 249. — Cuba
splendens Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 280. — Panama
stabilis Champ. l. c. 1893, p. 550. — Mexico
striatipennis Champ. l. c. 1887, p. 283, 551, t. 12, f. 13. — „
tinctus Champ. l. c. p. 279, t. 12, f. 8. — Guatemala
tricolor Champ. l. c. 1893, p. 551. — Mexico
varians Champ. l. c. 1887, p. 281, 550, t. 12, f. 10. — „
versicolor Champ. l. c. p. 284, t. 12, f. 15. — Guatemala

Tarpela Bates.

Bates, Ent. Monthly Mag. VI, 1870, p. 272. — Allard, Abeille XIV, 1876, p. 4; Mitth. Schweiz. Ent. Ges. V, 1877, p. 19, 56, 236. — Champ. Biol. Centr.-Amer. 1887, p. 288.

Lamperos All. l. c. p. 4; l. c. p. 57, 241.

aerifera All. l. c. p. 7, 47; l. c. p. 57, 239. — Champ. l. c. p. 307. — Centralamerika
Allardi Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 307, t. 13, f. 14. — Mexico
amabilis Champ. l. c. p. 308, t. 13, f. 15. — Guatemala
asperipennis Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 362. — Tonkin
atra All. Abeille XIV, p. 7, 46; Mitth. Schweiz. Ent. Ges. V, 1877, p. 56, 237. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 296, t. 13, f. 3. — Mexiko
azteca Champ. l. c. p. 300. — „
bicolor F. Ent. Syst. I, 1792, p. 118; Syst. El. I, 1801, p. 159. — Mäkl. Act. Soc. Fenn. 1863, p. 549. — Geb. Deutsche Ent. Zeitschr. 1906, p. 224. — Südamerika
Browni Bates, Ent. Monthly Mag. VI, 1870, p. 272, t. 2, f. 4. — All. Abeille XIV, 1876, p. 7: Mitth. Schweiz. Ent. Ges. V, 1877, p. 56, 236. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 289. — Centralamerika
brunnea Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 140. — All. l. c. p. 46; l. c. p. 243. — Japan
japonica All. l. c. p. 46.
catenata Champ. Mém. Soc. Ent. Belg. III, 1895, p. 215. — Yukatan
catenulata Champ. Biol. Centr.-Amer. Col. IV, 1, 1893, p. 552, t. 23, f. 11.
catenulata All. Pet. Nouv. Ent. II, 1877, p. 97; Mitth. Schweiz. Ent. Ges. V, 1877, p. 57, 239. — Australien
cisteliformis All. Mitth. Schweiz. Ent. Ges. V, 1877, p. 57, 241. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 310, t. 13, f. 18. — Centralamerika
contigua Champ. l. c. p. 298. — Mexico
cordicollis Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 141. — All. Mitth. Schweiz. Ent. Ges. V, 1877, p. 58, 244. — Lewis, Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 478. — Japan

corpulenta Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 292, 552, t. 12, f. 23. — Mexico
costata Champ. l. c. p. 293, t. 12, f. 25. — „
crassipes Champ. l. c. p. 306, t. 13, f. 13. — „
cupreoviridis All. Mitth. Schweiz. Ent. Ges. V, 1877, p. 57, 240. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 302, 554, t. 13, f. 9. — Central-amerika
depressa Champ. l. c. p. 306, 555, t. 13, f. 12. — Yukatan
docilis Champ. l. c. p. 312, t. 13, f. 20. — Mexico
durangoensis Champ. l. c. p. 292, 552. — „
elegantula Lewis, Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 478. — Japan
eximia Bates, Ent. Monthly Mag. VI, 1876, p. 271. — All. Abeille XIV, 1876, p. 6; Mitth. Schweiz. Ent. Ges. V, 1877, p. 59, 249. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, t. 13, f. 1. — Nicaragua
fallax Champ. l. c. p. 301, t. 13, f. 8. — Mexico
Flohri Champ. l. c. 1893, p. 553. — „
foveolata Champ. l. c. p. 554. — „
foveipennis Champ. l. c. 1887, p. 294, t. 12, f. 26. — „
fragilicornis Champ. l. c. p. 309, t. 13, f. 17. — „
granulipennis Jacq. du Val in Ramon de la Sagra, Hist. Cuba VII, 1857, p. 154. — Cuba
guerreroensis Champ. Biol. Centr.-Amer. Col. IV, 1, 1893, p. 555. — Mexico
hispidula All. Abeille XIV, 1876, p. 7, 47; Mitth. Schweiz. Ent. Ges. V, 1877, p. 56, 238. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 299, t. 13, f. 6. — „
Högei Champ. l. c. p. 297. — „
inaequalis Champ. l. c. p. 290, t. 12, f. 21. — Panama
incilis Champ. l. c. 1893, p. 553. — Mexico
jalapensis Champ. l. c. 1887, p. 296, 553. — „
marginicollis Champ. l. c. p. 302. — Guatemala
micans F. Ent. Syst. Suppl. 1798, p. 51; Syst. El. I, 1801, p. 157. — Horn, Revis. Tenebr. 1870, p. 392. — All. Abeille XIV, 1876, p. 6; Mitth. Schweiz. Ent. Ges. V, 1877, p. 57, 242. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 694. — Vereinigte Staaten
mutabilis Waterh. Trans. Ent. Soc. Lond. 1878, p. 304. — Jamaica
occidentalis All. Mitth. Schweiz. Ent. Ges. V, 1877, p. 40, 167.
nigerrima Champ. Biol. Centr.-Amer. Col. IV, 1, 1893, p. 555. — Mexico
oblonga Champ. l. c. 1887, p. 298. — „
oblongo-punctata Bates, Ent. Monthly Mag. VI, 1870, p. 273. — All. Abeille XIV, 1876, p. 7; Mitth. Schweiz. Ent. Ges. V, 1877, p. 237. — Champ. l. c. p. 290. — „
propinqua Waterh. Trans. Ent. Soc. Lond. 1878, p. 305. — Jamaica
pulchra Champ. Biol. Centr.-Amer. Col. IV, 1, 1893, p. 551, t. 23, f. 12. — Mexico
puncticeps Champ. l. c. 1887, p. 303. — Guatemala
reticulata Champ. l. c. p. 293. — Honduras
sculptilis Champ. l. c. p. 295. — Mexico
setigera Champ. l. c. p. 297, t. 13, f. 4. — „
silvicola Champ. l. c. p. 309, t. 13, f. 16. — Guatemala
sinuaticollis Champ. l. c. p. 303. — Panama
socia Champ. l. c. p. 299, t. 13, f. 5. — Mexico
subparallela Champ. l. c. p. 300, 554, t. 13, f. 7. — „

subvittata Champ. l. c. p. 305, t. 13, f. 11. Guatemala
suturalis Champ. l. c. p. 310. „
teapensis Champ. l. c. 1893, p. 556. Mexico
tenuicornis Champ. l. c. 1887, p. 289, t. 12, f. 20. Guatemala
thoracica Champ. l. c. p. 293, t. 12, f. 24. Nicaragua
torrida Champ. l. c. p. 291, t. 12, f. 22. Mexico
totonicapamensis Champ. l. c. p. 311, t. 13, f. 19. Guatemala
tropicalis Champ. l. c. p. 304, t. 13, f. 10. „
undulata J. Lec. New spec. Col. 1866, p. 132. — Horn, Revis. Tenebr. 1870, p. 392. — All. Abeille XIV, 1876, p. 6; Mitth. Schweiz. Ent. Ges. V, 1877, p. 58, 244. Vereinigte Staaten
? *americana* Beauv. Ins. Afr. et Am. 1805, p. 122, t. 30 b, f. 6.
venusta Say, Long's Exped. II, 1824, p. 283. — Horn, Revis. Tenebr. 1870, p. 393. — All. Abeille XIV, 1876, p. 6; Mitth. Schweiz. Ent. Ges. V, 1877, p. 58, 242. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 694. „
veraepacis Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 295, t. 13, f. 2. Guatemala

62

Helops F.*)

F. Syst. Ent. 1775, p. 257. — Latr. Règne anim. ed. II, 1829, p. 39. — Redt. Gattungen 1845, p. 129; Fn. Austr. 1849, p. 53, 600; ed. II, 1858, p. CVIII u. 618; ed. III, 1874, p. CXX u. II, p. 124. — Muls. Col. Fr. Latigènes 1854, p. 295. — Woll. Ins. Mader. 1854, p. 511. — Lacord. Gen. Col. V, 1859, p. 450. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 322, 340. — Horn, Revis. Tenebr. 1870, p. 391. — Seidl. Fn. Balt. 1875, p. 98 (Gatt.); ed. II, 1891, p. 135 (Gatt.); Fn. Transsylv. 1891, p. 135 (Gatt.); Naturg. Ins. Deutschl. V, 1896, p. 677, 684 (Naturg.). — Baudi, Bull. Soc. Ent. Ital. VIII, 1876, p. 263; Deutsche Ent. Zeitschr. XX, 1876, p. 268. — All. Abeille XIV, 1876, p. 1—80 (Revis.); Mitth. Schweiz. Ent. Ges. V, 1877, p. 13—268 (Monogr.). — Vaulog. Ann. Soc. Ent. Fr. LXVIII, 1899, p. 672, 675 (Übers. nordafr. Arten). — Desbr. Frelon XI, 1902, p. 68.

Subgen. *Allardius* Ragusa, Natur. Sicil. 1898, p. 130.
Subgen. *Catomidius* Seidl. Naturg. p. 791. — Vaulog. Übers. p. 679, 689, 709.
Subgen. *Catomus* All. Revis. p. 4; Mon. p. 17, 45, 185. — Seidl. Naturg. p. 698, 748, 788. — Vaulog. Übers. p. 679, 694, 714.
Subgen. *Coscinoptilix* All. Mon. p. 16, 33, 127.
Coscinopter All. Revis. p. 4.
Subgen. *Cylindronotus* Falderm. Fn. Transcauc. II, 1837, p. 73. — All. Revis. p. 4; Mon. p. 18, 51, 214. — Seidl. Naturg. p. 697, 720, 766.
Subgen. *Diastixus* All. Revis. p. 5; Mon. p. 17, 42, 174. — Seidl. Naturg. p. 698, 746, 787. — Vaulog. Übers. p. 679, 685, 702.
Subgen. *Gunarus* Gozis, Récherches 1886, p. 25. — Vaulog. Übers. p. 679, 689, 707 (pars).
Xanthomus (pars) Seidl. Naturg. p. 742, 778.
Subgen. *Helops* s. str. Vaulog. Übers. p. 675 nota, 678, 679, 695.
Helops (pars) Muls. Col. Fr. Latigènes 1854, p. 305. — All. Revis. p. 4, 12; Mon. p. 16, 20.

*) Um die Übersicht über diese schwer zu katalogisierende Gattung zu erleichtern, habe ich bei den Arten die hinter den Gattungszitaten angegebene, eingeklammerte Abkürzung (Monogr., Übers. usw.) angewandt.

Anteros Cast. Hist. Nat. II, 1840, p. 235. — Seidl. Naturg. p. 696, 758.

Subgen. *Nalassus* Muls. Col. Fr. Latigènes 1854, p. 323. — All. Revis. p. 5; Mon. p. 28, 98. — Seidl. Fn. Balt. ed. II, 1891, p. 521; Fn. Transsylv. 1891, p. 560; Naturg. p. 698, 742, 778.

Helops s. str. Cast. Hist. Nat. II, 1840, p. 234.

Subgen. *Nesotes* All. Revis. p. 5; Mon. p. 17, 38, 159. — Seidl. Naturg. p. 698, 747, 788.

Subgen. *Odocnemis* All. Revis. p. 4; Mon. p. 17, 50, 210. — Seidl. Naturg. p. 697, 722, 767.

Subgen. *Omaleis* All. Mon. p. 36, 151. — Seidl. Naturg. p. 698, 734, 777.

Omalus All. Revis. p. 4. — Seidl. Fn. Balt. ed. II, 1891, p. 521; Fn. Transs. 1891, p. 560.

Subgen. *Pelorinus* Vaulog. Übers. p. 675 nota, 678, 680, 696.

Helops s. str. Seidl. Naturg. p. 704, 764.

Subgen. *Probaticus* Seidl. Naturg. p. 697 (scr. *Probatius*), 764, 849.

Subgen. *Raiboscelis* All. Revis. p. 5 (scr. *Raibosceles*); Mon. p. 17, 49, 203. — Seidl. Fn. Balt. ed. II, 1891, p. 522; Fn. Transs. 1891, p. 560; Naturg. p. 696, 698, 754.

Hipponome Cast. Hist. Nat. II, 1840, p. 235.

Subgen. *Stenomacidius* Seidl. Naturg. p. 791.

Subgen. *Stenomax* All. Revis. p. 4; Mon. p. 17, 33, 129. — Seidl. Fn. Balt. ed. II, 1891, p. 521; Fn. Transs. 1891, p. 560; Naturg. p. 698, 726, 771. — Vaulog. Übers. p. 676, 679, 699 (sensu lat.).

Subgen. *Xanthomus* Muls. Col. Fr. Latigènes 1854, p. 302. — All. Mon. p. 30, 113. — Seidl. Naturg. p. 738, 778.

Subgen. *Zophelops* Reitt. Wien. Ent. Zeit. XXI, 1902, p. 221.

Euryhelops Reitt. Deutsche Ent. Zeit. 1901, p. 214.

Abeillei Seidl. Naturg. p. 737, 753 *(Omaleis)*. — Corsica

acutangulus Seidl. Naturg. p. 791, 797 *(Stenomacidius)*. — Syrien

acutipennis Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 269. — All. Revis. p. 12; Mon. p. 190. — Seidl. Naturg. p. 793 *(Catomidius)*. — „

adimonius All. Revis. p. 35; Mon. p. 92. — Seidl. Naturg. p. 705 *(Pelorinus)*. — Anatolien, Griechenland

Fulei Baudi, Deutsche Ent. Zeit. XX, 1876, p. 271; Bull. Soc. Ent. Ital. IX, 1877, p. 27.

aemulus Küst. Käf. Eur. XXI, 1850, 61. — Baudi, l. c. p. 279; l. c. p. 126. — All. Revis. p. 21; Mon. p. 116. — Seidl. Naturg. p. 739. — Vaulog. Übers. p. 684, 701 *(Xanthomus)*. — Sicilien, Tunis, Algier, Marokko

fusculus All. Revis. p. 40; Mon. p. 31, 116.

aeneipennis All. Revis. p. 18; Mon. p. 146. — Seidl. Naturg. p. 735 *(Omaleis)*. — Rhodus, Syrien

aenescens Reiche, Ann. Soc. Ent. Fr. (4) I, 1861, p. 90. — All. Revis. p. 27; Mon. p. 43, 178. — Vaulog. Übers. p. 687, 704 *(Diastixus)*. — Algier

acutangulus Fairm. Rev. Mag. Zool. 1879, p. 199 (22).

punctipennis Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 274; Bull. Soc. Ent. Ital. IX, 1877, p. 48.

aeneus Scop. Ent. Carn. 1763, p. 82. — Seidl. Naturg. p. 727, 773 *(Stenomax)*. — Deutschland, Österreich-Ungarn, Italien, Türkei

arboreus Schrank, Enum. 1781, p. 219.

incurvus Küst. Käf. Eur. XXI, 1850, 54. — All. Revis. p. 16; Mon. p. 33, 131. — Seidl. Fn. Balt. ed. II, 1891, p. 522; Fn. Transs. 1891, p. 560.

lanipes Rossi, Fn. Etr. I, 1790, p. 235; ed. Hellw. I, 1795, p. 285. — Preyssl. Böhm. Ins. 1790, p. 79. — Sturm, Käf. II, 1807, p. 255. — Duft. Fn. Austr. II, 1812, p. 279. — Redt. Fn. Austr. 1849, p. 600; ed. II, 1858, p. 618; ed. III, 1874, II, p. 125. — Bach, Käferf. III, 1856, p. 223.

aeneus Montrouz. Ann. Soc. Agr. Lyon VII, 1855, p. 32 *). — Ins. Woodlark

aereus Germ. Ins. spec. nov. 1824, p. 160. — Horn, Revis. Tenebr. 1870, p. 396; Trans. Amer. Ent. Soc. VIII, 1880, p. 152. — All. Revis. p. 19; Mon. p. 36, 148. — Seidl. Naturg. p. 695. — Verein. Staaten

aratus Say, Journ. Ac. Phil. V, 2, 1827, p. 241. — All. Mon. p. 49, 201.

pullus Say, l. c. p. 240.

aethiops Woll. Cat. Canar. Col. 1864, p. 509. — All. Revis. p. 25; Mon. p. 42, 172 *(Nesotes)*. — Canar. Ins.

afer Er. Wagn. Reise III, 1841, p. 184. — All. Revis. p. 27; Mon. p. 44, 180. — Seidl. Naturg. p. 746 nota. — Vaulog. Übers. p. 686, 703 *(Diastixus)*. — Algier

altivagans Woll. Cat. Can. Col. 1864, p. 503. — All. Mon. p. 41, 170 *(Nesotes)*. — Teneriffa

amabilis Vaulog. Übers. p. 695, 716 *(Catomus)*. — Algier, Tunis

amasiae Seidl. Naturg. p. 732, 753 *(Stenomax)*. — Amasia

anatolicus Pic, Bull. Soc. Ent. Fr. 1899, p. 411 *(Stenomax)*. — Kleinasien

angustatus Luc. Expl. Alg. 1849, p. 354. — Desbr. Frelon XI, 1902, p. 103. — Vaulog. Übers. p. 695, 715 *(Catomus)*. — Algier, Sicilien, Sardinien, Corsica, Südfrankreich

agonus Muls. Col. Fr. Latigènes 1854, p. 377. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, t. 79, f. 392. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 261, 269; Bull. Soc. Ent. Ital. VIII, 1876, p. 267.

juncorum Küst. Käf. Eur. XXI, 1850, 41. — All. Revis. p. 11; Mon. p. 45, 186.

obtusangulus Küst. l. c. 37.

pygmaeus Küst. l. c. 38. — All. Revis. p. 11; Mon. p. 45, 186. — Seidl. Naturg. p. 749.

rotundicollis Küst. l. c. 40.

siculus Küst. l. c. 39. — All. Revis. p. 11; Mon. p. 45, 186.

tagenioides Küst. l. c. 42. — All. Revis. p. 9; Mon. p. 45, 186.

Biologie: Rey, Essai d'études 1887, p. 95; Ann. Soc. Linn. Lyon (n. s.) XXXIII, 1886 (1887), p. 225 (95).

angustitarsis Reitt. Deutsche Ent. Zeitschr. 1901, p. 210 *(Raiboscelis)*. — Armenien

angustus J. Lec. Proc. Acad. Phil. 1859, p. 77. — Horn, Revis. Tenebr. 1870, p. 392, 394. — All. Mon. p. 37, 155. — Seidl. Naturg. p. 695. — Californien

anthicoides Vaulog. Übers. p. 690, 710 *(Catomidius)*. — Algier

*) Da diese Art auf keinen Fall zu *Helops* gehört, verzichte ich darauf, einen neuen Namen einzuführen.

anthracinus Germ. Mag. Ent. I, 1813, p. 124. — Seidl. Naturg. p. 710. — Vaulog. Übers. p. 682, 696 *(Pelorinus)*. — Marokko, Algier, Spanien, Frankreich

coriaceus Küst. Käf. Eur. XXII, 1851, 66. — Muls. Col. Fr. Latigènes 1854, p. 313. — All. Revis. p. 12; Mon. p. 23, 83. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 271; Bull. Soc. Ent. Ital. IX, 1877, p. 32.

var. *tardus* Vaulog. Übers. p. 682, 697.

obesus All. Revis. p. 32; Mon. p. 24, 83.

anthrax Seidl. Naturg. p. 711 *(Pelorinus)*. — Sicilien

anthracinus Küst. Käf. Eur. I, 1844, 47. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 271; Bull. Soc. Ent. Ital. IX, 1877, p. 29. — All. Revis. p. 13, Mon. p. 23, 80.

Antoniae Reitt. Deutsche Ent. Zeitschr. 1890, p. 172. — Seidl. Naturg. p. 793 *(Catomidius)*. — Araxestal

? *tagenioides* Ménétr. Catal. rais. 1832, p. 197. — Falderm. Fn. Transc. II, 1837, p. 89. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 268; Bull. Soc. Ent. Ital. VIII, 1876, p. 265. — All. Revis. p. 9, Mon. p. 228.

araneiformis All. Revis. p. 67. — Japan

arboreus Germ. Ins. spec. nov. 1824, p. 160. — Küst. Käf. Eur. XXI, 1850, 85. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 278: Bull. Soc. Ent. Ital. IX, 1877, p. 115. — Seidl. Naturg. p. 740 *(Xanthomus)*. — Südrußland, Kaukasus

amaroides Küst. Käf. Eur. XXI, 1850, 69.

? *gracilis* Fisch. Ent. Ross. II, 1824, p. 200, t. 22, f. 5.

impressicollis Fald. Fn. Transc. II, 1837, p. 69. — All. Revis. p. 20; Mon. p. 119.

arboricola Woll. Ann. Mag. Nat. Hist. (3) X, 1862, p. 338; Col. Atlant. App. p. 64; Trans. Ent. Soc. Lond. 1871, p. 279. — All. Revis. p. 23; Mon. p. 39, 163 *(Nesotes)*. — Madeira

arizonensis Horn. Trans. Amer. Ent. Soc. V, 1874, p. 36; VIII, 1880, p. 152. — Arizona

asper Küst. Käf. Eur. XXI, 1850, p. 65. — Woll. Trans. Ent. Soc. Lond. 1871, p. 279. — All. Revis. p. 23; Mon. p. 38, 160 *(Nesotes)*. — Madeira

Vulcanus Woll. Ins. Mader. 1854, p. 513, t. 12, f. 1.

var. *obliteratus* Woll. Trans. Ent. Soc. Lond. 1871, p. 279.

assimilis Küst. Käf. Eur. XXI, 1850, 36. — Muls. Col. Fr. Latigènes 1854, p. 355. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 277; Bull. Soc. Ent. Ital. IX, 1877, p. 108. — All. Revis. p. 18; Mon. p. 35, 140. — Seidl. Naturg. p. 730. — Desbr. Frelon XI, 1902, p. 91 *(Stenomax)*. — Frankreich, Italien

aeneoniger Küst. l. c. 35.

convexicollis Küst. l. c. 34.

attenuatus J. Lec. Ann. Lyc. N. York V, 1851, p. 137. — Horn, Revis. Tenebr. 1870, p. 397; Trans. Amer. Ent. Soc. VIII, 1880, p. 152. — Seidl. Naturg. p. 696. — Californien

azoricus Crotch, Proc. Zool. Soc. 1867, p. 390 *(Nesotes)*. — Azoren

azureonitens Gemm. Col. Hefte VI, 1870, p. 123.	Insel
azureus Montr. Ann. Soc. Agr. Lyon VII, 1855, p. 32.	Woodlark
azureus Brll. Expéd. Morée III, 1832, p. 221, t. 40, f. 11. — Cast. Hist. Nat. II, 1840, p. 235. — Küst. Käf. Eur. XXI, 1850, 46. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 272; Bull. Soc. Ent. Ital. IX, 1877, p. 34. — All. Revis. p. 26; Mon. p. 49, 205. — Seidl. Naturg. p. 700, 756 *(Raiboscelis)*.	Balkanhalbinsel, Tirol
var. *tumidicollis* Küst. l. c. 45. — All. l. c. 26; l. c. p. 49, 204. — Baudi, l. c. p. 272; l. c. p. 34. — Seidl. Naturg. p. 757.	
Bachei J. Lec. Proc. Acad. Phil. 1861, p. 353. — Horn, Revis. Tenebr. 1870, p. 396; Trans. Amer. Ent. Soc. VIII, 1880, p. 152. — Seidl. Naturg. p. 695.	Californien
badius Redt. Fn. Austr. 1849, p. 601; ed. II, 1858, p. 619; ed. III, 1874, II, p. 125. — Küst. Käf. Eur. XXI, 1850, 57. — Muls. Col. Fr. Latigènes 1854, p. 369. — Bach, Käferf. III, 1856, p, 223. — Baudi, Bull. Soc. Ent. Ital. IX, 1877, p. 104. — All. Revis. p. 17; Mon. p. 35, 144. — Seidl. Naturg. p. 724, 768 *(Odocnemis)*.	Südungarn
asphaltinus Küst. l. c. 55.	
Batesi All. Rev. p. 38; Mon. p. 51, 216. — Seidl. Naturg. p. 721 nota *(Cylindronotus)*.	Kurdistan
batnensis Fairm. Compt. rend. Soc. Ent. Belg. 1883, p. XLIV. — Vaulog. Übers. p. 692, 712 *(Catomidius)*.	Algier
var. *biskrensis* Vaulog. Übers. p. 692, 712.	„
var. *soricinus* Vaulog. Übers. p. 692, 712.	„
bellator Reitt. Deutsche Ent. Zeitschr. 1901, p. 218 *(Cylindronotus)*.	Kaukasus
Blaisdelli Cas. Ann. N. York Acad. VI, 1891, p. 66.	Californien
Bodemeyeri Reitt. Bodemeyer's Reise 1900, p. 156 *(Pelorinus)*.	Kleinasien
bosphoranus All. Revis. p. 56; Mon. p. 36, 149. — Seidl. Naturg. p. 734 *(Stenomax)*.	Kaukasus, Konstantinopel
brevicollis Küst. Käf. Eur. XXI, 1850, 80. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 279; Bull. Soc. Ent. Ital. IX, 1877, p. 125. — All. Revis. p. 21; Mon. p. 30, 108. — Seidl. Naturg. p. 745, 787 *(Nalassus)*.	Südrußland
californicus Mannerh. Bull. Mosc. 1843, II, p. 287. — Horn, Revis. Tenebr. 1870, p. 394. — All. Revis. p. 19; Mon. p. 37, 158. — Seidl. Naturg. p. 695.	Californien
callosus Cas. Ann. N. York Acad. V, 1890, p. 489.	Neu-Mexico
calpensis Champ. Trans. Ent. Soc. Lond. 1891, p. 389 *(Omaleis)*.	Spanien
hispanus Seidl. Naturg. p. 737, 753.	
calvus Seidl. Naturg. p. 719, 752. — Vaulog. Übers. p. 682, 699 *(Pelorinus)*.	Tanger, ? Syrien
Cambyses Seidl. Naturg. p. 738, 753 *(Omaleis)*.	Persien
capillatus All. Le Natur. 1894, p. 259 *(? Catomus)*. *)	Brasilien

*) Diese Art kollidiert, falls sie wirklich zu *Helops* gehören sollte, mit der folgenden. Eine Namensänderung erscheint vorläufig überflüssig.

capillatus Vaulog. Übers. p. 693, 714 *(Catomidius).* — Algier, Tunis
gossypiatus All. Revis. p. 12; Mon. p. 46, 191. — Seidl. Naturg. p. 749.

carbo Küst. Käf. Eur. XXI, 1850, 33. — Baudi, Bull. Soc. Ent. Ital. IX, 1877, p. 45; Deutsche Ent. Zeit. XX, 1876, p. 274. — All. Revis. p. 28; Mon. p. 43, 177. — Seidl. Naturg. p. 746 *(Diastixus).* — Spanien

carinatus Seidl. Naturg. p. 719, 752 *(Pelorinus).* — Kaukasus

caucasicus All. Pet. Nouv. Ent. II, 1877, p. 97. — „

caudatus All. Revis. p. 36. — Seidl. Naturg. p. 723 *(Odocnemis).* — Syrien
praelongus All. Mon. p. 211.

cavifrons Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 313, t. 13, f. 22. — Guatemala

ciliatus Vaulog. Übers. p. 690, 710 *(Catomidius).* — Algier

cisteloides Germ. Ins. spec. nov. 1824, p. 159. — Horn, Revis. Tenebr. 1870, p. 396; Trans. Amer. Ent. Soc. VIII, 1880, p. 152. — All. Rev. p. 16; Mon. p. 33, 128. — Seidl. Naturg. p. 695. — Südl. Verein. Staaten

clarus All. Revis. p. 37; Mon. p. 51, 212. — Seidl. Naturg. p. 726 nota *(Odocnemis).* — Syrien

clavicornis All. Revis. p. 20; Mon. p. 31, 118. — Seidl. Naturg. p. 740 *(Xanthomus).* — Kurdistan
? *gracilis* Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 278; Bull. Soc. Ent. Ital. IX, 1877, p. 114.

coelestinus Waltl, Isis 1838, p. 464. — Küst. Käf. Eur. XXI, 1850, 47. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 272; Bull. Soc. Ent. Ital. IX, 1877, p. 35. — All. Revis. p. 26; Mon. p. 50, 208. — Seidl. Naturg. p. 701 *(Raiboscelis).* — Türkei, Klein-asien, Naxos
var. *quadraticollis* Küst. Käf. Eur. XXI, 1850, 48.
syriacus Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 272; Bull. Soc. Ent. Ital. IX, 1877, p. 35. — All. Revis. p. 26; Mon. p. 50, 209.

coeruleus L. Syst. Nat. ed. X, 1758, p. 418; ed. XII, 1767, p. 677; Anim. spec. method. dispos. 1759; Mus. Lud. Ulr. 1764, p. 98; ed. Gmelin 1788, p. 2009. — F. Syst. Ent. 1775, p. 257; Spec. Ins. I, 1781, p. 324; Mant. Ins. I, 1787, p. 213; Ent. Syst. I, 1792, p. 118; Syst. El. I, 1801, p. 156. — Ol. Encycl. VII, 1791, p. 45. — Schrank, Fn. Boica I, 1798, p. 635. — Steph. Ill. Brit. Ent. V, 1832, p. 25. — Küst. Käf. Eur. XXI, 1850, 49. — Muls. Col. Fr. Latigènes 1854, p. 308. — Redt. Fn. Austr. ed. III, 1874, II, p. 125. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 272; Bull. Soc. Ent. Ital. IX, 1877, p. 38. — All. Revis. p. 12; Mon. p. 21, 71. — Reitt. Deutsche Ent. Zeitschr. XXIX, 1885, p. 382. — Seidl. Naturg. p. 702, 761. — Desbr. Frelon XI, 1902, p. 80 *(Helops* s. str.). — Österreich, Italien nebst Ins., Frankreich, England, Spanien, Klein-asien, Südruß-land, Kaukasus, Persien
chalibeus Rossi, Fn. Etr. I, 1790, p. 236; ed. Hellw. I, 1795, p. 288; Mant. II, t. 1, f. G. — Ol. Entom. III, 1795, nr. 58, p. 14, t. 2, f. 9.
chalybaeus Latr. Hist. Nat. X, 1804, p. 346; Gen. Crust. Ins. II, 1807, p. 187. — Cast. Hist. Nat. II, 1840, p. 235.

Steveni Krynicki, Bull. Mosc. VII, 1834, p. 167, t. 5, f. 1. — Küst. Käf. Eur. XXII, 1851, 65 (64). — All Mon. p. 74 (pars).
violaceus Marsh. Ent. Brit. 1802, p. 480. — Samouelle, Ent. Compend. 1819, p. 362, t. 4, f. 4.
Biologie: Waterh. Trans. Ent. Soc. Lond. I, 1836, p. 29, t. 4, f. 3. — Westw. Introd. mod. Class. I, 1839, p. 312, f. 36, 20—25. — Perris, Ann. Sc. nat. 1840, p. 81, t. 3 A, f. 1—5; Ann. Soc. Linn. Lyon XXIII, 1876, p. 130. — Muls. Col. Fr. Latigènes 1854, p. 311. — Schiödte, Met. El. X, 1877—78, p. 571, t. 11, f. 15—22. — Seidl. Naturg. p. 687.

comatus Vaulog. Übers. p. 690, 710 *(Catomidius)*. — Algier
confertus Woll. Ins. Mader. 1854, p. 515, t. 12, f. 2. — All. Revis. p. 23; Mon. p. 39, 164 *(Nesotes)*. — Madeira
confluens Seidl. Naturg. p. 740 *(Xanthomus)*. — Kaukasus, Sarepta
zabroides All. Revis. p. 20; Mon. p. 31, 121.
conformis Gemm. Col. Hefte VI, 1870, p. 123. — All. Revis. p. 24; Mon. p. 38, 161 *(Nesotes)*. — Canar. Ins.
congener Woll. Cat. Can. Col. 1864, p. 504.
congener Reiche, Ann. Soc. Ent. Fr. (4) I, 1861, p. 372. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 249, 276; Bull. Soc. Ent. Ital. IX, 1877, p. 100. — All. Revis. p. 19; Mon. p. 37, 151. — Seidl. Naturg. p. 725. — Vaulog. Übers. p. 684, 701 *(Odocnemis)*. — Algier, Marokko
consentaneus Küst. Käf. Eur. XXII, 1851, 63. — All. Revis. p. 11; Mon. p. 46, 188. — Seidl. Naturg. p. 749. — Vaulog. Übers. p. 695, 716 *(Catomus)*. — Östl. Mittelmeergebiet
constrictus Seidl. Naturg. p. 722, 752. — Reitt. Deutsche Ent. Zeitschr. 1901, p. 218 *(Cylindronotus)*. — Armenien
convexifrons Fairm. Pet. Nouv. Ent. II, 1877, p. 141; Ann. Soc. Ent. Fr. (5) X, 1880, p. 20. — Vaulog. Übers. p. 693, 714 *(Catomidius)*. — Algier
convexulus J. Lec. Proc. Ac. Phil. 1861, p. 353. — Horn, Revis. Tenebr. 1870, p. 396; Trans. Am. Ent. Soc. VIII, 1880, p. 152. — Seidl. Naturg. p. 695. — Colorado, Nebraska
montanus J. Lec. Bull. U. S. Geol. and Geogr. Surv. V, 1880, p. 518.
convexus Küst. Käf. Eur. XXI, 1850, 74. — Muls. Col. Fr. Latigènes 1854, p. 327. — Redt. Fn. Austr. ed. III, 1874, II, p. 126. — All. Revis. p. 22; Mon. p. 29, 105. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 279; Bull. Soc. Ent. Ital. IX, 1877, p. 123. — Seidl. Naturg. p. 743, 780. — Desbr. Frelon XI, 1902, p. 87 *(Nalassus)*. — Alpen bis Ungarn
laevigatus Küst. Käf. Eur. XXI, 1850, 79.
cordicollis Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 141. — Japan
corrugatus Seidl. Naturg. p. 707, 750 *(Pelorinus)*. — Syrien
corrugosus Seidl. Naturg. p. 707, 750 *(Pelorinus)*. — Kleinasien
corvinus Küst. Käf. Eur. XXI, 1850, 44. — All. Revis. p. 26; Mon. p. 49, 203. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 271; Bull. Soc. Ent. Ital. IX, 1877, p. 33. — Seidl. Naturg. p. 700 *(Raiboscelis)*. — Griechenland
coxalis Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 317, t. 13, f. 25. — Mexico

crassicollis Küst. (pars) Käf. Eur. XXI, 1850, 32. — All. Revis. p. 28; Mon. p. 42, 175. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 274; Bull. Soc.Ent. Ital. IX, 1877, p. 46. — Seidl. Naturg. p. 746 *(Diastixus)*. — Spanien

crenatostriatus All. Mon. p. 36, 146. — Seidl. Naturg. p. 732 *(Stenomax)*. — Griechenland, Kleinasien

cretensis Seidl. Naturg. p. 733, 753 *(Stenomax)*. — Kreta

cribripennis All. Revis. p. 10; Mon. p. 48, 195. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 273; Bull. Soc. Ent. Ital. IX, 1877, p. 43. — Seidl. Naturg. p. 717 *(Pelorinus)*. — Algier

linearis Vaulog. Übers. p. 681, 698.

? *longulus* Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 252, 273.

cupripennis Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 319. — Mexico

cyanipes All. Mon. p. 256. — Seidl. Naturg. p. 701 (*Helops* s. str.). — Syrien

carinimentum Reitt. Deutsche Ent. Zeitschr. XXIX, 1885, p. 383; Deutsche Ent. Zeitschr. 1901, p. 209.

cylindriformis Cas. Ann. N. York Acad. VI, 1891, p. 68. — Neumexiko

cylindronotoides Reitt. Deutsche Ent. Zeitschr. 1901, p. 216 *(Zophelops)*. — Turkestan

cyprius All. Revis. p. 44; Mon. p. 50, 207. — Seidl. Naturg. p. 700 *(Raiboscelis)*. — Cypern

quadraticollis Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 272; Bull. Soc. Ent. Ital. IX, 1877, p. 36.

dasypus Seidl. Naturg. p. 725, 752 *(Odocnemis)*. — Amasia

dermestoides Ill. Verz. Käf. Preuß. 1798, p. 120. — Küst. Käf. Eur. XXI, 1850, 72. — Seidl. Naturg. p. 744, 783 *(Nalassus)*. — Deutschland, Österreich

caraboides Redt. Fn. Austr. 1849, p. 601; ed. II, 1858, p. 619; ed. III, 1874, II, p. 125. — Bach, Käferf. III, 1856, p. 223. — Seidl. Fn. Balt. ed. II, 1891, p. 523; Fn. Transs. 1891, p. 561.

Fabricii Gemm. Col. Hefte VI, 1870, p. 123.

picipes All. Revis. p. 22; Mon. p. 30, 109.

quisquilius Panz. Fn. Germ. L, 1798, nr. 5. — Sturm, Deutschl. Käf. II, 1807, p. 259. — Redt. Fn. Austr. 1849, p. 601; ed. II, 1858, p. 619; ed. III, 1874, II, p. 125. — Küst. Käf. Eur., XXI, 1850, 77. — Muls. Col. Fr. Latigènes 1854, p. 335. — Bach, Käferf. III, 1856, p. 224. — Seidl. Fn. Balt. ed. II, 1891, p. 523; Fn. Transs. 1891, p. 561. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 279; Bull. Soc. Ent. IX, 1877, p. 120.

striatus Kraatz, Heyd. Reise 1870, p. 135.

diabolinus Brancs. Jahresh. Ver. Trencsen XXI, 1899, p. 100, t. 4, f. 5. — Askabad

dichrous Reitt. Deutsche Ent. Zeitschr. 1901, p. 224 *(Catomus)*. — Angora

Diecki Kraatz, Berl. Ent. Zeitschr. XIV, 1870, Beiheft p. 132. — All. Mon. p. 85. — Seidl. Naturg. p. 709 *(Pelorinus)*. — Südspanien

difficilis Horn, Trans. Am. Ent. Soc. VII, 1878, p. 57; VIII, 1880, p. 152. — Colorado

discipula Cas. Ann. N. York Acad. VI, 1891, p. 67. — Californien

discretus J. Lec. New spec. Col. 1866, p. 134. — Horn, Revis. Tenebr. 1870, p. 397. — Seidl. Naturg. p. 695. — Texas

diteras All. Revis. p. 66; Mon. p. 29, 106. — Seidl. Naturg. p. 744 *(Nalassus)*. — Kaukasus

? *brevis* Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 279; Bull. Soc. Ent. Ital. IX, 1877, p. 122.

dorsalis All. Mon. p. 97; Pet. Nouv. Ent. II, 1877, p. 97. — Seidl. Naturg. p. 706 *(Pelorinus)*. — „

Douei All. Revis. p. 39; Mon. p. 34, 137. — Seidl. Naturg. p. 721 *(Cylindronotus)*. — Kaukasus

dryadophilus Muls. Col. Fr. Latigènes 1854, p. 337. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 278; Bull. Soc. Ent. Ital. IX, 1877, p. 112. — Seidl. Naturg. p. 744, 786 *(Nalassus)*. — Italien, Frankreich, Griechenland, Südrußland

quisquilius All. Revis. p. 21; Mon. p. 29, 102.

ebeninus Villa, Col. Eur. Dupl. Suppl. 1838, p. 63; Atti Soc. Ital. Sc. nat. 1868, p. 80. — All. Revis. p. 13; Mon. p. 23, 78. — Seidl. Naturg. p. 711. — Desbr. Frelon XI, 1902, p. 84 *(Pelorinus)*. — Frankreich, Italien

Germari Küst. Käf. Eur. XXI, 1850, 20.

robustus Muls. Col. Fr. Latigènes 1854, p. 320. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 271; Bull. Soc. Ent. Ital. IX, 1877, p. 30.

var. *puncticollis* Rey, Échange 1892, p. 65. — Corsica

ebeninus Walk. Ann. Mag. Nat. Hist. (3) II, 1858, p. 285*). — Ceylon

echinatus Vaulog. Übers. p. 692, 712 *(Catomidius)*. — Algier

hirtus Seidl. Naturg. p. 720, 752.

Ecoffeti Küst. Käf. Eur. XXI, 1850, 70. — Muls. Col. Fr. Latigènes 1854, p. 341. — All. Revis. p. 21; Mon. p. 28, 100. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 277; Bull. Soc. Ent. Ital. IX, 1877, p. 110. — Seidl. Naturg. p. 746. — Desbr. Frelon XI, 1902, p. 88 *(Nalassus)*. — Frankreich

alpigradus Fairm. Bull. Soc. Ent. Fr. 1882, p. CLXIX.

Biologie: Xambeu, Ann. Soc. Linn. Lyon XLI, 1894, p. 106.

Edwardsi Horn, Revis. Tenebr. 1870, p. 395. — Oregon

eleodinus Reiche, Wien. Ent. Monatschr. V, 1861, p. 5. — All. Revis. p. 26; Mon. p. 50, 208. — Seidl. Naturg. p. 700 *(Raiboscelis)*. — Syrien

elliptipennis Woll. Cat. Can. Col. 1864, p. 503. — All. Mon. p. 41, 170 *(Nesotes)*. — Teneriffa

enitescens Champ. Biol. Centr.-Am. Col. IV, 1, 1893, p. 557, t. 23, f. 13. — Guatemala

erivanus Reitt. Deutsche Ent. Zeitschr. 1901, p. 219 *(Cylindronotus)*. — Ordubad

estrellensis Kraatz, Berl. Ent. Zeitschr. XIV, 1870, Beiheft p. 133. — All. Revis. p. 61; Mon. p. 36, 150. — Seidl. Naturg. p. 734 *(Stenomax)*. — Portugal

euboicus Reitt. Deutsche Ent. Zeitschr. XXIX, 1885, p. 382. — Seidl. Naturg. p. 715 *(Pelorinus)*. — Creta, Euboea

var. *Emgei* Seidl. Naturg. p. 715. — Parnongeb.

*) Siehe nota p. 535.

exaratus Germ. Reise nach Dalmat. 1817, p. 192. — Küst. Käf. Eur. V, 1846, 70. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 276; Bull. Soc. Ent. Ital. IX, 1877, p. 98. — All. Rev. p. 17; Mon. p. 35, 142. — Seidl. Naturg. p. 726, 770 *(Odocnemis)*. Dalmatien, Illyrien, Istrien, Krain, Italien
asphaltinus All. Mon. p. 143.
brunnitarsis Küst. Käf. Eur. XXII, 1851, 69.
? *clypeatus* Küst. l. c. 68.

excavatus Seidl. Naturg. p. 728, 752 *(Stenomax)*. Taurien

exsculptus Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 314, t. 13, f. 23. Guatemala

Faldermanni Fald. Fn. Transcauc. II, 1837, p. 70. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 279; Bull. Soc. Ent. Ital. IX, 1877, p. 126. — All. Mon. p. 31, 120. — Seidl. Naturg. p. 740 *(Xanthomus)*. Kaukasus, Persien, Turkmenien

fallax Vaulog. Übers. p. 694, 714 *(Catomus)*. Tunis

farctus J. Lec. Proc. Ac. Philad. 1858, p. 74. — Horn, Revis. Tenebr. 1870, p. 392, 397. — All. Revis. p. 6; Mon. p. 59, 250. — Seidl. Naturg. p. 696. Texas

femoratus Fald. Fn. Transcauc. II, 1837, p. 71, t. 1, f. 1. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 276; Bull. Soc. Ent. Ital. IX, 1877, p. 105. — Seidl. Naturg. p. 721. — Reitt. Deutsche Ent. Zeitschr. 1901, p. 217 *(Cylindronotus)*. Kaukasus
? *femoratus* All. Mon. p. 216.
lugubris Fald. Fn. Transcauc. II, 1837, p. 74, t. 3, f. 10.

flavus All. Revis. p. 28; Mon. p. 48, 198 *(Catomus)*. Albanien

Foudrasi Muls. Col. Fr. Latigènes 1854, p. 361. — All. Revis. p. 16; Mon. p. 34, 135. — Seidl. Naturg. p. 731. — Desbr. Frelon XI, 1902, p. 100 *(Stenomax)*. Südfrankreich

foveolatus Seidl. Naturg. p. 710 *(Pelorinus)*. Spanien
interstitialis All. Rev. p. 13; Mon. 24, p. 85.

fragilis Ménétr. Mém. Acad. Petr. VI, 1849, p. 243 (27). — All. Mon. p. 259 *(Catomidius)*. Turkmenien

Frivaldszkyi Seidl. Naturg. p. 749, 754 *(Catomus)*. Türkei
? *gracilis* Küst. Käf. Eur. XXI, 1850, 43.

Fulei Küst. Käf. Eur. XXI, 1850, 21. — All. Revis. p. 14; Mon. p. 91. — Seidl. Naturg. p. 714 *(Pelorinus)*. Thessalien, Parnass

fulvipes Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 267. — All. Revis. p. 11; Mon. p. 48, 200. — Seidl. Naturg. p. 793 *(Catomidius)*. Syrien

fundator Reitt. Wien. Ent. Zeit. XXVII, 1908, p. 215 *(Stenomax)*. Kleinasien

funestoides Reitt. Bodemeyer's Reise 1900, p. 156 *(Cylindronotus)*. „

funestus Fald. Fn. Transcauc. II, 1837, p. 76, t. 3, f. 9a, b. — Seidl. Naturg. p. 722. — Reitt. Deutsche Ent. Zeitschr. 1901, p. 218 *(Cylindronotus)*. Kaukasus
? *femoratus* All. Mon. p. 216.
? *lugubris* All. Mon. p. 218.
var. *corallipes* Reitt. Deutsche Ent. Zeitschr. 1901, p. 219.
var. *flavipes* All. Mon. p. 52, 219. — Reitt. l. c. p. 219.

var. *gibbicollis* Falderm. Fn. Transcauc. II, 1837, p. 78. — Seidl. Naturg. p. 722. — Reitt. l. c. p. 219.
var. *umbrinus* Falderm. l. c. p. 77. — Seidl. Naturg. p. 722. — Reitt. l. c. p. 219.
funestus All. Revis. p. 16; Mon. p. 217.

fusculus Woll. Cat. Can. Col. 1864, p. 511. — All. Mon. p. 42, 173 *(Nesotes)*. — Teneriffa

futilis Woll. Ins. Mader. 1854, p. 520, t. 12, f. 3 *(Nesotes)*. — Madeira

gagatinus Küst. Käf. Eur. XXI, 1850, p. 66. — All. Mon. p. 41, 168 *(Nesotes)*. — „
Pluto Woll. Ins. Mader. 1854, p. 516, t. 12, f. 3.

Genei Gené, Mem. Acc. Torino 1839, p. 74, t. 1, f. 20. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 278; Bull. Soc. Ent. Ital. IX, 1877, p. 118. — All. Revis. p. 19; Mon. p. 37, 158. — Seidl. Naturg. p. 736. — Desbr. Frelon XI, 1902, p. 95 *(Omaleis)*. — Sardinien, Corsica

Ghilianii Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 253, 274; Bull. Soc. Ent. Ital. IX, 1877, p. 46. — All. Mon. p. 43, 179. — Seidl. Naturg. p. 747 *(Diastixus)*. — Spanien
crassicollis Küst. (pars) Käf. Eur. XXI, 1850, 32.

gibbithorax Gemm. Col. Hefte VI, 1870, p. 123. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 273; Bull. Soc. Ent. Ital. IX, 1877, p. 41. — All. Mon. p. 48, 198. — Seidl. Naturg. p. 718 *(Pelorinus)*. — Sardinien
gibbicollis Küst. Käf. Eur. XXI, 1850, 86.

gibbosus Seidl. Naturg. p. 721 *(Cylindronotus)*. — Kaukasus
gibbicollis All. Revis. p. 15; Mon. p. 51, 215.

gilvipes Ménétr. Mém. Acad. Petr. VI, 1849, p. 243 (27). — Turkmenien

glabriventris Reitt. Deutsche Ent. Zeitschr. XXIX, 1885, p. 382. — Seidl. Naturg. p. 702 *(Helops* s. str.). — Griechenland, Cypern, Syrien
Steveni All. (pars) Revis. p. 12; Mon. p. 174.

globicollis Seidl. Naturg. p. 707, 751 *(Pelorinus)*. — Cypern

glorificus Seidl. Naturg. p. 729 *(Stenomax)*. — Circassien
aeneipennis Reitt. Wien. Ent. Zeit. VII, 1888, p. 212.

gloriosus Falderm. Fn. Transcauc. II, 1837, p. 67, t. 1, f. 2. — All. Revis. p. 16; Mon. p. 34, 134. — Seidl. Naturg. p. 729 *(Stenomax)*. — Kaukasus
impressus Küst. Käf. Eur. XXI, 1850, 51. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 275; Bull. Soc. Ent. Ital. IX, 1877, p. 93.

gomerensis Woll. Col. Atlant. App. 1865, p. 64. — All. Revis. p. 24; Mon. p. 38, 162 *(Nesotes)*. — Canar. Ins.

gossypiatus Reiche, Ann. Soc. Ent. Fr. (4) I, 1861, p. 373. — Vaulog. Übers. p. 691, 711 *(Catomidius)*. — Algier, Tunis
pilosus All. Revis. p. 30.

gracilis Bland, Proc. Ent. Soc. Phil. 1863, p. 319. — Horn, Revis. Tenebr. 1870, p. 392, 394. — Seidl. Naturg. p. 695. — New Jersey

gracilicornis All. Revis. p. 52; Mon. p. 33, 127. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, t. 13, f. 21. — Mexico

graecus Seidl. Naturg. p. 745 *(Nalassus)*. — Griechenland
? *brevis* All. Rev. p. 22; Mon. p. 30, 110.

grajus All. Rev. p. 34; Mon. p. 24, 85. — Seidl. Naturg. p. 715 *(Pelorinus)*. — Griechenland, Cycladen

grandicollis Küst. Käf. Eur. XXII, 1851, 62. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 277; Bull. Soc. Ent. Ital. IX, 1877, p. 108. — All. Revis. p. 22; Mon. p. 35, 141. — Seidl. Naturg. p. 720 *(Cylindronotus)*. — Südrußland

♂ *Sturmi* Küst. Käf. Eur. XXII, 1851, 61.

granicollis Seidl. Naturg. p. 716, 751 *(Pelorinus)*. — Türkei

graniger Küst. Käf. Eur. XXI, 1850, 64. — All. Revis. p. 24; Mon. p. 41, 171 *(Nesotes)*. — Madeira

cinnamomeus Woll. Ins. Mader. 1854, p. 520, t. 12, f. 8.

granipennis All. Revis. p. 51; Mon. p. 27, 93. — Seidl. Naturg. p. 706 *(Pelorinus)*. — Türkei, Creta

granosus Seidl. Naturg. p. 716, 751 *(Pelorinus)*. — Amasia

granulatus All. Revis. p. 32; Mon. p. 24, 84. — Seidl. Naturg. p. 708 *(Pelorinus)*. — Spanien, Portugal

Ehlersi Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 47.

rufipes All. Revis. p. 33; Mon. p. 86.

? *cordicollis* Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 245; Bull. Soc. Ent. Ital. IX, 1877, p. 32.

granulifer Seidl. Naturg. p. 711, 751 *(Pelorinus)*. — Spanien

gratus Friv. Term. füzetek XVI, 1894, p. 85. — Seidl. Naturg. p. 735 *(Omaleis)*. — Südungarn, Serbien

guadalupensis Cas. Ann. N. York Acad. V, 1890, p. 488. — Guadeloupe

harpaloides Küst. Käf. Eur. XXI, 1850, 73. — Muls. Col. Fr. Latigènes 1854, p. 323. — Baudi, Bull. Soc. Ent. Ital. IX, 1877, p. 109; Deutsche Ent. Zeitschr. XX, 1876, p. 277. — All. Revis. p. 21; Mon. p. 28, 99. — Seidl. Naturg. p. 742. — Desbr. Frelon XI, 1902, p. 86 *(Nalassus)*. — Südfrankreich, Basses Alpes

Henoni All. Revis. p. 49; Mon. p. 47, 193. — Seidl. Naturg. p. 749. — Vaulog. Übers. p. 691, 711 *(Catomidius)*. — Algier

hesperides Reiche, Wien. Ent. Monatschr. V, 1861, p. 7. — Baudi, Bull. Soc. Ent. Ital. VIII, 1876, p. 266. — All. Revis. p. 10; Mon. p. 48, 199. — Seidl. Naturg. p. 793 *(Catomidius)*. — Syrien

berytensis Kraatz, Deutsche Ent. Zeitschr. XXIV, 1880, p. 299.

heteromorphus Luc. Expl. Alg. 1849, p. 351, t. 31, f. 2. — All. Revis. p. 28; Mon. p. 43, 176. — Seidl. Naturg. p. 746 nota. — Vaulog. Übers. p. 686, 703 *(Diastixus)*. — Algier

punctipennis Luc. l. c. p. 352.

hirtipennis Seidl. Naturg. p. 792, 797 *(Stenomacidius)*. — Centralasien

hirtulus Reiche, Ann. Soc. Ent. Fr. (4) I, 1861, p. 374. — All. Revis. p. 23; Mon. p. 32, 126. — Seidl. Naturg. p. 742. — Vaulog. Übers. p. 689, 708 *(Gunarus)*. — Algier

minutus Muls. et God. Opusc. Ent. XIV, 1870, p. 51.

hirtus Muls. et God. l. c. p. 53. — Mars. Abeille XII, 1875, p. 142 (Répertoire). — Vaulog. Übers. p. 692, 713 *(Catomidius)*. — „

humeridens Reitt. Deutsche Ent. Zeitschr. 1901, p. 223 *(Xanthomus)*. — Araxestal

ibericus All. Mon. p. 44, 182. — Seidl. Naturg. p. 747 *(Diastixus)*. — Spanien

iconiensis Pic, Bull. Autun 1900, p. 31 *(Raiboscelis)*. — Kleinasien

immarginatus Reitt. Deutsche Ent. Zeitschr. 1901, p. 212 *(Pelorinus)*. — Kurdistan

impolitus J. Lec. New spec. Col. 1866, p. 132. — Horn, Revis. Tenebr. 1870, p. 393. — Texas

inanis All. Mon. p. 262. — Champ. Biol. Centr.-Amer. Col. IV, I, 1887, p. 316, 556. — Mexico

funebris Champ. l. c. p. 316.

inclusus Walk. Natur. Vancouver 1866, II, p. 330. — Insel Vancouver

incultus All. Mon. p. 34, 132; Pet. Nouv. Ent. II, 1877, p. 98. — Seidl. Naturg. p. 728 *(Stenomax)*. — Külek

infernus Woll. Ins. Mader. 1854, p. 517, t. 12, f. 4. — All. Mon. p. 39, 166 *(Nesotes)*. — Madeira

inflatus Cast. Hist. Nat. II, 1840, p. 235. — Paris

insignis Luc. Expl. Alg. 1849, p. 348, t. 31, f. 1. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 272. — All. Revis. p. 12; Mon. p. 21, 73. — Reitt. Deutsche Ent. Zeitschr. XXIX, 1885, p. 382 nota. — Seidl. Naturg. p. 702. — Vaulog. Übers. p. 680, 696 *(Helops* s. str.). — Algier

interstitialis Küst. Käf. Eur. XXI, 1850, 25. — Seidl. Naturg. p. 708 *(Pelorinus)*. — Spanien

intricatus All. Mon. p. 257 *(Stenomax)*. — Bulgarien

intrusicollis Seidl. Naturg. p. 733, 753 *(Stenomax)*. — Cypern

nigropiceus Baudi, Bull. Soc. Ent. Ital. IX, 1877, p. 103.

Kobelti Seidl. Naturg. p. 717, 751. — Vaulog. Übers. p. 681 *(Pelorinus)*. — Tunis

Korbi Reitt. Deutsche Ent. Zeitschr. 1901, p. 219 *(Odocnemis)*. — Kleinasien

kurdistanus Reitt. l. c. p. 221 *(Stenomax)*. — Erzerum

lacertosus Küst. Käf. Eur. II, 1845, 30. — Seidl. Naturg. p. 715 *(Pelorinus)*. — Griechenland, Cycladen

laetus J. Lec. Entom. Report 1857, p. 50. — Horn, Revis. Tenebr. 1870, p. 395. — Oregon

laevicollis Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 333. — Seidl. Naturg. p. 792 *(Stenomacidius)*. — Samarkand

lucidicollis Kraatz, l. c. p. 333.

laevioctostriatus Goeze, Ent. Beitr. I, 1777, p. 683. — Seidl. Naturg. p. 743, 781 *(Nalassus)*. — Deutschland, Frankreich, Spanien

caraboides Panz. Fn. Germ. XXIV, 1794, nr. 3 (♂); Ent. Germ. 1795, p. 43; Krit. Revis. I, 1805, p. 33. — Sturm, Käf. II, 1807, p. 257, t. L. — Küst. Käf. Eur. XXI, 1850, 71. — Desbr. Frelon XI, 1902, p. 89.

latiusculus Kraatz, Deutsche Ent. Zeitschr. XXIV, 1880, p. 300.

lusitanus Kraatz, Heyd. Reise Spanien 1870, p. 134.

quisquilius Panz. Fn. Germ. ed. II, XXIV, nr. 3 ♂; Ind. ent. 1813, p. 31.

? *ruficollis* F. Mant. Ins. I, 1787, p. 214; Ent. Syst. I, 1792, p. 123; Syst. El. I, 1801, p. 163. — Ol. Encycl. méth. VII, 1791, p. 49. — Panz. Ent. Germ. I, 1795, p. 43. — Ill. Mag. I, 1802, p. 344. — Gmelin, Linn. Syst. Nat. I, 1788, p. 2011.

striatus Fourcr. Ent. Paris 1785, p. 157. — Ol. Encycl. méth. VII, 1791, p. 49; Entom. III, 1795, nr. 58, p. 6, t. 1, f. 4. — Latr. Hist. Nat. X, 1804, p. 345; Gen. Crust. et Ins. II, 1807, p. 188. — Muls. Col. Fr. Latigènes 1854, p. 330. — All. Revis. p. 22; Mon. p. 30, 111. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 279; Bull. Soc. Ent. Ital. IX, 1877, p. 121. — Seidl. Fn. Balt. ed. II, 1891, p. 522; Fn. Transsylv. 1891, p. 561.

Biologie: Perris, Ann. Soc. Ent. Fr. (3) V, 1857, p. 367, t. 9, f. 458—463. — Seidl. Naturg. p. 688. — Planet, Le Natur. XII, 1890, p. 17.

Anatomie etc.: Priske, Trans. Ent. Soc. Lond. 1905, p. VI—VII (Verdoppelung des Fühlers). — Kempers, Tijdschr. Ent. XLIV, 1901, p. 32, t. 3, f. 20 (Flügelgeäder). — Borre, Compte rend. Soc. Ent. Belg. 1885, p. XXVI (Spermatozoen).

laeviusculus Kraatz, Deutsche Ent. Zeitschr. XXVII, 1883, p. 395. — Seidl. Naturg. p. 742 *(Xanthomus)*. — Andalusien

lanipes L. Mant. plant. alt. 1771, p. 553; Villers, Linnaei Ent. I, 1789, p. 394. — Gmelin, Linn. Syst. Nat. ed. XIII, 1788, p. 2009. — F. Syst. Ent. 1775, p. 257; Spec. Ins. I, 1781, p. 324; Mant. Ins. I, 1787, p. 213; Ent. Syst. I, 1792, p. 118; Syst. El. I, 1801, p. 157. — Goeze, Ent. Beitr. I, 1777, p. 697. — Ol. Ent. III, 1795, nr. 58, p. 4, t. 1, f. 1. — Panz. Ent. Germ. 1795, p. 42; Fn. Germ. 1798, L, nr. 2. — Latr. Hist. Nat. X, 1804, p. 345. — Steph. Ill. Brit. Ent. V, 1834, p. 25. — Küst. Käf. Eur. V, 1846, 69. — Muls. Col. Fr. Latigènes 1854, p. 345. — Seidl. Fn. Balt. 1875, p. 365; ed. II, 1891, p. 522; Fn. Transsylv. 1891, p. 560. — All. Revis. p. 16; Mon. p. 33, 130. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 275; Bull. Soc. Ent. Ital. IX, 1877, p. 94. — Seidl. Naturg. p. 727, 774, 849. — Desbr. Frelon XI, 1902, p. 101 *(Stenomax)*. — Deutschland, Frankreich, Italien, Österreich

cupreus Fourcr. Ent. Par. I, 1785, p. 158.

Biologie: Blanch. Mag. Zool. 1837, p. 175, f. 1—2. — Muls. Col. Fr. Latigènes 1854, p. 350.

lapidicola Küst. Käf. Eur. XXI, 1850, 62. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 275; Bull. Soc. Ent. Ital. IX, 1877, p. 53. — All. Mon. p. 31, 117. — Seidl. Naturg. p. 741 *(Gunarus)*. — Dalmatien, Türkei, Rumelien

rufescens Küst. Käf. Eur. XXII, 1851, 59. — All. Revis. p. 23; Mon. p. 32, 122.

splendidulus Schauf. Sitzungsber. nat. Ges. Isis 1861, p. 92.

laticollis Küst. Käf. Eur. XXI, 1850, 76. — Muls. Col. Fr. Latigènes 1854, p. 326. — All. Revis. p. 13; Mon. p. 83, 82. — Seidl. Naturg. p. 711. — Desbr. Frelon XI, 1902, p. 85 *(Pelorinus)*. — Frankreich, Spanien

Cerberus Muls. Col. Fr. Latigènes 1854, p. 316. — All. Revis. p. 13. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 271; Bull. Soc. Ent. Ital. IX, 1877, p. 31.

Biologie: Xambeu, Mœurs et Métam. II, 1892, p. 11—13, 73—74.

latimargo Seidl. Naturg. p. 701, 750 *(Raiboscelis)*. — Kleinasien

latipennis Hope, Proc. Ent. Soc. Lond. 1842, p. 79; Trans. Ent. Soc. IV, 1845, p. 111. — Adelaide

Leacocianus Woll. Ins. Mader. 1854, p. 517. — All. Revis. p. 23; Mon. p. 40, 166 *(Nesotes)*. — Ins. Salvages

liliputanus Reitt. Bull. Soc. Esp. VI, 1906, p. 375. — Spanien

lineatus All. Mon. p. 259. — Seidl. Naturg. p. 738 *(Omaleis)*. — Astrabad

litigiosus Vaulog. Übers. p. 684, 701 *(Stenomax)*. — Algier

longicornis Champ. Biol. Centr.-Am. Col. IV, 1, 1887, p. 314. — Mexico

longipennis Küst. Käf. Eur. XXI, 1850, 68. — Muls. Col. Fr. Latigènes 1854, p. 341. — All. Revis. p. 20; Mon. p. 29, 104. — Seidl. Naturg. p. 745. — Desbr. Frelon XI, 1902, p. 92 *(Nalassus)*. — Spanien

longulus Reiche, Ann. Soc. Ent. Fr. (4) I, 1861, p. 373. — All. Revis. p. 10; Mon. p. 48, 196. — Seidl. Naturg. p. 718. — Vaulog. Übers. p. 682, 698 *(Pelorinus)*. — Algier

lordiscelis Reitt. Bodemeyer's Reise 1900, p. 157 *(Odocnemis)*. — Kleinasien

lucidicollis Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 333 *(Stenomax)*. — Samarkand

lucifugus Woll. Ins. Mader. 1854, p. 518, t. 12, f. 5. — All. Revis. p. 24; Mon. p. 40, 168 *(Nesotes)*. — Madeira

var. *congregatus* Woll. l. c. p. 518, t. 12, f. 6. — ,,

luridus Ménétr. Mém. Acad. Petr. VI, 1849, p. 243 (27), t. 4, f. 11. — Turkmenien

macellus Kraatz, Berl. Ent. Zeitschr. XIV, 1870, Beiheft p. 136; All. Revis. p. 63; Mon. p. 47, 194. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 274; Bull. Soc. Ent. Ital. IX, 1877, p. 51. — Seidl. Naturg. p. 719 *(Pelorinus)*. — Spanien

maroccanus Fairm. Rev. Mag. Zool. 1873, p. 341. — Seidl. Naturg. p. 702. — Vaulog. Übers. p. 679, 696 (*Helops* s. str.). — Marokko

Marseuli Woll. Col. Atlant. App. 1865, p. 63. — All. Revis. p. 25; Mon. p. 41, 170 *(Nesotes)*. — Canar. Ins.

Martini Vaulog. Übers. p. 683, 700 *(Stenomax)*. — Algier

mauritanicus Seidl. Naturg. p. 719, 752. — Vaulog. Übers. p. 682, 699 *(Pelorinus)*. — ,,

angustatus All. Revis. p. 19; Mon. p. 47, 193.

maurus Waltl, Isis 1838, p. 464. — Küst. Käf. Eur. XXI, 1850, 24. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 271; Bull. Soc. Ent. Ital. IX, 1877, p. 26. — All. Revis. p. 13; Mon. p. 26, 90. — Seidl. Naturg. p. 713 *(Pelorinus)*. — Türkei

gibbus Küst. l. c. XXII, 1851, 60. — Baudi, l. c. p. 271; l. c. p. 26.

? *tarsatus* Küst. l. c. XXI, 1850, 29.

melas Küst. Käf. Eur. XXI, 1850, 22. — Seidl. Naturg. p. 711 *(Pelorinus)*. — Spanien

meridianus Muls. Col. Fr. Latigènes 1854, p. 370. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 275. — All. Revis. p. 17; Mon. p. 34, 139. — Seidl. Naturg. p. 731. — Desbr. Frelon XI, 1902, p. 97 *(Stenomax)*. — Frankreich

micantipennis All. Revis. p. 55; Mon. p. 21, 75 *(Pelorinus)*. — Portugal

moabiticus Sahlb. Öfv. Finska Vet. Ak. Förh. L. 1907—08, nr. 7, p. 88. — Jericho

monilicornis Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 260, 273; Bull. Soc. Ent. Ital. IX, 1877, p. 44. — Seidl. Naturg. p. 741 *(Gunarus)*. — Südrußland

montanus Kraatz, Berl. Ent. Zeitschr. XIV, 1870, Beiheft p. 137. — All. Revis. p. 62; Mon. p. 37, 155. — Baudi, Deutsche Zeitschr. Ent. XX, 1876, p. 274; Bull. Soc. Ent. Ital. IX, 1877, p. 50. — Seidl. Naturg. p. 719 *(Pelorinus)*. — Spanien

mori Brll. Expéd. Morée III, 1832, p. 222, t. 40, f. 12. — All. Revis. p. 15; Mon. p. 27, 95. — Seidl. Naturg. p. 704 *(Probaticus)*. — Griechenland

angulicollis Fairm. Bull. Soc. Ent. Fr. 1882, p. CLXX.

Terreni Friv. A Királyi magyar. 1845, p. 183, t. 2, f. 3. — Küst. Käf. Eur. XXII, 1851, 70. — Baudi, Bull. Soc. Ent. Ital. IX, 1877, p. 132.

myops All. Revis. p. 50; Mon. p. 23, 81 *(Pelorinus)*. — Kurdistan

Nadari Reitt. Deutsche Ent. Zeitschr. 1901, p. 215 *(Zophelops)*. — Alaigeb.

niger Kraatz, Deutsche Ent. Zeitschr. XXVI, 1882, p. 332. — Seidl. Naturg. p. 794 *(Catomidius)*. — Samarkand

nigroaeneus Küst. Käf. Eur. XXI, 1850, 31. — All. Revis. p. 37; Mon. p. 44, 182. — Seidl. Naturg. p. 747. — Desbr. Frelon XI, 1902, p. 102 *(Diastixus)*. — Spanien, Südfrankreich

alicantinus Kraatz, Deutsche Ent. Zeitschr. XXVII, 1883, p. 395.

obtusangulus All. Revis. p. 27; Mon. p. 44, 183.

subaeneus Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 258, 274; Bull. Soc. Ent. Ital. IX, 1877, p. 49.

nigropiceus Küst. Käf. Eur. XXI, 1850, 56. — Kiesenw. Berl. Ent. Zeitschr. V, 1861, p. 233. — Seidl. Naturg. p. 726 *(Odocnemis)*. — Attica

atticus All. Bull. Soc. Ent. Fr. 1881, p. CIII.

asphaltinus Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 276; Bull. Soc. Ent. Ital. IX, 1877, p. 102.

nitens Woll. Catal. Can. Col. 1864, p. 506. — All. Rev. p. 24; Mon. p. 39, 164 *(Nesotes)*. — Canar. Inseln

var. *aterrimus* Woll. l. c. p. 506. — All. l. c. p. 164. — „

var. *carbunculus* Woll. Ins. Mader. 1854, p. 519 nota; Cat. Can. Col. 1864, p. 505. — „

nitidicollis Luc. Expl. Alg. 1849, p. 354, t. 31, f. 6. — Vaulog. Übers. p. 687, 705 *(Diastixus)*. — Algier

var. *nigricans* Vaulog. Übers. p. 688, 705.

var. *thalassinus* All. Mon. p. 181.

nitidipennis Küst. Käf. Eur. XXI, 1850, 23 *(Pelorinus)*. — Sicilien

nitidus Seidl. Naturg. p. 712, 752. — Reitt. Deutsche Ent. Zeitschr. 1901, p. 218 *(Cylindronotus)*. — Syrien

nodifer Kraatz, Deutsche Ent. Zeitschr. XXIV, 1880, p. 299. — Seidl. Naturg. p. 734 *(Omaleis)*. — Nordspanien

obesus Friv. A Magyar tudòs 1835, p. 262, t. 6, f. 4. — Seidl. Naturg. p. 715 *(Pelorinus)*. — Südungarn, Balkan

obliteratus All. Revis. p. 16, 56; Mon. p. 50, 206 *(Raibo-scelis)*. — Griechenland

obsoletus All. Revis. p. 11, 30; Mon. p. 45, 187. — Vaulog. Übers. p. 695, 715 *(Catomus)*. — Algier, Tunis

var. *semiobscurus* Pic, Echange XXII, 1906, p. 41.

obtusatus Fairm. Compt. rend. Soc. Ent. Belg. 1883, p. XLIV. — Vaulog. Übers. p. 688, 706 *(Diastixus)*. — Algier, Tunis

var. *deserticola* Vaulog. Übers. p. 688, 706.

rotundicollis All. Mon. p. 43, 179.

oculatus Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 264; Bull. Soc. Ent. Ital. IX, 1877, p. 135. — Heyd. Deutsche Ent. Zeitschr. 1908, p. 132 *(Allardius)*. — Sicilien

Oliveirae Seidl. Naturg. p. 709 *(Pelorinus)*. — Portugal

melas All. Revis. p. 13; Mon. p. 25, 88.

opacus J. Lec. Proc. Acad. Phil. 1859, p. 284. — Horn, Revis. Tenebr. 1870, p. 393. — All. Revis. p. 14; Mon. p. 25, 86. — Seidl. Naturg. p. 694. — Californien

ophonoides Luc. Expl. Alg. 1849, p. 352. — All. Revis. p. 19; Mon. p. 37, 156. — Seidl. Naturg. p. 737. — Vaulog. Übers. p. 685, 702 *(Omaleis)*. — Algier, Tunis, Portugal

Genei Muls. Col. Fr. Latigènes 1854, p. 364.

ovipennis All. Mon. p. 32, 123. — Seidl. Naturg. p. 741 *(Gunarus)*. — Griechenland

rufescens Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 275; Bull. Soc. Ent. Ital. IX, 1877, p. 54.

ovulum Seidl. Naturg. p. 739, 754 *(Xanthomus)*. — Kreta

pallidus Curtis, Brit. Ent. VII, 1830, t. 298. — Steph. Ill. Brit. V, 1832, p. 26. — Muls. Col. Fr. Latigènes 1854, p. 302. — Woll. Catal. Mader. Col. 1857, p. 160. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, t. 78, f. 390. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 280; Bull. Soc. Ent. Ital. IX, 1877, p. 130. — All. Revis. p. 21; Mon. p. 30, 114. — Seidl. Naturg. p. 738. — Vaulog. Übers. p. 688, 706. — Desbr. Frelon XI, 1902, p. 105 *(Xanthomus)*. — Küsten von Holland, England, Frankreich, Spanien, Italien, Algier, Marokko, Madeira

testaceus Küst. Käf. Eur. XXI, 1850, 63.

Biologie: Muls. Col. Fr. Latigènes 1854, p. 304.

panamensis Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 319, t. 13, f. 26. — Panama

parvulus Luc. Expl. Alg. 1849, p. 355, t. 31, f. 7. — Küst. Käf. Eur. XXI, 1850, 59. — All. Revis. p. 22; Mon. p. 123. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 279; Bull. Soc. Ent. Ital. IX, 1877, p. 128. — Seidl. Naturg. p. 742. — Vaulog. Übers. p. 689, 708 *(Gunarus)*. — Sicilien, Spanien, Algier, Marokko

Heydeni All. Revis. p. 23, 42; Mon. p. 32, 121. — Seidl. Naturg. p. 742 nota.

intersparsus Küst. Käf. Eur. XXI, 1850, 58. — All. Revis. p. 22; Mon. p. 32, 125.

nanus Küst. l. c. 60.$\frac{1}{2}$ — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 279. — All. Revis. p. 22; Mon. p. 124.

pekinensis Fairm. Rev. d'Ent. VII, 1888, p. 130. — China

pellucidus Muls. et Rey, Opusc. Ent. VII, 1856, p. 15. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 280; Bull. Soc. Ent. Ital. IX, 1877, p. 130. — All. Revis. p. 20; Mon. p. 30, 115. — Seidl. Naturg. p. 739. — Vaulog. Übers. p. 689, 707 *(Xanthomus)*. — Frankreich, Spanien, Sicilien, Tunis

Biologie: Perris, Ann. Soc. Linn. Lyon XXIII, 1876, p. 133. — Seidl. Naturg. p. 687.

Pentheri Reitt. Ann. Wien. Hofmus. XX, 1906, p. 278 *(Pelorinus)*. — Kleinasien

perforatus Horn, Trans. Am. Ent. Soc. VIII, 1880, p. 153. — Texas

pernitens J. Lec. Proc. Acad. Phil. 1861, p. 353. — Horn, Revis. Tenebr. 1870, p. 395. — Seidl. Naturg. p. 695. — Oregon

peropacus Reitt. Deutsche Ent. Zeitschr. 1901, p. 214 *(Pelorinus)*. — Armenien

perplexus Ménétr. Mém. Acad. Petr. VI, 1849, p. 242 (26). — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 277; Bull. Soc. Ent. Ital. IX, 1877, p. 107. — Seidl. Naturg. p. 720 *(Cylindronotus)*. — Krim

arboreus All. Revis. p. 17; Mon. p. 34, 136.

tauricus Muls. Opusc. Ent. XIV, 1870, p. 49.

persicus All. Revis. p. 30; Mon. p. 45, 185 *(Catomus)*. — Persien

phaeacus Sahlb. Öfv. Finska Vet. Förh. XLV, nr. 10 *(Nalassus)*. — Corcyra

Pharnaces All. Revis. p. 41; Mon. p. 28, 101 *(Nalassus)*. — Südrußland

picescens Woll. Cat. Can. Col. 1864, p. 509. — All. Revis. p. 25; Mon. p. 42, 172 *(Nesotes)*. — Canar. Inseln

caraboides Brll. Webb. et Berth. Ins. Canar. 1838, p. 69.

piceus Sturm, Catal. 1826, p. 70, t. 3, nr. 22. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 275; Bull. Soc. Ent. Ital. IX, 1877, p. 95. — All. Revis. p. 16; Mon. p. 33, 132. — Seidl. Naturg. p. 728 *(Stenomax)*. — Frankreich, Italien

cordatus Küst. Käf. Eur. XXI, 1850, 53. — Muls. Col. Fr. Latigènes 1854, p. 351.

Picianus Reitt. Wien. Ent. Zeit. XXVI, 1907, p. 30 *(Nalassus)*. — Kleinasien

carinatus Pic, Bull. Soc. Ent. Fr. 1899, p. 411.

picinus Küst. Käf. Eur. XXI, 1850, 81. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 278; Bull. Soc. Ent. Ital. IX, 1877, p. 111. — All. Revis. p. 18; Mon. p. 29, 101. — Seidl. Naturg. p. 746 *(Nalassus)*. — Schweiz

picipes Küst. l. c. 78. — Seidl. Fn. Transsylv. 1891, p. 561; Naturg. p. 744, 785 *(Nalassus)*. — Österr.-Ungarn

? *brevis* All. Rev. p. 22; Mon. p. 30, 110.

piger Vaulog. Übers. p. 688, 705 *(Diastixus)*. — Tunis

pilosulus Kraatz, Deutsche Ent. Zeitschr. XXX, 1886, p. 190. — Seidl. Naturg. p. 794 *(Catomidius)*. — Turkestan

♂ *gracilicollis* Kraatz, l. c. p. 189.

pindicus Apfelb. Wiss. Mitth. Bosn. VIII, 1901, p. 465 *(Stenomax)*. — Griechenland

pinguis Horn, Proc. Cal. Acad. Sc. (2) IV, 1894, p. 430. — Nieder-Californien

planipennis Küst. Käf. Eur. XXI, 1850, 83. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 278; Bull. — Italien

Soc. Ent. Ital. IX, 1877, p. 116. — All. Revis. p. 19; Mon. p. 157. — Seidl. Naturg. p. 736 *(Omaleis)*.

var. *ruficornis* Baudi, l. c. p. 259. Spanien

planivittis All. Revis. p. 39; Mon. p. 145. — Reitt. Deutsche Ent. Zeitschr. 1901, p. 220 *(Nalassus)*. Trapezunt

plebejus Küst. Käf. Eur. XXI, 1850, 84. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 278; Bull. Soc. Ent. Ital. IX, 1877, p. 114. — All. Revis. p. 20; Mon. p. 29, 107. — Seidl. Naturg. p. 745 *(Nalassus)*. Griechenland

distinguendus Küst. Käf. Eur. XXI, 1850, 82.

plicatulus Kraatz, Deutsche Ent. Zeitschr. XXIV, 1880, p. 299. — Seidl. Naturg. p. 718 *(Pelorinus)*. Asturien

poeciloides Seidl. Naturg. p. 739. — Vaulog. Übers. p. 684, 701 *(Xanthomus)*. Algier, Tunis

ophonoides Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 260, 278.

politicollis All. Revis. p. 31; Mon. p. 46, 189. — Seidl. Naturg. p. 749. — Vaulog. Übers. p. 695, 716 *(Catomus)*. Algier

ponticus Seidl. Naturg. p. 737, 753 *(Omaleis)*. Persien

porcatus All. Mon. p. 260. Neuseeland

porrectus Woll. Cat. Can. Col. 1864, p. 508. — All. Mon. p. 40, 168 *(Nesotes)*. Lanzarote

portosanctanus Woll. Ins. Mader. 1854, p. 521, t. 12, f. 9. — All. Mon. p. 42 *(Nesotes)*. Madeira

praelongus Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 250, 276; Bull. Soc. Ent. Ital. IX, 1877, p. 101. — Seidl. Naturg. p. 723 *(Odocnemis)*. Damaskus, Kurdistan

Priapus Seidl. Naturg. p. 712, 751 *(Pelorinus)*. Kleinasien

prolixus Seidl. Naturg. p. 748, 754 *(Catomus)*. Spanien

Prometheus Reitt. Deutsche Ent. Zeitschr. 1901, p. 213 *(Pelorinus)*. Transkaukas.

propheta Seidl. Naturg. p. 731, 752 *(Stenomax)*. Astrabad

protensulus Seidl. Naturg. p. 735, 753 *(Omaleis)*. Spanien

protinus Reitt. Bodemeyer's Reise 1900, p. 157 *(Odocnemis)*. Kleinasien

puber All. Revis. p. 50; Mon. p. 47, 192. — Schauf. Nunq. Otios. III, p. 477. — Seidl. Naturg. p. 749. — Vaulog. Übers. p. 693, 713 *(Catomidius)*. Algier

pueblensis Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 317, 557. Mexico

pulcher All. Mon. p. 256. — Seidl. Naturg. p. 729 *(Stenomax)*. Transkaukasien

pullus Seidl. Naturg. p. 705, 750 *(Zophelops)*. Kaukasus

pulvinatus Vaulog. Übers. p. 687, 704 *(Diastixus)*. Algier

nitidicollis All. (pars) Revis. p. 27; Mon. p. 44, 180.

punctatostriatus Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 316. Mexico

punctatus All. Revis. p. 38; Mon. p. 51, 214. — Seidl. Naturg. p. 724 *(Odocnemis)*. Syrien, Creta

puncticollis Luc. Expl. Alg. 1849, p. 349. — All. Revis. p. 27; Mon. p. 43, 176. — Vaulog. Übers. p. 685, 703 *(Diastixus)*. Algier, Tunis

cribripennis Luc. l. c. p. 353.

punctipennis J. Lec. New spec. Col. 1866, p. 133. — Horn, Revis. Tenebr. 1870, p. 393. Californien

punctatus Gemm. Col. Hefte VI, 1870, p. 123.

punctiventris Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 320. — Mexico

pyrenaeus Muls. Col. Fr. Latigènes 1854, p. 374. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 274; Bull. Soc. Ent. Ital. IX, 1877, p. 51. — All. Revis. p. 18; Mon. p. 36, 150. — Seidl. Naturg. p. 735. — Desbr. Frelon XI, 1902, p. 96 *(Omaleis)*. — Pyrenäen

Biologie: Xambeu, Ann. Soc. Linn. Lyon 1893, p. 150; Le Natur. XII, 1890, p. 279; Ann. Soc. Linn. Lyon IL, 1902, p. 122.

quadratus Brll. Webb. et Berth. Ins. Canar. 1838, p. 70. — Woll. Cat. Can. Col. 1864, p. 507 *(Nesotes)*. — Canar. Ins.

quadricollis Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 271. — All. Mon. p. 90. — Seidl. Naturg. p. 707 *(Pelorinus)*. — Kaukasus

? *quadraticollis* Ménétr. Cat. rais. 1832, p. 196.

? *quadricollis* Falderm. Fn. Transcauc. II, 1837, p. 82.

rastratus Champ. Biol. Centr.-Amer. Col. IV, 1, 1893, p. 557. — Mexico

recticollis All. Revis. p. 53; Mon. p. 34, 138. — Seidl. Naturg. p. 729 *(Stenomax)*. — Transkaukasien,

luridus All. Mon. p. 258. — Kaukasus

rhynchophorus Seidl. Naturg. p. 792, 797. — Vaulog. Übers. p. 694, 714 *(Catomidius)*. — Algier

rimosus Woll. Cat. Can. Col. 1864, p. 508. — All. Mon. p. 40, 168 *(Nesotes)*. — Canar. Ins.

Rossii Germ. Reise n. Dalmat. 1817, p. 191. — Küst. Käf. Eur. XXI, 1850, 50. — Muls. Col. Fr. Latigènes 1854, p. 305. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, t. 78, f. 389. — Redt. Fn. Austr. ed. III, 1874, II, p. 126. — All. Revis. p. 12; Mon. p. 21, 72. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 272; Bull. Soc. Ent. Ital. IX, 1877, p. 37. — Reitt. Deutsche Ent. Zeitschr. XXIX, 1885, p. 382. — Seidl. Naturg. p. 701, 760. — Desbr. Frelon XI, 1902, p. 81 (*Helops* s. str.). — Istrien, Dalmatien, Krain, Tirol, Italien, Südfrankreich, Türkei

coeruleus Duft. Fn. Austr. II, 1812, p. 279.

Marloysi Cast. Hist. Nat. II, 1840, p. 235.

rotundicollis Luc. Expl. Alg. 1849, p. 350. — Vaulog. Übers. p. 688, 705 *(Diastixus)*. — Algier, Tunis

punctipennis All. Revis. p. 27; Mon. p. 178.

rufulus Vaulog. Übers. p. 689, 708 *(Gunarus)*. — Algier

rugiceps Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 315, t. 13, f. 24. — Guatemala

rugicollis J. Lec. New spec. Col. 1866, p. 133. — Horn, Revis. Tenebr. p. 395; Trans. Am. Ent. Soc. VIII, 1880, p. 152. — Seidl. Naturg. p. 695. — Californien

rugulosus J. Lec. Ann. Lyc. N. York V, 1851, p. 151. — Horn, Revis. Tenebr. 1870, p. 394. — All. Mon. p. 154. — Seidl. Naturg. p. 694. — „

sareptanus All. Revis. p. 53; Mon. p. 36, 147. — Seidl. Naturg. p. 741 *(Gunarus)*. — Südrußland, Kaukasus

scutellatus Reitt. Deutsche Ent. Zeitschr. 1901, p. 221 *(Stenomax)*. — Kleinasien

Seidlitzi nom. nov. *(Catomidius)*. — Palästina

gracilis All. Revis. p. 11; Mon. p 46, 190. — Seidl. Naturg. p. 793.

seminitens Fairm. Notes Leyd. Mus. XIX, 1897, p. 226. — Kiangsi
semiopacus Reitt. Deutsche Ent. Zeitschr. 1901, p. 222 *(Xanthomus)*. — Transcaspien
semiruber All. Revis. p. 29; Mon. p. 48, 201 *(Catomus)*. — Nordpersien
serbicus Friv. Term. füzetek XVI, 1894, p. 86. — Seidl. Naturg. p. 732 *(Stenomax)*. — Serbien
seriatoporus Champ. Biol. Centr.-Amer. Col. IV, 1, 1893, p. 558. — Mexico
seriatus All. Pet. Nouv. II, 1877, p. 97; Mon. p. 189. — Californien
seriegranatus Seidl. Naturg. p. 733, 753 *(Stenomax)*. — Türkei
Sicardi Vaulog. Übers. p. 690, 695, 716 *(Catomus)*. — Algier, Tunis
sphaericollis Küst. Käf. Eur. XXI, 1850, 87. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 273; Bull. Soc. Ent. Ital. IX, 1877, p. 41. — All. Revis. p. 10; Mon. p. 47, 195. — Seidl. Naturg. p. 717 *(Pelorinus)*. — Italien, Sicilien
spinicollis Thoms. Arch. Ent. II, 1858, p. 91. — Gabun
spissicornis Champ. Biol. Centr.-Amer. Col. IV, 1, 1893, p. 558. — Mexico
spretus Horn, Trans. Am. Ent. Soc. VIII, 1880, p. 153. — Nevada
stenotrichoides Blaisd. Ent. News VI, 1895, p. 238. — Californien
Steindachneri Apfelb. Wien. Sitzungsber. Acad. Wiss. 1906, p. 1671 *(Stenomax)*. — Albanien
striatopunctatus Montrouz. Ann. Soc. Agr. Lyon 1855, p. 33. — Ins. Woodlark
strigicollis Horn, Trans. Amer. Ent. Soc. XII, 1885, p. 161. — Californien
strigithorax Reitt. Catal. Col. Eur. ed. II, 1906, p. 497 *(Pelorinus)*. — Südungarn
strigicollis Seidl. Naturg. p. 712, 751.
suavis Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 318. — Centralamerika
subdepressus Woll. Catal. Col. Mader. 1857, p. 158; Trans. Ent. Soc. Lond. 1871, p. 280. — All. Revis. p. 24; Mon. p. 39, 165 *(Nesotes)*. — Madeira
sublinearis Kraatz, Berl. Ent. Zeitschr. XIV, 1870, Beiheft p. 139. — All. Revis. p. 64; Mon. p. 47, 194. — Seidl. Naturg. p. 719 *(Pelorinus)*. — Südspanien
submetallicus Vaulog. Übers. p. 693, 713 *(Catomidius)*. — Algier
subniger Reitt. Deutsche Ent. Zeitschr. 1901, p. 182 *(Catomidius)*. — Transcaspien
subrugosus Duft. Fn. Austr. II, 1812, p. 264. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 271; Bull. Soc. Ent. Ital. IX, 1877, p. 27. — All. Revis. p. 14; Mon. p. 25, 87. — Seidl. Naturg. p. 712 *(Pelorinus)*. — Ungarn, Südrußland
damascenus Küst. Käf. Eur. XXI, 1850, 28.
rugosus Küst. l. c. 26.
Schmidti Ahr. Fn. Ins. Eur. II, 1814, 3. — Küst. Käf. Eur. XXI, 1850, 27.
sulcatus Fisch. Bull. Mosc. 1844, I, p. 124. — Motsch. Bull. Mosc. 1845, I, p. 82.
sulcipennis J. Lec. New spec. Col. 1866, p. 133. — Seidl. Naturg. p. 695. — Verein. Staaten
sumptuosus All. Revis. p. 57; Mon. p. 44, 184. — Champ. Biol. Centr.-Amer. Col. IV, 1, t. 13, f. 27. — Mexico
superbus Muls. et God. Ann. Soc. Linn. Lyon 1855, p. 153; Opusc. Ent. VI, 1855, p. 83. — Baudi, — Corsica

Deutsche Ent. Zeitschr. XX, 1876, p. 272; Bull. Soc. Ent. Ital. IX, 1877, p. 39. — All. Revis. p. 18; Mon. p. 21, 74. — Seidl. Naturg. p. 709. — Desbr. Frelon XI, 1902, p. 82 *(Pelorinus)*.

syriacus Reiche, Wien. Ent. Monatschr. V, 1861, p. 6. — Seidl. Naturg. p. 700 *(Raiboscelis)*. — Anatolien

tantillus Mén. Mém. Acad. Petr. VI, 1849, p. 244 (28), t. 4, f. 12. — Turkmenien

tenebricosus Brll. Expéd. Morée III, 1832, p. 223. — Küst. Käf. Eur. XXI, 1850, 19. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 271; Bull. Soc. Ent. Ital. IX, 1877, p. 28. — All. Revis. p. 14; Mon. p. 25, 89. — Seidl. Naturg. p. 716 *(Pelorinus)*. — Türkei, Griechenland

obesus Waltl, Isis 1838, p. 464.

tenebrioides Germ. Mag. Ent. I, 1813, p. 123. — Küst. Käf. Eur. XXI, 1850, 52. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 276; Bull. Soc. Ent. Ital. IX, 1877, p. 99. — Seidl. Naturg. p. 725. — Vaulog. Übers. p. 684 nota *(Odocnemis)*. — Portugal

tentyrioides Küst. Käf. Eur. XXII, 1851, 71. — Jaq. du Val, Gen. Col. d'Eur. III, 1861, t. 79, f. 391. — All. Revis. p. 8; Mon. p. 28, 96. — Seidl. Naturg. p. 704 *(Probaticus)*. — Griechenland

parvicollis Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 280; Bull. Soc. Ent. Ital. IX, 1877, p. 131. — All. Mon. p. 96.

testaceipes Fairm. Compt. rend. Soc. Ent. Belg. 1884, p. LXVII. — Seidl. Naturg. p. 792. — Vaulog. Übers. p. 694, 714 *(Catomidius)*. — Algier

theanus Reitt. Deutsche Ent. Zeitschr. 1901, p. 213 *(Pelorinus)*. — Amasia

tingitanus All. Mon. p. 31, 116. — Vaulog. Übers. p. 689, 707 *(Gunarus)*. — Tanger

Tiro Reitt. Deutsche Ent. Zeitschr. 1901, p. 215 *(Zophelops)*. — Taschkent

tomentosus Reitt. Bol. Soc. Esp. VI, 1906, p. 376. — Spanien

transversus Brll. Webb et Berth. Ins. Canar. 1838, p. 70. — Canar. Ins.

tripolitanus Seidl. Naturg. p. 717, 751. — Vaulog. Übers. p. 681 *(Pelorinus)*. — Tripolis

tuberculatus Küst. Käf. Eur. XXII, 1851, 67. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 275; Bull. Soc. Ent. Ital. IX, 1877, p. 97. — Seidl. Naturg. p. 726 *(Odocnemis)*. — Griechenland

tuberculiger Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 265, t. 5, f. 11. — Kiesenw. Berl. Ent. Zeitschr. V, 1861, p. 232. — Seidl. Naturg. p. 724 *(Odocnemis)*. — Türkei, Griechenland

tuberculatus All. Revis. p. 15; Mon. p. 51, 213.

tuberculipennis Luc. Expl. Alg. 1849, p. 349, t. 31, f. 5. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 274; Bull. Soc. Ent. Ital. IX, 1877, p. 48. — All. Revis. p. 25; Mon. p. 41, 171. — Seidl. Naturg. p. 746 nota, 748 nota. — Vaulog. Übers. p. 685, 703 *(Diastixus)*. — Gibraltar, Marokko, Algier

tumescens J. Lec. New spec. Col. 1866, p. 134. — Horn, Revis. Tenebr. 1870, p. 398; Trans. Amer. Ent. Soc. VIII, 1880, p. 152. — Seidl. Naturg. p. 696. — Californien

Valdani Guér. Bull. Soc. Ent. Fr. 1859, p. 190. — All. Revis. p. 18; Mon. p. 77. — Vaulog. Übers. p. 680, 697 *(Pelorinus)*. — Algier

? *arabs* Seidl. Naturg. p. 710, 751.

valgus Baudi, Deutsche Ent. Zeitschr. XXV, 1881, p. 291. — Seidl. Naturg. p. 723 *(Odocnemis)*. — Jerusalem

verrucosus Vaulog. Übers. p. 683, 699 *(Stenomax)*. — Portugal, Algier

vexator Reitt. Deutsche Ent. Zeitschr. 1887, p. 524. — Seidl. Naturg. p. 730 *(Stenomax)*. — Kaukasus

vicinus All. Revis. p. 34; Mon. p. 26, 91. — Seidl. Naturg. p. 706 *(Pelorinus)*. — „

villosipennis Luc. Expl. Alg. 1849, p. 350, t. 31, f. 4. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 273; Bull. Soc. Ent. Ital. IX, 1877, p. 42. — All. Revis. p. 10; Mon. p. 49, 202. — Seidl. Naturg. p. 717. — Vaulog. Übers. p. 681, 697 *(Pelorinus)*. — Algier, Tunis

var. *Normandi* Vaulog. Übers. p. 681, 698. — Tunis

villosus Schauf. Sitzungsber. nat. Ges. Isis 1861, p. 92. — Vaulog. Übers. p. 709 *(Pelorinus)*. — Spanien

piligerus Kraatz, Berl. Ent. Zeitschr. XIV, 1870, Beiheft p. 135. — Seidl. Naturg. p. 719.

Walkeri Champ. Trans. Ent. Soc. Lond. 1891, p. 390.

violaceus Pic, Bull. Soc. Ent. Fr. 1899, p. 411 *(Pelorinus)*. — Kleinasien

virescens Cast. Hist. Nat. II, 1840, p. 235. — Nordamerika

viridicollis Schauf. Beitr. Col. Fn. Balear. 1869, p. 25. — All. Revis. p. 24; Mon. p. 38, 162. — Seidl. Naturg. p. 747 *(Nesotes)*. — Balearen

viridimicans Horn, Trans. Am. Ent. Soc. VII, 1878, p. 57. — Florida

zabroides Küst. Käf. Eur. XXI, 1850, 67. — Seidl. Naturg. p. 743 *(Nalassus)*. — Südrußland

brevis Küst. Käf. Eur. XXI, 1850, 75.

Zolotarewi Reitt. Wien. Ent. Zeit. XXI, 1902, p. 190 *(Pelorinus)*. — Taschkent

Zoroaster Seidl. Naturg. p. 714, 751 *(Pelorinus)*. — Askabad

351

Rues Cas.

Cas. Ann. N. York Acad. VI, 1891, p. 66.

ovipennis Cas. l. c. V, 1890, p. 487; VI, 1891, p. 66. — Californien

1

Euryhelops Reitt.

Reitt. Deutsche Ent. Zeitschr. 1901, p. 209.

subaeneus Reitt. Horae Soc. Ent. Ross. XXIII, 1889, p. 710. — Centralasien

Championi Reitt. Wien. Ent. Zeit. X, 1891, p. 226.

1

Entomogonus Sol.

Sol. Studi Ent. 1848, p. 151 (5), 155 (9). — Lacord. Gen. Col. V, 1859, p. 455. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 270. — All. Révis. Helop. vrais in Abeille XIV, 1876, p. 5; Mitth. Schweiz. Ent. Ges. V, 1877, p. 16, 66. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 697, 763 (Naturg.). — Reitt. Wien. Ent. Zeit. XXII, 1903, p. 18 (Übers.).

Subgen. *Erionura* Reitt. l. c. p. 18.

amandanus Reitt. Deutsche Ent. Zeitschr. 1901, p. 211; Übers. p. 19. — Russ. Armenien

angulicollis Muls. et Wach. Mém. Acad. Lyon 1852, p. 11; Opusc. Ent. I, 1852, p. 171. — Seidl. Naturg. p. 703. — Reitt. Übers. p. 20. — Anatolien, Caramanien

Haagi (scr. *Haaghi*) All. Mitth. Schweiz. Ent. Ges. V, 1877, p. 68.

Barthelemyi Sol. Studi Ent. 1848, p. 157 (11), t. 4, f. 1—5. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 270; Bull. Soc. Ent. Ital. VIII, 1876, p. 268. — All. Révis. Helop. vrais in Abeille XIV, 1876, p. 25; Mitth. Schweiz. Ent. Ges. V, 1877, p. 66. — Seidl. Naturg. p. 702. — Reitt. Übers. p. 20. — Syrien

Cassneri Reitt. Wien Ent. Zeit. XXVII, 1908, p. 30. — Kleinasien

clavimanus Reitt. Übers. p. 19. — Russ. Armenien

Davidis Fairm. Ann. Soc. Ent. Fr. (6) IV, 1884, p. 171. — Seidl. Naturg. p. 704. — Reitt. Deutsche Ent. Zeitschr. 1901, p. 211; Übers. p. 19. — Syrien

Duchoni Reitt. Übers. p. 20. — Akbes, Zeitoon

egregius Seidl. Naturg. p. 703, 750. — Reitt. Deutsche Ent. Zeitschr. 1901, p. 211; Übers. p. 18. — Kleinasien, Armenien

giganteus Kraatz, Berl. Ent. Zeitschr. VI, 1862, p. 124, t. 2, f. 5. — All. l. c. p. 60; l. c. p. 76. — Seidl. Naturg. p. 703. — Reitt. Übers. p. 18 *(Erionura)*. — Griechenland

obtusus Seidl. Naturg. p. 703, 750. — Cypern

Peyroni Reiche, Wien. Ent. Monatschr. V, 1861, p. 5. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 270; Bull. Soc. Ent. Ital. VIII, 1876, p. 268. — All. Révis. Helop. vrais Abeille XIV, 1876, p. 13; Mitth. Schweiz. Ent. Ges. V, 1877, p. 70. — Seidl. Naturg. p. 704. — Reitt. Übers. p. 18. — Türkei, Klein-asien, Syrien

fusiformis All. l. c. p. 76.

saphyrinus All. l. c. p. 43; l. c. p. 69. — Seidl. Naturg. p. 699. — Reitt. Deutsche Ent. Zeitschr. 1901, p. 210; Übers. p. 20. — Anatolien

var. *Fausti* All. Mitth. Schweiz. Ent. Ges. V, 1877, p. 255. — Obersyrien

Hedyphanes Fischer.

Fisch. Ent. Ross. 1, 1822, p. 171. — Falderm. Fn. Transcauc. II, 1837, p. 80 nota. — Lacord. Gen. Col. V, 1859, p. 453. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 323 (pars). — All. Révis. Helop. vrais in Abeille

XIV, 1876, p. 4; Mitth. Schweiz. Ent. Ges. V, 1877, p. 224 (Mon.). — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 678, 789, 794 *(Hedyphanes* i. sp.) (Naturg.). — Reitt. Deutsche Ent. Zeitschr. 1901, p. 211.

Besseri Falderm. Fn. Transcauc. II, 1837, p. 95. — Motsch. Bull. Mosc. 1845, I, p. 82. — All. Révis. Helopid. p. 8; Mon. p. 226. — Seidl. Naturg. p. 796. — Kasp. Meer, Kirgis. Steppe

coerulescens Fisch. Ent. Ross. I, 1822, p. 173, t. 15, f. 6. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 268; Bull. Soc. Ent. Ital. VIII, 1876, p. 265. — All. Mon. p. 53, 225. — Seidl. Naturg. p. 796. — Kirgisensteppe, Turkestan, Transcaspien

? *chalybaeus* Falderm. Fn. Transcauc. II, 1837, p. 96, t. 3, f. 6. — All. Mon. p. 54, 227.

cordicollis Seidl. Naturg. p. 795, 797. — Kurdistan

cribripennis Luc. Rev. Zool. 1854, p. 32, t. 19, f. 3a. — Kreta

Dejeani Falderm. Fn. Transcauc. II, 1837, p. 88. — Motsch. Bull. Mosc. XVIII, 1845, I, p. 82. — Seidl. Naturg. p. 797. — Kaukasus

foveolatostriatus Motsch. Bull. Mosc. XVIII, 1845, I, p. 82. — Südrußland

hegeteroides Falderm. Fn. Transcauc. II, 1837, p. 92. — Motsch. Bull. Mosc. XVIII, 1845, I, p. 82. — All. Revis. p. 9; Mon. p. 220. — Armenien

helopioides Luc. Rev. Zool. 1854, p. 33, t. 19, f. 4a. — Kreta

helopinus Gemm. Col. Hefte VI, 1870, p. 123.

impressicollis Falderm. Fn. Transcauc. II, 1837, p. 94. — Seidl. Naturg. p. 795. — Transkaukasien

? *Menetriesi* Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 268; Bull. Soc. Ent. Ital. VIII, 1876, p. 265.

Koltzei Heyd. Deutsche Ent. Zeitschr. 1892, p. 108. — Seidl. Naturg. p. 796. — Alexandergebirge

laticollis All. Revis. p. 8; Mon. p. 53, 224. — Seidl. Naturg. p. 794. — Anatolien, Baku, Amasien

? *laticollis* Falderm. Fn. Transcauc. II, 1837, p. 80, t. 3, f. 8. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 268; Bull. Soc. Ent. Ital. VIII, 1876, p. 266.

♂ *elongatus* All. Revis. p. 25, 42.

? *elongatus* All. Mon. p. 68. — Türkei

? *helopioides* Falderm. Fn. Transcauc. II, 1837, p. 83, t. 3, f. 7.

Mannerheimi Falderm. Fn. Transcauc. II, 1837, p. 91. — All. Revis. p. 9; Mon. p. 54, 226. — Seidl. Naturg. p. 795. — Kaukasus, Derbent

Menetriesi Fisch. in Ménétr. Cat. rais. 1832, p. 197. — Falderm. Fn. Transcauc. II, 1837, p. 86, t. 3, f. 6. — All. Revis. p. 8; Mon. p. 54, 228. — Seidl. Naturg. p. 796. — Baku, Aschabad

nycterinoides Falderm. Fn. Transcauc. II, 1837, p. 93. — Motsch. Bull. Mosc. XVIII, 1845, I, p. 82. — Seidl. Naturg. p. 776. — Derbent, Schahrud

parvicollis Seidl. Naturg. p. 795, 797. — Aschabad

tentyrioides Falderm. Fn. Transcauc. II, 1837, p. 85. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 268; Bull. Soc. Ent. Ital. VIII, 1876, p. 265. — Transkaspien

— All. Revis. p. 8: Mon. p. 54, 226. — Seidl. Naturg. p. 795.

upioides Falderm. l. c. p. 87. — Motsch. Bull. Mosc. XVIII, 1845, I, p. 82. — Seidl. Naturg. p. 797. Kleinasien

angustus Mars. Abeille XVII, 1879, Nouv. et Faits (2) nr. 19, p. 75.

lutosus All. Pet. Nouv. Ent. II, 1877, p. 97; Mon. p. 229.

17

Euboeus Boield.

Boield. Ann. Soc. Ent. Fr. (4) V, 1865, p. 10. — All. Révis. Helop. vrais in Abeille XIV, 1876, p. 3; Mitth. Schweiz. Ent. Ges. V, 1877, p. 19, 233. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 678.

Mimonti Boield. l. c. p. 11, t. 1, f. 6. — Baudi, Deutsche Ent. Zeitschr. XX, 1876, p. 280; Bull. Soc. Ent. Ital. IX, 1877, p. 133. — All. Révis. p. 6; Mitth. Schweiz. Ent. Ges. V, 1877, p. 233. Euboea

1

Nephodes Blanch.

Blanch. Hist. Nat. Ins. II, 1845, p. 34. — Rosh. Thiere Andalus. 1856, p. 219. — Lacord. Gen. Col. V, 1859, p. 454. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, p. 324. — All. Révis. Helop. vrais in Abeille XIV, 1876, p. 6; Mitth. Schweiz. Ent. Ges. V, 1877, p. 18, 220. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 678, 798, 852. — Desbr. Frelon XI, 1903, p. 105. — Vaulog. Ann. Soc. Ent. Fr. LXVIII, 1899, p. 672, 717.

Parablops All. Mitth. Schweiz. Ent. Ges. V, 1877, p. 230.
Pseudoparablops Heyd. Deutsche Ent. Zeitschr. 1908, p. 132.

corsicus All. Mitth. Schweiz. Ent. Ges. V, 1877, p. 222. Corsika

foveicollis Küst. Käf. Eur. XXII, 1851, 72. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 799. Spanien

longipennis Desbr. Frelon XI, 1903, p. 107 nota. Berberei

metallescens Küst. Käf. Eur. VII, 1846, 47. — Jacq. du Val, Gen. Col. d'Eur. III, 1861, t. 79, f. 394. — Baudi, Bull. Ent. Ital. IX, 1877, p. 138. — All. Révis. Helop. vrais Abeille XIV, 1876, p. 7; Mitth. Schweiz. Ent. Ges. V, 1877, p. 221. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 799. — Desbr. Frelon XI, 1903, p. 106. Sardinien, Corsika

pubescens Küst. Käf. Eur. XXI, 1850, 88. — All. Mitth. Schweiz. Ent. Ges. V, 1877, p. 235. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 799. Spanien

modestus Kraatz, Berl. Ent. Zeitschr. XIV, 1870, Beih. p. 142. — All. Révis. Helop. vrais Abeille XIV, 1876, p. 59; Mitth. Schweiz. Ent. Ges. V, 1877, p. 222.

sardiniensis All. Mitth. Schweiz. Ent. Ges. V, 1877, p. 261. — Seidl. Naturg. Ins. Deutschl. V, 1896, p. 798. Sardinien

subdepressus Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 493. — All. Révis. Helop. vrais Abeille XIV, 1876, p. 7; Mitth. Schweiz. Ent. Ges. V, 1877, p. 53, 223. — Mars. Abeille XII, 1875, p. 147. Algier

— Seidl. Naturg. Ins. Deutschl. V, 1896, p. 799.
— Vaulog. Ann. Soc. Ent. Fr. LXVIII, 1899, p. 717, 718.

villiger Rosh. Thiere Andalus. 1856, p. 218. — All. Révis. Helop. vrais Abeille XIV, 1876, p. 7; Mitth. Schweiz. Ent. Ges. V, 1877, p. 221. — Baudi, Bull. Soc. Ent. Ital. IX, 1877, p. 137. — Seidl. l. c. p. 799. — Andalusien, Marokko, Algier, Tunis

barbarus Reitt. Berl. Ent. Zeitschr. XVI, 1872, p. 182. — All. l. c. p. 223. — Seidl. l. c. p. 799.
gracilior Fairm. Compt. rend. Soc. Ent. Belg. 1884, p. LXVII.
incanus Fairm. Rev. Mag. Zool. 1879, p. 199 (22).
maroccanus Seidl. Naturg. Ins. Deutschl. V, 1896, p. 799, 800.

8

Adelphinus Fairm.

Fairm. Ann. Soc. Ent. Fr. (4) VI, 1866, p. 44. — Reitt. Deutsche Ent. Zeitschr. 1890, p. 150. — Seidl. Naturg. Ins. Deutschl. V, 1898, p. 852. — Vaulog. Ann. Soc. Ent. Fr. LXVIII, 1899, p. 672, 719.

ciliatus Seidl. l. c. p. 853. — Vaulog. l. c. p. 719. — Algier
maculatus Pic, Miscell. Ent. VII, 1899, p. 114.

ordubadensis Reitt. Deutsche Ent. Zeitschr. 1890, p. 150. — Seidl. Naturg. Ins. Deutschl. V, 1898, p. 853. — Araxestal
var. *fulvipennis* Reitt. Wien. Ent. Zeit. XXV, 1906, p. 242. — Kaukasus
var. *fulvovittatus* Reitt. Deutsche Ent. Zeitschr. 1890, p. 150. — Seidl. Naturg. Ins. Deutschl. V, 1898, p. 853.

suturalis Luc. Expl. Alg. 1849, p. 363, t. 32, f. 1. — Fairm. Ann. Soc. Ent. Fr. (4) VI, 1866, p. 44. — Seidl. Naturg. Ins. Deutschl. V, 1898, p. 853. — Pic, Misc. Ent. VII, 1899, p. 114. — Vaulog. Ann. Soc. Ent. Fr. LXVIII, 1899, p. 719, 720. — Algier, Tunis
pallidipennis Pic, l. c. p. 114.
rasus Seidl. Naturg. Ins. Deutschl. V, 1896, p. 799; 1898, p. 853.

3

Helopidesthes Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 446.

coriarius Fairm. l. c. p. 446. — Madagaskar

1

Erulipus Fairm.

Fairm. Ann. Soc. Ent. Belg. XLVII, 1903, p. 14.

Fruhstorferi Fairm. l. c. p. 14. — Tonkin

1

Deretus Gahan.

Gahan, Bull. Liverp. Mus. III, 1900, p. 10.

denticollis Gahan, l. c. p. 10; Nat. Hist. Sokotra 1903, p. 281, t. 17, f. 9. — Sokotra

1

Phaeostolus Fairm.

Fairm. Compt. rend. Soc. Ent. Belg. XXVIII, 1884, p. CXLV; Ann. Soc. Ent. Fr. (6) VII. 1887, p. 293.

grandicornis Fairm. l. c. p. CXLVII; l. c. p. 294, t. 3, f. 5. — Somali

1

Arthopus Sharp.

Sharp, Ent. Monthly Mag. XIII, 1876, p. 75.

Brouni Sharp, l. c. p. 76; Waterh. Aid ident. Ins. II, 1882—90, t. 145, f. 3. — Neuseeland

1

Mentes Champ.*)

Champ. Biol. Centr.-Amer. Col. IV, 1, 1893, p. 559.

aeneopiceus Champ. Trans. Ent. Soc. Lond. 1896, p. 30, t. 1, f. 8. — Grenadines
fusiformis Champ. Biol. Centr.-Amer. Col. IV, 1, 1893, p. 560, t. 23, f. 15. — Guatemala
ruficollis Champ. l. c. p. 559, t. 23, f. 14. — Panama
setipennis Champ. l. c. p. 560. — Guatemala

4

Parahelops Waterh.

Waterh. Trans. Ent. Soc. Lond. 1875, p. 333. — Fairm. Miss. Sc. Cap Horn VI, 2, 1891, Col. p. 47.

angulicollis Fairm. Ann. Soc. Ent. Fr. (6) V, 1885, p. 56; Miss. Sc. Cap Horn VI, 2, 1891, Col. p. 51, t. 2, f. 3. — Feuerland
Darwini Waterh. Trans. Ent. Soc. Lond. 1875, p. 334. — Fairm. l. c. p. 48, t. 2, f. 2. — „
Haversi Waterh. l. c. p. 336. — Fairm. l. c. p. 51, t. 2, f. 4. — Falkland-Ins.
pubescens Waterh. l. c. p. 334. — Fairm. l. c. p. 49, t. 2, f. 2. — Feuerland
quadricollis Waterh. l. c. p. 335. — Fairm. l. c. p. 50. — Falkland-Ins.
seriatus Kolbe, Ergebn. Hamb. Magelh. Sammelr. VIII, 1907, nr. 4, p. 114. — Feuerland

6

*) Diese Gattung gehört wegen der Bildung der Vorderhüften wohl kaum zu den Tenebrioniden, sondern vielleicht zu den Lagriiden.

Dolphus Blanch.

Blanch. Voy. Pole Sud IV, 1853, p. 171.

globipennis Blanch. l. c. p. 172, t. 11, f. 12. Port Famine
1

Chitoniscus Waterh.

Waterh. Trans. Ent. Soc. Lond. 1875, p. 331. — Fairm. Miss. Sc. Cap Horn VI, 2, 1891, Col. p. 38.

brevipennis Waterh. l. c. p. 332. Feuerland
brevissimus Fairm. l. c. p. 39.
1

Perimylops Müll.

Müll. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 419. — Fairm. Miss. Sc. Cap Horn VI, 2, 1891, Col. p. 40.

antarcticus Müll. (scr. *antracticus*) l. c. p. 419. — Fairm. l. c. p. 41. S. Georgien
Biologie: Mjöberg, Ark. f. Zool. III, 1906, nr. 13, p. 12, t. 1, f. 5.
1

Hydromedion Waterh.

Waterh. Trans. Ent. Soc. Lond. 1875, p. 333. — Fairm. Miss. Sc. Cap Horn VI, 2, 1891, Col. p. 42.

Mylops Fairm. Ann. Soc. Ent. Fr. (6) III, 1883, p. 499.

anomocerum Fairm. l. c. (6) V, 1885, p. 54; Miss. Sc. Cap Horn 1891, VI, 2, Col. p. 47. Choungougin
distinguendum Fairm. l. c. p. 53; l. c. p. 45. Cap S. Martin
elongatum Waterh. Trans. Ent. Soc. Lond. 1875, p. 333, 336. — Fairm. l. c. p. 43. Feuerland
magellanicum Fairm. Ann. Soc. Ent. Fr. (6) III, 1883, p. 500; l. c. p. 43. Punta Arenas
nitidum Mjöberg, Ark. f. Zool. 1906, nr. 13, p. 9, t. 1, f. 3. S. Georgia
Biologie: Mjöberg, l. c. p. 10, t. 1, f. 4.
oblongiusculus Blanch. Voy. Pole Sud IV, 1853, p. 171, t. 11, f. 13. Port Famine
sparsulum Müll. Deutsche Ent. Zeitschr. XXVIII, 1884, p. 418. — Fairm. Miss. Sc. Cap Horn VI, 2, 1891, Col. p. 46. „
Biologie: Mjöberg, l. c. p. 6, 7, f. 4a—e, t. 1, f. 2.
variegatum Waterh. Trans. Ent. Soc. Lond. 1875, p. 336. — Fairm. Miss. Sc. Cap Horn VI, 2, 1891, Col. p. 45, t. 2, f. 1. Magelhanstraße
8

Brachyhelops Fairm.

Fairm. Ann. Soc. Ent. Fr. (6) V, 1885, p. 57. — Fairm. Miss. Sc. Cap Horn VI, 2, 1891, Col. p. 52.

Hahni Fairm. l. c. p. 57; l. c. p. 53, t. 2, f. 5. Orange-Bay
1

Chanopterus Bohem.

Bonem. Resa Eugen. 1858, p. 98. — Lacord. Gen. Col. V, 1859, p. 731;

paradoxus Boh. l. c. p. 98, t. 1, f. 7. — Fairm. Miss. Sc. Cap Horn VI, 2, 1891, Col. p. 40. — Port Famine

1

LXXX. Talaninae.

Champion, Biol. Centr.-Amer. Col. IV, 1, 1887, p. 321.

Dignamptini Lec. and Horn, Class. Col. N. Amer. 1883, p. 385;

Talanus Mäkl.

Mäkl. Öfv. Finska Vet. Soc. Förh. XX, 1878, p. 96 (340). — Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 321.

Dignamptus J. Lec. Proc. Amer. Phil. Soc. XVII, 1877, p. 421.

aeneipennis Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 327, 561. — Centralamerika

apterus Champ. l. c. p. 328, t. 14, f. 4, 4a, b. — „

ater Champ. l. c. p. 327. — Panama

brasiliensis Mäkl. Öfv. Finska Vet. Soc. Förh. XX, 1878, p. 100 (345). — Brasilien

columbianus Mäkl. l. c. p. 99 (344). — Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 324. — Columbien, Panama

crenulatus Fairm. Ann. Soc. Ent. Fr. LXI, 1892, p. 93. — Venezuela

cribrarius Mäkl. Öfv. Finska Vet. Soc. Förh. XX, 1878, p. 97 (342). — Cuba

ferrugineus Champ. Trans. Ent. Soc. Lond. 1896, p. 31. — St. Vincent

guadeloupensis Fleut. et Sallé, Ann. Soc. Ent. Fr. (6) IX, 1889, p. 430. — Guadeloupe

guatemalensis Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 326, t. 14, f. 3. — Guatemala

humilis Mäkl. Öfv. Finska Vet. Soc. Förh. XX, 1878, p. 101 (346). — Columbien

insularis Mäkl. l. c. p. 98 (343). — Porto-Rico

interstitialis Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 324. — Centralamerika

laevicollis Champ. Trans. Ent. Soc. Lond. 1896, p. 32. — St. Vincent

laevipennis Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 322. — Guatemala

langurinus J. Lec. Proc. Amer. Philos. Soc. XVII, 1877, p. 421. — Florida

laticeps Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 325, t. 14, f. 2. — Panama

Lecontei Champ. l. c. p. 323. — Centralamerika

longicornis Champ. l. c. p. 328. — „

neotropicalis Champ. l. c. p. 322, 561, t. 14, f. 1. — Central- und Südamerika

parallelus Fairm. Ann. Soc. Ent. Fr. LXI, 1892, p. 92. — Venezuela

stenochinus J. Lec. Proc. Amer. Phil. Soc. XVII, 1877, p. 421. — Florida

subexaratus Mäkl. Öfv. Finska Vet. Soc. Förh. XX, 1878, p. 102 (347). — Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 325. — Central- und Südamerika
subopacus Champ. l. c. p. 323. — Centralamerika

24

LXXXI. Helopininae.

Lacordaire, Gen. Col. V, 1859, p. 457.

Aptila Fåhrs.

Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 258. — Haag, Col. Hefte VII, 1871, p. 31.

costata Fåhrs. l. c. p. 259. — Haag, l. c. p. 32. — Caffrarien
tuberculata Fåhrs. l. c. p. 258.
debilis Fåhrs. l. c. p. 260. — Haag, l. c. p. 32. — „
noxia Fåhrs. l. c. p. 259.

2

Oncopterus Fairm.

Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 178.

acantholophus Fairm. l. c. p. 178, t. 2, f. 7. — Deutsch-Ostafrika

1

Oncoosoma Westw. (scr. *Ogcosoma*).

Westw. Proc. Zool. Soc. Lond. 1842, p. 121. — Lacord. Gen. Col. V, 1859, p. 193. — Haag, Col. Hefte VII, 1871, p. 25.

Amatodes Sol. Mem. Accad. Torino (2) VI, 1844, p. 264 (52).

alternicoste Geb. Ann. Soc. Ent. Belg. LIV, 1910, p. 144. — Deutsch-Ostafrika
angulicolle Geb. l. c. p. 144. — Centralafrika
canaliculatum F. Syst. El. I, 1801, p. 132. — Geb, Deutsche Ent. Zeitschr. 1906, p. 211. — Guinea
guineense Haag, Col. Hefte VII, 1871, p. 30.
collare Geb. Ann. Soc. Ent. Belg. LIV, 1910, p. 145. — Deutsch-Ostafrika
cordofanum Haag, Col. Hefte VII, 1871, p. 30. — Kordofan
delicatulum Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 149. — Senegal
Ertli Geb. Ann. Soc. Ent. Belg. LIV, 1910, p. 148. — Deutsch-Ostafrika
fasciolatum Geb. l. c. p. 144. — Centralafrika
gemmatum F. Syst. El. I, 1801, p. 132. — Sol. Mem. Accad. Torino (2) VI, 1844, p. 266 (54), t. 3, f. 1—8. — Haag, Col. Hefte VII, 1871, p. 28. — Senegal, Guinea
granulare Westw. Proc. Zool. Soc. Lond. 1842, p. 121; Trans. Zool. Soc. Lond. III, 1843, p. 288, t. 15, f. 14; Ann. Mag. Nat. Hist. XI, 1843, p. 536.
Haroldi Haag, Col. Hefte XIV, 1875, p. 67. — Abessinien

hirsutum Sol. Mem. Acc. Torino (2) VI, 1844, p. 268 (56). — Haag, Col. Hefte VII, 1871, p. 31. — Senegal
hirsutulum Sol. l. c. p. 267 (55). — Haag, l. c. p. 29. — ,,
mucoreum Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 148. — ,,
planicolle Haag, Deutsche Ent. Zeitschr. XXIII, 1879, p. 289. — Nyassa
planipenne Geb. Ann. Soc. Ent. Belg. LIV, 1910, p. 147. — Deutsch-Ostafrika
suturale Geb. l. c. p. 146. — ,,

16

Micrantereus Sol.

Sol. Studi entom. 1848, p. 151 (5), 175 (29). — Lacord. Gen. Col. V, 1859, p. 458.

Solenomerus Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 306.

algoensis Péring. Trans. Ent. Soc. Lond. 1896, p. 176. — Mozambique
ambiguus Péring. Ann. S. Afr. Mus. I, 1899, p. 306. — Sambesia
anomalus Guér. Mag. Zool. 1834, Mélas. p. 24, t. 112, f. 7. — Sol. Studi entom. 1848, p. 177 (31), t. 5, f. 7—13. — Senegal
armipes Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 131. — Ostafrika
asidoides Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 152. — Gestro, Ann. Mus. Genova (2) XV, 1895, p. 380. — Somaliland
assimilis Ancey, Le Natur. II, 1882, p. 54. — Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 673. — Deutsch-Ostafrika
capicola Péring. Ann. S. Afr. Mus. III, 1904, p. 245. — Capland
carinatus Péring. Trans. Ent. Soc. Lond. 1896, p. 173. — Betchuana-land
costatus Gerst. Monatsber. Berl. Acad. 1854, p. 532; Peters' Reise 1862, p. 283, t. 17, f. 3. — Mozambique
devexus Péring. Trans. Ent. Soc. Lond. 1896, p. 176. — ,,
externecostatus Fairm. Compt. rend. Soc. Ent. Belg. 1884, p. LXXVI; Ann. Soc. Ent. Fr. (6) VII, 1887, p. 295, t. 3, f. 4. — Ostafrika
externus Fairm. Bull. Soc. Vaudoise XXXV, 1899, p. 182, t. 2, f. 7. — Delagoa
fallax Péring. Trans. Ent. Soc. Lond. 1896, p. 175. — Sambesia
femoratus Gerst. Arch. f. Naturg. XXXVII, 1871, p. 64; Decken's Reise III, 2, 1873, p. 193, t. 9, f. 8. — Ostafrika
luteopubens Fairm. Compt. rend. Soc. Ent. Belg. 1882, p. LII.
gasanus Péring. Ann. S. Afr. Mus. III, 1904, p. 247, t. 13, f. 5, 6. — Rhodesia
Gerstaeckeri Gestro, Ann. Mus. Genova IV, 1873, p. 354, fig; (2) VII, 1889, p. 59. — Abessinien
fimbritibius Ancey, Le Natur. II, 1882, p. 68. — Fairm. Ann. Soc. Ent. Fr. (6) III, 1883, p. 101; Rev. d'Ent. XI, 1892, p. 114.
gratiosus Péring. Trans. Ent. Soc. Lond. 1896, p. 174. — Sambesia
hirsutus Péring. Ann. S. Afr. Mus. III, 1904, p. 248, t. 13, f. 4. — Transvaal
lacrymosus Gerst. Jahrb. Hamb. wiss. Anst. I, 1883, p. 56. — Massai
laevior Fairm. Rev. d'Ent. XI, 1892, p. 114. — Obock
limpopoanus Péring. Trans. Ent. Soc. Lond. 1896, p. 172. — Ob. Limpopo

litigiosus Péring. Ann. S. Afr. Mus. I, 1899, p. 308. Betchuana-land

longipes Fährs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 306. Caffrarien

luctuosus Péring. Trans. Ent. Soc. Lond. 1896, p. 173. Mozambique

lydenburgiensis Péring. Ann. S. Afr. Mus. III, 1904, p. 247, t. 13, f. 7. Transvaal

marginipennis Fairm. Compt. rend. Soc. Ent. Belg. 1884, p. LXXVI; Ann. Soc. Ent. Fr. (6) VII, 1887, p. 295. Somaliland

nitidus Gahan, Ann. Mag. Nat. Hist. (6) XVIII, 1896, p. 455. Aden

ovampoanus Péring. Trans. Ent. Soc. Lond. 1896, p. 175. Ovampoland

parvidens Geb. Erg. Exped. Kilimandj. I, 7, 1910, p. 389, f. 14, 15. Kilimandjaro

parvulus Péring. Ann. S. Afr. Mus. I, 1899, p. 307. Transvaal

procursus Péring. l. c. III, 1904, p. 245, t. 13, f. 1, 2. Rhodesia

pronus Péring. Trans. Ent. Soc. Lond. 1896, p. 176. Transvaal

propinquus Péring. Ann. S. Afr. Mus. I, 1899, p. 307. Sambesia

quadricristatus Fairm. Compt. rend. Soc. Ent. Belg. 1884, p. LXXVI; Ann. Soc. Ent. Fr. (6) VII, 1887, p. 296. Somaliland

recticostatus Fairm. Miss. Révoil, Faune et Flore Çomali, Col. 1882, p. 79. ,,

rugulosus Gestro, Ann. Mus. Genova XIII, 1878, p. 321; (2) VII, 1889, p. 59. — Fairm. Rev. d'Ent. XI, 1892, p. 113. Schoa

scaberrimus Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 327, 672. — Péring. Trans. Ent. Soc. Lond. 1896, p. 172. Mozambique

septemcostatus Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 131. Ostafrika

seriegranosus Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. CCXCVI (18). Somaliland

seriepunctatus Fairm. l. c. 1884, p. LXXV; Ann. Soc. Ent. Fr. (6) VII, 1887, p. 294. ,,

sinuatipes Fairm. Miss. Révoil, Faune et Flore Çomali, Col. 1882, p. 78. ,,

Sjoestedti Geb. Ergebn. Exped. Kilimandj. I, 7, 1910, p. 390, f. 16. Kilimandjaro

spissus Péring. Ann. S. Afr. Mus. I, 1899, p. 306, t. 7, f. 3; III, 1904, p. 250. Transvaal

spurius Péring. Trans. Ent. Soc. Lond. 1896, p. 174. Sambesia

tentyrioides Pasc. Ann. Mag. Nat. Hist. (5) IX, 1882, p. 29. Arabien

timarchoides Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 152. Somaliland

validus Péring. Ann. S. Afr. Mus. I, 1899, p. 305, t. 7, f. 11, 6. Sambesia

variolosus Gerst. Arch. f. Naturg. XXXVII, 1871, p. 64; Decken's Reise III, 2, 1873, p. 193, t. 9, f. 9; Jahrb. Hamb. wiss. Anst. I, 1883, p. 56. Deutsch-Ostafrika

velox Péring. Trans. S. Afr. Phil. Soc. VI, 2, 1892, p. 58. S. W. Afrika

vicarius Péring. Ann. S. Afr. Mus. III, 1904, p. 249, t. 13, f. 3. Rhodesia

zoutpansbergianus Péring. l. c. p. 246, t. 13, f. 8. Transvaal N'Gami

Blastarnus Fairm.

Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 132.

grallator Fairm. l. c. p. 132. Kimberley
hirtulus Fairm. l. c. p. 133. Südostafrika
pruinosus Fairm. l. c. p. 132. N. Gami
3

Anaxius Fåhrs.

Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 307.

obesus Fåhrs. l. c. p. 307. Caffrarien
1

Emyon Gerst.

Gerst. Monatsber. Berl. Akad. 1854, p. 532; Peters' Reise 1862, p. 284. — Lacord. Gen. Col. V, 1859, p. 459.

caelatus Gerst. l. c. p. 532; l. c. p. 285, t. 17, f. 4. Mozambique
scabrosus Péring. Trans. S. Afr. Phil. Soc. VI, 2, 1892, p. 58. Südwestafrika
Swierstrae Müll. Tijdschr. voor Entom. XXX, 1887, p. 303, t. 12, f. 5. Sambesi
tristis Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 305. Caffrarien
4

Drosochrus Er.

Er. Arch. f. Naturg. IX, 1843, I, p. 243. — Lacord. Gen. Col. V, 1859, p. 460.

Pteraulus Sol. Studi entom. 1848, p. 152 (6), 200 (54).

brunnipes Er. l. c. p. 244. — Muls. Mém. Acad. Lyon X, 1860, p. 17. Capland
conspersus Müll. Tijdschr. voor Entom. XXX, 1887, p. 304. Sambesi
crenulatus Er. Arch. f. Naturg. IX, 1843, I, p. 244. Angola
cristatus Sol. Studi entom. 1848, p. 201 (55), t. 8, f. 1—4. — Lacord. Gen. Col. V, 1859, Atlas t. 58, f. 1. Capland
depressus Er. Arch. f. Naturg. IX, 1843, I, p. 244. „
sulcatipennis Sol. Studi entom. 1848, p. 202 (56). „
6

Helopinus Sol.

Sol. Studi entom. 1848, p. 152 (6), 197 (51). — Lacord. Gen. Col. V, 1859, p. 460.

costatus Sol. l. c. p. 199 (53), t. 7, f. 10—14. — Fairm. Rev. d'Ent. XI, 1892, p. 112. Arabien, Abessinien
elegans Baudi, Deutsche Ent. Zeitschr. XXV, 1881, p. 287.
meruensis Geb. Erg. Exped. Kilim. I, 7, 1910, p. 388, f. 13. Meru
minor Fairm. Miss. Révoil, Faune et Flore Çomali, Col. 1882, p. 77; Rev. d'Ent. XI, 1892, p. 113. Somaliland

misolampoides Lacord. Gen. Col. Atlas t. 58, f. 2. Arabien
psalidiformis Ancey, Le Natur. III, 1881, p. 397. — Baudi, Deutsche Ent. Zeitschr. XXV, 1881, p. 289. „
5

Diestecopus Sol.

Sol. Studi entom. 1848, p. 152 (6), 194 (48). — Lacord. Gen. Col. V, 1859, p. 461.

erodioides Sol. l. c. p. 196 (50), t. 7, f. 5—9. Capland
1

Menederes Sol.

Sol. Studi entom. 1848, p. 152 (6), 153 (7), 203 (57). — Lacord. Gen. Col. V, 1859, p. 462.

rufilabris Sol. l. c. p. 205 (59), t. 8, f. 5—7. Capland
1

LXXXII. Meracanthinae.

Lacordaire, Gen. Col. V, 1859, p. 291, 464. — J. Leconte and Horn, Class. Col. N. Amer. 1883, p. 373, 386.

Axynaon Blackb.

Blackb. Trans. Roy. Soc. S. Austr. XXI, 1897, p. 34.

Championi Blackb. l. c. p. 35. Queensland
1

Acanthomera Latr.

Latr. Règne anim. ed. 2, V, 1829, p. 16. — Cast. Hist. Nat. II, 1840, p. 205.

Acanthomerus Guér. Mag. Zool. 1834, Mélas. p. 21.
Psorodes Sol. Studi entom. 1848, p. 151 (5), 162 (16). — Lacord. Gen. Col. V, 1859, p. 465.

alternans Wiedem. Zool. Mag. II, 1, 1823, p. 41. Capland
substriata Guér. Mag. Zool. 1834, Mélas. p. 22, t. 112, f. 3. — Sol. Studi entom. 1848, p. 164 (18), 168 (22).
armata Herbst, Käfer VIII, 1799, p. 76, t. 122, f. 6. „
asperipennis Péring. Ann. S. Afr. Mus. I, 1899, p. 313. „
calcarata F. Ent. Syst. Suppl. 1798, p. 46; Syst. El. I, 1801, p. 142. — Guér. Mag. Zool. 1834, Mélas. p. 23. — Sol. Studi entom. 1848, p. 164 (18), 166 (20). „
gibbosa Guér. l. c. t. 112, f. 4.
consocia Péring. Ann. S. Afr. Mus. I, 1899, p. 314. „
cursor Péring. l. c. III, 1904, p. 252. „
dentipes F. Entom. Syst. I, 1792, p. 102; Syst. El. I, 1801, p. 131. — Herbst, Käf. VIII, 1799, p. 66, „

t. 122, f. 9. — Guér. Mag. Zool. 1834, Mélas. p. 22, t. 112, f. 2. — Sol. Studi entom. 1848, p. 164 (18), 170 (24). — Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 308.
♀ *mamillata* Herbst, Käf. VIII, 1799, p. 73, t. 122, f. 4. — Guér. l. c. p. 22.
tuberculata F. Ent. Syst. I, 1792, p. 101; Syst. El. I, 1801, p. 131.
var. *Boyeri* Sol. Studi entom. 1848, p. 164 (18), 171 (25).
var. *Duponti* Sol. l. c. p. 164 (18), 172 (26).

echinata Sol. l. c. p. 164 (18), 173 (27). Capland
granosa Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 308. Caffrarien
gratilla Herbst, Käfer VIII, 1799, p. 75, t. 122, f. 5. — Guér. Mag. Zool. Mélas. 1834, p. 21, t. 112, f. 1. — Sol. Studi entom. 1848, p. 164 (18), 169 (23). — Cast. Hist. Nat. II, 1840, p. 205. Capland
Dejeani Sol. l. c. p. 164 (18), 174 (28).
helopioides Guér. Mag. Zool. 1834, Mélas. p. 24, t. 112, f. 5. — Lacord. Gen. Col. V, 1859, p. 450, nota 2; p. 466, nota 1. „
capensis Sol. Studi entom. 1848, p. 161 (15), t. 4, f. 6.
hottentotta (scr. *hottentota*) Péring. Ann. S. Afr. Mus. I, 1899, p. 314. „
lugens Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 309. Caffrarien
namaqua Péring. Ann. S. Afr. Mus. I, 1899, p. 313. Namaland
trapezicollis Sol. Studi entom. 1848, p. 164 (18), 165 (19). Capland

15

Umslatus Péring.

Péring. Ann. S. Afr. Mus. I, 1899, p. 312.

agilis Péring. l. c. p. 312. Capland

1

Meracanthoides Linell.

Linell, Proc. U. S. Nat. Mus. XVIII, 1895, p. 698.

cupreolineatus Linell, l. c. p. 698. Ostafrika

1

Meracantha Kirby.

Kirby, Fn. Bor.-Am. IV, 1837, p. 237. — Lacord. Gen. Col. V, 1859, p. 466.
Falacer Cast. Hist. Nat. II, 1840, p. 233.

contracta Beauv. Ins. Afr. et Amer. 1805, p. 121, t. 30, f. 1, 2. — Horn, Revis. Tenebr. 1870, p. 398. Vereinigte Staaten, Canada
canadensis Kirby, Fn. Bor.-Amer. IV, 1837, p. 238.
cuprea Cast. Hist. Nat. II, 1840, p. 233.
inflata Sol. Studi entom. 1848, p. 167 (21).
tumida Melsh. Proc. Ac. Phil. III, 1846, p. 61.
Biologie: Haldem. Proc. Ac. Phil. V, 1847, p. 5; Proc. Am. Assoc. Adv. Sc. 1849, II, p. 347 (sub *inflata* Sol.). — Wickham, Journ. N. York Ent. Soc. IV, p. 119, t. 5, f. 2. —
rugosa Cast. Hist. Nat. II, 1840, p. 233. Nordamerika

2

LXXXIII. Rhysopaussidae.

Wasmann, Ann. Mus. Genova (2) XVI, 1896, p. 613; (2) XVII, 1896, p. 149; Results Swedish Zool. Exped. Egypt and White Nile 1904, nr. 13, p. 5. — Gestro, Ann. Mus. Genova XL, 1900, p. 746.

Rhysopaussus Wasm.

Wasm. Ann. Mus. Genova (2) XVI, 1896, p. 616; (2) XVII, 1896, p. 150.

Doherti Wasm. l. c. p. 617, t. 2, f. 1. Malakka
1

Xenotermes Wasm.

Wasm. Ann. Mus. Genova (2) XVI, 1896, p. 616; (2) XVII, 1896, p. 150.

Feae Wasm. l. c. p. 617, t. 2, f. 2. — Fea, Quattro anni in Birmania p. 443, f. 146. Birma
1

Rhysodina Chevr. (scr. *Rhyzodina*).

Chevr. Ann. Soc. Ent. Fr. (5) III, 1873, p. 208. — Westw. Trans. Ent. Soc. Lond. 1875, p. 225. — Wasm. Ann. Mus. Genova (2) XVII, 1896, p. 150.

Mniszechi Chevr. l. c. p. 209. — Westw. Trans. Ent. Soc. Lond. 1875, p. 226, t. 6, f. 4. Abessinien
1

Apistocerus Fairm.

Fairm. Bull. Soc. Ent. Fr. 1899, p. 78.

Wasmanni Fairm. l. c. p. 79, fig. Franz. Congo
1

Azarelius Fairm.

Fairm. Bull. Soc. Ent. Fr. 1892, p. VII. — Wasm. Ann. Mus. Genova (2) XVI, 1896, p. 613; (2) XVII, 1896, p. 150.

Oberthüri Wasm. Ann. Mus. Genova (2) XVI, 1896, p. 617, t. 2, f. 3; (6) XVII, 1896, p. 151. Birma
sculpticollis Fairm. Bull. Soc. Ent. Fr. 1892, p. VII. — Wasm. l. c. p. 151. Sumatra
singularis Wasm. l. c. p. 151. Pedong
3

Barlacus Fairm.

Fairm. Bull. Soc. Ent. Fr. 1900, p. 45.

costulatus Fairm. l. c. p. 45. Borneo
1

Ziaelas Fairm.

Fairm. Bull. Soc. Ent. Fr. 1892, p. CX. — Wasm. Ann. Mus. Genova (2) XVII, 1896, p. 149.

insolitus Fairm. l. c. p. CX. — Wasm. l. c. p. 149, f. 1 a, b. Hué

Euglyptonotus Gestro.

Gestro, Ann. Mus. Genova (2) XX [XL], 1899 (1901), p. 744.

Magrettii Gestro, l. c. p. 744. Sabarguma, Samar

1

Gonocnemis Thoms.

Thoms. Arch. Ent. II, 1858, p. 101. — Lacord. Gen. Col. V, 1859, p. 469.

aethiopicus Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 134. Abessinien
binodosa Kraatz, Deutsche Ent. Zeitschr. 1899, p. 114. Usambara
carinata Kraatz, l. c. p. 117. Kamerun
crassicornis Fairm. Notes Leyd. Mus. XX, 1898, p. 217. Westafrika
debilicornis Kraatz, Deutsche Ent. Zeitschr. 1899, p. 117. ?Kamerun
Fairmairei nom. nov. Senegal
quadricollis Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 153.
incostata Fairm. Ann. Soc. Ent. Fr. LX, 1891, p. 262. Niger
Jaegerskiöldi Wasm. Jaegersk. Exped. 1904, nr. 13, p. 7, t. 1, f. 2. Sudan
Biologie: Wasm. l. c. p. 7.
myrmido Fairm. Le Natur. II, 1882, p. 68; Ann. Soc. Ent. Fr. (6) III, 1883, p. 101. Abessinien
Nodieri Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 152. Senegal
opatroides Kraatz, Deutsche Ent. Zeitschr. 1899, p. 114. Ostafrika
pallipes Kraatz, l. c. p. 115. Kamerun
puberulus Fairm. Notes Leyd. Mus. XX, 1898, p. 217. Gabun
quadricollis Fairm. Le Natur. II, 1882, p. 68; Ann. Soc. Ent. Fr. (6) III, 1883, p. 100. Abessinien
Raffrayi Fairm. Ann. Soc. Ent. Fr. LX, 1891, p. 259. Sansibar
reflexicollis Fairm. l. c. p. 261. Sierra Leone
rubripes Fairm. Notes Leyd. Mus. XX, 1898, p. 219. Franz. Congo
seminitens Fairm. l. c. p. 220. „
senegalensis Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 673. Senegal
sericeus F. Syst. El. I, 1801, p. 120. — Geb. Deutsche Ent. Zeitschr. 1906, p. 225. Sumatra
dapsoides Fairm. Notes Leyd. Mus. IV, 1882, p. 246.
sinuaticollis Kolbe, Berl. Ent. Zeitschr. XXVII, 1883, p. 24; Beitr. Zoogeogr. Westafr. 1887, p. 295, t. 2, f. 9. — Fairm. Ann. Soc. Ent. Fr. LX, 1891, p. 260. Westafrika
strigipennis Thoms. Arch. Ent. II, 1858, p. 101. Gabun
sulcicollis Fairm. Notes Leyd. Mus. XX, 1898, p. 219. „
tubericollis Fairm. l. c. p. 218. „
viridipennis Kraatz, Deutsche Ent. Zeitschr. 1899, p. 115. Kamerun
viridis Kraatz, l. c. p. 116. „

Acastus Péring.

Péring. Trans. Ent. Soc. Lond. 1896, p. 177.

agrestis Péring. l. c. p. 178. Sambesi
impressicollis Péring. l. c. p. 179. „
parvulus Péring. Ann. S. Afr. Mus. I, 1899, p. 315, t. 7, f. 9. Natal
rusticus Péring. Trans. Ent. Soc. Lond. 1896, p. 178. Sambesi
sebakuensis Péring. Ann. S. Afr. Mus. III, 1904, p. 260. Rhodesia
segnis Péring. Trans. Ent. Soc. Lond. 1896, p. 178. Sambesi
6

Paraconocnemis Kraatz.

Kraatz, Deutsche Ent. Zeitschr. 1899, p. 119.

foveicollis Fairm. Ann. Soc. Ent. Fr. LX, 1891, p. 261. Sierra Leone
sculpticollis Kraatz, Deutsche Ent. Zeitschr. 1899, p. 119. Kamerun
Traegaordhi Wasm. Jaegersk. Exped. 1904, nr. 13, p. 8, t. 1, f. 1, 1a. Sudan
3

Synopticus Thoms.

Thoms. Arch. Ent. II, 1858, p. 101. — Lacord. Gen. Col. V, 1859, p. 470.

degener Thoms. l. c. p. 102. Gabun
1

LXXXIV. Amarygminae.

Amarygmides et *Megacanthides* Lacordaire, Gen. Col. V, 1859, p. 291, 467, 471.

Megacantha Westw.

Westw. Proc. Zool. Soc. Lond. 1842, p. 121; Trans. Zool. Soc. Lond. III, 1843, p. 228. — Lacord. Gen. Col. V, 1859, p. 467.

dentata F. Syst. El. I, 1801, p. 160. — Geb. Ark. Zool. 1904, nr. 5, p. 25. Guinea
tenebrosa Westw. Proc. Zool. Soc. Lond. 1842, p. 122; Trans. Zool. Soc. Lond. III, 1843, p. 229, t. 15, f. 12; Ann. Mag. Nat. Hist. XI, 1843, p. 536.
rudicollis Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 135. Ostafrika
2

Hoplonyx Thoms.

Thoms. Arch. Ent. II, 1858, p. 98.

Erycastus Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 133. — Péring. Ann. S. Afr. Mus. III, 1904, p. 258.
Oplocheirus Lacord. Gen. Col. V, 1859, p. 468.

afer Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 311. Caffrarien
alleculoides Thoms. Arch. Ent. II, 1858, p. 99. Gabun

amoenus Péring. Ann. S. Afr. Mus. III, 1904, p. 259. Natal
angolensis Har. Col. Hefte XVI, 1879, p. 123. Loanda
angusticollis Schauf. Nunq. Otios. I, 1870, p. 63. Natal
anthracinus Quedf. Berl. Ent. Zeitschr. XXIX, 1885, p. 21. Westafrika
asper Péring. Ann. S. Afr. Mus. I, 1899, p. 315. Namaqualand
asperipennis Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 296. Somaliland
brevicollis Gerst. Arch. f. Naturg. XXXVII, 1871, p. 64; Decken's Reise (3) II, 1873, p. 196, t. 10, f. 5. „
brunneus Quedf. Berl. Ent. Zeitschr. XXIX, 1885, p. 22. Westafrika
calcaratus Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 312. Caffrarien
camerunus Geb. Ark. f. Zool. II, 1904, nr. 5, p. 24? Kamerun
carbonarius Gerst. Jahrb. Hamb. wiss. Anst. I, 1883, p. 56. Deutsch-Ostafrika
carus Geb. Mem. Real Soc. Esp. Hist. Nat. I, 1907, p. 416 nota. Kamerun
Casatii Gestro, Ann. Mus. Genova (2) XV, 1895, p. 381. — Geb. Ann. Soc. Ent. Belg. LIV, 1910, p. 173. Inneres Ostafrika
clypeatus Fåhrs. Öfv. Vet.-Ak. Förh. XXVII, 1870, p. 313. Caffrarien
collaris Geb. Ann. Soc. Ent. Belg. LIV, 1910, p. 177. Deutsch-Ostafrika
cristatus Fåhrs. Öfv. Vet.-Ak. Förh. XXVII, 1870, p. 310. Caffrarien
cyanescens Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 673. Kibanga
distinctus Duviv. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 163, 303. Congo
Ertli Geb. Ann. Soc. Ent. Belg. LIV, 1910, p. 174. Deutsch-Ostafrika
evanescens Geb. Ark. f. Zool. II, 1904, nr. 5, p. 23. Kamerun
extraneus Péring. Ann. S. Afr. Mus. III, 1904, p. 256. Rhodesia
frontalis Geb. Ann. Soc. Ent. Belg. LIV, 1910, p. 176. Deutsch-Ostafrika
granulipennis Péring. Ann. S. Afr. Mus. III, 1904, p. 255. Capland
gratulus Péring. l. c. p. 257. Rhodesia
impuncticollis Fairm. Compte rend. Soc. Ent. Belg. 1884, p. CXXIV; Ann. Soc. Ent. Fr. (6) VII, 1887, p. 297. Somaliland
ingratus Péring. Trans. S. Afr. Phil. Soc. VI, 2, 1892, p. 59. S. W. Afrika
insignis Péring. Ann. S. Afr. Mus. III, 1904, p. 255. Ovampoland
laticollis Geb. Ann. Soc. Ent. Belg. LIV, 1910, p. 175. Deutsch-Ostafrika
latus Schauf. Nunq. Otios. I, 1870, p. 63. Natal
longipennis Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 297. Kibanga
longitarsis Fåhrs. Öfv. Vet.-Ak. Förh. XXVII, 1870, p. 314. Caffrarien
lucens Geb. Mem. Real Soc. Esp. Hist. Nat. I, 1907, p. 414. Guinea
luscus Péring. Ann. S. Afr. Mus. III, 1904, p. 260. Natal
metallicus Fåhrs. Öfv. Vet.-Ak. Förh. XXVII, 1870, p. 313. Caffrarien
micans Schauf. Nunq. Otios. I, 1870, p. 62. Natal
monophthalmus Thoms. Arch. Ent. II, 1858, p. 99. Gabun
nasutus Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 310. Caffrarien
navicularis Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 134. Natal
opacus Müll. Tijdschr. voor Entom. XXX, 1887, p. 305, t. 12, f. 6. Sambesi

ovipennis Quedf. Berl. Ent. Zeitschr. XXIX, 1885, p. 23, t. 3, f. 7, 7a, b. Westafrika
parvicollis Geb. Ann. Soc. Ent. Belg. LIV, 1910, p. 179. Deutsch-Ostafrika
perforatus Péring. Ann. S. Afr. Mus. III, 1904, p. 256. Transvaal
pilosus Geb. Erg. Exped. Kilim. I, 1910, nr. 7, p. 392. Kilimandjaro
probus Péring. Ann. S. Afr. Mus. III, 1904, p. 259. Capland
pronus Fåhrs. Öfv. Vet. Ak. Förh. XXVII, 1870, p. 311. Caffrarien
protensus Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 30. Schoa
pudens Péring. Ann. S. Afr. Mus. III, 1904, p. 258. Natal
punctatissimus Fåhrs. Öfv. Vet.-Ak. Förh. XXVII, 1870, p. 314. Caffrarien
refertus Péring. Ann. S. Afr. Mus. III, 1904, p. 257. Südafrika
rufitarsis Fåhrs. Öfv. Vet.-Ak. Förh. XXVII, 1870, p. 312. Caffrarien
rufopictus Fairm. Ann. Soc. Ent. Fr. LX, 1891, p. 259. Guinea
spectandrus Péring. Ann. S. Afr. Mus. III, 1904, p. 258. Natal
striatus Guér. Mag. Zool. Mélas. 1834, p. 24, t. 112, f. 6. Cap,
carbonarius Kl. Erman's Reise V, 1835, p. 40. Senegal
subopacus Fairm. Le Natur. II, 1882, p. 192; Ann. Soc. Ent. Fr. (6) III, 1883, p. 100. Abessinien
termitophilus Wasm. Jaegersk. Exped. 1904, nr. 13, p. 9. Sudan
usambarensis Geb. Ann. Soc. Ent. Belg. LIV, 1910, p. 178. Deutsch-Ostafrika
vicinus Péring. Trans. S. Afr. Phil. Soc. VI, 2, 1892, p. 124. Transvaal

59

Hoplobrachium Fairm.

Fairm. Ann. Soc. Ent. Fr. (6) VI, 1886, p. 74.

asperipenne Fairm. l. c. p. 74, t. 2, f. 9. Madagaskar

1

Asyleptus Péring.

Péring. Trans. Ent. Soc. Lond. 1896, p. 179.

fumosus Péring. l. c. p. 179. Capland

1

Vutsimus Péring.

Péring. Ann. S. Afr. Mus. I, 1899, p. 309.

byzacnoides Péring. Ann. S. Afr. Mus. III, 1904, p. 254. Transvaal
chrysomelides Péring. Ann. S. Afr. Mus. I, 1899, p. 311. Natal, Transvaal
coriaceipennis Péring. l. c. p. 311, t. 7, f. 4. Natal
litigiosus Péring. l. c. p. 310. Capland
natalensis Péring. l. c. p. 310. Natal
praetorius Péring. l. c. p. 309, t. 7, f. 12. Transvaal
propinquus Péring. Ann. S. Afr. Mus. III, 1904, p. 253. „
transvaalensis Péring. Ann. S. Afr. Mus. I, 1899, p. 311. „

8

Alymon Pasc.

Pasc. Journ. of Ent. II, 1866, p. 484.

Ghateca Péring. Ann. S. Afr. Mus. I, 1899, p. 316.

prolatus Pasc. Journ. of Ent. II, 1866, p. 484. Capland
laetus Péring. Ann. S. Afr. Mus. I, 1899, p. 317, t. 7, f. 10; III, 1904, p. 297.
1

Crypsinous Fairm.

Fairm. Ann. Soc. Ent. Fr. LX, 1871, p. 262.

Cryptadius Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 395.

acutispina Fairm. l. c. p. 263. Trop. Afrika
1

Plinthochrous Fairm.

Fairm. Ann. Soc. Ent. Fr. LX, 1891, p. 263.

Gounellei Fairm. l. c. p. 263. Guinea
1

Argobrachium Fairm.

Fairm. Notes Leyd. Mus. XX, 1898, p. 216.

impressifrons Fairm. l. c. p. 216. Westafrika
1.

Eulytus Waterh.

Waterh. Ann. Mag. Nat. Hist. (5) IX, 1882, p. 175.

foveipennis Kolbe, Käfer Deutsch-Ostafr. 1897, p. 248. Deutsch-Ostafrika

nodipennis Waterh. Ann. Mag. Nat. Hist. (5) IX, 1882, p. 175; Aid ident. Ins. II, 1882—90, p. 109. „
2

Eupezus Blanch.

Blanch. Hist. Nat. II, 1845, p. 34. — Lacord. Gen. Col. V, 1859, p. 472.

brevicollis Har. Mitth. Münch. Ent. Ver. II, 1878, p. 107; Col. Hefte XVI, 1879, p. 123. Westafrika

longipennis Gerst. Arch. f. Naturg. XXXVII, 1871, p. 64; Decken's Reise III, 2, 1873, p. 195. — Har. l. c. p. 124. Ostafrika

longipes F. Spec. Ins. I, 1781, p. 326. — Ol. Ent. III, 1795, 58, p. 14, t. 2, f. 8. — Beauv. Ins. Afr. et Amer. 1805, p. 123, t. 30b, f. 8. Guinea

luctuosus Fåhrs. Öfv. Vet.-Ak. Förh. XXVII, 1870, p. 315. Caffrarien

minor Geb. Ark. f. Zool. II, 1904, nr. 5, p. 25. Kamerun

natalensis Lacord. Gen. Col. V, 1859, p. 473, nota 2. Südostafrika
nigerrimus Wood, Ins. abroad. 1874, p. 183, f. 85. Südafrika
punctipennis Geb. Ann. Soc. Ent. Belg. LIV, 1910, p. 181. Deutsch-Ostafrika
rufipes Quedf. Berl. Ent. Zeitschr. XXIX, 1885, p. 24, t. 3, f. 8, 8a, b. Westafrika
spinicrus Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 299. Ostafrika
sulcipennis Kl. Erman's Reise Atl. V, 1835, p. 40. Senegal
11

Asthenochirus Fairm.

Fairm. Compte rend. Soc. Ent. Belg. XXIX, 1885, p. VIII; Ann. Soc. Ent. Fr. (6) VII, 1887, p. 298.

contractus Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 664 (hier *Astenorhinus* genannt). Kongo
foveolatus Péring. Ann. S. Afr. Mus. I, 1899, p. 316. Mozambique
nigropunctatus Fairm. Compt. rend. Soc. Ent. Belg. 1885, p. VIII; Ann. Soc. Ent. Fr. (6) VII, 1887, p. 298. Ostafrika
plicatulus Fairm. Trans. S. Afr. Phil. Soc. IV, 1884—88, p. 198. Transvaal
velutinus Fairm. Compt. rend. Soc. Ent. Belg. 1885, p. VIII. Guinea
5

Pareupezus Kolbe.

Kolbe, Stett. Ent. Zeit. L, 1889, p. 129.

glaber Kolbe, l. c. p. 129. Westafrika
1

Sphaeromatris Fairm.

Fairm. Ann. Soc. Ent. Belg. XLIII, 1899, p. 535.

aurovittata Fairm. l. c. p. 536. Madagaskar
1

Hovamarygmus Fairm.

Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 234.

insularis Fairm. l. c. p. 235. Madagaskar
1

Hypamarygmus Geb.

Geb. Ark. f. Zool. II, 1904, nr. 5, p. 27.

coccinelloides Geb. l. c. p. 28. Kamerun
1

Paramarygmus Quedenf.

Quedf. Berl. Ent. Zeitschr. XXIX, 1885, p. 25.

amoenus Péring. Ann. S. Afr. Mus. III, 1904, p. 261.	Natal
atratus Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 669.	Capland
byrrhinus Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 29.	Schoa
byrrhoides Thoms. Arch. Ent. II, 1858, p. 98.	Gabun
femoralis Imhoff, Verh. Nat. Ges. Basel V, 1843, p. 176. *nigroaeneus* Quedf. Berl. Ent. Zeitschr. XXIX, 1885, p. 26, t. 3, f. 9, 9a, b. — Fairm. Bull. Soc. Ent. Fr. 1887, p. XXXIV.	Guinea
figuratus Geb. Ark. f. Zool. II, 1904, nr. 5, p. 26.	Kamerun
globulatus Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. CCXCV (17).	Ostafrika
gratiosus Péring. Ann. S. Afr. Mus. III, 1904, p. 262.	Natal
gratulus Péring. l. c. p. 261.	,,
metallicus Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 135.	Ostafrika
morychoides Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 670.	Gabun
natalensis Péring. Trans. S. Afr. Phil. Soc. VI, 2, 1892, p. 59.	Südafrika
opacus Geb. Erg. Exped. Kilim. I, 7, 1910, p. 393.	Kilimandjaro
ovulum Fairm. Le Natur. II, 1882, p. 192; Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 668.	Abessinien
phaedonoides Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 670.	Sansibar
semisulcatus Fairm. l. c. p. 670.	Gabun
senegalensis Fairm. l. c. p. 670.	Senegal
simplex Geb. Mem. Real Soc. Esp. Hist. Nat. I, 1907, p. 417.	Guinea
subglobosus Kolbe, Stett. Ent. Zeit. L, 1889, p. 130. — Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 134.	Westafrika
subhemisphaericus Boh. Resa Eugen. 1858, p. 99.	Capland
tenuestriatus Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 669.	Mozambique
testaceipes Thoms. Arch. Ent. II, 1858, p. 97.	Gabun
tibialis Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 29.	Sansibar
zanzibaricus Fairm. l. c. XXXVIII, 1894, p. 669.	,,

Amarygmus Dalm.

Dalm. Analect. Entom. 1823, p. 60. — Cast. Hist. Nat. II, 1840, p. 234. — Lacord. Gen. Col. V, 1859, p. 473. — Blackb. Proc. Linn. Soc. (2) VIII, 1893, p. 87—106 (Mon. austr. Arten).

Eurypera Pasc. Ann. Mag. Nat. Hist. (4) V, 1870, p. 106.

aeger Blackb. Mon. p. 90, 94.	S. Australien
aeneolus Fairm. Notes Leyd. Mus. XV, 1893, p. 58.	Borneo
aeneus Wiedem. Germ. Mag. Ent. IV, 1821, p. 154. — Cast. Hist. Nat. II, 1840, p. 234.	Java
alienus Pasc. Ann. Mag. Nat. Hist. (5) XI, 1883, p. 441.	Ceylon
callichromus Fairm. Bull. Soc. Ent. Fr. 1897, p. 70.	Ishigaki
carbonarius Hope, Proc. Ent. Soc. Lond. 1842, p. 63; Trans. Ent. Soc. Lond. IV, 1845, p. 16.	Canton

chrysomeloides Walk. Ann. Mag. Nat. Hist. (3) II, 1858, p. 285.	Ceylon
convexiusculus M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 297. — Blackb. Mon. p. 91.	Queensland
convexus Pasc. Journ. of Ent. II, 1866, p. 485. — Blackb. Mon. p. 91.	,,
cribripennis Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 33.	Indien
Cupido Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 346. — Blackb. Mon. p. 90.	Queensland
cuprarius Web. Obs. Ent. 1801, p. 40. — F. Syst. El. I, 1801, p. 161.	Sundainseln
cupreofossus Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 362.	Tonkin
cupreus Guér. Voy. Coqu. II, 1830, p. 102, t. 5, f. 2. — Boisd. Voy. Astrol. II, 1835, p. 272.	Neu-Guinea
cupricollis Hope, Proc. Ent. Soc. Lond. 1842, p. 78; Trans. Ent. Soc. Lond. IV, 1845, p. 109.	Ins. Melville
cuproaeneus Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 799.	Madagaskar
curvipes nom. nov. *alienus* Blackb. Mon. p. 89, 93.	Victoria
diaperoides Blackb. Proc. Linn. Soc. N. S. Wales (2) III, 1889, p. 1435; Mon. p. 92.	Südaustralien
ellipsoides Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 350.	Queensland
exilis Pasc. l. c. p. 346. — Blackb. Mon. p. 90.	N. S. Wales
foveolatus M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 297. — Blackb. Mon. p. 91.	Queensland
foveoseriatus Fairm. Pet. Nouv. Ent. II, 1877, p. 187; Journ. Mus. Godeffr. XIV, 1879, p. 114. *foveostriatus* Fairm. Ann. Soc. Ent. Belg. XXVII, 1883, 2, p. 29.	Neupommern
Frenchi Blackb. Mon. p. 90, 97.	Victoria
funebris Arrow, Monogr. Christmas Isl. 1900, p. 107.	Insel Christmas b. Java
funerarius Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 800.	Madagaskar
Haagi Kirsch, Mitth. Mus. Dresd. II, 1875, p. 146.	Neu-Guinea
Hasselti Fairm. Notes Leyd. Mus. IV, 1882, p. 248.	Sumatra
hydrophiloides Fairm. Rev. Zool. 1849, p. 450.	Inseln des gr. Ozeans
indigaceus Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 346. — Blackb. Mon. p. 90.	Sydney
inornatus M'Leay, Proc. Linn. Soc. N. S. Wales (2) I, 1887, p. 155.	Neu-Guinea
jodicollis Guér. Voy. Coqu. II, 1830, p. 101.	Amboina, Buru
irideus Fairm. Notes Leyd. Mus. IV, 1882, p. 247.	Sumatra
iridipennis Fairm. l. c. XV, 1893, p. 58.	,,
lilliputanus Blackb. Mon. p. 91, 100.	Queensland
lindensis Blackb. Mon. p. 93, 104.	S. Australien
maurulus Pasc. Ann. Mag. Nat. Hist. (4) V, 1870, p. 105.	N. S. Wales
metallicus Perty, Obs. Col. Ind. 1831, p. 41.	Java
micans F. Ent. Syst. IV, 1794, App. p. 447; Syst. El. I, 1801, p. 428. — Dalm. Anal. entom. 1823, p. 60. — Geb. Deutsche Ent. Zeitschr. 1906, p. 225. *fulgiditessellatus* Blanch. Voy. Pole Sud IV, 1853, p. 179, t. 12, f. 4.	Sunda-Inseln

variicolor Fairm. Notes Leyd. Mus. XV, 1893, p. 59.

minutus Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 347. — Blackb. Mon. p. 92. — Sydney

multicolor Fairm. Notes Leyd. Mus. IV, 1882, p. 248. — Sumatra

mutabilis Guér. Voy. Coquille II, 1830, p. 101, t. 5, f. 1. — Boisd. Voy. Astrol. II, 1832, p. 271. — Buru

niger nom. nov. — Neu-Guinea

convexiusculus M'Leay, Proc. Linn. Soc. N. S. Wales (2) I, 1887, p. 156.

oculeus M'Leay, Proc. Linn. Soc. N. S. Wales (2) I, 1887, p. 156. — „

Pascoei nom. nov. — Queensland

cupreus Pasc. Ann. Mag. Nat. Hist. (4) V, 1870, p. 106. — Blackb. Mon. p. 92.

pectoralis Blackb. Mon. p. 90, 96. — N. S. Wales

perplexus Blackb. Mon. p. 92, 102. — Nord-australien

picicornis Hope, Proc. Ent. Soc. Lond. 1842, p. 78; Trans. Ent. Soc. Lond. IV, 1845, p. 110. — Adelaide

pinguis Blackb. Mon. p. 92, 102. — Queensland

porosus Blackb. Mon. p. 91, 98. — „

pulchridorsis Fairm. Notes Leyd. Mus. XV, 1893, p. 57. — Borneo

puncticeps M'Leay, Proc. Linn. Soc. N. S. Wales (2) I, 1887, p. 156. — Neu-Guinea

purpureofossus Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 32. — Indien

pusillus Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 347. — N. S. Wales

queenslandicus Blackb. Mon. p. 92, 101. — Queensland

rimosus Blackb. Mon. p. 93, 103. — N. S. Wales

ruficornis Blackb. Mon. p. 90, 96. — „

rufierurus Blanch. Voy. Pole Sud IV, 1853, p. 181, t. 12, f. 6. — Ins. Aru

rufierus All. Le Natur. 1894, p. 153. — Indien

rugaticollis Blackb. Mon. p. 93, 104. — N. S. Wales

rutilipes Blackb. Mon. p. 91, 100. — Australien

samoensis Haag, Verh. Ver. naturw. Unterh. Hamburg III, 1878, p. 104; Journ. Mus. Godeffr. XIV, 1879, p. 133. — Samoa

sanguinans Fairm. Notes Leyd. Mus. XV, 1893, p. 60. — Sundainseln

semissis Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 349. — Blackb. Mon. p. 89. — N. S. Wales

smaragdulus F. Syst. Ent. 1775, p. 123; Syst. El. II, 1801, p. 13. — Ol. Ent. III, 1795, 58, p. 6, t. 1, f. 5. — Boisd. Voy. Astr. II, 1832, p. 273. — Australien

speciosus Dalm. Analect. entom. 1823, p. 61 nota. — ?Patria

splendidulus F. Syst. El. I, 1801, p. 440. — Ol. Entom. V, 1807, p. 555, t. 8, f. 114. — Geb. Deutsche Ent. Zeitschr. 1906, p. 226. — Sumatra

stolidus Blackb. Mon. p. 91, 99. — N. S. Wales

striatus M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 297. — Blackb. Mon. p. 92. — Queensland

suavis Blackb. Mon. p. 90, 95. — N. S. Wales

tardus Blackb. Proc. Linn. Soc. N. S. Wales (2) IV, 1889, p. 1271; Mon. p. 93. — Queensland

tarsalis Pasc. Journ. of. Ent. II, 1866, p. 485. — Blackb. Mon. p. 91. — „

tarsatus Fairm. Ann. Soc. Ent. Fr. LXXI, 1902, p. 337. — Madagaskar

tasmanicus Blackb. Mon. p. 105. Tasmanien
tenuicornis Motsch. Bull. Mosc. XXXVI, 1863, II, p. 473. Ceylon
termitophilus Lea, Proc. Roy. Soc. Vict. XXIII, 1, 1910, p. 223. Queensland
torridus Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 351. — Blackb. Mon. p. 91. „
tricolor Fairm. Bull. Soc. Ent. Fr. 1888, p. CXCI. Sumatra
tristis F. Ent. Syst. Suppl. 1798, p. 102; Syst. El. II, 1801, p. 13. — Blackb. Mon. p. 91. Australien
tuberculiger Fairm. Rev. Zool. 1849, p. 450. — Blanch. Voy. Pole Sud IV, 1853, p. 180, t. 12, f. 5. Tonga Ins.
tyrrhenus Pasc. Ann. Mag. Nat. Hist. (4) V, 1870, p. 105. — Blackb. Mon. p. 91. West-australien
uniformis Blackb. Proc. Linn. Soc. N. S. Wales (2) IV, 1889, p. 1272; Mon. p. 89. Queensland
variolaris Pasc. Ann. Mag. Nat. Hist. (4) V, 1870, p. 106. — Blackb. Mon. p. 93. „
zelandicus Bates, Ann. Mag. Nat. Hist. (4) III, 1874, p. 112 (32). Neu-Seeland

Chalcopterus Bless.*)

Bless. Horae Soc. Ent. Ross. I, 1861, p. 103. — Blackb. Proc. Linn. Soc. N. S. Wales (2) VII, 1892, p. 411—470; (2) VIII, 1893, p. 53—87 (Mon.); Trans. Roy. Soc. S. Austr. 1899, p. 41—50 (Nachtr.).

acutangulus Blackb. Nachtr. p. 47. Central-australien
affinis Bless. Horae Soc. Ent. Ross. I, 1861, p. 109, t. 4, f. 4. — Blackb. Mon. p. 57 nota; p. 70 nota. Australien
?*bicolor* F. Ent. Syst. I, 1792, p. 118; Syst. El. II, 1801, p. 14. — Boisd. Voy. Astr. II, 1832, p. 274.
?*columbinus* Boisd. Voy. Astr. II, 1832, p. 271. — Blanch. Voy. Pole Sud IV, 1853, p. 182, t. 12, f. 7.
cupripennis Germ. Linn. Ent. III, 1848, p. 200. — Bless. Horae Soc. Ent. Ross. I, 1861, p. 109. — Blackb. Mon. p. 422, 57, 69, 70.
Howitti Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 348.
rugosus Germ. Linn. Ent. III, 1848, p. 201. — Haag, Deutsche Ent. Zeitschr. XXIII, 1879, p. 411 (monstr.).
amethystinus F. Syst. Ent. 1775, p. 124; Syst. El. II, 1801, p. 13. — Ol. Ent. III, 1795, 58, p. 9, t. 1, f. 9. — Boisd. Voy. Astrol. II, 1832, p. 273. — Blackb. Proc. Linn. Soc. N. N. Wales (2) III, 1889, p. 1435; Mon. p. 66. Australien
Arthuri Blackb. Trans. Roy. Soc. Austr. XXXI, 1902, p. 319. Queensland
bellus Blackb. Mon. p. 433, 60. „
bicolor Geb. Fauna Südwest-Austr. I, 1908, p. 338. Westaustral.
Blackburni Geb. l. c. p. 339. „
boops Blackb. Nachtr. p. 45. „

*) Der Name *Chalcopterus* ist von Reichenbach 1852 für eine Vogelgattung vergeben worden. Eine Namensänderung scheint mir aber unnötig zu sein, da im brit. Katalog dieser Name als Synonym von *Rhinoptilus* zitiert wird.

Bovilli Blackb. Mon. p. 453, 65. — Nordaustral.
brevipes Blackb. Mon. p. 434, 60. — Victoria
Cairnsi Blackb. Mon. p. 60, 72. — Queensland
carinaticeps Blackb. Mon. p. 468, 69. — Nord-Queensland

carus Blackb. Mon. p. 430, 59. — Westaustral.
catenulatus Blackb. Mon. p. 469, 69. — Nord-Queensland

clypealis Blackb. Mon. p. 420, 57. — Südaustralien
colossus Blackb. Mon. p. 454, 65. — „
confluens Blackb. Mon. p. 440, 62. — Westaustral.
costatus Blackb. Nachtr. p. 46. — „
cribratus Blackb. Trans. Roy. Soc. S. Austr. XXVIII, 1901, p. 25. — Queensland
Croesus Blackb. Nachtr. p. 44. — Nordwest-australien

cupreus F. Syst. Ent. 1775, p. 123; Syst. El. II, 1801, p. 12. — Ol. Ent. III, 1795, 58, p. 7, t. 1, f. 6. — Blackb. Mon. p. 60. — Australien
venereus Gmel. ed. Linn. I, 4, 1788, p. 1728.
cupripennis Hope, Proc. Ent. Soc. Lond. 1842, p. 78; Trans. Ent. Soc. Lond. IV, 1845, p. 109. — Adelaide
cylindricus Blackb. Mon. p. 452, 65. — Nord-Queensland

difficilis Blackb. Mon. p. 426, 58. — Südaustralien
eremita Blackb. Trans. Roy. Soc. S. Austr. XVI, 1890, p. 44; Mon. p. 67, 85. — West-australien
exoletus Blackb. Mon. p. 58, 70. — Queensland
eyrensis Blackb. Mon. p. 442, 62. — Südaustralien
fastuosus Germ. Linn. Ent. III, 1848, p. 200. — Blackb. Mon. p. 62, 74. — Australien
fervens Germ. l. c. p. 200. — Blackb. Mon. p. 66. — „
Froggatti Blackb. Mon. p. 436, 61. — N. S. Wales
gracilicornis Blackb. Nachtr. p. 45. — N. W. Australien

gracilior Blackb. Mon. p. 66, 81. — N. Queensland

grandis M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 295. — Blackb. Mon. p. 60. — Queensland
Hartmeyeri Geb. Fauna Südwest-Austr. I, 1908, p. 336. — Westaustral.
hunterensis Blackb. Mon. p. 64, 77. — N. S. Wales
imperialis Blackb. Mon. p. 455, 65. — Queensland
inconspicuus Blackb. Mon. p. 466, 69. — Westaustral.
interioris Blackb. Proc. Linn. Soc. N. S. Wales (2) V, 1890, p. 311; Mon. p. 61. — Südaustralien
intermedius Blackb. Mon. p. 439, 61. — Victoria
interrogationis Geb. Fauna Südwest-Austr. I, 1908, p. 337. — Westaustral.
iridicolor Bless. Horae Soc. Ent. Ross. I, 1861, p. 107, t. 4, f. 3, 6. — Blackb. Mon. p. 67, 82. — Victoria
iridiventris Blackb. Mon. p. 458, 66. — Südaustralien
iris Blackb. Nachtr. p. 43. — Queensland
jucundus Blackb. Nachtr. p. 50. — Victoria
juvenis Blackb. Mon. p. 429, 59. — Südaustralien
Kochi Blackb. Trans. Roy. Soc. S. Austr. XXVI, 1900, p. 59. — „
laetus Blackb. Mon. p. 428, 59. — Südwest-australien

laevicollis Bless. Horae Soc. Ent. Ross. I, 1861, p. 110, t. 4, f. 5. — Blackb. Mon. p. 69, 86. — N. S. Wales, Victoria,

coelestis Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 345.	Südaustralien
? *cyanipennis* Hope, Proc. Ent. Soc. Lond. 1842, p. 78; Trans. Ent. Soc. Lond. IV, 1845, p. 110.	Queensland
laticollis Blackb. Mon. p. 65, 81.	Queensland
Leai Blackb. Mon. p. 65, 79.	N. S. Wales
lepidus Blackb. Mon. p. 465, 68.	Victoria
longipennis Hope, Proc. Ent. Soc. Lond. 1842, p. 79; Trans. Ent. Soc. Lond. IV, 1845, p. 109. — Blackb. Mon. p. 456, 66.	Südaustralien
longiusculus Blackb. Proc. Linn. Soc. N. S. Wales (2) III, 1889, p. 1435; Mon. p. 65.	,,
longulus Blackb. Mon. p. 455, 65,	Westaustral.
macer Blackb. Mon. p. 464, 68.	Südaustralien
major Blackb. Mon. p. 449, 64; Nachtr. p. 44.	Nord-Queensland
Mastersi Blackb. Mon. p. 61, 73.	Nordaustral.
mercurius Blackb. Mon. p. 449, 64.	Nord-Queensland
Meyricki Blackb. Trans. Roy. Soc. S. Austr. XVI, 1890, p. 45; Mon. p. 68.	West-australien
micans Blackb. Mon. p. 441, 62.	,,
Michaelseni Geb. Fn. Südwest-Austr. I, 1908, p. 334.	,,
mimus Blackb. Mon. p. 450, 64.	,,
minor Blackb. Mon. p. 448, 64.	,,
modestus Blackb. Mon. p. 432, 60.	Nord-Queensland
mundus Blackb. Nachtr. p. 48.	,,
murrayensis Blackb. Mon. p. 462, 68.	Südaustralien
neglectus Blackb. Mon. p. 446, 63.	Queensland
nobilis Blackb. Mon. p. 63, 76.	Nord-Queensland
oblongus Blackb. Mon. p. 464, 68; Nachtr. p. 42.	Westaustral.
obscurus Blackb. Mon. p. 445, 63.	Nordwest-australien
obsoletus M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 296. — Blackb. Mon. p. 62, 74.	Queensland
obtusus Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 348. — Blackb. Nachtr. p. 48.	,,
ocularis Blackb. Mon. p. 64, 79.	,,
opacicollis M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 295. — Blackb. Mon. p. 67.	,,
palmerensis Blackb. Mon. p. 65, 80.	,,
Palmerstoni Blackb. Mon. p. 443, 62.	Nordaustral.
parallelocollis Geb. Fn. Südwest-Austr. I, 1908, p. 335, t. 3, f. 6.	West-australien
perlongus Blackb. Mon. p. 444, 62.	Südaustralien
picipes M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 295. — Blackb. Mon. p. 87.	Queensland
placidus Blackb. Mon. p. 435, 60.	Westaustral.
plutus Blackb. Mon. p. 461, 68.	Queensland
polychromus Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 348. — Blackb. Mon. p. 61.	Südaustralien
proditor Blackb. Nachtr. p. 44.	Nordwest-australien
prospiciens Blackb. Mon. p. 62, 74.	Westaustral.
proximus Blackb. Mon. 59, 71.	Queensland
puer Blackb. Nachtr. p. 41.	Central-australien

pulcher Blackb. Mon. p. 64, 78. — Australien
puncticollis Hope, Proc. Ent. Soc. Lond. 1842, p. 78; Trans. Ent. Soc. Lond. IV, 1845, p. 109. — Adelaide
punctipennis M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 296. — Blackb. Mon. p. 68. — Queensland
punctulatus Blackb. Mon. p. 463, 68. — N. S. Wales
purpureus Germ. Linn. Ent. III, 1848, p. 199. — Blackb. Mon. p. 437, 61. — Südaustralien
var. *anthracinus* Hope, Proc. Ent. Soc. Lond. 1842, p. 79; Trans. Ent. Soc. Lond. IV, 1845, p. 110. — Blackb. Mon. p. 438.
resplendens Boisd. Voy. Astrol. II, 1832, p. 272. — Australien
rufipes M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 294. — Blackb. Nachtr. p. 49. — Queensland
var. *nigritarsis* Pasc. Journ. of Ent. II, 1866, p. 485.
rugosicollis M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 295. — Blackb. Mon. p. 68. — ,,
rugosipennis M'Leay, l. c. p. 296. — Blackb. Mon. p. 58. — ,,
rusticus Blackb. Mon. p. 63, 76. — ,,
segnis Blackb. Mon. p. 69, 85. — ,,
semiseriatus Blackb. Mon. p. 460, 67. — Victoria
semiticus Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 349. — Blackb. Mon. p. 69. — Queensland
triangularis Haag, Verh. Ver. naturw. Unterh. Hamburg III, 1878, p. 104; Journ. Mus. Godeffr. XIV, 1879, p. 132.
setosus Blackb. Mon. p. 459, 66. — Victoria
similis Blackb. Mon. p. 451, 65. — Westaustral.
simius Blackb. Mon. p. 421, 57. — Nordqueensland
sparsus Blackb. Mon. p. 431, 60. — Nordaustral.
superbus Blackb. Proc. Linn. Soc. N. S. Wales (2) V, 1890, p. 309; Mon. p. 61. — Südaustralien
suturalis Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 350. — Blackb. Mon. p. 61. — Westaustralien
tenuicornis Geb. Fn. Südwest-Austral. I, 1908, p. 340, t. 3, f. 8. — ,,
tinctus Blackb. Mon. p. 425, 57. — Südaustralien
velutinus M'Leay, King's Surv. Austr. II, App. 1827, p. 443. — Blackb. Mon. p. 63. — Australien
versicolor Blackb. Mon. p. 424, 57; Nachtr. p. 42. — Südaustralien
vigilans Blackb. Mon. p. 432, 59. — Nordaustral.
vinosus Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 345. — Blackb. Mon. p. 67. — N. S. Wales
viridicollis M'Leay, King's Surv. Austral. II, App. 1827, p. 443. — Blackb. Mon. p. 67. — Australien
vividus Blackb. Mon. p. 438, 61; Nachtr. p. 41. — Nordqueensland
yorkensis Blackb. Mon. p. 467, 69. — Westaustral.
zonatus Blackb. Nachtr. p. 46. — Nordqueensland

115

Cyriogeton Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) VIII, 1871, p. 356.

grande Fairm. Ann. Soc. Ent. Belg. XLVII, 1903, p. 17. — Tonkin

insignis Pasc. Ann. Mag. Nat. Hist. (6) VIII, 1871, p. 356. — Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 39. Nordindien
pernitidus Fairm. Notes Leyd. Mus. XIX, 1897, p. 251. China
tonkinense Fairm. Ann. Soc. Ent. Belg. XLVII, 1903, p. 16. Tonkin
4

Plesiophthalmus Motsch.

Motsch. Etudes ent. VI, 1857, p. 34; 1861, p. 19. — Lacord. Gen. Col. V, 1859, p. 477.

amplipennis Fairm. Notes Leyd. Mus. XIX, 1897, p. 252. China
anthrax Fairm. Ann. Soc. Ent. Belg. XLVII, 1903, p. 17. Tonkin
arciferens Fairm. Ann. Soc. Ent. Fr. (5) VIII, 1878, p. 120. Centralchina
armicrus Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 363. Tonkin
brevipennis Lewis, Ann. Mag. Nat. Hist. (6) XVII, 1896, p. 340. Japan
cruralis Fairm. Ann. Soc. Ent. Belg. XLVII, 1903, p. 17. Tonkin
Davidis Fairm. Ann. Soc. Ent. Fr. (5) VIII, 1878, p. 121: Rev. d'Ent. VII, 1888, p. 130. China
fuscoaenescens Fairm. Bull. Soc. Ent. Fr. 1898, p. 14. Ishigaki
laevicollis Har. Deutsche Ent. Zeitschr. XXII, 1878, p. 79. — Lewis, Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 479. Japan
lentus Heyd. Horae Soc. Ent. Ross. XXI, 1887, p. 268. Korea
lineipunctatus Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. XX. Chang Yang
metallicus Fairm. Ann. Soc. Ent. Belg. XLVII, 1903, p. 17. Tonkin
nigrocyaneus Motsch. Etud. Ent. VI, 1857, p. 35. — Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 478. Japan
aenescens Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 318.
aeneus Motsch. Etudes Ent. 1861, p. 19.
nigratus Motsch. l. c. p. 20.
sericeifrons Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 317.
ovipennis Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. XX. Kiu-kiang
pallidicrus Fairm. Ann. Soc. Ent. Fr. (6) IX, 1889, p. 46. Moupin
spectabilis Har. Abh. Ver. Brem. IV, 1875, p. 293; Deutsche Ent. Zeitschr. XXII, 1878, p. 79. — Lewis, Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 479. Japan
obesus Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 319.
19

Dietysus Pasc.

Pasc. Journ. of Ent. II, 1866, p. 486.

acutestriatus Fairm. Notes Leyd. Mus. XVIII, 1896, p. 111. Java
aenescens Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 33. Indien
amplicollis Fairm. Ann. Soc. Ent. Fr. (6) VI, 1886, p. 189. Philippinen
anthracinus Fairm. Notes Leyd. Mus. XV, 1893, p. 60. Borneo
confusus Pasc. Journ. of Ent. II, 1866, p. 486. Java
longicrus Fairm. Notes Leyd. Mus. IV, 1882, p. 250. Sumatra

luzonicus Fairm. Ann. Soc. Ent. Fr. (6) VI, 1886. p. 189. Philippinen
modestus Fairm. Notes Leyd. Mus. V, 1883, p. 37. Saleyer
oblongulus Fairm. l. c. IV, 1882, p. 251. Sumatra
orientalis Fairm. Ann. Soc. Ent. Belg. XXVII, 1883, 2, p. 29. Neu-Pommern
ovoideus Fairm. Notes Leyd. Mus. IV, 1882, p. 249. Sumatra
picipes Fairm. Tijdschr. voor Ent. XXXVI, 1893, p. 26. Key-Inseln
picitarsis Fairm. Notes Leyd. Mus. IV, 1882, p. 250. Sumatra
puncticollis All. Le Natur. 1894, p. 116. Indien
sericans Fairm. Ann. Soc. Ent. Fr. (6) VI, 1886, p. 190. Manila
subcostatus Fairm. Tijdschr. voor Ent. XXXVI, 1893, p. 26. Key-Inseln

16

Anacycus Fairm.

Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 33.

alternepictus Fairm. l. c. p. 34. Indien
decurvatus Fairm. l. c. p. 34. „
navicularis Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 26; XL, 1896, p. 64. „

3

Nesloticus Westw.

Westw. Proc. Zool. Soc. Lond. 1842, p. 120; Trans. Zool. Soc. Lond. III, 1843, p. 227. — Lacord. Gen. Col. V, 1859, p. 475.

flavopictus Westw. l. c. p. 121; l. c. p. 227, t. 15, f. 13. Westafrika
— Thoms. Arch. Ent. II, 1858, p. 92, t. 3, f. 1.
— Champ. Proc. Zool. Soc. Lond. 1890, p. 641. t. 56, f. 4.

1

Dichotymus Fairm.

Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. CCXCV (17).

amplus Kolbe, Käfer Deutsch-Ostafr. 1897, p. 248. Ostafrika
coeruleatus Kolbe, l. c. p. 248. „
cupreatus Kolbe, l. c. p. 248. „
minor Linell, Proc. U. S. Nat. Mus. XVIII, 1895, p. 698. „
striatipennis Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. CCXCVI (17). „

5

Pontianacus Fairm.

Fairm. Ann. Soc. Ent. Fr. LXVII, 1898, p. 397.

rubricrus Fairm. l. c. p. 397. Borneo

1

Pyanisia Cast.

Cast. Hist. Nat. II, 1840, p. 235. — Lacord. Gen. Col. V, 1859, p. 476.

Cymathotes Blanch. Hist. Nat. Ins. II, 1845, p. 33.
Cymatothes Sol. Studi Entom. 1848, p. 151 (5), 178 (32).

fumosa Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 331. Guatemala
hieroglyphica Perty, Del. anim. art. 1830, p. 61, t. 13, f. 1. Brasilien
laevis Champ. Biol. Centr.-Amer. Col. IV, 1, 1893, p. 561. Mexico
longicollis Champ. l. c. p. 331, t. 14, f. 5. Guatemala
opaca Sol. Studi Ent. 1848, p. 180 (34), t. 6, f. 1—5. — Champ. l. c. p. 330. Mexico
coarctata Sol. l. c. p. 180 (34), 181 (35).
tristis Cast. Hist. Nat. II, 1840, p. 236. — Champ. l. c. p. 330. Centr.-Amerika
unicolor Sol. Studi Entom. 1848, p. 180 (34), 182 (36). Cuba
undata F. Ent. Syst. I, 1792, p. 122. — Ol. Ent. III, 1795, 58, p. 11, t. 2, f. 4. — Cast. Hist. Nat. II, 1840, p. 235. Trop. Amerika
uniformis Waterh. Trans. Ent. Soc. Lond. 1878, p. 306. Jamaica
vestita Cast. Hist. Nat. II, 1840, p. 236. Brasilien

W. JUNK, Berlin W. 15.

Verlag und Antiquariat für Entomologie.

Pars 19: **M. Bernhauer** et **K. Schubert**, Staphylinidae I. 1910. 86 p. (Mark 8.10) Mk. 5.40
20: **A. Schmidt**, Aphodiinae. 1910. 111 p. (Mark 10.50) Mk. 7.—
21: **K. Ahlwarth**, Gyrinidae. 1910. 42 p. (Mark 4) Mk. 2.70
22: **H. Gebien**, Tenebrionidae II. 1910. 188 p. (Mark 17.70) Mk. 11.80
23: **S. Schenkling**, Cleridae. 1910. 174 p. (Mark 16.35) Mk. 10.90
24: **H. Bickhardt**, Histeridae. 1910. 137 p. (Mark 12.85) Mk. 8.60
25: **K. W. von Dalla Torre**, Cebrionidae. 1911. 18 p. (Mark 1.70) Mk. 1.15
26: **M. Pic**, Scraptiidae, Pedilidae. 1911. 27 p. (Mark 2.60) Mk. 1.75
27: **A. Raffray**, Pselaphidae. 1911. 222 p. (Mark 20.80) Mk. 13.90

H. Disqué, Verzeichnis der in der Pfalz vorkommenden Kleinschmetterlinge (Micro-Lepidoptera). 1906. 73 p. Mk. 2.—

Jacobs, Diptères du voyage Antarctique du S. Y. „Belgica". 1906. 4. 12 p. av. 3 pl. (1 color.). Mk. 2.50

W. Junk, Entomologen-Adreßbuch. 1905. 302 p. Origbd. Mk. 5.—

K. Mitterberger, Verzeichnis der im Kronlande Salzburg bisher beobachteten Mikro-Lepidopteren (Kleinschmetterlinge). 1910. 358 p. Mk. 10.—

O. Prochnow, Über die Färbung der Lepidoptera. 1907. 262 p. mit 4 Tfln. (2 color.) Mk. 12.—

O. Prochnow, Die Laut-Apparate der Insekten. 1908. 178 p. mit 49 Fig. Mk. 5.—

O. Prochnow, Reactionen auf Temperatur-Reize. 1908. 63 p. mit Fig. Mk. 2.50

C. Ribbe, Anleitung zum Sammeln von Schmetterlingen in tropischen Ländern. 1907. 8. 44 p. Mk. 1.50

Zeitschrift für systemat. Hymenopterologie und Dipterologie. Herausg. von F. W. Konow. 8 Jahrgänge (soviel erschienen). 1901—1908 mit 7 Tfln. (Preis statt 80 Mark) Mk. 45.—

Coleopterorum Catalogus

auspiciis et auxilio

W. Junk

editus a

S. Schenkling.

Pars 37:

H. Gebien

Tenebrionidae IV: Trictenotomidae.

Einzel-Preis: Mark 14.85
Subscriptions-Preis: Mark 9.90

21981

W. Junk
Berlin W. 15, Kurfuerstendamm 201.
18. XI. 1911.

W. JUNK, Berlin W. 15.

Verlag und Antiquariat für Entomologie.

Lepidopterorum Catalogus

Editus a Chr. Aurivillius et H. Wagner.

Pars 1: **Chr. Aurivillius,** Chrysopolomidae. 1911. 4 p. (Mark 0.40) Mk. 0.25
2: **A. Pagenstecher,** Callidulidae. 1911. 14 p. (Mark 1.35) Mk. 0.90
3: **A. Pagenstecher,** Libytheidae. 1911. 12 p. (Mark 1,10) Mk. 0.75
4: **H. Wagner,** Hepialidae. (Unter der Presse.)

Coleopterorum Catalogus.

Pars 1: **R. Gestro,** Rhysodidae. 1910. 11 p. (Mark 1) Mk. 0.65
2: **F. Borchmann,** Nilionidae, Othniidae, Aegialitidae, Petriidae, Lagriidae. 1910. 32 p. (Mark 3) Mk. 2.—
3: **F. Borchmann,** Alleculidae. 1910. 80 p. (Mark 7.50) Mk. 5.—
4: **M. Hagedorn,** Ipidae. 1910. 134 p. (Mark 12.75) Mk. 8.50
5: **R. Gestro,** Cupedidae, Paussidae. 1910. 31 p. (Mark 3) Mk. 2.—
6: **H. Wagner,** Curculionidae: Apioninae. 1910. 81 p. (Mark 7.50) Mk. 5.—
7: **H. von Schönfeldt,** Brenthidae. 1910. 57 p. (Mark 5.25) Mk. 3.50
8: **G. van Roon,** Lucanidae. 1910. 70 p. (Mark 6.50) Mk. 4.35
9: **E. Olivier,** Lampyridae. 1910. 68 p. (Mark 6.35) Mk. 4.25
10: **E. Olivier,** Rhagophthalmidae, Drilidae. 1910. 10 p. (Mark 1) Mk. 0.65
11: **A. Léveillé,** Temnochilidae. 1910. 40 p. (Mark 3.75) Mk. 2.50

Partes 15, 22, 28, 37:

H. Gebien

Tenebrionidae. — Trictenotomidae.

LXXXV. Strongyliinae.

Lacordaire, Gen. Col. V, 1859, p. 291, 478. — Horn, Revis. Tenebr. North Amer. in: Trans. Amer. Phil. Soc. (n. s.) XIV, II, 1870 (1872), p. 300. — J. Leconte and Horn, Class. Col. North Amer. 1883, p. 373, 387. — Reitter, Bestimmungstabelle LIII in: Verh. naturf. Ver. Brünn XLII, 1904, p. 34.

Cyphonotus Guér.

Guér. Voy. Coquille, Ent. II, 1830, p. 102. — Cast. Hist. Nat. II, 1840, p. 239. — Sol. in Gay, Hist. Chile V, 1851, p. 262. — Lacord. Gen. Col. V, 1859, p. 479. — Germain, An. Univ. Chile XCVII, 1897, p. 277 (5).

Bonni Germain, An. Univ. Chile XCVII, 1897, p. 283 (11). Chile
dives Germain, An. Univ. Chile 1855, p. 405; l. c. p. 284 (12). „
dromedarius Guér. Voy. Coquille, Ent. II, 1830, p. 103, t. 5, f. 4. — Cast. Hist. Nat. II, 1840, p. 239. — Sol. in Gay, Hist. Chile V, 1851, p. 263, t. 21, f. 6. — Lacord. Gen. Col. Atl. t. 58, f. 3. — Germain, l. c. p. 281 (9). „
3

Bionesus Fairm.

Fairm. Pet. Nouv. Ent. 1877, p. 70; Ann. Soc. Ent. Fr. (6) I, 1881, p. 283.

cinereosparsus Fairm. l. c. p. 70; l. c. p. 283. Vitiinseln
1

Styrax Westw.

Westw. Trans. Ent. Soc. Lond. 1875, p. 227.

tricondyloides Westw. l. c. p. 227, t. 7, f. 1. Penang
1

Agissopterus Fairm.

Fairm. Ann. Soc. Ent. Fr. (6) III, 1883, p. 513.

semipunctatus Fairm. l. c. p. 513. Cordoba
1

Ebenolus Fairm.

Fairm. Notes Leyd. Mus. XIX, 1897, p. 227.

vernicatus Fairm. l. c. p. 228. Neuguinea
1

Cuphotes Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 332.

Phygoscotus Schulz, Berl. Ent. Zeitschr. XLVII, 1902, p. 134.
Spheniscus Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 421. — Lacord. Gen. Col. V, 1859, p. 480. — Thoms. Arcana Nat. 1859, p. 101 (Mon.).

adelphus Thoms. Mon. p. 106, t. 10, f. 5.	Cayenne
Augusti Thoms. Mon. p. 112.	,,
camelus Thoms. Mon. p. 105, t. 10, f. 2.	Pará
Castelnaui Thoms. Mon. p. 105, t. 10, f. 3.	,,
Chevrolati Rojas, Rev. Zool. 1855, p. 160; Ann. Soc. Ent. Fr. (3) IV, 1856, p. 695, t. 20, II, f. 3a.	Venezuela
cinctus Ol. Ent. III, 1795, 58, p. 13, t. 2, f. 6. — Thoms. Mon. p. 111. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 334.	Centr.- und Südamerika
quadrimaculatus Er. Arch. f. Naturg. XIII, 1847, I, p. 120.	
quadriplagiatus Kirsch, Berl. Ent. Zeitschr. X, 1866, p. 202.	
unifasciatus F. Suppl. Ent. Syst. 1798, p. 101. — Geb. Deutsche Ent. Zeitschr. 1906, p. 226.	
corallifer Thoms. Mon. p. 108, t. 10, f. 8. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 333.	Columbien, Panama
cyaneus Pasc. Journ. of Ent. II, 1866, p. 486.	Amazonas
elongatus Thoms. Mon. p. 112, t. 11, f. 7. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 335.	Brasilien, Nicaragua
Erichsoni Thoms. Mon. p. 104, t. 10, f. 1. — Kirsch, Berl. Ent. Zeitschr. XVII, 1873, p. 405.	Peru
erotyloides Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 422, t. 22, f. 4. — Thoms. Mon. p. 109, t. 10, f. 6a—f.	Brasilien
faunus Thoms. Phys. I, 2, 1867, p. 131.	Amazonas
formosus Thoms. Mon. p. 107, t. 10, f. 7.	Surinam
immaculipes Thoms. Mon. p. 107, t. 10, f. 6.	Brasilien
Jansoni Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 333, t. 14, f. 6.	Nicaragua
lagrioides Thoms. Mon. p. 113, t. 11, f. 8.	Cayenne
maculicollis Thoms. Mon. p. 108, t. 11, f. 1.	,,
maculosus Thoms. Mon. p. 112.	Columbien
marmoratus Thoms. Mon. p. 109, t. 11, f. 2.	Brasilien
Mercurius Thoms. Phys. I, 2, 1867, p. 132.	Chile
nigromaculatus Thoms. Mon. p. 110, t. 11, f. 4. var. *marginicollis* Thoms. Mon. p. 110, t. 11, f. 5.	Centralamerika
Satyrus Thoms. Phys. I, 2, 1867, p. 131.	Guayana
sphacelatus F. Syst. El. II, 1801, p. 4. — Thoms. Mon. p. 106, t. 10, f. 4.	Südamerika
Thomsoni Kirsch, Berl. Ent. Zeitschr. X, 1866, p. 203.	Bogotá
unicolor Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 334, t. 14, f. 7.	Nicaragua

25

Platyesthus Mäkl.

Mäkl. Öfv. Finska Vet.-Soc. Förh. XX, 1878, p. 92 (337).

pallidipennis Mäkl. l. c. p. 92 (337).	Brasilien

1

Dicyrtus Lacord.

Lacordaire, Gen. Col. V, 1859, p. 482.

binodosus Lacord. l. c. p. 483. Brasilien
gibbosus Lacord. l. c. p. 483. „

Poecilesthus Blanch.

Blanch. Hist. Nat. II, 1845, p. 33. — Lacord. Gen. Col. V, 1859, p. 483. — Mäkl. Öfv. Finska Vet.-Soc. Förh. XX, 1878, p. 64 (309). — Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 335.

Diestica Pasc. Proc. Ent. Soc. Lond. 1868, p. 12.
? *Spheniscus* Cast. Hist. Nat. II, 1840, p. 232.

albomarginatus Mäkl. Öfv. Finska Vet.-Soc. Förh. XX, 1878, p. 68 (313). Bahia
angulicollis Mäkl. l. c. p. 70 (315). Amazonas
basalis Mäkl. l. c. p. 76 (321). Brasilien
brevicornis Mäkl. l. c. p. 78 (323). „
circumcinctus Mäkl. l. c. p. 88 (333). Ega
cupripennis Champ. Biol. Centr.-Amer. Col. IV, 1, 1893, p. 562, t. 23, f. 17. Panama
curvipes Mäkl. Öfv. Finska Vet.-Soc. Förh. XX, 1878, p. 73 (318). Peru
decemsignatus Mäkl. l. c. p. 83 (328). Brasilien
decoratus Mäkl. l. c. p. 65 (310). Santa Catharina
eximius Mäkl. l. c. p. 89 (334). Peru
fasciatus F. Spec. Ins. I, 1781, p. 158; Syst. El. II, 1801, p. 6. Brasilien
var. *alternans* F. Ent. Syst. I, 2, 1792, p. 39. — Herbst, Käf. VIII, 1799, p. 369, t. 137, f. 8. „
Gronovii Herbst, Füssl. Arch. V, 1784, p. 52, t. 23, f. 4.
var. *bifasciatus* Herbst, Käf. VIII, 1799, p. 370, t. 137, f. 9. „
indicus Herbst, Füssl. Arch. V, 1784, p. 52, t. 23, f. 5.
var. *funebris* Panz. ed. Voet IV, 1798, p. 38, t. 23, f. 1. „
ferrum-equinum Van der Hoeven, Mag. Zool. 1839, t. 4. — Lacord. Gen. Col. V, 1859, p. 481, nota 3. Surinam
flavomaculatus Mäkl. Öfv. Finska Vet.-Soc. Förh. XX, 1876, p. 66 (311). Guayana
fragilicornis Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 338, t. 14, f. 11. Centralamerika
geniculatus Germ. Ins. spec. nov. 1824, p. 157. Brasilien
geometricus Perty, Del. anim. art. 1830, p. 61, t. 12, f. 16. „
gibbosus Mäkl. Öfv. Finska Vet.-Soc. Förh. XX, 1876, p. 71 (316). „
guatemalensis Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 339. Guatemala
immaculatus Champ. l. c. p. 340, t. 14, f. 13. Panama
infimus Mäkl. Öfv. Finska Vet.-Soc. Förh. XX, 1876, p. 75 (320). S. Paulo
Kirbyi Cast. Hist. Nat. II, 1840, p. 232. Brasilien

laeviceps Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 340, t. 14, f. 14. — Panama
laticollis Champ. l. c. p. 339, t. 14, f. 10. — Centralamerika
laticornis Mäkl. Öfv. Finska Vet.-Soc. Förh. XX, 1876, p. 69 (314). — Columbien
latus Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 338. — Nicaragua
lineolatus Mäkl. Öfv. Finska Vet.-Soc. Förh. XX, 1876, p. 84 (329). — Brasilien
Mäklini Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 341, t. 14, f. 15. — Guatemala
marginicollis Mäkl. Öfv. Finska Vet.-Soc. Förh. XX, 1876, p. 81 (326). — Brasilien
marginipennis Mäkl. l. c. p. 91 (336). — Cayenne
nigropunctatus Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 336, t. 14, f. 8. — Mexico
octonotatus Mäkl. Öfv. Finska Vet.-Soc. Förh. XX, 1876, p. 80 (325). — Brasilien
octopunctatus Mäkl. l. c. p. 79 (324). — „
pallidocinctus Fairm. Compt. rend. Soc. Ent. Belg. 1889, p. XLI. — Minas Geraes
pictus Guér. Ic. règne anim. 1829—44, p. 123, t. 31, f. 11. — Cayenne
pygmaeus Mäkl. Öfv. Finska Vet.-Soc. Förh. XX, 1876, p. 85 (330). — Brasilien
quadrisignatus Mäkl. l. c. p. 74 (319). — Peru
suturalis Germ. Ins. spec. nov. 1824, p. 156. — Guér. Icon. t. 32, f. 3. — Brasilien
testaceus Kirsch, Berl. Ent. Zeitschr. X, 1866, p. 204. — Bogotá
tigrinus Perty, Del. anim. art. 1830, p. 61, t. 12, f. 14. — Brasilien
tumidus Mäkl. Öfv. Finska Vet.-Soc. Förh. XX, 1876, p. 87 (332). — Peru
vagelineatus Fairm. Ann. Soc. Ent. Fr. LXI, 1892, p. 91. — Venezuela
variipes Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 337, t. 14, f. 9. — Nicaragua
viridipennis Pasc. Proc. Ent. Soc. Lond. 1868, p. 12. — Ega

43

Enganodia Fairm.

Fairm. Ann. Soc. Ent. Fr. LXVII, 1898, p. 398.

sanguinicrus Fairm. l. c. p. 398. — Philippinen

1

Strongylium Kirby.

Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 417. — Lacord. Gen. Col. V, 1859, p. 484. — Mäkl. Monogr. *Strongylium* 1864, p. 109—410, t. 1—3. (Mon.); Act. Soc. Fenn. VIII, 1, 1867, p. 225 (eingeklammerte Zahlen).

Anomoearthrum Mäkl. Mon. p. 374 (482).
Dolichopterum Murray, Trans. Linn. Soc. Lond. XXIII, 1862, p. 4.
Eustrongylium Kolbe, Stett. Ent. Zeit. LV, 1894, p. 366.
Stenochia Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 423.
Zürcheria Reitt. Wien. Ent. Zeit. XXVII, 1908, p. 134.

abdominale Mäkl. Mon. p. 128 (236). — Brasilien
aciculatum Mäkl. Mon. p. 359 (467). — Java
adoneum Kolbe, Stett. Ent. Zeit. LVI, 1895, p. 361. — Deutsch-Ostafrika

aeneomicans Fairm. Compt. rend. Soc. Ent. Belg. 1889, p. XLII.	Minas Geraes
aenescens Fairm. Ann. Soc. Ent. Fr. LXXI, 1902, p. 339.	Madagaskar
aeratum Mäkl. Mon. p. 321 (429).	Caffrarien
aereum Mäkl. Mon. p. 138 (246).	Brasilien
aeruginosum Mäkl. Mon. p. 135 (243).	„
albicorne Mäkl. Mon. p. 130 (238).	Pará
algoense Pér. Ann. S. Afr. Mus. III, 1904, p. 266.	Mozambique
alienum Mäkl. Mon. p. 301 (409).	Brasilien
alternans Mäkl. Mon. p. 210 (318).	Südbrasilien
ambiguum Mäkl. Mon. p. 335 (443), t. 2, f. 21.	Java
amethystinum Guér. Rev. Zool. 1838, p. 281. — Jacq. du Val, Hist. Cuba VII, 1857, p. 155. — Mäkl. Mon. p. 163 (271).	Cuba
amoenulum Mäkl. Mon. p. 252 (360).	Brasilien
angulare Mäkl. Mon. p. 288 (376).	„
angulosum Mäkl. Mon. p. 269 (377).	„
angusticolle Mäkl. Mon. p. 333 (441), t. 2, f. 20.	Sylhet
angustulum Mäkl. Mon. p. 206 (314). — Champ. Biol. Centr.-Amer. Col. IV, 1, 1888, p. 372.	Columbien, Panama
annulipes Mäkl. Mon. p. 222 (330).	Brasilien
antennale Mäkl. Mon. p. 162 (370).	Cuba
anthracinum Mäkl. Mon. p. 306 (414).	Nordchina
anthrax Schwarz, Proc. Am. Phil. Soc. XVII, 1878, p. 369.	Florida
apicale Mäkl. Mon. p. 340 (448).	Brasilien
apicicorne Mäkl. Mon. p. 216 (324). — Champ. Biol. Centr.-Amer. Col. IV, 1, 1888, p. 376, t. 16, f. 16.	Mexico
aratum Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 35.	Indien
arboricola Kolbe, Stett. Ent. Zeit. LVI, 1895, p. 362.	Usambara
armatum Mäkl. Mon. p. 203 (311). — Champ. Biol. Centr.-Amer. Col. IV, 1, 1888, p. 371, t. 16, f. 10.	Central-amerika
aspidosternum Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 674.	Guinea
atroviolaceum Champ. Proc. Zool. Soc. Lond. 1890, p. 641, t. 56, f. 5.	Centralafrika
atrum Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 360, t. 15, f. 14. — Cas. Ann. N. York Ac. VI, 1891, p. 69.	Mexico, Arizona
aulicum Mäkl. Mon. p. 255 (363). — Champ. l. c. 1888, p. 362, t. 15, f. 17.	Central-amerika
auratum Cast. Hist. Nat. II, 1840, p. 240. — Mäkl. Mon. p. 293 (401). — Champ. l. c. p. 360, t. 16, f. 2.	Central- und Südamerika
aurichalceum Germ. Ins. spec. nov. 1824, p. 152. — Mäkl. Mon. p. 174 (282).	Brasilien
auronitens Champ. Proc. Zool. Soc. Lond. 1890, p. 642, t. 56, f. 6.	Centralafrika
auspicatum Pér. Ann. S. Afr. Mus. III, 1904, p. 268.	Damaraland
australe Mäkl. Mon. p. 354 (462).	Australien
axillare Kirsch, Berl. Ent. Zeitschr. XVII, 1873, p. 407.	Peru
azureum Germ. Ins. spec. nov. 1824, p. 153. — Mäkl. Mon. p. 295 (403). *coeruleum* Cast. Hist. Nat. II, 1840, p. 240. var. *janthinum* Mäkl. Mon. p. 296 (404). var. *janthinicolle* Mäkl. Mon. p. 296 (404). var. *nigritum* Mäkl. Mon. p. 296 (404).	Brasilien, Bolivien, Cuba
basale Mäkl. Mon. p. 249 (357).	Brasilien
basifemoratum Mäkl. Mon. p. 226 (334).	Shanghai
Baumanni Kolbe, Stett. Ent. Zeit. LV, 1894, p. 371.	Togo

Belti Champ. Biol. Centr.-Am. Col. IV, 1, 1887, p. 358. Nicaragua
biarcuatum Mäkl. Mon. p. 254 (362). Brasilien
bicolor Cast. Hist. Nat. II, 1840, p. 239. — Mäkl. Mon. p. 170 (278). „
violaceum F. Suppl. Ent. Syst. 1798, p. 48. — Mäkl. Act. Soc. Fenn. 1863, p. 548.
bifasciatum Mäkl. Mon. p. 282 (390). „
bifoveolatum Mäkl. Mon. p. 356 (464). Ceylon
binodosum Mäkl. Mon. p. 363 (471). Celebes
bisignatum Mäkl. Mon. p. 286 (394). Rio de Janeiro
bistrigatum Mäkl. Mon. p. 242 (350). Brasilien
bituberculatum Mäkl. Mon. p. 262 (370). „
bivittatum Champ. Biol. Centr.-Amer. Col. IV, 1, 1888, p. 361, t. 15, f. 16. Mexico
blandum Mäkl. Mon. p. 233 (341). — Champ. l. c. p. 370, t. 16, f. 8. „
Bohemani Mäkl. Mon. p. 146 (254). Caffrarien
brevicorne Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 482, t. 13, f. 12. Japan
brevipes Champ. Biol. Centr.-Amer. Col. IV, 1, 1888, p. 372, t. 16, f. 11. Centralamerika
breviusculum Mäkl. Mon. p. 160 (268). Brasilien
Buqueti Mäkl. Mon. p. 220 (328). „
Büttneri Kolbe, Stett. Ent. Zeit. LV, 1894, p. 371. Togo
caelatum Pér. Ann. S. Afr. Mus. III, 1904, p. 269. Natal
caerulescens Quedenf. Berl. Ent. Zeit. XXIX, 1885, p. 27. Congogebiet
caesareum nom. nov. Balubaland
episcopale Kolbe, Stett. Ent. Zeit. LV, 1894, p. 365.
caffrum Mäkl. Mon. p. 322 (430). Capland
canaliculatum Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 346, t. 15, f. 3. Centralamerika
cancellatum Mäkl. Mon. p. 212 (320). — Champ. l. c. p. 376. Mexico, Honduras
carinipenne Champ. l. c. 1888, p. 374, t. 16, f. 13. Panama
carinulatum Mäkl. Mon. p. 200 (308). Guayana
cariosicolle Fairm. Notes Leyd. Mus. IV, 1882, p. 252. Sumatra
cariosipenne Fairm. Notes Leyd. Mus. XVIII, 1896, p. 112. Pedong
cariosum Mäkl. Mon. p. 150 (258). Surinam
castaneipenne Mäkl. Mon. p. 314 (422). Caffrarien
castanescens Fairm. Notes Leyd. Mus. XVIII, 1896, p. 112. Nordindien
cayennense Mäkl. Mon. p. 264 (372). Cayenne
ceylonicum nom. nov. Ceylon
geniculatum Motsch. Bull. Mosc. XXXVI, 1863, II, p. 472.
chalceum Mäkl. Mon. p. 133 (241). Brasilien
chalcodes Er. Arch. f. Naturg. XIII, 1847, I, p. 120. — Mäkl. Mon. p. 265 (373). Peru
chalconotum Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 418, t. 21, f. 16. — Mäkl. Mon. p. 131 (239). Brasilien
laceratum Germ. Ins. spec. nov. 1824, p. 150.
chalcopterum Mäkl. Mon. p. 323 (431). Martinique
chinense Fairm. Compt. rend. Soc. Ent. Belg. 1891, p. CCXIII. Chang Yang
chiriquense Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 351. Panama
chontalense Champ. l. c. p. 344, t. 14, f. 19. Nicaragua
cinctum Mäkl. Mon. p. 229 (337). — Champ. l. c. p. 368, t. 15, f. 24. Mexico

clathratum Mäkl. Mon. p. 345 (453). — Ostindien
clavicorne Champ. Biol. Centr.-Amer. Col. IV, 1, 1893, p. 562, t. 23, f. 16. — Mexico
clavipes Mäkl. Mon. p. 331 (439). — Ostchina
cognatum Mäkl. Mon. p. 193 (301). — Brasilien
colombianum Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 354, t. 15, f. 11. — Columbien
commutatum Mäkl. Mon. p. 139 (247). — Südamerika
comptum Er. Schomb. Reise III, 1848, p. 565. — Mäkl. Mon. p. 258 (366). — Guayana, Venezuela, Brasilien
var. *vittigerum* Mäkl. Mon. p. 259 (367). — Brasilien
concinnum Mäkl. Mon. p. 219 (327). — Brasilien
confine Mäkl. Mon. p. 203 (311). — „
conicicolle Mäkl. Mon. p. 339 (447), t. 3, f. 22. — Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, t. 14, f. 25. — Centralamerika
Conradti Champ. l. c. 1893, p. 563. — Guatemala
consimile Mäkl. Mon. p. 195 (303). — Paramaribo
convexipenne Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 299. — Langsong
correntinum Berg, An. Univ. Buenos Aires VI, 1889, p. 141. — Argentinien
costaricense Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 353, t. 15, f. 10. — Costa Rica
costipenne Mäkl. Mon. p. 344 (452). — Borneo
costulatum Mäkl. Mon. p. 209 (317). — Brasilien
crassicorne Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 347. — Nicaragua
crenatum Mäkl. Mon. p. 199 (307). — Nordamerika
cribratissimum Thoms. Arch. Ent. II, 1858, p. 94. — Mäkl. Mon. p. 367 (475). — Gabun
cribratum Luc. Voy. Castelnau 1859, p. 139, t. 9, f. 4a. — Mäkl. Mon. p. 277 (385). — Brasilien
cribripenne Imh. Verh. Nat. Ges. Basel V, 1843, p. 175. — Guinea
cribripes Mäkl. Mon. p. 167 (275). — Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 356, t. 14, f. 24. — Centralamerika
cruentatum Mäkl. Mon. p. 227 (335). — Champ. l. c. p. 364. — Mexico
crurale Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 320. — Tonkin
cultellatum Mäkl. Mon. p. 345 (453). — Hongkong
cupreocinctum Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 465. — Tucuman
cupreum Mäkl. Mon. p. 158 (266). — Brasilien
cupricolle Mäkl. Mon. p. 142 (250). — Cayenne
cupripenne Mäkl. Mon. p. 261 (369). — Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 809. — Madagaskar
cupripes Imh. Verh. Naturf. Ges. Basel V, 1843, p. 175. — Guinea
curticorne Champ. Biol. Centr.-Amer. Col. IV, 1, 1888, p. 369, t. 16, f. 6. — Mexico
curtulum Mäkl. Mon. p. 159 (267). — Brasilien
cyaneum Pér. Trans. S. Afr. Phil. Soc. VI, 2, 1892, p. 60. — Südafrika
cyanicolle F. Syst. El. I, 1801, p. 158. — Mäkl. Act. Fenn. 1863, p. 553 (65); Mon. p. 351 (459). — Sundainseln
cyanicorne Er. Arch. f. Naturg. XIII, 1847, I, p. 121. — Mäkl. Mon. p. 178 (286). — Peru
cyanipes F. Syst. El. I, 1801, p. 158. — Mäkl. Act. Fenn. 1863, p. 551 (63); Mon. p. 324 (432). — Guinea
nigrum Dohrn, Stett. Ent. Zeit. XLI, 1880, p. 378.
cyaniventre Mäkl. Mon. p. 132 (240). — Sta. Catharina

cylindricum Mäkl. Mon. p. 158 (266). — Pará
dama F. Syst. El. I, 1801, p. 159. — Mäkl. Act. Fenn. 1863, p. 554 (66); Mon. p. 141 (249). — Guayana
debile Mäkl. Mon. p. 374 (482). — Ceylon
decoloratum Mäkl. Mon. p. 172 (280). — Brasilien
decoratum Mäkl. Mon. p. 257 (365). — Champ. Biol. Centr.-Amer. Col. IV, 1, 1888, p. 363, t. 15, f. 18. — Costa Rica, Panama, Bolivien
Delauneyi Fleut. et Sallé, Ann. Soc. Ent. Fr. (6) IX, 1889, p. 429. — Guadeloupe
dentatum Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 348. — Nicaragua
denticolle Sharp in Whymper, Travels Great Andes, Suppl. App. 1891, p. 42. — Fairm. Bull. Soc. Ent. Fr. 1902, p. 150. — Ecuador
denticulatum Mäkl. Mon. p. 198 (306). — Rio de Janeiro
dichromum Thoms. Arch. Ent. II, 1858, p. 94. — Mäkl. Mon. p. 367 (475). — Dohrn, Stett. Ent. Zeit. XLI, 1880, p. 379. — Guinea
dimidiatum Fairm. Compt. Rend. Soc. Ent. Belg. 1891, p. CCXIV. — Moupin
discoidale Mäkl. Mon. p. 231 (339). — Champ. Biol. Centr.-Amer. Col. IV, 1, 1888, p. 369. — Mexico
discolor Mäkl. Mon. p. 263 (371). — Brasilien
discrepans Péring. Ann. S. Afr. Mus. III, 1904, p. 265. — Transvaal
Dohrni Mäkl. Mon. p. 303 (411), t. 2, f. 18. — Caffrarien
dorsatum Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 35. — Indien
dorsocupreum Fairm. Ann. Soc. Ent. Belg. XLVII, 1903, p. 19. — Tonkin
ducale Kolbe, Stett. Ent. Zeit. LV, 1894, p. 366. — Togo
duricolle Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 35. — Indien
elegantulum Kolbe, Stett. Ent. Zeit. LV, 1894, p. 373. — Togo
eminens Mäkl. Mon. p. 266 (374). — Champ. Biol. Centr.-Amer. Col. IV, 1, t. 14, f. 21. — Mexico
entrerianum Berg, An. Univ. Buenos Aires VI, 1889, p. 142. — Argentinien
episcopale Kl. Preisverz. Ins. Doubl. 1829, p. 5. — Mäkl. Mon. p. 190 (298). — Brasilien, Montevideo
equestre Mäkl. Mon. p. 251 (359). — Brasilien
erraticum Champ. Biol. Centr.-Amer. Col. IV, 1, 1888, p. 373. — Nicaragua
erythrocephalum F. Syst. El. I, 1801, p. 156. — Illig. Mag. I, 1802, p. 343. — Mäkl. Act. Fenn. 1863, p. 548. — Indien bis Manila
rubripes Mäkl. Mon. p. 350 (458).
erythropterum Mäkl. Mon. p. 151 (259). — Cayenne
Escalerae Geb. Mem. Real Soc. Esp. Hist. Nat. I, 1907, p. 418. — Guinea
exaratum Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 350, t. 15, f. 7. — Guatemala
excavatum Mäkl. Mon. p. 166 (274). — Champ. l. c. t. 15, f. 2. — Mexico
exiguum Mäkl. Mon. p. 140 (248). — Rio de Janeiro
exile Mäkl. Mon. p. 211 (319). — Columbien, Venezuela
eximium Mäkl. Mon. p. 161 (269). — Cuba
exsculptum Mäkl. Mon. p. 348 (456). — Ceylon

fasciolatum Mäkl. Mon. p. 280 (388).	Cayenne
femorale Mäkl. Mon. p. 207 (315).	Brasilien
ferruginosum Mäkl. Mon. p. 271 (379).	„
festivum Mäkl. Mon. p. 299 (407).	„
figuratum Mäkl. Mon. p. 280 (388).	„
filicorne Mäkl. Mon. p. 347 (455).	„
filum Fairm. Compt. Rend. Soc. Ent. Belg. 1889, p. XLIII.	Minas Geraes
Fischeri Kolbe, Stett. Ent. Zeit. LV, 1894, p. 368.	Victoria Nyanza
fissicolle Fairm. Ann. Soc. Ent. Belg. XLVII, 1903, p. 18.	Tonkin
flavicorne Perty, Del. anim. art. 1830, p. 62, t. 13, f. 3. — Mäkl. Mon. p. 245 (353).	Brasilien
flavicrus Germ. Ins. spec. nov. 1824, p. 154. — Mäkl. Mon. p. 278 (385).	„
nigricorne Luc. Voy. Castelnau 1859, p. 138, t. 9, f. 2a, b.	
flavilabre Fairm. Compt. Rend. Soc. Ent. Belg. 1891, p. CCXII.	Chang Yang
flavitarse Fairm. Notes Leyd. Mus. IV, 1882, p. 253.	Sumatra
flavofasciatum Cast. Hist. Nat. II, 1840, p. 240. — Mäkl. Mon. p. 283 (391).	Brasilien
var. *flavozonatum* Luc. Voy. Castelnau 1859, p. 137, t. 9, f. 1a.	
floridum Kolbe, Stett. Ent. Zeit. LVI, 1895, p. 361.	Usambara
forcipicolle Fairm. Bull. Soc. Ent. Fr. 1900, p. 45.	Borneo
fossicolle Mäkl. Mon. p. 180 (288).	Puerto Cabello
fossifrons Mäkl. Mon. p. 177 (285). — Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 351, t. 15, f. 8.	Columbien, Panama
fossulatum Mäkl. Mon. p. 338 (446).	Caffrarien
fossum All. Bull. Soc. Ent. Fr. 1896, p. 321.	Sikkim
foveolatum Mäkl. Mon. p. 334 (442).	Philippinen
fragile Champ. Biol. Centr.-Amer. Col. IV, 1, 1888, t. 16, f. 17.	Panama
fraternum Kolbe, Stett. Ent. Zeit. LV, 1894, p. 373.	Togo
fretum nom. nov.	Sumatra
sulcicolle Fairm. Notes Leyd. Mus. XVIII, 1896, p. 113.	
frontale Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 357, t. 15, f. 13.	Panama
fulgidum Mäkl. Mon. p. 155 (263).	Brasilien
fulminans Mäkl. Mon. p. 148 (256).	„
funestum Mäkl. Mon. p. 187 (295).	Mexico
furvum Mäkl. Mon. p. 346 (454).	Caffrarien
fuscicorne Mäkl. Mon. p. 181 (289).	Rio de Janeiro
fuscoaenescens Fairm. Bull. Mus. Paris 1906, p. 276.	Madagaskar
fuscum Mäkl. Mon. p. 273 (381).	Brasilien
generosum Mäkl. Mon. p. 286 (394).	„
geniculatum Thoms. Arch. Ent. II, 1858, p. 96. — Mäkl. Mon. p. 218 (326).	Guinea
Germari Mäkl. Mon. p. 136 (244).	Rio de Janeiro
Gerstaeckeri Mäkl. Mon. p. 169 (277). — Champ. Biol. Centr.-Amer. IV, 1, 1887, p. 357, t. 14, f. 22.	Central-amerika
gibbicolle Fairm. Notes Leyd. Mus. XV, 1893, p. 62.	Borneo
gibbosulum Fairm. Compt. Rend. Soc. Ent. Belg. 1891, p. CCXII.	Kiu-Kiang
gibbum Mäkl. Mon. p. 144 (252). — Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 344, t. 14, f. 20.	Mexico, Guatemala

gigas Mäkl. Mon. p. 329 (437), t. 2, f. 19. — Java
glabrum Kolbe, Stett. Ent. Zeit. L, 1889, p. 130. — Westafrika
gracile Mäkl. Mon. p. 375 (483), t. 3, f. 25. — Caffrarien
gratiosum Mäkl. Mon. p. 235 (343). — Brasilien
gratum Mäkl. Mon. p. 358 (466). — Malacca
gravidum Mäkl. Mon. p. 364 (472), t. 3, f. 24. — Philippinen
gregarium Champ. Biol. Centr.-Amer. Col. IV, 1, 1888, p. 373, t. 16, f. 12. — Panama
guadeloupense nom. nov. — Guadeloupe
inaequale Fleut. et Sallé, Ann. Soc. Ent. Fr. (6) IX, 1889, p. 430.
haemorrhoidale F. Ent. Syst. I, 1792, p. 119; Syst. El. I, 1801, p. 159. — Mäkl. Mon. p. 292 (400). — Südamerika
viride Cast. Hist. Nat. II, 1840, p. 240.
var. *auricolle* Germ. Mag. Ent. IV, 1821, p. 152.
haemorrhoum Mäkl. Mon. p. 173 (281). — Brasilien
helopioides Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 482. — Japan
hilare Mäkl. Mon. p. 360 (468). — Borneo
Hoepfneri Mäkl. Mon. p. 124 (232). — Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 343, t. 14, f. 17. — Mexico, Guatemala
var. *Chevrolati* Mäkl. Mon. p. 127 (235). — Champ. l. c. p. 343.
var. *immundum* Mäkl. Mon. p. 126 (234). — Champ. l. c. p. 343.
var. *pectorale* Mäkl. Mon. p. 125 (233). — Champ. l. c. p. 343, t. 14, f. 18.
var. *scutellare* Mäkl. Mon. p. 125 (233). — Champ. l. c. p. 343.
holcopterum Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 320. — Tonkin
Horni Oertzen, Deutsche Ent. Zeitschr. 1903, p. 235. — Ceylon
humerale Pérty, Del. anim. art. 1830, p. 62, t. 13, f. 2. — Mäkl. Mon. p. 289 (397). — Rio deJaneiro
ignitum Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 348, t. 15, f. 5. — Nicaragua
ignobile Mäkl. Mon. p. 309 (417). — Ceylon
imbreum Mäkl. Mon. p. 355 (463). — Java
imitator Pér. Ann. S. Afr. Mus. III, 1904, p. 266. — Mozambique
impigrum Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 481. — Japan
impressicolle Mäkl. Mon. p. 193 (301). — Champ. Biol. Centr.-Amer. Col. IV, 1, 1888, p. 370, t. 16, f. 9. — Centralamerika
impressum Mäkl. Mon. p. 137 (245). — Brasilien
inaequale Mäkl. Mon. p. 361 (469). — Java
indigeus Pér. Ann. S. Afr. Mus. III, 1904, p. 263. — Transvaal
ingens Kirsch, Berl. Ent. Zeitschr. XXX, 1886, p. 335. — Ecuador
insigne Mäkl. Mon. p. 332 (440). — Ostindien
internum Har. Mitth. Münch. Ent. Ver. II, 1878, p. 108; Col. Hefte XVI, 1879, p. 128. — Kongogebiet
interpunctatum Germ. Ins. spec. nov. 1824, p. 151. — Mäkl. Mon. p. 153 (261). — Brasilien
interstitiale Germ. l. c. p. 153. — Mäkl. Mon. p. 213 (321). — „
iodopterum Fairm. Compt. Rend. Soc. Ent. Belg. 1889, p. XLII. — Minas Geraës
janthinipes Fairm. Notes Leyd. Mus. IV, 1882, p. 252. — Sumatra
japanum Mars. Ann. Soc. Ent. Fr. (5) VI, 1876, p. 320. — Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 480. — Japan

javanicum Mäkl. Mon. p. 327 (435). — Java
Javeti Mäkl. Mon. p. 295 (403). — Amazonas
jucundum Mäkl. Mon. p. 353 (461). — Hongkong
Junkeri Kolbe, Stett. Ent. Zeit. LVI, 1895, p. 359. — Niam Niam
var. *Bohndorffi* Kolbe, l. c. p. 360.
lacunosum Mäkl. Mon. p. 145 (253). — Columbien
laetum Péring. Ann. S. Afr. Mus. III, 1904, p. 269. — Rhodesia
laevicolle Kirsch, Mitth. Mus. Dresden I, 1875, p. 146. — Ins. Jobi
laevigatum Mäkl. Mon. p. 267 (375). — Bolivien
laevipenne Mäkl. Mon. p. 194 (302). — Brasilien
languidum Mäkl. Mon. p. 204 (312). — Champ. Biol. Centr.-Amer. Col. IV, 1, 1888, p. 371. — Mexico, Guatemala
langurioides Champ. l. c. 1887, p. 355, t. 15, f. 12. — Nicaragua
lanigerum Fairm. Notes Leyd. Mus. XV, 1893, p. 61. — Borneo
laterale Mäkl. Mon. p. 226 (334). — Champ. Biol. Centr.-Amer. Col. IV, 1, 1888, p. 365. — Mexico
latericium Kolbe, Stett. Ent. Zeit. LVI, 1895, p. 363. — Togo
latericostatum Karsch, Berl. Ent. Zeitschr. XXVI, 1882, p. 387. — Colombo
laticorne Mäkl. Mon. p. 140 (248). — Bahia
lautum Péring. Ann. S. Afr. Mus. III, 1904, p. 265. — Transvaal
leprosum Germ. Mag. Ent. IV, 1821, p. 151. — Mäkl. Mon. p. 215 (323). — Brasilien
limbatum Germ. Ins. spec. nov. 1824, p. 155. — Mäkl. Mon. p. 223 (331). — „
limitatum Mäkl. Mon. p. 234 (342). — Champ. Biol. Centr.-Amer. Col. IV, 1, 1888, p. 368. — Mexico
lineare Mäkl. Mon. p. 176 (284). — Brasilien
lineolatum Mäkl. Mon. p. 245 (353). — „
longicorne Thoms. Arch. Ent. II, 1858; p. 97. — Mäkl. Mon. p. 369 (477). — Gabun
longipenne Murray, Trans. Linn. Soc. Lond. XXIII, 1862, p. 452, t. 47, f. 4a. — Old Calabar
longurium Fairm. Ann. Soc. Ent. Belg. XLVII, 1903, p.18. — Tonkin
lucidum Mäkl. Mon. p. 175 (283). — Costa Rica
luctuosum Mäkl. Mon. p. 188 (296). — Brasilien
lugubre Mäkl. Mon. p. 184 (292). — „
luridipenne Har. Mitth. Münch. Ent. Ver. II, 1878, p. 108; Col. Hefte XVI, 1879, p. 129. — Kongogebiet
luteicorne Germ. Ins. spec. nov. 1824, p. 155. — Mäkl. Mon. p. 243 (351). — Brasilien
var. *pictum* Cast. Hist. Nat. II, 1840, p. 239.
Mac Leayi Pasc. Journ. of Ent. II, 1863, p. 43. — N. S. Wales
macrops Wiedem. Zool. Mag. II, 1, 1823, p. 41. — Mäkl. Mon. p. 326 (434). — Indien, Malay. Archipel
maculicolle Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 342, t. 14, f. 16. — Centralamerika
maculosum Mäkl. Mon. p. 366 (474). — Java
madagascariense nom. nov. — Madagaskar
interstitiale Fairm. Ann. Soc. Ent. Belg. XXXVII, 1903, p. 366.
Maeklini Gemm. Col. Hefte VI, 1870, p. 123. — Brasilien
longipenne Mäkl. Mon. p. 300.
Mannerheimi Mäkl. Mon. p. 285 (393). — „
marginale Mäkl. Mon. p. 230 (338). — Champ. Biol. Centr.-Amer. Col. IV, 1, 1888, p. 368, t. 15, f. 25. — Mexico
marginipenne Quedf. Berl. Ent. Zeitschr. XXIX, 1885, p. 27. — Kongogebiet

Marseuli Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 481. Japan
Mastersi M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 298. Queensland
Matthiesseni Reitt. Wien. Ent. Zeit. XXVII, 1908, p. 135. Persien
mediocre Mäkl. Mon. p. 196 (304). Brasilien
melanarium Mäkl. Mon. p. 325 (433). Indien
mesopotamicum nom. nov. Mesopotamien
cancellatum Abeille, Echange 1894, p. 94.
metallescens Dohrn, Stett. Ent. Zeit. XLI, 1880, p. 377. Himalaya
militare Mäkl. Mon. p. 239 (347). Brasilien
minutum Mäkl. Mon. p. 312 (420). Ceylon
mirabile Linell, Proc. U. S. Nat. Mus. XVIII, 1895, p. 699. Ostafrika
misantlae Champ. Biol. Centr.-Amer. Col. IV, 1, 1888, p. 367, t. 15, f. 23. Centralamerika
modestum Mäkl. Mon. p. 267 (375). Ceylon
moerens Mäkl. Mon. p. 185 (293). Brasilien
monrovianum Dohrn, Stett. Ent. Zeit. XLI, 1880, p. 380. Monrovia
morbillosum F. Syst. El. I, 1801, p. 158. — Mäkl. Act. Fenn. 1863, p. 549; Mon. p. 147 (255). Guayana
morosum Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 363. Cochinchina
Motschulskyi Mäkl. Mon. p. 337 (445). Borneo
muata Har. Mitth. Münch. Ent. Ver. II, 1878, p. 108; Col. Hefte XVI, 1879, p. 127. Kongogebiet
var. *togonicum* Kolbe, Stett. Ent. Zeit. LV, 1894, p. 367. Guinea
mucronatum Mäkl. Mon. p. 269 (377). Cayenne
mundum Mäkl. Mon. p. 221 (329). Brasilien
natalense Pér. Ann. S. Afr. Mus. III, 1904, p. 267. Natal
nigritarse Mäkl. Mon. p. 298 (406). Bolivien
niponicum Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 480. Japan
nitidiceps Champ. Biol. Centr.-Amer. Col. IV, 1, 1888, p. 364, t. 15, f. 20. Mexico
nitidum Mäkl. Mon. p. 319 (427). Guinea
nobile Mäkl. Mon. p. 256 (364). Brasilien,
var. *cyanipes* Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 424. Bolivien
nothum nom. nov. Togo
Conradti Kolbe, Stett. Ent. Zeit. LV, 1894, p. 372.
nubeculosum Mäkl. Mon. p. 228 (336). — Champ. Biol. Centr.-Amer. Col. IV, 1, 1888, p. 365. Yucatan, Nicaragua
nubicum Mäkl. Mon. p. 308 (416). Nubien
obscurum Mäkl. Mon. p. 276 (384). Bolivien
oculatum Champ. Biol. Centr.-Amer. Col. IV, 1, 1888, p. 371. Centralamerika
opacicolle Fairm. Compt. Rend. Soc. Ent. Belg. 1891, p. CCXIV. China
opacipenne Champ. Biol. Centr.-Amer. Col. IV, 1, 1888, p. 361, t. 15, f. 15. Mexico
orientale Mäkl. Mon. p. 328 (434). Java. Borneo
ornatum Mäkl. Mon. p. 119 (227). Brasilien
oshimanum Fairm. Bull. Soc. Ent. Fr. 1897, p. 167. Liu-Kiu
ovampoense Péring. Ann. S. Afr. Mus. III, 1904, p. 264. Ovampoland
pallidicauda Dohrn, Stett. Ent. Zeit. XLI, 1880, p. 375. Birma
pallidipenne Mäkl. Mon. p. 121 (229). Brasilien
panamense Champ. Biol. Centr.-Amer. Col. IV, 1, 1888, p. 363, t. 15, f. 19. Panama
parviceps Mäkl. Mon. p. 183 (291). Brasilien

parvulum Mäkl. Mon. p. 201 (309). — Brasilien
Pavoni Er. Arch. f. Naturg. XIII, 1847, I, p. 120. — Mäkl. Mon. p. 313 (421). — Peru
perdubium nom. nov. — Kleinasien
sulcipenne Reitt. Wien. Ent. Zeit. XXVII, 1908, p. 134.
perforatum Mäkl. Mon. p. 361 (468). — Java
permodicum Mäkl. Mon. p. 212 (320). — Champ. Biol. Centr.-Amer. Col. IV, 1, 1888, p. 376. — Centralamerika, Columbien
perturbator Péring. Ann. S. Afr. Mus. III, 1904, p. 263. — Transvaal
picicorne Fairm. Ann. Soc. Ent. Fr. LXI, 1892, p. 92. — Venezuela
picticolle Fairm. Notes Leyd. Mus. XVIII, 1896, p. 114. — Sumatra
pictipes Hell. Abh. Mus. Dresden 1896—97, p. 16. — Celebes
pilosulum Fairm. Compte Rend. Soc. Ent. Belg. 1891, p. CCXIII. — China
pingue Mäkl. Mon. p. 349 (457). — Java
platense Fairm. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 251. — Argentinien
plausibile Péring. Ann. S. Afr. Mus. III, 1904, p. 268. — Ovampoland
plebejum Mäkl. Mon. p. 198 (306). — Columbien
Poggei Har. Mitth. München. Ent. Ver. II, 1878, p. 108; Col. Hefte XVI, 1879, p. 126. — Kongogebiet
postumum nom. nov. — Tonkin
clavicorne Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 319.
procerum Er. Arch. f. Naturg. XIII, 1847, I, p. 120. — Mäkl. Mon. p. 179 (287). — Peru
propinquum Mäkl. Mon. p. 172 (280). — Brasilien
pulvinatum Mäkl. Mon. p. 157 (265). — Portorico
pumilum Mäkl. Mon. p. 217 (325). — Cayenne
punctatissimum Mäkl. Mon. p. 205 (313). — Brasilien
punctatostriatum Mäkl. Mon. p. 185 (293). — „
puncticolle Thoms. Arch. Ent. II, 1858, p. 96. — Mäkl. Mon. p. 368 (476). — Gabun
punctifrons Mäkl. Mon. p. 188 (296). — Mexico
punctipes Champ. Biol. Centr.-Amer. Col. IV, 1, 1888, p. 375, t. 16, f. 14. — Guatemala
purpuratum Mäkl. Mon. p. 297 (405). — Brasilien
purpureipenne Mäkl. Mon. p. 260 (368). — Fairm. Rev. d'Ent. XX, 1901, p. 190. — Südafrika, Madagaskar
purpureum Mäkl. Mon. p. 191 (299). — Brasilien
quadraticolle Thoms. Arch. Ent. II, 1858, p. 96. — Mäkl. Mon. p. 369 (477). — Guinea
dives Mäkl. Mon. p. 317 (425).
quadridentatum Mäkl. Mon. p. 180 (288). — Bolivien
quadrilineatum Mäkl. Mon. p. 241 (349). — Brasilien
quadrimaculatum Mäkl. Mon. p. 247 (355). — Rio de Janeiro
quadrinotatum Mäkl. Mon. p. 290 (399). — „
ramosum Mäkl. Mon. p. 232 (340). — Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, t. 16, f. 7. — Mexico
rapax Thoms. Arch. Ent. II, 1858, p. 95. — Mäkl. Mon. p. 368 (476). — Westafrika
balubanum Kolbe, Stett. Ent. Zeit. LV, 1894, p. 370.
brevicolle Mäkl. Mon. p. 318 (426).
parallelum Mäkl. Mon. p. 319 (427).
Redtenbacheri Mäkl. Mon. p. 189 (297). — Brasilien

reticulatum Mäkl. Mon. p. 343 (451). Australien
rhodesianum Péring. Ann. S. Afr. Mus. III, 1904, p. 264. Rhodesia
roseomicans Kolbe, Stett. Ent. Zeit. LVI, 1895, p. 360. Westafrika
rubripenne Mäkl. Mon. p. 120 (228). Brasilien
rudicolle Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 810. Madagaskar
ruficolle M'Leay, Trans. Ent. Soc. N. S. Wales II, 1872, p. 298. Queensland
ruficorne Kirsch, Berl. Ent. Zeitschr. XVII, 1873, p. 406. Peru
rufipenne Koll. et Redtenb. in Hügel, Kaschmir IV, 2, 1842, p. 533, t. 25, f. 3. — Mäkl. Mon. p. 330 (438). Himalaya
rufipes Kirby, Trans. Linn. Soc. Lond. XII, 1818, p. 423, t. 22, f. 5. — Mäkl. Mon. p. 250 (358). Brasilien
rufiventre Mäkl. Mon. p. 121 (229). „
rufolineatum Mäkl. Mon. p. 225 (333). „
rufulum Kolbe, Stett. Ent. Zeit. LVI, 1895, p. 362. Togo
rugosum Cast. Hist. Nat. II, 1840, p. 239. — Mäkl. Mon. p. 281 (389). Rio de Janeiro
rugulicolle Mäkl. Mon. p. 134 (242). Brasilien
rusticum Mäkl. Mon. p. 272 (380). „
rutilans Er. Arch. f. Naturg. XIII, 1847, I, p. 121. — Mäkl. Mon. p. 300 (408). Peru
Sahlbergi Mäkl. Mon. p. 164 (272). Brasilien
Sallei Mäkl. Mon. p. 149 (257), t. 2, f. 17. — Champ. Biol. Centr.-Amer. Col. IV, 1, t. 14, f. 23. Mexico
saracenum Reiche, Ann. Soc. Ent. Fr. (3) V, 1857, p. 270, t. 5, f. 10. — Mäkl. Mon. p. 307 (415). Syrien
Schiödtei Mäkl. Mon. p. 357 (465). Pulo Penang
semiaeneum Quedenf. Berl. Ent. Zeit. XXIX, 1885, p. 28. Kongogebiet
semicupreum Mäkl. Mon. p. 156 (264). Brasilien
semipunctatum Mäkl. Mon. p. 152 (260). „
semipurpureum Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 30. Madagaskar
semistriatum Mäkl. Mon. p. 143 (251). — Champ. Biol. Centr.-Amer. Col. IV, 1, t. 15, f. 1. Mexico
serricorne Fairm. Ann. Soc. Ent. Fr. (6) VIII, 1888, p. 364. Cochinchina
sexdentatum Mäkl. Mon. p. 197 (308). Surinam
sexmaculatum Mäkl. Mon. p. 236 (344). Rio deJaneiro
signatum Mäkl. Mon. p. 253 (361). Brasilien
simatum Mäkl. Mon. p. 311 (419). Ceylon
simplex Mäkl. Mon. p. 310 (418). Caffrarien
simplicicolle J. Lec. Proc. Amer. Phil. Soc. XVII, 1878, p. 424. Florida
simulator Dohrn, Stett. Ent. Zeit. XLI, 1881, p. 373. Birma
sobrinum Dohrn, l. c. p. 376. Himalaya
sordidum Mäkl. Mon. p. 274 (382). Brasilien
spinicolle Mäkl. Mon. p. 148 (256). Pará
Ståli Mäkl. Mon. p. 316 (424). Ob. Nil
striolatum Mäkl. Mon. p. 238 (346). Brasilien
Stuhlmanni Kolbe, Stett. Ent. Zeit. LV, 1894, p. 369; in Stuhlmann, Ostafr. IV, 1897, p. 248, t. 3, f. 28. Victoria Nyanza
subcostatum Mäkl. Mon. p. 208 (314). — Champ. Biol. Centr.-Amer. Col. IV, 1, 1888, p. 375, t. 16, f. 15. Mexico, Guatemala
subimpressum Fairm. Ann. Soc. Ent. Belg. XLVII, 1903, p. 20. Tonkin
sudanicum Fairm. Ann. Soc. Ent. Fr. (6) II, 1882, p. 67. Sudan
sulcatum Mäkl. Mon. p. 237 (345). Brasilien
sulcicolle Kolbe, Stett. Ent. Zeit. LVI, 1895, p. 364. Westafrika

sulcipectus Quedenf. Berl. Ent. Zeitschr. XXXII, 1888, p. 185. — Kongogebiet
sulcipenne Mäkl. Mon. p. 302 (410). — Capland
fuscocyanescens Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 136.
suspicax Kolbe, Stett. Ent. Zeit. LV, 1894, p. 369. — Ostafrika
suturale Mäkl. Mon. p. 229 (337). — Champ. Biol. Centr.-Amer. Col. IV, 1, 1888, p. 368, t. 16, f. 5. — Mexico
taciturnum Fairm. Ann. Soc. Ent. Fr. XXXVII, 1893, p. 321. — Tonkin
tanganum Kolbe in Stuhlm. Ostafr. IV, 1897, p. 249. — Ostafrika
tenuicolle Say, Journ. Ac. Phil. V, 2, 1827, p. 241. — Mäkl. Mon. p. 306 (414). — Vereinigte Staaten
Biologie: Riley, Rep. Ins. Mo. VI, 1874, p. 117, f. 32.
tenuipes Fairm. Notes Leyd. Mus. XV, 1893, p. 63. — Borneo
terminatum Say, Journ. Ac. Phil. III, 1823, p. 267. — Mäkl. Mon. p. 305 (413). — Vereinigte Staaten
testaceum Mäkl. Mon. p. 122 (230). — Brasilien
texatum Mäkl. Mon. p. 291 (399). — „
tinctipes Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 349, t. 15, f. 6. — Centralamerika
triplagiatum Mäkl. Mon. p. 224 (332). — Brasilien
triste Mäkl. Mon. p. 186 (294). — „
triviale Mäkl. Mon. p. 275 (383). — „
truncatipenne Fairm. Notes Leyd. Mus. XV, 1893, p. 60. — Borneo
tuberipenne Fairm. Natural. I, 1881, p. 359; Ann. Soc. Ent. Belg. XXVII, 1883, II, p. 30. — Neuguinea
undulatum Fairm. Ann. Soc. Ent. Belg. XLVII, 1903, p. 20. — Tonkin
ustulatum Mäkl. Mon. p. 248 (354). — Brasilien
varians Champ. Biol. Centr.-Amer. Col. IV, 1, 1888, p. 365, t. 15, f. 21. — Centralamerika
variegatum Mäkl. Mon. p. 129 (237). — Brasilien
variicorne Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 352, t. 15, f. 9. — Panama
variolosum Duviv. Ann. Soc. Ent. Belg. XXXVI, 1892, p. 164, 305. — Kongo
ventrale Champ. Biol. Centr.-Amer. Col. IV, 1, 1887, p. 356, t. 16, f. 1. — Panama
venustum Mäkl. Mon. p. 244 (352). — Brasilien
vexativum Dohrn, Stett. Ent. Zeit. XLI, 1880, p. 377. — Assam
vile Mäkl. Mon. p. 123 (231). — Brasilien
villosum Mäkl. Mon. p. 341 (449). — Java
violaceum Pall. Icon. Ins. I, 1781, p. 40, t. C, f. 4. — Mäkl. Mon. p. 171 (279). — Brasilien
splendidum Germ. Ins. spec. nov. 1824, p. 151.
viride F. Syst. El. I, 1801, p. 159. — Mäkl. Act. Fenn. 1863, p. 550; Mon. p. 202 (310). — Cayenne
viridiaeneum All. Bull. Soc. Ent. Fr. 1896, p. 321. — Sikkim
viridicolle Mäkl. Mon. p. 352 (460). — Pulo Penang
viridipes Mäkl. Mon. p. 166 (274). — Champ. Biol. Centr.-Amer. Col. IV, 1, t. 15, f. 4. — Mexico
viriditinctum Champ. l. c. 1887, p. 359, t. 16, f. 4. — Guatemala
viridulum Mäkl. Mon. p. 320 (428). — Guinea
Vollenhoveni Mäkl. Mon. p. 365 (473). — Sumatra
Wahlbergi Mäkl. Mon. p. 315 (423). — Südostafrika
Westermanni Mäkl. Mon. p. 341 (449), t. 3, f. 23. — Himalaya
xanthozonum Thoms. Arch. Ent. II, 1858, p. 95. — Mäkl. Mon. p. 368 (476). — Gabun

Diestesoma Péring.

Péring. Ann. S. Afr. Mus. III, 1904, p. 271.

pulchrum Péring. l. c. p. 272. Capland

1

Allostrongylium Kolbe.

Kolbe, Stett. Ent. Zeit. LVI, 1895, p. 364.

lignarium Kolbe, l. c. p. 365. Ostafrika
silvestre Kolbe, l. c. p. 365. „
tritomicrum Kolbe, l. c. p. 366. „

3

Azonoderus Har.

Har. Col. Hefte XVI, 1879, p. 125.

tristis Har. l. c. p. 126. Pungo Andongo

1

Otocerus Mäkl.

Mäkl. Mon. Strongyl. 1864, p. 376, (Mon.); Act. Soc. Fenn. VIII, 1, 1867, p. 484 (die eingeklammerten Zahlen). — Champ. Biol. Centr.-Amer. Col. IV, 1, 1888, p. 377.

Oploptera Chevr. in Guér. Icon. règne anim. 1846, p. 125. — Lacord. Gen. Col. V, 1859, p. 486.

Blanchardi Mäkl. Mon. p. 383 (491). Brasilien
dilaticornis Champ. Biol. Centr.-Amer. Col. IV, 1, 1888, p. 378, t. 16, f. 18. Panama
flavipennis Mäkl. Mon. p. 378 (484). Brasilien
flavolineatus Mäkl. Mon. p. 380 (488). „
hamatus Champ. Biol. Centr.-Amer. Col. IV, 1, 1888, p. 381, t. 16, f. 22. Nicaragua
impressipennis Champ. l. c. p. 382, t. 16, f. 24. Panama
interruptus Champ. l. c. p. 380, t. 16, f. 21. „
Lucasi Mäkl. Mon. p. 384 (492). Brasilien
microps Champ. Biol. Centr.-Amer. Col. IV, 1, 1888, p. 381, t. 16, f. 23. Nicaragua
nicaraguensis Champ. l. c. p. 379, t. 16, f. 20. „
nigriventris Mäkl. Mon. p. 381 (489). Brasilien
quadriimpressus Mäkl. Mon. p. 386 (494), t. 3, f. 26. „
quinquelineatus Mäkl. Mon. p. 379 (487). „
rufescens Mäkl. Mon. p. 382 (490). „
scapularis Mäkl. Mon. p. 385 (493). „
semiviridis Mäkl. Mon. p. 380 (488). „
serraticornis Chevr. in Guér. Ic. règne anim. 1846, p. 125, t. 32, f. 7. — Mäkl. Mon. p. 377 (485). „
squalidus Mäkl. Mon. p. 383 (491). „
superbus Mäkl. Mon. p. 387 (495). Cayenne
torolae Champ. Biol. Centr.-Amer. Col. IV, 1, 1888, p. 378, t. 16, f. 19. Guatemala
validicornis Mäkl. Mon. p. 387 (495). Cayenne
versicolor Mäkl. Mon. p. 388 (496). Brasilien

22

Pseudotocerus Champ.

Champ. Biol. Centr.-Amer. Col. IV, 1, 1888, p. 383.

attenuatus Champ. l. c. p. 383, t. 16, f. 25. Nicaragua
longipes Luc. Voy. Castelnau 1859, p. 138, t. 9, f. 3a—b. Brasilien
— Mäkl. Mon. p. 389 (497).
2

Ainu Lew.

Lew. Ann. Mag. Nat. Hist. (6) XIII, 1894, p. 479.

tenuicornis Lew. l. c. p. 480. Japan
1

Strongyliastrum Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 39.

Braetii Fairm. l. c. p. 40. Kurseong
1

Messalia Pasc.

Pasc. Ann. Mag. Nat. Hist. (5) XI, 1883, p. 442.

varians Pasc. l. c. p. 442. Penang
1

Tyndarisus Pasc.

Pasc. Ann. Mag. Nat. Hist. (4) III, 1869, p. 294.

longitarsis Pasc. l. c. p. 295, t. 12, f. 1. Tasmanien
1

Epiplecta Mäkl.

Mäkl. Mon. Strong. 1864, p. 390; Act. Fenn. VIII, 1, 1867, p. 498

maculata Mäkl. Mon. p. 391, t. 4, f. 27; l. c. p. 499. Cayenne
1

Oenomia Pasc.

Pasc. Ann. Mag. Nat. Hist. (5) XI, 1883, p. 441.

femorata Pasc. l. c. p. 441. — Waterh. Aid ident. Ins. II, 1882—90, t. 158, f. 5. Pará
1

Coelolophus Mäkl.

Mäkl. Mon. Strong. 1864, p. 394 (Mon.); Act. Fenn. VIII, 1, 1867, p. 502.

aequecostatus Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 35. Indien
bicarinatus Mäkl. Mon. p. 395 (503), t. 4, f. 28. Ceylon
2

longipennis Fairm. Bull. Soc. Ent. Fr. 1902, p. 318. China
opacus Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 33. Indochina
Ritsemae Fairm. Notes Leyd. Mus. IV, 1882, p. 254. Sumatra
Schaumi Mäkl. Mon. p. 394 (502). Ceylon
6

Elasmocera Mäkl.*)

Mäkl. Mon. Strongyl. 1864, p. 396; Act. Fenn. VIII, 1, 1867, p. 504.

dentipes Mäkl. Mon. p. 397 (505), t. 4, f. 29. Bahia
1

Lophocnemis Mäkl.

Mäkl. Mon. Strongyl. 1864, p. 397; Act. Fenn. VIII, 1, 1867, p. 505.

amabilis Mäkl. Mon. p. 398 (506), t. 4, f. 30. Philippinen
1

Pseudostrongylium Kraatz.

Kraatz, Deutsche Ent. Zeitschr. XXIV, 1880, p. 114.

aberrans Kraatz, l. c. p. 118. Luzon
aeneum Kraatz, l. c. p. 118. Java
brasiliense Kraatz, l. c. p. 115 nota. Brasilien
cyaneum Kraatz, l. c. p. 119. Molukken
Semperi Kraatz, l. c. p. 116. Luzon
viride Kraatz, l. c. p. 117. Patria?
viridipenne Kraatz, l. c. p. 120. Queensland
7

Phymatosoma Cast. et Brll.

Cast. et Brll. Ann. sc. nat. XXIII, 1831, p. 408. — Cast. Hist. Nat. II, 1840, p. 224. — Lacord. Gen. Col. V, 1859, p. 481. — Mäkl. Mon. Strongyl. 1864, p. 399; Act. Fenn. VIII, 1, 1867, p. 507.

rutilans Fairm. Miss. Pavie III, p. 88. Laos
tuberculatum Cast. et Brll. Ann. sc. nat. XXIII, 1831, p. 408. — Cast. Hist. Nat. II, 1840, p. 224. — Mäkl. Mon. p. 399 (507). Java
tuberosum Mäkl. Mon. p. 401 (509). Borneo
vesiculosum Mäkl. Mon. p. 400 (508), t. 4, f. 31. Java
4

Tucumana nom. nov.

Eustenia Fairm. Ann. Soc. Ent. Fr. LXXIV, 1905, p. 303 (nec Snell. 1899).

tenuimembris Fairm. l. c. p. 303. Tucuman
1

*) Der Name *Elasmocera* ist schon 1856 von Rondani für eine Dipterengattung vergeben, da diese aber mit *Ancylorrhynchus* Latr synonym ist, verzichte ich auf eine Namensänderung.

Miltoprepes Gerst.

Gerst. Arch. f. Naturg. XXXVII, 1871, p. 65; Decken's Reise III, 2, 1873, p. 198.

laetus Gerst. l. c. p. 65; l. c. p. 198, t. 10, f. 6. — See Jipe 1

Praogena Cast.

Cast. Hist. Nat. II, 1840, p. 241 (scr. *Praeugena*). — Lacord. Gen. Col. V, 1859, p. 488. — Mäkl. Act. Fenn. VII, 1863, p. 557 (69) (Mon.).

Tactoderus Fairm. Rev. d'Ent. XI, 1892, p. 112.

abyssinica Gestro, Ann. Mus. Genova XIII, 1878, p. 321. — Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 30. — Abessinien

aeneola Quedf. Berl. Ent. Zeitschr. XXIX, 1885, p. 32. — Westafrika

aeruginosa Mäkl. Mon. p. 571 (83). — Caffrarien

affinis Péring. Ann. S. Afr. Mus. III, 1904, p. 274. — Natal

amplicollis Geb. Erg. Exped. Kilim. I, 7, 1910, p. 394. — Deutsch-Ostafrika

aulica Fåhrs. Öfv. Vet.-Ak. Förh. XXVII, 1870, p. 316. — Caffrarien

aurichalcea Quedf. Berl. Ent. Zeitschr. XXIX, 1885, p. 30. — Westafrika

bechuana Péring. Ann. S. Afr. Mus. III, 1904, p. 275. — Capland

beniniensis Beauv. Ins. Afr. et Am. 1805, p. 124, t. 30b, f. 9. — Mäkl. Mon. p. 566 (78). — Guinea

caerulans Fairm. Ann. Soc. Ent. Belg. XXXVII, 1893, p. 152. — Somaliland

calabarica Mäkl. Mon. p. 567 (79). — Old Calabar

capicola Péring. Ann. S. Afr. Mus. III, 1904, p. 275. — Capland

cinctella Mäkl. Mon. p. 576 (88). — Südafrika

circumcincta Mäkl. Mon. p. 578 (90). — Caffrarien

cribricollis Fairm. in Revoil, Faune et Flore Çomalis, Col. 1882, p. 80. — Somaliland

cupripennis Mäkl. Mon. p. 562 (74). — Caffrarien

cyaneipennis Péring. Ann. S. Afr. Mus. III, 1904, p. 273. — Ovampoland

cyaneocastanea Fairm. in Revoil, Faune et Flore Çomalis, Col. 1882, p. 80. — Somaliland

cylindrica Mäkl. Mon. p. 564 (76). — Senegal

ditissima Péring. Ann. S. Afr. Mus. III, 1904, p. 274. — Südafrika

femorata Thoms. Arch. Ent. II, 1858, p. 91. — Mäkl. Mon. p. 560 (72). — Gabun

festiva Gerst. Monatsber. Berl. Akad. 1854, p. 534; Peters' Reise 1862, p. 293. — Mäkl. Mon. p. 575 (87). — Ostafrika

flavolimbata Mäkl. Mon. p. 578 (90). — Westafrika

nobilitata Péring. Denkschr. med. Ges. Jena XIII, 1908, p. 416, 504.

gagatina Mäkl. Mon. p. 579 (91). — Gahan, Ann. Mag. Nat. Hist. 1896, p. 456. — Senegal, Aden

subopaca Fairm. Rev. d'Ent. XI, 1892, p. 112.

gloriosa Péring. Ann. S. Afr. Mus. III, 1904, p. 276. — Transvaal

gracilis Quedf. Berl. Ent. Zeitschr. XXIX, 1885, p. 31. — Westafrika

humilis Mäkl. Mon. p. 571 (83). — Caffrarien

illustris Dohrn, Stett. Ent. Zeit. XLVII, 1886, p. 316. — Guinea

quadricollis Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 138.

impressiventris Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 301. — Ostafrika

lineigera Fairm. l. c. p. 301. Ostafrika
longicornis Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 448. Madagaskar
longipennis Fairm. Compt. Rend. Soc. Ent. Belg. 1889, p. VIII; Ann. Soc. Ent. Belg. XXXIX, 1895, p. 32. „
lucidula Mäkl. Mon. p. 561 (73). Guinea
marginata F. Ent. Syst. I, 1792, p. 118; Syst. El. I, 1801, p. 157. — Ol. Ent. III, 1795, 58, p. 5, t. 1, f. 3. — Mäkl. Act. Fenn. 1863, p. 550; Mon. p. 577 (89). Westafrika
melanaria Mäkl. Mon. p. 574 (86). Senegal
natalensis Péring. Ann. S. Afr. Mus. III, 1904, p. 275. Natal
nigra Gahan, Proc. Zool. Soc. Lond. 1900, p. 30. Somali
nigritarsis Mäkl. Mon. p. 560 (72). Westafrika
nobilis Mäkl. Mon. p. 568 (80). Ostafrika
parvicollis Mäkl. Mon. p. 563 (75). Guinea
procera Har. Mitth. Münch. Ent. Ver. II, 1878, p. 107; Col. Hefte XVI, 1879, p. 131, t. 1, f. 8. Westafrika
purpurina Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 810. Madagaskar
rubripennis Mäkl. Mon. p. 573 (85). Capland
rubripes Cast. Hist. Nat. II, 1840, p. 241. — Mäkl. Mon. p. 559 (71). Guinea
rutilia Fairm. Ann. Soc. Ent. Fr. LXII, 1897, p. 137. „
sanguinipennis Gerst. Jahrb. Hamb. wiss. Anst. I, 1884, p. 57. Ostafrika
splendens Mäkl. Mon. p. 572 (84). Mittel- und Südafrika
subovata Quedf. Berl. Ent. Zeitschr. XXIX, 1885, p. 33, t. 3, f. 10. Westafrika
subviridis Linell, Proc. U. S. Nat. Mus. XVIII, 1895, p. 700. Ostafrika
subvittata Mäkl. Mon. p. 569 (81). Caffrarien
sulcata Auriv. Öfv. Vet.-Ak. Förh. XLIV, 1887, p. 307. Kongo
sumptuosa Mäkl. Mon. p. 565 (77). Senegal
tibialis Linell, Proc. U. S. Nat. Mus. XVIII, 1895, p. 699. Ostafrika
timida Péring. Ann. S. Afr. Mus. III, 1904, p. 276. Capland
tristis Péring. Trans. S. Afr. Phil. Soc. VI, 2, 1892, p. 60. Südwestafrika
viridescens Gerst. Monatsber. Berl. Ak. 1854, p. 534; Peters' Reise 1862, p. 294. — Mäkl. Mon. p. 570 (82). Ostafrika
viridicuprea Gerst. Jahrb. Hamb. wiss. Anst. I, 1884, p. 57. Massai

57

Praostetha Fairm.

Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 138.

impressifrons Fairm. l. c. p. 138. Portug. Congo

1

Dorelogena Péring.

Péring. Ann. S. Afr. Mus. III, 1904, p. 280.

angusta Péring. l. c. p. 281. Rhodesia
castanea Péring. l. c. p. 280. „

2

Asemogena Péring.

Péring. Ann. S. Afr. Mus. III, 1904, p. 281.

humilis Péring. l. c. p. 282. Capland
simplex Péring. l. c. p. 281. „
2

Dysgena Mäkl.

Mäkl. Act. Fenn. VII, 1863, p. 558 (70) (Mon.).

aeneipennis Fairm. Ann. Soc. Ent. Fr. LXII, 1893, p. 153. Senegal
caerulescens Fairm. l. c. p. 153. „
capicola Péring. Ann. S. Afr. Mus. III, 1904, p. 279. Capland
decipiens Péring. l. c. p. 277. Natal
delagoana Péring. l. c. p. 278. Mozambique
durbanica Péring. l. c. p. 276. Natal
foveaticollis Péring. l. c. p. 278. Südafrika
fuliginosa Quedf. Berl. Ent. Zeitschr. XXIX, 1885, p. 33. Quango
gigas Kolbe, Mitt. Mus. Hamb. XIV, 1897, p. 93. Ostafrika
luctuosa Péring. Ann. S. Afr. Mus. III, 1904, p. 279. Rhodesia
lugubris Mäkl. Mon. p. 580 (92). Caffrarien
nigrita Mäkl. Mon. p. 582 (94). Guinea
pilosula Mäkl. Mon. p. 581 (93). Caffrarien
plebeja Péring. Ann. S. Afr. Mus. III, 1904, p. 277. Transvaal
scabripennis Gerst. Arch. f. Naturg. XXXVII, 1871, p. 64; Decken's Reise III, 2, 1873, p. 197. — Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 300. Ostafrika
servilis Péring. Ann. S. Afr. Mus. III, 1904, p. 279. Rhodesia
subscabrosa Quedf. Berl. Ent. Zeitschr. XXXII, 1888, p. 186. Centralafrika
tenuicollis Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 328. Abessinien
villosula Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 299. Ostafrika
19

Anarmostodera Fairm.

Fairm. Ann. Soc. Ent. Belg. XLI, 1897, p. 114.

crassicornis Fairm. l. c. p. 114. Madagaskar
1

Lamprobothris Fairm.

Fairm. Ann. Soc. Ent. Fr. (6) VII, 1887, p. 302.

fossulata Müll. Tijdschr. voor Ent. XXX, 1887, p. 306, t. 12, f. 7. Ostafrika
attenuata Fairm. l. c. p. 302, t. 3, f. 6.
1

Ergenna Fairm.

Fairm. Ann. Soc. Ent. Fr. LXVI, 1897, p. 139.

coerulescens Fairm. l. c. p. 139. Ostafrika
1

Nesogena Mäkl.

Mäkl. Act. Fenn. VII, 1863, p. 557.

Subgen. *Bradygena* Fairm. Ann. Soc. Ent. Belg. XLVII, 1903, p. 211.

acutipennis Fairm. Ann. Soc. Ent. Fr. (4) IX, 1869, p. 237. Madagaskar
aeneipennis Fairm. l. c. (4) VIII, 1868, p. 813. „
angusta Fairm. l. c. LXXII, 1903, p. 212. „
basicollis Fairm. l. c. p. 211. „
Batesi Fairm. Stett. Ent. Zeit. XXXVI, 1875, p. 190 *(Bradygena)*. „
caffra Péring. Ann. S. Afr. Mus. III, 1904, p. 262. Caffrarien
castaneipes Bates, Trans. Ent. Soc. Lond. 1879, p. 302. Madagaskar
cinctipennis Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 212. „
coeruleata Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 458 *(Bradygena)*. „
Coquereli Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 813. „
Cottae Fairm. Ann. Soc. Ent. Belg. XLIII, 1899, p. 537. — Pic, Echange XXV, 1909, p. 110. „
Croesus Bates, Trans. Ent. Soc. Lond. 1879, p. 304. „
cyanescens Fairm. Ann. Soc. Ent. Fr. LXVIII, 1899, p. 485. „
cyanipennis Fairm. Bull. Mus. Paris 1906, p. 277. „
episcopalis Fairm. Stett. Ent. Zeit. XXXVI, 1875, p. 191. „
Fairmairei Bates, Trans. Ent. Soc. Lond. 1879, p. 301. „
fastidiosa Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 146. „
geniculata Bates, Trans. Ent. Soc. Lond. 1879, p. 302. „
gigantea Bates, l. c. p. 299 *(Bradygena)*. „
Goudoti Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 811. „
Guerini Coquer. Rev. Zool. 1851, p. 88; Ann. Soc. Ent. Fr. (2) X, 1852, p. 381. — Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 814. „
Haagi Bates, Trans. Ent. Soc. Lond. 1879, p. 304. „
humerosa Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 145. „
hypocyanea Fairm. Ann. Soc. Ent. Fr. LXVIII, 1899, p. 484. „
intermedia Fairm. Stett. Ent. Zeit. XXXVI, 1875, p. 191. „
iodolimbata Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 812. „
longula Pic, Échange XXV, 1909, p. 110. „
lucida Bates, Trans. Ent. Soc. Lond. 1879, p. 300. „
lucidicollis Fairm. Stett. Ent. Zeit. XLV, 1884, p. 136. „
micanticollis Fairm. Ann. Soc. Ent. Belg. XL, 1896, p. 458 *(Bradygena)*. „
obscurina Fairm. Ann. Soc. Ent. Fr. LXVIII, 1899, p. 485. „
obscuripes Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, p. 146. „
obscurivirens Fairm. l. c. XXXIX, 1895, p. 449.
obscurovirens Fairm. Bull. Mus. Paris 1906, p. 278. „
parvicollis Fairm. Stett. Ent. Zeit. XXXVI, 1875, p. 191. „
rufimembris Fairm. Ann. Soc. Ent. Fr. LXVIII, 1899, p. 485. „
rufiventris Fairm. Stett. Ent. Zeit. XXXVI, 1875, p. 191. „
rufovirens Fairm. Ann. Soc. Ent. Fr. LXVIII, 1899, p. 486. „
rutilia Bates, Trans. Ent. Soc. Lond. 1879, p. 300 *(Bradygena)*. „

simplicifrons Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 211. Madagaskar
speciosa Bates, Trans. Ent. Soc. Lond. 1879, p. 299 *(Bradygena)*. „
suturata Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 448 *(Bradygena)*. „
testaceipes Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 814. „
varians Fairm. Stett. Ent. Zeit. XXXVI, 1875, p. 190. „
varicolor Bates, Trans. Ent. Soc. Lond. 1879, p. 303. „
venusta Bates, l. c. p. 301. „
violacea Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 211 *(Bradygena)*. „
viridiceps Pic, Echange XXV, 1909, p. 110. „
viridicuprea Fairm. Ann. Soc. Ent. Fr. (4) VIII, 1868, p. 813. „

49

Pseudogena Fairm.

Fairm. Ann. Soc. Ent. Belg. XLIII, 1899, p. 539.

aequalis Fairm. Ann. Soc. Ent. Fr. LXXII, 1903, p. 210. Madagaskar
alternans Fairm. l. c. p. 210. „
bitincta Fairm. Natural. XXIV, 1902, p. 287. „
inaequalis Fairm. l. c. p. 287. „
laevistriata Fairm. Rev. d'Ent. XX, 1901, p. 191. „
polyzona Fairm. Ann. Soc. Ent. Belg. XLIII, 1899, p. 539. „
purpurina Fairm. Natural. XXIV, 1902, p. 287. „
semiopaca Fairm. Ann. Soc. Ent. Belg. IL, 1905, p. 126. „

8

Miotodera Fairm.

Fairm. Rev. d'Ent. XX, 1901, p. 190.

funeraria Fairm. l. c. p. 191. Madagaskar

1

Idatius Fairm.

Fairm. Bull. Mus. Paris 1906, p. 276.

ophthalmicus Fairm. l. c. p. 277. Madagaskar

1

Stenogena Fairm.

Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 33.

crenulata Fairm. Rev. d'Ent. XX, 1901, p. 192. Madagaskar
filicornis Fairm. Ann. Soc. Ent. Belg. XXXIX, 1895, p. 449. „
madecassa Fairm. l. c. p. 33. „
rudicollis Fairm. l. c. XLII, 1898, p. 235. „
substriata Fairm. Rev. d'Ent. XX, 1901, p. 191. „
xanthopus Fairm. Bull. Soc. Ent. Fr. 1895, p. CCLXXIX. „

6

Compsocula Fairm.

Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 236.

apicata Fairm. Bull. Soc. Ent. Fr. 1895, p. CCLXXIX. Madagaskar
gentilis Fairm. l. c. p. CCLXXX. „
terminalis Fairm. l. c. p. CCLXXX. „
3

Hovacula Fairm.

Fairm. Ann. Soc. Ent. Belg. XLII, 1898, p. 236.

lineolata Fairm. l. c. p. 236. Madagaskar
1

Psilonesogena Bates.

Bates, Trans. Ent. Soc. Lond. 1879, p. 305.

hybrida Bates, l. c. p. 306. Madagaskar
1

Mictopsis Fairm.

Fairm. Ann. Soc. Ent. Belg. XLIII, 1899, p. 538.

laticollis Fairm. l. c. p. 538. Madagaskar
1

Hyperchalca Fairm.

Fairm. Ann. Soc. Ent. Fr. (4) IX, 1869, p. 238.

aeneseens Fairm. l. c. p. 238. Madagaskar
fuscoaenea Fairm. Ann. Soc. Ent. Belg. XXXVIII, 1894, l. c. p. 145. „
Humbloti Fairm. l. c. p. 146. „
rudicollis Fairm. Ann. Soc. Ent. Fr. LXXI, 1902, p. 337. „
3

Stenochinus Motsch.

Motsch. Etudes Ent. VIII, 1859, p. 102.

reticulatus Motsch. l. c. p. 102. Ostindien
1

Macrophthalmus Montr.*)

Montr. Ann. Soc. agr. Lyon VII, 1855, p. 33.

coeruleus Montr. l. c. p. 33. Ins. Woodlark
1

Syngona Fåhrs.

Fåhrs. Öfv. Vet.-Ak. Förh. XXVII, 1870, p. 330 (scr. *Syggona!*)

concinna Fåhrs. l. c. p. 330. Caffrarien
1

*) Dieser Name ist zweimal vergeben: bei den Hemipteren (Lap. 1833) und bei den Crustaceen (Latr. 1829). Da aber diese Gattung ganz zweifelhaft ist — auch ihre Stellung bei den Tenebrioniden ist sehr fraglich — verzichte ich auf eine Namensänderung.

Addenda.

p. 121 hinter *Amblycyphus:*

Threnus Motsch.

Motsch. Bull. Mosc. XLIII, 1, 1870, p. 404.

niger Motsch. l. c. p. 406. Californien
1

p. 204 vor *Pimelia:*

Sympiezocnemis Solsky.

Solsky, Horae Soc. Ent. Ross. XI, 1875 (1876), p. 290. — Reitter, Deutsche Ent. Zeitschr. 1888, p. 331; 1889, p. 261; 1907, p. 412.

gigantea Fisch. Lettre à Pander 1821, p. 12; Ent. Ross. I, 1820—22, p. 147, t. 14, f. 1. — Kraatz, Revis. Tenebr. 1865, p. 352, 357. — Sén. Mon. Pimel. I, 1884, p. 20. — Faust, Horae Soc. Ent. Ross. XI, 1875, p. 221. Transkaspien

Kessleri Solsky, Horae Soc. Ent. Ross. XI, 1875, p. 291. „
2

p. 218 hinter *Asidoblaps:*

Caenoblaps König.

König, Wien. Ent. Zeit. XXV, 1906, p. 24.

difformis König, l. c. p. 24. Kaukasus
1

p. 264 nach *Discodemus:*

Cyclosattus Cas.

Cas. Ann. N. York Acad. VI, 1892, p. 710.

Websteri Cas. l. c. p. 56, 710. Colorado
1

p. 340 vor *Ammodonus* J. Lec.:

Ephalus J. Lec.

J. Lec. Class. Col. N. Amer. 1862, p. 227; ed. II, 1883, p. 380. — Horn, Revis. Tenebr. N. Amer. 1870, p. 360.

latimanus J. Lec. Journ. Ac. Phil. (2) I, 1850, p. 92; Proc. Ac. Phil. 1854, p. 219. (Leichenum) Vereinigte Staaten
1

p. 354 nach *Ellipsodes:*

Myrmecocatops Wasm.

Wasm. Deutsche Ent. Zeitschr. 1897, p. 268.

latus Wasm. l. c. p. 269, t. 2, f. 1. Madagaskar
1

p. 370 nach *Stomylus:*

Uloporus Cas.

Cas. Ann. N. York Acad. V, 1889, p. 184.

ovalis Cas. l. c. p. 185. Texas
1

p. 445 nach *Setenis:*

Cryptobates Fairm.

Fairm. Notes Leyd. Mus. IV, 1882, p. 231. — Kolbe, Ent. Nachr. XXVI, 1900, p. 74.

crassecostatus Fairm. Ann. Soc. Ent. Fr. LXVII, 1898, p. 394. Labuan
rubiginea Fairm. Notes Leyd. Mus. IV, 1882, p. 232. Sumatra
2
10662

Index.

Subfamiliae, Genera, Subgenera.

Abantiades Fairm. 341
Abantis Fairm. 341
Abiga Guér. 57
Ablapsis Reitt. 219
Acanthioides Fairm. 101
Acanthoblaps Reitt. 226
Acantodactylus Desbr. 429
Acanthomera Latr. 567
Acanthomerus Guér. 567
Acanthopus Latr. 529
Acanthosternus Montrz. 385
Acastus Pér. 571
Acestus Haag 103
Achanius Er. 35
Achora Pasc. 318
Achrostus Fairm. 451
Achthosus Pasc. 399
Acmaeus Fåhrs. 304
Aconobius Cas. 297
Acropteron Perty 499
Acrothymus Pasc. 515
Actanorie Bates 496
Actizeta Pasc. 343
Adavius Muls. et Rey 341
Addia Lewis 384
Adelina J. Lec. 410
Adelina Woll. 409
Adelium Kirby 508
Adelium Sol. 506
Adeliinae 504
Adelodemus Haag 300
Adelostoma Dup. 104
Adelphinus Fairm. 559
Ades Guér. 388
Adesmia Fisch. 83
Adesmiinae 82
Adonicus Fairm. 497
Adordanea Reitt. 61
Aediotorix Bates 476
Aemymone Bates 469
Aesthetus Waterh. 490
Aesymnus Champ. 411
Aethalides Bates 428
Afrinus Fairm. 34
Agasthenes Bates 427
Ageonoma Pasc. 95
Agissopterus Fairm. 587
Aglypta Geb. 428
Agnaptoria Reitt. 219
Agraecus Fairm. 494
Agroblaps Motsch. 226
Ainu Lewis 603
Akidinae 171
Akis Hbst. 172
Alaephus Horn 462
Alaudes Horn 315
Alcinoe Ménétr. 74
Alcyonotus Pasc. 497
Alegoria Cast. 398
Allardius Ragusa 533
Allophylax Bedel 309
Allophasia Pasc. 364
Allostrongylium Kolbe 602
Alobates Motsch. 443
Alogenius Geb. 91
Alphasida Esc. 126
Alphitobius Steph. 404
Alphitophagus Steph. 381
Altes Pasc. 481
Alymon Pasc. 574
Amarantha Faust 379
Amarosoma Redt. 514
Amarsenes Bates 493
Amarygmimus Bates 481
Amarygminae 571
Amarygmus Dalm. 576
Amatodes Sol. 563
Ambigatus Fairm. 81

Amblycara Fairm. 77
Amblycarenum Geb. 77
Amblycyphus Motsch. 121
Amblyptera Sol. 204
Amblysphagus Fairm. 295
Amenophis Thoms. 441
Ametrocera Fåhrs. 149
Amiantus Fåhrs. 152
Ammidanemia Reitt. 316
Ammidium Er. 316
Ammobius Guér. 337
Ammodonus Muls. et Rey 340
Ammophorus Guér. 119
Ammophthorus Lacord. 337
Ammotrypes Fairm. 338
Ammozoum Sem. 5
Amnodeis Mill. 10
Amorphochirus Geb. 478
Amphianax Bates 426
Amphidora Eschsch. 505
Amphidorinae 504
Anacycus Fairm. 584
Anadischidus Kolbe 441
Anaedus Blanch. 470
Anarmostodera Fairm. 607
Anatolica Eschsch. 46
Anausis Bates 482
Anaxius Fåhrs. 566
Anchophthalmus Gerst. 278
Ancylopoma Pasc. 472
Andremius Fairm. 125
Anectus Horn 263
Anemia Cast. 316
Anephyctus Fairm. 454
Anepsiinae 117
Anepsius Lec. 117
Aniara Lacord. 408
Aniarus Gemm. 408
Anisocerus Fald. 178
Anisosis Deyr. 42
Anodesis Sol. 11
Anomalipus Guér. 304
Anomoearthrum Mäkl. 590
Anteros Cast. 534
Anthracias Redt. 462
Anthrasomus Guér. 260
Antimachus Gistl 399
Apasis Pasc. 511
Apatelus Muls. et Rey 318
Apatopsis Sem. 186
Aphaleria Reitt. 335
Aphanaspis Woll. 204
Aphanotus Lec. 404
Aphrotus Pér. 34
Aphthora Bates 395
Aphyllocerus Fairm. 494
Apistocerus Fairm. 569
Apithesis Waterh. 407
Apocrypha Eschsch. 503
Apocryphinae 503
Apodemus Fåhrs. 304
Apolites Jacq. 177
Apolitinae 177
Apomestris Bates 482
Apostethus Pasc. 319
Aposyla Pasc. 464
Apristopus Kolbe 477
Apsena Lec. 182
Apsida Lacord. 384
Aptila Fåhrs. 563
Araeoschizinae 105
Araeoschizus Lec. 105
Argasidus Pér. 102
Argobrachium Fairm. 574
Argoporis Horn 181
Argyrophana Sem. 189
Ariarathus Fairm. 453
Armalia Cas. 15
Arrhabaeus Champ. 399
Arrhenoplita Kirby 367
Artactes Pasc. 484
Arthopus Sharp 560
Arthrodeis Sol. 6
Arthrocomus Sol. 11
Arthrodosis Reitt. 5
Arthroplatus Sol. 499
Artystona Bates 503
Aryenis Bates 22
Asbolius Fairm. 53
Asbolodes Fairm. 490
Asbolus Lec. 120
Ascalabus Fairm. 446
Ascelosodis Redt. 43
Asemogena Péring. 607
Asida Latr. 126
Asidelia Fairm. 146
Asidesthes Fairm. 125
Asididius Fairm. 527
Asidinae 122
Asidoblaps Fairm. 218
Asidobothris Fairm. 125
Asiopus Sharp 516
Asiris Motsch. 453
Asopis Haag 524
Asphaltesthes Kraatz 53
Asphalus Pasc. 439
Asphena Sem. 31
Aspidocephalus Motsch. 112
Aspidolobus Redt. 21
Aspidosternum Mäkl. 477
Aspidus Muls. et Rey 298
Aspila Fåhrs. 102
Astalbus Fairm. 412
Astathmetus Bates 439
Astenorhinus Fairm. 575
Asthenochirus Fairm. 575
Astrotus Lec. 124
Asyleptus Pér. 573

Atasthalus Pasc. 360
Athrodactyla Kl. 460
Atryphodes Pasc. 506
Auchmobiinae 19
Auchmobius Lec. 19
Augolesthus Motsch. 450
Aulacodera Sol. 147
Aulacus Gray 263
Aulonolcus Reitt. 333
Aulonoscelis Reitt. 219
Autocera Woll. 315
Axumia Reiche 65
Axynaon Blackb. 567
Azarelius Fairm. 569
Azonoderus Har. 602

Baratus Fairm. 526
Barlacus Fairm. 569
Barytipha Pasc. 484
Basanus Lacord. 381
Basides Motsch. 381
Batuliinae 114
Batuliodes Cas. 115
Batulius Lec. 114
Belopus Geb. 459
Biolus Muls. et Rey 275
Bionesus Fairm. 587
Biomorphus Motsch. 463
Bioplanes Muls. 308
Bioramix Bates 257
Bius Muls. 465
Blacodes Blanch. 306
Blapida Perty 496
Blapidurus Fairm. 226
Blapimorpha Motsch. 226
Blapisa Motsch. 226
Blaps F. 226
Blapstinus Latr. 297
Blaptinae 216
Blaptoprosodes Reitt. 219
Blapylis Horn 242
Blastarnus Fairm. 566
Blenosia Cast. 306
Blepegenes Pasc. 508
Blindus Muls. et Rey 287
Boletophagus Zetterst. 357
Bolitonaeus Lewis 359
Bolitophaginae 355
Bolitophagus Ill. 357
Bolitopertha Geb. 360
Bolitotherus Cand. 355
Bolitoxenus Motsch. 359
Boromorphus Woll. 464
Boros Hbst. 463
Bothrotes Cas. 28
Botiras Fairm. 257
Brachyesthes Fairm. 336
Brachyhelops Fairm. 561
Brachyidium Fairm. 313
Brachymoschium Fairm. 103
Brachyontis Cas. 266
Brachyphloeus Fairm. 407
Brachyphrynus Fairm. 151
Brachypilium Fairm. 356
Bradygena Fairm. 608
Bradymerus Perroud 356
Bradynocerus Fairm. 494
Branchinae 263
Branchus Lec. 263
Brises Pasc. 439
Brycopia Pasc. 512
Byallius Pasc. 428
Bycrea Pasc. 343
Byrsax Pasc. 359
Byzacnus Pasc. 431

Caanthus Champ. 360
Cabirus Muls. et Rey 292
Cacicus Sol. 121
Caediomorpha Blackb. 339
Caedius Blanch. 338
Caenoblaps König 611
Caenocorse Thoms. 396
Calcar Latr. 459
Calcar Muls. 459
Callimaria Fairm. 497
Callismilax Bates 500
Callyntra Sol. 144
Calobamon Kraatz 74
Calobosca Fairm. 446
Calognathinae 117
Calognathus Guér. 117
Calosis Deyr. 42
Calostega Westw. 477
Calydonis Pasc. 494
Calymmophorus Sol. 259
Calymmus Pasc. 355
Calyptopsis Sol. 50
Camaria Serv. 494
Camarimena Motsch. 497
Camariodes Fairm. 492
Camarothelops Kolbe 529
Camphonota Sol. 204
Campolene Pasc. 521
Campsia Serv. 496
Capnisa Lacord. 43
Carabelops Fairm. 524
Carchares Pasc. 181
Cardiogenius Sol. 139
Cardiosis Deyr. 42
Cardiothorax Motsch. 506
Catamerus Fairm. 479
Cataphronetis Luc. 407
Catapiestus Perty 458
Catolaena Reitt. 516
Catomidius Seidl. 533

Catomulus Reitt. 78
Catomus All. 533
Cedrosius Fairm. 450
Cenophorus Muls. et Rey 296
Cenoscelis Woll. 408
Centorus Muls. 459
Centrioptera Mannerh. 120
Centrocnemis Kraatz 193
Centronopus Sol. 436
Centronopus Horn 435
Cephalostenus Sol. 180
Ceradelium Preudh. 508
Ceramba Fauv. 522
Cerandria Luc. 391
Ceratanisus Gemm. 178
Ceratupis Perty 399
Cerenopus Lec. 182
Cerodolus Sharp 516
Ceropria Cast. 382
Cerostena Sol. 146
Cestrinus Er. 300
Chaetyllus Pasc. 469
Chalcopterus Bless. 579
Chalcostylus Fairm. 467
Chanopterus Bohem. 562
Charianus Bates 494
Chariotheca Pasc. 502
Chartopteryx Westw. 482
Chemolanus Bates 491
Cherostus Waterh. 362
Chianalus Bates 257
Chileone Bates 440
Chilometopon Horn 20
Chirocharis Kolbe 474
Chiroscelinae 474
Chiroscelis Lm. 474
Chirosis Deyr. 41
Chitoniscus Waterh. 561
Chlorocamma Bates 522
Choaspes Champ. 437
Choastes Champ. 437
Choerodes White 350
Cholipus Pasc. 447
Chorasmius Bates 23
Choristopsis Kraatz 50
Cibdelis Mannerh. 438
Cilibe Brême 425
Cilibe Sol. 423
Cimicia Fairm. 101
Circomus Fleisch. 396
Cirta Luc. 75
Clamoris Gozis 396
Clastopus Fairm. 272
Cleolaus Champ. 391
Cleomis Fairm. 490
Cleteus Fairm. 125
Clinocranion Sol. 163
Clitobius Muls. et Rey 340
Cnemeplatia Costa 315
Cnemodininae 4
Cnemodinus Cock. 4
Cnemodus Horn 4
Cnodalon Latr. 489
Cnodaloninae 485
Coelinae 270
Coelocnemis Mannerh. 438
Coelocnemodes Bates 218
Coelolophus Mäkl. 603
Coelometopides 433
Coelometopus Sol. 438.
Coelomorpha Cas. 270
Coelotaxis Horn 269
Coelus Eschsch. 270
Colpopatrum Reitt. 327
Colpophorus Muls. et Rey 327
Colposcelis Lacord. 46
Colposcythis Reitt. 46
Colposphena Sem. 33
Colpotinus Fairm. 292
Colpotus Muls. 291
Compsocula Fairm. 610
Compsomorphus Sol. 503
Conibiosoma Cas. 303
Conibius Lec. 301
Coniontellus Cas. 269
Coniontides Cas. 266
Coniontinae 263
Coniontis Eschsch. 266
Conipinus Lec. 265
Conisattus Cas. 269
Conoecus Horn 30
Conophthalmus Quedf. 432
Coripera Pasc. 515
Corticeus Crotch 413
Coscinopter All. 533
Coscinoptilix All. 533
Cosmonota Blanch. 379
Cossyphides 417
Cossyphinae 429
Cossyphus Ol. 429
Cotulades Pasc. 113
Craniotinae 91
Craniotus Lec. 91
Cratidus Lec. 505
Cratopus Eschsch. 57
Cryphaeus Kl. 460
Crypsinous Fairm. 574
Crypsis Waterh. 484
Cryptadius Lec. 14
Cryptadius Fairm. 574
Crypticanus Fairm. 271
Crypticinae 350
Crypticoides Fairm. 76
Crypticomorpha Cas. 266
Crypticus Latr. 350
Cryptobates Fairm. 612
Cryptochile Latr. 115
Cryptochilinae 115

Cryptogenius Sol. 150
Cryptoglossa Sol. 120
Cryptoglossinae 120
Cryptops Sol. 404
Ctesicles Champ. 297
Ctimene Bates 480
Cuphotes Champ. 588
Cybotus Cas. 297
Cyclonesus Fairm. 487
Cyclosattus Casey 611
Cylindronotus Fald. 533
Cymathotes Blanch. 584
Cymatothes Sol. 584
Cymbeba Pasc. 514
Cynaeus Lec. 393
Cyphaleinae 479
Cyphaleus Westw. 484
Cyphelops Fairm. 529
Cyphogenia Sol. 175
Cyphonotus Guér. 587
Cyphostethe Mars. 31
Cyptus Gerst. 341
Cyriogeton Pasc. 582
Cyrtoderes Sol. 149
Cyrtomius Cas. 26
Cyrtosoma Perty 489
Cyrtotyche Pasc. 432
Cyrtotyctus Kolbe 432

Dacoderinae 114
Dacoderus Lec. 114
Daedrosis Bates 508
Dailognatha Eschsch. 44
Damatris Cast. 491
Daochus Champ. 390
Dechius Pasc. 357
Decialma Pasc. 481
Delognatha Lacord. 390
Delopygus Lec. 408
Demtrius Broun 464
Dendaroscelis Reitt. 279
Dendarus Latr. 279
Dendarus Seidl. 279
Dengitha Reitt. 74
Deplanchesia Fauv. 489
Deretus Gahan 560
Derilis Motsch. 441
Derispia Lewis 388
Deroplatus Sol. 23
Derosimus Fairm. 105
Derosphaerius Westw. 34
Derosphaerus Thoms. 448
Derostrophus Fairm. 34
Diaclina Jacq. 404
Diaperinae 364
Diaperis Geoffr. 364
Diaphanidus Reitt. 5
Diastixus All. 533
Diastoleus Sol. 183.
Diastolinus Muls. et Rey 274
Diceroderes Sol. 432.
Dichastops Gerst. 472
Dichillus Jacq. du Val 111
Dichomma Sol. 49
Dichotymus Fairm. 584
Dichromma Seidl. 279
Dichtha Haag 151
Dicraeosis Geb. 365
Dicraeus Mars. 365
Dicyrtus Lacord. 589
Diesia Fisch. 189
Diestica Pasc. 589
Diestecopus Sol. 567
Diestesoma Pér. 602
Dietysus Pasc. 583
Dignamptini 562
Dignamptus Lec. 562
Dila Fisch. 218
Dilamus Jacq. 294
Dilopersina Reitt. 219
Dimeriseis Sol. 7
Dineria Motsch. 226
Dinomus Brême 525
Dinoria Pasc. 515
Dinoscelis Gerst. 479
Diodontes Sol. 7
Dioedus Lec. 395
Diopethes Pasc. 528
Diphyrrhynchus Fairm. 385
Diplocyrtus Quedf. 504
Diprosodes Reitt. 219
Dipsaconia Pasc. 363
Dirosis Mill. 7
Dischidus Kolbe 441
Dischizillus Wasm. 112
Discodemus Lec. 264
Discogenia Lec. 242
Discopleurus Lacord. 110
Discotus Reitt. 333
Dissonomus Jacq. 293
Distretus Haag 151
Ditaphronotus Cas. 16
Docalis Pasc. 119
Dolichoderus Kl. 465
Dolichopterus Murray 590
Doliema Pasc. 410
Doliopines Horn 410
Dolphus Blanch. 561
Dordanea Reitt. 61
Dorelogena Péring. 606
Doryagus Pasc. 306
Drocleana Bates 49?
Drosochrus Er. 566
Dymonus Sol. 170
Dysantes Pasc. 360
Dysarchus Pasc. 140
Dysceladus Waterh. 438

otschulsky, 1845, Bull. Mosc., p. 78 — type - Opatrum fuscum F. (mb, tod).

Dysgena Mäkl. 607
Dysmathes Mannerh. 18
Dystalica Pasc. 515

Earophanta Sem. 187
Earophila Sem. 187
Ebenolus Fairm. 587
Echinotus Sol. 167
Echocerus Horn 391
Ecphoroma Sol. 204.
Ecripsis Pasc. 318
Ectatocnemis Horn 304
Ectomida Pasc. 343
Ectomopsis Fairm. 498
Ectyche Pasc. 505
Edalus Broun 516
Edrotes Lec. 81
Edrotinae 81
Edrotinus Fairm. 21
Edrotoporus Haag 258
Edylius Champ. 428
Elascus Pasc. 361
Elasmocera Mäkl. 604
Eleates Cas. 360
Eledona Latr. 362
Elenophorinae 121
Elenophorus Latr. 121
Eleodes Eschsch. 242
Eleodes Blaisd. 242
Eleodimorpha Blaisd. 253
Eleodinae 241
Elixota Pasc. 489
Ellipsodes Woll. 354
Elomosda Bates 498
Elongasida Esc. 126
Embaphion Say 253
Emeax Pasc. 118
Emmallodera Sol. 185
Emmallus Er. 306
Emmenastrichus Horn 16
Emmenastus Motsch. 18
Emmenides Cas. 14
Emyon Gerst. 566
Emypsara Pasc. 345
Enanea Lewis 395
Encara Gemm. 417
Encephalus Brême 417
Encyalesthus Motsch. 447
Endustomus Brême 431
Enganodia Fairm. 590
Enneacoides Fairm. 118
Enneboeopsis Champ. 387
Enneboeus Waterh. 386
Ennychius Fåhrs. 307
Enoplopus Sol. 529
Entomochilus Sol. 259
Entomoderes Sol. 148
Entomogonus Sol. 556
Epairops Fåhrs. 171
Epantius Lec. 182
Epeurycaulus Kolbe 314
Ephalus J. Lec. 611
Ephidonius Pasc. 483
Epicalla Champ. 499
Epilampus Blanch. 382
Epilasium Blanch. 320
Epipagus Haag 117
Epipedonota Sol. 144
Epiphaleria Lewis 345
Epiphysa Blanch. 82
Epiphysinae 82
Epiplecta Mäkl. 603
Episopus Bates 521
Epitoxicum Bates 462
Epitraginae 23
Epitragodes Cas. 29
Epitragoma Cas. 27
Epitragopsis Cas. 28
Epitragus Latr. 24
Epitrichia Seidl. 31
Erelus Muls. et Rey 398
Eremoecus Lacord. 21
Eremonomus Woll. 316
Ergenna Fairm. 607
Erionura Reitt. 556
Erodiinae 4
Erodius F. 7
Erulipus Fairm. 559
Erycastus Fairm. 571
Eschatoporis Blaisd. 121
Espites Pasc. 502
Etazeta Fairm. 468
Ethas Pasc. 109
Ethmus Haag 166
Euboeus Boield. 558
Eucolus Muls. et Rey 273
Euconibius Cas. 302
Eucyrtus Pasc. 485
Euglyptonotus Gestro 570
Eulabis Eschsch. 182
Euleantus Haag 53
Eulipus Woll. 74
Eulytus Waterh. 574
Eumylada Reitt. 335
Eunotiodes Cas. 29
Eupezus Blanch. 574
Euphloeus Pasc. 526
Euphrynus Fairm. 151
Eupomeca Sol. 219
Eupsophus Horn 463
Eupsophulus Cock. 463
Eurycaulus Fairm. 314
Eurychora Thunb. 99
Eurychorinae 99
Eurygona Cast. 263
Euryhelops Reitt. 555
Euryhelops Reitt. 534

Eurymetopinae 11
Eurymetopon Eschsch. 12
Eurynotus Kirby 275
Euryostola Reitt. 202
Eurypera Pasc. 576
Euryprosodes Reitt. 219
Eurypus Kirby 494
Eusattodes Cas. 264
Eusattus Lec. 265
Euschatia Sol. 525
Euschides Lec. 126
Eustenia Fairm. 604
Eustrongylium Kolbe 590
Eusyntelia Waterh. 67
Eutagenia Reitt. 109
Eutelocera Sol. 263
Eutelinae 431
Eutelus Sol. 432
Euthriptera Reitt. 200
Eutichus Haag 103
Eutochia Lec. 408
Eutomus Lacord. 362
Evaniosominae 22
Evaniosomus Guér. 23
Evelina Thoms. 23
Evoplus Lec. 367
Exangeltus Blackb. 119
Exapinaeus Pasc. 384
Exeniotis Pasc. 98
Exerestus Bates 434
Exohadrus Broun 319

Falacer Cast. 568
Falsomycterinae 177
Falsomycterus Pic 177
Faustia Reitt. 254
Faustia Kraatz 254
Filotarsus Sol. 260

Gabonia Fairm. 476
Gabonisca Fairm. 476
Gamaxus Bates 469
Ganyme Pasc. 364
Gargilius Fairm. 381
Gauromaia Pasc. 487
Gebleria Motsch. 219
Gedeon Reiche 204
Geoborus Lacord. 23
Geophanus Haag 102
Ghaleca Pér. 574
Globasida Esc. 126
Glyptophrynus Fairm. 150
Glyptopteryx Geb. 335
Glyptotus Lec. 446
Gnaptor Brullé 216
Gnaptorina Reitt. 217
Gnathocerus Thunb. 391
Gnathosia Fisch. 43
Gnathosia Lacord. 44
Gnesis Pasc. 524
Gnophota Er. 79
Goniadera Perty 468
Goniaderinae 467
Gonocephalum Chevr. 321
Gonocnemis Thoms. 570
Gonogenius Sol. 184
Gonopterus Sol. 163
Gonopus Latr. 304
Gonospa Champ. 385
Grammicus Waterh. 109
Gunarus Gozis 533
Gymnognathus Sol. 11
Gyriosomus Guér. 140

Habrobates Sem. 186
Habrochiton Sem. 186
Hades Thoms. 388
Hadrodes Woll. 320
Hadrus Woll. 319
Haemus Pér. 123
Halammobia Sem. 350
Halonomus Woll. 340
Haplandrus Lec. 437
Haporema Fairm. 522
Hapsida s. Apsida!
Hectus Pasc. 480
Hedrotes s. Edrotes!
Hedyphanes Fisch. 556
Hegemona Cast. 529
Hegeter Latr. 78
Hegeterocara Reitt. 77
Helaeinae 417
Helaeus Latr. 420
Heledona s. Eledona!
Helenophorus s. Elenophorus!
Helibatus Muls. et Rey 275
Heliocaës Bedel 283
Heliocrates Reitt. 283
Heliodromus Brll. 68
Heliofugus Guér. 525
Heliopathes Muls. 283
Heliophilus Latr. 283
Heliophygus Gemm. 525
Helopidesthes Fairm. 559
Helopimorphus Desbr. 473
Helopinae 520
Helopininae 563
Helopinus Sol. 566
Helops F. 533
Helops Cast. 534
Helops Muls. 533
Helops Seidl. 534
Helops Vaul. 533
Hemasodes Cas. 26
Hemerobates Kolbe 441

Hemicera Cast. 384, 500
Hemicyclus Westw. 481
Hemipristis Kolbe 475
Hemitrichesthes Reitt. 333
Heptaphylla Friedenr. 362
Herlesa Reitt. 49
Herpiscius Sol. 181
Herpsis Haag 104
Hesiodus Champ. 437
Heterochira Lacord. 385
Heterophaga Redt. 404
Heterophyllus Kl. 386
Heterophylus Muls. et Rey 293
Heteropromus Blaisd. 242
Heteropus Cast. 298
Heteroscelis Latr. 304
Heterotarsinae 469
Heterotarsus Latr. 473
Hexagonochilus Sol. 113
Hexarhopalus Fairm. 523
Hexaroptrum Fairm. 523
Hicetaon Champ. 442
Hidrosis Haag 102
Himatismus Er. 31
Hionthis Mill. 52
Hipalmus Bates 445
Hipponome Cast. 534
Histeromimus Gah. 11
Histeromorphus Kraatz 11
Histeropsis Chevr. 370
Histiaea Fairm. 345
Holaniara Fairm. 408
Holobrachys Fairm. 492
Hologenosis Deyr. 36
Hologlyptus s. Ologlyptus !
Homala Eschsch. 55
Homoeogenus Waterh. 446
Homoeonota Fairm. 67
Homopsis Sem. 188
Hopatrinus s. Opatrinus !
Hopatroides s. Opatroides !
Hopatromorpha Blackb. 295
Hopatropteron Reitt. 473
Hopatrum s. Opatrum !
Hopatrum Blackb. 321
Hoplambius Reitt. 310
Hoplariobius Reitt. 311
Hoplarion Muls. et Rey 312
Hoplitoblaps Fairm. 218
Hoplobrachium Fairm. 573
Hoplocephala Cast. 367
Hoploedipus Fairm. 497
Hoplonyx Thoms. 571
Hoplopeltis Fairm. 412
Hoploptera s. Oploptera !
Horatoma Sol. 116
Horatomodes Haag 116
Hovacula Fairm. 610
Hovarygmus Fairm. 575
Hybocaulus Fairm. 493
Hyboproctus Kolbe 432
Hydissus Pasc. 440
Hydromedion Waterh. 561
Hylithus Guér. 20
Hylocrinus Cas. 15
Hyocis Pasc. 338
Hyonthosoma Reitt. 55
Hypamarygmus Geb. 575
Hypaulax Bates 439
Hyperchalca Fairm. 610
Hyperops Eschsch. 51
Hypocalis Lacord. 500
Hypocilibe Bates 427
Hypomelus Sol. 154
Hypophloeus F. 412
Hypoprosodes Reitt. 219
Hypselops Sol. 35
Hypsosoma Ménétr. 64

Japetus Reitt. 331
Iccius Champ. 392
Idatius Fairm. 609
Idiesa Reitt. 189
Idiobates Cas. 454
Idisia Pasc. 342
Idricus Fairm. 149
Ilus Champ. 437
Ilyxerus Pasc. 360
Imatismus s. Himatismus !
Immedia Pasc. 528
Iphicorynus Jacq. 387
Iphthimus Truqui 440
Isaminas Champ. 527
Isarida Pasc. 343
Iscanus Fauv. 464
Ichnodactylus Chevr. 380
Isicerdes Champ. 437
Isocerus Latr. 279
Isonota Fairm. 78
Isopteron Hope 300
Isopus Montrz. 521
Isostira Pasc. 344
Itagonia Reitt. 217

Klewaria Reitt. 36
Klewariinae 36
Kokeniella Reitt. 67

Lachnodactylus Seidl. 344
Lachnoderus Muls. et Rey 301
Lachnogya Ménétr. 35
Lachnogyinae 35
Lachnopus Seidl. 344
Laena Latr. 516
Laeninae 504
Lamperos All. 531

Lamprobothris Fairm. 607
Laonicus Haag 482
Lasioderus Muls. et Rey 275
Lasiostola Sol. 193
Latheticus Waterh. 393
Latometus Er. 361
Lechriomus Moraw. 175
Leichenum Blanch. 341
Leiochrinae 388
Leiochrinus Westw. 388
Leiochrodes Westw. 388
Leiochrota Westw. 388
Leiochrotina Westw. 388
Leiopeplus Broun 522
Leipopleura Seidl. 254
Lelegeis Champ. 384
Lepispilus Westw. 480
Leprocaulus Fairm. 450
Leptocolena All. 226
Leptodes Sol. 92
Leptodinae 91
Leptodopsis Haag 92
Leptogastrus M'Leay 516
Leptomorpha Fald. 226
Leptonychus Chevr. 4
Leptoscapha Fairm. 407
Leptosphena Sem. 33
Leptynoderes Sol. 183
Lesbidana Reitt. 336
Leucolaephus Luc. 186
Lichenum auct. 341
Licinoma Pasc. 511
Lindia Blackb. 393
Liodema Horn 380
Lioprosodes Reitt. 219
Litheleodes Blaisd. 242
Lithoblaps Motsch. 226
Litoborus Muls. et Rey 310
Litororus Reitt. 285
Lobetas Motsch. 445
Lobodera Muls. et Rey 333
Lobometopon Cas. 27
Lobothorax Gemm. 333
Locrodes Cas. 15
Lodinus Muls. et Rey 298
Lophocnemis Mäkl. 604
Lophoma Sol. 58
Lorelopsis Champ. 464
Lorelus Sharp 464
Lycanthropa Thoms. 101
Lygestira Pasc. 483
Lyphia Muls. et Rey 393
Lyprochelida Fairm. 473
Lyprops Hope 472
Lyprosodes Reitt. 219

Macellocerus Sol. 465
Machla Herbst 122
Machlasida Esc. 126
Machleida Fåhrs. 123
Machlomorpha Pér. 123
Machlopsis Pom. 102
Macrophthalmus Montrz. 610
Macropoda Sol. 83
Macrostethus Woll. 438
Madobalus Fairm. 307
Malacodrya Sharp 502
Malacova Fairm. 491
Mantichorula Reitt. 188
Margus Redt. 394
Martianus Fairm. 366
Mechanetes Waterh. 432
Mecopisthopus Karsch 186
Mecysmus Horn 297
Mederis Motsch. 449
Megacantha Westw. 571
Megacanthides 571
Megadasus Reitt. 321
Megagenius Sol. 91
Megalophrys Waterh. 21
Megaprosodes Reitt. 219
Megasattus Cas. 264
Megazopherus Cas. 93
Megeleates Cas. 361
Megelenophorus Geb. 121
Megliphus Motsch. 113
Meladeras Muls. 285
Meladiesia Reitt. 189
Meladocrates Reitt. 285
Melambius Muls. et Rey 310
Melanastus Cas. 17
Melancrus Reiche 76
Melaneleodes Blaisd. 242
Melanesthes Lacord. 336
Melanimon Steph. 316
Melanochrus Woll. 79
Melanocoma Woll. 332
Melanocratus Fairm. 307
Melanolophus Fairm. 152
Melanophorus s. Melaphorus!
Melanopterus Muls. et Rey 272
Melanostola Sén. 204
Melansis Woll. 309
Melaphorus Guér. 81
Melaps Cart. 504
Melarachnica Kraatz 67
Melasia Muls. 400
Melasma Woll. 332
Melaxumia Reitt. 64
Melytra Pasc. 503
Menandris Haag 524
Mencheres Champ. 22
Menechides Motsch. 435
Menederes Sol. 567
Menedrio Motsch. 454
Menephilus Muls. 451
Meneristes Pasc. 453

Menimopsis Champ. 386
Menimus Sharp 386
Mentes Champ. 560
Meracantha Kirby 568
Meracanthinae 567
Meracanthoides Linell 568
Meralius Cas. 97
Merinus Lec. 436
Meropersina Reitt. 219
Merotemnus Horn 409
Mesabates Champ. 18
Mesabatodes Cas. 18
Mesomorphus Seidl. 295
Mesopatrum Broun 515
Mesostena Eschsch. 54
Mesostenopa Kraatz 54
Mesotretis Bates 393
Messalia Pasc. 603
Metablapylis Blaisd. 242
Metabolocerus Bates 399
Metaclisa Jacq. 379
Metallonotus Westw. 477
Metisopus Bates 521
Metopoloba Cas. 28
Metoponiopsis Cas. 12
Metoponium Cas. 12
Metriopus Sol. 90
Metulosonia Bates 411
Micipsa Luc. 75
Micipsina Reitt. 76
Micrantereus Sol. 564
Micrarmalia Cas. 15
Micrectyche Bates 506
Micreuphloeus Fairm. 526
Microblemma Sem. 113
Microdera Eschsch. 61
Microderopsis Haag 53
Micromes Cas. 80
Micropedinus Lewis 294
Microphyes M'Leay 458
Microschatia Sol. 123
Micrositus Muls. et Rey 311
Microtelus Sol. 110
Microzoum Redt. 316
Mictopsis Fairm. 610
Miglica Reitt. 336
Miladion Reitt. 333
Milaris Motsch. 443
Miltoprepes Gerst. 605
Mimocellus Wasm. 472
Mimopeus Pasc. 527
Minorus Muls. et Rey 275
Miotodera Fairm. 609
Misolampidius Solsky 523
Misolampides 520
Misolampus Latr. 523
Mithippia Pasc. 484
Mitragenius Sol. 147
Mitua Hope 300
Mitys Champ. 528
Moeon Champ. 498
Moerodes Waterh. 483
Mogadoria Esc. 74
Molion Champ. 391
Molurinae 149
Moluris Latr. 153
Moluris Sol. 154
Mongolesthes Reitt. 336
Mophis Champ. 411
Mophon Champ. 499
Morica Sol. 171
Moromelas Fairm. 527
Myatis Bates 257
Mychestes Pasc. 361
Mycotrogus Horn 398
Myladina Reitt. 335
Myladion Reitt. 333
Mylaris Pall. 494
Mylops Fairm. 561
Myrmecocatops Wasm. 611
Myrmecosoma Germ. 258

Nalassus Muls. 534
Nalepa Reitt. 219
Nannocerus Fairm. 498
Nautes Pasc. 530
Neatus Lec. 454
Necrobioides Fairm. 448
Nelites Lec. 369
Nemanes Fairm. 339
Neoabantis Geb. 341
Neoadelium Cart. 513
Neomida Motsch. 370
Neomida Muls. 367
Neophylax Bedel 309
Nephodes Blanch. 558
Nesioticus Westw. 584
Nesogena Mäkl. 608
Nesostes Cas. 264
Nesotes All. 534
Netuschilia Reitt. 35
Nicandra Fairm. 116
Nocibiotes Cas. 303
Noserinus Cas. 97
Noserodes Cas. 98
Noserus Lec. 96
Nosoderma Sol. 97
Nothrocerus Fairm. 52
Notibius Lec. 302
Notibius Muls. 303
Notiolesthus Mostch. 448
Notioscythis Fairm. 63
Notocorax Muls. et Rey 273
Nuptis Motsch. 446
Nyctelia Latr. 141
Nyctetiinae 140
Nyctelioma Cas. 141

Nycterinus Eschsch. 253
Nycteropus Kl. 466
Nyctipates Sol. 219
Nyctobates Guér. 443
Nyctobates Horn 443
Nyctobates Motsch. 441
Nyctopetus Guér. 24
Nyctoporinae 118
Nyctoporis Eschsch. 118
Nyctozoilus Guér. 429

Oatesius Westw. 34
Ochrolamus Reitt. 294
Oenera Fisch. 196
Oenodes Fåhrs. 154
Odocnemis All. 534
Odontopezus Alluaud 477
Odontopus Silberm. 477
Oeatus Champ. 442
Oectosis Pasc. 449
Oedemutes Pasc. 488
Oedenocera Reiche 63
Oenomia Pasc. 603
Oenopion Champ. 433
Ogcosoma Westw. 563
Ograbies Pér. 162
Ohyonthis Reitt. 52
Oleroscelis s. Oteroscelis !
Oligocara Sol. 398
Oliprosodes Reitt. 219
Olisthaena Er. 481
Olocrates Muls. 284
Ologlyptus Lacord. 124
Omaleis All. 534
Omalus All. 534
Omocrates Muls. 285
Omolipus Pasc. 520
Omopheres Cas. 29
Oncopterus Fairm. 563
Oncoosoma Westw. 563
Oncotus Blanch. 271
Onosterrhus Pasc. 427
Onychosis Deyr. 42
Onymacris All. 83
Oochila Lec. 120
Oochrotus Luc. 354
Ooconibius Cas. 302
Oodoscelis Motsch. 254
Oogaster Falderm. 110
Oopiestus Chevr. 412
Opatrinae 304
Opatrinus Latr. 276
Opatronesthes Reitt. 337
Opatroides Brll. 332
Opatropis Reitt. 331
Opatrum F. 327
Ophthalmosis Deyr. 42
Opigenia Pasc. 480
Oplocephala s. Hoplocephala !
Oplocheirus Lacord. 571
Oploptera Chevr. 602
Orcopagia Pasc. 361
Oremasis Pasc. 482
Orobychus Pasc. 443
Orocina Reitt. 42
Ortheolus Cas. 30
Orthogonoderes Sol. 260
Osdara Walk. 525
Ospidus Pasc. 426
Ossiporis Pasc. 166
Osternus Fairm. 493
Ostorius Fairm. 341
Oterophloeus Desbr. 56
Oteroscelis Sol. 83
Othryoneus Champ. 491
Otocerus Mäkl. 602
Otrintus Pasc. 508
Oxidates Champ. 528
Oxinthas Champ. 263
Oxura Kirby 162
Oxycara Sol. 76
Oxycarops Reitt. 77
Oxygonodera Cas. 80
Oxythorax Fåhrs. 278
Oxyura s. Oxura !
Ozaenimorphus Fairm. 453
Ozolais Pasc. 361
Ozotypus Pasc. 526

Pachycera Eschsch. 63
Pachycerus Montrz. 406
Pachychile Eschsch. 58
Pachychilina Reitt. 58
Pachylesthus Fairm. 447
Pachylocerus Hope 478
Pachylodera Quedf. 189
Pachymastus Fairm. 308
Pachynotelus Sol. 117
Pachypterus Luc. 295
Pachyscelis Sol. 200
Pachyscelodes Sén. 200
Pachyurgus Lec. 447
Pactostoma Lec. 124
Paita Fauv. 385
Paivea Woll. 55
Palembus Cas. 366
Palorus Muls. 396
Pandarinus Muls. et Rey 279
Pandarus Muls. 279
Paniasis Champ. 384
Parablops All. 558
Paragonocnemis Kraatz 571
Parahelops Waterh. 560
Paramarygmus Quedf. 576
Paranemia Heyd. 345
Paraphanes M'Leay 481

Paraphloeus Seidl. 413
Paraphylax Broun 319
Paraprosodes Reitt. 219
Paratenetus Spin. 471
Paratoxicum Champ. 462
Paravius Cas. 15
Parecatus Fairm. 140
Parepitragus Cas. 26
Pareupezus Kolbe 575
Paroderus Muls. 279
Pechalius Cas. 29
Pedinopsis Geb. 287
Pedininae 271
Pedinulus Seidl. 287
Pedinus Latr. 287
Pedionomus Haag 91
Pediris Motsch. 446
Pedonoeces Waterh. 301
Pelecyphorus Sol. 126
Pelerocnemis Solsky 202
Pelleas Bates 410
Pelorinus Vaulog. 534
Peltarium Fisch. 219
Peltoides Cast. 412
Peltolobus Lacord. 21
Peneta Lacord. 391
Penichrus Champ. 302
Pentaphyllus Latr. 387
Penthicinus Reitt. 335
Penthicoides Fairm. 287
Penthicus Fald. 332
Penthicus Muls. et Rey 333
Pentholasius Reitt. 340
Penthomegus Reitt. 333
Perdicus Fairm. 53
Periatrum Sharp 516
Perichilus Quedf. 498
Perimylops Müll. 561
Periphanes Fairm. 529
Peristeptus Haag 100
Perithrix Fairm. 308
Pescennius Champ. 20
Petrobius Brll. 217
Phaedis Pasc. 488
Phaennis Champ. 506
Phaeostolus Fairm. 560
Phaeotribon Kraatz 57
Phaleria Latr. 345
Phalerlinae 345
Phanerops Sol. 417
Phanerotoma Sol. 154
Phayllus Champ. 411
Phegoneus Cas. 29
Phellidius Lec. 355
Phellopsis Lec. 96
Pheloneis Pasc. 514
Pheres Champ. 408
Pheugonius Fairm. 476
Philhammus Fairm. 338
Philolithus Lacord. 126
Philorea Er. 258
Phligra Cast. 149
Phloeodes Lec. 95
Phobelius Blanch. 469
Phrenapates Kirby 389
Phrenapatinae 389
Phrynocolus Lacord. 150
Phthora Muls. 396
Phthora Seidl. 407
Phygoscotus Schulz 588
Phylacastus Fairm. 335
Phylacinus Fairm. 276
Phylan Steph. 284
Phylax Muls. 309
Phylax Brll. 279
Phyletes Redt. 381
Phylethus Redt. 382
Phymaeus Pasc. 526
Phymatestes Pasc. 468
Phymatiotris Sol. 200
Phymatodes Blanch. 468
Phymatosoma Cast. 604
Physodera Sol. 153
Physogaster Guér. 258
Physogasterinae 258
Physophrynus Fairm. 151
Physosterna All. 83
Phytophilus Guér. 35
Piesterotarsa Motsch. 204
Piestognathus Luc. 4
Piezomera Sol. 154
Pilobalia Burm. 148
Piloxys Fairm. 528
Pimalius Cas. 19
Pimelia F. 204
Pimeliinae 188
Pimeliocnera Reitt. 199
Pimeliopsis Champ. 82
Pimelosomus Burm. 258
Pimplema Pasc. 388
Plamius Fairm. 487
Planodes Muls. et Rey 307
Planostibes Gemm. 307
Plastica Waterh. 504
Platamodes Ménétr. 113
Platomodinae 113
Plateia Cast. 458
Platesthes Waterh. 262
Platyblaps Motsch. 226
Platycrepis Lacord. 485
Platydema Cast. 370
Platyesthus Mäkl. 588
Platyholmus Sol. 262
Platylus Muls. et Rey 274
Platynoscelis Kraatz 254
Platynosum Muls. et Rey 315
Platynotus F. 273
Platynotus Cast. 304

Platyolus Muls. et Rey 311
Platyope Fisch. 187
Platyopinae 185
Platyotus Gerst. 397
Platyphanes Westw. 480
Platyprosodes Reitt. 219
Platyscelinae 254
Platyscelis Latr. 254
Platyscelis Seidl. 254
Platysemus Haag 103
Pleiopleura Seidl. 254
Plesiophthalmus Motsch. 583
Pleurophorus Sol. 110
Plinthochrous Fairm. 574
Pocadiopsis Fairm. 331
Podhomala Sol. 203
Podoces Pér. 181
Poecilesthus Blanch. 589
Poeciltoides Fairm. 451
Pogonobasis Sol. 100
Pogonoxenus Wasm. 417
Polemiotus Cas. 26
Poliorcetes Champ. 126
Polpocara Sol. 258
Polpogenia Sol. 215
Polposipus s. Pulposipes!
Polypleurus Eschsch. 433
Polyscopus Waltl 104
Polytropus Kirsch 504
Pontianacus Fairm. 584
Porphyrrhyba Fairm. 493
Posides Champ. 16
Praeugena Cast. 605
Praocidia Fairm. 262
Praocinae 259
Praocis Eschsch. 260
Praogena Cast. 605
Praostetha Fairm. 606
Prateus Lec. 470
Prionotheca Sol. 196
Prionotus Muls. et Rey 318
Prioproctus Kolbe 475
Prioscelida White 400
Prioscelides Kolbe 476
Prioscelis Hope 475
Priothorax Geb. 318
Pristophilus Kolbe 475
Probaticus Seidl. 534
Probatius Seidl. 534
Prochoma Sol. 49
Proderops Fairm. 434
Prolabrus Fairm. 520
Promethis Pasc. 449
Prometopion Cas. 20
Promus Lec. 242
Prophanes Westw. 483
Proscheimus Desbr. 318
Proscorus Fairm. 493
Proselytus Fåhrs. 404
Prosodella Reitt. 219
Prosodes Eschsch. 219
Prosodes Reitt. 219
Prosodestes Reitt. 219
Prosodidius Fairm. 125
Prosodila Reitt. 219
Prosodinina Reitt. 220
Prosodopria Reitt. 220
Prosodoscelis Reitt. 220
Prosodura Reitt. 220
Przewalskia Sem. 186
Psammetichus Latr. 183
Psammocryptus Kraatz 57
Psammodes Kirby 154
Psammodophysis Pér. 154
Psammoica Reitt. 56
Psammoryssus Kolbe 154
Psaryphis Er. 103
Psaryphis Lacord. 102
Psectrascelis Sol. 146
Psectropus Sol. 271
Pseudabax Kraatz 488
Pseudadrus Fairm. 319
Pseudanemia Woll. 316
Pseudapocrypha Champ. 504
Pseudasida Fairm. 125
Pseudeleodes Blaisd. 242
Pseudomolpus Kraatz 488
Pseudethas Fairm. 106
Pseudhadrus Kolbe 426
Pseudhelops Guér. 513
Pseudoblaps Guér. 273
Pseudocaedius Blackb. 339
Pseudocamaria Bates 496
Pseudocoelus Cas. 270
Pseudogena Fairm. 609
Pseudolamus Fairm. 294
Pseudolyprops Fairm. 472
Pseudonautes Fairm. 488
Pseudonomus Fairm. 343
Pseudonosoderma Heyd. 96
Pseudoparablops Heyd. 558
Pseudopatrum Sharp 426
Pseudoprosodes Reitt. 220
Pseudostena Woll. 397
Pseudostrongylium Kraatz 604
Pseudotalpophila Reitt. 79
Pseudotocerus Champ. 603
Pseuduloma Fairm. 404
Psilachnopus Reitt. 415
Psilomera Motsch. 126
Psilonesogena Bates 610
Psorodes Sol. 567
Psydus Pasc. 490
Pteraulus Sol. 566
Pterocoma Sol. 194
Pterocomodes Reitt. 203
Pteroctenus Kirsch 407
Pteroderes Germain 433

Pseudohelaeus Brême 418
Pterolasia Sol. 215
Ptilonix All. 523
Pulposipes Sol. 433
Pyanisia Cast. 584
Pycna Fairm. 390
Pycnocerinae 474
Pycnocerus Westw. 478
Pycnochilus Waterh. 390
Pycnomorpha Motsch. 126
Pycnuloma Fairm. 399
Pygidiphorus Muls. 407
Pyres Champ. 436

Raiboscelis All. 534
Rehumius Fairm. 490
Reitterella Sem. 92
Remipedella Sem. 216
Remipedellinae 216
Rhacius Champ. 459
Rhammatodes Haag 53
Rhicnodus Fairm. 469
Rhinandrus Lec. 434
Rhipidandrinae 362
Rhipidandrus Lec. 362
Rhizalemus Reitt. 279
Rhizoblaps Motsch. 226
Rhopalobates Fairm. 450
Rhophobas Motsch. 451
Rhostax Fisch. 61
Rhypasma Pasc. 98
Rhysodina Chevr. 569
Rhysopaussinae 569
Rhysopaussus Wasm. 569
Rhytinota Eschsch. 65
Rhyzodina Chevr. 569
Rizalus Muls. 279
Rozonia Fairm. 54
Rues Cas. 555
Rytinota s. Rhytinota !

Saccophorus Haag 116
Salax Guér. 21
Saptine Champ. 366
Saragodinus Bates 428
Saragus Er. 423
Sarothropus Kraatz 175
Saziches Champ. 527
Scaphidema Redt. 369
Scaptes Champ. 343
Scaurinae 178
Scaurus F. 178
Scelocolpis Reitt. 46
Scelosodis Sol. 57
Schedarosus Reitt. 410
Schizillus Horn 120
Schizillus Wasm. 112
Schoenicus Lec. 30
Sciophagus Sharp 406
Scleroides Fairm. 313
Scleron Hope 313
Scleronimon Reitt. 314
Scleropatrum Seidl. 321
Sclerum Rosenh. 313
Scolytocaulus Fairm. 390
Scoriaderma Fairm. 98
Scotaeus Hope 485
Scotaeus Lacord. 485
Scotinesthes Fairm. 140
Scotinus Kirby 139
Scotobaenus Lec. 436
Scotobates Horn 435
Scotobiinae 183
Scotobius Germ. 184
Scotochares Boh. 409
Scotoderus Perroud 357
Scymena Pasc. 295
Scythis Schaum 64
Scytodonta Reitt. 65
Scytosoma Reitt. 63
Seirotrana Pasc. 512
Selenomma Sol. 119
Selenopistoma Muls. et Rey 275
Selinus Muls. et Rey 277
Sellio Muls. et Rey 303
Sepidiacis Fairm. 167
Sepidiinae 167
Sepidiopsis Gestro 167
Sepidiostenus Fairm. 167
Sepidium F. 168
Seriscius Motsch. 351
Sesaspis Cas. 97
Setenis Motsch. 444
Sicharbas Champ. 124
Sicinus Champ. 392
Sinopium Pasc. 497
Sinorus Muls. et Rey 331
Sipirocus Fairm. 476
Sitophagus Muls. 409
Sitophagus Horn 410
Smiliotus Haag 102
Sobas Pasc. 339
Soemias Champ. 22
Solenomerus Fåhrs. 564
Solskyia Ersch. 177
Somaticus Hope 163
Somocoelia Kraatz 254
Sophrobates Fairm. 442
Sphaeriontis Cas. 266
Sphaerocaulus Fairm. 527
Sphaeromatris Fairm. 575
Sphaerotus Kirby 527
Sphaerotus Brême 528
Sphargeris Pasc. 350
Sphenaria Ménétr. 33
Sphenariopsis Kraatz 67

Spheniscus Kirby 588
Spheniscus Cast. 589
Sphenogenius Sol. 429
Sphenothorax Geb. 453
Spiloscapha Bates 370
Spyrathus Kraatz 11
Stalagmoptera Solsky 203
Stegastopsis Kraatz 52
Steira Westw. 101
Stene Seidl. 394
Stene Steph. 394
Steneleodes Blaisd. 242
Steneucyrtus Fairm. 487
Stenholma Sol. 81
Stenocara Sol. 89
Stenochia Kirby 590
Stenochinus Motsch. 610
Stenogena Fairm. 609
Stenomacidius Seidl. 534
Stenomax All. 534
Stenomorpha Sol. 126
Stenophanes Solsky 522
Stenoscapha Bates 379
Stenoscapha Fairm. 407
Stenosida Sol. 63
Stenosida Jacq. du Val 57
Stenosides Sol. 124
Stenosinae 106
Stenosis Herbst 106
Stenotrichus Lec. 505
Sterces Champ. 497
Steriphanides Cas. 17
Steriphanus Cas. 16
Sternodes Fisch. 188
Sternoplax Friv. 191
Sthenoboea Champ. 439
Stibia Horn 81
Stictodera Cas. 17
Stierlinius Forel 465
Stira s. Steira
Stizopus Er. 308
Stomion Waterh. 12
Stomylus Fåhrs. 370
Stonavus Reitt. 333
Storthephora Mäkl. 471
Storthocnemis Karsch 194
Strepsius Fairm. 458
Strongyliastrum Fairm. 603
Strongylium Kirby 590
Styphacus Fairm. 308
Styrax Westw. 587
Styrus Bates 428
Suarezius Fairm. 125
Sulpius Fairm. 341
Syachis F. Bates 43
Sycophantes Kirsch 490
Syggona Fåhrs. 610
Sympetes Pasc. 422
Sympiezocnemis Solsky 611
Synercticus Newm. 464
Syngona Fåhrs. 610
Synopticus Thoms. 571
Syrphetodes Pasc. 319

Tactoderus Fairm. 605
Taenobates Motsch. 436
Tagenia Latr. 106
Tagenodes Haag 54
Tagona Fisch. 216
Tagonoides Fairm. 217
Talaninae 562
Talanus Mäkl. 562
Tamena Reitt. 57
Tanchirus Fairm. 526
Tanylypa Pasc. 464
Taphrosoma Kirsch 443
Tapinopsis Sol. 93
Taraxides Waterh. 441
Tarpela Bates 531
Tarphiophasis Woll. 320
Tauroceras Hope 443
Tearchus Kraatz 489
Telabis Cas. 13
Telchis Champ. 391
Teles Muls. 458
Telethrus Pasc. 524
Telleas Fairm. 447
Tenebrio L. 454
Tenebriomimus Kolbe 367
Tenebrioninae 433
Tenebrioloma Geb. 453
Tenesis Duviv. 446
Tentyria Latr. 68
Tentyriinae 42
Tentyrina Reitt. 65
Tentyronota Reitt. 76
Terametus Motsch. 471
Tessaromma Boh. 301
Tetragonomenes Chevr. 381
Tetranillus Wasm. 110
Tetraphyllus Cast. 491
Thalpobia Fairm. 67
Thalpophila Sol. 56
Tharsus Lec. 400
Thecacerus Lacord. 490
Thesilea Haag 501
Thettea Bates 497
Thinobatinae 19
Thinobatis Eschsch. 19
Thoracophorus Hope 506
Thraucostolus Kraatz 74
Threnus Motsch. 611
Thriptera Sol. 199
Thydemus Lewis 487
Thylacoderes Sol. 259
Tinophyllus Fairm. 492
Tisamenes Champ. 126

Titaena Er. 500
Tithassa Pasc. 470
Tlascalinus Cas. 20
Tonibiastes Cas. 303
Tonibius Cas. 303
Tonkinius Fairm. 445
Toxicides 433
Toxicum Latr. 460
Toxocnema Fåhrs. 522
Trachelaeum Hope 163
Trachyderas Phil. 362
Trachyderma Latr. 196
Trachymetus Reitt. 295
Trachynotidus Pér. 163
Trachynotus Latr. 163
Trachyscelinae 344
Trachyscelis Latr. 344
Tribolium M'Leay 394
Tribolium Muls. 394
Tribolocara s. Trilobocara !
Tricheleodes Blaisd. 242
Trichiotes Cas. 80
Trichopodus Muls. 331
Trichosaragus Blackb. 426
Trichosternum Woll. 331
Trichoton Hope 320
Trientoma Sol. 22
Trientominae 22
Trigonocnera Reitt. 193
Trigonopilus Fairm. 343
Trigonopus Muls. et Rey 271
Trigonoscelis Sol. 190
Trigonotarsus Hope 339
Trilobocara Sol. 21
Trimytinae 19
Trimytis Lec. 19
Triorophinae 80
Triorophus Lec. 80
Triphalus Lec. 81
Trisilus Haag 482
Trogloderus Lec. 252
Tromosternus Haag 524
Tropidopterus Blanch. 508
Tucumana Geb. 604
Tydeolus Champ. 30
Tyndarisus Pasc. 603
Tynteria Reitt. 56
Tynthlobia Fairm. 166
Typhlusechinae 114
Typhlusechus Linell 114
Typhobia Pasc. 370

Ucalegon Champ. 126
Udebra Reitt. 337
Uleda Cast. 400
Ulodes Er. 364
Ulodica Pasc. 364
Ulodinae 363
Uloma Cast. 400
Uloma Steph. 391
Ulomimus Bates 399
Ulomina Baudi 400
Ulominae 391
Ulomoides Blackb. 400
Uloporus Casey 612
Ulosonia Cast. 411
Ulus Horn 296
Umslatus Pér. 569
Upis F. 449
Uriela Reitt. 203
Urielina Reitt. 203
Uroblaps Motsch. 226
Uroprosodes Reitt. 219
Usechinae 98
Usechus Motsch. 99
Uzagaria Ancey 306

Vacroninae 118
Vacronus Cas. 118
Vadalus Muls. 287
Verodes Cas. 98
Vieta Cast. 170
Vietomorpha Fairm. 171
Vutsimus Pér. 573

Weisea Sem. 337

Xanthalia Fairm. 473
Xanthia Fairm. 473
Xanthicles Champ. 467
Xanthomus Muls. 534
Xanthomus Seidl. 533
Xanthothopia Mäkl. 503
Xenius Champ. 360
Xenogloeus Woll. 398
Xenotermes Wasm. 569
Xenus Pér. 34
Xylopinus Lec. 436
Xysta Eschsch. 242

Zabroideus Fairm. 526
Zadenos Cast. 275
Zaleucus Champ. 126
Zamolxis Champ. 126
Ziaelas Fairm. 570
Zidalus Muls. et Rey 276
Zodinus Muls. et Rey 276
Zolodinus Blanch. 458
Zophelops Reitt. 534
Zopherinae 93
Zopherinus Cas. 94
Zopherodes Cas. 95
Zopherosis White 95

Zopherus Cast. 94
Zophius Brême 525
Zophobas Blanch. 434
Zophodes Fåhrs. 306
Zophophilus Fairm. 442
Zophosinae 36
Zophosis Latr. 36
Zürcheria Reitt. 590
Zygas Pasc. 101
Zypoetes Champ. 398

Species, Subspecies, Varietates.

abacoides Fairm. 277
abbreviata Baudi (Ocn.) 196
abbreviata F. (Thalp.) 56
abbreviata Gebl. (Anat.) 46
abbreviata Kl. (Ad.) 83
abbreviata Men. (Blaps) 226
abbreviata Sol. (Zophos.) 36
abbreviata Deyr. (Zophos.) 37
abbreviata Sol. (Anat.) 49
abbreviata Sol. (Blaps) 227
abbreviatum Boisd. (Adelium) 508
abbreviatum Haag (Adelost.) 104
abbreviatum Mäkl. (Acr.) 499
abbreviatum Reiche (Scleron.) 314
abbreviatus Brll. (Heg.) 78
abbreviatus Fairm. (Nyct.) 466
abbreviatus Ol. (Phyl.) 285
abbreviatus Phil. (Nyct.) 253
abdominale Geb. (Plat.) 371
abdominale Mäkl. (Strong.) 590
abdominalis Eschsch. (Nyct.) 253
abdominalis Lea (Pter.) 418
abdominalis J. Lec. (Con.) 266
abdominalis Seidl. (Phal.) 346
Abeillei Seidl. 534
aberrans Cas. (Lob.) 27
aberrans Kraatz (Pseud.) 604
aberrans Péring. (As.) 126
Abiram Crotch 168
abnorme Horn (Chil.) 20
abnorme J. Lec. (Met.) 12
abnorme Geb. (Plat.) 373
abnormis Horn (Trim.) 19
abnormis Burm. (Nyct.) 143
abrupta Fairm. 132
absurda Gestro 65
abyssinica Deyr. (Zoph.) 36
abyssinica Fairm. (Lyph.) 393
abyssinica Gestro (Praog.) 605
abyssinica Haag (Pim.) 204
abyssinica Reiche (Adesm.) 83
abyssinicum Haag 104
abyssinicus Haag (Phryn.) 150
abyssinicus Haag (Psamm.) 154
acantholophus Fairm. 563
acerba Cas. (Con.) 266
acerba Horn (As.) 126
acerbus Coquer. 491
acervata Kl. 83
aciculata Reitt. (Micr.) 61
aciculata Reitt. (Pros.) 220
aciculaticollis Müll. 36
aciculatum Mäkl. 590
aciculatus Lec. 276
acidiferus Coquer. 491
acomana Cas. 266
acomanus Cas. 28
actuosa Horn 126
acuductus Ancey 154
aculeata Pér. (Ad.) 83
aculeata Kl. (Pim.) 205
aculeatus Westw. 483
acuminata Deyr. (Zoph.) 36
acuminata Er. (Pach.) 58
acuminata F. (Akis) 172
acuminata Fairm. (Eur.) 99
acuminata Fisch. (Blaps) 227
acuminata Küst. (Phal.) 345
acuminata Mén. (Chir.) 41
acuminata Fisch. (Blaps) 227
acuminata Fisch. (Cyph.) 176
acuminata Fisch. (Tag.) 216
acuminata Geer (Blaps) 234
acuminata Reiche (Tent.) 68
acuminata Sol. (Blaps) 240
acuminatum Mäkl. 499
acuminatus Cas. (Mel.) 17
acuminatus Kl. (Mac.) 465
acuminatus Quens. (Trach.) 163
acuminatus Reitt. (Disc.) 110
acuminipennis Luc. 73
acuta Say (Eleod.) 242
acuta Seidl. (Blaps) 227
acuta Sem. (Sphen.) 33
acuta Wied. (Zoph.) 36
acuta Reitt. (Podh.) 204
acutangula Kraatz (Plat.) 254
acutangula Bates (Hyp.) 439
acutangula Fald. (Mel.) 64
acutangulum Champ. (Lob.) 27
acutangulum Fairm. (Gon.) 322
acutangulus Bates (Card.) 506
acutangulus Blackb. (Chalc.) 579
acutangulus Cas. (Eus.) 265
acutangulus Oertz. (Anom.) 305
acutangulus Seidl. (Hel.) 534
acutangulus Fairm. (Hel.) 534
acutecostata Fairm. 151
acutestriatus Fairm. 583
acuticauda Cas. (Pol.) 26

acuticauda J. Lec. (Eleod.) 242
acuticollis Fairm. (Diast.) 274
acuticollis Fairm. (Rhyt.) 65
acuticollis M'Leay (Pter.) 418
acuticollis Reitt. (Lob.) 333
acuticollis Reitt. (Tent.) 68
acuticollis All. (Asida) 133
acuticornis Pasc. 483
acuticosta Fairm. (Am.) 152
acuticosta Fairm. (As.) 126
acuticosta Fairm. (Scot.) 140
acuticosta Fairm. (Zoph.) 36
acutifrons Lea 422
acutipennis Fairm. (Nes.) 608
acutipennis Reiche (Hel.) 534
acutispina Fairm. 574
acutus Cas. (Eus.) 265
acutus Cas. (Noc.) 303
acutus Horn (Mel.) 17
acutus J. Lec. (Bothr.) 28
acutus Wied. (Eur.) 275
Adamsi Pasc. 349
adansoniarum Kolbe 367
addendum Blackb. 461
addendus Blackb. 423
adelaidae Blackb. 322
adelphus Thoms. 588
adimonius All. 534
adoneum Kolbe 590
adpressum Germ. 322
adriatica Rey 346
adspersus Küst. 351
advena Cas. 297
advenus Waterh. 390
adventitus Péring. (Trach.) 163
adventitus Péring. (Psamm.) 162
aeger Blackb. (Amar.) 576
aeger J. Lec. (As.) 138
aegrota J. Lec. (As.) 126
aegrota Fald. (Adesm.) 85
aegyptiaca Kraatz (Hyp.) 51
aegyptiaca Reitt. (Eut.) 109
aegyptiaca Sol. (Tent.) 65
aegyptiaca Kirsch (Machl.) 102
aegyptiaca Reitt. (Cat.) 408
aegyptiaca Seidl. (Phal.) 348
aegyptiaca Sol. (Blaps) 240
aegyptiacus Muls. (Caed.) 338
aegyptiacus Reitt. (Bor.) 464
aegyptiacus Sol. (Scaur.) 178
aegyptiacus Zouf. (Bel.) 459
aelanitica Peyerimh. 36
aemulus Küst. 534
aenea Haag (Men.) 524
aenea Montr. (Call.) 500
aenea Sol. (Praoc.) 260
aenea F. (Cam.) 495
aenea Redt. (Ad.) 85
aeneicollis Cas. 28
aeneicolor Fairm. 468
aeneipennis All. (Hel.) 534
aeneipennis Champ. (Lel.) 384
aeneipennis Champ. (Tal.) 562
aeneipennis Fairm. (Dysg.) 607
aeneipennis Fairm. (Nes.) 608
aeneipennis Kolbe (Tar.) 441
aeneipennis Reitt. (Hel.) 534
aeneipes Fairm. 484
aeneobrunneus Curt. 24
aeneola Quedf. 605
aeneolum Lec. 369
aeneolus Fairm. (Amar.) 576
aeneolus Melsh. (Blapst.) 299
aeneomicans Bates (Aps.) 384
aeneomicans Fairm. (Strong.) 591
aeneoniger Küst. (Hel.) 536
aeneopiceum Cas. 27
aeneopiceus Champ. 560
aeneotinctus Champ. 470
aeneovirens Fairm. 466
aenescens Fairm. (Carab.) 524
aenescens Fairm. (Diet.) 583
aenescens Fairm. (Neoab.) 341
aenescens Fairm. (Hyp.) 610
aenescens Fairm. (Strong.) 591
aenescens Haag (Sten.) 89
aenescens J. Lec. (Xyl.) 436
aenescens Reiche (Hel.) 534
aenescens Mars. (Ples.) 583
aeneum Kraatz (Pseud.) 604
aeneum Perty (Acr.) 499
aeneum Panz. (Scaph.) 389
aeneus Bates (Card.) 506
aeneus Broun (Cerod.) 516
aeneus Cart. (Men.) 451
aeneus Fairm. (Epitr.) 24
aeneus Montr. (Helops) 535
aeneus Scop. (Helops) 534
aeneus Sol. (Trach.) 163
aeneus Wied. (Amar.) 576
aeneus Bates (Naut.) 530
aeneus Degeer (Scot.) 435
aeneus Motsch. (Ples.) 583
aequale Blackb. (Adel.) 508
aequale Reitt. (Scler.) 313
aequale Er. (Gon.) 326
aequalipennis Péring. 53
aequalis Cas. (Blapst.) 298
aequalis Cast. (Zopher.) 95
aequalis Champ. (Verod.) 98
aequalis Fairm. (Psectr.) 46
aequalis Fairm. (Pseud.) 609
aequalis Fald. (Ped.) 287
aequalis Say (Eleod.) 242
aequalis Tausch. (Dail.) 44
aequalis Wat. (Zophos.) 36
aequalis Reitt. (Cal.) 51
aequalis Reitt. (Trig.) 191

aequatoriale Blanch. 322
aequatorialis Blanch. 444
aequatorius Kolbe 445
aequecostata Sol. (Nyct.) 144
aequecostatus Fairm. (Brad.) 356
aequecostatus Fairm. (Coel.) 603
aequicollis Cas. (Mel.) 17
aequicollis Eschsch. (Nyct.) 118
aequipenne Cas. 27
aerarium Pasc. 509
aeratum Broun (Phel.) 514
aeratum Champ. (Lob.) 27
aeratum Mäkl. (Strong.) 591
aereipennis Blackb. (Card.) 506
aereipennis Fairm. (Set.) 444
aereum Mäkl. 591
aereus Germ. (Hel.) 535
aereus Melsh. (Encyal.) 447
aereus Waterh. (Cyph.) 484
aericollis Pasc. 506
aerifera All. 531
aerugineus Gerst. 477
aeruginosa Mäkl. 605
aeruginosum Mäkl. 591
aeruginosus F. 447
aethiopia All. 83
aethiopicus Fairm. (Gon.) 570
aethiopicus Gestro (Adav.) 341
aethiops Woll. (Hel.) 535
aethiops F. (Opatr.) 277
aethiopum Gredl. 76
aetolicus Apfelb. 287
afer Er. (Hel.) 535
afer Fåhrs. (Hopl.) 571
affine Billb. (Gon.) 322
affine Cast. (Plat.) 371
affine Mäkl. (Acr.) 499
affinis Ball. (Scyth.) 64
affinis Bless. (Chalc.) 579
affinis Brll. (Ped.) 287
affinis Cas. (Bothr.) 28
affinis Champ. (Moph.) 411
affinis Champ. (Not.) 302
affinis Geb. (Omol.) 520
affinis Haag (Crypt.) 115
affinis Kraatz (Las.) 193
affinis J. Lec. (Con.) 266
affinis Péring. (Anom.) 305
affinis Péring. (Praog.) 605
affinis Reed. (Gyr.) 140
affinis Seidl. (Blaps) 227
affinis Seidl. (Plat.) 254
affinis Sol. (Adesm.) 83
affinis Sol. (Sten.) 106
affinis Zoubk. (Stern.) 191
affinis Luc. (Asida) 138
affinis Luc. (Tent.) 73
affinis Rossi (Men.) 452
affinis Sol. (Erod.) 9
affinis Waterh. (Epip.) 144
africanus Fairm. (Spyr.) 11
africanus Sol. (Erod.) 9
agaboides Gerst. 36
agaricicola Herbst (Eled.) 362
agathidioides Westw. 388
aggregata Kl. 213
agile Chevr. 371
agilis Gestro (Mes.) 54
agilis Péring. (Adesm.) 83
agilis Péring. (Umsl.) 568
agnatus Cas. 265
agona Fairm. 55
agonus Pasc. (Pter.) 418
agonus Muls. (Hel.) 535
agrestis Cas. (Con.) 266
agrestis Fåhrs. (Gon.) 304
agrestis Muls. (Hel.) 283
agrestis Péring. (Acast.) 571
agrestis Péring. (Anom.) 305
agrestis Péring. (Machl.) 122
agricola Muls. (Micr.) 312
agriloides Mäkl. 499
aheneum Marsh. 370
akbesiana Fairm. 204
akidioides Waterh. 184
akinina All. 238
alaiensis Kraatz (Pros.) 220
alaiensis Reitt. (Laena) 516
alaiensis Reitt. (Lob.) 333
alaiensis Seidl. (Blaps) 227
alata Fairm. 102
alaticollis Fairm. 356
alatus Champ. 15
albata Pasc. 343
albicollis Haag 89
albicorne Mäkl. 591
albiventris Sol. 117
albomaculatus Haag 163
albomarginatus Mäkl. 589
albonotatus Haag 117
alborana Baudi 36
alboscripta Fairm. 148
albostriatus Haag 117
albovillosa Péring. 89
albovittis Motsch. 48
albulus Péring. 163
alcyonea Er. 500
aldabricus Klb. 314
alexandrinum Forsk. 169
algae Lew. 294
algeriana All. (Vieta) 170
algeriana Geb. (Asida) 126
algeriana Sol. (Akis) 172
algeriana Sol. (Zoph.) 36
algerica Ball. (Blaps) 237
algerica Kraatz (Hyp.) 51
algiricum Luc. 313
algiricus Cast. (Coss.) 430

algiricus Küst. (Scaur.) 178
algiricus Luc. (Dich.) 111
algoense Péring. 591
algoensis Péring. (Anch.) 278
algoensis Péring. (Micr.) 564
algoensis Péring. (Psamm.) 154
alicantinus Kraatz 548
aliena Cas. 13
alienum Mäkl. 591
alienus Bates (Ast.) 439
alienus Broun (Edal.) 516
alienus Pasc. (Amar.) 576
alienus Blackb. (Amar.) 577
aliferum Er. 168
Allardi All. (Heg.) 529
Allardi Bates (Isop.) 521
Allardi Baudi (Asida) 126
Allardi Champ. (Tarp.) 531
Allardi Geb. (Adesm.) 83
Allardi Reitt. (Apol.) 177
Allardiani Reitt. 227
alleculoides Thoms. 571
Alleonis Seidl. 280
Alluaudi Sén. 204
almeriana Esc. 126
almeriensis Esc. 126
alonensis Mart. 126
alpicola Blackb. 509
alpigradus Fairm. 541
alpina Redt. 73
alpinus Com. (Crypt.) 351
alpinus Woll. (Hadr.) 319
alpujarrensis Esc. 130
Alstoni Péring. 163
altaica Reitt. 222
altaicus Gebl. 333
alternans Brull. (Blaps) 227
alternans Cas. (Ton.) 303
alternans Champ. (Naut.) 530
alternans Fåhrs. (Trig.) 271
alternans Fairm. (Poec.) 451
alternans Fairm. (Pseud.) 609
alternans Kirsch (Cam.) 494
alternans Kraatz (Zoph.) 435
alternans Mäkl. (Strong.) 591
alternans Wied. (Acanth.) 567
alternans Baudi (Thript.) 199
alternans F. (Poec.) 589
alternata Champ. (Gon.) 468
alternata Fairm. (Gaur.) 487
alternata Fairm. (Pseud.) 496
alternata Gerst. (Zoph.) 37
alternata Reitt. (Laena) 517
alternata Kirby (Eleod.) 252
alternata Sén. (Pim.) 205
alternatum Küst. 327
alternatus Fairm. (Caed.) 338
alternatus Pasc. (Pter.) 418
alternatus Schauf. (Brad.) 356
alternepictus Fairm. 584
alternicolor Fairm. (Hem.) 384
alternicolor Fairm. (Plat.) 485
alternicolor Fairm. (Tetr.) 491
alternicoste Geb. 563
alternicostis Geb. (Gon.) 322
alternicostis Mars. (Sten.) 106
alternicostis Mars. (Ten.) 454
alticola Kirsch 144
altitudinis Péring. 123
altivagans Woll. 535
alutacea Cas. (Arg.) 181
alutacea Cas. (Con.) 266
alutacea Fairm. (Nyct.) 142
alutacea Reitt. (Pter.) 194
alutacea Mén. (Melan.) 337
alutacea Sol. (Eleod.) 242
alutaceum Fairm. (Ambl.) 77
alutaceum Reitt. (Opatr.) 327
alutaceus Cas. (Blapst.) 298
alutaceus Cas. (Ster.) 16
alutaceus Fairm. (Der.) 448
alveolatum Cas. 27
amabilis Champ. (Tarp.) 531
amabilis Deyr. (Cal.) 42
amabilis Mäkl. (Loph.) 604
amabilis Vaul. (Hel.) 535
Amanda Reitt. 46
amandana Reitt. 195
amandanus Reitt. 556
amariformis Fairm. 451
amaroides Baudi (Cal.) 50
amaroides Fåhrs. (Mel.) 272
amaroides Pasc. (Char.) 502
amaroides Sol. (Heg.) 78
amaroides Pasc. (Mim.) 527
amaroides Bates (Phel.) 514
amaroides Gestro (Eut.) 409
amaroides Küst. (Hel.) 536
amasiae Seidl. 535
amathia Reitt. 220
amaura Champ. 242
amazonica Bates (Hopl.) 367
amazonica Champ. (Gon.) 385
ambigena Fairm. 146
ambigua Bates (Daedr.) 508
ambigua Muls. (Pseud.) 273
ambigua Woll. (Pim.) 204
ambiguum Mäkl. 591
ambiguus Champ. (Hyl.) 15
ambiguus Fairm. (Mac.) 466
ambiguus Kraatz (Zoph.) 434
ambiguus Péring. (Micr.) 564
ambiguus Sol. (Erod.) 7
ambiguus Baudi (Hel.) 283
ambiguus Woll. (Pal.) 397
americana Horn (Phth.) 396
americana Beauv. (Tarp.) 533
americanum Cast. 371

americanus Lac. (Megel.) 121
americanus Motsch. (Pent.) 387
americanus Motsch. (Belop.) 459
amethystinum Guér. 591
amethystinus F. 579
amica Cas. 13
amicorum Fairm. 356
amicta Baudi 210
amitina Kolbe 190
ammobioides Pasc. 343
amoena Fald. 46
amoenula Reitt. 46
amoenulum Mäkl. 591
amoenus Péring. (Hopl.) 572
amoenus Péring. (Par.) 576
amoenus Muls. (Phyl.) 285
Amori Perez 130
amphibia Pasc. 295
ampla Blaisd. 242
amplexa Cas. 28
ampliata Bates (Hyp.) 439
ampliata Fairm. (Pseud.) 275
ampliata Fairm. (Tag.) 217
ampliata Pasc. (Leio.) 388
ampliatus Cas. (Con.) 269
ampliatus Desbr. (Cab.) 292
amplicolle Fairm. 312
amplicollis Cas. (Coel.) 270
amplicollis Fairm. (Diet.) 583
amplicollis Fairm. (Melan.) 307
amplicollis Fairm. (Pseudolam.) 294
amplicollis Fairm. (Pseudolypr.) 473
amplicollis Fairm. (Trig.) 271
amplicollis Fairm. (Zoph.) 37
amplicollis Geb. (Praog.) 605
amplicollis Reitt. (Het.) 293
amplificans Cas. 28
amplipenne Cas. 20
amplipennis Fåhrs. (Distr.) 151
amplipennis Fairm. (Gon.) 304
amplipennis Fairm. (Oxyc.) 76
amplipennis Fairm. (Ples.) 583
amplipennis Péring. (Anom.) 305
amplithorax Fairm. (Gon.) 322
amplithorax Fairm. (Reh.) 490
amplus Kolbe 584
amurensis All. (Blaps) 227
amurensis Heyd. (Anthr.) 462
amurensis Heyd. (Phell.) 96
anale Haldem. 376
analis Champ. (Gnath.) 391
analis Geb. (Ethm.) 166
anastomosis Say 124
anatolica Ganglb. (Adesm.) 83
anatolica Reitt. (Akis) 174
anatolicus Pic (Hel.) 535
anceps Cas. (Met.) 12
anceps Champ. (Nos.) 97
anceps Fåhrs. (Zoph.) 37
Anceyi All. 126
ancilla Cas. (Con.) 266
ancilla Pasc. (Adel.) 509
andalusiae Baudi 294
andalusica Kraatz 68
andalusicus Rosenh. 112
andamanus Fairm. 447
Andersoni Péring. 89
andicola Lac. 147
andina Germain 144
Andrewesi Fairm. 273
androgyne Reitt. 289
Angelicae Reitt. 111
angolense Er. (Gon.) 322
angolense Qued. (Sep.) 168
angolensis Er. (Zoph.) 377
angolensis Haag (Eur.) 99
angolensis Har. (Gnoph.) 79
angolensis Har. (Hopl.) 572
angorensis Reitt. 517
angulare Mäkl. 591
angularis Cas. (Arm.) 15
angularis Horn (Centr.) 120
angulata Brll. (Tent.) 68
angulata Cas. (Met.) 28
angulata Er. (Prom.) 449
angulata Eschsch. (Eleod.) 242
angulata F. (Pim.) 204
angulata Lec. (Asida) 126
angulata Reiche (Blaps) 228
angulata Reitt. (Pros.) 223
angulatipes Fairm. 409
angulatum Blackb. (Adel.) 509
angulatum Chevr. (Plat.) 273
angulatum Dalm. (Taur.) 443
angulatus Bates (Card.) 506
angulatus Baudi (Opatr.) 332
angulatus Fåhrs. (Trach.) 163
angulatus Woll. (Phyl.) 309
angulicolle Champ. (Acr.) 499
angulicolle Cast. (Adel.) 509
angulicolle Geb. (Onc.) 563
angulicollis Champ. (Choast.) 437
angulicollis Champ. (Zoph.) 94
angulicollis Fairm. (Cam.) 494
angulicollis Fairm. (Pach.) 58
angulicollis Fairm. (Par.) 560
angulicollis Fairm. (Opatr.) 276
angulicollis Fairm. (Rhyt.) 65
angulicollis Haag (Psamm.) 154
angulicollis Kraatz (Pros.) 220
angulicollis Mäkl. (Poec.) 589
angulicollis Muls. (Ent.) 556
angulicollis Fairm. (Hel.) 548
angulicollis Motsch. (Blaps) 238
angulicollis Motsch. (Men.) 453
angulifera Phil. 260
anguliferum Chevr. 371
angulipennis Desbr. 474

angulosa Gebl. (Mel.) 64
angulosa Ol. (Pim.) 205
angulosum Mäkl. 591
angusta All. (Char.) 502
angusta Burm. (Epip.) 144
angusta Eschsch. (Eleod.) 242
angusta Fairm. (Nes.) 608
angusta Luc. (Lyph.) 393
angusta Péring. (Dor.) 606
angusta Seidl. (Blaps) 227
angusta Weise (Laena) 517
angusta Wied. (Zoph.) 38
angusta Woll. (Pseud.) 397
angusta All. (Asida) 130
angusta Blackb. (Lyph.) 393
angusta Wied. (Zoph.) 40
angustata Baudi (Dila) 218
angustata Blanch. (Cosm.) 379
angustata Chevr. (Dol.) 410
angustata Chevr. (Phal.) 346
angustata F. (Mes.) 54
angustata Fald. (Plat.) 254
angustata Geb. (Amen.) 442
angustata Phil. (Praoc.) 260
angustata Stev. (Anat.) 47
angustata Waterh. (Nyct.) 142
angustata Zoubk. (Pros.) 220
angustata Herbst (Sten.) 106
angustata Kraatz (Tent.) 70
angustata Leoni (Asida) 131
angustata Sol. (Ocn.) 197
angustata Zoubk. (Cyph.) 176
angustatum Chevr. (Gon.) 322
angustatum Sol. (Sep.) 170
angustatus Champ. (Blapst.) 298
angustatus Champ. (Heg.) 529
angustatus Horn (Cer.) 182
angustatus Luc. (Hel.) 535
angustatus Sol. (Bol.) 357
angustatus All. (Hel.) 547
angusticolle Gerst. (Gon.) 322
angusticolle Mäkl. (Strong.) 591
angusticollis Cart. (Card.) 506
angusticollis Cas. (Edrot.) 81
angusticollis Champ. (Epitr.) 24
angusticollis Kirsch (Anaed.) 470
angusticollis Phil. (Nyct.) 254
angusticollis Reiche (Sten.) 106
angusticollis Schauf. (Hopl.) 572
angusticollis Baudi (Akis) 175
angusticollis Gebl. (Scyth.) 64
angusticollis Sol. (Pim.) 211
angusticollis Sol. (Tent.) 72
angusticornis Gestro 503
angusticostis Deyr. 37
angustiformis Fairm. 24
angustior Blackb. (Cestr.) 300
angustior Fairm. (Ozaen.) 453
angustior Fairm. (Pent.) 387
angustipennis Fairm. (Mic.) 75
angustipennis Péring. (Dist.) 151
angustipleuris Reitt. 220
angustitarsis Reitt. (Hel.) 535
angustitarsis Reitt. (Het.) 293
angustius Fairm. 104
angustula Cas. (Coel.) 269
angustula Fairm. (Cat.) 407
angustula Fairm. (Ul.) 400
angustula Cas. (Asida) 134
angustulum Mäkl. 591
angustulus Cas. (Cnem.) 4
angustulus Cas. (Edr.) 81
angustulus Péring. (Nann.) 498
angustulus Reitt. (Colp.) 291
angustum Lec. (Plat.) 371
angustum Mill. (Scler.) 313
angustus Blackb. (Exang.) 119
angustus Burm. (Opatr.) 276
angustus Cas. (Hyl.) 15
angustus Cas. (Phloe.) 96
angustus Horn (Myc.) 398
angustus Lec. (Cyn.) 393
angustus Lec. (Hel.) 535
angustus Lec. (Mec.) 297
angustus Péring. (Trach.) 163
angustus Phil. (Gyr.) 140
angustus Reiche (Scaur.) 178
angustus Zouf. (Ten.) 454
angustus Mars. (Hed.) 558
anita Cas. 266
annamita Fairm. 276
annamitum Fairm. 371
annectans Blaisd. 249
annulatipes Cas. 97
annulicrus Fairm. 442
annulipes Fauv. (Pseud.) 513
annulipes Geb. (Pycn.) 479
annulipes Kraatz (Euc.) 486
annulipes Kraatz (Tearch.) 489
anomala Sén. (Pim.) 205
anomala Fisch. (Adesm.) 87
anomala Sol. (Pim.) 206
anomalus Fairm. (Eth.) 109
anomalus Guér. (Micr.) 564
anomocerum Fairm. 561
antarcticus Müll. 561
antavarus Ancey 140
antennale Mäkl. 591
antennalis All. 227
antennarius Vaul. 7
antennatum Cast. 371
antennatus Champ. (Naut.) 530
antennatus Reitt. (Diaph.) 5
anthicoides Er. (Ach.) 35
anthicoides Eschsch. (Apocr.) 504
anthicoides Pasc. (Chaet.) 469
anthicoides Vaul. (Hel.) 535
anthracina Er. (Gnoph.) 79

anthracina Kl. (Adesm.) 83
anthracina Blaisd. (Eleod.) 250
anthracina Fald. (Blaps) 238
anthracina Germ. (Epip.) 145
anthracinum Mäkl. 591
anthracinus Fairm. (Diet.) 583
anthracinus Germ. (Hel.) 536
anthracinus Kl. (Nyct.) 466
anthracinus Kraatz (Euc.) 486
anthracinus Pasc. (Hect.) 480
anthracinus Quedf. (Cer.) 382
anthracinus Quedf. (Hopl.) 572
anthracinus Westw. (Der.) 34
anthracinus Hope (Chalc.) 582
anthracinus Knoch (Xylop.) 436
anthracinus Küst. (Hel.) 536
anthracinus Muls. (Opatr.) 277
anthrax Fairm. (Ples.) 583
anthrax Schwarz (Strong.) 591
anthrax Seidl. (Hel.) 536
anthrax Fisch. (Blaps) 237
anthrophilus Fairm. 53
anticipes Woll. 315
antillarum Champ. (Schoen.) 30
antillarum Champ. (Ul.) 400
antilope Arrow (Tox.) 460
antilope Haag (Him.) 31
antimachoides Fairm. 399
antiqua Kl. 83
antiquus Har. 478
Antoniae Reitt. (Hel.) 536
Antoniae Reitt. (Cal.) 50
Antonowii Sem. 31
antracticus Müll. 561
anura Seidl. 227
anxia Cas. 266
anxius Muls. 300
aper Fairm. 168
apertus Cas. 28
aphodina Fairm. 390
aphodioides Fairm. (Het.) 473
aphodioides Latr. (Trach.) 344
aphodioides Walk. (Anem.) 316
aphodioides Pasc. (Scot.) 357
apicale Cast. (Plat.) 371
apicale Mäkl. (Strong.) 591
apicalis Champ. (Diph.) 385
apicalis Champ. (Sthen.) 439
apicalis Reitt. (Trig.) 191
apicalis Schneid. (Phal.) 347
apicata Fairm. 610
apicatum Geb. 371
apicenotatum Champ. 371
apicicorne Chevr. (Plat.) 371
apicicorne Fairm. (Sep.) 168
apicicorne Mäkl. (Strong.) 591
apicicornis Champ. (Anaed.) 470
apicicornis Champ. (Ilus) 437
apicilaevis Mars. 407
apicipennis Fauv. (Isop.) 521
apicipennis Fauv. (Ul.) 400
appendiculata Motsch. 227
approximans Fairm. (Gaur.) 487
approximans Fairm. (Suar.) 125
approximans Péring. (Psamm.) 154
approximans Seidl. (Blaps) 227
approximans Fairm. (Brach.) 336
approximata Deyr. 37
approximatus Bates (Mac.) 466
approximatus Blackb. (Nyct.) 429
approximatus Cart. (Hel.) 420
apterus Champ. 562
arabica All. (Steg.) 52
arabica Gestro (Mes.) 54
arabica Kl. (Pim.) 205
arabica Reitt. (Heg.) 77
arabica Sol. (Pim.) 209
arabs Baudi (Eut.) 109
arabs Seidl. (Hel.) 555
arabicus Desbr. (Prosch.) 318
arabicus Gah. (Hist.) 11
arabicus Kirchsb. (Arthr.) 6
arabicus Pasc. (Diop.) 528
arachnoides Gerst. 89
aralensis Reitt. 255
araneiformis All. (Hel.) 536
araneiformis Curt. (Mitr.) 148
arata Lec. 248
aratum Fairm. 591
aratus Fairm. (Brad.) 356
aratus Pasc. (Card.) 506
aratus Say (Hel.) 535
araxicola Seidl. 227
araxidis Reitt. 111
arboreus Germ. (Hel.) 536
arboreus All. (Hel.) 550
arboreus Schrank (Hel.) 534
arboricola Kolbe (Strong.) 591
arboricola Woll. (Hel.) 536
arca Reiche 83
Arcadii Fairm. 442
arcanus Pasc. 418
arcibasis Reitt. 63
arcicollis Berg 24
arciferens Fairm. 583
arciscelis Mars. 451
arcitenens Fauv. 501
arcuata Cas. (Eleod.) 242
arcuata Cast. (Hyp.) 500
arcuata Serv. (Pseud.) 273
arenacea Sol. 205
arenaria Fald. (Scyth.) 64
arenaria Germ. (Psectr.) 146
arenaria Kraatz (Tent.) 69
arenarium F. 322
arenarius Cas. (Blapst.) 298
arenarius Cas. (Coel.) 270
arenosus Guér. (Hel.) 525

arenosus Marsh. (Phyl.) 286
areolata Reitt. 220
areolatum Küst. 330
areolatus Gerst. 7
Arethusa Reitt. 47
argenteolimbata Esc. 126
argentinum Geb. 371
argillaceum Motsch. 342
argutus Cas. 269
Ariasi Esc. 127
arida Cas. 266
aridus Blackb. (Hel.) 420
aridus Cas. (Ster.) 16
aries Dalm. (Taur.) 443
aries Kl. (Tox.) 460
aries Pasc. (Plat.) 371
arizonensis Horn (Hel.) 536
arizonensis Blaisd. (Eleod.) 245
arizonicum Cas. 12
armata Cast. (Hopl.) 367
armata Champ. (Phth.) 396
armata Champ. (Ul.) 401
armata Herbst (Acanth.) 567
armata Lec. (Eleod.) 243
armaticeps Péring. 272
armatum Mäkl. (Strong.) 591
armatum Waltl (Scler.) 313
armatus Horn (Arae.) 105
armatus Montr. (Lor.) 464
armatus Muls. (Trig.) 272
armatus Panz. (Bol.) 357
armatus Borre (Blep.) 508
armeniaca Deyr. (Zoph.) 37
armeniaca Fald. (Trig.) 190
armeniaca All. (Blaps) 230
armeniaca All. (Blaps) 236
armeniaca Baudi (Cal.) 50
armeniaca Fald. (Blaps) 236
armeniaca Motsch. (Mes.) 54
armeniacum Desbr. 378
armeniacus Baudi (Dend.) 280
armeniacus Reitt. (Bor.) 464
armeniacus Motsch. (Bel.) 459
armentarius Lac. 184
armicrus Fairm. 583
armipes Bates (Card.) 506
armipes Fairm. (Hopl.) 497
armipes Fairm. (Micr.) 564
aromatum Gestro 37
artensis Perr. 402
Arthuri Blackb. 579
arundinis Lec. 28
aruspex Pasc. 508
aruwimensis Champ. 503
ascendens Woll. 205
asellus Pasc. 418
asiatica Lew. (Hopl.) 367
asiatica Mill. (Zoph.) 37
asiatica Sol. (Blaps) 232
asiatica Sol. (Blaps) 238
asiatica Sol. (Blaps) 238
asiaticum Reitt. 328
asiaticus Mill. (Amn.) 10
asiaticus Sol. (Micr.) 110
asiaticus Desbr. (Opatr.) 332
asiaticus Reitt. (Crypt.) 352
asidaeformis Fauv. 425
asidinus Fairm. 140
asidioides Bates (Bior.) 257
asidioides Oertz. (Anom.) 305
asidioides Sol. (Pter.) 215
asidioides Fairm. (Micr.) 564
asidioides Pasc. (Sar.) 423
asidioides Sol. (Asida) 127
asper Cas. (Tel.) 13
asper Fairm. (Caed.) 338
asper Fairm. (Rhic.) 469
asper Küst. (Hel.) 536
asper Pasc. (Ilyx.) 360
asper Alluaud (Odont.) 477
asper Péring. (Hopl.) 572
aspera Germ. (Pim.) 206
aspera Lec. (Eleod.) 246
asperata Horn (Centr.) 120
asperata Sol. (Asida) 127
asperata Kl. (Pim.) 213
asperata Lec. (Eleod.) 249
asperata Zoubk. (Pros.) 220
asperatum Champ. 97
asperatus Champ. (Amm.) 337
asperatus Er. (Scot.) 184
asperatus Fairm. (Coss.) 430
asperatus Motsch. (Ambl.) 121
asperatus Motsch. (Roph.) 451
asperatus Muls. (Eur.) 275
asperatus Pasc. (Met.) 478
aspericolle Fairm. 313
aspericollis Fairm. (Bol.) 357
aspericollis Fairm. (Coel.) 218
asperidorsum Fairm. 327
asperifrons Haag 31
asperipellis Fairm. 526
asperipenne Fairm. (Hopl.) 573
asperipenne Reitt. (Opatr.) 327
asperipennis All. (Der.) 448
asperipennis All. (Naut.) 530
asperipennis Fairm. (Hopl.) 572
asperipennis Fairm. (Phyl.) 276
asperipennis Fairm. (Tarp.) 531
asperipennis Péring. (Acanth.) 567
asperipennis Fairm. (Lept.) 5
asperipennis Muls. (Eur.) 276
asperipennis Reitt. (Pros.) 224
asperipes Pasc. 423
asperocostatus Fairm. 310
asperrima Pall. 205
aspersus Blackb. 301
asperula Fairm. (Acanth.) 101

asperula Fairm. (Tag.) 217
asperula Reitt. (Anem.) 317
asperula Mén. (Ocn.) 197
asperula Sol. (Pim.) 209
asperulatus Har. 305
asperulipennis Fairm. 154
asperulum Woll. (Ox.) 76
asperulum Woll. (Scler.) 313
asperulus Fairm. (Pach.) 308
asperulus Fairm. (Scot.) 140
asperulus Fairm. (Sel.) 277
asperulus Gestro (Arth.) 6
asperulus Fairm. (Mes.) 296
asperulus Fairm. (Scaur.) 179
asperulus Haag (Cestr.) 301
asperulus Pasc. (Cal.) 355
asphaltides Reiche 199
asphaltina Baudi 206
asphaltinus All. (Helops) 542
asphaltinus Baudi (Helops) 548
asphaltinus Küst. (Helops) 537
aspidosternum Mäkl. 591
assimile Küst. 322
assimilis Ancey (Micr.) 564
assimilis Bates (Asc.) 43
assimilis Fairm. (Zoph.) 37
assimilis Gah. (Adesm.) 83
assimilis Küst. (Hel.) 536
assimilis Sol. (Crypt.) 115
asymmetricum Champ. 371
atacamensis Fairm. (Gyr.) 140
atacamensis Germ. (Scot.) 184
atarnites Baudi 205
ater Blackb. (Pter.) 418
ater Champ. (Tal.) 562
ater Fåhrs. (Gon.) 304
ater Lec. (Hapl.) 437
ater Lec. (Mel.) 17
ater Müll. (Opatr.) 276
ater Waterh. (Phryn.) 150
aterrimum Chevr. (Plat.) 371
aterrimum Montr. (Gon.) 322
aterrimus Champ. (Crypt.) 351
aterrimus Horn (Cer.) 182
aterrimus Champ. (Moph.) 411
aterrimus Gray (Cyph.) 484
aterrimus Woll. (Hel.) 548
atlantica Fauv. 346
atlantis Fauv. 206
atra All. (Tarp.) 531
atra Fåhrs. (Zoph.) 37
atra Herbst (Pach.) 63
atramentaria Fald. 48
atrata Baudi (Asida) 127
atrata F. (Pseud.) 274
atratus Cas. (Aneps.) 117
atratus Champ. (Blapst.) 298
atratus Champ. (Tyd.) 30
atratus F. (Scaur.) 178
atratus Fairm. (Par.) 576
atratus Haag (Psamm.) 154
atratus Quedenf. (Opatr.) 276
atriceps Lew. 346
atripes Champ. 181
atroaenescens Fairm. 466
atrocyanea Lew. 379
atronitens Cas. (Con.) 267
atronitens Fairm. (Lypr.) 472
atronitens Fairm. (Ten.) 454
atropos Costa 315
atroviolaceum Champ. 591
atroviridis M'Leay 447
atrum Champ. (Strong.) 591
atrum Serv. (Cyrt.) 489
atrum Motsch. (Plat.) 372
attenuata Fairm. (Mol.) 153
attenuata Fairm. (Phal.) 346
attenuata Fairm. (Pseud.) 496
attenuata Fairm. (Lampr.) 607
atenuata Fisch. (Pros.) 223
attenuata Kl. (Athr.) 460
attenuata Motsch. (Cat.) 408
attenuatocollis Motsch. 443
attenuatum Kl. 322
attenuatus Champ. (Isic.) 437
attenuatus Champ. (Pseud.) 603
attenuatus Fairm. (Nyct.) 466
attenuatus Lec. (Hel.) 536
attenuatus Péring. (Trach.) 164
atticus All. 548
Aubei Muls. (Dend.) 280
Aubei Sol. (Eleod.) 247
Auberti Fairm. 55
aucklandianum Broun 514
aucta Fald. 47
audax Cas. 267
Audouini Sol. (Erod.) 7
Audouini Sol. (Praoc.) 260
Audouini Sol. (Proch.) 49
Audouini Sol. (Adesm.) 85
Audouini Sol. (Anat.) 47
Audouini Sol. (Dail.) 44
augurale Pasc. 509
Augusti Thoms. 588
aulacopterus Fairm. 494
aulica Fåhrs. 605
aulicum Mäkl. 591
auliensis Reitt. (Laena) 517
auliensis Reitt. (Lob.) 333
auliensis Reitt. (Stern.) 192
aulonoscelis Reitt. 58
auratum Cast. (Strong.) 591
auratum Pasc. (Adel.) 509
aureus Cart. 506
aurichalcea Quedf. 605
aurichalceum Champ. (Lob.) 27
aurichalceum Champ. (Oxid.) 528
aurichalceum Germ. (Strong.) 591

auricolle Germ. 596
auricularis Mars. 473
auriculata Lac. (Del.) 390
auriculata Sol. (Asida) 127
auriculata Woll. (Pim.) 205
auriculatus Geb. 150
auripennis Fauv. 501
auripilis Horn 298
aurita Fåhrs. (Ametr.) 149
aurita Pall. (Cyph.) 175
aurita Pasc. (Mith.) 484
aurita Reitt. (Micr.) 61
aurita Mén. (Cyph.) 176
aurita Mén. (Cyph.) 176
auritus Mäkl. 471
aurivittis Germ. 494
aurobasalis Fairm. 486
auronitens Champ. 591
aurovittata Fairm. 575
aurulentus Kirsch 24
auspicatum Péring. 591
austera Baudi (Adesm.) 83
austera Berg (Cam.) 494
australasiae Motsch. 450
australe Boisd. (Gon.) 322
australe Mäkl. (Strong.) 591
australe Montr. (Gon.) 322
australis Boisd. (Het.) 385
australis Boisd. (Men.) 453
australis Boisd. (Sar.) 423
australis Cart. (Card.) 506
australis Champ. (Enn.) 386
australis Champ. (Hyp.) 413
australis Geb. (Lyph.) 393
australis Hope (Dips.) 363
australis Hope (Sob.) 339
australis Leoni (Asida) 127
australis Péring. (Emm.) 306
australis Péring. (Phae.) 57
australis Westw. (Chir.) 474
australis Blackb. (Caed.) 339
australis Blackb. (Scym.) 295
australis Sol. (Blaps) 230
austrinus Champ. 396
austrocaledonicum Montr. 513
autumnalis Sem. (Ear.) 187
autumnalis Sem. (Pter.) 195
avarus Muls. 283
avenae Sahlb. (Mes.) 55
avenae Sahlb. (Blaps) 230
aversus Pasc. 301
axillare Kirsch 591
axillaris Chevr. 382
azorica Seidl. 230
azoricus Crotch 536
azteca Champ. 531
azurascens Jacq. 530
azurea Waltl 379
azureonitens Gemm. 537
azureum Germ. (Strong.) 591
azureus Brll. (Hel.) 537
azureus Montr. (Hel.) 537

babertoniensis Péring. 305
babylonica Kraatz 52
bacarozzo Schrnk. 173
bacaresensis Esc. 127
baccata Gerst. 83
bacchulus Berg 29
Bachei Lec. (Cibd.) 438
Bachei Lec. (Hel.) 537
bacillus Mars. 355
Bacrii Fairm. 148
bactriana Reitt. 220
bactrianiformis Reitt. 220
Badeni Haag (Psamm.) 154
Badeni Haag (Trach.) 163
badius Redt. (Hel.) 537
badius Müll. (Lypr.) 442
badius Say (Ten.) 457
Baeri Fairm. (Pil.) 148
Baeri Fisch. (Pros.) 220
baetica Sol. 205
baeticum Rosenh. 327
baeticus Muls. 312
bagotensis Blackb. 418
bajula Kl. (Pim.) 205
bajula Brll. (Pim.) 205
Bakewelli Pasc. (Dips.) 363
Bakewelli Pasc. (Hyoc.) 338
Balassogloi Dohrn 48
baladica Montr. 501
balcanica Kirchsb. 205
balcanicus Apfelb. 287
balearica Sol. 214
balearicus Schauf. 279
Balfouri Waterh. 67
Ballioni Reitt. (Plat.) 255
Ballioni Reitt. (Scyth.) 64
Ballionis Kraatz (Pros.) 220
Ballionis Kraatz (Thript.) 199
balneorum Péring. 308
balteatus Coq. 491
balubanum Kolbe 599
Balyi Deyr. 37
banatica Friv. (Asida) 127
banatica Friv. (Tent.) 69
Banghaasi Reitt. (Pach.) 200
Banghaasi Reitt. (Pros.) 220
Banghaasi Reitt. (Scyth.) 64
barbara Sol. (Blaps) 227
barbara All. (Asida) 128
barbara Brll. (Pim.) 205
barbara Deyr. (Zoph.) 40
barbara Sol. (Pim.) 209
barbara Sol. (Tent.) 70
barbarum Sol. 168

barbarus Er. (Mel.) 311
barbarus Luc. (Phyl.) 285
barbarus Motsch. (Pent.) 387
barbarus Sol. (Erod.) 7
barbarus Sol. (Scaur.) 179
barbarus Brême (Coss.) 431
barbarus Er. (Scaur.) 179
barbarus Reitt. (Neph.) 559
barbata Knoch (Alob.) 444
barbata Ol. (Eur.) 99
barbatum Cart. 509
barbatus Fåhrs. 154
Barbereti Fairm. 444
Barceloi Perez 127
Barschewskyi Reitt. 43
Barthelemyi Sol. (Ent.) 556
Barthelemyi Sol. (Pim.) 205
Barthelemyi Sol. (Sep.) 168
basale Mäkl. (Strong.) 591
basale Hald. (Plat.) 373
basalis Cas. (Trior.) 80
basalis Champ. (Pheg.) 29
basalis Fauv. (Call.) 501
basalis Haag (Psamm.) 154
basalis Mäkl. (Poec.) 589
basalis Pasc. (Esp.) 502
basalis Reitt. (Hyp.) 413
basalis Reitt. (Micr.) 61
basalis Schauf. (Tent.) 68
basalis All. (Lept.) 407
basicollis Fairm. (Nes.) 608
basicorne Chevr. (Plat.) 371
basicorne Fairm. (Plat.) 371
basicruralis Fairm. 497
basifemoratum Mäkl. 591
basipennis Fairm. 503
basiplicata Heyd. 127
Bassii Sol. (Tent.) 68
Bassii Sol. (Plat.) 187
Batesi All. (Blaps) 227
Batesi All. (Hel.) 537
Batesi Champ. (Pher.) 408
Batesi Champ. (Pyr.) 436
Batesi Chevr. (Ischn.) 380
Batesi Fairm. (Gyr.) 141
Batesi Fairm. (Nes.) 608
Batesi Fairm. (Phal.) 346
Batesi Haag (Adel.) 104
Batesi Haag (Eur.) 99
Batesi Haag (Hor.) 116
Batesi Haag (Mic.) 75
Batesi Haag (Onost.) 427
Batesi Haag (Psamm.) 154
Batesi Haag (Sten.) 89
Batesi Haag (Styr.) 428
Batesi Sharp (Men.) 386
Batesi Waterh. (Epitr.) 24
Batesi Cart. (Card.) 506
batnensis Fairm. (Helops) 537
batnensis Muls. (Helioph.) 283
Baudii Gredl. (Rhyt.) 65
Baudii Haag (Him.) 31
Baudii Weise (Laena) 517
Baudii Geb. (Pim.) 211
Baudii Leoni (Asida) 135
Baudii Reitt. (Lit.) 310
Baumanni Kolbe 591
Bauri Lin. (Ped.) 301
Bauri Lin. (Stom.) 12
Bavayi Fauv. (Call.) 501
Bavayi Fauv. (Cymb.) 514
Bayardi Sol. (Asida) 127
Bayardi Sol. (Akis) 174
Becerrae Esc. 127
bechuana Péring. 605
Beckeri Desbr. 198
Bedeli All. (Thript.) 199
Bedeli Chob. (Phal.) 346
Bedeli Lesne (Bel.) 459
Bedeli Reitt. (Adel.) 104
Behri Germ. 508
beiranus Péring. 498
bella Fald. 63
Bellardi Truq. 441
bellator Reitt. 537
bellicosus Lew. 360
Belli Fairm. 273
bellus Blackb. 579
Beloni Fairm. 473
Belti All. (Naut.) 530
Belti Bates (Aps.) 384
Belti Bates (Elom.) 498
Belti Champ. (Acr.) 499
Belti Champ. (Arm.) 15
Belti Champ. (Strong.) 592
bembidioides Fairm. 81
bengala Fairm. 106
bengalensis Fairm. 338
benguelensis Deyr. (Zoph.) 37
benguelensis Haag (Epip.) 117
benguelensis Haag (Micr.) 53
benguelensis Haag (Plat.) 103
beniniensis Beauv. 605
Bennetti Kirby 389
Bennigseni Kraatz 154
Berardi Montr. 355
Bereai Esc. 127
Bertolonii Guér. (Psamm.) 154
Bertolonii Guér. (Psamm.) 156
berytensis Kraatz 544
Besseri Fald. (Hed.) 557
Besseri Kryn. (Anat.) 47
Besti Blackb. 502
biaculeata Fairm. 494
biarcuatum Mäkl. 592
bicarinata Burm. (Praoc.) 260
bicarinata Eschsch. (Eul.) 182
bicarinata Kl. (Adesm.) 83

bicarinata Sol. (Zoph.) 37
bicarinata Gebl. (Podh.) 204
bicarinatum Waterh. 104
bicarinatus Champ. (Epitr.) 24
bicarinatus Champ. (Sarag.) 423
bicarinatus Champ. (Stenos.) 124
bicarinatus Er. (Erod.) 8
bicarinatus Mäkl. (Coel.) 603
bicarinatus Sol. (Diast.) 183
bicarinatus Baudi (Dich.) 111
bicaviceps Cas. 27
bicaudatum Fairm. 168
bicaudatus Champ. (Heg.) 530
bicaudatus Quedenf. (End.) 431
bicinctum Champ. 371
bicolor Cart. (Adel.) 509
bicolor Cart. (Hyoc.) 338
bicolor Cart. (Symp.) 422
bicolor Cas. (Aneps.) 117
bicolor Cast. (Strong.) 592
bicolor F. (Tarp.) 531
bicolor Fåhrs. (Stom.) 370
bicolor Fairm. (Mal.) 491
bicolor Fairm. (Necr.) 448
bicolor Fairm. (Nyct.) 466
bicolor Geb. (Chalc.) 579
bicolor Haag (Adesm.) 83
bicolor Horn (Met.) 12
bicolor Kraatz (Pseud.) 488
bicolor Lec. (Arg.) 181
bicolor Ol. (Hyp.) 413
bicolor Reitt. (Cat.) 408
bicolor Reitt. (Par.) 345
bicolor F. (Chalc.) 579
bicolor F. (Scaph.) 370
bicolor Horn (Arg.) 181
bicolor Kirsch (Ul.) 403
bicolor Sol. (Psamm.) 158
bicorne Sol. 169
bicornis F. (Hopl.) 367
bicornis F. (Hopl.) 367
bicornis Redt. (Anthr.) 462
bicornutus Fairm. 381
bicostata Fåhrs. (Asida) 127
bicostata Fåhrs. (Asp.) 102
bicostata Fisch. (Pros.) 224
bicostata Phil. (Praoc.) 260
bicostata Sén. (Podh.) 203
bicostata Sol. (Crypt.) 120
bicostata Esc. (Asida) 131
bicostatus Sol. 8
bicuspis Motsch. 371
bidens F. (Aleg.) 398
bidens Muls. (Stiz.) 308
bidentatum Sol. 168
bidentula Fairm. 345
bidentulus Fairm. (Arth.) 6
bidentulus Fairm. (Brad.) 356
bidentulus Fairm. (Hopl.) 497
Bidwelli Hope 301
Bienerti Mor. 176
bifasciata Chevr. (Cer.) 383
bifasciata Cart. (Cer.) 382
bifasciatum Mäkl. (Strong.) 592
bifasciatum Chevr. (Plat.) 376
bifasciatus Er. (Zoph.) 434
bifasciatus Motsch. (Bas.) 381
bifasciatus Quedf. (Men.) 451
bifasciatus Say (Alph.) 382
bifasciatus Herbst (Poec.) 589
bifenestrata Lam. 474
bifenestrella Westw. 474
bifida Rosenh. 59
biformiopaca Reitt. 220
biformis Sem. 220
bifossiceps Cas. 28
bifoveata All. (Asida) 127
bifoveata Fairm. (Cer.) 382
bifoveata Fairm. (Nyct.) 142
bifoveatus Waterh. 119
bifoveolata Reitt. 517
bifoveolatum Mäkl. (Strong.) 592
bifoveolatum Duft. (Trib.) 395
bifoveolatus Baudi 397
bifurca Lec. 127
bifurcata Champ. (Dol.) 410
bifurcata Sol. (Blaps) 227
bifurcata Sol. (Pim.) 212
bifurcus Pasc. (Boliton.) 359
bifurcus F. (Bolitoth.) 355
bigorrensis Sol. 132
bigranosus Fairm. 526
bihamatus Fairm. 399
biimpressa Latr. 411
biimpressum Chevr. 373
biimpressus Geb. 412
bilineata Baudi 200
bilineatum Walk. 322
bilineatus Ol. (Erod.) 8
bilineatus Herbst (Erod.) 10
bilobatum Gahan 168
Billecocqui Fairm. 495
biluna Walk. 360
bimaculata L. (Phal.) 346
bimaculata Herbst (Phal.) 346
bimaculata Rey (Phal.) 348
bimaculuta Woll. (Phal.) 346
bimaculatum Champ. 371
bimaculatus Champ. 436
bimetallica Cart. 512
binodiceps Reitt. 110
binodosa Kraatz 570
binodosum Mäkl. 592
binodosus Broun (Par.) 319
binodosus Lacord. (Dic.) 589
binodosus Pasc. (Alt.) 481
binotata Walk. 251
bipartitus Sol. 271

biplagiata Heyd. 348
biplagiatum Champ. 371
biplagiatus Fairm. 139
bipunctata All. (Blaps) 227
bipunctata F. (Pim.) 205
bipunctata Haag (Crypt.) 115
bipunctata Sol. (Tent.) 73
bipunctatus Haag (Trach.) 163
bipunctatus Crist. (Dend.) 283
bipustulata Cast. 365
biramosa Berg 144
bisbicostatus Geb. 154
biseriatus Reiche 112
bisignata Boh. 347
bisignatum Chevr. (Plat.) 371
bisignatum Mäkl. (Strong.) 592
biskrensis Reitt. (Akis) 173
biskrensis Fairm. (Ambl.) 77
biskrensis Luc. (Adesm.) 83
biskrensis Vaul. (Hel.) 537
bispilotus Westw. 389
bistriata Cart. (Cor.) 515
bistriata Herbst (Mol.) 153
bistriatus Fairm. 271
bistrigatum Mäkl. 592
bitincta Fairm. 609
bituberculata Ol. 367
bituberculatum Mäkl. 592
bituberosa Kirsch 401
bivittatum Champ. 592
bivittatus Reitt. 416
Blackburni Geb. (Chalc.) 579
Blackburni M'Leay (Sar.) 423
Blaisdelli Cas. (Con.) 267
Blaisdelli Cas. (Hel.) 537
Blaisdelli Cas. (Hyl.) 15
Blanchardi Blaisd. (Eleod.) 243
Blanchardi Geb. (Opatr.) 276
Blanchardi Mäkl. (Otoc.) 602
Blanchardi Montr. (Isop.) 521
blanda Cas. (Tel.) 13
blanda Champ. (Asida) 127
blandum Mäkl. 592
blapoides Fairm. (Cam.) 495
blapoides Fairm. (Men.) 451
blapoides Reitt. (Plat.) 255
blapoides Reitt. (Pros.) 220
blapsoides Fairm. (Nyct.) 142
blapsoides Haag (Psamm.) 154
blapsoides Sol. (Asida) 127
blapsoides Sol. (Oxyc.) 76
blapstoides Leoni 127
blapstinoides Champ. 302
blaptoides Eschsch. 243
Blaschkei Mannerh. 438
blepegenoides Cart. 511
Bocandei Deyr. 37
Bodemeyeri Reitt. (Hel.) 537
Bodemeyeri Reitt. (Laena) 517
Bodemeyeri Reitt. (Ped.) 287
Boeckeri Heyd. 348
Boei Sol. 37
bogosensis Reitt. 106
bogosicus Mars. 474
bogotanum Chevr. 489
Bohemani Deyr. (Zoph.) 37
Bohemani Haag (Trach.) 163
Bohemani Muls. (Eur.) 275
Bohemani Mäkl. (Strong.) 592
Böhmi Reitt. 294
Bohndorffi Kolbe 597
Boisduvali Zoubk. (Lept.) 92
Boisduvali Reitt. (Lept.) 92
Boisduvali Sol. (Lept.) 92
Bolcan Blaisd. 253
boleti L. (Diap.) 365
boleti Lew. (Anthr.) 462
boleti Pill. (Bol.) 358
Bolivari Esc. 127
bonariensis Waterh. 144
Bonellii Sol. 90
Bonni Germain 587
Bonvouloiri All. 134
bonzica Mars. 401
boops Blackb. 579
borbonicus Fairm. 357
borealis Blaisd. 249
borneensis Fairm. 476
Boros F. 463
Borrei Haag 211
Boryi Cast. 217
boshimana Péring. 83
bosphoranus All. 537
Bottae Sén. 206
Bottegi Gestro 206
Boucardi Bates 384
Bouchardi Fairm. 390
Bougoni Fairm. 179
Bovilli Blackb. 580
Boyadjiani Lokay 354
Boyeri Sol. (Adesm.) 84
Boyeri Sol. (Erod.) 8
Boyeri Sol. (Pim.) 206
Boyeri Sol. (Acanth.) 568
brachialis Gerst. 448
brachyura Küst. 227
Braetii Fairm. 603
bramina Motsch. 65
brasiliana Chevr. 401
brasiliense Kraatz 604
brasiliensis Cast. (Phal.) 347
brasiliensis Champ. (Gon.) 385
brasiliensis Champ. (Hes.) 437
brasiliensis Mäkl. (Tal.) 562
brasiliensis Sol. (Scot.) 139
Braueri Kolbe (Pseud.) 426
Braueri Kolbe (Cam.) 529
Braunsi Wasm. 472

Bremei Guér. (Meg.) 93
Bremei Hope (Symp.) 422
Bremei M'Leay (Pter.) 418
Bremei Wat. (Nyct.) 142
brentoides Rossi 106
breve Champ. 371
breviatus Desbr. 179
brevicauda Reitt. 221
brevicaudatum Fairm. 168
breviceps Champ. (Naut.) 530
breviceps Geb. (Plat.) 371
breviceps Sem. (Sphen.) 33
brevicolle Cas. (Nos.) 97
brevicolle Phil. (Gon.) 322
brevicolle Mäkl. (Strong.) 599
brevicollis Baudi (Phyl.) 309
brevicollis Brll. (Heg.) 78
brevicollis Cas. (Eun.) 29
brevicollis Champ. (Anaed.) 470
brevicollis Champ. (Arg.) 181
brevicollis Champ. (Isam.) 527
brevicollis Champ. (Tel.) 13
brevicollis Fairm. (Blaps) 227
brevicollis Fairm. (Cam.) 497
brevicollis Fairm. (Diast.) 274
brevicollis Fairm. (Dil.) 294
brevicollis Gemm. (Eleod.) 243
brevicollis Gerst. (Hopl.) 572
brevicollis Haag (Sten.) 89
brevicollis Har. (Eup.) 574
brevicollis Heer (Pseud.) 79
brevicollis Kraatz (Erod.) 8
brevicollis Küst. (Hel.) 537
brevicollis Lec. (Blapst.) 298
brevicollis Ménétr. (Pter.) 195
brevicollis Redtenb. (Card.) 506
brevicollis Sol. (Pim.) 206
brevicollis Solsky (Sphen.) 33
brevicollis Woll. (Anem.) 317
brevicollis Reiche (Sten.) 107
brevicorne Bless. (Adel.) 509
brevicorne Lew. (Strong.) 592
brevicorne Pasc. (Tox.) 460
brevicornis Bates (Del.) 390
brevicornis Blackb. (Pter.) 418
brevicornis Champ. (Lor.) 464
brevicornis Haag (Psamm.) 154
brevicornis Lacord. (Phym.) 468
brevicornis Lec. (Aph.) 404
brevicornis Mäkl. (Enc.) 447
brevicornis Mäkl. (Poec.) 589
brevicornis Quedf. (Pach.) 189
brevicornis Quedf. (Per.) 489
brevicornis Reitt. (Mes.) 55
brevicornis Seidl. (Blaps) 227
brevicornis Westw. (Set.) 444
brevicornis Bates (Met.) 399
brevicornis Schauf. (Set.) 445
brevicornis Sol. (Hyl.) 21
brevicosta Sol. 129
brevicostata Kraatz 175
brevicostatus Blackb. (Hel.) 420
brevicostatus Sol. (Erod.) 8
brevior Fairm. (Brach.) 336
brevior Fairm. (Trig.) 272
brevipenne Cas. 20
brevipennis Bates (Cil.) 425
brevipennis Cas. (Disc.) 264
brevipennis Champ. (Arm.) 15
brevipennis Champ. (Par.) 471
brevipennis Fairm. (Hel.) 525
brevipennis Lew. (Ples.) 583
brevipennis Reitt. (Laena) 517
brevipennis Waterh. (Chit.) 561
brevipennis Motsch. (Enc.) 447
brevipes Blackb. (Chalc.) 580
brevipes Champ. (Sic.) 382
brevipes Champ. (Strong.) 592
brevipes Fairm. (Osd.) 525
brevipes Haag (Alog.) 91
brevipes Reitt. (Pros.) 221
brevipes Seidl. (Blaps) 227
brevipes Waterh. (Scot.) 184
brevis Cas. (Trior.) 80
brevis Champ. (Cestr.) 301
brevis Champ. (Eus.) 265
brevis Fairm. (Caed.) 338
brevis Kraatz (Pach.) 58
brevis Kraatz (Rhyt.) 65
brevis Phil. (Scot.) 184
brevis All. (Hel.) 543
brevis All. (Hel.) 550
brevis Baudi (Hel.) 540
brevis Baudi (Plat.) 256
brevis Bess. (Pach.) 60
brevis Fisch. (Blaps) 232
brevis Gebl. (Pros.) 224
brevis Kl. (Tetr.) 492
brevis Küst. (Hel.) 555
brevis Sol. (Psectr.) 147
brevispinum Thoms. 371
brevissimus Fairm. 561
brevitarsis Kraatz (Pros.) 220
brevitarsis Quedf. (Tar.) 441
breviuscula Cas. (Con.) 267
breviuscula Cas. (Hyl.) 15
breviuscula Haag (Pach.) 58
breviuscula Desbr. (Pach.) 58
breviusculum Fairm. (Brach.) 313
breviusculum Fairm. (Oxyc.) 76
breviusculum Geb. (Adel.) 509
breviusculum Mäkl. (Strong.) 592
breviusculum Reitt. (Scler.) 321
breviusculus Fairm. (Mel.) 311
breviusculus Gerst. (Lypr.) 472
Breweri Bates 480
Bridgesi Waterh. 141
Brisouti Sén. 206

Broadhursti Lea 418
Brouni Sharp 560
Browni Bates (Tarp.) 531
Browni Haag (Amiant.) 152
Browni Kirby (Hel.) 420
Bruchi Fairm. 498
Brucki All. (Asida) 127
Brucki Haag (Trach.) 163
Brullei Bed. 74
brunnea All. (Blaps) 227
brunnea Mars (Tarp.) 531
brunnea Muls. (Cat.) 408
brunnescens Cas. (Hyl.) 15
brunnescens Haag (Psamm.) 154
brunneum Mäkl. 499
brunneus Cas. (Aneps.) 118
brunneus Cas. (Blapst.) 298
brunneus Cart. (Achth.) 399
brunneus Champ. (Schoen.) 30
brunneus Kraatz (Dich.) 111
brunneus Ol. (Psamm.) 154
brunneus Quedf. (Hopl.) 572
brunneus Ziegl. (Anaed.) 470
brunnicornis Latr. 24
brunnipennis M'Leay 423
brunnipes Boisd. (Sar.) 423
brunnipes Champ. (Con.) 302
brunnipes Er. (Dros.) 566
brunnipes Haag (Psamm.) 154
brunnipes Haag (Sten.) 89
brunnipes Cas. (Eleod.) 250
brunnipes Latr. (Nyct.) 144
brunnitarsis Küst. 542
Buchanani Broun 425
bucharensis Seidl. 228
bucharica Reitt. 218
Buckleyi Bates 390
bufo Fairm. (Pil.) 148
bufo Haag (Amiant.) 152
bulbifera Fairm. 170
bulbiferum Gerst. 168
bulla Sem. 5
bullata Péring. 84
bullatum Pasc. 514
bullatus Curt. (Scot.) 184
bullatus Pasc. (Pter.) 418
bullatus Sharp (Syrph.) 319
buprestoides F. (Heg.) 78
buprestoides Gerst. (Him.) 31
Buqueti Champ. (Blapst.) 298
Buqueti Coq. (Porph.) 493
Buqueti Lacord. (Machla) 122
Buqueti Luc. (Pim.) 206
Buqueti Mäkl. (Strong.) 592
Buqueti Baudi (Adesm.) 84
burbonicus Kolbe 314
Burdoi Fairm. 151
Burkei Deyr. 37
Burmeisteri Haag 262
Burtoni Baudi 75
Büttneri Kolbe (Amen.) 442
Büttneri Kolbe (Lypr.) 472
Büttneri Kolbe (Strong.) 592
byrrhiformis Fairm. 6
byrrhinus Fairm. 576
byrrhoides Muls. (Plan.) 307
byrrhoides Thoms. (Par.) 576
byrrhoides Woll. (Arthr.) 6
byzacnoides Péring. 573
byzantina Apfelb. 519
byzantinicus Waltl 291

cacicus Lac. 184
cadaverina F. (Phal.) 347
cadaverina Brll. (Phal.) 348
cadaverina Latr. (Phal.) 346
caelatum Péring. 592
caelatus Brll. (Dend.) 280
caelatus Gerst. (Em.) 566
caelatus Péring. (Psamm.) 154
caelatus Sol. (Psamm.) 160
caeloides Pasc. 515
caerulans Fairm. 605*)
caeruleatus Fairm. 479
caerulescens Fairm. (Dysg.) 607
caerulescens Quedf. (Strong.) 592
caeruleus Lew. 486
caesareum Geb. 592
caesifrons Mars 376
caesum Stev. 322
caffer Deyr. (Zoph.) 37
caffer Fåhrs. (Pros.) 404
caffer Fåhrs. (Psamm.) 154
caffer Fåhrs. (Trig.) 272
caffra Fåhrs. (Machla) 122
caffra Péring. (Nes.) 608
caffrum Mäkl. 592
Cairnsi Blackb. 580
cajetana Baudi 206
calabarica Mäkl. 605
calabra Leoni 127
calabrica Reitt. 68
calaharica Péring. 307
calcar F. 459
calcarata Champ. (Eleod.) 243
calcarata F. (Acanth.) 567
calcarata Reitt. (Pros.) 221
calcarata Reitt. (Tent.) 68
calcaratum Champ. 499
calcaratus Baudi (Dend.) 280
calcaratus F. (Scot.) 435
calcaratus Fåhrs. (Hopl.) 572
calcaratus Beauv. (Xyl.) 436

*) Vergl. auch unter *coer.*

calcaratus F. (Scaur.) 181
calcaripes Geb. (Sel.) 277
calcaripes Karsch (Gon.) 322
calcaroides Peyerimh. 309
calculosa Sol. 213
caledonicum Chevr. 322
caledonicus Bates (Diph.) 385
caledonicus Bates (Isop.) 521
californica Cas. (Met.) 28
californica Horn (Anem.) 317
californica Motsch. (Asida) 127
californica Mannerh. (Coel.) 438
californicus Cas. (Zoph.) 95
californicus Horn (Pent.) 387
californicus Mannerh. (Hel.) 537
californicus Motsch. (Blapst.) 300
caliginosus Champ. 446
callichromus Fairm. 576
callida Cas. 267
calligramma Luc. 495
Calliope Chevr. 371
callistomonis Motsch. 367
callosa Gerst. (Zoph.) 37
callosa Motsch. (Trig.) 190
callosa Sem. (Pros.) 222
callosus Cas. 537
calosomoides Fairm. (Cedr.) 450
calosomoides Kirby (Adel.) 509
calpensis Champ. 537
calumniata Esc. 127
calva Esc. 136
calvulum Olliff 322
calvus Seidl. (Hel.) 537
calvus Woll. (Crypt.) 351
Cambyses Seidl. 537
camelus Thoms. 588
Cameroni Reitt. (Crypt.) 351
Cameroni Reitt. (Isoc.) 279
cameruna Kolbe 476
camerunus Geb. (Hopl.) 572
camerunus Geb. (Men.) 452
camoena Fairm. (Porph.) 493
camoena Fairm. (Tetr.) 491
campestris Stev. (Micr.) 61
campestris Baczko (Phyl.) 286
canadensis Kirby 568
canalicollis Lew. 396
canaliculata Cast. (Pseud.) 274
canaliculata Champ. (Ulos.) 411
canaliculata Fisch. (Blaps) 234
canaliculata Mill. (Sten.) 107
canaliculatum Cart. (Adel.) 509
canaliculatum Champ. (Strong.) 592
canaliculatum F. (Leich.) 342
canaliculatum F. (Onc.) 563
canaliculatus Champ. (Arm.) 15
canaliculatus Say (Bothr.) 28
canariensis Brll. (Pim.) 206
canariensis Woll. (Crypt.) 351
canariensis Heer (Pim.) 210
canariensis Woll. (Crypt.) 351
cancellata Kl. 84
cancellatum Mäkl. (Strong.) 592
cancellatum Phil. (Trach.) 362
cancellatum Abeille (Strong.) 598
cancellatus Fairm. (Brad.) 356
cancellatus Fairm. (Der.) 448
cancellatus Montr. (Scot.) 357
cancroides Fauv. 359
Candei Gestro 37
Candezei Deyr. 37
candidipennis Brême 84
candidum Cas. 12
canescens Champ. (Edyl.) 428
canescens Kl. (Pim.) 206
canonica Cas. 267
canum Champ. 27
canus Champ. 124
capensis Cast. (Phal.) 347
capensis F. (Eur.) 275
capensis Motsch. (Ten.) 454
capensis Pér. (Byz.) 431
capensis Pér. (Nyct.) 466
capensis Sol. (Acanth.) 568
capensis Sol. (Asida) 127
capensis Sol. (Onc.) 271
capensis Fåhrs. (Pelt.) 412
caperatus Pasc. 506
capicola Motsch. (Ter.) 471
capicola Muls. (Trig.) 272
capicola Péring. (Dysg.) 605
capicola Péring. (Micr.) 564
capicola Péring. (Praog.) 607
capillata Sol. 209
capillatus All. (Hel.) 537
capillatus Vaul. (Hel.) 538
capitatum Lea 509
capito Kryn. 206
capitosum Chevr. 371
capnisiceps Reitt. 42
capnisiformis Reitt. 50
capnisioides Reitt. (Aph.) 335
capnisioides Reitt. (Cal.) 50
capra Cast. 367
capreola Chevr. 371
capreolus Fairm. 460
capriciosus Muls. 275
capricorne Desbr. 168
capricornis Geb. 387
captiosa Horn 127
captiosus Bates 506
caraboides All. (Blaps) 228
caraboides All. (Char.) 502
caraboides Brll. (Cal.) 50
caraboides Champ. (Xanth.) 467
caraboides Fairm. (Scot.) 184
caraboides Fairm. (Stiz.) 308
caraboides Haag (Psamm.) 154

caraboides Mannerh. (Centr.) 120
caraboides Sol. (Dail.) 44
caraboides Brll. (Hel.) 550
caraboides Kirby (Adel.) 510
caraboides Panz. (Hel.) 545
caraboides Petagna (Enopl.) 529
caraboides Redtenb. (Hel.) 540
caraibus Fleut. 437
carbo Fairm. (Ten.) 454
carbo Fisch. (Blaps) 234
carbonaria Arrow (Set.) 444
carbonaria Boh. (Uloma) 401
carbonaria Phil. (Epip.) 144
carbonaria Say (Eleod.) 243
carbonaria Kraatz (Blaps) 231
carbonarium Cast. 371
carbonarius Gerst. (Hopl.) 572
carbonarius Gerst. (Psamm.) 154
carbonarius Hope (Amar.) 576
carbonarius Pasc. (Eth.) 109
carbonarius Phil. (Nyct.) 24
carbonarius Quens. (Hadr.) 320
carbonarius Kl. (Hopl.) 573
carbonatum Cas. 12
carbonatus Lin. 448
carbunculus Fairm. (Euc.) 486
carbunculus Woll. (Hel.) 548
Carceli Sol. 44
cardiopterus Fairm. 154
Cardonae Perez 135
Cardoni Fairm. 495
careniceps Reiche 110
carenipenne Bates 522
carinata Baudi (Ul.) 400
carinata Eschsch. (Eth.) 109
carinata Gestro (Mes.) 55
carinata Kraatz (Gon.) 570
carinata Kraatz (Las.) 193
carinata Lec. (Nyct.) 118
carinata Sol. (Adesm.) 84
carinata Sol. (Asida) 127
carinata Sol. (Zoph.) 37
carinata Fisch. (Pros.) 220
carinata Lec. (Asida) 128
carinata Sol. (Akis) 173
carinata Sol. (Pim.) 210
carinaticeps Blackb. 580
carinatipennis Péring. 123
carinatum Champ. (Nos.) 97
carinatum Gebl. (Sclerop.) 321
carinatum Baudi (Scler.) 313
carinatum Eschsch. (Adel.) 104
carinatum Sol. (Adel.) 104
carinatus Brême (Sar.) 423
carinatus Cart. (Card.) 506
carinatus Fåhrs. (Amiant.) 152
carinatus Fairm. (Brad.) 356
carinatus Haag (Asph.) 53
carinatus Haag (Psamm.) 154
carinatus Küst. (Dich.) 111
carinatus Muls. (Dend.) 280
carinatus Oertz. (Anom.) 305
carinatus Péring. (Micr.) 564
carinatus Phil. (Nyct.) 24
carinatus Seidl. (Hel.) 538
carinatus Sol. (Erod.) 8
carinatus Sol. (Scaur.) 179
carinatus Sol. (Trach.) 163
carinatus Pet. (Scaur.) 180
carinatus Pic (Hel.) 550
carinatus Sol. (Gyr.) 141
carinatus Sol. (Psamm.) 183
carinicollis Geb. 397
carinifera Geb. 128
carinifrons Fairm. 56
carinimentum Reitt. 540
carinipenne Champ. (Strong.) 592
carinipenne Lin. (Stom.) 12
carinipennis Reitt. 107
carinosa Sén. 206
carinula Mars. (Heter.) 473
carinula Seidl. (Blaps) 228
carinulatum Mäkl. 592
carinulatus Broun 464
cariosa Fairm. 469
cariosicolle Fairm. 592
cariosicollis Fairm. (Psectr.) 146
cariosicollis Sol. (Asida) 128
cariosipenne Fairm. 592
cariosum Mäkl. 592
cariosus Fairm. 478
Caroli Lin. (Amm.) 119
Caroli Muls. (Pyg.) 407
carolinensis Beauv. 435
carpentariae Blackb. 322
carsonica Cas. 268
cartagenica Esc. 128
carus Blackb. (Chalc.) 580
carus Geb. (Hopl.) 572
caryophyllea Wied. 128
Casatii Gestro 572
Caseyi Blaisd. 243
caspia Sem. 189
caspicus Pall. (Stern.) 188
caspicus Sem. (Amm.) 337
cassidioides Boisd. (Sar.) 423
cassidioides Fairm. (Caed.) 338
Cassneri Reitt. 556
castanea Bates (Hopl.) 367
castanea Germ. (Praoc.) 260
castanea Muls. (Blen.) 307
castanea Péring. (Dor.) 606
castanea Motsch. (Hopl.) 368
castaneipenne Mäkl. 592
castaneipennis Champ. 496
castaneipes Bates (Nes.) 608
castaneipes Fairm. (Pseud.) 488
castanescens Fairm. (Evan.) 23

castanescens Fairm. (Strong.) 592
castanescens Fairm. (Dich.) 111
castaneorufus Fairm. 34
castaneum Cas. (Chil.) 20
castaneum Mäkl. (Acr.) 499
castaneum Sol. (Oxyc.) 76
castaneum Herbst (Trib.) 395
castaneus Baudi (Crypt.) 351
castaneus Cas. (Blapst.) 298
castaneus Eschsch. (Scel.) 57
castaneus Fairm. (Mart.) 366
castaneus Horn (Eups.) 463
castaneus Knoch (Idiob.) 454
castaneus Reitt. (Cab.) 292
castaneus Vaul. (Amm.) 5
castaneus Westw. (Leiochr.) 389
castaneus F. (Hyp.) 416
castaneus Reitt. (Sit.) 409
castanopterus Haag 152
castellana Graëlls (Asida) 128
castellana Perez (Pim.) 206
Castelnaudi Deyr. (Zoph.) 37
Castelnaudi Pasc. (Card.) 506
Castelnaui Fleut. (Aleg.) 398
Castelnaui Thoms. (Cuph.) 588
castilianus Pioch. 280
castor Pasc. 421
catalina Cas. 267
catalinae Blaisd. 249
catenata Champ. 531
catenatus Reiche 155
catenulata All. (Tarp.) 531
catenulata Boisd. (Seir.) 512
catenulata Kraatz (Pros.) 221
catenulata Champ. (Tarp.) 531
catenulata Muls. (Asida) 136
catenulatum Fairm. 322
catenulatus Blackb. (Chalc.) 580
catenulatus Cas. (Aneps.) 118
catenulatus M'Leay (Sarag.) 423
catopoides Fairm. 371
caucasica Kraatz (Cal.) 50
caucasica Desbr. (Dail.) 44
caucasicum Reitt. 342
caucasicus All. 538
caudalis Cas. 95
caudata Curt. (Nyct.) 142
caudata Gebl. (Blaps) 228
caudata Horn (Amph.) 505
caudata Sol. (Blaps) 227
caudata Sol. (Eleod.) 250
caudatum Reitt. 342
caudatus All. (Hel.) 538
caudatus Cas. (Noc.) 303
caudatus Deyr. (Anis.) 42
caudifera Lec. 243
caudigera All. (Blaps) 228
caudigera Gemm. (Blaps) 227
cava Herbst 347
cavernosa Fairm. 66
cavernosus Fairm. 125
cavicauda Cas. 26
caviceps Fauv. 501
cavicollis Fairm. 401
cavifrons Champ. (Arg.) 182
cavifrons Champ. (Hel.) 538
cavifrons Chevr. (Hopl.) 367
cavifrons Fairm. (Pycna) 390
cavifrons Fairm. (Tent.) 76
cavifrons Haag (Alog.) 91
cavifrons Reitt. (Sit.) 409
cavifrons Fairm. (Hopl.) 368
cavifrons Sol. (Sten.) 90
cavimanus Sahlb. 292
cavipennis Fauv. 521
cavus Lec. 413
cayennense Mäkl. (Strong.) 592
cayennense Geb. (Trich.) 320
cayennensis Bates (Met.) 411
cayennensis Cast. (Phal.) 347
cayennensis Champ. (Scapt.) 343
cayennensis Motsch. (Nyct.) 443
Cechii Gestro 66
celebum Chevr. 377
cellicola Fald. 47
cellulosus Waterh. 148
celsa Say 251
cenchronota Fairm. 209
centralis Kolbe 475
cephalenica Kraatz 206
cephalotes Champ. (Icc.) 392
cephalotes Pall. (Pim.) 206
ceramboides L. 449
ceratodera Fairm. 411
Cerberus Muls. 546
cercyonoides Fairm. 367
cereus M'Leay 418
Cerisyi Guér. (Scel.) 57
Cerisyi Sol. (Sepid.) 169
cervus Bates 391
ceylonica Motsch. (Laena) 517
ceylonica Chevr. (Diap.) 366
ceylonicum Geb. 592
Chabrieri Fleut. 499
chalceum Mäkl. 592
chalceus Bates (Card.) 506
chalceus Cas. (Bothr.) 28
chalceus Fairm. (Diph.) 385
chalcodes Er. 592
chalcoides Fairm. 494
chalconotum Kirby 592
chalcophanus Fairm. 493
chalcoptera Kl. 496
chalcopterum Mäkl. 592
chalibeus Rossi 538
Chalmeri Broun 514
chalybaeus Fairm. (Nyct.) 466
chalybaeus Fald. (Hed.) 557

chalybaeus Latr. (Hel.) 538
chalybea Cast. 367
chalybeata Fairm. 493
chalybeatus Westw. 389
chalybeipennis M'Leay 483
chalybeus Champ. (Pheg.) 29
chalybeus Geb. (Omol.) 520
Championi Blackb. (Axyn.) 567
Championi Blackb. (Cestr.) 301
Championi Blackb. (Plat.) 371
Championi Cart. (Agast.) 427
Championi Cas. (Dit.) 16
Championi Cas. (Nos.) 97
Championi Fauv. (Epis.) 521
Championi Fauv. (Hyoc.) 338
Championi Horn (Micr.) 123
Championi Sharp (Rhip.) 362
Championi Reitt. (Eur.) 555
Chan Reitt. 195
Chauveneti Sol. (Asida) 128
Chauveneti Sol. (Erod.) 8
Cheesemani Broun 514
Cheesmani Cart. 512
Chevrolati Cast. (Plat.) 371
Chevrolati Champ. (Lob.) 27
Chevrolati Champ. (Oeat.) 442
Chevrolati Deyr. (Zoph.) 37
Chevrolati Fleut. (Phal.) 347
Chevrolati Guér. (Cal.) 117
Chevrolati Guér. (Praoc.) 260
Chevrolati Haag (Mol.) 153
Chevrolati Haag (Trach.) 163
Chevrolati Montr. (Tox.) 460
Chevrolati Muls. (Trig.) 272
Chevrolati Rojas (Cuph.) 588
Chevrolati All. (Dail.) 45
Chevrolati Cast. (Lept.) 5
Chevrolati Mäkl. (Strong.) 596
Chevrolati Reiche (Dich.) 50
Chevrolati Sol. (Blaps) 235
chihuahuensis Champ. 243
Childreni Westw. 482
chilensis Gray (Meg.) 93
chilensis Gray (Eur.) 263
chilensis Wat. (Gramm.) 109
chinense Fairm. (Strong.) 592
chinense Geb. (Gon.) 322
chinensis Fald. (Blaps) 228
chinensis Champ. (Trach.) 344
chinensis Sem. (Phell.) 96
chinensis Fald. (Cyph.) 176
chiriquense Champ. 592
chiriquensis Champ. (Arm.) 15
chiriquensis Champ. (Heg.) 530
chlorizans Pasc. 495
chlorodia Baudi 379
Chobauti Geb. (Oxyc.) 76
Chobauti Reitt. (Anem.) 317
chontalense Champ. 592
chotanica Sem. 33
Christophi Faust 196
chrysochalceus Fairm. 466
chrysomelina Lac. 385
chrysomelinus Fairm. (Brach.) 336
chrysomelinus Kl. (Het.) 386
chrysomelinus Rossi (Alph.) 406
chrysomeloides Champ. (Naut.) 530
chrysomeloides Ol. (Pach.) 200
chrysomeloides Pasc. (Osp.) 426
chrysomeloides Péring. (Vuts.) 573
chrysomeloides Rossi (Pent.) 387
chrysomeloides Sharp (Cer.) 516
chrysomeloides Walk. (Amar.) 577
chrysophthalmus Hope 472
chrysops Herbst 444
chrysosticta Hope 382
cicatricosa Geb. 37
cicatricosus Sol. (Card.) 139
cicatricosus Burm. (Card.) 139
cicatricosus Motsch. (Par.) 471
cicatricula Berg 142
cicatrix Fairm. 6
ciliaris Champ. (Trach.) 345
ciliaris Muls. (Sin.) 331
ciliata Bates (Epiph.) 82
ciliata Er. (Anem.) 317
ciliata F. (Eur.) 99
ciliata Germ. (Praoc.) 260
ciliata Horn (Sphaer.) 266
ciliata Reitt. (Mel.) 336
ciliata Woll. (Phal.) 347
ciliata Herbst (Eur.) 99
ciliatum Sol. 21
ciliatus Bates (Ascel.) 43
ciliatus Champ. (Scapt.) 343
ciliatus Eschsch. (Coel.) 270
ciliatus Seidl. (Adelph.) 559
ciliatus Vaul. (Hel.) 538
cilicicus Sahlb. 292
ciliger Muls. 338
cimeterius Herbst 416
cimicoides Quens. 101
cincta Rosenh. 128
cinctella Mäkl. (Praog.) 605
cinctella Rey (Phal.) 349
cinctellus Fairm. 405
cinctipennis All. (Phal.) 347
cinctipennis Fairm. (Nes.) 608
cinctipennis Fairm. (Psamm.) 162
cinctum Mäkl. 592
cinctus Haag (Trach.) 163
cinctus Ol. (Cuph.) 588
cinerascens Woll. 320
cinerea Sol. (Psect.) 146
cinerea Sol. (Eur.) 99
cinereosparsus Fairm. (Bion.) 587
cinereosparsus Geb. (Ethm.) 166
cinnamomeus Woll. 544

cioides Champ. 367
circassicus Reitt. 288
circulum Haag 115
circumcincta Mäkl. 605
circumcinctus Mäkl. 589
circumducta Rey 349
circumundata Lesne 142
cisteliformis All. 531
cistelina Kl. 347
cisteloides Cart. (Mel.) 504
cisteloides Er. (Blapst.) 298
cisteloides Germ. (Hel.) 538
cisteloides Er. (Adel.) 510
clandestina Pasc. 495
Clarki Woll. (Phal.) 347
Clarki Deyr. (Zoph.) 37
clarus All. (Hel.) 538
clarus Haag (Psamm.) 155
clathrata Champ. (Asida) 128
clathrata Fairm. (Asidobr.) 124
clathrata Sol. (Adesm.) 84
clathratum Mäkl. 593
clathratus Blackb. (Styr.) 428
clathratus F. (Diast.) 275
clathratus Gerst. (Anch.) 278
clathratus M'Leay (Sarag.) 423
clathratus Schauf. (Brad.) 356
clathratus Fåhrs. (Anch.) 278
clathratus Guér. (Scot.) 184
clathratus Ol. (Opatr.) 277
clathratus Sol. (Nyct.) 429
clauda Kolbe (Priosc.) 476
clauda Thoms. (Priosc.) 475
Claudia Buq. 207
clavaria Mén. 201
clavata Kraatz 68
clavatus Muls. 275
clavicorne Champ. (Strong.) 593
clavicorne Fairm. (Strong.) 599
clavicornis All. (Hel.) 538
clavicornis Champ. (Hopl.) 367
clavicornis Champ. (Telch.) 391
clavicornis Eschsch. (Elcod.) 243
clavicornis Fairm. (Anaed.) 470
clavicornis Fairm. (Phym.) 468
clavicrus Mars. 523
clavimanus Reitt. 556
clavipes Fairm. (Lepr.) 450
clavipes Muls. (Adav.) 341
clavipes Mäkl. (Strong.) 593
clavipes Walk. (Zoph.) 434
clavipes Woll. (Gon.) 324
Clementei Perez 128
clementinus Cas. 266
Clementis Seidl. 288
Cleryi Sol. 11
clivinoides Baudi (Laena) 517
clivinoides Horn (Apocr.) 504
Clotzeri Fisch. 228
clypealis Blackb. (Chalc.) 580
clypealis Fairm. (Laena) 517
clypealis Fairm. (Tetr.) 491
clypealis Geb. (Pelt.) 412
clypeata Faust (Cal.) 50
clypeata Gah. (Vieta) 170
clypeata All. (Asida) 129
clypeatum Hald. 377
clypeatus Bates (Met.) 399
clypeatus Fåhrs. (Hopl.) 572
clypeatus Germ. (Coel.) 438
clypeatus Küst. (Hel.) 542
coangoensis Kolbe 431
coarctata Champ. (Eleod.) 243
coarctata Gemm. (Sten.) 107
coarctata Sol. (Pyan.) 585
coarctatus Muls. 303
coarcticollis Cas. (Mel.) 17
coarcticollis (Mitr.) Fairm. 147
coarcticollis Muls. (Dend.) 283
coccinea Cast. 366
coccinelloides Geb. (Hyp.) 575
coccinelloides Westw. (Der.) 388
coecus Sharp 386
coelestina Fauv. 501
coelestinus Fairm. (Nyct.) 467
coelestinus Waltl (Hel.) 538
coelestinus Fairm. (Enc.) 447
coelestis Pasc. 581
coenosus Pasc. (Acr.) 515
coenosus Pasc. (Byrs.) 359
coerulans Fairm. (Amars.) 493*)
coerulans Fairm. (Cedr.) 450
coerulea Champ. (Ect.) 505
coerulea Fauv. (Cer.) 382
coeruleata Fairm. (Nes.) 608
coeruleata Fairm. (Xanth.) 503
coeruleatus Fairm. (Necr.) 448
coeruleatus Kolbe (Dich.) 584
coeruleipes Fairm. 466
coeruleoniger Cart. 506
coerulescens Fairm. (Erg.) 607
coerulescens Fisch. (Hed.) 557
coerulescens Guér. (Enc.) 447
coerulescens Haag (Men.) 451
coerulescens Fairm. (Cam.) 495
coeruleum Cart. (Adel.) 509
coeruleum Cart. (Strong.) 591
coeruleus L. (Hel.) 538
coeruleus Montr. (Macr.) 610
coeruleus Duft. (Hel.) 552.
cognata Haag (Pach.) 58
cognata Mill. (Zoph.) 37
cognata Sol. (Blaps) 228
cognata Haldem. (Eleod.) 245

*) Siehe auch unter *caer.*

cognata-punctata Blaisd. 245
cognata-typica Blaisd. 245
cognatum Mäkl. 593
cognatus Fairm. (Pach.) 295
cognatus Péring. (Trach.) 163
cognitum Cas. 12
collare Geb. (Onc.) 563
collare Motsch. (Plat.) 315
collaris Cas. (Noser.) 96
collaris Cast. (Hoploc.) 367
collaris Champ. (Asida) 128
collaris Fisch. (Ear.) 187
collaris Geb. (Hoplon.) 572
collaris Germ. (Hel.) 525
collaris Guér. (Diast.) 183
collaris Haag (Psamm.) 155
collaris L. (Elen.) 121
collaris Motsch. (Amen.) 442
collaris Muls. (Phyl.) 285
collaris Pasc. (Exen.) 98
collaris Sharp (Art.) 503
collatina Reiche 68
Colliardi Fairm. 331
colombianum Champ. 593
coloratus Fairm. (Nyct.) 467
coloratus Haag (Psamm.) 155
colossus Blackb. (Chalc.) 580
colossus Brême (Hel.) 421
columbianus Mäkl. 562
columbina Er. 500
columbinum Chevr. 489
columbinus Boisd. 579
colydiiformis Reitt. 36
colydioides Hope (Men.) 451
colydioides Lew. (Hyp.) 413
comata Kl. (Pim.) 207
comata Reiche (Sten.) 107
comatus Cart. (Helaeus) 421
comatus Champ. (Ulus) 296
comatus Haag (Psamm.) 155
comatus Vaul. (Helops) 539
Combae Géné 128
commodum Pasc. 509
commune Champ. 27
communis Blaisd. 249
commutatum Mäkl. 593
comoriense Fairm. 98
compacta Fairm. (Hem.) 384
compacta Fairm. (Praoc.) 260
compacta Fairm. (Sten.) 89
compacta Fairm. (Uloma) 401
compactum Fairm. 312
compactus Champ. (Zoph.) 94
compactus Fairm. (Tanch.) 526
compactus Motsch. (Emm.) 18
compar Cas. 13
complanata Sol. (Zoph.) 37
complanata Luc. (Asida) 135
complanatum Guér. 322
composita Cas. (Eleod.) 246
composita Reitt. (Pros.) 223
compositus Cas. 265
compressa Fairm. (Sep.) 167
compressa Reitt. (Gnath.) 43
compressa Horn (Asida) 129
compressipes Reitt. 219
compressitarsis Müll. 155
compressus All. 530
comptum Er. 593
comptus Haag 155
concavidorsis Reitt. 177
concavum Lec. 253
concinna Burm. (Praoc.) 260
concinna Fåhrs. (Syng.) 610
concinnum Mäkl. 593
concinnus Bates (Asc.) 43
concinnus Fåhrs. (Psamm.) 155
concisa Walk. 86
concolor Champ. (Plat.) 371
concolor Lec. (Cer.) 182
concolor Lec. (Hapl.) 437
concolor Lec. (Zopher.) 95
concolor Sharp (Choer.) 350
concolor Woll. (Zophob.) 435
concors Cas. 12
conferta Cas. 267
confertus Cas. (Bothr.) 28
confertus Woll. (Hel.) 539
confine Mäkl. 593
confinis Blaisd. 244
confirmatus Pasc. 423
confluens Blackb. (Chalc.) 580
confluens Fairm. (Nyct.) 142
confluens Fisch. (Blaps) 231
confluens Lec. (Asida) 128
confluens Mill. (Amn.) 10
confluens Reitt. (Cat.) 408
confluens Seidl. (Hel.) 539
confluens All. (Blaps) 239
confluens Haag (Adesm.) 87
conformis Gemm. (Hel.) 539
conformis Desbr. (Pach.) 58
confrater Brancs. 125
confusa Fairm. (Set.) 444
confusa Kraatz (Asida) 128
confusa Sén. (Pim.) 207
confusa Solsky (Stal.) 203
confusa Fåhrs. (Geoph.) 103
confusa Fisch. (Blaps) 234
confusa Mén. (Blaps) 231
confusa Sol. (Praoc.) 262
confusa Westw. (Tar.) 441
confusum All. (Sep.) 170
confusum Jacq. (Trib.) 394
confusus Bates (Nyct.) 467
confusus Champ. (Dit.) 16
confusus Geb. (Zoph.) 434
confusus M'Leay (Pter.) 418

confusus Pasc. (Dict.) 583
congener Cas. (Eus.) 265
congener Cas. (Met.) 12
congener Reiche (Hel.) 539
congener Rottb. (Dil.) 294
congener Woll. (Hel.) 539
congesta Cas. (Con.) 267
congesta Gerst. (Zoph.) 37
congesta Pasc. (Seir.) 513
congestus Pasc. 361
congoanus Kolbe 472
congolense Fairm. 98
congregatus Woll. 547
congruens Cas. (Met.) 12
congruens Péring. (Psamm.) 155
conica Motsch. 47
conicicolle Mäkl. 593
conicicollis Cas. (Con.) 267
conicicollis Cas. (Ster.) 16
conifera Sol. 90
conjuncta Haag (Adesm.) 87
conjuncta Walk. (Eleod.) 248
conjunctus Reitt. 283
conjungens Fairm. 146
connata Sol. 243
connexum Bates 380
connexus Bates (Mac.) 466
connexus Haag (Amiant.) 152
connexus Haag (Card.) 507
connexus Haag (Psamm.) 155
connivens Lec. 127
conquinatus Karsch 451
Conradti Champ. (Strong.) 593
Conradti Seidl. (Blaps) 228
Conradti Seidl. (Plat.) 255
Conradti Sem. (Apat.) 186
Conradti Kolbe (Strong.) 598
consanguinea All. (Asida) 188
consanguinea All. (Pros.) 220
consentanea Perr. 401
consentaneus Küst. 539
consimile Mäkl. 593
consimilis Gah. (Adesm.) 84
consimilis Geb. (Asida) 128
consita Haag 115
consobrina Bates (Pseud.) 496
consobrina Horn (Asida) 128
consobrina Lec. (Eleod.) 243
consobrina Luc. (Pim.) 207
consobrina Phil. (Praoc.) 260
consobrina Péring. (Asida) 128
consobrinus Fairm. (Chem.) 491
consobrinus Péring. (Der.) 34
consocia Péring. 567
consors Péring 155
conspersus Müll. 566
conspurcatus Champ. 437
constricta Seidl. (Plat.) 255
constricta Stev. (Scyth.) 64
constricta Lec. (Eleod.) 249
constrictus Champ. (Micr.) 15
constrictus Champ. (Par.) 471
constrictus Seidl. (Hel.) 539
consularis Champ. 421
contaminans Cas. 28
contigua Champ. 531
continua Desbr. 59
contortus Lec. 124
contracta Beauv. (Mer.) 568
contracta Fairm. (Asid.) 146
contracta Fairm. (Uloma) 401
contractum Blaisd. (Emb.) 253
contractum Fairm. (Plat.) 372
contractum Gerst. (Gon.) 322
contractus Fairm. (Asth.) 575
contractus Fairm. (Scaur.) 179
contractus Haag (Trach.) 163
contractus Hope (Symp.) 422
contrahens Walk. 322
contraria Desbr. 191
contusum Lec. 253
convergens Cas. (Con.) 267
convergens Reitt. (Pros.) 221
convergens Walk. (Adesm.) 84
convexa Bates (Pter.) 195
convexa Germ. (Praoc.) 260
convexa Gestro (Anem.) 317
convexa Lec. (Asida) 128
convexa Reiche (Blaps) 228
convexa Tausch. (Micr.) 61
convexa Bess. (Micr.) 62
convexa Blaisd. (Eleod.) 251
convexa Fisch. (Blaps) 232
convexa Lec. (Eleod.) 246
convexicolle Desbr. (Cal.) 50
convexicolle Lec. (Met.) 12
convexicollis Fairm. (Asid.) 527
convexicollis Fairm. (Brad.) 356
convexicollis Fairm. (Cam.) 492
convexicollis Fairm. (Mel.) 307
convexicollis Lec. (Asida) 128
convexicollis M'Leay (Sarag.) 423
convexicollis Motsch. (Micr.) 61
convexicollis Reitt. (Laena) 517
convexicollis All. (Asida) 135
convexicollis Blaisd. (Eleod.) 245
convexicollis Küst. (Hel.) 536
convexicollis Motsch. (Blaps) 240
convexicollis Sén. (Pim.) 210
convexicollis Walk. (Eleod.) 248
convexifrons Chevr. (Plat.) 372
convexifrons Fairm. (Hel.) 539
convexipenne Fairm. 593
convexipennis All. (Trient.) 22
convexipennis Fairm. (Psectr.) 146
convexipennis Geb. (Sel.) 277
convexiventris Fairm. 4
convexiuscula Gerst. (Zoph.) 37

convexiuscula Haag (Eur.) 99
convexiusculum M'Leay 509
convexiusculus Desbr. (Cab.) 292
convexiusculus M'Leay (Amar.) 577
convexiusculus M'Leay (Pter.) 418
convexiusculus M'Leay (Amar.) 578
convexiusculus Hope (Men.) 451
convexulus Cas. (Nos.) 96
convexulus Lec. (Hel.) 539
convexus Champ. (Arrh.) 399
convexus Er. (Epitr.) 25
convexus Küst. (Hel.) 539
convexus Lec. (Eus.) 265
convexus Lec. (Ster.) 16
convexus Lew. (Leiochr.) 389
convexus Montr. (Epis.) 522
convexus Pasc. (Amar.) 577
convexus Sol. (Psamm.) 155
coordinata Fisch. 215
cophosioides Fald. 378
Coquereli Fairm. (Asid.) 257
Coquereli Fairm. (Cer.) 382
Coquereli Fairm. (Chem.) 491
Coquereli Fairm. (Nes.) 608
Coquereli Fairm. (Nyct.) 467
Coquereli Fairm. (Cam.) 492
Coquilletti Lin. 265.
coracina Knoch (Set.) 444
coracina Fairm. (Set.) 444
corallifer Thoms. 588
corallifera Reitt. 190
corallipes Chevr. (Cosm.) 379
corallipes Hope (Scot.) 485
corallipes Reitt. (Laena) 517
corallipes Reitt. (Hel.) 542
cordata All. (Trig.) 190
cordata Eschsch. (Eleod.) 243
cordata Kraatz (Pim.) 207
cordata Schneid. (Phal.) 347
cordata Seidl. (Blaps) 229
cordatum Sol. 104
cordatus Küst. 550
cordicollis All. (Pros.) 221
cordicollis Fairm. (Akis) 173
cordicollis Fauv. (Byrs.) 359
cordicollis Kirsch (Erem.) 21
cordicollis Mars. (Hel.) 539
cordicollis Mars. (Tarp.) 531
cordicollis Pasc. (Card. 507
cordicollis Reitt. (Dich.) 110
cordicollis Seidl. (Hed.) 557
cordicollis Sol. (Blaps) 228
cordicollis Baudi (Hel.) 544
cordicollis Sol. (Gon.) 304
cordiformis Haag 155
cordipennis Broun 319
cordiventris Haag 155
cordofanum Haag 563
cordovense Champ. 372
coriacea Fisch. (Blaps) 240
coriacea Kl. (Pach.) 200
coriacea Motsch. (Anat.) 49
coriacea Sol. (Eleod.) 259
coriacea Sol. (Pros.) 220
coriaceipennis Péring. 573
coriaceum Motsch. 322
coriaceus Fairm. (Gyr.) 141
coriaceus Gerst. (Psamm.) 155
coriaceus Muls. (Caed.) 338
coriaceus Oertz. (Anom.) 305
coriaceus Baudi (Dend.) 281
coriaceus Küst. (Hel.) 536
coriaria Fairm. (Anem.) 317
coriaria Fairm. (Psectr.) 146
coriaria Reitt. (Mel.) 336
coriarius Fairm. 559
corinthius Fairm. 356
corinthus Fairm. 486
cornifrons Rossi 368
cornigera F. (Hopl.) 368
cornigera Gestro (Sep.) 167
cornuta Pic 317
cornutum F. 443
cornutus Arrow (Cher.) 362
cornutus Champ. (Nupt.) 446
cornutus F. (Byrs.) 359
cornutus F. (Gnath.) 391
cornutus Fisch. (Anthr.) 462
cornutus M'Leay (Pter.) 418
cornutus Panz. (Bol.) 355
cornutus Waterh. (Mech.) 432
cornutus Thunb. (Bol.) 358
coromandelensis Sol. (Hyp.) 51
coromandelensis Sol. (Micr.) 61
coronadensis Blaisd. 298
coronata Ol. 196
corpulenta Champ. 532
corpulentus Reitt. 333
correntinum Berg 593
corrosa All. (Blaps) 229
corrosa Fisch. (Blaps) 231
corrosus Cas. (Disc.) 264
corrosus Cas. (Nos.) 96
corrugata Curt. (Nyct.) 142
corrugata Rosenh. (Tent.) 68
corrugatus Seidl. 539
corrugosus Seidl. 539
corruscus Fairm. 484
corsica Cast. (Asida) 128
corsica Sol. (Pim.) 213
corsicus All. (Neph.) 558
corsicus Sol. (Dich.) 111
corsicus Perr. (Dend.) 280
corticalis Champ. (Nupt.) 446
corticalis Payk. (Bor.) 463
corticaroides Champ. 471
corticeus Fairm. 351
corticola Say 358

coruscans Pasc. 502
corvina Cas. 267
corvinus Boh. (Anaed.) 470
corvinus Er. (Men.) 451
corvinus Küst. (Hel.) 539
corvinus Muls. (Opatr.) 276
corvus Pasc. 520
corynomelas Pasc. 470
cossyrensis Ragusa 58
Costae Karsch 401
costalis Haag 155
costaricense Champ. 593
costaricensis Champ. (Heg.) 530
costaricensis Champ. (Zoph.) 94
costata All. (Vieta) 170
costata Champ. (Tarp.) 532
costata F. (Crypt.) 115
costata Fåhrs. (Apt.) 563
costata Geb. (Pog.) 100
costata Pall. (Pter.) 195
costata Sol. (Asida) 129
costata Sol. (Praoc.) 260
costata Sol. (Tap.) 93
costata Waltl (Pim.) 207
costata Westw. (Steira) 101
costata Blaisd. (Eleod.) 252
costata Fisch. (Pros.) 225
costatipennis Luc. 309
costatissima Reitt. 192
costatula Sol. 260
costatum Brll. (Gon.) 322
costatum Waltl (Adel.) 104
costatus Blackb. (Chalc.) 580
costatus Blanch. (Der.) 23
costatus Brême (Sphaer.) 527
costatus Brll. (Phyl.) 309
costatus Er. (Asph.) 53
costatus Fåhrs. (Gon.) 304
costatus Fairm. (Scotod.) 357
costatus Geb. (Cestr.) 301
costatus Gerst. (Micr.) 564
costatus Guér. (Amm.) 119
costatus Guér. (Hip.) 445
costatus Guér. (Psamm.) 183
costatus Guér. (Scotob.) 184
costatus Horn (Meg.) 264
costatus Lec. (Trogl.) 252
costatus M'Leay (Pter.) 418
costatus Oertz. (Anom.) 305
costatus Péring. (Amiant.) 152
costatus Sol. (Erod.) 8
costatus Sol. (Hel.) 566
costatus Wasm. (Tetr.) 110
costatus Waterh. (Ped.) 301
costatus Har. (Met.) 478
costatus Silb. (Pycn.) 479
costatus Sol. (Sarag.) 424
costella Broun 425
costifera Kraatz (Pros.) 221
costifera Waterh. (Dies.) 189
costiferum Waterh. 323
costifrons Woll. 6
costipenne Mäkl. 593
costipennis Bates (Chian.) 257
costipennis Berg (Epitr.) 25
costipennis Cart. (Aeth.) 428
costipennis Fairm. (Psectr.) 146
costipennis Horn (Ton.) 303
costipennis Kolbe (Amiant.) 152
costipennis Lec. (Arae.) 105
costipennis Lec. (Arg.) 182
costipennis Lec. (Asida) 129
costipennis Muls. (Diast.) 275
costipennis Sol. (Praoc.) 260
costipennis Woll. (Heg.) 78
costipennis Woll. (Pim.) 207
costipennis Ball. (Pros.) 224
costipennis Lec. (Asida) 138
costulata Baudi (Sten.) 107
costulata Cas. (Con.) 267
costulata Fairm. (Tag.) 217
costulata Sol. (Asida) 129
costulatum Mäkl. 593
costulatus Fairm. (Barl.) 569
costulatus Fairm. (Bol.) 358
costulatus Fairm. (Ozaen.) 453
costulatus Fairm. (Par.) 140
costulatus Guér. (Opatr.) 276
costulatus Horn (Cer.) 182
costulatus Kolbe (End.) 431
costulatus Phil. (Nyct.) 254
costulicollis Fairm. 430
costulifer Fairm. 277
costuligera Heyd. 193
costulipennis Fairm. 116
cothurnata Forsk. 84
Cottae Fairm. (Cam.) 495
Cottae Fairm. (Nes.) 608
Coucyi Luc. 84
cowardense Blackb. 323
coxalis Champ. 539
crassa Woll. (Anem.) 317
crassa Reiche (Blaps) 228
crassecostata Fairm. 142
crassecostatus Fairm. 612
crassicauda Fairm. 305
crassicaudatum Gestro 168
crassicollis Fairm. (Asida) 129
crassicollis Fairm. (Nyct.) 467
crassicollis Küst. (Hel.) 540
crassicollis Kraatz (Pach.) 58
crassicollis Küst. (Hel.) 542
crassicorne Champ. 593
crassicornis Bates (Card.) 507
crassicornis Baudi (Steg.) 52
crassicornis Blackb. (Nyct.) 429
crassicornis Broun (Lor.) 464
crassicornis Cas. (Blapst.) 298

crassicornis Cas. (Eul.) 182
crassicornis Cas. (Mel.) 17
crassicornis Champ. (Arg.) 182
crassicornis Champ. (Hyp.) 413
crassicornis Chevr. (Hopl.) 368
crassicornis Er. (Evan.) 23
crassicornis Fairm. (Anarm.) 607
crassicornis Fairm. (Blaps) 228
crassicornis Fairm. (Gon.) 570
crassicornis Motsch. (Bas.) 381
crassicornis Pasc. (Elasc.) 361
crassicornis Waterh. (Psamm.) 183
crassicornis Westw. (Cal.) 477
crassicornis All. (Dich.) 112
crassicornis Bates (Spil.) 369
crassicornis Desbr. (Dail.) 45
crassicosta Fairm. 146
crassicrus Fairm. 448
crassipes All. (Asida) 129
crassipes Cas. (Noc.) 303
crassipes Champ. (Tarp.) 532
crassipes Fisch. (Bel.) 459
crassipes Sol. (Crypt.) 115
crassipes Sol. (Pim.) 212
crassiusculus Fairm. (Mes.) 295
crassiusculus Muls. (Dend.) 280
crassula Cas. 13
crassum Cas. 12
crassus Fairm. (Epitr.) 25
crassus Lec. (Ulus) 296
crassus Sharp (Men.) 386
Cratii Mor. 175
creber Blackb. 480
crenata Boisd. (Set.) 444
crenata Champ. (Aem.) 469
crenata F. (Morica) 172
crenata F. (Pim.) 207
crenata F. (Pseud.) 274
crenata Germ. (Cat.) 408
crenata Lec. (Eut.) 408
crenata Muls. (Phth.) 396
crenata Pasc. (Isost.) 344
crenata Perty (Gon.) 468
crenata Reiche (Dail.) 45
crenata Sol. (Eur.) 99
crenata F. (Mor.) 172
crenata Fåhrs. (Eur.) 100
crenata Schauf. (Asida) 129
crenaticolle Mäkl. 499
crenaticollis Cart. (Bryc.) 512
crenaticollis M'Leay (Nyct.) 429
crenatipennis Cart. 421
crenatocostata Blanch. (Emm.) 185
crenatocostata Redt. (Machl.) 102
crenatocostatus Fairm. 152
crenatostriata Bates (Daedr.) 508
crenatostriata Fairm. (Uloma) 401
crenatostriata Imh. (Tar.) 441
crenatostriata Motsch. (Set.) 444
crenatostriatus All. 540
crenatum F. (Scler.) 321
crenatum Lec. (Plat.) 372
crenatum Mäkl. (Strong.) 593
crenatum Er. (Gon.) 326
crenatus Blanch. (Phob.) 469
crenatus Broun (Syrph.) 319
crenatus Fairm. (Het.) 473
crenatus Fairm. (Sel.) 277
crenatus Fairm. (Tell.) 447
crenatus Kl. (Alph.) 405
crenatus F. (Bol.) 358
crenatus F. (Plat.) 273
crenicollis Haag (Psamm.) 155
crenicollis Kirby (Scotin.) 139
crenicollis Pasc. (Seir.) 512
crenicollis Phil. (Scotob.) 184
crenicosta Guér. 147
crenipennis Motsch. (Cher.) 362
crenipennis Motsch. (Der.) 448
crenulata Fairm. (Sten.) 609
crenulata Baudi (Ulom.) 402
crenulatus Champ. (Par.) 471
crenulatus Er. (Dros.) 566
crenulatus Fairm. (Barat.) 526
crenulatus Fairm. (Pach.) 295
crenulatus Fairm. (Tal.) 562
crenulatus Haag (Sacc.) 116
crenulatus Mén. (Dend.) 280
crenulatus M'Leay (Pter.) 418
crenulatus M'Leay (Sar.) 423
crenulicollis Bates (Card.) 507
crenulicollis Fairm. (Amm.) 338
crenulicollis Fairm. (Brad.) 356
crenulicollis Fairm. (Cat.) 458
creticus Motsch. 280
cretensis Seidl. 540
cribellatus Fairm. 333
cribra Sol. 207
cribrarium Blanch. 461
cribrarius Mäkl. 562
cribrata Blanch. (Psectr.) 146
cribrata Sol. (Praoc.) 260
cribratella Fairm. 43
cribratellus Fairm. (Lypr.) 472
cribratellus Fairm. (Men.) 472
cribratellus Reitt. (Psil.) 315
cribratissimum Thoms. 593
cribratostriatus Muls. 283
cribratum Luc. (Strong.) 593
cribratum Woll. (Oxyc.) 76
cribratus Blackb. (Chalc.) 580
cribratus Brême (Sphaer.) 527
cribratus Chevr. (Hel.) 283
cribratus Gerst. (Per.) 100
cribratus Horn (Emm.) 16
cribratus Lec. (Cer.) 182
cribratus Lec. (Glypt.) 446
cribratus Motsch. (Par.) 471

cribratus Chevr. (Scot.) 435
cribratus Waltl (Dend.) 280
cribrella Baudi (Pros.) 221
cribrella Reitt. (Laena) 517
cribriceps Cas. (Met.) 12
cribriceps Fairm. (Hel.) 525
cribricolle Cas. 27
cribricollis All. (Clit.) 340
cribricollis Baudi (Cab.) 292
cribricollis Brll. (Gnoph.) 79
cribricollis Cas. (Blapst.) 298
cribricollis Fairm. (Porph.) 493
cribricollis Fairm. (Praog.) 605
cribricollis Fairm. (Pseud.) 404
cribricollis Fairm. (Scot.) 184
cribricollis Fairm. (Tent.) 68
cribricollis Horn (Triph.) 81
cribricollis Muls. (Blen.) 307
cribricollis Leoni (Asida) 131
cribrifrons Fairm. (Set.) 444
cribrifrons Mars. (Lypr.) 472
cribripenne Imh. 593
cribripennis All. (Hel.) 540
cribripennis Fairm. (Enc.) 447
cribripennis Fairm. (Par.) 577
cribripennis Luc. (Hed.) 557
cribripennis Sol. (Pim.) 207
cribripennis Luc. (Hel.) 551
cribripennis Reitt. (Pros.) 220
cribripes Haag (Adesm.) 84
cribripes Mäkl. (Strong.) 593
cribrosa Sol. (Blaps) 228
cribrosa Bess. (Pach.) 60
cribrum Fairm. 448
crinalis Broun 386
crinifer Fairm. 139
crinita All. (Vieta) 170
crinita Kl. (Thript.) 199
crinita Sol. (Pach.) 200
crinitus Fall (Par.) 471
crinitus Haag (Trach.) 163
crispa Quedenf. 317
crispata Fairm. (Zoph.) 40
crispata Rey (Asida) 129
crispaticollis Fairm. 141
crispatus Fairm. (Andr.) 125
crispatus Fairm. (Phryn.) 150
crispatus Germ. (Scot.) 184
cristallisata Lac. 144
cristata Eschsch. (Nyct.) 118
cristata Fairm. (Machl.) 122
cristata Geer (Phl.) 149
cristata Sén. (Podh.) 204
cristatum F. (Sepid.) 168
cristatum Eschsch. (Adel.) 104
cristatus Champ. (Epitr.) 25
cristatus Fåhrs. (Hopl.) 572
cristatus Sol. (Dros.) 566
cristovallense Montr. 323
croaticus Truq. 440
Croesus Bates (Nes.) 608
Croesus Blackb. (Chalc.) 580
Crotchi Woll. 411
cruciatum Chevr. 380
cruciatus Sol. 6
crucifera Haag 150
cruentatum Cast. (Plat.) 372
cruentatum Chevr. (Cyrt.) 489
cruentatum Mäkl. (Strong.) 593
cruentum Perty 372
cruentus Péring. 163
crurale Fairm. 593
cruralis Fairm. 583
crypticoides Deyr. (Zoph.) 37
crypticoides Fairm. (Arthr.) 6
crypticoides Reitt. (Plat.) 255
cryptícola Reitt. 43
cryptocephalus Phil. 525
crystallina Sem. 74
cubica Guér. 151
cucujiformis Reitt. 410
cucujinus Horn 440
cucullata Fisch. 401
cucullatus Fairm. (Brad.) 356
cucullatus Lacord.(Calymmoph.) 259
cucullatus Pasc. (Calymmus) 355
cucullatus Montr. (Gnath.) 392
culinaris L. 401
cultellatum Mäkl. 593
cultratus Fairm. 150
cultrimargo Sén. 207
cunctans Cas. 15
cuneata Cas. 267
cuneaticollis Cas. 244
cuneatus Fairm. 271
Cupido Pasc. 577
cuprarius Web. 577
cuprascens Cas. 29
cuprea Pasc. (Cal.) 494
cuprea Pasc. (Elix.) 489
cuprea Cast. (Mer.) 568
cupreatus Kolbe 584
cupreipennis M'Leay 483
cupreocinctum Fairm. 593
cupreofossus Fairm. 577
cupreolineatus Lin. 568
cupreolus Fairm. 125
cupreonitens Champ. 499
cupreostriata Fairm. 497
cupreoviridis All. 532
cuprescens Cart. 509
cupreum Champ. (Lob.) 27
cupreum Mäkl. (Strong.) 593
cupreus F. (Chalc.) 580
cupreus F. (Odont.) 477
cupreus Gray (Orem.) 482
cupreus Guér. (Amar.) 577
cupreus Fourcr. (Hel.) 546

cupreus Pasc. (Amar.) 578
cupricolle Mäkl. 593
cupricollis Hope (Amar.) 577
cupricollis Kraatz (Euc.) 486
cupricollis M'Leay (Proph.) 483
cuprina Fairm. 501
cuprinus Coquer. 491
cupripenne Chevr. (Cyrt.) 489
cupripenne Mäkl. (Strong.) 593
cupripenne Chevr. (Cyrt.) 489
cupripennis Boh. (Epitr.) 25
cupripennis Champ. (Hel.) 540
cupripennis Champ. (Poec.) 589
cupripennis Hope (Chalc.) 580
cupripennis Mäkl. (Praog.) 605
cupripennis Pasc. (Char.) 502
cupripennis Boh. (Set.) 444
cupripennis Germ. (Chalc.) 579
cupripes Imh. 593
cupriventre Mäkl. 499
cuproaeneus Fairm. 577
curculionides Herbst (Tent.) 68
curculionides Sol. (Phl.) 150
curculionides Stev. (Tent.) 69
cursor Fåhrs. (Herp.) 181
cursor Herbst (Sten.) 89
cursor Mén. (Pim.) 207
cursor Péring. (Acanth.) 567
cursor Chevr. (Adesm.) 84
cursor Deyr. (Zoph.) 39
cursor Guér. (Mic.) 75
cursoria Haag 86
curta All. (Asida) 129
curta Champ. (Eleod.) 244
curta Deyr. (Zoph.) 38
curta Er. (Gnoph.) 79
curta Haag (Crypt. 115
curta Sol. (Praoc.) 260
curta Sol. (Zoph.) 40
curta Stev. (Tent.) 68
curticollis Cas. (Tel.) 13
curticollis Fairm. (Lypr.) 472
curticollis Haag (Pim.) 212
curticorne Champ. 593
curticornis Fairm. 442
Curtisi Fairm. (Gyr.) 141
Curtisi Sol. (Praoc.) 260
curtula Geb. 58
curtulum Mäkl. 593
curtulus Broun (Menim.) 386
curtulus Cas. (Coel.) 270
curtulus Fairm. (Opatr.) 332.
curtulus Fairm. (Sel.) 277
curtulus Muls. (Ped.) 288
curtulus Olliff (Mener.) 453
curtulus Breit (Phyl.) 286
curtum Haag (Adel.) 104
curtum Woll. (Oxyc.) 76
curtum Mill. (Opatr.) 329
curtus Brll. (Arthr.) 6
curtus Champ. (Ster.) 16
curtus Fairm. (Het.) 386
curtus Muls. (Diast.) 275
curva Mars. 489
curvatipennis Esc. 129
curvatus Muls. 307
curvicolle Reitt. 323
curvicorne Blackb. (Tox.) 461
curvicorne Chevr. (Tox.) 461
curvicornis Champ. 392
curvilineatus Guér. 141
curvipes Bates (Card.) 507
curvipes Cas. (Crypt.) 14
curvipes Champ. (Trich.) 320
curvipes Desbr. (Laena) 517
curvipes Geb. (Amar.) 577
curvipes Guér. (Pseud.) 274
curvipes Kirby (Sphaer.) 528
curvipes Mäkl. (Poec.) 589
curvipes Muls. (Ped.) 288
curvipes Baudi (Blaps) 229
curvipes F. (Men.) 452
curvipes Sol. (Erod.) 10
cyaneicollis Fairm. 484
cyaneipennis Champ. (Omol.) 520
cynaeipennis Péring. (Praog.) 605
cyaneipennis Pasc. (Brad.) 356
cyaneocastanea Fairm. 605
cyaneocuprea Fairm. 493
cyaneolimbatus Fairm. 484
cyaneostriatus Fairm. (Prosc.) 493
cyaneostriatus Fairm. (Tetr.) 491
cyanescens Cast. (Plat.) 372
cyanescens Fairm. (Hopl.) 572
cyanescens Fairm. (Nes.) 608
cyanescens Fairm. (Pycn.) 479
cyaneum Cast. (Plat.) 372
cyaneum Kraatz (Pseud.) 604
cyaneum Péring. (Strong.) 593
cyaneus Bates (Isop.) 521
cyaneus Fairm. (Art.) 484
cyaneus Pasc. (Cuph.) 588
cyaneus Pasc. (Omol.) 520
cyaneus Pasc. (Plat.) 480
cyaneus F. (Metall.) 478
cyanicolle F. 593
cyanicorne Er. 593
cyanipennis Fairm. (Nes.) 608
cyanipennis Fairm. (Tetr.) 492
cyanipennis Hope (Chalc.) 581
cyanipennis Hope (Men.) 451
cyanipes All. (Hel.) 540
cyanipes F. (Strong.) 593
cyanipes Kirby (Strong.) 598
cyaniventre Mäkl. 593
cychroides Fairm. 228
cycladica Reitt. 201
cyclodera Fairm. 56

cylindracea Reitt. 219
cylindrica Cas. (Con.) 267
cylindrica Geb. (Cal.) 477
cylindrica Germ. (Oect.) 449
cylindrica Mäkl. (Praog.) 605
cylindrica Sol. (Tent.) 68
cylindrica Herbst (Pros.) 223
cylindrica Sol. (Pim.) 205
cylindricollis Reitt. 217
cylindricornis Fairm. (Nothr.) 52
cylindricornis Lin. (Achr.) 451
cylindricum Cas. (Met.) 12
cylindricum Mäkl. (Strong.) 594
cylindricus Baudi (Dich.) 111
cylindricus Blackb. (Chalc.) 580
cylindricus Champ. (Icc.) 392
cylindricus Fairm. (Nann.) 498
cylindricus Herbst (Men.) 452
cylindricus Reitt. (Hyp.) 413
cylindricus Reitt. (Hyp.) 413
cylindricus Waltl (Ped.) 290
cylindriformis Cas. 540
cylindrigerum Fairm. 168
cylindronotoides Reitt. 540
cylindropastica Kryn. 223
cynaeoides Champ. 411
cyphonotus Fairm. 6
cypraea Kraatz 402
cypraeum Reitt. 328
cypria Kraatz (Tent.) 68
cypria All. (Uloma) 402
cypriotes Mars. 402
cyprius All. 540
cyrenaica Seidl. 239

dactylispinus Mars. 351
Daemeli Haag (Laon.) 482
Daemeli Haag (Nyct.) 429
Dahli Küst. (Opatr.) 328
Dahli Sol. (Blaps) 234
dalmatinus Germ. (Dend.) 280
dalmatinus Kraatz (Erod.) 9
dalmatinus Reitt. (Phyl.) 309
dama F. 594
damara Péring. 84
damarensis Péring. (Anis.) 42
damarensis Péring. (Sten.) 89
damaricus Oertz. 305
damarina Péring. 38
damarinus Péring. (Der.) 34
damarinus Péring. (Herp.) 181
damarinus Péring. (Psamm.) 155
damarinus Péring. (Trach.) 163
damascena Fisch. (Blaps) 232
damascena Kraatz (Anat.) 48
damascenum Baudi 313
damascenus Küst. 553
damasci Sén. 208
Damone Reitt. 46
dapsoides Fairm. 570
dardanum Stev. (Dich.) 49
dardanum Stev. (Opatr.) 329
dardanus Fald. 280
darlingensis Blackb. 295
Darwini Blackb. (Mes.) 295
Darwini Faust (Ocn.) 196
Darwini Lea (Pter.) 418
Darwini Waterh. (Nyct.) 142
Darwini Waterh. (Par.) 560
darwiniensis M'Leay 418
dasypoides Lac. 259
dasypus Seidl. 540
Dathan Crotch 168
Davidea Fairm. 229
Davidis Fairm. (Asid.) 218
Davidis Fairm. (Ent.) 556
Davidis Fairm. (Ples.) 583
Davidis Fairm. (Set.) 444
Davidis All. (Blaps) 229
dayensis Muls. 202
debile Mäkl. 594
debilicollis Cas. 29
debilicornis Kraatz (Gon.) 570
debilicornis Kraatz (Thript.) 199
debilis Blackb. (Hel.) 421
debilis Cas. (Blapst.) 298
debilis Cas. (Coel.) 270
debilis Cas. (Tel.) 13
debilis Champ. (Arrh.) 400
debilis Champ. (Astr.) 124
debilis Champ. (Hes.) 437
debilis Fåhrs. (Apt.) 563
debilis Gerst. (Mes.) 296
debilis Lec. (Eleod.) 244
debilis Lec. (Phal.) 347
debilis Péring. (Psamm.) 155
debilis Kiesenw. (Ped.) 288
decemcostata Cart. 429
decemcostatus Geb. 150
decemlineatum Champ. 489
decemsignatus Mäkl. 589
deceptor Péring. 305
decifiens Cas. 118
decipiens Fairm. (Aph.) 494
decipiens Fairm. (Hap.) 522
decipiens Lec. (Arae.) 105
decipiens Pasc. (Cam.) 495
decipiens Péring. (Dysg.) 607
declivis Er. (Evan.) 23
declivis Reitt. (Gnath.) 43
decoloratum Mäkl. 594
decora Blanch. 148
decorata Er. (Pil.) 148
decorata Sol. (Crypt.) 115
decoratum Mäkl. 594
decoratus Broun (Syrph.) 319
decoratus Mäkl. (Poec.) 589

Decorsei Fairm. 308
Decosteri Péring. 305
decretus Fairm. 488
decurtatus Fairm. (Eut.) 432
decurtatus Fairm. (Micr.) 311
decurvatus Fairm. 584
deflexangulus Reitt. 56
deformis Esc. 129
Degeeri Cast. 150
degener Cas. (Con.) 267
degener Thoms. (Syn.) 571
degener Fairm. (Tar.) 441
degener Pasc. (Doc.) 119
degenerata Sem. 221
Dehaani Baudi 228
Dejeani Bess. (Pach.) 58
Dejeani Brême (Coss.) 430
Dejeani Cast. (Plat.) 372
Dejeani Champ. (Ulos.) 411
Dejeani Deyr. (Zoph.) 38
Dejeani Fald. (Hed.) 557
Dejeani Gebl. (Adesm.) 84
Dejeani Sol. (Asida) 129
Dejeani Sol. (Erod.) 8
Dejeani Sol. (Mitr.) 148
Dejeani Sol. (Psamm.) 155
Dejeani Reiche (Ceph.) 181
Dejeani Sol. (Acanth.) 568
Dejeani Sol. (Ceph.) 181
Dejeani Sol. (Pim.) 210
Dejeani Sol. (Tent.) 69
delagoae Péring. 503
delagoana Péring. 607
Delalandei Muls. (Eur.) 276
Delalandei Sol. (Zoph.) 38
delata Rey 346
Delauneyi Fleut. 594
Delavayi Fairm. 217
deleta Lec. 248
delicate Bedel 199
delicatula Fairm. 66
delicatulum Fairm. 563
delicatulus Cas. (Hyl.) 15
delicatulus Lec. (Aneps.) 118
delicatulus Reitt. (Pal.) 396
Demaisoni Reitt. (Ceph.) 180
Demaisoni All. (Gon.) 326
demersicollis Fairm. 402
dendaroides Baudi 285
densa Cas. 269
densaticollis Fairm. 278
denseciliata Fairm. 260.
densegranata Fairm. 208
densegranatus Fairm. 139
densicollis Horn 129
densiventris Cas. 28
dentata F. (Meg.) 571
dentata F. (Sten.) 89
dentatum Champ. 594
dentatus Sol. 150
dentibasis Reitt. 71
denticolle Chevr. (Cyrt.) 489
denticolle Sharp (Strong.) 594
denticolle Fairm. (Scler.) 313
denticollis Blanch. (Prio.) 318
denticollis Boh. (Amm.) 119
denticollis Cart. (Seir.) 512
denticollis Fairm. (Phym.) 468
denticollis Gah. (Der.) 560
denticollis Gray (Met.) 478
denticollis Haag (Crypt.) 115
denticollis Haag (Lyc.) 101
denticollis Mäkl. (Par.) 471
denticornis Fairm. 402
denticosta Muls. 276
denticrus Fairm. 517
denticulata Gebl. (Anat.) 47
denticulata Gebl. (Pter.) 195
denticulata Sol. (Ses.) 97
denticulata Woll. (Anem.) 317
denticulata Reitt. (Pter.) 195
denticulata Sol. (Pim.) 210
denticulatum Mäkl. 594
denticulatus Champ. (Par.) 471
denticulatus Fairm. (Priosc.) 476
dentifrons Lew. 360
dentiger Chitt. (Gnath.) 392
dentiger Horn (Cyrt.) 26
dentimana Reitt. 221
dentimanus Reitt. 292
dentipennis Geb. (Psamm.) 155
dentipennis Reitt. (Laena) 517
dentipennis Wasm. (Sten.) 107
dentipes Ball. (Anem.) 317
dentipes Eschsch. (Eleod.) 244
dentipes F. (Acanth.) 567
dentipes F. (Anom.) 305
dentipes Fåhrs. (Trig.) 272
dentipes Germ. (Praoc.) 260
dentipes Gerst. (Anch.) 278
dentipes Kirsch (Syc.) 490
dentipes Mäkl. (Elasm.) 604
dentipes Mén. (Plat.) 113
dentipes Rossi (Enopl.) 529
dentipes Wied. (Pseud.) 488
dentipes Vill. (Scaur.) 180
dentitibia Reitt. (Blaps) 229
dentitibia Reitt. (Laena) 517
dentiventris Gerst. 430
dentrix Baudi 55
Depelchinii Fairm. 313
depilata Esc. (Asida) 133
depilata Sol. (Pim.) 206
deplanata Ball. (Pros.) 221
deplanata Boisd. (Cor.) 515
deplanata Faust (Cal.) 50
deplanata Gebl. (Micr.) 61
deplanata Kryn. (Stern.) 192

deplanata Lacord. (Psectr.) 146
deplanata Mén. (Blaps) 229
deplanata Weise (Laena) 517
deplanata Waltl (Akis) 173
deplanatum Champ. (Plat.) 372
deplanatum Haag (Adel.) 104
deplanatus Fåhrs. 304
Deplanchei Fauv. (Call.) 501
Deplanchei Bates (Call.) 501
depressa Champ. (Tarp.) 532
depressa Champ. (Ulos.) 411
depressa Guér. (Plat.) 262
depressa Haag (Lyc.) 101
depressa Haag (Sten.) 89
depressa Sol. (Asida) 129
depressa Sol. (Pim.) 208
depressa Baudi (Ocn.) 197
depressa Bess. (Anat.) 47
depressa Er. (Dol.) 410
depressa Küst. (Cyph.) 176
depressa Pasc. (Uloma) 401
depressa Sol. (Asida) 136
depressa Sol. (Pach.) 201
depressicollis Fairm. (Scot.) 184
depressicollis Germ. (Praoc.) 260
depressicollis Haag (Psamm.) 155
depressicollis Kraatz (Dail.) 44
depressicornis Fald. 44
depressipennis Luc. 38
depressiuscula Fairm. (Solsk.) 176
depressiuscula Kraatz (Gnath.) 43
depressiusculus M'Leay 418
depressulus Cas. (Disc.) 264
depressulus Cas. (Hyl.) 15
depressum F. (Gon.) 323
depressum Lec. (Emb.) 253
depressus Champ. (Eus.) 265
depressus Er. (Dros.) 566
depressus F. (Coss.) 430
depressus F. (Pal.) 396
depressus Horn (Cyn.) 393
depressus Rand. (Eleat.) 360
depressus Zoubk. (Sar.) 175
depressus F. (Coss.) 430
derasa Kl. 208
derbyensis M'Leay 421
dermatodes Fairm. 129
dermestiformis Fairm. 343
dermestoides Chevr. (Mart.) 366
dermestoides Gerst. (Gon.) 323
dermestoides Ill. (Hel.) 540
dermestoides F. (Ped.) 288
dermestoides Reitt. (Mes.) 296
deronectinum Reitt. 76
Desbrochersi Reitt. (Cab.) 292
Desbrochersi Reitt. (Pach.) 58
deserta Tausch. 61
deserti Sem. (Arg.) 189
derserti Sem. (Rem.) 216
deserticola Küst. (Hel.) 549
deserticola Vaul. (Erod.) 7
desertorum Berg (Meg.) 21
desertorum Burm. (Mitr.) 148
desertus Motsch. 112
Destefanii Faill. 9
detersus Walk. 351
de Vecchi Osc. 84
devexa Péring. 38
devexus Fåhrs. (Psamm.) 155
devexus Péring. (Micr.) 564
devia Péring. 129
Devillei Leoni 128
Deyrollei Bates (Nyct.) 429
Deyrollei Coq. (Tetr.) 492
Deyrollei Deyr. (Zoph.) 38
Deyrollei Kraatz (Euc.) 486
Deyrollei Muls. (Plat.) 273
Deyrollei Woll. (Pseud.) 79
diabolica Fairm. 149
diabolicus Lec. 96
diabolinus Brancs. 540
Dianae Sahlb. 107
diaphana Sem. 189
diaperinus Panz. 405
diaperoides Blackb. (Amar.) 577
diaperoides Cast. (Uleda) 400
dichotoma Fisch. 187
dichromum Thoms. 594
dichrous Reitt. 540
Diecki All. (Asida) 129
Diecki Kraatz (Hel.) 540
difficilis Blackb. (Chalc.) 580
difficilis Champ. (Asida) 129
difficilis Champ. (Pheg.) 30
difficilis Deyr. (Zoph.) 38
difficilis Haag (Psamm.) 155
difficilis Horn (Hel.) 514
difficilis Kraatz (Plat.) 256
difficilis Lec. (Eus.) 265
difficilis Steinh. (Epitr.) 25
difficilis All. (Asida) 137
difformis Kön. (Caen.) 611
difformis Lec. (Asida) 129
diffusa Sol. 215
digitata F. 474
digitatus Seidl. 344
dilatata Cast. (Aleg.) 398
dilatata Champ. (Asida) 129
dilatata Deyr. (Zoph.) 38
dilatata Er. (Eur.) 100
dilatata Kl. (Adesm.) 84
dilatata Lec. (Sphaer.) 266
dilatata Reitt. (Przew.) 186
dilatata Cast. (Blaps) 235
dilatatum Woll. 323
dilatatus F. (Plat.) 274
dilatatus Haag (Trach.) 163
dilatatus Lec. (Blapst.) 298

dilatatus Reitt. (Amm.) 337
dilaticollis Champ. (Eleod.) 244
dilaticollis Fairm. (Pseud.) 473
dilaticollis Lacord. (Plat.) 262
dilaticollis Mannerh. (Coel.) 438
dilaticollis Motsch. (Pros.) 221
dilaticollis Müll. (Psamm.) 155
dilaticollis Sahlb. (Ped.) 288
dilaticollis Sol. (Hex.) 113
dilaticollis Deyr. (Zoph.) 37
dilaticollis Guér. (Card.) 507
dilaticornis Champ. 602
dilatifrons Champ. 409
dilatipes Champ. 384
dilectans Fald. 333
diloides Kraatz 221
dilutella Solsky 517
dilutipes Reitt. 107
dilutus Haag (Psamm.) 155
dilutus Sharp (Epitr.) 25
dimidiata Champ. (Uloma) 403
dimidiata Sol. (Blaps) 227
dimidiatipennis Fairm. (Lept.) 407
dimidiatipennis Kraatz (Erod.) 10
dimidiatum Chevr. (Plat.) 372
dimidiatum Fairm. (Strong.) 594
dimidiatus Haag (Psamm.) 155
dimidiatus Waterh. (Mac.) 466
diophthalmum Cast. 372
diremptus Karsch 25
discale Lew. 369
discedens Desbr. 58
discicolle Reitt. 313
discicollis Fairm. (Leiochr.) 389
discicollis Fairm. (Pim.) 208
discicollis Lacord. (Psectr.) 146
discicollis Reiche (Tent.) 68
discipula Cas. 541
discoidale Mäkl. 594
discoidalis Fairm. (Nyct.) 142
discoidalis Westw. (Leiochr.) 389
discoidea Guér. (Mol.) 153
discoidea Quens. (Akis) 173
discoideus Fairm. 150
discolor Horn (Blapst.) 298
discolor Mäkl. (Strong.) 594
discolor Motsch. (Plat.) 377
discors Cas. 13
discrepans Cas. (Ster.) 16
discrepans Péring. (Psamm.) 155
discrepans Péring. (Strong.) 594
discretus Cas. (Ster.) 16
discretus Lec. (Hel.) 541
dispar Cas. (Blapst.) 298
dispar Pasc. (Pter.) 418
dispar Péring. (Ech.) 167
dispar Seidl. (Blaps) 229
dispar Blackb. (Seir.) 513
dispar Champ. (Asida) 129
dispar Desbr. (Sep.) 170
dispar Herbst (Pseud.) 274
dispar Lec. (Eleod.) 248
dispersa Lec. 248
dispersus M'Leay (Pter.) 418
dispersus Champ. (Mes.) 296
dissecta Kraatz 58
dissidens Champ. (Pos.) 16
dissidens Péring. (Der.) 34
dissimilis Blaisd. (Eleod.) 244
dissimilis Champ. (Asida) 129
dissimilis Pasc. (Cymb.) 514
dissipata Kirsch 468
dissociatus Péring. 155
distans Champ. (Hopl.) 368
distans Blaisd. (Eleod.) 246
distincta Cart. (Cor.) 515
distincta Deyr. (Zoph.) 38
distincta Sol. (Eleod.) 245
distincta Brancs. (Eut.) 409
distincta Kraatz (Pim.) 211
distincta Péring. (Sten.) 89
distincta Sol. (Crypt.) 116
distincta Sol. (Pim.) 205
distincta Sol. (Pter.) 215
distinctum M'Leay (Tox.) 461
distinctum Fairm. (Tox.) 461
distinctum Küst. (Opatr.) 328
distinctum Villa (Opatr.) 330
distinctus Bates (Card.) 507
distinctus Bates (Mac.) 466
distinctus Duv. (Hopl.) 572
distinctus Haag (Psamm.) 155
distinctus Péring. (Trach.) 163
distinctus Sol. (Hyl.) 20
distinctus Sol. (Scaur.) 179
distinctus All. (Erod.) 10
distinguenda Fairm. 409
distinguendum Fairm. 561
distinguendus Fairm. (Men.) 452
distinguendus Fairm. (Tetr.) 492
distinguendus Muls. (Micr.) 311
distinguendus Fairm. (Dich.) 111
distinguendus Küst. (Hel.) 551
diteras All. 541
ditissima Péring. 605
ditissimus Péring. 498
divergens Champ. (Uloma) 402
divergens Fairm. (Blaps) 229
divergens Reitt. (Pros.) 221
diversa Péring. (Machl.) 123
diversa Waterh. (Pros.) 221
diversepunctatum Schauf. 461
diversidens Fairm. 377
diversipes Fairm. (Gaur.) 487
diversipes Pic (Fals.) 177
dives Germain (Cyph.) 587
dives Pasc. (Gaur.) 487
dives Mäkl. (Strong.) 599

divisa Pasc. (Ozol.) 361
divisa Reitt. (Pach.) 200
docile Cas. 27
docilis Champ. 532
Doderoi Leoni 129
Doherti Wasm. 569
Dohrni Haag (Asp.) 102
Dohrni Haag (Psamm.) 155
Dohrni Haag (Steira) 101
Dohrni Kirsch (Taphr.) 443
Dohrni Mäkl. (Strong.) 594
dolichopus Gestro 167
dolorosa Fairm. (Cam.) 495
dolorosa Fairm. (Cer.) 383
dolosa Blaisd. 242
dolosus Péring. (Psamm.) 155
dolosus Reitt. (Dich.) 111
domesticus Montr. 407
dominicensis Horn 114
dongolensis Cast. 170
Doriae Baudi (Hyp.) 51
Doriae Haag (Pach.) 58
Doriae Leoni (Asida) 129
Doriae Baudi (Oog.) 110
dormeanum Fairm. 97
dorsalis All. (Hel.) 541
dorsalis Broun (Syrph.) 319
dorsalis F. (Phal.) 346
dorsata Fairm. (Nyct.) 142
dorsata Péring. (Zoph.) 38
dorsata All. (Blaps) 240
dorsata Fisch. (Blaps) 232
dorsatum Fairm. 594
dorsigera F. (Phal.) 347
dorsigera Fauv. (Phal.) 346
dorsigera Reitt. (Akis) 172
dorsocostata Fairm. 101
dorsocostatus Geb. 155
dorsocupreum Fairm. 594
dorsogranata Fairm. 229
dorsogranosum Fairm. 323
dorsoplicata Fairm. 148
dorsoplicatus Fairm. 140
Douei All. (Hel.) 541
Douei Luc. (Adesm.) 84
Douei Luc. (Lept.) 4
Douei Luc. (Mic.) 75
Douei Sol. (Sep.) 168
Doumeti Sén. 209
draco Waterh. 148
Drakii Crotch 84
Dregei Deyr. 38
dromedarius Guér. 587
dryadophilus Muls. 541
dubia Ball. (Pros.) 221
dubia Fald. (Pim.) 208
dubia M'Leay (Bryc.) 512
dubia Ramb. (Asida) 129
dubia Haag (Sten.) 90
dubia Kraatz (Hyp.) 51
dubia Kraatz (Stal.) 203
dubia Sol. (Adesm.) 86
dubiosa Esc. 129
dubiosus Péring. 155
dubium Arr. (Gon.) 323
dubium Cas. (Met.) 12
dubius Broun (Men.) 386
dubius Haag (Him.) 31
dubius Lec. (Eus.) 265
dubius Péring. (Trach.) 163
dubius Sol. (Scaur.) 179
dubius Baudi (Phyl.) 285
Duboulayi Bates (Amar.) 480
Duboulayi Bates (Ephid.) 483
Duboulayi Bates (Sarag.) 428
Duboulayi Pasc. (Symp.) 422
ducale Kolbe 594
Duchoni Reitt. 556
duellicus Lew. 462
Dufossei Sol. 170
Dufouri Baudi (Asida) 137
Dufouri Sol. (Sep.) 170
Duftschmidi Gemm. 136
Dumbrelli Lea 481
dunedinis Sharp 514
duodecimcostata Fairm. 56
duplicata Reitt. (Tent.) 68
duplicata Reitt. (Akis) 174
duplicatus Cas. 105
Duponcheli All. (Adesm.) 84
Duponcheli All. (Erod.) 8
Duponcheli Sol. (Mer.) 97
Duponti Cast. (Plat.) 372
Duponti Sol. (Erod.) 8
Duponti Sol. (Pim.) 208
Duponti Sol. (Tent.) 68
Duponti Sol. (Acanth.) 568
Duponti Sol. (Dich.) 50
Duponti Sol. (Mac.) 466
Duponti Sol. (Machla) 122
durangoensis Champ. 562
durbanica Péring. 607
duricolle Fairm. 594
duricornis Reitt. 111
dux Geb. 389
dytiscoides Champ. (Phal.) 347
dytiscoides Chevr. (Hopl.) 368
dytiscoides Herbst (Zoph.) 38
dytiscoides Sol. (Zoph.) 40
dyschirioides Lec. 504

ebenina Fairm. (Anat.) 47
ebenina Germ. (Praoc.) 260
ebenina Horn (Arg.) 182
ebenina Lac. (Epip.) 144
ebenina Waterh. (Eus.) 67
ebeninum Woll. 76

ebeninus Fairm. (Hyp.) 413
ebeninus Kl. (Nycterop.) 466
ebeninus Pasc. (Asph.) 439
ebeninus Pasc. (Tel.) 524
ebeninus Sol. (Nycterin.) 254
ebeninus Villa (Hel.) 541
ebeninus Walk. (Hel.) 541
eburnea Pasc. 89
ecalcaratus Seidl. 459
ecaudata Seidl. (Blaps) 229
ecaudata Blaisd. (Eleod.) 245
ecaudata Küst. (Blaps) 227
echidna Fairm. (Pim.) 208
echidna Fairm. (Sphaer.) 527
echidna White (Hel.) 421
echinata F. (Crypt.) 115
echinata Fisch. (Trig.) 190
echinata Sol. (Acanth.) 568
echinatum Guér. 97
echinatus Fairm. (Eut.) 432
echinatus Vaul. (Hel.) 541
echinatus Hope (Hel.) 421
echinoderma Fairm. 122
Ecoffeti Küst. 514
ecostata Lesne 38
ecostatus Crotch 9
edax Cas. 13
Edda Reitt. 517
Edmundi Sem. 221
educator Geb. 389
Edwardsi Brême (Coss.) 430
Edwardsi Horn (Hel.) 541
Edwardsi Muls. (Mel.) 273
egaensis Bates (Met.) 412
egaensis Champ. (Hes.) 437
egenus Champ. (Blapst.) 298
egenus Pasc. (Byrs.) 359
egerius Pasc. 507
egregium Cas. 13
egregius Haag (Psamm.) 155
egregius Seidl. (Ent.) 556
Ehlersi Kraatz 544
Ehrenbergi Fald. 84
Eichelbaumi Geb. (Pelt.) 412
Eichelbaumi Geb. (Plat.) 372
elata Lec. (Asida) 129
elata Pasc. (Lic.) 511
elateroides Har. (Achr.) 451
elateroides Sem. (Pros.) 222
Elderi Blackb. 323
elegans All. (Trig.) 190
elegans Blanch. (Pil.) 148
elegans Brll. (Ceph.) 180
elegans Charp. (Akis) 173
elegans Chevr. (Plat.) 372
elegans Fairm. (Scot.) 184
elegans Gerst. (Crypt.) 115
elegans Horn (Zoph.) 95
elegans Kraatz (Erod.) 8
elegans Kraatz (Rhin.) 434
elegans Reitt. (Micr.) 61
elegans Sol. (Apocr.) 504
elegans Steinh. (Epitr.) 25
elegans Bates (Naut.) 531
elegans Cas. (Eleod.) 244
elegans Geb. (Met.) 478
elegans Sol. (Ceph.) 181
elegans Sol. (Mesost.) 54
elegantula Lew. (Tarp.) 532
elegantula Quedf. (Machl.) 102
elegantulum Kolbe 594
eleodinus Reiche 541
elephas Fåhrs. 305
elevata Sol. (Adesm.) 84
elevata Sol. (Akis) 173
elevata Sén. (Pim.) 207
elevatum Brll. 329
elevatus Gerst. (Sel.) 277
elevatus Reitt. (Dich.) 112
ellipsodes Fairm. (Cer.) 383
ellipsodes Fairm. (Phal.) 347
ellipsoides Pasc. 577
elliptica Cas. (Con.) 267
elliptica Mén. (Gnath.) 43
elliptica Phil. (Praoc.) 260
elliptica Seidl. (Blaps) 229
ellipticum Blackb. (Adel.) 509
ellipticum F. (Plat.) 372
ellipticus Champ. (Diph.) 385
ellipticus Champ. (Hes.) 437
ellipticus Champ. (Ster.) 16
ellipticus Desbr. (Het.) 293
ellipticus Lea (Hel.) 421
elliptipennis Woll. 541
elongata Brll. (Akis) 173
elongata Brll. (Eul.) 74
elongata Brême (Cil.) 425
elongata Cas. (Con.) 267
elongata Champ. (Ozol.) 361
elongata Champ. (Phth.) 396
elongata Chevr. (Met.) 412
elongata Deyr. (Zoph.) 38
elongata Er. (Seir.) 512
elongata Kl. (Arthr.) 460
elongata Kraatz (Las.) 193
elongata Mén. (Sphen.) 33
elongata Reitt. (Gnath.) 43
elongata Sol. (Asida) 130
elongata Sol. (Phan.) 417
elongata Sol. (Psectr.) 146
elongata Thoms. (Amen.) 442
elongata Waltl (Tent.) 68
elongata Blaisd. (Eleod.) 244
elongata Blaisd. (Eleod.) 244
elongata Blaisd. (Eleod.) 245
elongata Blaisd. (Eleod.) 246
elongata Gebl. (Anat.) 47
elongata Mén. (Blaps) 235

elongata Ramb. (Asida) 134
elongata Sem. (Sphen.) 33
elongata Sol. (Sten.) 107
elongata-laevis Blaisd. 244
elongata-punctata Blaisd. 244
elongatula Esch. (Eleod.) 245
elongatula Sol. (Eleod.) 248
elongatulus Cas. (Disc.) 264
elongatulus Cas. (Ulus) 296
elongatulus M'Leay (Plat.) 480
elongatulus M'Leay (Styr.) 428
elongatulus Bates (Styr.) 428
elongatum Guér. (Gon.) 323
elongatum Horn (Con.) 303
elongatum Horn (Emb.) 253
elongatum Schauf. (Tox.) 461
elongatum Waterh. (Hydr.) 561
elongatum Montr. (Chlor.) 522
elongatus All. (Heg.) 530
elongatus Blackb. (Hel.) 421
elongatus Cas. (Blapst.) 298
elongatus Cas. (Phloe.) 96
elongatus Cas. (Zopher.) 95
elongatus Champ. (Mench.) 22
elongatus Champ. (Oxid.) 528
elongatus Haag (Acest.) 103
elongatus Herbst (Belop.) 459
elongatus Horn (Mer.) 409
elongatus Horn (Rhin.) 434
elongatus M'Leay (Pter.) 418
elongatus Muls. (Dend.) 280
elongatus Muls. (Pach.) 295
elongatus Muls. (Scaur.) 179
elongatus Perty (Brad.) 356
elongatus Redtenb. (Dys.) 360
elongatus Sahlb. (Cab.) 292
elongatus Sol. (Arth.) 11
elongatus Sol. (Nyct.) 254
elongatus Thoms. (Cuph.) 588
elongatus Waterh. (Gyr.) 141
elongatus All. (Hed.) 557
elongatus All. (Hed.) 557
elongatus Beauv. (Zophob.) 435
elongatus Herbst (Boros) 463
elongatus Muls. (Belop.) 459
elongatus Ol. (Heg.) 78
elongatus Ol. (Trach.) 165
elongatus Sol. (Psamm.) 157
elysius Pasc. 488
emarginata Kraatz (Tent.) 69
emarginata Montr. (Uloma) 402
emarginata Reitt. (Cal.) 50
emarginata Blaisd. (Eleod.) 249
emarginata Desbr. (Pach.) 59
emarginatum Cas. (Met.) 13
emarginatum Luc. (Opatr.) 328
emarginatus Champ. (Epitr.) 25
emarginatus F. (Hel.) 283
emarginatus Guér. (Sar.) 423
emarginatus Haag (Him.) 31
emarginatus Horn (Nos.) 96
emarginatus Woll. (Arthr.) 6
emarginatus Brll. (Dend.) 282
emarginatus Sol. (Scot.) 184
embaphionides Horn 130
Emgei Seidl. 541
Emilia Deyr. 38
eminens Mäkl. 594
emmenastoides Champ. 298
emoda All. 229
Emondi Sol. (Blaps) 229
Emondi Sol. (Erod.) 8
Emondi Sol. (Cal.) 50
Emondi Sol. (Ocn.) 196
encausta Fairm. (Phal.) 347
encausta Fairm. (Uloma) 401
encephalus Pasc. 507
enitescens Champ. 541
enoplopoides Champ. 530
ensifer Cas. 20
ensifera Fauv. (Hopl.) 368
ensifera Motsch. (Blaps) 235
entomogonoides All. 523
entrerianum Berg 594
ephippiata Chevr. 368
ephippiatus Geb. 413
epieroides Champ. 398
epiphysoides Pering. 85
epipleuralis Geb. 442
episcopale Kl. (Strong.) 594
episcopale Kolbe (Strong.) 592
episcopalis Fairm. (Chem.) 491
episcopalis Fairm. (Nes.) 608
epitragoides Berg (Par.) 471
epitragoides Haag (Him.) 31
equestre Mäkl. 594
equestris Pasc. 508
erebea Pasc. 505
erebi Sol. 148
erecta Lea 368
erecticollis Ancey 170
eremicola Blackb. 301
eremita Blackb. (Chalc.) 580
eremita Stev. (Anat.) 47
eremitia Eschsch. (Anat.) 49
eremita Sol. (Anat.) 47
Erichsoni Champ. (Dec.) 481
Erichsoni Haag (Psamm.) 155
Erichsoni Thoms. (Cuph.) 588
Erichsoni Vaul. (Mis.) 523
Erichsoni White (Art.) 503
erinaceus Fairm. 167
erivanus Reitt. 541
erodioides Chevr. (Lept.) 5
erodioides Fairm. (Arth.) 6
erodioides Sol. (Diest.) 567
erosa All. (Vieta) 170
erosa Pasc. (Imm.) 528

erosicollis Kraatz 434
erosus Champ. (Astr.) 124
erosus Horn (Emm.) 16
erosus Horn (Meg.) 264
erotyloides Champ. (Othr.) 491
erotyloides Chevr. (Plat.) 372
erotyloides Lacord. (Tril.) 21
erotyloides Lew. (Bas.) 381
erotyloides Kirby (Cuph.) 588
errabundus Champ. 298
errans Mill. (Pim.) 208
errans Pasc. (Card.) 507
errans Péring. (Psamm.) 155
errans Sol. (Zoph.) 38
errans Woll. (Gon.) 326
erratica Champ. 245
erraticum Champ. 594
erratus Reitt. 413
Ertli Geb. (Hopl.) 572
Ertli Geb. (Onc.) 563
Ertli Kolbe (Psamm.) 155
erythrocephalum F. 594
erythrocerum Cast. 372
erythrocnema Cast. 383
erythroctena Cast. 383
erythropterum Chevr. (Plat.) 372
erythropterum Mäkl. (Strong.) 594
erythropus Chevr. (Plat.) 372
erythropus Lacord. (Epip.) 144
Esau Sahlb. 107
Escalerae Geb. (Strong.) 594
Escalerae Oberth. (Asida) 130
Escherichi Reitt. 50
Eschscholtzi Mannerh. (Con.) 267
Eschscholtzi Sol. (Eleod.) 245
Eschscholtzi Sol. (Erem.) 21
estrellensis Kraatz 541
estriata Cas. 245
estriatus Cas. (Con.) 30
estriatus Lec. (Bius) 465
estriatus Lec. (Cyb.) 297
euboeica Boield. 211
euboeicus Reitt. 541
euclensis Cart. 427
eumolpoides Sol. 259
euosoma Kraatz 232
euphorbiae Woll. 397
euphratica Kraatz 201, 202
europaeum Cast. 372
europaeus Motsch. (Hadr.) 320
europaeus Sol. (Erod.) 10
eurynotoides Fairm. 272
eutymi Muls. 458
evanescens Geb. 572
evanida Seidl. 241
Eversmanni Kraatz 189
eversus Cas. 28
exanthematica Kl. (Pim.) 215
exanthematica Sol. (Pim.) 209
exarata Champ. (Eleod.) 245
exarata Fairm. (Nyct.) 443
exarata Quens. (Blen.) 307
exaratum Champ. 594
exaratus Champ. (Epitr.) 25
exaratus Er. (Scot.) 184
exaratus Germ. (Hel.) 542
exaratus Gerst. (Gon.) 304
exaratus Muls. (Trig.) 272
exaratus Har. (Pycn.) 479
exasperata Fairm. 142
excaesus Champ. 386
excavata Motsch. (Micr.) 61
excavata Sol. (Tent.) 69
excavatum Mäkl. (Strong.) 594
excavatum Say (Plat.) 372
excavatus F. (Oeat.) 442
excavatus F. (Plat.) 273
excavatus Seidl. (Hel.) 542
exisifrons Cart. 422
excisum Seidl. 328
exculpta Baudi 136
exigua Cas. (Con.) 267
exigua Gah. (Rhyt.) 66
exigua Mars. (Lyph.) 393
exiguum Mäkl. 594
exiguus Cas. (Arae.) 105
exiguus Cas. (Mel.) 17
exiguus Champ. (Blapst.) 298
exile Mäkl. 594
exilipes Luc. 8
exilis Champ. (Hopl.) 368
exilis Mars. (Pal.) 397
exilis Pasc. (Amar.) 577
exilis Péring. (Psamm.) 160
eximia Bates 532
eximium Mäkl. 594
eximius Mäkl. (Poec.) 589
eximius Péring. (Trach.) 164
exoletus Blackb. (Chalc.) 580
exoletus Cas. (Mel.) 17
exoletus Pasc. (Doc.) 119
expansa Cas. 267
expansicolle Lew. (Gon.) 323
expansicolle Fairm. (Gon.) 323
expansicollis Fairm. (Anom.) 305
expansicollis Fairm. (Epip.) 145
expansicollis Fairm. (Nem.) 339
explanata Cas. 142
explanatus Cas. (Eleat.) 360
explanatus Cas. (Eus.) 265
explanatus Reitt. (Dich.) 111
explanatus Reitt. (Lob.) 333
expletus Quedenf. 155
expolitus Broun 522
exsculptum Champ. (Nos.) 97
exsculptum Mäkl. (Strong.) 594
exculptus Champ. (Hel.) 542
exculptus Perty (Phym.) 468

extensa Kl. 84
extensicollis Sol. 436
extensum Cas. 13
extensus Fald. 280
externa Fauv. 501
externecostata Fairm. (Anat.) 47
externecostata Haag (Pach.) 59
externecostatum Bates 513
externecostatus Fairm. 564
externeserrata Fairm. 208
externus Fairm. (Erod.) 8
externus Fairm. (Micr.) 564
extraneus Péring. 572
extrema Reitt. 64
extricata Cas. (Con.) 267
extricata Say (Eleod.) 245
exul Montr. 514
exulans Pasc. 423
eyrensis Blackb. 580

Fabricii Hope (Priosc.) 475
Fabricii Sol. (Erod.) 8
Fabricii All. (Asida) 136
Fabricii Gemm. (Hel.) 540
Fabricii Sol. (Sten.) 90
Fabrii Fairm. 11
Fagergreeni Baudi 85
fagi Lew. (Anthr.) 462
fagi Panz. (Alph.) 405
fagi Curt. (Alph.) 405
Fåhraei Haag (Distr.) 151
Fåhraei Haag (Eur.) 100
Fåhraei Mannerh. (Uloma) 402
Fåhraei Péring. (Anch.) 278
Fairmairei Alluaud (Pyen.) 479
Fairmairei Bates (Neod.) 513
Fairmairei Bates (Nes.) 608
Fairmairei Bates (Tetr.) 492
Fairmairei Boield. (Asida) 130
Fairmairei Desbr. (Crypt.) 351
Fairmairei Geb. (Gon.) 570
Fairmairei Geb. (Hopl.) 368
Fairmairei Geb. (Tox.) 461
Fairmairei Gestro (Sep.) 167
Fairmairei Haag (Pach.) 59
Fairmairei Kolbe (Set.) 444
Fairmairei Péring. (Card.) 42
Fairmairei Thoms. (Amen.) 442
Fairmairei Kraatz (Pim.) 212
falcatus Pasc. 422
Faldermanni Baudi (Colp.) 291
Faldermanni Deyr. (Zoph.) 38
Faldermanni Fald. (Hel.) 542
Faldermanni Muls. (Mel.) 336
Faldermanni Seidl. (Plat.) 255
fallaciosa Fairm. 130
fallaciosus Fairm. 218
fallax Cas. (Mel.) 17
fallax Champ. (Asida) 130
fallax Champ. (Tarp.) 532
fallax Kraatz (Pros.) 222
fallax Muls. (Ped.) 288
fallax Péring. (Micr.) 564
fallax Sol. (Crypt.) 115
fallax Vaul. (Hel.) 542
Falli Blaisd. 252
famelica Cas. 14
famelicum Küst. (Gon.) 326
famelicum Ol. (Gon.) 324
farallonica Cas. (Con.) 267
farallonica Blaisd. (Eleod.) 249
farctus Cas. (Omoph.) 29
farctus Lec. (Hel.) 542
farctus Sol. (Oncot.) 271
Faremonti Luc. 85
farinarius Woll. 409
fartilis Reitt. 333
fartus Péring. 155
fasciata Scop. 365
fasciatocolle Chevr. 373
fasciatum F. 373
fasciatus All. (Pseud.) 513
fasciatus F. (Hyp.) 413
fasciatus F. (Poec.) 589
fasciatus Fairm. (Hyp.) 415
fascicularis Germ. (Asida) 130
fascicularis Pasc. (Cot.) 113
fasciculata Champ. (Asida) 130
fasciculata Champ. (Phaenn.) 506
fasciculatus F. 32
fasciculitarsis Reitt. 190
fascinosa Seidl. 229
fasciolatum Geb. (Onc.) 563
fasciolatum Mäkl. (Strong.) 595
fasciolatus Fairm. (Euc.) 486
fasciolatus Fairm. (Men.) 452
fastidiosa Fairm. (Nes.) 608
fastidiosa Fairm. (Uloma) 402
fastigiatum Mäkl. 499
fastuosus Germ. 580
fatidica Sturm 232
fatigans Cas. 13
fatuus Muls. 288
faunus Thoms. 588
Fausti Kraatz (Micr.) 61
Fausti Kraatz (Podh.) 203
Fausti Reitt. (Anat.) 47
Fausti Reitt. (Dil.) 294
Fausti Reitt. (Gnath.) 43
Fausti Reitt. (Sten.) 107
Fausti Seidl. (Blaps) 229
Fausti Sem. (Pros.) 222
Fausti Solsky (Anem.) 317
Fausti All. (Ent.) 556
faustum Cas. 13
Fauveli Geb. 501
Favieri Fairm. (Asida) 130

Favieri Luc. (Mor.) 172
favosa Champ. 130
favosus Er. 91
Feae Wasm. 569
Fedtschenkoi Sem. 92
felicitana Reitt. 217
felix Lew. (Bol.) 358
felix Waterh. (Blaps) 229
femorale Mäkl. 595
femoralis Fairm. (Euc.) 486
femoralis Fairm. (Gaur.) 487
femoralis Fisch. (Blaps) 229
femoralis Haag (Oxura) 162
femoralis Haag (Tris.) 482
femoralis Imh. (Par.) 576
femoralis Kirsch (Cam.) 495
femoralis L. (Ped.) 288
femoralis M'Leay (Seir.) 512
femorata Cart. (Bryc.) 512
femorata Motsch. (Cer.) 383
femorata Pasc. (Oen.) 603
femorata Thoms. (Praog.) 605
femorata Lec. (Eleod.) 248
femoratus Bates (Card.) 507
femoratus Duv. (Ten.) 446
femoratus Fald. (Hel.) 542
femoratus Gerst. (Micr.) 564
femoratus All. (Hel.) 542
femoratus All. (Hel.) 542
femoratus F. (Hapl.) 437
femoratus Ill. (Ped.) 288
Fenyesi Reitt. 317
Fergusoni Cart. 509
feronioides Pasc. 441
Ferrari Haag 153
ferruginea Bates (Mes.) 393
ferruginea Bates (Micr.) 506
ferruginea Eschsch. (Thin.) 19
ferruginea Küst. (Laena) 517
ferruginea Lec. (Hopl.) 368
ferruginea Desbr. (Sten.) 108
ferruginea Montr. (Uloma) 402
ferruginea Motsch. (Hopl.) 369
ferruginea Panz. (Uloma) 401
ferrugineum Chevr. (Plat.) 373
ferrugineum F. (Scler.) 313
ferrugineum F. (Trib.) 394
ferrugineum Muls. (Trib.) 394
ferrugineus Champ. (Tal.) 562
ferrugineus Fisch. (Arth.) 6
ferrugineus Haag (Psamm.) 155
ferrugineus Mars. (Cyph.) 31
ferruginues Reitt. (Isoc.) 279
ferrugineus Creutz. (Hyp.) 415
ferrugineus F. (Isoc.) 279
ferrugineus Muls. (Hyp.) 414
ferruginipes Fairm. 356
ferruginis Gemm. 402
ferruginosum Mäkl. 595
ferrum-equinum Hoev. 589
fervens Germ. 580
fervidus Pasc. 530
festiva Gerst. (Praog.) 605
festiva Cast. (Cer.) 383
festivum Mäkl. 595
festivus Gerst. 478
Fettingi Haag (Adesm.) 85
Fettingi Haag (Psamm.) 155
ficicola Woll. (Pal.) 397
ficicola Muls. (Lyph.) 393
fidelis Cas. 14
figuratum Mäkl. 595
figuratus Geb. 576
filicorne Chevr. (Plat.) 373
filicorne Mäkl. (Strong.) 595
filicornis Fairm. 609
filiformis Cast. (Mer.) 409
filiformis F. (Sten.) 107
filiformis Motsch. (Belop.) 459
filiformis Latr. (Sten.) 107
filiola Cas. 267
filitarsis Cas. 15
filum Fairm. (Hyp.) 414
filum Fairm. (Strong.) 595
fimbriata Burm. (Praoc.) 260
fimbriata Chevr. (Phal.) 347
fimbriata Mén. (Udebra) 337
fimbriatus Cas. (Arae.) 105
fimbriatus Cas. (Ulus) 296
fimbriatus Mén. (Arthr.) 5
fimbritibius Ancey 564
finitimus Cas. (Con.) 266
finitimus Cas. (Mel.) 17
Fiorii Leoni 130
firmior Seidl. 238
Fischeri Fald. (Adesm.) 85
Fischeri Kolbe (Strong.) 595
Fischeri Mén. (Idiesa) 190
Fischeri Fisch. (Blaps) 237
Fischeri Mannerh. (Eleod.) 248
Fischeri Sol. (Tent.) 73
fissicolle Fairm. 595
fissidens Reitt. 317
Fitzroyi Waterh. 142
flabellicornis Sturm 362
flaccida Horn 130
flagrans Péring. (Psamm.) 155
flagrans Péring. (Psamm.) 156
flava Perty 496
flavicollis F. 82
flavicorne Motsch. (Plat.) 373
flavicorne Perty (Strong.) 595
flavicorne Chevr. (Plat.) 379
flavicrus Germ. 595
flavilabre Fairm. 595
flavipalpe Chevr. 373
flavipennis Mäkl. (Otoc.) 602
flavipennis Motsch. (Hyp.) 414

flavipes F. (Plat.) 373
flavipes Melsh. (Trach.) 345
flavipes All. (Hel.) 542
flavitarse Fairm. 595
flavoarcuata Fairm. 444
flavofasciatum Cast. 595
flavofemoratum Redtenb. 461
flavolimbata Mäkl. 605
flavolineatus Mäkl. 602
flavomaculatus Mäkl. (Poec.) 589
flavomaculatus Motsch. (Bas.) 381
flavopictus Westw. 584
flavovariegatum Champ. 380
flavozonatum Luc. 595
flavus All. 542
Fleischeri Reitt. 222
flexuosa Pasc. 349
flexuosum Chevr. (Plat.) 373
flexuosum Sol. (Sep.) 169
flexuosus Sol. 358
flibuster Thoms. 530
floccosum Pasc. 417
floccosus Quedf. 504
Flohri Champ. (Asida) 130
Flohri Champ. (Tarp.) 532
Flohri Champ. (Tlasc.) 20
Florentini Fairm. 488
Floresi Gené 69
floricola Mars. 397
floridanus Cas. (Epitr.) 29
floridanus Lec. (Branch.) 263
floridum Kolbe 595
foeda Champ. 130
Foersteri Reitt. 46
foraminosus Fairm. (Rhin.) 434
foraminosus Küst. (Dend.) 280
forcipatus Péring. 34
forcipicolle Fairm. 595
formosus Cast. (Tetr.) 492
formosus Kraatz (Pseud.) 488
formosus Thoms. (Cuph.) 588
formosus Westw. (Cyph.) 484
fornicata Herbst 208
fornicatus Fald. 289
Forreri Champ. (Asida) 130
Forreri Champ. (Eleod.) 245
fortestriata Fauv. 402
forticorne Geb. 509
forticornis Fairm. (Lypr.) 472
forticornis Baudi (Him.) 33
forticostis Geb. 335
fortipes Fairm. 275
fortis Cas. (Bothr.) 28
fortis Lec. (Blapst.) 298
fortuitus Péring. 156
fossatus Fauv. 513
fossicolle Mäkl. 595
fossifrons Mäkl. 595
fossor Lec. 340
fossoria Woll. 397
fossulata Bris. (Tent.) 69
fossulata Champ. (Uloma) 402
fossulata Kraatz (Rhyt.) 66
fossulata Müll. (Lampr.) 607
fossulata Péring. (Adesm.) 85
fossulata All. (Adesm.) 83
fossulatum Blackb. (Plat.) 373
fossulatum Mäkl. (Strong.) 595
fossulatum Muls. (Scler.) 313
fossulatus Sol. (Diod.) 7
fossulatus Muls. (Phyl.) 285
fossulatus Sol. (Gyr.) 141
fossum All. 595
Foudrasi Muls. 542
foveata Fisch. 224
foveaticollis Péring. 607
foveatipennis Péring. 103
foveatostriatus Baudi 285
foveatum Cart. 509
foveatus Champ. (Epitr.) 25
foveatus Fairm. (Phil.) 528
foveiceps Geb. (Plat. 373
foveiceps Gestro (Zoph.) 38
foveicollis All. (Asida) 130
foveicollis All. (Blaps) 229
foveicollis Champ. (Dit.) 16
foveicollis Fairm. (Par.) 571
foveicollis Fairm. (Set.) 444
foveicollis Haag (Adesm.) 83
foveicollis Küst. (Neph.) 558
foveicollis Sem. (Pros.) 222
foveicollis Thoms. (Uloma) 402
foveicollis Thoms. (Ten.) 454
foveipenne Fairm. 523
foveipennis Champ. (Tarp.) 532
foveipennis Fairm. (Cam.) 492
foveipennis Fairm. (Mor.) 527
foveipennis Fairm. (Sel.) 277
foveipennis Fairm. (Viet.) 171
foveipennis Haag (Adesm.) 85
foveipennis Kolbe (Eul.) 574
foveipennis Kraatz (Pach.) 59
foveipennis Muls. (Phyl.) 285
foveipennis Oertz. (Euc.) 486
foveistrium Mars. 342
foveiventris Desbr. 106
foveola Mén. 85
foveolata Champ. (Tarp.) 532
foveolata Kraatz (Rhyt.) 66
foveolata Sol. (Asida) 130
foveolatostriatus Motsch. 557
foveolatum Mäkl. (Strong.) 595
foveolatum Ol. (Scler.) 314
foveolatus Graëlls (Phyl.) 285
foveolatus Kraatz (Rhin.) 434
foveolatus Mars. (Der.) 448
foveolatus M'Leay (Amar.) 577
foveolatus Péring. (Asth.) 575

foveolatus Seidl. (Dend.) 281
foveolatus Seidl. (Hel.) 542
foveolatus Sol. (Asida) 130
foveopunctatus Fairm. 141
foveoseriatus Fairm. (Amar.) 577
foveoseriatus Fairm. (Enc.) 447
foveoseriatus Fairm. (Het.) 473
foveostriatus Fairm. (Amar.) 577
foveostriatus Thoms. (Der.) 448
fragile Champ. 595
fragilicornis Champ. (Poec.) 589
fragilicornis Champ. (Tarp.) 532
fragilis Fåhrs. (Epair.) 171
fragilis Haag (Psamm.) 156
fragilis Mén. (Hel.) 542
franciscana Cas. 267
frater Fairm. 332
fraternalis Bates 507
fraternum Kolbe (Strong.) 595
fraternum Chevr. (Plat.) 373
fraternus Cas. (Hyl.) 15
fraternus Haag (Psamm.) 156
fraternus M'Leay (Pter.) 418
fraternus Muls. (Phyl.) 309
fraxini Kugel. 414
Frenchi Blackb. (Amar.) 577
Frenchi Cart. (Agast.) 427
Frenchi Cart. (Hel.) 421
Frenchi Cart. (Sar.) 423
fretum Geb. 595
frigida Esc. 130
Frioli Sol. (Meg.) 91
Frioli Sol. (Pach.) 59
Frioli Rosenh. (Pach.) 59
Frioli Sol. (Sten.) 108
Fritschi Haag (Pach.) 59
Fritschi Haag (Psamm.) 156
Fritschi Heyd. (Pim.) 214
Frivaldszkyi Kraatz (Tent.) 69
Frivaldszkyi Seidl. (Hel.) 542
Froggatti Blackb. 580
frondosus Gerst. 150
frontale Champ. 595
frontalis Cas. (Coel.) 270
frontalis Champ. (Dol.) 410
frontalis Champ. (Hic.) 442
frontalis Geb. (Hopl.) 572
frontalis Haag (Trach.) 164
fronticorne Kl. 375
fronticornis Geb. 387
Fruhstorferi Fairm. (Cam.) 495
Fruhstorferi Fairm. (Erul.) 559
Fryi Bates (Met.) 399
Fryi Pasc. (All.) 364
Fuchsi Blaisd. 245
Fuentei Fairm. 131
fugax Fåhrs. 38
Fulei Küst. (Hel.) 542
Fulei Baudi (Hel.) 534
fulgidipennis Boisd. 484
fulgiditessellatus Blanch. 577
fulgidum Mäkl. 595
fulgurans Fauv. 501
fuligineum Pasc. 373
fuliginosa Fairm. (Machla) 122
fuliginosa Quedf. (Dysg.) 607
fuliginosus Cas. (Blapst.) 298
fuliginosus Champ. (Sit.) 409
fuliginosus Fairm. (Ten.) 454
fulminans Mäkl. (Strong.) 595
fulminans Reitt. (Pros.) 222
fulva Fleut. et S. 347
fulvescens Westw. 389
fulvicollis Westw. 388
fulvicornis Reitt. 289
fulvipennis Fairm. (Anaed.) 470
fulvipennis Reitt. (Adelph.) 559
fulvipes Herbst (Hapl.) 437
fulvipes Reiche (Hel.) 542
fulvipes Reiche (Sten.) 107
fulvipes Sol. (Hyp.) 51
fulvipes Reitt. (Sten.) 107
fulvohirtus Lea 421
fulvoscutatus Fairm. 296
fulvovittatus Reitt. 559
fulvum Bates 380
fulvus Muls. 338
fumosa Champ. 585
fumosum Lew. 373
fumosus Péring. 573
fundator Reitt. 542
funebris Arr. (Amar.) 577
funebris Cas. (Bothr.) 28
funebris Cas. (Blapst.) 298
funebris Champ. (Isic.) 437
funebris Muls. (Trig.) 272
funebris Reitt. (Anis.) 178
funebris Reitt. (Scyth.) 63
funebris Champ. (Hel.) 545
funebris Panz. (Poec.) 589
funereria Fairm. 609
funerarius Fairm. 577
funerea Gerst. (Zoph.) 38
funerea Pasc. (Lyg.) 483
funerosus Hope 119
funesta Fald. (Cyph.) 176
funesta Champ. (Asida) 128
funestoides Reitt. 542
funestrum Mäkl. 595
funestus Fåhrs. (Trach.) 164
funestus Fald. (Hel.) 542
funestus Haag (Psamm.) 156
funestus All. (Hel.) 543
fungi Motsch. 366
fungicola Friedenr. (Rhip.) 362
fungicola Horn (Eled.) 363
funginum Lew. 461
furcata Champ. 130

fureatum Kirsch 97
furcicollis Fairm. 399
furcifer Dalm. 399
furciferum Gerst. 168
furcilabris Fairm. 34
furcillatus All. 530
furvum Mäkl. 595
furvus Muls. 311
fuscata Schneid. 347
fuscatus Broun (Choer.) 350
fuscatus Fairm. (Enc.) 447
fuscicorne Chevr. (Plat.) 373
fuscicorne Mäkl. (Strong.) 595
fuscicornis Chevr. (Diast.) 275
fuscicornis Fairm. (Hol.) 492
fuscicornis Fairm. (Lypr.) 472
fuscipes Brll. (Oxyc.) 77
fuscipes Cast. (Plat.) 373
fuscipes Latr. (Epitr.) 25
fuscipilosus Cas. 505
fusciventris Reitt. 414
fuscoaenea Fairm. 610
fuscoaenescens Fairm. (Ples.) 583
fuscoaenescens Fairm. (Strong.) 595
fuscocyanescens Fairm. 601
fuscopictus Fairm. 431
fuscopilosa Reitt. 195
fuscovariegatus Reitt. 354
fusculum Cas. 13
fusculus Lec. (Prat.) 470
fusculus Woll. (Hel.) 543
fusculus All. (Hel.) 534
fuscum Mäkl. (Strong.) 595
fuscum Woll. (Gon.) 326
fuscum Woll. (Opatr.) 331
fuscus Lec. (Par.) 471
fuscus Sol. (Arthr.) 11
fusiforme Cas. 27
fusiformis Champ. (Ment.) 560
fusiformis Lec. (Eleod.) 245
fusiformis Sem. (Reitt.) 92
fusiformis All. (Ent.) 556
futilis Woll. 543

Gabbi Horn 130
gaditana Esc. (Asida) 130
gaditana Rosenh. (Tent.) 69
gaditana Ramb. (Asida) 131
gadium Sol. 207
gagates Brême (Symp.) 422
gagates Horn (Con.) 302
gagatina Mäkl. (Praog.) 605
gagatina Muls. (Uloma) 402
gagatinus Küst. 543
gagatus Geb. 452
gages Fisch. (Plat.) 255
gages Bach (Plat.) 256
gages F. (Blaps) 230
galapagoense Waterh. 12
galapagoensis Waterh. (Amm.) 119
galapagoensis Waterh. (Ped.) 301
galeata Lec. 119
gallica Sol. 70
Gambeyi All. 130
Ganglbaueri Amore (Colp.) 291
Ganglbaueri Reitt. (Laena) 518
Ganglbaueri Reitt. (Pter.) 195
Ganglbaueri Reitt. (Tent.) 69
Ganglbaueri Seidl. (Plat.) 255
Garciae Berg 142
gariesa Péring. 85
gariesus Péring. 156
gasanus Péring. (Anom.) 305
gasanus Péring. (Micr.) 564
gasanus Péring. (Pycn.) 479
Gastonis Fairm. (Brach.) 336
Gastonis Reitt. (Oxyc.) 77
Gastonis Fairm. (Tent.) 76
gastridula Fald. 201
Gaudichaudi Cast. 24
Gayi Cast. (Phal.) 348
Gayi Sol. (Praoc.) 260
Gayi Sol. (Scot.) 184
Gayi Sol. (Crypt.) 115
gayndahensis M'Leay 439
gazella F. 461
gazellae Schauf. 461
Gebieni Reitt. (Laena) 418
Gebieni Reitt. (Leich.) 342
Gebieni Reitt. (Pim.) 199
Gebieni Reitt. (Pros.) 222
Gebleri Gebl. (Adesm.) 85
Gebleri Bess. (Tent.) 71
gemellatus Fourcr. (Ped.) 288
gemellatus Ol. (Opatr.) 277
gemellatus Marsh. (Phyl.) 286
geminata Champ. (Asida) 130
geminata Lea (Cor.) 515
geminata Chevr. (Aps.) 384
geminatum Brll. (Opatr.) 328
geminatum Pasc. (Adel.) 509
geminatus All. (Diph.) 385
geminatus Blackb. (Pter.) 418
geminatus Cas. (Zoph.) 95
geminatus M'Leay (Sarag.) 423
geminatus Sol. (Pol.) 433
geminatus Er. (Opatr.) 277
gemmans Baudi 200
gemmata Reitt. 193
gemmatum F. 563
gemmulata Mén. 190
Genei Gené (Hel.) 543
Genei Sol. (Akis) 174
Genei Sol. (Asida) 130
Genei Sol. (Ocn.) 196
Genei Sol. (Nyct.) 254
Genei Muls. (Hel.) 549

Genei Sol. (Sep.) 169
generosum Mäkl. 595
geniale Pasc. 509
genialis Broun 516
geniculata Bates (Nes.) 608
geniculata Haag (Seir.) 512
geniculatum Mäkl. (Acr.) 499
geniculatum Thoms. (Strong.) 595
geniculatum Motsch. (Strong.) 592
geniculatus Germ. (Poec.) 589
geniculatus Haag (Trach.) 164
genitiva Cas. 267
gentilis Fairm. (Blaps) 229
gentilis Fairm. (Comps.) 610
gentilis Lew. (Hyp.) 414
gentilis Lec. (Eleod.) 245
geometrica Fairm. 142
geometricus Perty 589
Georgei Cart. 421
Georgi Delam. 207
Georgii White (Zoph.) 95
Georgii Reitt. (Pros.) 221
geotrupoides Woll. 6
Germari Mäkl. (Strong.) 595
Germari Sol. (Pach.) 59
Germari Küst. (Hel.) 541
Germari Sol. (Zoph.) 37
Gerstaeckeri Gestro (Micr.) 564
Gerstaeckeri Haag (Psamm.) 156
Gerstaeckeri Mäkl. (Strong.) 595
Gerstaeckeri Haag (Adesm.) 87
Gestroi Haag (Per.) 100
Gestroi Leoni (Asida) 130
Gestroi Sén. (Pim.) 208
Gestroi Reitt. (Sten.) 106
Ghiliani Baudi (Hel.) 543
Ghiliani Deyr. (Zoph.) 38
Ghiliani Baudi (Asida) 127
gibba Cast. (Blaps) 229
gibba F. (Pim.) 208
gibba Fisch. (Cyph.) 176
gibba Pall. (Mol.) 153
gibba Herbst (Mol.) 153
gibber Motsch. 359
gibbera Pasc. 361
gibberosulus Péring. 156
gibbicolle Fairm. 595
gibbicollis Champ. (Caanth.) 360
gibbicollis Fleut. (Der.) 448
gibbicollis Haag (Mol.) 153
gibbicollis Luc. (Tent.) 69
gibbicollis Muls. (Opatr.) 270
gibbicollis Perez (Asida) 130
gibbicollis Sol. (Vieta) 170
gibbicollis All. (Hel.) 543
gibbicollis Fald. (Hel.) 543
gibbicollis Horn (Asida) 130
gibbicollis Küst. (Hel.) 543
gibbicollis Sol. (Zoph.) 40
gibbifer Wesm. 359
gibbipennis Bates (Mac.) 466
gibbipennis Champ. (Isam.) 527
gibbipennis Haag (Sten.) 89
gibbipennis Motsch. (Parat.) 471
gibbipennis Champ. (Tar.) 441
gibbithorax Gemm. 543
gibbium Curt. 286
gibbosa Champ. (Aps.) 385
gibbosa Ol. (Mol.) 153
gibbosa Pall. (Cam.) 495
gibbosa Stev. (Anat.) 47
gibbosa Guér. (Acanth.) 567
gibbosulum Fairm. 595
gibbosulus Fairm. (Euc.) 486
gibbosulus Fairm. (Suar.) 125
gibbosum Brême 417
gibbosus Blanch. (Mitr.) 148
gibbosus Champ. (Oen.) 433
gibbosus Fåhrs. (Amiant.) 152
gibbosus Lacord. (Dic.) 589
gibbosus Mäkl. (Poec.) 589
gibbosus Seidl. (Hel.) 543
gibbosus Westw. (Plat.) 480
gibbosus Brll. (Ped.) 289
gibbosus Gray (Met.) 478
gibbosus Motsch. (Cibd.) 438
gibbosus Muls. (Ped.) 287
gibbulus Fald. (Lob.) 333
gibbulus Herbst (Mis.) 523
gibbulus Motsch. (Micr.) 311
gibbulus Quens. (Crypt.) 351
gibbum Mäkl. (Strong.) 595
gibbum Bess. (Opatr.) 329
gibbus Blackb. (Osp.) 426
gibbus Champ. (Oxid.) 528
gibbus F. (Erod.) 8
gibbus F. (Phyl.) 285
gibbus Haag (Psamm.) 156
gibbus Degeer (Psamm.) 161
gibbus Küst. (Hel.) 547
gibbus Mén. (Sar.) 175
gibbus Panz. (Bolit.) 358
gibbus Sol. (Erod.) 9
gibbus Wulf. (Psamm.) 160
Giebeleri Heyd. 348
gigantea Bates (Nes.) 608
gigantea Fisch. (Symp.) 611
gigantea Mannerh. (Eleod.) 245
gigantea Motsch. (Blaps) 230
gigantea Pall. (Nyct.) 443
gigantea Pet. (Blaps) 230
giganteum Schauf. 461
giganteus Fairm. (Plat.) 485
giganteus Fairm. (Ten.) 454
giganteus Geb. (Pheug.) 476
giganteus Haag (Psamm.) 156
giganteus Kraatz (Ent.) 556
giganteus Reiche (Amn.) 10

giganteus Küst. (Scaur.) 180
gigas Duf. (Asida) 131
gigas Fald. (Tent.) 69
gigas Kolbe (Dysg.) 607
gigas L. (Blaps) 230
gigas L. (Nyct.) 443
gigas Mäkl. (Strong.) 596
gigas Steinh. (Omoph.) 29
gigas Fisch. (Blaps) 231
gigas Ol. (Blaps) 233
gigas Reitt. (Trig.) 191
gigas Sulz. (Psamm.) 161
gigas Waltl (Scaur.) 180
Gilesi Cart. 421
gilvipes Mén. 543
giraffa All. 69
glabella Herbst 59
glaber Brll. (Heg.) 78
glaber Demais. (Oochr.) 354
glaber Fåhrs. (Trach.) 164
glaber Kolbe (Par.) 575
glaber Lec. (Hyp.) 414
glaber M'Leay (Chart.) 482
glaber M'Leay (Pter.) 418
glaber Brll. (Crypt.) 351
glaber F. (Crypt.) 353
glaberrima Baudi 47
glabra F. (Tent.) 69
glabra Fisch. (Gnath.) 43
glabra Stev. (Pach.) 59
glabra Waterh. (Eus.) 68
glabra Blaisd. (Eleod.) 243
glabra Blaisd. (Eleod.) 243
glabra Blaisd. (Eleod.) 249
glabra Herbst (Alob.) 444
glabra Herbst (Tent.) 71
glabra Sem. (Sphen.) 33
glabra Sol. (Tent.) 72
glabrata F. (Ell.) 354
glabrata Seidl. (Blaps) 230
glabrata Sol. (Psect.) 146
glabratus Champ. (Naut.) 530
glabratus Champ. (Ster.) 17
glabratus Gerst. (Plat.) 397
glabratus Har. (Psamm.) 156
glabratus Sol. (Erod.) 8
glabratus F. (Alph.) 406
glabratus F. (Gnapt.) 217
glabricollis Champ. (Eleod.) 245
glabricollis Deyr. (Zoph.) 38
glabricosta Sol. 136
glabriculus Motsch. 441
glabritarsis Sharp 395
glabriuscula Sahlb. 518
glabriventris Reitt. 543
glabrum Blaisd. (Emb.) 253
glabrum Kolbe (Strong.) 596
glabrum Brll. (Dich.) 50
glacialis Gené 131
glandiformis Pall. 160
Glasunowi Sem. 222
globata Fald. 62
globatum Cast. 373
globicollis Reitt. (Herl.) 49
globicollis Seidl. (Hel.) 543
globicollis Thoms. (Der.) 448
globipennis Blanch. 561
globithorax Stev. 62
globosa Haag (Adesm.) 85
globosa Lec. (Phal.) 348
globosa Seidl. (Plat.) 255
globosa Bess. (Micr.) 61
globosus Cas. (Edrot.) 82
globosus Fald. (Arthr.) 5
globosus Fauv. (Caed.) 339
globosus Haag (Psamm.) 156
globosus Reiche (Arthr.) 6
globulatus Fairm. 576
globulicollis Mén. (Micr.) 61
globulicollis Sol. (Mol.) 153
globulicollis Fairm. (Der.) 448
globulina Cas. 267
globulipennis Péring. 152
globulosa Cart. 512
globulum Haag 89
globulus Fairm. (Phys.) 258
globulus Seidl. (Plat.) 255
globulus Sol. (Crypt.) 115
glomerata Thunb. 90
glomeratus Fairm. 6
glorificus Seidl. 543
gloriosa Fairm. (Drocl.) 496
gloriosa Fauv. (Call.) 501
gloriosa Péring. (Praog.) 605
gloriosus Fald. (Hel.) 543
gloriosus Kraatz (Euc.) 486
gloriosus Fairm. (Euc.) 486
gloriosus Geb. (Met.) 478
glyptoptera Fairm. 218
gnaptorina Reitt. 222
gnaptorinoides Reitt. 217
gnathosioides Motsch. 46
gnesioides Pasc. 520
gobiensis Friv. (Plat.) 187
gobiensis Friv. (Blaps) 232
Godarti Muls. 291
Godartiana Luc. 71
Godeffroyi Haag 480
Godmani Champ. 27
Goedeni Panz. 358
Goliath Fairm. 461
gomerensis Well. 543
gomorrhana Reiche 198
Goryi Cast. (Plat.) 373
Goryi Sol. (Adesm.) 85
Goryi Sol. (Akis) 174
Goryi Sol. (Asida) 131
Goryi Sol. (Eleod.) 246

Goryi Sol. (Erod.) 8
Goryi Sol. (Psamm.) 156
Goryi Sol. (Trach.) 164
Goryi Sol. (Zoph.) 38
Goryi Sol. (Pim.) 213
gossypiatus Reiche (Hel.) 543
gossypiatus All. (Hel.) 538
Goudiei Cart. (Agast.) 427
Goudiei Cart. (Adel.) 509
Goudoti Fairm. (Het.) 386
Goudoti Fairm. (Nes.) 608
Goudoti Guér. (Mis.) 524
Goudoti Lac. (Mol.) 391
Goudoti Sol. (Asida) 131
Goudoti Er. (Mis.) 523
Goudoti Sol. (Tent.) 72
Gounellei Fairm. 574
gracile Cas. (Lob.) 27
gracile Mäkl. (Strong.) 596
gracile Pasc. (Tox.) 461
gracilenta Ancey (Vieta) 170
gracilenta Haag (Pim.) 208
gracilentus Fairm. 156
gracilicollis Kraatz (Blaps) 230
gracilicollis Kraatz (Hel.) 550
gracilicornis All. (Hel.) 543
gracilicornis Blackb. (Chalc.) 580
gracilicornis Blackb. (Pter.) 418
gracilicornis Cas. (Trior.) 80
gracilicornis Deyr. (Zoph.) 38
gracilicornis Reitt. (Dail.) 45
gracilicornis Fairm. (Cam.) 180
gracilicornis Fairm. (Scaur.) 492
gracilicornis Sol. (Pter.) 195
graciliformis Sol. 124
gracilior Blackb. (Chalc.) 580
gracilior Blackb. (Exang.) 119
gracilior Fairm. (Lypr.) 472
gracilior Fairm. (Neph.) 559
gracilipes Cas. (Phal.) 348
gracilipes Deyr. (Onych.) 42
gracilipes Fairm. (Mic.) 75
gracilipes Haag (Trach.) 164
gracilipes Phil. (Nyct.) 254
gracilipes Sén. (Pim.) 208
gracilipes Sol. (Sten.) 89
gracilipes Baudi (Alph.) 405
gracilipes Sol. (Scaur.) 180
gracilis All. (Asida) 131
gracilis Bates (Lob.) 333
gracilis Bland (Hel.) 543
gracilis Cas. (Noc.) 303
gracilis Er. (Psamm.) 183
gracilis Eschsch. (Micr.) 62
gracilis Fåhrs. (Stom.) 370
gracilis Fåhrs. (Zophos.) 38
gracilis Fall (Alaeph.) 462
gracilis Faust (Pros.) 222
gracilis Geb. (Distr.) 152
gracilis Geb. (Pycn.) 479
gracilis Gredl. (Mes.) 54
gracilis Gerst. (Herp.) 181
gracilis Gerst. (Rhyt.) 66
gracilis Horn (Zopher.) 95
gracilis Küst. (Scaur.) 179
gracilis Lec. (Eleod.) 246
gracilis Lec. (Rhin.) 434
gracilis Péring. (Carch.) 181
gracilis Peyerimh. (Mes.) 55
gracilis Quedf. (Praog.) 605
gracilis Reitt. (Cabir.) 292
gracilis Seidl. (Plat.) 255
gracilis Waterh. (Ocn.) 197
gracilis All. (Hel.) 552
gracilis Baudi (Hel.) 538
gracilis Fisch. (Hel.) 536
gracilis Küst. (Hel.) 542
gracilis Motsch. (Hopl.) 367
gracilis Muls. (Ped.) 288
gracillima Ancey (Rhyt.) 66
gracillima Sem. (Reitt.) 92
graeca Brll. (Pim.) 208
graeca Sol. (Blaps) 230
graeca Weise (Laena) 518
graeca All. (Asida) 130
graeca Desbr. (Ocn.) 198
graeca Kraatz (Pim.) 213
graeca Sol. (Pim.) 215
graeca Sol. (Sten.) 108
graecus Brll. (Dend.) 281
graecus Kraatz (Apol.) 177
graecus Seidl. (Hel.) 543
graecus Küst. (Gnapt.) 217
grajus All. 544
grallator Fairm. 566
grammica Chevr. 384
grammicus Perty 139
granaticollis Fairm. 356
granatum Fairm. 328
granatus Fairm. 305
grande Fairm. (Cyr.) 583
grande Haag (Adel.) 104
grande Pasc. (Tox.) 461
grandiceps Cas. 80
grandicolle Fairm. 104
grandicollis Champ. (Cent.) 436
grandicollis Fairm. (Ozaen.) 453
grandicollis Gerst. (Coss.) 430
grandicollis Kraatz (Pros.) 222
grandicollis Küst. (Hel.) 544
grandicollis Mannerh. (Eleod.) 246
grandicollis Kraatz (Pim.) 207
grandicornis Fairm. (Afr.) 34
grandicornis Fairm. (Phae.) 561
grandicornis Motsch. (Par.) 471
grandipalpis All. 131
grandipenna Sol. 215
grandipes Fairm. 448

grandis Bates (Ascel.) 43
grandis Bates (Card.) 507
grandis Champ. (Blapst.) 298
grandis Champ. (Pol.) 26
grandis Desbr. (Pach.) 59
grandis Fairm. (Alph.) 405
grandis Fairm. (Brad.) 356
grandis Fairm. (Clit.) 340
grandis Fairm. (Nyct.) 142
grandis Fairm. (Porph.) 493
grandis Fald. (Stern.) 192
grandis Gebl. (Trig.) 190
grandis Kl. (Pim.) 209
grandis Kraatz (Las.) 193
grandis Kraatz (Mic.) 75
grandis Mill. (Amn.) 11
grandis M'Leay (Chalc.) 580
grandis M'Leay (Omol.) 521
grandis Sem. (Mant.) 188
grandis Sol. (Psamm.) 156
grandis Sol. (Sten.) 107
grandis Westw. (Hem.) 481
grandis Bates (Call.) 501
grandis Bates (Cil.) 425
grandis Blaisd. (Eleod.) 245
grandis Sol. (Psamm.) 156
grandis Sol. (Tent.) 69
granicollis Horn (Zoph.) 95
granicollis Seidl. (Hel.) 544
granidorsis Fairm. 308
granifer Fairm. 451
granifera Fald. (Pach.) 200
granifera Sol. (Asida) 131
granifera Sol. (Pim.) 206
graniger Fairm. (Sphaer.) 527
graniger Küst. (Hel.) 544
graniger Brll. (Opatr.) 331
granigerum Bess. 331
granimentum Reitt. 45
granipennis All. (Hel.) 544
granipennis Fairm. (Erod.) 8
granipennis Bates (Cil.) 425
graniventris Baudi 206
granivorus Muls. 406
granocostata Fairm. (Emm.) 185
granocostata Fairm. (Pter.) 215
granocostatus Fairm. (Anom.) 305
granocostatus Fairm. (Gyr.) 141
granobispidum Kolbe 323
granosa All. (Osd.) 525
granosa Fåhrs. (Acanth.) 568
granosa Lec. (Eleod.) 246
granosus Lac. (Scot.) 184
granosus Seidl. (Hel.) 544
Granti Gahan 104
granulare Westw. 563
granulata Cast. (Anem.) 317
granulata Champ. (Pim.) 82
granulata Fairm. (Call.) 497
granulata Fisch. (Ocn.) 197
granulata Fisch. (Plat.) 187
granulata Gebl. (Blaps) 231
granulata Haag (Crypt.) 115
granulata Kraatz (Las.) 193
granulata Lec. (Eleod.) 246
granulata Sol. (Pim.) 209
granulata Waterh. (Nyct.) 142
granulata Curt. (Nyct.) 142
granulata F. (Asida) 137
granulata Fisch. (Blaps) 228
granulato-muricata Blaisd. 247
granulato-striatum Küst. 330
granulatus All. (Helops) 544
granulatus F. (Euryn.) 276
granulatus Fairm. (Card.) 139
granulatus Fisch. (Bol.) 358
granulatus Germ. (Pter.) 419
granulatus Lea (Helaeus) 421
granulatus Lec. (Noc.) 303
granulatus Reitt. (Euryc.) 314
granulatus Sol. (Psamm.) 156
granulicollis Woll. 209
granulifer Haag (Psamm.) 156
granulifer Seidl. (Hel.) 544
granulifera Champ. (Crypt.) 121
granulifera Chevr. (Asida) 131
granulifera Sahlb. (Akis) 174
granuliferum Luc. 329
granulipenne Fairm. 314
granulipennis Fairm. (Brad.) 356
granulipennis Jacq. (Tarp.) 532
granulipennis Péring. (Hopl.) 572
granulipennis Haag (Eur.) 99
granulipleuris Reitt. 48
granulosa Brême (Cil.) 425
granulosa Gemm. (Nyct.) 142
granulosa Péring. (Carch.) 181
granulosa Ball. (Pros.) 225
granulosa Mén. (Blaps) 228
granulosa Sol. (Pach.) 202
granulosum Broun (Mes.) 515
granulosum Fisch. (Opatr.) 328
granulosus All. (Erod.) 8
granulosus Billb. (Micr.) 311
granulosus Cast. (Stiz.) 308
granulosus Mén. (Lab.) 333
granulosus Woll. (Trich.) 332
granulosus Sol. (Erod.) 8
graphica Baudi 207
gratilla Herbst 568
gratiosum Broun (Phel.) 514
gratiosum Mäkl. (Strong.) 596
gratiosus Péring. (Micr.) 564
gratiosus Péring. (Par.) 576
gratulus Péring. (Hopl.) 572
gratulus Péring. (Par.) 576
gratum Mäkl. 596
gratus Friv. 544

gravida Eschsch. (Eleod.) 246
gravida Lac. (Praoc.) 260
gravidula Friv. (Anat.) 48
gravidula Gerst. (Rhyt.) 66
gravidulus Cas. 80
gravidum Cas. (Met.) 13
gravidum Mäkl. (Strong.) 596
gravidus Brême (Oxid.) 528
gravidus Brll. (Dend.) 281
gravidus Sol. (Psamm.) 161
gravidus Westw. (Psamm.) 157
gravis Cas. (Con.) 267
gravis Gemm. (Psamm.) 156
Grayi Woll. 340
Gredleri Haag 153
gregalis Cas. 299
gregarium Champ. (Strong.) 596
gregarium Rosenh. (Opatr.) 328
grenadensis Champ. (Icc.) 392
grenadensis Champ. (Uloma) 402
Grenieri Perris 329
gressoria Reitt. 231
Grigorievi Sem. 195
grisea F. (Asida) 131
grisea Latr. (Asida) 136
griseovestis Fairm. 351
grisescens Fairm. (Euth.) 200
grisescens Kraatz (Las.) 193
griseus Fåhrs. 164
Grixonii Gestro 170
Grombczewskyi Sem. (Apat.) 186
Grombczewskyi Sem. (Asph.) 31
Grombczewskyi Sem. (Pros.) 222
Grombczewskyi Sem. (Solsk.) 177
Gronovii Herbst 589
Grouvellei Reitt. 222
grossa Bess. (Tent.) 69
grossa Champ. (Uleda) 400
grossa Er. (Crypt.) 115
grossa F. (Pim.) 209
grossa L. (Mor.) 172
grossa Lec. (Eul.) 182
grossa Sol. (Asida) 137
grossa Sol. (Tent.) 72
grossus Cas. 270
Grumi Sem. 188
guadalupensis Cas. 544
guadeloupense Geb. 596
guadeloupensis Cas. (Con.) 302
guadeloupensis Fleut. (Arrh.) 400
guadeloupensis Fleut. (Phal.) 348
guadeloupensis Fleut. (Tal.) 562
guadeloupensis Fleut. (Trient.) 22
guanajuatensis Champ. 131
guatemalense Champ. (Lob.) 27
guatemalense Champ. (Plat.) 373
guatemalensis Champ. (Heg.) 531
guatemalensis Champ. (Hyl.) 15
guatemalensis Champ. (Phal.) 348
guatemalensis Champ. (Nos.) 96
guatemalensis Champ. (Poec.) 589
guatemalensis Champ. (Sic.) 392
guatemalensis Champ. (Tal.) 562
Guerini Brême (Pter.) 419
Guerini Coquer. (Nes.) 608
Guerini Haag (Psamm.) 156
Guerini Waterh. (Nyct.) 142
Guerini Sol. (Psectr.) 147
guerreroensis Champ. 532
guineense Haag 563
guineensis Fairm. (Bas.) 381
guineensis Imh. (Ten.) 454
guineensis Motsch. (Amen.) 422
Gulielmi Olliff 424
gulosum Cas. 13
guttifer Waterh. (Art.) 484
guttifer Seidl. (Opatr.) 330
guttulatus Horn 95
gymnandra Sem. 222
gyrinoides Chevr. 412

Haaghi All. 556
Haagi Bates (Aryen.) 22
Haagi Bates (Asc.) 43
Haagi Bates (Card.) 507
Haagi Bates (Nes.) 608
Haagi Bates (Orem.) 482
Haagi Deyr. (Zophos.) 38
Haagi Dohrn (Hel.) 421
Haagi Fairm. (Gaur.) 487
Haagi Fairm. (Pil.) 148
Haagi Geb. (Psamm.) 156
Haagi Haag (Rhyt.) 66
Haagi Har. (Per.) 100
Haagi Kirsch (Amar.) 577
Haagi Kirsch (Pen.) 391
Haagi Kraatz (Zophob.) 434
Haagi Péring. (Pach.) 117
Haagi Péring. (Trach.) 164
Haagi All. (Ent.) 556
Haagi Har. (Gnes.) 524
Haagi Kraatz (Tent.) 65
Habelmanni Kraatz 197
Haberbaueri Seidl. (Blaps) 231
Haberbaueri Seidl. (Plat.) 255
habessinica Kraatz 55
Hackeri Cart. 510
hadroides Fairm. (Gon.) 323
hadroides Woll. (Gon.) 326
haemorrhoa Fairm. 402
haemorrhoidale F. 596
haemorrhoidalis Kl. (Cam.) 495
haemorrhoidalis F. (Hopl.) 368
haemorrhoum Mäkl. 596
haesitans Kolbe 476
Hahni Fairm. 561
Haldemani Horn 94

halophila Fisch. 231
halorhageos Montr. 385
hamaticolle Fairm. 168
hamaticollis Gerst. (Machla) 122
hamaticollis Péring. (Phligra) 150
hamatiferum Chevr. 373
hamatus Champ. 602
hamilcaris Reitt. 286
Hammarstroemi Poppius 48
Hanseni Broun 514
haplandroides Bates 462
Harmandi All. 449
Haroldi Haag (Amiant.) 152
Haroldi Haag (Him.) 32
Haroldi Haag (Onc.) 563
Haroldi Kraatz (Pach.) 59
Haroldi Sén. (Pim.) 212
harpaloides Baudi (Cal.) 50
harpaloides Küst. (Hel.) 544
harpaloides White (Phel.) 514
harpaloides Boisd. (Adel.) 509
harpaloides Lac. (Phel.) 514
Hartmeyeri Geb. 580
Hartungi Woll. 6
Hasselti Fairm. (Amar.) 577
Hasselti Fairm. (Gaur.) 487
Hauseri Reitt. (Adel.) 104
Hauseri Reitt. (Amm.) 5
Hauseri Reitt. (Anat.) 48
Hauseri Reitt. (Anem.) 317
Hauseri Reitt. (Laena) 518
Hauseri Reitt. (Net.) 35
Hauseri Reitt. (Plat.) 254
Hauseri Reitt. (Pros.) 222
Hauseri Sem. (Trig.) 190
Hauseri Reitt. (Pros.) 224
Hauseri Reitt. (Sphen.) 33
Hauseri Reitt. (Udebra) 337
Hauseriana Reitt. 408
Haversi Waterh. 560
Hauxwelli Bates 469
Haydeni Lec. 246
hebes Cas. (Met.) 13
hebes Champ. (Sten.) 124
hebes Rosenh. (Asida) 131
Heeri Muls. 311
hegetericum Reiche 77
hegeteroides Er. (Oxyc.) 77
hegeteroides Fald. (Hed.) 557
hegeteroides Woll. (Oxyc.) 76
helenensis Woll. 320
hellenica Reitt. (Dail.) 45
hellenica Reitt. (Eled.) 363
hellenica Reitt. (Eut.) 109
hellenica Reitt. (Cat.) 408
Helleri Fairm. 486
Helmsi Cart. (Adel.) 510
Helmsi Sharp (Per.) 516
helopinus Fairm. (Pseud.) 488
helopinus Gemm. (Hed.) 557
helopioides Ahr. (Pedin.) 289
helopioides Er. (Blapst.) 299
helopioides Fairm. (Gon.) 323
helopioides Guér. (Acanth.) 568
helopioides Guér. (Phyt.) 35
helopioides Horn (Prom.) 20
helopioides Kl. (Cam.) 492
helopioides Kraatz (Plat.) 255
helopioides Kraatz (Rhin.) 434
helopioides Lew. (Strong.) 596
helopioides Luc. (Hed.) 557
helopioides Mén. (Alcin.) 74
helopioides Pasc. (Gnes.) 524
helopioides Seidl. (Blaps) 231
helopioides Waterh. (Stom.) 12
helopioides Boisd. (Adel.) 510
helopioides Fald. (Hed.) 557
helopioides Germ. (Pedin.) 288
helvetica Sol. 136
helvolus Küst. 351
hemisphaerica Sol. (Pim.) 209
hemisphaerica Küst. (Halamm.) 350
hemisphaericum Cast. 373
hemisphaericus Guér. (Leiochr.) 389
hemisphaericus Sol. (Psamm.) 161
Henoni All. (Hel.) 544
Henoni Fairm. (Asida) 131
Henoni Fairm. (Eur.) 314
Henoni Sén. (Pach.) 200
Henoni All. (Dich.) 111
Henoni All. (Erod.) 8
hepaticus Pasc. 419
Hepburni Champ. 246
heraldicus Gerst. 305
Herbsti Haag (Mol.) 153
Herbsti Gemm. (Sten.) 90
herculeana Reiche 70
herculeanus Haag (Psamm.) 156
herculeanus Sol. (Pulp.) 433
hercules Fairm. 479
Herero Péring. 156
heroina Blackb. 427
heros Triv. 461
hesperica Ramb. (Asida) 131
hesperica Sol. (Pim.) 207
hesperica Sol. (Sten.) 108
hespericum Motsch. 324
hespericus Sol. 180
hesperides Reiche 544
hesperius Cas. 299
heterocerus Fairm. (Hol.) 492
heterocerus Bates (Mac.) 466
heterodoxum Lea 510
heterodoxus Fairm. 497
heterogena Fisch. 193
heteromerus King (Caed.) 339
heteromerus Newm. (Syn.) 464
heteromorphus Luc. 544

Hetschkoi Reitt. 222
Heydeni All. (Blaps) 231
Heydeni Csiki (Mel.) 336
Heydeni Haag (Akis) 174
Heydeni Haag (Him.) 32
Heydeni Haag (Psamm.) 156
Heydeni Kraatz (Micr.) 62
Heydeni Kraatz (Pros.) 222
Heydeni Reitt. (Dich.) 111
Heydeni Reitt. (Hel.) 284
Heydeni Reitt. (Hionth.) 52
Heydeni Reitt. (Lept.) 92
Heydeni Reitt. (Lob.) 334
Heydeni Reitt. (Podh.) 204
Heydeni Reitt. (Thript.) 199
Heydeni Seidl. (Plat.) 255
Heydeni Weise (Laena) 518
Heydeni Zouf. (Bel.) 459
Heydeni All. (Hel.) 549
Heydeni Haag (Tent.) 70
Heydeni Kraatz (Stal.) 202
Heydeni Seidl. (Phal.) 349
hians Fisch. 240
hierichontica Reiche 209
hieroglyphica Perty 585
hieroglyphicum Cast. (Plat.) 373
hieroglyphicum Fairm. (Plat.) 374
hieroglyphicus Haag 156
higonia Lew. 444
higonium Lew 373
hilare Mäkl. 596
hilaris Cas. (Ster.) 17
hilaris Champ. (Naut.) 530
Hildebrandti Har. 209
Hilgendorfi Har. 349
himalaicus Bates 43
himalayanus Fairm. 111
hipponensis Desbr. 108
hirsuta Cart. (Daedr.) 508
hirsuta Lec. (Asida) 131
hirsuta Lec. (Eleod.) 246
hirsuta Péring. (Pog.) 101
hirsuta Reitt. (Plat.) 255
hirsutulum Sol. 564
hirsutum Sol. 564
hirsutus Champ. (Ulus) 297
hirsutus Champ. (Xanth.) 467
hirsutus Mill. (Eur.) 314
hirsutus Péring. (Micr.) 564
hirsutus Reitt. (Lob.) 334
hirsutus Burm. (Card.) 139
hirta Fisch. (Las.) 193
hirta Seidl. (Plat.) 255
hirta Haag (Eur.) 99
hirtella Sén. (Pim.) 209
hirtella Sol. (Pach.) 200
hirtella Solsky (Laena) 518
hirticollis Cast. (Praoc.) 260
hirticollis Sol. (Praoc.) 261
hirtipennis Haag (Psamm.) 156
hirtipennis Seidl. (Hel.) 544
hirtipennis Haag (Psamm.) 162
hirtipes Fåhrs. (Gon.) 304
hirtipes Kraatz (Las.) 193
hirtipes Reitt. (Laena) 518
hirtipes Cast. (Psamm.) 159
hirtulum Baudi 321
hirtulus Fairm. (Aneph.) 454
hirtulus Fairm. (Blast.) 566
hirtulus Reiche (Hel.) 544
hirtuosa Sol. 260
hirtus Bertol. (Psamm.) 156
hirtus Muls. (Hel.) 544
hirtus M'Leay (Pter.) 419
hirtus Seidl. (Hel.) 541
hispalensis Esc. 131
hispana Sol. 45
hispanica Sol. (Asida) 131
hispanica Sol. (Blaps) 231
hispanica Sol. (Pach.) 59
hispanica Sol. (Sten.) 107
hispanica Sol. (Akis) 173
hispanica Sol. (Pim.) 212
hispanus Seidl. 537
hispida Brll. (Opatr.) 331
hispida Brll. (Paiv.) 55
hispida Forsk. (Ocn.) 197
hispida Pasc. (Ulod.) 364
hispido-costatum Fairm. 323
hispidosum Brll. 331
hispidula All. (Tarp.) 532
hispidula Horn (Oxyg.) 80
hispidula Lec. (Asida) 131
hispidula Phil. (Praoc.) 260
hispidula Pic. (Asida) 134
hispilabris Say 246
histrica Cas. 14
histricus Cas. 299
histrio Cas. (Con.) 267
histrio Cas. (Trior.) 80
histrio Cast. (Plat.) 373
histrio Er. (Plat.) 373
histrionicum Gemm. 373
Hoepfneri Mäkl. 596
Hoffmanni Haag 164
Hoffmannseggi Cast. (Hopl.) 368
Hoffmannseggi Herbst (Coss.) 430
Hoffmannseggi Sol. (Metr.) 90
Hoffmannseggi Stev. (Gon.) 323
Hoffmannseggi Latr. (Mis.) 524
Högei Champ. (Eleod.) 247
Högei Champ. (Epitr.) 25
Högei Champ. (Plat.) 373
Högei Champ. (Tarp.) 532
holconota Fisch. (Blaps) 231
holconota All. (Blaps) 229
holcopterum Fairm. 596
Holdereri Reitt. (Anat.) 48

Holdereri Reitt. (Trig.) 190
Hollmi Geb. 373
hololeptoides Cast. 409
holosericea Germ. 131
holosericeum Mars. 373
holosericeus Cast. 299
homogena Pasc. 515
hondana Kolbe 402
hondurense Champ. 373
hondurensis Champ. 530
Hookeri Woll. 328
Hopei Brême (Hel.) 421
Hopei Gray (Gyr.) 141
Hopei Muls. (Apat.) 318
Hopffgarteni Weise (Laena) 518
Hopffgarteni Reitt. (Hyp.) 417
Hoppingi Blaisd. 247
Horni Bates (Liod.) 380
Horni Bates (Met.) 412
Horni Blaid. (Eleod.) 247
Horni Champ. (Eups.) 463
Horni Oertz. (Strong.) 596
horrens Schauf. 135
horrida Champ. 132
horridum Reitt. 321
horridus Ol. (Byrs.) 359
horridus Blackb. (Hel.) 422
hospes Cas. 299
hottentota Péring 568
hottentotta Péring. (Acanth.) 568
hottentotta Péring. (Adesm.) 85
hottentottus Dohrn (Metr.) 91
hottentottus Péring. (Der.) 34
hottentottus Péring. (Psamm.) 156
hovana Fairm. 526
hovanus Fairm. (Lypr.) 472
hovanus Fairm. (Pelt.) 412
Howitti Bates (Sar.) 428
Howitti Pasc. (Apas.) 511
Howitti Pasc. (Card.) 507
Howitti Pasc. (Gan.) 364
Howitti Pasc. (Chalc.) 579
Hudsoni Broun 514
Humberti Deyr. 38
Humbloti Fairm. 610
humerale Perty 596
humeralis Bates (Card.) 507
humeralis Bates (Cil.) 425
humeralis Bates (Cyph.) 576
humeralis Bates (Myat.) 257
humeralis Blackb. (Ulom.) 400
humeralis Cas. (Pol.) 26
humeralis Cast. (Phal.) 348
humeralis Champ. (Belop.) 459
humeralis Haag (Eul.) 53
humeralis Haag (Psamm.) 156
humeralis Har. (Cer.) 383
humeralis Lec. (Eleod.) 247
humeralis Reitt. (Plat.) 255
humeralis Champ. (Astrot.) 124
humeralis Desbr. (Dail.) 45
humerangula Reitt. 46
humerangulus Reitt. 284
humeridens Dohrn (Priosc.) 475
humeridens Fairm. (Gon.) 323
humeridens Reitt. (Hel.) 544
humeridens Reitt. (Lob.) 334
humeridens Reitt. (Scyth.) 65
humerosa Fairm. (Nes.) 608
humerosa Reitt. (Gnath.) 44
humerosum Mill. 314
humerosus Fairm. (Asb.) 490
humerosus Fairm. (Oter.) 56
humerosus Fairm. (Styph.) 308
humile Mäkl. 499
humilis Cas. (Blapst.) 299
humilis Er. (Hyl.) 21
humilis Er. (Men.) 452
humilis Guér. (Scel.) 58
humilis Mäkl. (Praog.) 605
humilis Mäkl. (Tal.) 562
humilis Péring. (Asem.) 607
humilis Péring. (Der.) 34
hungarica Friv. 255
hungaricus Seidl. 289
hunterensis Blackb. 580
Huttoni Sharp (Cil.) 425
Huttoni Woll. (Anem.) 317
hyalina Sem. 75
hybrida Bates (Psil.) 610
hybrida Charp. (Mor.) 172
hybrida Reitt. (Colp.) 46
hybridus Oertz. (Anom.) 305
hybridus Latr. (Phyl.) 285
hydactina F. 366
hydni F. 366
hydrobiformis Reitt. 44
hydrophiloides Fairm. 577
hydropicus Cas. 299
hydroporoides Chevr. 374
hydrovatina Fauv. 522
hypocrita Péring. (Anom.) 305
hypocrita Péring. (Zoph.) 38
hypocritus Westw. 441
hypocyanea Fairm. 608
hypolithos Gebl. (Lob.) 334
hypolithos Pall. (Plat.) 255
hystricosus Berg 184
hystrix Cas. 269

ibericus All. 545
ibicensis Perez 129
icarus Lea 424
iconiensis Pic 545
Iduna Reitt. (Stern.) 192
Iduna Reitt. (Anat.) 46
ignava Cas. 19

ignavus Muls. 309
ignitum Champ. 596
ignobile Mäkl. 596
igualensis Champ. 14
ikutanus Fairm. 150
iliensis Sem. 195
illaesicollis Fairm. 444
illegitimum Chevr. 374
illotus Péring. (Psamm.) 156
illotus Woll. (Hadr.) 320
illustris Dohrn 605
imberbis Lec. 402
imbreum Mäkl. 596
imbricata Fisch. 197
imitator Péring. (Psamm.) 156
imitator Péring. (Strong.) 596
immaculata Blanch. 148
immaculatum Champ. 374
immaculatus Champ. 589
immaculipes Thoms. 588
immarginata Kraatz (Rhyt.) 66
immarginata Reitt. (Anat.) 48
immarginatus Fairm. (Clit.) 340
immarginatus Fairm. (Euc.) 486
immarginatus Reitt. (Hel.) 545
immunis Lec. 243
immundum Mäkl. 596
immundus Muls. 272
imperialis Blackb. (Chalc.) 580
imperialis Cart. (Chart.) 482
imperialis Fairm. (Cam.) 495
impetrata Horn 132
impigrum Lew. 596
impictum Fairm. 342
implana Fald. 49
implicans Cas. 18
impolita Fairm. (Rhyt.) 66
impolita Say (Eleod.) 247
impolitus Lec. 545
impotens Blaisd. 243
impressa Er. (Gon.) 468
impressa F. (Set.) 444
impressa Melsh. (Uloma) 402
impressa Tausch. (Anat.) 48
impressa Walk. (Enc.) 447
impressicolle Mäkl. 596
impressicollis Cast. (Uloma) 402
impressicollis Fairm. (Anch.) 278
impressicollis Fairm. (Diast.) 275
impressicollis Fairm. (Euc.) 486
impressicollis Fald. (Hed.) 557
impressicollis Germ. (Psectr.) 146
impressicollis Péring. (Acast.) 571
impressicollis Péring. (Trach.) 164
impressicollis Reitt. (Stern.) 192
impressicollis Vaul. (Erod.) 8
impressicollis Boh. (Eleod.) 243
impressicollis Dohrn (Pycn.) 479
impressicollis Fald. (Hel.) 536
impressicollis Sol. (Blaps) 230
impressicollis Sol. (Dail.) 44
impressifrons Bates (Cil.) 425
impressifrons Baudi (Arthr.) 6
impressifrons Fairm. (Arg.) 574
impressifrons Fairm. (Cam.) 495
impressifrons Fairm. (Cer.) 383
impressifrons Fairm. (Der.) 34
impressifrons Fairm. (Plat.) 374
impressifrons Fairm. (Praost.) 606
impressifrons Fairm. (Pycna) 390
impressifrons Sol. (Pach.) 59
impressipenne Fairm. 489
impressipennis Champ. (Otoc.) 602
impressipennis Fairm. (Asph.) 53
impressipennis Fairm. (Call.) 497
impressipennis Haag (Thes.) 501
impressiventris Fairm. (Praog.) 605
impressiventris Fairm. (Psamm.) 156
impressum Champ. (Nos.) 97
impressum Mäkl. (Strong.) 596
impressus Brll. (Heg.) 78
impressus Champ. (Pheg.) 30
impressus Guér. (Gyr.) 141
impressus Guér. (Hel.) 525
impressus Reiche (Dend.) 281
impressus Küst. (Hel.) 543
impunctata Fairm. (Pach.) 59
impunctata Haag (Hyp.) 427
impuncticollis Deyr. (Zoph.) 38
impuncticollis Fairm. (Hopl.) 572
impunctipennis Chevr. (Sten.) 108
impunctipennis Kraatz (Euc.) 486
inaequale Mäkl. (Strong.) 596
inaequale Say (Nos.) 97
inaequale Fleut. (Strong.) 596
inaequale Reitt. (Opatr.) 328
inaequalis Blackb. (Nyct.) 429
inaequalis Blackb. (Sarag.) 424
inaequalis Cas. (Con.) 267
inaequalis Champ. (Cyrt.) 26
inaequalis Champ. (Mes.) 18
inaequalis Champ. (Tarp.) 532
inaequalis Fåhrs. (Adesm.) 85
inaequalis Fairm. (Distr.) 152
inaequalis Fairm. (Enc.) 447
inaequalis Fairm. (Pseud.) 609
inaequalis Lec. (Micr.) 123
inaequalis Sol. (Asida) 132
inaequalis Sol. (Psamm.) 156
inaequalis Woll. (Gnoph.) 79
inaequidens Fairm. 374
inanis All. 545
incanus Fairm. 557
incerta Faust (Cal.) 50
incerta Leoni (Asida) 132
incerta Sol. (Pim.) 209
incerta Sol. (Tent.) 70
incerta Rey (Phal.) 346

incertus Muls. (Phyl.) 309
incertus Sol. (Gyr.) 141
incilis Champ. 532
incisa Cas. 14
incisicollis Fairm. 140
incisum Blanch. (Trich.) 320
incisum Reitt. (Leich.) 342
incisus Champ. (Epitr.) 25
incisus Pasc. (Sar.) 424
inclusus Walk. 545
incongruens Péring. 156
inconspectus Haag 32
inconspicua Blackb. (Hyp.) 427
inconspicua Cas. (Con.) 267
inconspicuum Blackb. 510
inconspicuus Blackb. 580
inconstans Horn (Arg.) 182
inconstans Reitt. (Pros.) 225
incostata Fairm. (Gon.) 570
incostata Haag (Machl.) 102
incostata Kraatz (Stal.) 203
incostatus Brême 430
incrassata Rosenh. 59
incrustans Cas. 95
inculta Lec. 247
incultus All. 545
incurvus Küst. 534
incusa Mén. 73
indagator Reiche 241
indica All. (Adesm.) 85
indica Chevr. (Hopl.) 368
indica Fairm. (Cnem.) 315
indica Fairm. (Laena) 518
indica Guér. (Hyp.) 51
indica Reitt. (Sten.) 107
indica Schauf. (Rhyt.) 66
indica Sén. (Pim.) 209
indicola Bates 231
indicum Schauf. 461
indicus All. (Mis.) 523
indicus Bates (Ulom.) 399
indicus Fairm. (Caed.) 339
indicus Fairm. (Cat.) 458
indicus Haag (Him.) 32
indicus Kraatz (Spyr.) 11
indicus Mars. (Het.) 473
indicus Motsch. (Men.) 452
indicus Wasm. (Dich.) 111
indicus Westw. (Leiochr.) 389
indicus Wied. (Lypr.) 472
indicus Herbst (Poec.) 589
indigeus Péring. 596
indigacea Fauv. 514
indigaceus Pasc. 577
indigus Péring. 278
indiscretus Muls. 286
indosinica Fairm. 444
induratus Cas. 95
induta Champ. (Asida) 132
induta Wied. (Cer.) 383
induta Cast. (Cer.) 383
inepta Cas. 267
inermis Burm. (Praoc.) 260
inermis Champ. (Hopl.) 368
inermis Champ. (Par.) 471
inermis Fairm. (Ascel.) 43
inermis Fairm. (Blaps) 239
inermis Mannerh. (Alob.) 444
iners Mén. 334
inexpectata Sén. 209
inexplicita Deyr. 38
infausta Lec. 120
infelix Pasc. 424
infernalis Burm. (Ent.) 149
infernalis Gerst. (Sel.) 277
infernalis Har. (Psamm.) 156
infernus Woll. 545
infima Fairm. (Char.) 502
infima Fairm. (Mes.) 55
infimum Fairm. 321
infimus Fairm. (Blapst.) 299
infimus Fairm. (Chem.) 491
infimus Fairm. (Euc.) 486
infimus Fairm. (Pach.) 295
infimus Mäkl. (Poec.) 589
inflata All. (Blaps) 231
inflata Gerst. (Dich.) 151
inflata Haag (Crypt.) 116
inflata Blaisd. (Eleod.) 245
inflata Herbst (Pim.) 209
inflata Ol. (Epiph.) 82
inflata Sol. (Mer.) 568
inflatipennis Sahlb. 231
inflatus Cas. (Con.) 269
inflatus Cas. (Edr.) 82
inflatus Cast. (Hel.) 545
inflatus Champ. (Mit.) 528
inflatus Fairm. (Cyph.) 529
inflatus Lacord. (Het.) 473
inflatus Lec. (Crypt.) 14
inflatus Woll. (Arthr.) 6
inflatus Reiche (Ped.) 289
inflexa Zoubk. 231
inflexula Cas. 267
infravestita Fairm. 146
infuscatum Cast. 374
ingens Blackb. (Hel.) 421
ingens Champ. (Asida) 132
ingens Kirsch (Strong.) 596
ingens Herbst (Plat.) 273
ingratus Péring. (Hopl.) 572
ingratus Muls. (Phyl.) 309
inhumeralis Pic 111
innocens Lec. 247
innocua Cas. 267
inops Cas. (Tel.) 14
inops Fåhrs. (Eur.) 276
inornata Cas. 267

inornatus M'Leay 577
inquilinum Lin. 374
inquinata Ros. 132
inquinatum Sahlb. 326
inquinatus Champ. (Nupt.) 446
inquinatus Péring. (Psamm.) 156
inquisitus Cas. 299
inscriptum Chevr. 380
insidiosa Fairm. (Rhyt.) 66
insidiosa Muls. (Asida) 136
insidiosum Fairm. 326
insidiosus Muls. (Dend.) 281
insidiosus Muls. (Hyp.) 416
insigne Champ. (Nos.) 97
insigne Mäkl. (Strong.) 596
insignis Blackb. (Pter.) 419
insignis Chevr. (Cer.) 383
insignis Haag (Lept.) 92
insignis Luc. (Hel.) 545
insignis Pasc. (Cyr.) 583
insignis Péring. (Hopl.) 572
insignis Reitt. (Phyl.) 309
insignis Blanch. (Meg.) 93
insignis Dohrn (Pycn.) 390
insignis Fairm. (Pim.) 209
insignis Mill. (Adesm.) 84
insignis Reitt. (Lept.) 93
insignis Sem. (Lept.) 93
insignitus Pasc. 484
insitus Cas. 28
insolitus Fairm. 570
insomnis Lew. 445
insulana Rey 346
insulanum Olliff 323
insulare Cas. 13
insularis Boh. (Ammoph.) 119
insularis Boh. (Scot.) 409
insularis Brême (Pter.) 419
insularis Cas. (Con.) 266
insularis Cast. (Coss.) 430
insularis Champ. (Blapst.) 299
insularis Champ. (Ctes.) 297
insularis Champ. (Phal.) 348
insularis Fairm. (Het.) 474
insularis Fairm. (Hov.) 575
insularis Guér. (Uloma) 402
insularis Hope (Hyp.) 439
insularis Lin. (Eleod.) 247
insularis Mäkl. (Tal.) 562
insularis Muls. (Opatr.) 277
insularis Péring. (Trach.) 164
insularis Reitt. (Ammob.) 337
insularis Leoni (Asida) 133
insurgens Gozis 396
integer Cas. (Con.) 267
integer Cas. (Met.) 13
integer Péring. (Psamm.) 157
integra Pasc. (Imm.) 528
integra Reitt. (Plat.) 255
integra Rosenh. (Pim.) 210
integricollis Fairm. (Hom.) 56
integricollis Haag (Seir.) 512
integrina Reitt. 64
integrum Desbr. 170
intercostata Berg 145
interioris Blackb. (Chalc.) 580
interioris Blackb. (Hyp.) 439
interioris M'Leay (Hel.) 421
interjecta Sol. 210
intermedia Ball. (Scyth.) 64
intermedia Bates (Micr.) 506
intermedia Esc. (Asida) 132
intermedia Fairm. (Athr.) 460
intermedia Fairm. (Nes.) 608
intermedia Fisch. (Pim.) 210
intermedia Haag (Pach.) 59
intermedia Har. (Cer.) 383
intermedia Kraatz (Stal.) 203
intermedia Motsch. (Plat.) 255
intermedia Péring. (Stenoc.) 89
intermedia Phil. (Thin.) 19
intermedia Blaisd. (Eleod.) 244
intermedia Hald. (Alob.) 444
intermedia Leoni (Asida) 135
intermedia Sol. (Stenos.) 107
intermedium Fisch. (Gon.) 323
intermedium Sharp (Phel.) 514
intermedius Bates (Ascel.) 43
intermedius Blackb. (Chalc.) 580
intermedius Brême (Hel.) 431
intermedius Champ. (Blapst.) 299
intermedius Fairm. (Adav.) 341
intermedius Haag (Trach.) 164
intermedius Pasc. (Men.) 453
intermedius Péring. (Psamm.) 157
intermedius Reitt. (Arthr.) 5
intermedius Seidl. (Ped.) 289
intermedius Champ. (Arm.) 15
intermedius Fiori (Ten.) 456
intermedius Gahan (Pycn.) 479
intermixtus Cas. (Blapst.) 299
intermixtus Cas. (Edrot.) 82
internum Har. 596
interpunctata Kl. 210
interpunctatum Germ. 596
interrogationis Geb. 580
interrupta Bates (Gon.) 468
interrupta Fairm. (Machl.) 122
interrupta Fauv. (Call.) 501
interrupta Kl. (Adesm.) 85
interrupta Latr. (Tent.) 70
interrupta Reitt. (Las.) 193
interrupta Reitt. (Micr.) 62
interrupta Sol. (Praoc.) 260
interrupta Blaisd. (Eleod.) 249
interrupta Champ. (Asida) 138
interrupta Heyd. (Diap.) 365
interrupta Redt. (Art.) 503

interrupta Reitt. (Gnath.) 43
interruptum Champ. 97
interruptus Boisd. (Sar.) 424
interruptus Broun (Pseud.) 513
interruptus Champ. (Heg.) 530
interruptus Champ. (Otoc.) 602
interruptus Fairm. (Par.) 140
interruptus Ill. (Bol.) 358
interruptus Say (Blapst.) 299
interruptus Baudi (Scaur.) 179
intersparsus Küst. 549
interstincta Fisch. 214
interstitiale Germ. (Strong.) 596
interstitiale Fairm. (Strong.) 597
interstitiale Küst. (Gon.) 325
interstitialis Champ. (Tal.) 562
interstitialis Fairm. (Amars.) 493
interstitialis Fairm. (Der.) 448
interstitialis Fairm. (Euc.) 486
interstitialis Fairm. (Mal.) 491
interstitialis Haag (Psamm.) 157
interstitialis Küst. (Helops) 545
interstitialis Muls. (Helioph.) 284
interstitialis Schauf. (Brad.) 356
interstitialis Sol. (Pim.) 210
interstitialis All. (Helops) 542
interstitialis Blaisd. (Eleod.) 243
interstitialis Champ. (Blapst.) 298
interstitialis Haag (Sar.) 424
interstitialis Say (Idiob.) 454
intertuberculata Luc. 209
interventor Péring. 161
intricata Champ. (Asida) 132
intricata Reitt. (Sten.) 107
intricata Mannerh. (Eleod.) 244
intricaticollis Fairm. 146
intricatus All. (Hel.) 545
intricatus Champ. (Sar.) 424
intrusa Fisch. 240
intrusicollis Fairm. (Uloma) 402
intrusicollis Seidl. (Hel.) 545
iodochalceus Fairm. 484
iodolimbata Fairm. 608
iodopterum Fairm. 596
ionicus Kiesw. 289
iopterus Westw. 484
iphthimoides Quedf. 442
iridescens Blackb. (Hyp.) 439
iridescens Champ. (Par.) 462
iridescens Pasc. (Alc.) 498
iridescens Pasc. (Opig.) 480
irideus Fairm. 577
iridicolor Bless. 580
iridipennis Fairm. (Amar.) 577
iridipennis Fairm. (Enc.) 447
iridiventris Blackb. 580
iris Blackb. (Chalc.) 580
iris Chevr. (Cer.) 383
iris Fauv. (Chlor.) 522
irradians Chevr. 380
irregularis Blackb. (Nyct.) 429
irregularis Haag (Hor.) 116
irregularis Lec. (Asida) 138
irrorata Dalm. (Camps.) 496
irrorata Sol. (Pim.) 214
irroratum Fauv. (Gon.) 323
irroratum Woll. (Oxyc.) 77
isoceroides Fauv. 402
isthmicus Champ. 498
italica Sol. (Akis) 174
italica Sol. (Tent.) 70
italica Baudi (Blaps) 230
italica Kraatz (Sten.) 107
italicum Reitt. 328
italicus Reitt. (Phyl.) 286
italicus Truqui (Iphth.) 410

Jacksoni Cart. 508
Jaegeri All. (Blaps) 235
Jaegeri Humm. (Blaps) 230
Jaegerskiöldi Geb. (Adesm.) 85
Jaegerskiöldi Wasm. (Gon.) 570
jaffana Reiche 199
Jakowlewi Sem. (Ammob.) 337
Jakowlewi Sem. (Pros.) 222
Jakowlewi Reitt. (Pros.) 223
jalaorana Reitt. 518
jalapensis Champ. (Sten.) 379
jalapensis Champ. (Tarp.) 532
jamaicensis Arrow (Cher.) 362
jamaicensis Champ. (Epitr.) 25
Jansoni Bates (Aed.) 476
Jansoni Bates (Mith.) 484
Jansoni Bates (Rhin.) 434
Jansoni Champ. (Cuph.) 588
Jansoni Champ. (Hes.) 437
Jansoni Champ. (Zoph.) 94
janthina Cast. (Hopl.) 386
janthina Fairm. (Gaur.) 487
janthina Thoms. (Cer.) 383
janthinicolle Mäkl. 591
janthinipennis Chevr. 383
janthinipes Fairm. 596
janthinum Mäkl. 591
Janus Cast. (Plat.) 374
Janus Horn (Plat.) 377
japanum Mars. (Strong.) 596
japanum Motsch. (Gon.) 323
japanum Mars. (Plat.) 377
japonensis Mars. 231
japonica All. 531
japonicus Seidl. 289
jardanus Reitt. 222
javana Wied. 274
javanicum Mäkl. 597
javanus Chevr. (Bas.) 381
javanus Fairm. (Brad.) 356

Javeti Haag (Psamm.) 157
Javeti Mäkl. (Strong.) 597
Jeremias Reiche 50
Jevini Luc. 172
jodicollis Guér. 577
Josephi Karsch 277
Jourdani Sallé 94
jucundum Cas. (Lob.) 27
jucundum Mäkl. (Strong.) 597
jucundus Blackb. 580
judaeorum Mill. (Blaps) 232
judaeorum All. (Blaps) 232
judaica Seidl. (Blaps) 232
judaicus Baudi 332
Jugeleti Waterh. 147
Juliae All. 232
Jülichi Cas. 30
juncorum Küst. 535
Junkeri Kolbe 597
Junodi Péring. 157
jurgatrix Péring. 89
Jurinei Sol. 132
Justi Fairm. (Him.) 32
Justi Karsch (Der.) 448
Justinae Reitt. 518
juvenis Blackb. 580
juvencus Reitt. 192

kaifensis Seidl. 232
kamagasus Péring. 157
kamtschaticum Motsch. 323
kanalense Perroud 377
kanalensis Fauv. 521
kanak Fauv. 502
kanarae Fairm. 485
kantarae Fairm. 70
Karelini Fald. (Gnath.) 44
Karelini Fisch. (Adesm.) 85
Karelini Fisch. (Micr.) 62
Karelini Fisch. (Trig.) 190
Karelini Gebl. (Pros.) 222
Karelini Mén. (Sphen.) 33
Karelini Fisch. (Stern.) 189
Karelini Kryn. (Plat.) 188
karrooensis Péring. 157
kaschmirensis Reitt. 518
kashgarense Bates 323
kashgarensis Bates (Blaps) 232
kashgarensis Reitt. (Stern.) 192
Kastshenkoi Sem. 195
Kaufmanni Reitt. 518
Kelleri Fairm. 168
Kerimi Fairm. 75
Kessleri Solsky 611
khoikoina Péring. 85
Kiesenwetteri Seidl. 289
Kindermanni Fisch. 70
Kingi Reed 141
Kirbyi Brême (Hel.) 421
Kirbyi Cast. (Poec.) 589
Kirbyi Sol. (Scot.) 184
Kirbyi Sol. (Card.) 507
kirghisica Reitt. 255
kirgisica Motsch. 207
Kirkii Ancey 55
Kirschi Bates (Liod.) 380
Kirschi Haag (Psamm.) 157
Kirschi Kraatz (Zoph.) 434
Klingelhöfferi Kraatz 434
Klugi All. (Erod.) 8
Klugi Sol. (Mes.) 54
Klugi Bess. (Rhyt.) 66
Klugi Sol. (Adesm.) 83
Klugi Sol. (Mac.) 466
Klugi Waterh. (Psectr.) 146
Knausi Blaisd. (Eleod.) 247
Knausi Cas. (Bothr.) 28
Knausi Cas. (Disc.) 264
Kobelti Seidl. (Hel.) 545
Kobelti Heyd. (Akis) 173
Kochi Blackb. 580
Königi Seidl. 232
Kokeni Reitt. 66
Kolbei Geb. (Aed.) 476
Kolbei Oertz. (Anom.) 305
Kollari Brême (Pter.) 419
Kollari Deyr. (Zoph.) 40
Kollari Seidl. (Blaps) 232
Koltzei Heyd. (Hed.) 557
Koltzei Reitt. (Anat.) 48
Koltzei Reitt. (Asph.) 31
Koltzei Reitt. (Penth.) 335
Komarowii Sem. 31
Korah Crotch. 168
Korbi Heyd. (Laena) 518
Korbi Reitt. (Hel.) 545
kordofana Baudi 233
kosciuscoanus Cart. 428
Kozlovi Sem. 337
Kraatzi All. (Asida) 132
Kraatzi Bris. (Crypt.) 351
Kraatzi Champ. (Zoph.) 434
Kraatzi Friv. (Stern.) 192
Kraatzi Geb. (Hem.) 475
Kraatzi Haag (Him.) 32
Kraatzi Haag (Scaur.) 179
Kraatzi Haag (Thript.) 199
Kraatzi Haag (Trach.) 164
Kraatzi Reitt. (Micr.) 62
Kraatzi Reitt. (Pros.) 222
Kraatzi Reitt. (Scyth.) 64
Kraatzi Reitt. (Sten.) 107
Kraatzi Sén. (Pim.) 210
Kraatzi Solsky (Pel.) 202
Kraatzi Wasm. (Pog.) 417
Kraatzi Weise (Laena) 518
Kraatzi Moraw. (Cyph.) 175

Kreitneri Friv. 222
Krueperi Reitt. 518
Krüperi Seidl. 289
Krynickii Kryn. 236
kubub Péring. 157
kuluana Reitt. 518
kuniensis Fauv. 464
Kunzei Sol. 59
kurdistanus Reitt. 545
Küsteri Ball. 237

laborans Cas. 15
lacerata Pasc. 343
laceratum Germ. 592
lacerta Bates (Stern.) 192
lacerta Motsch. (Usech.) 99
lacertosus Küst. 545
lachicae F. 370
lachlanensis Cart. 507
laciniatus Cas. 297
Lacordairei Champ. (Pseud.) 504
Lacordairei Guér. (Sal.) 21
Lacordairei Lacord. (Del.) 390
Lacordairei Mars. (Laena) 518
Lacordairei M'Leay (Enc.) 417
Lacordairei Thoms. (Evel.) 23
Lacordairei Woll. (Mel.) 79
Lacordairei Pasc. (Taphr.) 443
lacrymosus Gerst. 564
lactucae F. 370
lacunosa Fairm. (Vieta) 170
lacunosa Kl. (Adesm.) 85
lacunosa Thunb. (Phl.) 150
lacunosum Mäkl. 597
lacunosus Sol. 164
ladakensis Bates 232
laenoides Kirsch (Pol.) 504
laenoides Motsch. (Megl.) 113
laesicollis Fairm. (Hyp.) 414
laesicollis Thoms. (Uloma) 402
laesifrons Fairm. 402
laeta Blackb. 427
laetulus Péring. 157
laetum Péring. 597
laetus Blackb. (Chalc.) 580
laetus Broun (Choer.) 350
laetus Gerst. (Milt.) 605
laetus Lec. (Hel.) 545
laetus Péring. (Alym.) 574
laeve Haldem. (Liod.) 380
laeve Woll. (Oxyc.) 77
laeviceps Champ. (Poec.) 590
laeviceps Fairm. (Chem.) 491
laevicolle Kirsch 597
laevicollis All. (Asida) 132
laevicollis All. (Mis.) 523
laevicollis Berg (Epitr.) 25
laevicollis Bless. (Chalc.) 580
laevicollis Broun (Men.) 386
laevicollis Champ. (Arg.) 182
laevicollis Champ. (Dit.) 16
laevicollis Champ. (Tal.) 562
laevicollis Champ. (Uloma) 402
laevicollis Fairm. (Art.) 484
laevicollis Fairm. (Sphaer.) 527
laevicollis Gebl. (Dila) 218
laevicollis Har. (Ples.) 583
laevicollis Kraatz (Adesm.) 85
laevicollis Kraatz (Hel.) 545
laevicollis Ol. (Sar.) 424
laevicollis Pasc. (Osd.) 526
laevicollis Phil. (Praoc.) 260
laevicollis Sol. (Mes.) 54
laevicollis Sol. (Stenos.) 108
laevicollis Sol. (Zoph.) 94
laevicollis Reitt. (Stal.) 203
laevicollis Sol. (Psamm.) 159
laevicollis Sol. (Stenoc.) 90
laevicollis Sol. (Tent.) 72
laevicornis Reitt. 111
laevicostata Blanch. (Uloma) 403
laevicostata Curt. (Praoc.) 260
laevigata Baudi (Pros.) 223
laevigata Brll. (Pim.) 210
laevigata Cas. (Cibd.) 438
laevigata Cas. (Con.) 267
laevigata Deyr. (Zoph.) 38
laevigata Er. (Psectr.) 146
laevigata Sol. (Eleod.) 247
laevigata Stev. (Tent.) 70
laevigata Brll. (Dail.) 44
laevigata Eschsch. (Pach.) 63
laevigata F. (Asida) 137
laevigata F. (Hyp.) 52
laevigata Ramb. (Asida) 129
laevigatum Mäkl. (Strong.) 597
laevigatum Reiche (Oxyc.) 77
laevigatum Waterh. (Stom.) 12
laevigatus Brême (Sphaer.) 528
laevigatus Gerst. (Per.) 100
laevigatus Guér. (Gyr.) 141
laevigatus Ol. (Erod.) 8
laevigatus Ol. (Psamm.) 157
laevigatus Phil. (Nyct.) 254
laevigatus F. (Gnapt.) 217
laevigatus Küst. (Hel.) 539
laevigatus Panz. (Ped.) 288
laevioctostriatus Goeze 545
laevior Fairm. (Reh.) 490
laevior Fairm. (Micr.) 564
laevipenne Mäkl. 597
laevipennis Champ. (Tal.) 562
laevipennis Fairm. (Clit.) 340
laevipennis Fairm. (Mel.) 67
laevipennis Fairm. (Thalp.) 67
laevipennis Haag (Onost.) 427
laevipennis Haag (Psamm.) 157

laevipennis Horn (Dac.) 114
laevipennis Reitt. (Cal.) 51
laevipennis Sol. (Ent.) 259
laevipes Champ. (Acr.) 499
laevipes Haldem. (Plat.) 374
laevis All. (Adesm.) 85
laevis All. (Trient.) 22
laevis Cast. (Coss.) 430
laevis Champ. (Pyan.) 585
laevis Champ. (Trachysc.) 345
laevis Fåhrs. (Trachyn.) 164
laevis Fairm. (Set.) 445
laevis Kraatz (Rhyt.) 66
laevis Lec. (Cryptoch.) 121
laevis Lec. (Eus.) 264
laevis Lec. (Trior.) 80
laevis M'Leay (Sar.) 424
laevis Ol. (Mer.) 436
laevis Pasc. (Hyp.) 427
laevis Pasc. (Omol.) 521
laevis Sol. (Asida) 132
laevis Sol. (Erod.) 9
laevis Sol. (Tent.) 70
laevis Waterh. (Nyct.) 142
laevis Blaisd. (Eleod.) 246
laevis Champ. (Mit.) 528
laevis Forsk. (Plat.) 255
laevis Geb. (Pycn.) 479
laevis Gmel. (Crypt.) 353
laevissimus Cas. 410
laevisternus Fairm. (Lept.) 5
laevisternus Fairm. (Nyct.) 467
laevistriata Fairm. 609
laevistriatus Fairm. 278
laevisulcata Fairm. (Epip.) 145
laevisulcata Kraatz (Pim.) 212
laeviuscula Fairm. (Plat.) 255
laeviuscula Kraatz (Pim.) 210
laeviuscula Kraatz (Stern.) 192
laeviuscula Walk. (Cam.) 497
laeviusculus Kraatz (Dich.) 111
laeviusculus Kraatz (Hel.) 546
laeviusculus Phil. (Scot.) 184
laeviusculus Steph. (Gnath.) 382
laeviventris Champ. (Naut.) 530
laeviventris Desbr. (Sten.) 107
laghoatense Baudi 169
Laglaizii Bates 215
lagrioides Thoms. 588
Lajoyi All. 239
laminata F. 443
laminatum Cas. 253
laminatus Fairm. 492
laminicollis Fairm. 276
lampedusae Kraatz 59
lanata Peyerimh. 199
Langi Brême 85
languidum Mäkl. 597
langurinus Lec. 562
langurioides Champ. (Acr.) 499
langurioides Champ. (Strong.) 597
lanigerum Fairm. 597
lanipes L. (Hel.) 546
lanipes Rossi (Hel.) 535
lanuginosa Cas. (Con.) 267
lanuginosa Sem. (Trig.) 190
lanuginosus Haag (Psamm.) 157
lanuginosus Haag (Acest.) 103
lapidaria Luc. 132
lapidarius Reitt. 311
lapidicola Champ. (Trich.) 320
lapidicola Küst. (Hel.) 546
Laskeri Péring. 86
lastenica Cas. 267
lata Champ. (Asida) 132
lata Champ. (Epic.) 499
lata Kraatz (Hyp.) 51
lata Kraatz (Zoph.) 38
lata Seidl. (Blaps) 232
lata Stev. (Anat.) 48
lata Waterh. (Epip.) 145
lata Waterh. (Lyg.) 483
lata Baudi (Tent.) 69
Latastei Sén. 210
latebricola Woll. 78
latemarginatus Muls. (Trig.) 272
latemarginatus Péring. (Trach.) 165
laterale All. (Sep.) 170
laterale Mäkl. (Strong.) 597
lateralis Bates (Hopl.) 368
lateralis Boh. (Eut.) 408
lateralis Brll. (Heg.) 78
lateralis Broun (Cil.) 425
lateralis Motsch. (Alph.) 405
lateralis Reitt. (Pros.) 224
lateralis Reitt. (Sten.) 108
latericium Kolbe 597
latericostatum Karsch 597
latericosta Reitt. 223
lateridens Fairm. 153
lateripunctata Fairm. 146
lateripunctatus Fairm. 6
lateritia Reitt. 70
laticauda Burm. (Nyct.) 142
laticauda Reitt. (Pros.) 223
laticeps Cas. (Not.) 302
laticeps Champ. (Tal.) 562
laticeps Fairm. (Trig.) 343
laticeps Horn (Schiz.) 120
laticeps Woll. (Cnem.) 315
laticolle Cas. (Met.) 13
laticolle Geb. (Gon.) 323
laticolle M'Leay (Plat.) 374
laticollis All. (Hed.) 557
laticollis Bates (Micr.) 62
laticollis Baudi (Dil.) 296
laticollis Berg (Lept.) 183
laticollis Bess. (Dail.) 45

laticollis Brll. (Arth.) 6
laticollis Blackb. (Chalc.) 581
laticollis Boisd. (Men.) 453
laticollis Cas. (Mec.) 297
laticollis Champ. (Asida) 132
laticollis Champ. (Cnem.) 315
laticollis Champ. (Nupt.) 446
laticollis Champ. (Poec.) 590
laticollis Er. (Stiz.) 308
laticollis Fairm. (Cer.) 383
laticollis Fairm. (Euc.) 486
laticollis Fairm. (Mict.) 610
laticollis Geb. (Hopl.) 572
laticollis Gebl. (Mel.) 336
laticollis Kraatz (Las.) 193
laticollis Kraatz (Tent.) 70
laticollis Küst. (Helops) 546
laticollis Latr. (Opatr.) 277
laticollis Motsch. (Zoph.) 434
laticollis Pasc. (Pter.) 419
laticollis Péring. (Der.) 34
laticollis Péring. (Trig.) 272
laticollis Phil. (Epip.) 145
laticollis Phil. (Nyct.) 24
laticollis Phil. (Praoc.) 260
laticollis Schauf. (Rhyt.) 66
laticollis Sol. (Blaps) 232
laticollis Sol. (Card.) 139
laticollis Sol. (Erod.) 9
laticollis Sol. (Heliof.) 525
laticollis Solsky (Stal.) 203
laticollis All. (Blaps) 239
laticollis Blanch. (Opatr.) 276
laticollis Fald. (Hed.) 557
laticollis Fald. (Mel.) 336
laticollis Herbst (Ped.) 289
laticollis Latr. (Amn.) 11
laticollis Lec. (Eleod.) 242
laticollis Panz. (Crypt.) 353
laticollis Redtenb. (Blaps) 237
laticollis Steph. (Ten.) 457
laticorne Fairm. (Plat.) 374
laticorne Mäkl. (Strong.) 597
laticorne Waterh. (Hom.) 446
laticornis Cas. (Eul.) 183
laticornis Fairm. (Euc.) 486
laticornis Fairm. (Hyp.) 493
laticornis Fairm. (Mac.) 466
laticornis Fairm. (Ten.) 454
laticornis Fairm. (Xanth.) 503
laticornis Mäkl. (Poec.) 590
laticornis Pasc. (Achth.) 399
latifrons Champ. (Mes.) 18
latifrons Fairm. (Leuc.) 186
latifrons Lec. (Gon.) 323
latimanus Lec. (Eph.) 611
latimanus Kolbe (Uloma) 403
latimargo Seidl. 547
latior Cart. 428
latipennis Baudi (Scaur.) 179
latipennis Cas. (Phloe.) 96
latipennis Champ. (Phyl.) 309
latipennis Hope (Hel.) 547
latipes Fairm. (Eut.) 408
latipes Guér. (Scler.) 314
latipes Muls. (Caed.) 339
latipes Sahlb. (Opatr.) 277
latipes Sol. (Pim.) 210
latipes Fairm. (Caed.) 339
latipes Kraatz (Plat.) 256
latissima Blanch. (Nyct.) 143
latissima Champ. (Asida) 132
latissimus Stierl. 529
latitarse Geb. 374
latitarsis Fairm. 485
latiuscula Kraatz (Tent.) 68
latiuscula Walk. (Eleod.) 247
latiusculus Mén. (Crypt. 351
latiusculus Muls. (Het.) 293
latiusculus Desbr. (Cab.) 292
latiusculus Kraatz (Hel.) 545
Latreillei Cast. (Art.) 485
Latreillei Geb. (Phren.) 389
Latreillei Sol. (Akis) 174
Latreillei Sol. (Erod.) 9
Latreillei Sol. (Pim.) 210
Latreillei Sol. (Tent.) 71
Latreillei Sol. (Adesm.) 84
Latreillei Sol. (Ocn.) 197
latum Cart. (Enc.) 417
latum Pasc. (Adel.) 508
latus Blackb. (Sar.) 424
latus Blaisd. (Ulus) 297
latus Cas. (Coel.) 270
latus Champ. (Poec.) 590
latus Haag (Ethm.) 166
latus Lec. (Con.) 266
latus Schauf. (Hopl.) 572
latus Wasm. (Myrm.) 611
latus Sol. (Erod.) 8
lautum Péring. 597
laxepunctatus Fairm. 6
laxipunctus Fauv. 397
Lazaroi All. 132
Leachi Baudi 70
Leacocianus Woll. 547
Leai Blackb. 581
Lebasi Lacord. (Pen.) 391
Lebasi Spin. (Par.) 471
Lecontei Bates (Hopl.) 368
Lecontei Cas. (Trior.) 80
Lecontei Champ. (Tal.) 562
Lecontei Horn (Eleod.) 247
Lecontei Gemm. (Eleod.) 246
Lecontei Horn (Asida) 129
Lecontei Horn (Dol.) 410
Lecontei Muls. (Blapst.) 300
lecta Péring. 132

Lederi Reitt. (Lept.) 92
Lederi Seidl. (Plat.) 255
Lederi Weise (Laena) 517
Ledereri Fairm. 230
Leegei Schneid. 347
Lefeburei Fisch. (Adesm.) 84
Lefeburei Motsch. (Trig.) 190
Lefranci Fairm. (Gon.) 323
Lefranci Kraatz (Erod.) 9
legitima Péring. 123
Lehmanni Mén. (Adesm.) 86
Lehmanni Mén. (Oog.) 110
lemur Fåhrs. 305
lentum Broun 514
lentus Champ. (Ster.) 17
lentus Heyd. (Ples.) 583
Leonhardi Reitt. 414
Leosinii Leoni 132
Lepechini Sem. 195
lepida Fald. 48
lepidacantha Fisch. 197
lepidoptera All. 128
lepidus Blackb. (Chalc.) 581
lepidus Cas. (Blapst.) 299
lepidus Waterh. (Art.) 485
Leprieuri All. 197
leprosa Fald. 201
leprosum Germ. 597
leptidea Fairm. 71
leptoderus Kraatz 74
leptoscelis Reitt. 218
Letcheri Blaisd. 247
lethalis Pasc. 449
lethargicus Péring. 157
lethaeus Muls. 272
Lethierryi All. (Asida) 132
Lethierryi Deyr. (Zoph.) 38
Lethierryi Reiche (Micr.) 110
lethifera Marsh. 232
Letourneuxi Sén. 210
leucogramma Pall. 187
leucographa Pall. 187
leucographus Sol. 164
leucophrys Herbst 165
leucospila Hope 113
leucosticta Gestro 86
Levaillanti Luc. (Cat.) 408
Levaillanti Luc. (Machl.) 102
Levassorii Fairm. 314
Levettei Cas. 267
levicostatus M'Leay 424
levigata Péring. 164
levigatus Gestro 411
Lewesi Bates (Diap.) 366
Lewesi Horn (Iphth.) 440
Lewesiana Sharp 425
Lherminieri Chevr. 489
libani Baudi 328
libanicus Baudi (Bor.) 465
libanicus Desbr. (Cab.) 292
libanicus Baudi (Dend.) 281
libanicus Desbr. (Dend.) 281
libanotica Reitt. 518
libertus Cas. 17
licinoides Haag (Trach.) 164
licinoides Kirby (Adel.) 510
licinoides Seidl. (Blaps) 233
licinoides Redt. (Card.) 507
licitus Péring. 157
lifuana Montr. 396
Lightfooti Péring. 164
lignarium Kolbe 602
lignarius Pasc. 361
ligurica Sol. (Tent.) 71
ligurica Baudi (Asida) 127
ligurica Schneid. (Phal.) 346
liliputanus Luc. (Leuc.) 186
liliputanus Reitt. (Hel.) 547
lilliputanus Blackb. 577
lima Pet. 197
limacella Pasc. 374
limatula Cas. 267
limbalis Fairm. 405
limbata Fisch. (Cyph.) 176
limbata Horn (Phal.) 348
limbata Baudi (Phal.) 346
limbatum Germ. 597
limbatus Cas. (Zoph.) 94
limbatus Pasc. (Coss.) 430
limbatus Pasc. (Sar.) 424
limbatus Westw. (Leiochr.) 389
limitatum Mäkl. 597
limosa Gestro 210
limosus Champ. 124
limpopoanus Péring. 564
Lina Kraatz 486
lindense Blackb. 510
lindensis Blackb. 577
Lindi Blackb. (Caed.) 339
Lindi Blackb. (Cil.) 424
Lindneri Kolbe 32
lineare Mäkl. (Acr.) 499
lineare Mäkl. (Strong.) 597
lineare Küst. (Gon.) 322
linearis F. (Hyp.) 414
linearis Vaul. (Hel.) 540
lineata F. (Plat.) 187
lineata Sol. (Blaps) 237
lineata Sol. (Pim.) 207
lineata Sol. (Plat.) 187
lineata Stev. (Anat.) 47
lineatocollis Küst. 132
lineatopunctata Kraatz 67
lineatopunctatus Fairm. (Him.) 32
lineatopunctatus Muls. (Phyl.) 286
lineatulus Champ. 297
lineatum Brll. (Mel.) 332
lineatum Cast. (Cyrt.) 489

lineatus All. (Hel.) 547
lineatus Cas. (Edrot.) 82
lineatus Champ. (Heg.) 530
lineatus Chevr. (Epitr.) 25
lineatus Gerst. (Anom.) 305
lineatus Guér. (Gyr.) 141
lineatus Haag (Pach.) 117
lineellus Fairm. 465
lineicollis Fairm. 340
lineigera Fairm. 606
lineimargo Reitt. 51
lineipunctatus Fairm. 583
lineolata Fairm. (Hov.) 610
lineolata Rey (Phal.) 349
lineolatum Mäkl. 597
lineolatus Mäkl. 590
Linnei Sol. 38
lirata Lec. 133
Lisae Kraatz 486
lita Péring. 122
litigiosa Pasc. 502
litigiosus Pasc. (Pter.) 419
litigiosus Péring. (Micr.) 565
litigiosus Péring. (Vuts.) 573
litigiosus Woll. (Hel.) 547
littoralis Champ. (Epitr.) 25
littoralis Eschsch. (Amph.) 505
littoralis Muls. (Phyl.) 309
lituratum Geb. 374
lividipennis Blanch. 24
lobatus Cas. (Eus.) 265
lobatus Champ. (Sich.) 124
lobatus Burm. (Ent.) 149
lobicollis Fairm. (Adesm.) 86
lobicollis Har. (Amiant.) 152
lobifrons Cas. 14
lobnoriana Reitt. 232
Loczyi Friv. (Pter.) 195
Loczyi Friv. (Anat.) 48
longedentatus Fairm. 355
longehirtum Fairm. 169
longepilosa Fairm. 170
longeplicata Fairm. 142
longevittatus Fairm. 415
longiceps Fairm. (Pseud.) 106
longiceps Reitt. (Adel.) 104
longicollis Brancs. (Tag.) 216
longicollis Cas. (Con.) 267
longicollis Champ. (Blapst.) 299
longicollis Champ. (Pyan.) 585
longicollis Desbr. (Ocn.) 197
longicollis Kraatz (Plat.) 255
longicollis Lec. (Eleod.) 247
longicollis Luc. (Tent.) 71
longicollis Sol. (Asida) 133
longicollis Woll. (Hyp.) 415
longicollis Zoubk. (Colp.) 46
longicollis Baudi (Asida) 133
longicollis Baudi (Ocn.) 196
longicollis Fairm. (Hyp.) 413
longicollis Luc. (Mes.) 54
longicollis Motsch. (Ten.) 457
longicollis Rey (Eut.) 109
longicollis Stev. (Blaps) 231
longicollis Weise (Laena) 519
longicorne Thoms. 597
longicornis Blackb. (Mesom.) 296
longicornis Cas. (Trior.) 80
longicornis Champ. (Anaed.) 470
longicornis Champ. (Arm.) 15
longicornis Champ. (Eleod.) 247
longicornis Champ. (Hel.) 547
longicornis Champ. (Hyp.) 415
longicornis Champ. (Tal.) 562
longicornis Fairm. (Mac.) 466
longicornis Fairm. (Praog.) 606
longicornis Haag (Rhamm.) 53
longicornis Kirby (Psamm.) 157
longicornis Kraatz (Mesost.) 55
longicornis Kraatz (Pros.) 223
longicornis Kraatz (Blaps) 228
longicornis Weise (Laena) 519
longicrus Fairm. 583
longipenne Cas. (Nos.) 97
longipenne Champ. (Acr.) 499
longipenne Murray (Strong.) 597
longipenne Mäkl. (Strong.) 597
longipennis Cas. (Con.) 269
longipennis Cas. (Edrot.) 82
longipennis Cas. (Tel.) 14
longipennis Champ. (Asida) 133
longipennis Champ. (Blapst.) 299
longipennis Desbr. (Neph.) 558
longipennis Fairm. (Coel.) 604
longipennis Fairm. (Hopl.) 572
longipennis Fairm. (Praog.) 606
longipennis Gerst. (Eup.) 574
longipennis Gestro (Sep.) 167
longipennis Hope (Chalc.) 581
longipennis Hope (Men.) 452
longipennis Kraatz (Pach.) 59
longipennis Küst. (Hel.) 547
longipennis Motsch. (Ten.) 454
longipennis Walk. (Crypt.) 352
longipes Bates (Card.) 507
longipes Deyr. (Ophth.) 42
longipes F. (Adesm.) 86
longipes F. (Eup.) 574
longipes Fåhrs. (Micr.) 565
longipes Haag (Psamm.) 157
longipes Kraatz (Scyth.) 64
longipes Luc. (Pseud.) 603
longipes M'Leay (Bryc.) 512
longipes Ol. (Sten.) 89
longipes Waterh. (Trig.) 190
longipes Fisch. (Adesm.) 87
longipes Motsch. (Ped.) 446
longipes Zoubk. (Blaps) 237

longipilis Fairm. (Pog.) 101
longipilis Péring. (Ogr.) 162
longipilis Reitt. (Thript.) 199
longipilosa Horn 247
longitarsis Champ. (Hes.) 437
longitarsis Fåhrs. (Hopl.) 572
longitarsis Pasc. (Tynd.) 603
longithorax Reitt. 48
longiusculus Blackb. 581
longula Fairm. (Zoph.) 38
longula Geb. (Hopl.) 368
longula Kraatz (Pach.) 63
longula Lec. (Phal.) 348
longula Lec. (Uloma) 403
longula Mars. (Laena) 518
longula Pic (Nes.) 608
longula Reiche (Blaps) 233
longulus Blackb. (Chalc.) 581
longulus Fairm. (Pelt.) 412
longulus Fairm. (Reh.) 490
longulus Gyllenh. (Hyp.) 415
longulus Lec. (Blapst.) 299
longulus Lec. (Hyl.) 15
longulus Muls. (Micr.) 311
longulus Muls. (Trig.) 272
longulus Reiche (Hel.) 547
longulus Reiche (Mes.) 296
longulus Rottenb. (Ped.) 289
longulus Baudi (Hel.) 540
longulus Cas. (Coel.) 270
longurium Fairm. 597
longus Blanch. 301
Lopezi Esc. 133
lorcana Perez 133
lordiscelis Reitt. 547
loripes Lew. (Ischn.) 380
loripes Ill. (Men.) 452
loripes Sturm (Ten.) 457
Lostiae Ali. 133
Lottini Boisd. 445
Loudoni Sem. 187
lubricans Cas. 17
lubricus Blackb. 421
Lucae Lec. 245
Lucasi Mäkl. (Otoc.) 602
Lucasi Muls. (Belop.) 459
Lucasi Muls. (Sel.) 278
Lucasi Reiche (Pim.) 209
lucens Champ. (Plat.) 374
lucens Geb. (Hopl.) 572
lucens Mars. (Men.) 452
lucens Er. (Epitr.) 25
lucens Fairm. (Blaps) 231
lucens Geb. (Odont.) 477
lucida Bates (Nes.) 608
lucida Sol. (Psamm.) 56
lucida Ball. (Pros.) 221
lucida Kraatz (Pros.) 220
lucidicollis Fairm. (Nes.) 608
lucidicollis Kraatz (Plat.) 255
lucidicollis Kraatz (Hel.) 545
lucidula Cas. (Con.) 267
lucidula Mäkl. (Praog.) 606
lucidula Kryn. (Podh.) 204
lucidulus Cas. (Mel.) 18
lucidulus Desbr. (Scaur.) 179
lucidum Champ. (Lob.) 27
lucidum Mäkl. (Strong.) 597
lucidus Fåhrs. 157
lucifuga Ad. 176
lucifugum Küst. 328
lucifugus Bates (Mac.) 466
lucifugus Fairm. (Phob.) 469
lucifugus Woll. (Hel.) 547
Lucina Reitt. 48
luctata Horn 133
luctuosa Boisd. (Asida) 133
luctuosa Cas. (Con.) 267
luctuosa Fairm. (Vieta) 170
luctuosa Haag (Eur.) 100
luctuosa Mén. (Blaps) 233
luctuosa Péring. (Dysg.) 607
luctuosa Rosenh. (Asida) 127
luctuosum Mäkl. 597
luctuosus Cas. (Zoph.) 95
luctuosus Fåhrs. (Eup.) 547
luctuosus Fairm. (Him.) 32
luctuosus Haag (Psamm.) 157
luctuosus Péring. (Micr.) 565
luctuosus Serv. (Hel.) 284
luctuosus Fairm. (Alph.) 405
luctuosus Schrank (Crypt.) 353
Luczoti Cast. 141
Lüderitzi Péring. 86
ludificans Cas. 13
ludius Cas. 18
Ludovici Perez 133
lugens Fåhrs. (Acanth.) 568
lugens Muls. (Dend.) 281
lugens Seidl. (Blaps) 233
lugens Küst. (Gon.) 324
lugens Küst. (Scaur.) 180
lugens Motsch. (Tar.) 441
lugubre Mäkl. 597
lugubris Blackb. (Hyp.) 427
lugubris Boh. (Ped.) 301
lugubris Boh. (Zophob.) 434
lugubris Cas. (Zopher.) 95
lugubris Fåhrs. (Trig.) 272
lugubris Lea (Sar.) 425
lugubris Mäkl. (Dysg.) 607
lugubris All. (Hel.) 542
lugubris Fåhrs. (Psamm.) 156
lugubris Fald. (Hel.) 542
Luigionii Leoni 133
luna Chevr. 372
lunatus Motsch. (Bas.) 381
lunatus Pasc. (Elasc.) 361

luniferus Fairm. 441
lunuliger Mars. 485
lurida Haag 86
luridipenne Har. 597
luridus Haag (Epip.) 117
luridus Haag (Sar.) 424
luridus Mén. (Hel.) 547
luridus Motsch. (Par.) 471
luridus All. (Hel.) 552
luridus Muls. (Blapst.) 299
luscus Péring. 572
lusitanica Herbst (Blaps) 233
lusitanica Sol. (Akis) 174
lusitanicus Brême (Mis.) 524
lusitanicus Herbst (Hel.) 284
lusitanicus Sol. (Erod.) 9
lusitanicus Reitt. (Isoc.) 279
lusitanus Kraatz 545
lusorius Muls. 312
lustrans Cas. (Ster.) 17
lustrans Blaisd. (Eleod.) 250
lustrella Cas. 14
lutaria Brll. 210
lutea Chevr. (Hopl.) 368
lutea Reitt. (Deng.) 75
luteicorne Germ. 597
luteopubens Fairm. 564
lutescens Westw. 388
lutosa Champ. (Ozol.) 361
lutosa Sol. (Asida) 133
lutosum Woll. 326
lutosus Champ. (Nos.) 98
lutosus Péring. (Trach.) 164
lutosus All. (Hed.) 558
lutulenta Gestro (Vieta) 170
lutulenta Péring. (Asida) 133
lutulenta Woll. (Pim.) 210
lutulentus Péring. 164
Luxorii All. 171
luzonicus Fairm. 584
lydenburgiensis Péring. 565
lynceum Lew. 374

macellus Fauv. (Pseud.) 513
macellus Kraatz (Hel.) 547
macer Blackb. (Chalc.) 581
macer Pasc. (Carch.) 181
machloides Fairm. 140
macilentus Cas. (Alaeph.) 462
macilentus Cas. (Epitr.) 29
Macleayi Bates (Anaus.) 482
Macleayi Bates (Hyp.) 427
Macleayi Blackb. (Gon.) 323
Macleayi Blackb. (Sar.) 424
Macleayi Brême (Hel.) 421
Macleayi Pasc. (Byrs.) 359
Macleayi Pasc. (Card.) 507
Macleayi Pasc. (Strong.) 597
Macleayi Pasc. (Symp.) 423
macra Horn 133
macretus Kraatz 435
macricollis All. 179
macrocephala Tausch. (Scyth.) 64
macrocephala Stev. (Anat). 49
macrocosta Guér. 145
macrophthalma Fisch. 216
macrops Wied. 597
macropus Sol. 84
macrura Champ. 247
macularium Gemm. 374
maculata F. (Crypt.) 116
maculata Geb. (Cer.) 383
maculata Mäkl. (Epipl.) 603
maculata Ol. (Diap.) 366
maculata Sol. (Crypt.) 115
maculatum F. (Liod.) 380
maculatum Perty (Plat.) 374
maculatus Blackb. (Doc.) 119
maculatus Champ. (Anaed.) 470
maculatus Champ. (Crypt.) 352
maculatus Haag (Ethm.) 166
maculatus Champ. (Zoph.) 94
maculatus Pic (Adelph.) 559
maculicolle Cast. (Plat.) 374
maculicolle Champ. (Strong.) 597
maculicollis Kirsch (Zoph.) 435
maculicollis Quedf. (Adem.) 86
maculicollis Thoms. (Cuph.) 588
maculipenne Champ. 374
maculipennis Cast. (Nyct.) 24
maculipennis Champ. (Othr.) 491
maculipennis Mars. (Der.) 388
maculosa Seidl. 346
maculosum Cast. (Plat.) 374
maculosum Mäkl. (Strong.) 597
maculosum Thoms. (Plat.) 374
maculosus Fåhrs. (Trach.) 164
maculosus Fairm. (Coss.) 431
maculosus Fairm. (Crypt.) 352
maculosus Thoms. (Cuph.) 588
madagascariense Geb. 597
madagascariensis Deyr. (Zoph.) 38
madagascariensis Lac. (Rhip.) 363
madagascariensis Mars. (Lyph.) 393
madagascariensis Muls. (Caed.) 339
madagascariensis Muls. (Opatr.) 277
madecassa Fairm. 609
madecassus Fairm. (Coss.) 430
madecassus Fairm. (Phryn.) 150
madens Charp. 394
maderae Woll. 465
maeander Kraatz 233
Maeklini Deyr. (Zoph.) 38
Maeklini Gemm. (Strong.) 597
Mäklini Bates (Call.) 501
Mäklini Champ. (Acr.) 499
Mäklini Champ. (Poec.) 590

magellanicum Fairm. 561
magica Er. 233
magister Pasc. 424
magna Lec. 438
magnicolle Fairm. 499
magnicollis Fairm. (Colp.) 291
magnicollis Fairm. (Coss.) 431
magnificus Champ. (Naut.) 530
magnificus Kraatz (Plat.) 485
magnum Gahan 169
Magrettii Gestro 570
Mahoni Boield. 132
Maillei Sol. (Adesm.) 86
Maillei Sol. (Erod.) 9
Maillei Sol. (Lept.) 5
Maillei Sol. (Sep.) 169
Maillei Sol. (Anat.) 47
Maillei Sol. (Dich.) 50
Maillei Sol. (Eleod.) 242
Maillei Sol. (Tent.) 72
Maillei Sol. (Thript.) 199
Maillei Sol. (Zoph.) 40
Maindroni Vaul. 6
major Baudi (Mes.) 55
major Blackb. (Chalc.) 581
major Blackb. (Hyp.) 427
major Blackb. (Seir.) 512
major Cast. (Uloma) 403
major Deyr. (Zoph.) 38
major Fairm. (Emm.) 306
major Fairm. (Mel.) 307
major Fairm. (Stiz.) 308
major Germ. (Epip.) 145
major Sharp (Cil.) 425
major Baudi (Ocn.) 197
major Fairm. (Odont.) 477
major Kraatz (Blaps) 235
major Kraatz (Pach.) 201
major Sol. (Eur.) 99
malabaricus Fairm. 339
malaccum Mars. 374
malayana Fairm. 495
malleata Woll. 200
malleatus Woll. 6
mamillata Fald. (Pros.) 220
mamillata Hbst. (Acanth.) 568
mammillonea Lac. 146
mammillata Fald. 201
manchega Lauff. 212
mancipata Horn 133
mancus Champ. 17
mandibularis Champ. (Daoch.) 390
mandibularis Er. (Him.) 32
mandibularis Geb. (Phren.) 389
manicanus Péring. (Amiant.) 152
manicanus Péring. (Pycn.) 479
manicata Bohem. 348
manifestus Péring. (Psamm.) 157
manifestus Péring. (Trach.) 165
manilarum Fairm. 445
Mannerheimi Fald. (Hed.) 557
Mannerheimi Fisch. (Praoc.) 261
Mannerheimi Mäkl. (Strong.) 597
Mannerheimi Muls. (Trig.) 272
Mannerheimi Sol. (Nyct.) 254
Mannerheimi Fisch. (Praoc.) 262
maremmanus Sol. 180
margelanica Kraatz (Plat.) 256
margelanica Kraatz (Micr.) 61
marginale Chevr. (Plat.) 374
marginale Mäkl. (Strong.) 597
marginalis Broun (Cil.) 425
marginalis Geb. (Per.) 100
marginalis Horn (Met.) 379
marginata Bates (Hyp.) 439
marginata Baudi (Micr.) 62
marginata Cas. (Con.) 267
marginata Eschsch. (Eleod.) 247
marginata F. (Praog.) 606
marginata Fisch. (Pim.) 210
marginata Geb. (Rhyt.) 66
marginata Germ. (Praoc.) 260
marginata Lec. (Asida) 133
marginata Sol. (Ulos.) 411
marginata F. (Cam.) 495
marginata Fisch. (Pros.) 220
marginata Sol. (Phal.) 348
marginatum Bates 513
marginatus Cas. (Hyl.) 15
marginatus Champ. (Anaed.) 470
marginatus Pasc. (Syrph.) 319
marginatus Sol. (Sar.) 424
marginatus Herbst (Psamm.) 157
marginatus Muls. (Trig.) 272
marginellus Hope (Sar.) 424
marginellus Thoms. (Leio.) 389
margineplicata Curt. 144
marginicollis Bates (Onost.) 427
marginicollis Cart. (Aeth.) 429
marginicollis Champ. (Moph.) 411
marginicollis Champ. (Tarp.) 532
marginicollis Fairm. (Art.) 485
marginicollis Fairm. (Blaps) 234
marginicollis Fairm. (Clet.) 125
marginicollis Fairm. (Hom.) 56
marginicollis Fairm. (Lypr.) 472
marginicollis Fairm. (Poc.) 331
marginicollis Mäkl. (Poec.) 590
marginicollis Muls. (Mel.) 273
marginicollis Rosenh. (Asida) 133
marginicollis Sol. (Erod.) 9
marginicollis Champ. (Asida) 128
marginiçollis Thoms. (Cuph.) 588
marginipenne Quedenf. 597
marginipennis Brême (Adesm.) 86
marginipennis Champ. (Phal.) 348
marginipennis Fairm. (Micr.) 565
marginipennis Mäkl. (Poec.) 590

Mariae Steinh. (Epitr.) 25
Mariae Muls. (Scler.) 313
Marloysi Cast. 552
marinus Mars. 339
maritima Cas. 270
maritimus Cas. (Micr.) 94
maritimus Cas. (Ulus) 297
maritimus Champ. (Ctes.) 297
maritimus Leach (Phyl.) 286
marmoratus Cas. (Zoph.) 94
marmoratus Champ. (Enneb.) 386
marmoratus Thoms. (Cuph.) 588
marmoratus Waterh. (Gyr.) 141
Marmottani Fairm. (Eur.) 314
Marmottani Bris. (Asida) 132
maroccana All. (Sten.) 133
maroccana Haag (Adesm.) 86
maroccana Haag (Pach.) 60
maroccana Seidl. (Blaps) 234
maroccana Sol. (Tent.) 71
maroccana Desbr. (Sten.) 107
maroccana Fairm. (Pim.) 207
maroccanus Fairm. (Hel.) 547
maroccanus Fairm. (Scaur.) 179
maroccanus Seidl. (Neph.) 559
Marquesi Karsch 448
Marseuli All. (Asida) 133
Marseuli Bates (All.) 364
Marseuli Deyr. (Zoph.) 39
Marseuli Lew. (Plat.) 374
Marseuli Lew. (Strong.) 598
Marseuli Sén. (Pim.) 210
Marseuli Woll. (Hel.) 547
Marshalli Péring. 305
Marthae Reitt. 517
Martinezi Esc. 133
Martinii Gestro 66
Martini Esc. (Asida) 133
Martini Fairm. (Byz.) 431
Martini Vaul. (Hel.) 547
martinicensis All. 22
mashunus Péring. (Amiant.) 152
mashunus Péring. (Anom.) 305
mashunus Péring. (Dich.) 472
mashunus Péring. (Psamm.) 157
massiliensis Baudi 129
Mastersi Blackb. (Chalc.) 581
Mastersi Cart. (Byall.) 428
Mastersi Cart. (Sar.) 424
Mastersi M'Leay (Card.) 507
Mastersi M'Leay (Chart.) 482
Mastersi M'Leay (Cor.) 515
Mastersi M'Leay (Gon.) 323
Mastersi M'Leay (Lept.) 516
Mastersi M'Leay (Mych.) 361
Mastersi M'Leay (Nyct.) 429
Mastersi M'Leay (Strong.) 598
Mastersi Pasc. (Hel.) 421
Mastersi Pasc. (Seir.) 512
Mastersi Pasc. (Proph.) 483
mastodon Fåhrs. 305
matabelicum Oll. 461
Matthiesseni Reitt. (Stern.) 192
Matthiesseni Reitt. (Strong.) 598
maura Cas. (Nyct.) 119
maura Say (Eleod.) 248
maura Sol. (Pim.) 210
maura Champ. (Eleod.) 242
maura Er. (Tent.) 73
maura Sol. (Blaps) 237
mauritanica Baudi (Tent.) 71
mauritanica Esc. (Asida) 133
mauritanica Sol. (Pim.) 210
mauritanicus Luc. (Pach.) 295
mauritanicus Seidl. (Hel.) 547
mauritanicus Curt. (Alph.) 405
mauritanicus F. (Alph.) 406
maurulus Pasc. 577
maurus Waltl (Hel.) 547
maurus F. (Plat.) 273
maxillaris Beauv. 392
maxillosus F. (Gnath.) 392
maxillosus Haag (Him.) 32
maxillosus Péring. (Der.) 34
maxima Desbr. (Sten.) 108
maxima Germ. (Nyct.) 443
maxima Mén. (Mel.) 336
maximus All. 9
Mechowi Qued. (Amiant.) 152
Mechowi Kolbe (Amen.) 442
medianus Westw. 389
mediocre Mäkl. 598
mediocris Blackb. (Sar.) 424
mediocris Fairm. (Gnath.) 44
mediocris Fairm. (Plat.) 273
mediocris Guér. (Cat.) 458
mediocris Deyr. (Zoph.) 40
mediterraneus Pioch. 286
medius Desbr. (Ten.) 454
medius Fairm. (Sel.) 278
medius Mars. (Men.) 452
Medusa Reitt. (Anat.) 48
Medusa Reitt. (Blaps) 234
melamboides Fairm. 311
melanaria Eschsch. (Eleod.) 248
melanaria Mäkl. (Praog.) 606
melanarium Chevr. (Cyrt.) 489
melanarium Mäkl. (Strong.) 598
melanarius Haag (Psamm.) 157
melanarius Er. (Trich.) 332
melancholicum Champ. 374
melancholicus Haag (Psamm.) 157
melancholicus Muls. (Micr.) 311
melancroides Fairm. 351
melanocephalum Chevr. 374
melanocera Chevr. 379
melanophthalmus Muls. 387
melas Fisch. (Plat.) 256

melas Küst. (Hel.) 547
melas All. (Hel.) 549
melas Redtenb. (Plat.) 256
meles Fåhrs. 305
melitana Reitt. (Akis) 174
melitana Reitt. (Sten.) 108
melitana Reitt. (Asida) 138
melitense Küst. 328
melitensis Baudi 310
Mellyi Deyr. (Zoph.) 39
Mellyi Fairm. (Crypt.) 76
Mellyi Kraatz (Pach.) 63
Mellyi Muls. (Pseud.) 274
memnonius Haag (Psamm.) 157
memnonius Pasc. (Pter.) 419
mendax Péring. 157
mendica Fåhrs. 122
mendicus Péring. 157
mendozina Lac. 258
Menetriesi Fisch. (Hed.) 557
Menetriesi Fisch. (Micr.) 62
Menetriesi Kraatz (Blaps) 234
Menetriesi Kraatz (Ocn.) 197
Menetriesi Sem. (Sphen.) 33
Menetriesi Baudi (Hed.) 557
Menetriesi Falderm. (Oog.) 110
Menetriesi Sén. (Pim.) 207
Menouxi Muls. 278
mentalis Horn 403
meracus Péring. (Psamm.) 157
meracus Péring. (Trach.) 164
Mercurius Blackb. (Chalc.) 581
Mercurius Thoms. (Cuph.) 588
mergae Lew. 359
meridianus Muls. (Hel.) 547
meridianus Muls. (Ped.) 289
meridionale Küst. 325
meridionalis Muls. (Biopl.) 308
meridionalis Sharp (Sar.) 424
Merkli Weise 519
meruensis Geb. (Hel.) 566
meruensis Geb. (Rhyt.) 66
mesopotamica Chevr. 86
mesopotamicum Geb. 598
mesostena Solsky 522
mesostenoides Baudi (Tent.) 71
mesostenoides Reitt. (Kok.) 67
messeniacum Rottb. 329
messenius Brll. 281
metallescens Dohrn (Strong.) 598
metallescens Fauv. (Depl.) 489
metallescens Fairm. (Blapst.) 299
metallescens Fairm. (Enc.) 447
metallescens Küst. (Neph.) 558
metallescens Westw. (Anaus.) 482
metallica Chevr. (Cer.) 383
metallica Kl. (Adesm.) 86
metallica Beauv. (Hopl.) 367
metallicum Cart. (Plat.) 374
metallicum Champ. (Lob.) 27
metallicum F. (Hopl.) 369
metallicum F. (Scaph.) 369
metallicus F. (Blapst.) 299
metallicus F. (Met.) 478
metallicus Fåhrs. (Hopl.) 572
metallicus Fairm. (Par.) 576
metallicus Fairm. (Ples.) 583
metallicus Kirsch (Phob.) 469
metallicus Perty (Amar.) 577
metallicus Westw. (Hem.) 481
metallicus Champ. (Pyr.) 436
metallonotus Gray 478
metopotapha Fisch. 200
mexicana Champ. (Crypt.) 121
mexicana Champ. (Uloma) 403
mexicana Sol. (Asida) 133
mexicana Champ. (Trient.) 22
mexicanum Champ. (Acr.) 499
mexicanum Champ. (Plat.) 374
mexicanus Brême (Oxid.) 528
mexicanus Champ. (Anaed.) 470
mexicanus Champ. (Araeo.) 105
mexicanus Champ. (Blapst.) 299
mexicanus Champ. (Crypt.) 352
mexicanus Champ. (Eus.) 265
mexicanus Champ. (Heg.) 530
mexicanus Champ. (Hyl.) 15
mexicanus Gray (Zoph.) 94
mexicanus Reitt. (Hyp.) 415
mexicanus Sharp (Rhip.) 362
mexicanus Sol. (Dic.) 432
Meyricki Blackb. (Chalc.) 581
Meyricki Blackb. (Gon.) 324
micans Blackb. (Chalc.) 581
micans Cas. (Con.) 269
micans Champ. (Lob.) 27
micans F. (Amar.) 577
micans F. (Tarp.) 532
micans Fåhrs. (Trig.) 272
micans Horn (Platyd.) 374
micans Reitt. (Platysc.) 256
micans Schauf. (Hopl.) 572
micans Germ. (Gon.) 326
micanticollis Fairm. 608
micantipenne Fairm. 324
micantipennis All. 548
Michaelseni Geb. 581
microcephala Fairm. (Set.) 445
microcephala Fauv. (Uloma) 403
microcephala Sol. (Adesm.) 86
microceps Motsch. 459
microdera Burm. (Epip.) 145
microdera Fairm. (Cam.) 495
microderoides Reitt. (Colp.) 46
microderoides Reitt. (Steg.) 53
micrographus Lac. 362
microphthalma Fisch. 241
microps Champ. 602

microsticta Cas. 267
Midas Reitt. 48
Migneauxi Deyr. 39
miles Péring. 157
miliaria Fisch. (Blaps) 234
miliaria All. (Blaps) 232
miliaris Billb. (Scot.) 185
miliaris Deyr. (Zoph.) 39
miliaris Reiche (Adesm.) 86
miliaris Er. (Asida) 135
miliaris Er. (Sten.) 89
miliaris Kl. (Pim.) 213
militare Mäkl. 598
militaris Horn 248
milleporus Baudi 285
Milleri Seidl. (Blaps) 234
Milleri Reitt. (Micr.) 311
Millingeni Kirchsb. (Vieta) 171
Millingeni Reitt. (Cat.) 408
mimetica Cas. 14
Mimonti Boield. 558
mimus Blackb. (Chalc.) 581
mimus Cart. (Card.) 507
minarum Chevr. 374
minax Reitt. 62
miniatum Broun 514
minima Mén. (Las.) 194
minima Kraatz (Pros.) 224
minima Motsch. (Laena) 518
minimus Beauv. (Opatr.) 277
minimus Pasc. (Pter.) 419
minor Baudi (Eur.) 202
minor Blackb. (Cestr.) 301
minor Blackb. (Chalc.) 581
minor Cart. (Bryc.) 512
minor Fairm. (Adav.) 341
minor Fairm. (Aryen.) 22
minor Fairm. (Hel.) 566
minor Fairm. (Pycna) 390
minor Geb. (Eup.) 574
minor Lin. (Dich.) 584
minor Péring. (Afr.) 35
minor Waterh. (Pal.) 397
minor Blaisd. (Eleod.) 242
minor Deyr. (Zoph.) 37
minor Deyr. (Zoph.) 38
minor Sol. (Blaps) 237
Minos Luc. 213
minuscula Desbr. 45
minusculum Fairm. 324
minuta Cas. (Con.) 267
minuta Champ. (Soem.) 22
minuta F. (Zoph.) 39
minuta Fairm. (Laena) 519
minuta Kraatz (Pros.) 223
minuta Lea (Bryc.) 512
minuta Ol. (Crypt.) 116
minuta Péring. (Phl.) 150
minuta Pic (Thript.) 199
minuta Ramb. (Asida) 133
minuta Reitt. (Colp.) 46
minuta Sol. (Thin.) 19
minuta Brll. (Zoph.) 37
minuta Kraatz (Las.) 194
minutissima Pic 109
minutissimus Cast. (Coss.) 430
minutissimus Fairm. (Epitr.) 25
minutissimus Muls. (Cab.) 292
minutissimus Mäkl. (Strong.) 598
minutissimus Mén. (Gon.) 326
minutum Motsch. (Eur.) 12
minutus Brancs. (Het.) 386
minutus Brll. (Crypt.) 352
minutus Cart. (Achth.) 399
minutus Champ. (Phayll.) 411
minutus Pasc. (Amar.) 578
minutus Sol. (Dich.) 111
minutus Steinh. (Epitr.) 25
minutus Tausch. (Psamm.) 57
minutus Muls. (Hel.) 544
minutus Muls. (Mes.) 296
mirabile Lin. 598
mirabilis Fauv. (Thes.) 502
mirabilis Fald. (Trig.) 191
miriceps Fauv. 403
mirificus Coq. 492
miritarsis Reitt. 189
misantlae Champ. 598
misellum Blackb. 324
miser Muls. 312
misolampoides Fairm. (Psamm.) 157
misolampoides Lacord. (Hel.) 566
Mithras Reitt. 223
Mittrei Sol. (Erod.) 9
Mittrei Sol. (Pim.) 211
Mittrei Sol. (Sep.) 169
Mittrei Sol. (Tent). 68
mixtus Cas. (Trior.) 80
mixtus Haag (Psamm.) 157
Mniszechi Deyr. (Zoph.) 39
Mniszechi Chevr. (Rhys.) 569
moabiticus Sahlb. 548
modesta Fald. (Gnath.) 44
modesta Herbst (Pim.) 211
modesta Kraatz (Plat.) 256
modesta Faust (Gnath.) 43
modesta Herbst (Eur.) 99
modesta Kraatz (Stal.) 203
modesta Rosenh. (Tent.) 72
modestum Mäkl. (Acr.) 500
modestum Mäkl. (Strong.) 598
modestum Küst. (Gon.) 326
modestum Reiche (Gon.) 324
modestus Blackb. (Chalc.) 581
modestus Fairm. (Amars.) 493
modestus Fairm. (Anch.) 278
modestus Fairm. (Brad.) 356
modestus Fairm. (Diet.) 584

modestus Fairm. (Dich.) 111
modestus Kraatz (Neph.) 558
modicus Blackb. 421
moerens All. (Blaps) 234
moerens Fåhrs. (Trig.) 272
moerens Haag (Trach.) 164
moerens Mäkl. (Strong.) 598
moerens Westw. (Tar.) 441
moerens Perty (Plat.) 374
moesiacus Muls. 281
moesta Fåhrs. 39
moestus Cas. (Mel.) 18
moestus Melsh. (Blapst.) 299
moestus Muls. (Opatr.) 277
mogadora Fairm. 208
molestum Cas. 13
molestus Haag (Psamm.) 157
molestus Fald. (Lob.) 334
molestus Muls. (Lob.) 334
molitor L. 454
molitoria Fourcr. 455
mollis Kraatz (Las.) 194
mollis Kraatz (Stal.) 203
mollis Reitt. (Crypt.) 332
mollis Steinh. (Epitr.) 25
molossus Haag 157
moluccanum Blanch. 324
molytopsis Mars. 523
Mongeneti Sol. (Pim.) 214
Mongeneti Sol. (Pim.) 215
mongolica Csiki (Mel.) 336
mongolica Fald. (Plat.) 188
mongolica Mén. (Hyps.) 64
mongolica Reitt. (Micr.) 62
mongolica Reitt. (Stern.) 192
mongolica Seidl. (Blaps) 232
mongolicum Reitt. 324
monilicorne Chevr. 374
monilicornis Baudi (Hel.) 548
monilicornis M'Leay (Bryc.) 512
monilifera Sol. 209
moniliferus Chevr. (Coss.) 430
moniliferus Pasc. (Hel.) 421
monilis Kl. (Adesm.) 86
monilis Lacord. (Epip.) 145
monilis Haag (Pim.) 212
monophthalmus Thoms. 572
monrovianum Dohrn 598
monstrosa Pasc. 361
montana Baudi (Asida) 133
montana Cas. (Con.) 267
montana Cas. (Phell.) 96
montana Champ. (Eleod.) 248
montana Fairm. (Vieta) 171
montana Kl. (Adesm.) 86
montana Motsch. (Blaps) 234
montanum Waterh. 489
montanus Blackb. (Cot.) 113
montanus Cart. (Sar.) 424
montanus Cas. (Aneps.) 118
montanus Kraatz (Hel.) 548
montanus Lec. (Hel.) 539
montanus Muls. (Micr.) 312
monticola Berg (Mitr.) 148
monticola Blackb. (Daedr.) 508
monticola Blackb. (Seir.) 512
monticola Rosenh. (Pim.) 211
monticola Gené (Tent.) 69
montivaga Bates 46
montivagus Muls. 284
Montrouzieri Deyr. 39
Morae Perez 129
Moraguezi Schauf. 134
morata Horn 123
Morawitzi Faust (Cal.) 51
Morawitzi Sem. (Solsk.) 177
morbillosa F. (Sten.) 90
morbillosa Lec. (Asida) 134
morbillosa F. (Asida) 136
morbillosum F. (Strong.) 598
morbillosum Sol. (Nos.) 97
Moreleti Luc. (Lit.) 310
Moreleti Luc. (Meg.) 93
mori Brll. 548
moricoides Champ. 134
morio Boh. (Ped.) 301
morio F. (Zoph.) 435
morio Fåhrs. (Enn.) 307
morio Herbst (Ten.) 456
morio Muls. (Hel.) 275
morio Pasc. (Tan.) 464
morio Baudi (Diap.) 366
morio Kolbe (Mis.) 523
Morleyana Cart. 515
mormon Cas. 95
morosum Fairm. 598
morosus Cas. (Zoph.) 95
morosus Motsch. (Der.) 448
morosus Muls. (Trig.) 272
Morrisoni Cas. 27
mortisaga L. (Blaps) 234
mortisaga Ol. (Blaps) 235
mortisaga Scop. (Blaps) 233
morychoides Fauv. (Isoph.) 521
morychoides Fairm. (Par.) 576
mosambicus Péring. 472
Möschleri Haag 157
mossambica Péring. 134
Motschulskyi Mäkl. 598
Mouffleti Deyr. 42
Moufleti Haag (Adesm.) 87
Moufleti Haag (Tag.) 54
mozabita Fairm. 39
muata Har. (Psamm.) 158
muata Har. (Strong.) 598
mucidus Berg 25
mucoreum Fairm. 564
mucoreus Waltl. 177

mucronata Latr. (Blaps) 235
mucronata Reitt. (Anat.) 48
mucronata Reitt. (Pros.) 223
mucronata Stev. (Tent.) 71
mucronata Sol. (Blaps) 233
mucronatum Küst. (Leich.) 342
mucronatum Mäkl. (Strong.) 598
mucronatus Bates 466
Muley-Hafidi Esc. 134
Mülleri Haag (Him.) 32
Mülleri Kirsch (Pen.) 391
Mülleri Kraatz (Hem.) 475
Mülleri Péring. (Psamm.) 158
Mülleri Reitt. (Sten.) 108
Mulsanti Desbr. (Cab.) 292
Mulsanti Levr. (Mic.) 75
Mulsanti Luc. (Tent.) 71
Mulsanti Montr. (Call.) 501
Mulsanti Pioch. (Phyl.) 286
Mulsanti Reiche (Pim.) 205
multicolor Fairm. (Amar.) 578
multicolor Fairm. (Euc.) 486
multicornis Fairm. 403
multicosta Guér. (Epip.) 145
multicosta Sol. (Blaps) 237
multicostatus Fairm. (Amiant.) 152
multicostatus Fairm. (Ostor.) 341
multicristata Blanch. 142
multilineatus Horn 304
multimaculatum Chevr. 374
multiplicata Fairm. 87
multipunctata Curt. 185
multispinosum Sol. 169
multistriata Ball. (Blaps) 235
multistriata Haag (Adesm.) 87
multistriatum Forsk. (Scler.) 314
multistriatum Sharp (Phel.) 514
munda Walk. 349
mundulus Cas. 80
mundum Mäkl. 598
mundus Blackb. 581
muricata Horn (Coel.) 270
muricata Lec. (Centr.) 120
muricata Lec. (Sphaer.) 266
muricata Pall. (Trig.) 191
muricata Sol. (Zoph.) 39
muricata F. (Adesm.) 88
muricata F. (Pim.) 209
muricata Fisch. (Blaps) 229
muricata Fisch. (Ocn.) 198
muricata Jacq. (Ocn.) 198
muricata Ol. (Pim.) 206
muricatula Cas. (Tel.) 14
muricatula Lec. (Asida) 134
muricatum Say (Emb.) 253
muricatum Brll. (Gon.) 325
muricatus Kirby (Eur.) 275
muricatus Guér. (Scot.) 184
murina Baudi (Thript.) 199
murina Haag (Eur.) 100
murinus All. (Crypt.) 352
murinus Burm. (Plat.) 262
murinus Baudi (Mes.) 292
murrayensis Blackb. 581
Murrayi Deyr. 39
mus Reitt. 352
muscorum Fauv. 514
muscosum Gerst. 169
musiva Mén. (Tript.) 200
musiva Har. (Plat.) 375
mustacea Kolbe 48
mustela Fåhrs. 305
mustelinus Fairm. 296
mutabilis Guér. (Amar.) 578
mutabilis Waterh. (Tarp.) 532
mutata Gemm. 228
mutilata Geb. 39
myops All. 548
myrmecophilum Lea 394
myrmecophilus Fairm. 111
myrmido Fairm. (Gon.) 570
myrmido Fairm. (Zoph.) 39
myrmidon Péring. 158

nabathaea Peyerimh. 55
Nadari Reitt. 548
nalepoides Reitt. 223
namaqua Péring. (Acanth.) 568
namaqua Péring. (Asida) 134
namaqua Péring. (Plan.) 307
namaqua Péring. (Sten.) 90
namaqua Péring. (Sten.) 90
namaquensis Geb. (Sten.) 90
namaquensis Péring. (Adesm.) 87
namaquensis Péring. (Lypr.) 472
namibensis Péring. 39
nana Er. (Gnoph.) 79
nana Er. (Psar.) 103
nana Pasc. (Ect.) 305
nana Péring. (Zoph.) 39
nana Blaisd. (Eleod.) 252
nanum Pasc. 98
nanus Cas. (Eus.) 265
nanus Fairm. (Epitr.) 25
nanus Fairm. (Psamm.) 158
nanus Vaul. (Erod.) 9
nanus Küst. (Hel.) 549
nasalis Pasc. 359
nassata Er. 87
nasuta Ménétr. 45
nasutus Fåhrs. 572
natalense Péring. 598
natalensis Baudi (Him.) 32
natalensis Chevr. (Ech.) 167
natalensis Fairm. (Anom.) 305
natalensis Lacord. (Eup.) 575
natalensis Motsch. (Men.) 453

natalensis Péring. (Par.) 576
natalensis Péring. (Praog.) 606
natalensis Péring. (Vuts.) 573
natalensis Motsch. (Der.) 448
natalis Motsch. (Het.) 386
natalis Péring. (Machla) 122
natolicus Muls. 289
navale F. 395
navicularis Brll. (Crypt.) 352
navicularis Fairm. (Anac.) 584
navicularis Fairm. (Hopl.) 572
nazarena Mill. 211
neapolitanus Sol. 9
Neavei Geb. 158
nebulosa Waterh. 148
nebulosus Cas. (Aneps.) 118
nebulosus F. (Epitr.) 25
nebulosus Fairm. (Crypt.) 352
nefrauensis Seidl. 235
neglecta Geb. (Asida) 134
neglecta Fisch. (Pim.) 206
neglectus Blackb. (Chalc.) 581
neglectus Cas. (Bothr.) 28
negligens Geb. 511
nemoralis Eschsch. 268
nemosomoides Fairm. 415
neomedina Fairm. 502
neomedinus Fairm. 486
neomexicana Blaisd. 249
neopersis Sem. 223
neophyta Pasc. 509
neotomae Blaisd. 248
neotropicalis Champ. (Blap.) 496
neotropicalis Champ. (Phal.) 348
neotropicalis Champ. (Tal.) 562
nephelidis Reitt. 194
nepos Fairm. 493
neptunius Baudi 283
nerjenensis Esc. 134
nervosa Fairm. (Praoc.) 262
nervosa Muls. (Pseud.) 274
nervosa Haag (Sten.) 90
nervosus Haag (Psamm.) 158
nervosus Sol. (Zoph.) 94
nervosus Mill. (Erod.) 10
Netuschii Reitt. 334
neuter Fairm. 307
nevadense Cas. 13
nevadensis Cas. (Con.) 268
nevadensis Blaisd. (Eleod.) 244
nevadensis Pioch. (Dend.) 280
Newporti Waterh. 142
niana Reitt. 192
nicaraguense Champ. 374
nicaraguensis Champ. (Gon.) 468
nicaraguensis Champ. (Mench.) 22
nicaraguensis Champ. (Otoc.) 602
nicobaricus Redt. 385
nicolensis Woll. 332
nicomedia Reitt. 191
Nietneri Dohrn (Cam.) 497
Nietneri Oertz. (Euc.) 486
niger Cas. (Blapst.) 299
niger Champ. (Heg.) 530
niger Champ. (Pheg.) 30
niger Geb. (Amar.) 578
niger Germ. (Nyct.) 24
niger Kraatz (Hel.) 548
niger Motsch. (Thren.) 611
niger Fourcr. (Crypt.) 353
nigerrima All. (Asida) 134
nigerrima Champ. (Tarp.) 532
nigerrimus Boisd. (Men.) 452
nigerrimus Muls. (Trig.) 272
nigerrimus Perty (Ant.) 399
nigerrimus Wood (Eup.) 575
nigra Blackb. (Hyoc.) 338
nigra Bless. (Prom.) 449
nigra Cart. (Trach.) 345
nigra Gah. (Praog.) 606
nigra Wied. (Enc.) 447
nigrans Cas. 17
nigratum Motsch. 374
nigratus Motsch. 583
nigricans Champ. (Epitr.) 25
nigricans Vaul. (Hel.) 548
nigriceps Muls. (Phal.) 348
nigriceps Baudi (Phal.) 347
nigricollis Sahlb. 347
nigricordis Schneid. 347
nigricorne Cast. (Plat.) 375
nigricorne Lew. (Scaph.) 370
nigricorne Luc. (Strong.) 595
nigricorne Mäkl. (Acr.) 499
nigricornis Champ. (Hopl.) 368
nigricornis Champ. (Par.) 471
nigricornis Champ. (Pter.) 419
nigricornis Westw. (Leio.) 388
nigrifrons Chevr. 375
nigrina Lec. 248
nigripennis Westw. 389
nigripes Chevr. (Cosm.) 379
nigripes Germ. (Acr.) 500
nigripes Kraatz (Euc.) 486
nigripes Sol. (Nyct.) 144
nigrita Mäkl. (Dysg.) 607
nigrita F. (Pseud.) 274
nigrita Sol. (Phligra) 150
nigritarse Mäkl. 598
nigritarsis Mäkl. (Praog.) 606
nigritarsis Pasc. (Art.) 485
nigritarsis Pasc. (Chalc.) 582
nigritissima Reitt. 519
nigritulum Broun 514
nigritum Motsch. (Plat.) 375
nigritum Mäkl. (Strong.) 591
nigritus Ol. (Zoph.) 435
nigritus Sol. (Plat.) 562

nigriventris Mäkl. 602
nigro-aenea Deyr. (Zoph.) 39
nigro-aenea Sol. (Praoc.) 261
nigro-aenea Bates (Cymb.) 514
nigroaeneum Motsch. (Plat.) 375
nigroaeneum Mars. (Plat.) 374
nigroaeneus Küst. (Hel.) 548
nigroaeneus Muls. (Blapst.) 300
nigroaeneus Quedenf. (Par.) 576
nigrobrunneum Geb. 375
nigrobrunneus Bates 385
nigrocostatus Haag 161
nigrocyaneus Motsch. 583
nigrofasciatum Chevr. 380
nigrogemmata Fairm. 87
nigrohirta Reitt. 194
nigromaculatum Champ. 375
nigromaculatus Thoms. 588
nigroopaca Quedenf. 134
nigropiceus Küst. (Hel.) 548
nigropiceus Baudi (Hel.) 545
nigropilosa Lec. 505
nigropunctatus Champ. (Poec.) 590
nigropunctatus Fairm. (Asth.) 575
nigropunctatus Luc. (Leuc.) 186
nigrosulcatus Quedenf. 32
nigrothoracia Heyd. 348
nigrotrabeatus Fairm. 382
nigrum Cart. (Enc.) 417
nigrum Dohrn (Strong.) 593
nigrum Küst. (Gon.) 325
nilotica Sén. 211
niloticus Haag (Phryn.) 150
niloticus Mill. (Pach.) 295
niloticus Muls. (Opatr.) 277
niponensis Lew. 366
niponicum Lew. 598
niponicus Lew. (Men.) 386
niponicus Lew. (Byrs.) 359
nitens Cast. (Blaps) 235
nitens Fåhrs. (Psamm.) 158
nitens Ol. (Cam.) 495
nitens Péring. (Trach.) 164
nitens Reitt. (Las.) 194
nitens Sol. (Pach.) 60
nitens Woll. (Hel.) 548
nitens Redtenb. (Uloma) 404
nitescens Cas. (Ster.) 17
nitescens Reitt. (Cal.) 51
nitida Baudi (Uriel.) 203
nitida Cart. (Het.) 385
nitida Cas. (Eleod.) 248
nitida Er. (Olist.) 481
nitida Fisch. (Blaps) 235
nitida Gebl. (Zoph.) 39
nitida Haag (Mol.) 153
nitida Kraatz (Pros.) 223
nitida Pasc. (Camp.) 521
nitida Pasc. (Lic.) 511
nitida Cas. (Arg.) 182
nitida Haag (Eur.) 99
nitida Phil. (Epip.) 144
nitida Sol. (Akis) 173
nitida Sol. (Tent.) 71
nitidiceps Champ. (Strong.) 598
nitidiceps Fairm. (Art.) 485
nitidicollis Fairm. (Epitr.) 25
nitidicollis Haag (Psamm.) 158
nitidicollis Luc. (Hel.) 548
nitidicollis Phil. (Praoc.) 261
nitidicollis All. (Hel.) 551
nitidicollis Perez (Micr.) 312
nitidicostis All. 9
nitidifrons Schauf. 462
nitidipennis Fairm. (Amiant.) 152
nitidipennis Fairm. (Enc.) 447
nitidipennis Fall (Alaeph.) 462
nitidipennis Küst. (Hel.) 548
nitidipennis Lec. (Eus.) 265
nitidipes Fairm. (Cam.) 497
nitidipes Fairm. (Chem.) 491
nitidissima Lea 511
nitidissimus Champ. (Naut.) 530
nitidissimus Haag (Psamm.) 158
nitidissimus Pasc. (Pter.) 419
nitidiusculus M'Leay 419
nitidiventris Fairm. (Arth.) 6
nitidiventris Sol. (Erod.) 9
nitidula Bates (Cil.) 425
nitidula Kraatz (Hyp.) 51
nitidula Kraatz (Pach.) 201
nitidula Sol. (Zoph.) 39
nitidula Motsch. (Pros.) 225
nitidula Sol. (Blaps) 229
nitiduloides Cart. 419
nitidulum Küst. 325
nitidulus F. (Sphen.) 453
nitidulus Fåhrs. (Stom.) 370
nitidulus M'Leay (Sit.) 410
nitidulus Motsch. (Alph.) 405
nitidulus Reitt. (Dich.) 111
nitidulus Reitt. (Pent.) 387
nitidulus Woll. (Crypt.) 352
nitidulus Seidl. (Dend.) 282
nitidum Cart. (Adel.) 510
nitidum Chevr. (Plat.) 375
nitidum Mäkl. (Strong.) 598
nitidum Mjöb. (Hydr.) 561
nitidum Sol. (Olig.) 398
nitidum Haag (Adel.) 104
nitidus Blackb. (Blep.) 508
nitidus Cat. (Edr.) 82
nitidus Cas. (Mel.) 18
nitidus Champ. (Aes.) 411
nitidus Champ. (Blapst.) 299
nitidus Champ. (Glypt.) 447
nitidus Gah. (Micr.) 565
nitidus Kraatz (Dich.) 111

nitidus Lec. (Pol.) 433
nitidus M'Leay (Par.) 481
nitidus Phil. (Nyct.) 24
nitidus Seidl. (Hel.) 548
nitidus Chevr. (Amn.) 10
nitidus Melsh. (Hyp.) 416
nivale Géné 328
nivalis Baudi 286
nivosa Dohrn 39
nobile Mäkl. 598
nobilis Blackb. (Chalc.) 581
nobilis Gestro (Adesm.) 87
nobilis Mäkl. (Praog.) 606
nobilitata Péring. 605
nocivus Woll. 415
noctivagus Muls. 456
noctivigila Lew. 445
nodiceps Lec. 80
Nodieri Fairm. (Adav.) 341
Nodieri Fairm. (Gon.) 570
nodifer Kolbe (Hyb.) 432
nodifer Kraatz (Hel.) 548
nodipennis Fairm. (Phob.) 469
nodipennis Waterh. (Eul.) 574
nodosa Champ. (Ozol.) 361
nodosa Fisch. (Trig.) 191
nodosa Germ. (Nyct.) 143
nodosa Sol. (Nyct.) 144
nodosalis Broun 319
nodosus Gray (Thec.) 490
nodosus Sol. (Eut.) 432
nodosus Lac. (Cyrt.) 432
nodulosa Fåhrs. (Machleida) 123
nodulosa Fald. (Adesm.) 87
nodulosa Herbst (Machla) 122
nodulosum Champ. 510
nodulosus Cart. (Pter.) 419
nodulosus Champ. (Naut.) 531
nodulosus Sol. (Zoph.) 94
nodulosus Horn (Zoph.) 94
nomas Pall. 71
Normandi Vaul. 554
Norrisi Muls. 276
nosodermoides Champ. (Astr.) 124
nosodermoides Pasc. (Seir.) 513
nossibiana Fairm. 123
notaticollis Péring. 305
notatum Cast. 375
nothum Geb. 598
notocerus Pall. 168
notus Say 277
novemcostata Fairm. (Gon.) 468
novemcostata Geb. (Bol.) 360
novemcostata Sem. (Pros.) 221
novicum Motsch. 375
novissima Esc. 134
noxia Fåhrs. 563
nubeculosum Mäkl. 598
nubicum Mäkl. 598
nucleatus Cas. 99
nudicorne Fairm. 461
nudus Berg 148
numeensis Fauv. 501
Nunenmacheri Blaisd. 121
nuperus Cas. 18
nupta Lec. 247
nuratensis Sem. 223
nycterinoides Fald. (Hed.) 557
nycterinoides Germ. (Myrm.) 258
nyctobatoides Kolbe 442
nyctocharis Redtenb. 39
nympha Cas. 19

obcordata Kirby 96
obductum Gebl. 326
Oberthüri Esc. (Asida) 134
Oberthüri Seidl. (Blaps) 235
Oberthüri Wasm. (Azar.) 569
obesa Fairm. (Pseud.) 125
obesa Guér. (Emm.) 185
obesa Lec. (Coel.) 438
obesa Waterh. (Apith.) 407
obesa All. (Asida) 136
obesa Friv. (Pter.) 195
obesa Sol. (Pim.) 208
obesulus Cas. 29
obesum Ol. (Opatr.) 329
obesum Pasc. (Adel.) 510
obesus Brll. (Arthr.) 6
obesus Fåhrs. (Anax.) 566
obesus Friv. (Hel.) 548
obesus Guér. (Nyct.) 429
obesus Lec. (Con.) 269
obesus Lec. (Mel.) 18
obesus Luc. (Crypt.) 352
obesus Waltl (Micr.) 312
obesus All. (Hel.) 536
obesus Heer (Arthr.) 6
obesus Mars. (Ples.) 583
obesus Muls. (Micr.) 312
obesus Waltl (Hel.) 554
obliquatus Sol. 158
obliquemacula Chevr. 375
obliquesulcata Kraatz 223
obliquus Lec. 297
oblita Cas. (Con.) 268
oblita Fairm. (Nyct.) 143
obliterata Champ. (Asida) 134
obliterata Say (Eleod.) 248
obliterata Sol. (Sten.) 108
obliterata Fisch. (Plat.) 187
obliterata Leoni (Asida) 130
obliterata Mén. (Blaps) 228
obliterata Sem. (Pros.) 225
obliteratus All. (Hel.) 549
obliteratus Sol. (Arthr.) 7
obliteratus M'Leay (Pter.) 419

obliteratus Champ. (Blapst.) 299
obliteratus Sol. (Psamm.) 158
obliteratus Champ. (Eus.) 265
obliteratus Haag (Psamm.) 156
obliteratus Woll. (Hel.) 536
oblitum Woll. 324
oblonga Ball. (Plat.) 256
oblonga Cas. (Con.) 268
oblonga Champ. (Tarp.) 532
oblonga Chevr. (Hopl.) 369
oblonga Kraatz (Blaps) 235
oblonga Küst. (Phal.) 348
oblonga Ramb. (Asida) 134
oblonga Sol. (Hyps.) 35
oblonga Sol. (Praoc.) 260
oblonga Sol. (Zoph.) 39
oblonga All. (Anat.) 48
oblonga Bates (Hyp.) 439
oblonga Baudi (Phal.) 346
oblonga Blaisd. (Eleod.) 244
oblonga Blaisd. (Eleod.) 252
oblonga Blanch. (Pil.) 148
oblonga Blanch. (Thes.) 502
oblonga Rey (Phal.) 349
oblonga Sén. (Pim.) 208
oblonga Sol. (Mes.) 54
oblonga Sol. (Tent.) 71
oblongicollis Desbr. 108
oblongior Woll. 354
oblongipennis Fairm. 71
oblongiusculus Blanch. (Hydr.) 561
oblongiusculus Fairm. (Clit.) 340
oblongo-camelus Fairm. 494
oblongo-punctata Bates 532
oblongo-punctatus Reitt. 334
oblongula Fairm. 496
oblongulum Fairm. (Cyrt.) 489
oblongulum Motsch. (Plat.) 375
oblongulus Cas. (Edr.) 82
oblongulus Cas. (Eus.) 265
oblongulus Cas. (Hyl.) 15
oblongulus Fairm. (Bot.) 257
oblongulus Fairm. (Euc.) 486
oblongulus Fairm. (Diet.) 584
oblongulus Fairm. (Phys.) 259
oblongum F. 324
oblongus Bates (Omol.) 521
oblongus Blackb. (Chalc.) 581
oblongus Broun (Men.) 386
oblongus Lew. (Pent.) 387
oblongus Muls. (Ped.) 289
oblongus Sol. (Erod.) 9
oblongus Waterh. (Plat.) 480
oblongus Woll. (Crypt.) 352
obortus Péring. 34
obovata Lec. (Asida) 134
obovata Champ. (Trim.) 20
obovatum Champ. 27
obovatus Champ. 471
obscura Kl. (Cam.) 495
obscura Lec. (Eul.) 183
obscura Say (Eleod.) 248
obscura Sharp (Art.) 503
obscura Sol. (Pach.) 201
obscura Sol. (Eleod.) 252
obscurata Fairm. 493
obscuratum Fairm. 375
obscuriceps Schneid. 347
obscuricollis Sol. 271
obscuricornis Fairm. (Leio.) 389
obscuricornis Reitt. (Laena) 519
obscurina Fairm. (Cam.) 495
obscurina Fairm. (Nes.) 608
obscuripes Fairm. 608
obscurivirens Fairm. 608
obscurocupreus Fairm. 467
obscurovirens Fairm. 608
obscurum Cas. (Lob.) 27
obscurum Mäkl. (Strong.) 598
obscurum Blackb. (Plat.) 371
obscurum Küst. (Gon.) 324
obscurum Redtenb. (Trib.) 394
obscurus Blackb. (Chalc.) 581
obscurus Broun (Men.) 386
obscurus Cas. (Coel.) 270
obscurus Er. (Cestr.) 301
obscurus F. (Ten.) 456
obscurus Horn (Branch.) 263
obscurus Muls. (Phyl.) 286
obscurus Ol. (Anom.) 305
obscurus Waterh. (Amm.) 119
obsidiana Cas. 268
obsoleta Champ. (Hopl.) 369
obsoleta Deyr. (Zoph.) 39
obsoleta Lec. (Asida) 134
obsoleta Say (Eleod.) 248
obsoleta Sharp (Art.) 503
obsoleta Sol. (Pim.) 211
obsoleta Desbr. (Sten.) 108
obsoleta Fairm. (Asida) 126
obsoleta Fairm. (Cal.) 477
obsoleta Sol. (Eleod.) 243
obsolescens Cas. (Bothr.) 28
obsolescens Cas. (Con.) 268
obsoletus All. (Hel.) 549
obsoletus Ancey (Sol.) 278
obsoletus Baudi (Cab.) 292
obsoletus Baudi (Dil.) 294
obsoletus Champ. (Rhin.) 434
obsoletus M'Leay (Chalc.) 581
obsoletus Say (Crypt.) 352
obsoletus Thoms. (Odont.) 477
obstituber Mars. 174
obsulcatus Haag 158
obtusa Cas. (Con.) 268
obtusa Cas. (Tel.) 14
obtusa F. (Pros.) 223
obtusa Fairm. (Cam.) 495

obtusa Horn (Trim.) 20
obtusa Sem. (Sphen.) 33
obtusa Gyll. (Blaps) 233
obtusa Lec. (Eleod.) 246
obtusa Sol. (Mor.) 172
obtusa Sturm (Blaps) 235
obtusangula Reitt. 45
obtusangulum Fairm. 169
obtusangulus Müll. (Alph.) 382
obtusangulus Reitt. (Lob.) 334
obtusangulus All. (Hel.) 548
obtusangulus Küst. (Hel.) 535
obtusatus Fairm. 549
obtusecostata Reitt. 60
obtusicollis Reitt. 292
obtusicornis Kirsch 391
obtusum Schauf. 461
obtusus All. (Erod.) 9
obtusus Fauv. (Isop.) 521
obtusus Lec. (Mel.) 18
obtusus Pasc. (Chalc.) 581
obtusus Seidl. (Ent.) 556
obtusus Reitt. (Crypt.) 351
obydense Bates 380
occidentale Berg (Gon.) 324
occidentale Blackb. (Adel.) 510
occidentalis Berg (Cam.) 495
occidentalis Cart. (Hel.) 421
occidentalis Cas. (Eleat.) 360
occidentalis Champ. (Hopl.) 369
occidentalis Fairm. (Arth.) 7
occidentalis Fairm. (Hyonth.) 55
occidentalis Fairm. (Mes.) 55
occidentalis All. (Tarp.) 532
occidentalis Lac. (Him.) 32
occipitalis Cas. 28
occulta Pasc. (Imm.) 528
occulta Seidl. (Blaps) 230
occultus Champ. 437
ocellata Pasc. 515
ochraceum Eschsch. (Eur.) 12
ochraceum Motsch. (Plat.) 375
ochthebioides Fauv. 324
ocreata All. 236
octocostata Geb. (Agl.) 428
octocostata Sol. (Mor.) 172
octocostatum Fairm. 324
octocostatus Péring. 152
octocristatus Fairm. 152
octomaculatus Motsch. (Bas.) 381
octomaculatus Westw. (Leio.) 389
octonotatus Mäkl. 590
octopunctatum Chevr. 375
octopunctatus Mäkl. 590
ocularis Blackb. (Chalc.) 581
ocularis Cas. (Pal.) 366
ocularis Fairm. (Amen.) 442
ocularis Fauv. (Lor.) 464
ocularis Haag (Him.) 32
ocularis Reitt. (Tent.) 72
oculata Champ. (Gon.) 468
oculata Woll. (Anem.) 317
oculatum Champ. (Plat.) 375
oculatum Champ. (Strong.) 598
oculatus Baudi (Hel.) 549
oculatus Champ. (Orth.) 30
oculeus M'Leay 578
Odewahni Pasc. (Coss.) 430
Odewahni Pasc. (Dys.) 140
Odewahni Pasc. (Sar.) 424
Oedipus Fairm. 274
Oertzeni Kolbe (Priop.) 475
Oertzeni Reitt. (Laena) 519
Oertzeni Seidl. (Blaps) 236
Oertzeni Seidl. (Dend.) 281
ogadenica Gestro 39
Ohausi Geb. 389
Okeni Perty 496
Olcesi Fairm. (Asida) 134
Olcesi Sén. (Pim.) 212
Olcesii Fairm. (Cat.) 78
Olcesii Fairm. (Lit.) 310
Olcesii Fairm. (Sten.) 108
Olgae Sem. 33
olida Champ. 249
olivaceus Er. 25
Oliveirae Seidl. 549
olivensis Woll. 457
Olivieri Desbr. (Crypt.) 352
Olivieri Muls. (Ped.) 289
Olivieri Reiche (Adesm.) 83
Olivieri Sol. (Akis) 175
Olivieri Sol. (Erod.) 9
Olivieri Sol. (Tent.) 73
olympicus Kiesw. 290
ominosa Mén. 236
omissa Lec. 249
opaca Fairm. (Ison.) 78
opaca Haag (Pog.) 101
opaca Heyd. (Akis) 174
opaca Horn (Con.) 268
opaca Kirsch (Epip.) 145
opaca Reitt. (Blaps) 236
opaca Reitt. (Mel.) 336
opaca Reitt. (Scyth.) 63
opaca Reitt. (Sten.) 108
opaca Reitt. (Stern.) 192
opaca Say (Asida) 134
opaca Say (Eleod.) 249
opaca Sol. (Pyan.) 585
opaca All. (Asida) 126
opaca All. (Dail.) 46
opaca Breit (Pach.) 60
opacella Cas. 14
opacicolle Fairm. 598
opacicollis Cart. (Hel.) 421
opacicollis Cas. (Con.) 268
opacicollis Champ. (Phal.) 348

opacicollis Fairm. (Cam.) 492
opacicollis Fairm. (Ost.) 492
opacicollis Gahan (Eus.) 68
opacicollis M'Leay (Card.) 507
opacicollis M'Leay (Chalc.) 581
opacicollis M'Leay (Hyp.) 439
opacipenne Cas. (Met.) 13
opacipenne Champ. (Strong.) 598
opacipennis Fauv. (Uloma) 403
opacipennis M'Leay (Sar.) 424
opacula Bates (Cil.) 425
opacula Bates (Hyp.) 439
opacula Fairm. (Anem.) 317
opaculum Cas. 376
opaculus Fairm. (Arthr.) 7
opaculus Fairm. (Cleom.) 490
opaculus Fairm. (Mac.) 466
opaculus Lec. (Hyp.) 415
opaculus Reitt. (Bor.) 465
opacum Chevr. (Plat.) 375
opacum Walk. (Gon.) 324
opacum Schauf. (Tox.) 462
opacus Bates (Onost.) 427
opacus Broun (Edal.) 516
opacus Champ. (Cyn.) 393
opacus Champ. (Mit.) 528
opacus Duft. (Ten.) 457
opacus Fairm. (Coel.) 604
opacus Geb. (Opatr.) 277
opacus Geb. (Par.) 576
opacus Gerst. (Alph.) 405
opacus Haag (Amiant.) 152
opacus Horn (Zopher.) 95
opacus Kraatz (Euc.) 486
opacus Kraatz (Pseud.) 488
opacus Lec. (Con.) 302
opacus Lec. (Hel.) 549
opacus Lec. (Iphth.) 410
opacus Lec. (Scot.) 435
opacus Müll. (Hopl.) 572
opacus Muls. (Blapst.) 299
opacus Reitt. (Micr.) 312
opacus Sahlb. (Zophob.) 435
opacus Sol. (Psamm.) 158
opacus Brancs. (Crypt.) 353
opacus Lec. (Blapst.) 298
opatrinoides Fairm. (Blapst.) 299
opatrinoides Fairm. (Eut.) 408
opatroides All. (Asida) 134
opatroides Champ. (Branch.) 263
opatroides Hope (Cestr.) 301
opatroides Kraatz (Gon.) 570
opatroides M'Leay (Pter.) 419
opatroides Sharp (Asiop.) 516
opatroides Brll. (Alph.) 405
opatroides Sol. (Pog.) 101
ophonoides Luc. (Hel.) 549
ophonoides Baudi (Hel.) 551
ophthalmicus Fairm. 609
oppressa Walk. 66
oppugnans Walk. 461
opulenta Har. 383
orarium Lew. 324
orbicollis Mén. (Ceph.) 181
orbicollis Motsch. (Blaps) 236
orbicollis Sol. (Tent.) 72
orbicularis Brême (Symp.) 422
orbicularis Deyr. (Zoph.) 39
orbicularis Muls. (Micr.) 312
orbiculata Deyr. (Zoph.) 39
orbiculata F. (Tent.) 65
orbiculata Reitt. (Tent.) 65
Orbygnianus Guér. 23
orbus Cas. 82
orcus Pasc. 439
ordinata Blaisd. (Eleod.) 249
ordinata Sol. (Pach.) 201
ordosana Reitt. 335
ordossica Sem. 188
ordubadensis Reitt. 559
oregona Cas. 268
oregonense Lec. 375
oregonensis Cas. 299
orichalceus Fairm. (Art.) 485
orichalceus Fairm. (Euc.) 486
orichalceus Fairm. (Per.) 529
orientale F. (Scler.) 314
orientale Mäkl. (Strong.) 598
orientale Reitt. (Scler.) 314
orientalis Brll. (Sten.) 108
orientalis Cast. (Uloma) 403
orientalis Deyr. (Zoph.) 39
orientalis Fairm. (Adav.) 341
orientalis Fairm. (Diet.) 584
orientalis Fleisch. (Pal.) 397
orientalis Geb. (Hopl.) 369
orientalis Haag (Adesm.) 87
orientalis Herbst (Pach.) 63
orientalis Kraatz (Arthr.) 5
orientalis Motsch. (Anaed.) 470
orientalis Seidl. (Dend.) 281
orientalis Sén. (Pim.) 211
orientalis Sol. (Blaps) 236
orientalis Cast. (Cat.) 458
orientalis Herbst (Him.) 32
orientalis Sol. (Sten.) 107
oritica Pasc. 377
Ormayi Reitt. 519
ornata Pasc. (Idis.) 342
ornata Sol. (Pog.) 101
ornata Woll. (Phal.) 348
ornata Mill. (Pim.) 207
ornata Schneid. (Phal.) 346
ornatellum Lew. 370
ornatipennis Fairm. 452
ornatum Chevr. (Plat.) 375
ornatum Mäkl. (Strong.) 598
ornatum Chevr. (Plat.) 372

ornatus Champ. (Epitr.) 25
ornatus Haag (Trach.) 164
orphanum Pasc. 510
oryzae Waterh. (Lath.) 393
oryzae Herbst (Alph.) 406
Osbecki Billb. 158
Oschanini Sem. 223
osculans Lec. 505
osdaroides Kolbe 432
oshimanum Fairm. 598
osmanlis Deyr. (Zoph.) 39
osmanlis Reitt. (Laena) 519
otagensis Bates 425
otiosus Cas. (Mel.) 18
otiosus Cas. (Zoph.) 95
Otoes Fisch. 174
Otti Luc. 71
ottomanus Muls. 281
ovale Cas. 27
ovalipenne Chevr. 104
ovalipennis Oertz. (Anom.) 305
ovalipennis Kraatz (Pseud.) 488
ovalipennis Baudi (Ocn.) 198
ovalis All. (Char.) 502
ovalis All. (Vieta) 171
ovalis Ball. (Crypt.) 352
ovalis Ball. (Plat.) 256
ovalis Bates (Bior.) 257
ovalis Bates (Diph.) 385
ovalis Bates (Hyp.) 439
ovalis Blackb. (Pter.) 419
ovalis Blaisd. (Eleod.) 252
ovalis Cas. (Tel.) 14
ovalis Cas. (Ulop.) 612
ovalis Cast. (Nyct.) 467
ovalis Chevr. (Pelt.) 412
ovalis Guér. (Scot.) 185
ovalis Lec. (Con.) 268
ovalis M'Leay (Sar.) 424
ovalis Muls. (Opatr.) 277
ovalis Perroud (Uloma) 403
ovalis Waterh. (Enn.) 387
ovalis Ancey (Prion.) 196
ovalis Reitt. (Cal.) 51
ovampoanus Péring. 565
ovampoense Péring. (Sep.) 169
ovampoense Péring. (Strong.) 598
ovata Bates (Epiph.) 82
ovata Brll. (Zoph.) 39
ovata Champ. (Sapt.) 366
ovata Pasc. (Mel.) 503
ovata Ball. (Plat.) 257
ovata Deyr. (Zoph.) 40
ovata Fald. (Chir.) 41
ovata Ol. (Adesm.) 88
ovata Sol. (Blaps) 227
ovatula Fairm. 317
ovatulus Fairm. (Adav.) 341
ovatulus Reitt. (Crypt.) 352
ovatus Bates (Naut.) 531
ovatus Champ. (Crypt.) 352
ovatus Er. (Clit.) 340
ovatus Fåhrs. (Per.) 100
ovatus Fairm. (Anaed.) 470
ovatus Fald. (Ped.) 290
ovatus Guér. (Hel.) 421
ovatus Pasc. (Eut.) 432
ovatus Sol. (Psamm.) 158
ovatus Brême (Coss.) 430
ovensensis Cart. 428
ovicauda Motsch. 497
oviformis Cas. 14
ovipennis All. (Hel.) 549
ovipennis Cas. (Phloe.) 96
ovipennis Cas. (Rues) 555
ovipennis Fairm. (Phryn.) 150
ovipennis Fairm. (Phyl.) 309
ovipennis Fairm. (Ples.) 583
ovipennis Fairm. (Rhyt.) 66
ovipennis Fairm. (Scaur.) 179
ovipennis Haag (Psamm.) 158
ovipennis Horn (Micr.) 80
ovipennis Horn (Con.) 30
ovipennis Quedenf. (Hopl.) 573
ovipennis Seidl. (Blaps) 236
ovoidea Fairm. 179
ovoideus Fairm. (Asc.) 43
ovoideus Fairm. (Diet.) 584
ovoideus Fairm. (Mel.) 307
ovulum Fairm. (Par.) 576
ovulum Haag (Psamm.) 158
ovulum Haag (Pter.) 419
ovulum Seidl. (Hel.) 549
ovulum Seidl. (Plat.) 256
owariensis Beauv. 403
oxygaster Montr. 521
oxyholmus Fairm. 309
oxyoma Fairm. 66
oxyophthalmus Reitt. 58
oxysterna Sol. 207

pachyderus Fairm. 295
pachyscelis Kraatz 211
pachysoma Montr. (Uloma) 403
pachysoma Péring. (Psamm.) 158
pacifica Champ. (Phal.) 348
pacifica Péring. (Ametr.) 149
pacificus Fall 270
pagana Cas. 268
Pagesi Gestro 169
paiva Haag 87
Paivae Woll. (Hadr.) 320
Paivae Perez (Micr.) 312
Paivae Woll. (Ten.) 454
palaestina Pic 317
palaestinus Baudi 111
Palgravei Péring. 87

Pallasi Seidl. 236
pallens All. (Sep.) 169
pallens Cas. (Coel.) 270
pallens Champ. (Trach.) 345
pallens Latr. (Hal.) 350
pallens Cast. (Plat.) 376
pallescens Cas. 13
pallicrus Fairm. 500
pallida Lew. (Phal.) 348
pallida M'Leay (Hyoc.) 338
pallida Say (Dol.) 410
pallidicauda Dohrn 598
pallidicolle Lew. 375
pallidicorne Chevr. 375
pallidicornis Cas. 268
pallidicrus Fairm. 583
pallidipenne Mäkl. 598
pallidipennis Champ. (Hyp.) 415
pallidipennis Lew. (Micr.) 294
pallidipennis Mäkl. (Plat.) 588
pallidipennis Pic (Adelph.) 559
palliditarse Cast. 375
pallidocinctus Fairm. 590
pallidum Cas. 20
pallidus Curt. (Helops) 549
pallidus Horn (Alaeph.) 463
pallidus Lec. (Pent.) 387
pallidus M'Leay (Helaeus) 422
pallipes Blackb. (Lic.) 511
pallipes Kraatz (Gon.) 570
pallipes Sol. (Acr.) 500
palmerensis Blackb. 581
Palmeri Champ. (Asida) 134
Palmeri Champ. (Blapst.) 299
Palmeri Crotch. (Tent.) 72
Palmerstoni Blackb. 581
paludicola Chevr. 286
pamirensis Bates 257
panagaeicollis M'Leay 515
panamense Champ. (Plat.) 375
panamense Champ. (Strong.) 598
panamensis Champ. (Hel.) 549
panamensis Champ. (Moe.) 498
panamensis Champ. (Pen.) 391
panamensis Champ. (Phal.) 348
panamensis Champ. (Schoen.) 30
pandanicola Boisd. 407
pandaroides Reitt. (Anat.) 48
pandaroides Reitt. (Cal.) 51
pandaroides Fairm. (Plat.) 273
Panderi Fisch. 87
pannosa Fairm. 125
pannosus Lew. 358
papagonum Cas. 13
paphia Reitt. 48
papulenta Reiche 211
papulosa Sol. 208
papulosum Fairm. 324
parabolica Walk. 497
paradoxa Reitt. 48
paradoxus Boh. (Chan.) 562
paradoxus Reitt. (Crypt.) 352
paradoxus Reitt. (Ped.) 290
parallela Bates (Aleg.) 398
parallela Baudi (Tent.) 72
parallela Cas. (Con.) 268
parallela Champ. (Cam.) 495
parallela Fairm. (Set.) 445
parallela Germ. (Seir.) 512
parallela Lea (Dyst.) 515
parallela Mill. (Zoph.) 39
parallela Muls. (Pseud.) 274
parallela Sol. (Pach.) 201
parallela Sol. (Pim.) 211
parallela Woll. (Phal.) 348
parallela Deyr. (Zoph.) 39
parallela Fairm. (Met.) 379
parallela Germ. (Psectr.) 147
parallela Lec. (Asida) 134
parallela Mill. (Adesm.) 86
parallelocollis Geb. (Chalc.) 581
parallelocollis Kraatz (Pros.) 224
parallelogrammus Fairm. 431
parallelum Chevr. (Adel.) 104
parallelum Haag (Adel.) 104
parallelum Mäkl. (Strong.) 599
parallelus Ancey (Sel.) 278
parallelus Brême (Pter.) 419
parallelus Cas. (Aph.) 404
parallelus Cas. (Blapst.) 299
parallelus Champ. (Hyl.) 16
parallelus Fairm. (Prol.) 520
parallelus Fairm. (Tal.) 562
parallelus Lec. (Centr.) 436
parallelus Lec. (Con.) 302
parallelus Melsh. (Hyp.) 415
parallelus Thoms. (Alph.) 405
parallelus Sol. (Anom.) 305
parcefoveatus Reitt. 284
parcegranatus Fairm. 469
parcepunctata Fairm. 143
parcepunctatus Woll. 7
pardalis Cas. 29
parentalis Péring. 39
parilis Cas. 268
Pariseti Sol. 84
paropsoides Cart. 426
Parreyssi Küst. 329
Parryi Bates 439
partiticornis Fairm. 503
parumpunctata Kraatz 222
parumpunctatus Fairm. 25
parva Cas. (Con.) 268
parva Sol. (Herps.) 105
parva Sol. (Hyp.) 52
parva Sol. (Praoc.) 261
parva Say (Eleod.) 250
parviceps Cas. (Con.) 268

parviceps Champ. (Lob.) 27
parviceps Mäkl. (Strong.) 598
parvicolle Cas. 27
parvicollis Bates (Micr.) 62
parvicollis Baudi (Ocn.) 198
parvicollis Baudi (Hel.) 554
parvicollis Blackb. (Eph.) 483
parvicollis Cas. (Zoph.) 95
parvicollis Desbr. (Sten.) 108
parvicollis Eschsch. (Eleod.) 249
parvicollis Fairm. (Cycl.) 487
parvicollis Fairm. (Drocl.) 496
parvicollis Fairm. (Nes.) 608
parvicollis Fairm. (Scaur.) 179
parvicollis Fairm. (Scot.) 139
parvicollis Fairm. (Set.) 445
parvicollis Fairm. (Tetr.) 492
parvicollis Geb. (Hopl.) 573
parvicollis Kraatz (Solsk.) 177
parvicollis Mäkl. (Praog.) 606
parvicollis Seidl. (Hed.) 557
parvicollis Cas. (Zoph.) 95
parvicollis Reitt. (Micr.) 63
parvicorne M'Leay 461
parvicornis Fairm. 411
parvidens Geb. (Micr.) 565
parvidens Reitt. (Laena) 519
parvidens Reitt. (Laena) 519
parvitarse Fairm. 103
parvula Champ. (Uloma) 403
parvula Friv. (Pter.) 195
parvula M'Leay (Bryc.) 512
parvula Reitt. (Laena) 519
parvula Reiche (Mes.) 54
parvula Sol. (Hor.) 116
parvula Blaisd. (Eleod.) 247
parvuliceps Cas. 13
parvulum Mäkl. (Strong.) 599
parvulum Cas. (Plat.) 373
parvulum Luc. (Gon.) 324
parvulus Cas. (Mec.) 297
parvulus Fairm. (Anaed.) 470
parvulus Gestro (Phryn.) 150
parvulus Luc. (Hel.) 549
parvulus M'Leay (Men.) 452
parvulus Péring. (Acast.) 571
parvulus Péring. (Eut.) 103
parvulus Péring. (Micr.) 565
parvulus Reitt. (Het.) 293
parvulus Westw. (Leio.) 389
parvulus Fald. (Opatr.) 333
parvus Bates (Omol.) 521
parvus Cas. (Mel.) 18
parvus Geb. (Diod.) 7
parvus Phil. (Nyct.) 24
parvus Sol. (Erod.) 9
parvus Sol. (Ent.) 259
parvus Sol. (Gyr.) 141
parvus Woll. (Bor.) 465
Pascoei Bates (Cil.) 425
Pascoei Bates (Dec.) 481
Pascoei Geb. (Amar.) 578
Pascoei Kirsch (Achth.) 399
Pascoei M'Leay (Mych.) 361
Pascoei M'Leay (Prom.) 449
Pascoei M'Leay (Pter.) 419
Pascoei M'Leay (Sar.) 424
Pascoei M'Leay (Plat.) 377
passaloides Westw. 475
Passerini Bertol. 479
Passeti Fairm. 495
pastica Sol. 223
pastor Reitt. 199
patagonica Waterh. 21
patelliformis Pasc. 422
patruele Er. (Gon.) 326
patruele Küst. (Gon.) 326
patruelis Bertol. (Him.) 32
patruelis Cas. (Con.) 266
Paulinae Muls. 315
Paulinoi Perez (Asida) 134
Paulinoi All. (Asida) 135
Paulseni Fairm. (Epip.) 145
Paulseni Fairm. (Gyr.) 141
pauper Geb. (Alc.) 498
pauper Muls. (Dend.) 281
pauperata Péring. 134
paupercula Cas. 268
pauxilla Hampe 201
pauxillus Péring. (Anom.) 305
pauxillus Reitt. (Dich.) 111
Pavesii Gestro 32
pavida Cas. 14
Pavoni Er. 599
Paykulli Dalm. 383
Payraudi Latr. 211
Pazi Perez 132
Pecirkana Reitt. (Pros.) 224
Pecirkana Reitt. (Trig.) 191
pectorale Mäkl. 596
pectoralis Bates (Mac.) 466
pectoralis Blackb. (Amar.) 578
pectoralis Cas. (Con.) 268
pectoralis Champ. (Schoen.) 30
pectoralis Lec. (Zoph.) 94
pectoralis Muls. (Dend.) 281
pedator Fairm. 158
pedellus Sol. 271
pedestre Rosenh. 325
pedestris Champ. 435
pedinoides Er. (Oxyc.) 77
pedinoides Eschsch. (Pach.) 60
pedinoides Fairm. (Cal.) 446
pedinoides Lec. (Eleod.) 249
pedinoides Reitt. (Penth.) 335
Peirolerii Sol. (Erod.) 9
Peirolerii Sol. (Tent.) 72
pekinensis Fairm. (Hel.) 549

pekinensis Fairm. (Plat.) 273
pekinensis Fairm. (Pros.) 224
pellitus Reitt. 352
pellucida Herbst 350
pellucidus Muls. (Hel.) 550
pellucidus Muls. (Lept.) 5
peloroides Reitt. 224
peltata Er. 261
peltatus Er. (Pter.) 419
peltatus Brême (Pter.) 419
peltoides M'Leay 419
penicillata Sol. 116
penicilligera Geb. 445
penicilligerum Karsch 169
peninsularis Blaisd. 249
pennsylvanica Degeer (Alob.) 444
pennsylvanica Kirby (Alob.) 444
pensus Cas. 28
pentachorda Burm. 261
pentagona Lacord. 261
pentaphylloides Champ. 369
Pentheri Reitt. (Crypt.) 352
Pentheri Reitt. (Hel.) 550
perditus Cas. 28
perdubium Geb. 599
peregrina Ersch. (Solsk.) 177
peregrina Pasc. (Cer.) 383
peregrinum Kolbe 324
Perevostchikovi Zoubk. 192
Perezi Sén. (Pim.) 211
Perezi Chevr. (Asida) 131
perfidus Péring. 158
perforatum All. (Sep.) 169
perforatum Cas. (Met.) 13
perforatum Mäkl. (Strong.) 599
perforatus Fairm. (Metr.) 91
perforatus Fairm. (Per.) 100
perforatus Germ. (Pol.) 433
perforatus Horn (Helops) 550
perforatus Latr. (Helaeus) 422
perforatus Lec. (Triph.) 81
perforatus Muls. (Plat.) 273
perforatus Péring. (Hopl.) 573
perforatus Sahlb. (Diast.) 275
Peringueyi Geb. 158
peristericus Apfelb. 290
perlata Baudi 198
perlatum Germ. 325
perlatus Burm. 185
perlifera Burm. 185
perlonga Bates (Blaps) 236
perlonga Blaisd. (Eleod.) 248
perlongus Blackb. 581
permixta Sén. 210
permodicum Mäkl. 599
pernigrum Cas. 377
pernitens Lec. 550
pernitidus Fairm. 583
peronatus Germ. 158
peropaca Champ. 249
peropacus Cas. (Ster.) 17
peropacus Reitt. (Hel.) 550
perovatus Cas. 17
perplexa Schaum 88
perplexum Luc. 324
perplexus Blackb. (Amar.) 578
perplexus Mén. (Hel.) 550
perpolita Cas. (Con.) 268
perpolita Cas. (Met.) 28
Perraudieri Mars. (Cyph.) 31
Perraudieri Woll. (Arthr.) 7
Perrieri Fairm. (Adav.) 341
Perrieri Fairm. (Asid.) 125
Perrieri Fairm. (Cam.) 495
Perrieri Fairm. (Chalc.) 467
Perrieri Fairm. (Chem.) 491
Perrieri Fairm. (Hyp.) 415
Perrieri Fairm. (Nyct.) 467
Perrieri Fairm. (Pil.) 528
Perrieri Fairm. (Pros.) 125
Perrieri Fairm. (Sphaer.) 527
Perrisi Luc. 186
Perroni Boisd. 422
Perroudi Muls. (Hel.) 284
Perroudi Muls. (Uloma) 403
persea Baudi 198
persiana Reitt. 218
persica Baudi (Mic.) 75
persica Baudi (Pim.) 211
persica Baudi (Steg.) 53
persica Kraatz (Zoph.) 39
persica Redtenb. (Thript.) 201
persica Seidl. (Blaps) 236
persica Baudi (Cyph.) 176
persica Baudi (Tent.) 72
persica Fald. (Pim.) 208
persica Faust (Pros.) 223
persicola Seidl. 236
persicus All. (Hel.) 500
persicus Baudi (Cab.) 293
persimile Lew. 324
persis Baudi (Cab.) 293
persis Baudi (Micr.) 110
personata Er. 39
perspicua Cas. 268
pertenuis Blaisd. 244
pertinax Cas. 27
perturbator Péring. 599
pertusus Kiesenw. 111
Pertyi Cast. 496
peruana Er. (Phys.) 259
peruana Fairm. (Plat.) 261
peruanus Kraatz 435
peruviana Cast. 363
peruvianus Guér. 119
pesthiense Bess. 325
pestiferum Cart. 510
petrosus Gerst. 150

pexicollis Fairm. 487
pexus Kirsch 407
Peyerimhoffi Reitt. 314
Peyroni Reiche 556
Pfeiferi Gredl. 39
phaeacus Sahlb. 550
phaedonoides Champ. (Gon.) 385
phaedonoides Fairm. (Par.) 576
phalacroides Chevr. 375
phalerata Chevr. 348
Pharao Reitt. (Anem.) 317
Pharao Reitt. (Mor.) 172
Pharao Seidl. (Blaps) 236
Pharnaces All. 550
Phillippsi Gahan 87
philistina Reiche (Mic.) 75
philistina Reiche (Ocn.) 198
phoenicis Cas. 13
phosphugoides White 425
phylacoides Fairm. (Eut.) 408
phylacoides Fisch. (Pros.) 224
phymatodes Sol. 213
phymatoptera Sol. 215
physodes Pasc. (Spharg.) 350
physodes Pasc. (Met.) 477
physopterus Har. 478
physosternoides Haag 87
picea Cast. (Hopl.) 369
picea Kraatz (Mes.) 55
picea Küst. (Uloma) 403
picea Melsh. (Eut.) 409
picea Mén. (Oog.) 110
piceitarsis Hope 301
piceiventris Fairm. 458
piceofuscus Fairm. 23
picescens Cas. (Con.) 268
picescens Fairm. (Mes.) 296
picescens Woll. (Hel.) 550
picescens Fairm. (Eut.) 408
piceum Cast. (Cyrt.) 489
piceum Cas. (Met.) 13
piceum Lin. (Stom.) 12
piceus Broun (Men.) 386
piceus Cas. (Hyl.) 16
piceus Fairm. (Lypr.) 472
piceus Haag (Psamm.) 158
piceus Horn (Mic.) 398
piceus Kirby (Pter.) 419
piceus Ol. (Alph.) 405
piceus Ol. (Dend.) 281
piceus Pasc. (Syn.) 464
piceus Perty (Cat.) 458
piceus Sturm (Hel.) 550
piceus Westw. (Leio.) 388
piceus Redtenb. (Alph.) 406
piceus Sol. (Arthr.) 11
Pici Reitt. 519
Picianus Reitt. 550
picicollis Motsch. (Bas.) 381
picicollis Westw. (Leio.) 389
picicorne F. (Plat.) 375
picicorne Fairm. (Strong.) 599
picicornis Bates (Syach.) 43
picicornis Fairm. (Euc.) 486
picicornis Fairm. (Uloma) 403
picicornis Hope (Amar.) 578
picicornis F. (Heget.) 78
picilabrum Melsh. 375
picinus Fairm. (Lypr.) 472
picinus Küst. (Hel.) 550
picipenne Chevr. 489
picipennis Cas. (Bothr.) 28
picipennis Fairm. (Zoph.) 40
picipes Cas. (Con.) 268
picipes Cast. (Platyd.) 375
picipes Champ. (Ster.) 17
picipes Desbr. (Oter.) 56
picipes Fairm. (Diet.) 584
picipes Fald. (Het.) 293
picipes Gebl. (Platysc.) 256
picipes Germ. (Praoc.) 261
picipes Gerst. (Hyp.) 52
picipes Herbst (Ten.) 457
picipes Küst. (Hel.) 550
picipes Mäkl. (Acr.) 500
picipes M'Leay (Chalc.) 581
picipes Ol. (Phyl.) 309
picipes Say (Phal.) 348
picipes Walk. (Osd.) 526
picipes All. (Hel.) 540
picipes Steph. (Alph.) 406
picitarsis Fairm. 584
piciventre Chevr. 375
picta Geb. (Lypr.) 473
picta Pasc. (Dinor.) 515
picta Mannerh. (Phal.) 348
picta Woll. (Phal.) 348
Picteti Haag 152
picticolle Fairm. (Strong.) 599
picticolle Bates (Tox.) 460
picticollis Fairm. (Pseud.) 488
picticollis Pasc. (Byz.) 431
pictipenne Lew. 370
pictipes Hell. (Strong.) 599
pictipes Sharp (Mal.) 502
pictum F. (Leich.) 342
pictum Horn (Scaph.) 370
pictum Cast. (Strong.) 597
pictum Motsch. (Plat.) 378
pictus Baudi (Dil.) 294
pictus Champ. (Tar.) 441
pictus Fauv. (Alphitob.) 406
pictus Guér. (Poec.) 590
pictus Haag (Psamm.) 158
pictus Lacord. (Mitr.) 148
pictus Perty (Scot.) 139
pictus Mén. (Alphitoph.) 382
Pierreti Amyot 158

piger Vaul. 550
Pilatei Chevr. 349
pilicollis Fald. (Ocn.) 198
pilicollis Kraatz (Rhyt.) 66
pilicornis Fåhrs. (Distr.) 152
pilicornis Ball. (Ocn.) 198
pilifer Haag 158
pilifera Lec. (Phal.) 349
pilifera Sén. (Pim.) 211
pilifera Sol. (Sten.) 108
piliferum Champ. 375
piliferus Fairm. 299
piliger Lec. (Hyp.) 415
piliger Redtenb. (Asp.) 21
piligera Gebl. (Pter.) 194
piligera Kraatz (Las.) 194
piligera Weise (Laena) 519
piligera Leoni (Asida) 127
piligerus Kraatz 555
pilipes Fairm. (Euc.) 486
pilipes Geb. (Ped.) 287
pilipes Guér. (Psectr.) 146
pilipes Kraatz (Thript.) 199
pilipes Guér. (Psamm.) 183
pilipes Herbst (Phyl.) 286
pilosa Champ. (Gon.) 468
pilosa Horn (Eleod.) 249
pilosa Motsch. (Sten.) 108
pilosa Sol. (Psectr.) 147
pilosa Tourn. (Anem.) 317
pilosa Wiedem. (Machla) 123
pilosella Mars. (Brach.) 336
pilosella Pasc. (Bryc.) 512
pilosella Fairm. (Brach.) 336
pilosellus Blackb. (Trich.) 426
pilosellus Haag (Psamm.) 158
pilosipennis Haag 158
pilosissima Reitt. (Ear.) 187
pilosissima Reitt. (Laena) 519
pilosiuscula Reitt. 108
pilosula Geb. (Asida) 134
pilosula Mäkl. (Dysg.) 607
pilosulum Fairm. 599
pilosulus Kraatz 550
pilosum Champ. (Lob.) 27
pilosum Pasc. (Adel.) 510
pilosus Bates (Met.) 399
pilosus Champ. (Lor.) 464
pilosus Er. (Emm.) 306
pilosus Geb. (Hopl.) 573
pilosus Haag (Laon.) 482
pilosus Müll. (Lypr.) 473
pilosus Péring. (Trach.) 164
pilosus Phil. (Der.) 24
pilosus Thunb. (Psamm.) 158
pilosus All. (Hel.) 543
pilula Cast. 261
pilularius Germ. 185
pimalicum Cas. 27
pimalis Cas. 299
pimelia Duft. 520
pimeloides Mannerh. 249
Pinardi Théry 36
pindicus Apfelb. 550
pingue Fairm. (Leich.) 342
pingue Mäkl. (Strong.) 599
pinguis All. (Blaps) 236
pinguis Ancey (Arthr.) 7
pinguis Blackb. (Amar.) 578
pinguis Fairm. (Nyct.) 143
pinguis Fald. (Lob.) 334
pinguis Fairm. (Zabr.) 526
pinguis Horn (Hel.) 550
pinguis Kraatz (Plat.) 256
pinguis Lec. (Stict.) 17
pinguis Sol. (Psamm.) 158
pini Panz. (Hyp.) 415
pini Zett. (Hyp.) 414
Piochardi Desbr. 200
Pirazzolii All. 135
piriensis Leoni 136
pithecius Pasc. 507
placata Deyr. 40
placidus Blackb. (Chalc.) 581
placidus Cas. (Ster.) 17
placidus Kolbe (Phryn.) 150
placidus Péring. (Psamm.) 158
placita Péring. 90
plagiatum Waterh. 375
plagiatus Mars. (Alph.) 382
plagiatus Motsch. (Bas.) 381
plana Bates (Solsk.) 177
plana F. (Dol.) 410
plana F. (Zoph.) 40
plana Haag (Lyc.) 101
plana Péring. (Adesm.) 87
plana Sol. (Blaps) 236
planata F. (Mor.) 172
planata Friv. (Anat.) 48
planata Geb. (Phal.) 349
planata Haag (Eur.) 100
planata Horn (Asida) 135
planata Mill. (Dail.) 45
planata Eschsch. (Eleod.) 249
planata Sol. (Eleod.) 252
planatum Sol. (Clin.) 163
planatum Walk. (Gon.) 324
planatus Champ. (Sten.) 124
planatus Er. (Scot.) 185
planatus Geb. (End.) 431
planatus Sol. (Gyr.) 141
planatus Thunb. (Mol.) 153
planicauda Fairm. 143
planicolle Haag 564
planicollis Champ. (Oxid.) 528
planicollis Fairm. (Char.) 502
planicollis Fairm. (Dil.) 294
planicollis Kolbe (Him.) 32

planicollis Motsch. (Blaps) 236
planicollis Waltl (Lit.) 310
planicollis Sol. (Akis) 173
planicollis Sol. (Blaps) 230
planicosta Guér. 185
planidorsis Fairm. (Scaur.) 179
planidorsis Reitt. (Ear.) 187
planipenne Geb. 564
planipennis Fauv. (Cymb.) 514
planipennis Küst. (Hel.) 550
planipennis Lec. (Eleod.) 250
planipennis Schauf. (Asida) 135
planiuscula Fairm. (Epip.) 145
planiuscula Fairm. (Hom.) 56
planiuscula Kraatz (Trig.) 191
planiuscula Fairm. (Epip.) 145
planiusculus Fairm. (Onc.) 271
planiusculus Muls. (Phyl.) 286
planiusculus Muls. (Blen.) 307
planivittis All. 551
plantaris Pasc. 490
planum Horn 253
planus Bless. (Pter.) 419
planus F. (Sel.) 278
planus Fåhrs. (Anom.) 306
planus F. (Coss.) 430
Plasoni Haag 60
platense Fairm. 599
platensis Fairm. 352
platessa Fairm. (Sel.) 278
platessa Gerst. (Per.) 100
platesthoides Champ. 135
platisoides Pasc. 410
platyceps Stev. 72
platyderus Muls. 272
platynota Fairm. 211
platynotus Gerst. (Adesm.) 87
platynotus Perty (Scot.) 139
platythorax Gemm. 237
plausibile Péring. 599
plausibilis Péring. (Psamm.) 159
plausibilis Péring. (Psamm.) 158
plebeja Péring. 607
plebejum Mäkl. 599
plebejus Fåhrs. (Him.) 32
plebejus Küst. (Hel.) 550
plebejus Péring. (Anom.) 306
pleuralis Broun (Edal.) 516
pleuralis Reitt. (Pros.) 224
pleuralis Reitt. (Sten.) 108
pleuralis Reitt. (Micr.) 62
pleuroptera Sol. 261
plicata Brll. (Zoph.) 40
plicata Haag (Lyc.) 101
plicata Kraatz (Rhyt.) 66
plicata Waterh. (Nyct.) 143
plicata Blanch. (Nyct.) 143
plicata Latr. (Akis) 173
plicata Reitt. (Pros.) 220
plicaticollis Mén. 233
plicatipennis Deyr. (Zoph.) 40
plicatipennis Lacord. (Nyct.) 143
plicatipennis Waterh. (Hist.) 11
plicatulus Fairm. (Arthr.) 7
plicatulus Fairm. (Asth.) 575
plicatulus Fairm. (Par.) 140
plicatulus Kraatz (Hel.) 551
plicatulus Brll. (Dend.) 281
plicatus Champ. Cyrt.) 26
plicatus Gestro (Arthr.) 7
plicatus Kraatz (Hist.) 11
plicatus Lec. (Nos.) 96
plicatus Müll. (Eth.) 166
plicatus Sol. (Psamm.) 159
plicatus Wiedem. (Trach.) 164
plicatus Gerst. (Psamm.) 161
plicatus Luc. (Micr.) 311
plicatus Sol. (Psamm.) 159
plicicollis Fairm. (End.) 431
plicicollis Fairm. (Geoph.) 102
plicicollis Fairm. (Osd.) 527
plicicollis Fairm. (Sel.) 278
plicicollis Fauv. (Call.) 501
plicicollis Germ. (Praoc.) 261
plicicollis Péring. (Hyp.) 52
plicicollis Reitt. (Las.) 195
plicicollis Sol. (Psectr.) 147
plicifrons Woll. 79
plicigerum Pasc. 510
plicipennis Gemm. (Psamm.) 159
plicipennis Haag (Trach.) 164
plicipennis Péring. (Anch.) 278
plicipennis Perty (Proph.) 483
plicipennis Fairm. (Psamm.) 161
plicipennis Gemm. (Nyct.) 143
plicipennis Péring. (Trach.) 165
plinthota Fisch. 211
plorans Muls. 282
plumbeum Lec. 27
plumosus Thunb. 304
pluricostatus Fairm. 313
Plustschevskyi Reitt. 194
Pluto Woll. 543
plutus Blackb. 581
podager Seidl. 290
podagra Fairm. 444
podagricus Péring. 306
podolica Stev. 71
poeciloides Seidl. 551
Poggei Har. 599
Polinieri Muls. 274
polita Champ. (Eleod.) 250
polita Fairm. (Rhyt.) 66
polita Friv. (Anat.) 48
polita Horn (Micr.) 123
polita Say (Asida) 135
polita Sol. (Hom.) 56
polita Sol. (Pim.) 211

polita Sturm (Plat.) 256
polita Waterh. (Plast.) 504
polita Wiedem. (Uloma) 403
polita Baudi (Adesm.) 85
polita Gray (Blap.) 496
polita Luc. (Zoph.) 39
politicollis All. (Hel.) 551
politicollis Bates (Card.) 507
politicollis Fairm. (Asida) 135
politicollis Fairm. (Psect.) 147
politipennis Bates (Mac.) 466
politipennis Fairm. (Mes.) 54
politula Fauv. 502
politum Bess. (Opatr.) 330
politum Cas. (Met.) 13
politum Cast. (Plat.) 375
politus Bates (Epis.) 522
politus Boisd. (Men.) 453
politus Brême (Mit.) 528
politus Cas. (Trior.) 80
politus Heer (Pseud.) 79
politus Horn (Eus.) 265
politus Pasc. (Exap.) 384
politus Waterh. (Spyr.) 11
politus Woll. (Xen.) 398
politus Brll. (Heg.) 78
politus Chevr. (Pelt.) 412
politus Redtenb. (Plat.) 256
politus Reitt. (Dend.) 280
polychresta Forsk. 237
polychromus Fairm. (Pseud.) 488
polychromus Pasc. (Chalc.) 581
polyspila Fairm. 375
polyzona Fairm. 609
ponderosa Champ. 250
ponderosus Fåhrs. 159
pontica Sem. 349
ponticus Seidl. 551
populi Redtenb. 383
porcata Burm. (Nyct.) 143
porcata F. (Adesm.) 87
porcata Lacord. (Phell.) 96
porcata Sol. (Asida) 135
porcata Cas. (Eleod.) 249
porcatum F. (Adel.) 510
porcatum F. (Opatr.) 329
porcatum Muls. (Opatr.) 330
porcatus All. (Hel.) 551
porcatus Er. (Scaur.) 179
porcatus Lacord. (Scot.) 185
porcatus Muls. (Mel.) 273
porcatus Sol. (Diod.) 7
porcatus Sol. (Anom.) 306
porcella Fåhrs. 122
porcellus Berg 25
porculatum F. 510
porculus Berg 139
porcus Fåhrs. (Anom.) 306
porcus Muls. (Trig.) 272
poricollis Reitt. 334
poripennis Fairm. 75
porosa Herbst 116
porosus Blackb. 578
porphyrea Sol. 201
porrectus Woll. 551
portosanctanus Woll. 551
posticalis Broun (Pseudh.) 513
posticalis Deyr. (Zoph.) 40
posticalis Fairm. (Anaed.) 470
posticalis Motsch. (Cer.) 383
posticalis Heyd. (Diap.) 366
posticus Pasc. 301
postremus Cas. 264
postumum Geb. 599
Potanini Reitt. (Anat.) 48
Potanini Reitt. (Blaps.) 237
Potanini Reitt. (Myl.) 335
Potanini Reitt. (Tag.) 217
Pradieri Guér. 167
praeliator Péring. 159
praelonga Reitt. (Pros.) 224
praelonga Reiche (Rhyt.) 66
praelongus Baudi (Hel.) 551
praelongus All. (Hel.) 538
praestans Péring. 161
praetermissa Sén. 213
praetorius Péring. 573
praocioides Champ. (Oxinth.) 263
praocioides Deyr. (Zoph.) 40
prasinus Geb. 478
pratensis Lec. 299
Prescotti Fald. 321
pretiosum Champ. 375
pretiosus Kraatz (Pseud.) 488
pretiosus Lacord. (Euc.) 486
pretiosus Pasc. (Oed.) 488
Preußi Kolbe 475
Priapus Seidl. 551
primae-veris Sem. 186
princeps Champ. (Oxid.) 528
princeps Hope (Hel.) 422
priscus Sharp 464
prismalis Fauv. 501
proba Cas. (Con.) 268
proba Cas. (Met.) 28
probatum Cas. 13
probes Péring. 159
probus Péring. (Hopl.) 573
probus Péring. (Psamm.) 159
procera Har. (Praog.) 606
procera Mill. (Adesm.) 87
procera Kolbe (Uloma) 402
procerulus Reitt. 293
procerum Cas. (Met.) 13
procerum Er. (Strong.) 599
procerus Champ. (Nyct.) 443
procerus Er. (Chor.) 23
procerus Fåhrs. (Psamm.) 159

procerus Muls. (Bel.) 460
proctoleuca Fisch. 188
procuseus Péring. (Micr.) 565
procuseus Péring. (Psamm.) 159
procustes Westw. 159
prodigiosa Er. 237
proditor Blackb. 581
producta Fairm. (Nyct.) 143
producta Cast. (Blaps) 233
producta Mannerh. (Eleod.) 249
productum Peyerimh. 77
productus Fauv. (Isop.) 521
productus Haag (Psamm.) 159
productus Lec. (Eus.) 265
profanus Péring. 159
profugus Péring. 159
prolatus Pasc. 574
prolixa Fairm. (Cat.) 408
prolixa Fairm. (Phal.) 349
prolixa Rosenh. (Tent.) 72
prolixum Cas. (Met.) 13
prolixum Er. (Gon.) 324
prolixus Fairm. (Gnapt.) 217
prolixus Seidl. (Hel.) 551
prolongata Fairm. (Blaps) 237
prolongata Mill. (Pim.) 211
Prometheus Reitt. 551
prominens Cas. (Nos.) 97
prominens Cas. (Tel.) 14
prominens Cas. (Eleod.) 244
prona Péring. 40
pronus Fåhrs. (Hopl.) 573
pronus Péring. (Micr.) 565
propheta Reiche (Blaps) 237
propheta Seidl. (Hel.) 551
Prophetei Sén. 211
propinqua Waterh. (Tarp.) 532
propinqua Fald. (Anat.) 49
propinquum Cas. (Lob.) 27
propinquum Mäkl. (Strong.) 599
propinquus Péring. (Micr.) 565
propinquus Péring. (Vuts.) 573
propinquus Quedf. (Psamm.) 159
proprius Cas. 17
prosodoides Geb. 159
prosopis Chitt. 394
prospiciens Blackb. 581
prosternalis Reitt. 224
protensa Cas. (Con.) 268
protensa Fairm. (Ocn.) 198
protensa Fairm. (Vieta) 171
protensulus Seidl. 551
protensus Fairm. (Euc.) 486
protensus Fairm. (Hopl.) 573
protensus Fairm. (Nyct.) 467
protensus Haag (Psamm.) 159
protinus Reitt. 551
provincialis Fauv. 349
Provosti Fairm. 256
proxima Cas. (Tel.) 14
proxima Pasc. (Seir.) 513
proxima Reitt. (Tag.) 217
proxima Leoni (Asida) 128
proxima Sol. (Blaps) 233
proximum Chevr. 380
proximus Blackb. (Chalc.) 581
proximus Péring. (Anom.) 306
proximus Sol. (Erod.) 9
proximus Sol. (Hel.) 525
proximus Cast. (Trach.) 165
Pruddeni Cas. 95
pruinosa Falderm. (Blaps) 237
pruinosa Horn (Met.) 29
pruinosa Lec. (Trim.) 20
pruinosum Fisch. 324
pruinosus Champ. (Enn.) 387
pruinosus Duf. (Crypt.) 352
pruinosus Fairm. (Blast.) 566
pruinosus Pasc. (Pter.) 419
Przewalskyi Reitt. (Micr.) 62
Przewalskyi Reitt. (Ocn.) 198
Przewalskyi Reitt. (Pros.) 224
Przewalskyi Reitt. 227
psalidiformis Ancey 567
psalidium Seidl. 256
psammodioides Guér. 158
pseudaciculata Reitt. 224
pseudaucta Reitt. 48
pseudaeneus Fairm. 300
pseudocaedius Reitt. 337
pseudocastaneus Reitt. 416
pseudonitida Péring. 153
pseudopimelia Reitt. 193
pseudoscythis Reitt. 48
pterocomoides Reitt. 203
pterosticha Fisch. 237
pterotapha Fisch. 238
pterygomalis Geb. 40
pubella Sol. 519
pubens Ancey (Emm.) 306
pubens Fairm. (Crypt.) 352
pubens Fairm. (Rhyt.) 66
pubens Mars. (Gon.) 324
pubens Phil. (Praoc.) 261
puber All. 551
puberula Chevr. 212
puberulus Fairm. (Gon.) 570
puberulus Fall (Alaeph.) 463
puberulus Kirsch (Epitr.) 25
puberulus Lec. (Not.) 302
puberulus Lec. (Schoen.) 30
puberulus Fauv. (Mes.) 296
pubescens All. (Blaps) 238
pubescens Broun (Lor.) 464
pubescens Champ. (Asida) 135
pubescens Champ. (Cosm.) 379
pubescens Desbr. (Cab.) 293
pubescens Er. (Lat.) 361

pubescens Haag (Mic.) 75
pubescens Küst. (Neph.) 558
pubescens Lec. (Blapst.) 300
pubescens Lec. (Cran.) 91
pubescens Lec. (Eul.) 183
pubescens M'Leay (Hyoc.) 338
pubescens Motsch. (Crypt.) 352
pubescens Pal. (Gon.) 324
pubescens Pall. (Las.) 194
pubescens Pasc. (Ecr.) 318
pubescens Phil. (Praoc.) 261
pubescens Sol. (Psamm.) 159
pubescens Sol. (Sten.) 108
pubescens Waterh. (Par.) 560
pubescens Duf. (Crypt.) 351
pubibasis Reitt. 222
pubifera Cas. (Con.) 268
pubifera Sol. (Pim.) 214
pubiferum Walk. (Gon.) 324
pubiferum Reitt. (Gon.) 326
pubistriata Reitt. 224
pudens Cas. (Zoph.) 95
pudens Péring. (Hopl.) 573
pudica Ball. (Blaps) 238
pudica Cas. (Con.) 268
pueblensis Champ. 551
puella All. (Blaps) 238
puella Deyr. (Zoph.) 40
Pueli Pic 349
puellus Geb. 301
puer Blackb. (Chalc.) 581
puer Blackb. (Pter.) 419
pugionatum Chevr. 376
pugnax Chevr. 376
pulchella Champ. (Asida) 135
pulchella Fald. (Cal.) 51
pulchella Fisch. (Laena) 519
pulchellum Küst. (Leich.) 342
pulchellum Luc. (Leich.) 342
pulchellus Kraatz 57
pulcher All. (Hel.) 551
pulcher Blackb. (Chalc.) 582
pulcherrima Berg (Cam.) 495
pulcherrima Fisch. (Adesm.) 86
pulcherrima Sol. (Adesm.) 85
pulchra Bates (Tit.) 500
pulchra Champ. (Tarp.) 532
pulchra Hope (Cer.) 383
pulchridorsis Fairm. 578
pulchripes Bates 466
pulchrum Péring. 602
pulla Er. (Eut.) 409
pulla Reitt. (Las.) 194
pulla Reitt. (Micr.) 62
pullata Cas. 119
pullulus Boh. 406
pullus Seidl. (Hel.) 551
pullus Sahlb. (Opatr.) 277
pullus Say (Blapst.) 298
pullus Say (Hel.) 535
pulverea Horn 20
pulverulenta Deyr. 40
pulverulentum Ol. 326
pulverulentus Er. (Epitr.) 25
pulverulentus Mannerh. (Blapst.) 300
pulverulentus All. (Erod.) 9
pulvinata Mén. (Blaps) 238
pulvinata All. (Blaps) 240
pulvinatum Mäkl. 599
pulvinatus Champ. (Ster.) 17
pulvinatus Vaul. (Hel.) 551
pumila Baudi 45
pumilum Mäkl. (Strong.) 599
pumilum Baudi (Leich.) 342
pumilus Sol. 112
punctata Brll. (Zoph.) 40
punctata Cas. (Con.) 268
punctata F. (Pach.) 60
punctata Fauv. (Uloma) 403
punctata Gebl. (Pel.) 202
punctata Lec. (Coel.) 438
punctata Sol. (Micr.) 123
punctata Sol. (Pim.) 212
punctata Sol. (Praoc.) 261
punctata Blaisd. (Eleod.) 242
punctata Blaisd. (Eleod.) 249
punctata Eschsch. (Mes.) 54
punctata Fisch. (Pros.) 223
punctata Horn (Micr.) 123
punctata Thunb. (Akis) 173
punctata Thunb. (Crypt.) 115
punctatellus Blanch. (Scot.) 185
punctatellus Fairm. (Bot.) 258
punctatipennis Muls. 273
punctatissima Champ. (Hopl.) 369
punctatissima Fairm. (Plat.) 256
punctatissimum Mäkl. 599
punctatissimus Blackb. (Anaed.) 470
punctatissimus Brême (Coss.) 430
punctatissimus Fåhrs. (Hopl.) 573
punctatissimus Fairm. (Het.) 386
punctatissimus Haag (Him.) 32
punctatissimus Pasc. (Cestr.) 301
punctatissimus Woll. (Crypt.) 352
punctatofasciata Geb. 40
punctatolineatus All. (Lep.) 480
punctatolineatus Fairm. (Crypt.) 352
punctatolineatus Fairm. (Euc.) 486
punctatoseriata Fairm. 63
punctatostriata Motsch. (Set.) 445
punctatostriata Sol. (Tent.) 72
punctatostriata Reitt. (Pros.) 225
punctatostriatum Chevr. (Plat.) 376
punctatostriatum Mäkl. (Strong.) 599
punctatostriatus Champ. (Helops) 551
punctatostriatus Fairm. (Heliof.) 525
punctatostriatus Gerst. (Sel.) 278
punctatostriatus Muls. (Ped.) 290

punctatosulcatus Fairm. 525
punctatulus Lew. (Anthr.) 462
punctatulus Woll. (Arthr.) 7
punctatus All. (Hel.) 551
punctatus Broun (Syrph.) 318
punctatus Curt. (Alph.) 406
punctatus Eschsch. (Scot.) 185
punctatus F. (Blapst.) 300
punctatus F. (Scaur.) 179
punctatus F. (Tar.) 441
punctatus Lec. (Dioed.) 395
punctatus Lec. (Emm.) 14
punctatus Lec. (Trior.) 80
punctatus Serv. (Dend.) 282
punctatus Spin. (Par.) 471
punctatus Gemm. (Hel.) 551
punctatus Herbst (Scaur.) 179
punctatus Motsch. (Par.) 471
punctatus Sol. (Hel.) 525
punctatus Sol. (Pol.) 433
puncticeps Bates (Bior.) 257
puncticeps Bates (Mac.) 466
puncticeps Baudi (Zoph.) 40
puncticeps Broun (Men.) 386
puncticeps Cas. (Edrot.) 82
puncticeps Champ. (Oxid.) 528
puncticeps Champ. (Tarp.) 532
puncticeps Fairm. (Thes.) 502
puncticeps Lea (Apas.) 511
puncticeps Mill. (Tent.) 72
puncticeps M'Leay (Amar.) 578
puncticeps Muls. (Blapst.) 300
puncticolle Champ. (Acr.) 500
puncticolle Thoms. (Strong.) 599
puncticollis All. (Diet.) 584
puncticollis Bates (Del.) 390
puncticollis Cart. (Pter.) 419
puncticollis Champ. (Blapst.) 300
puncticollis Champ. (Hyp.) 415
puncticollis Hope (Chalc.) 582
puncticollis Horn (Stib.) 81
puncticollis Lec. (Con.) 268
puncticollis Lec. (Not.) 303
puncticollis Luc. (Hel.) 551
puncticollis Motsch. (Set.) 445
puncticollis Muls. (Diast.) 275
puncticollis Reitt. (Arth.) 5
puncticollis Reitt. (Cab.) 293
puncticollis Sol. (Asida) 135
puncticollis Sol. (Erod.) 9
puncticollis Sol. (Gon.) 304
puncticollis Sol. (Mes.) 54
puncticollis Sol. (Scaur.) 179
puncticollis Waterh. (Nyct.) 143
puncticollis Lec. (Asida) 135
puncticollis Lec. (Micr.) 123
puncticollis Rey (Hel.) 541
puncticollis Rosenh. (Erod.) 10
puncticosta Haag 116
punctidorsis Reitt. 74
punctifera M'Leay (Seir.) 513
punctifera Reitt. (Myl.) 335
punctifrons Mäkl. 599
punctiger Haag 164
punctigera All. (Adesm.) 87
punctigera Pasc. (Anc.) 472
punctigera Mén. (Pel.) 202
punctimana Reitt. 225
punctipenne Boisd. (Adel.) 510
punctipenne Pasc. (Tox.) 461
punctipennis Bates (Aeth.) 429
punctipennis Cas. (Crypt.) 14
punctipennis Champ. (Aps.) 385
punctipennis Fairm. (Sel.) 278
punctipennis Geb. (Eup.) 575
punctipennis Geb. (Hyp.) 415
punctipennis Haag (Adesm.) 88
punctipennis Haag (Eur.) 100
punctipennis Haag (Oxura) 162
punctipennis Har. (Psamm.) 159
punctipennis Lec. (Hel.) 551
punctipennis M'Leay (Chalc.) 582
punctipennis M'Leay (Pter.) 420
punctipennis Pasc. (Enc.) 447
punctipennis Perez (Asida) 135
punctipennis Reitt. (Mel.) 336
punctipennis Seidl. (Ten.) 458
punctipennis Woll. (Gnoph.) 79
punctipennis All. (Hel.) 552
punctipennis Baudi (Hel.) 534
punctipennis Luc. (Hel.) 544
punctipennis Sol. (Mes.) 54
punctipes Cas. (Con.) 268
punctipes Champ. (Strong.) 599
punctipes Lec. (Phal.) 349
punctipleuris Reitt. (Colp.) 291
punctipleuris Reitt. (Tent.) 72
punctipleuris Reitt. (Trig.) 191
punctiventris Baudi (Cal.) 51
punctiventris Cas. (Met.) 29
punctiventris Champ. (Hel.) 552
punctiventris Eschsch. (Sten.) 108
punctiventris Baudi (Tent.) 70
punctostriata Sol. 238
punctostriatus Cart. (Card.) 507
punctostriatus Fairm. (Sulp.) 341
punctulata Horn (Coel.) 270
punctulata Lec. (Tel.) 14
punctulata Lec. (Uloma) 403
punctulata Luc. (Pach.) 60
punctulata Ol. (Zoph.) 40
punctulata Waterh. (Psectr.) 147
punctulator Fairm. 445
punctulatus Bates (Onost.) 427
punctulatus Blackb. (Chalc.) 582
punctulatus Brll. (Opatr.) 332
punctulatus Champ. (Par.) 471
punctulatus F. (Nyct.) 443

punctulatus Luc. (Phyl.) 310
punctulatus Motsch. (Alph.) 406
punctulatus Muls. (Ped.) 290
punctulatus Pasc. (Hem.) 481
punctulatus Sol. (Blapst.) 300
punctulatus Jacq. (Blapst.) 298
punctulatus Kiesenw. (Ped.) 290
punctum Cart. 509
punica Pic 108
purpurascens Fairm. (Cam.) 492
purpurascens Herbst (Isoc.) 279
purpurata Kl. (Porph.) 493
purpurata Kolbe (Amen.) 442
purpuratum Mäkl. 599
purpuratus Coq. (Char.) 494
purpuratus Pasc. (Oed.) 488
purpurea Fauv. 502
purpureipenne Mäkl. 599
purpureipennis Bates 521
purpureofasciates Motsch. 450
purpureofossus Fairm. 578
purpureomicans Bates 385
purpureotinctus Fairm. 486
purpureum Mäkl. 599
purpureus Champ. (Choast.) 437
purpureus Germ. (Chalc.) 582
purpuricollis Fairm. 488
purpurina Fairm. (Lypr.) 473
purpurina Fairm. (Praog.) 606
purpurina Fairm. (Pseud.) 609
purpurinus Fairm. (Euc.) 486
purpurinus Fairm. (Met.) 478
purpuripennis Geb. (Alc.) 496
purpuripennis Poll. (Leio.) 389
purpuripennis Westw. (Cal.) 477
purpuripennis Fairm. (Alc.) 496
purpurivittatus Mars. 487
pusilla Boh. (Phal.) 349
pusilla Gerst. (Uloma) 403
pusilla Herbst (Crypt.) 115
pusilla Herbst (Eur.) 99
pusillima Fairm. (Sten.) 108
pusillima Kraatz (Asida) 135
pusillum F. (Gon.) 324
pusillum Pasc. (Rhyp.) 98
pusillum Küst. (Gon.) 325
pusillus Mén. (Cab.) 293
pusillus Mén. (Dich.) 112
pusillus M'Leay (Pter.) 420
pusillus Pasc. (Amar.) 578
pusillus Pasc. (Coss.) 431
pusillus Péring. (Amiant.) 153
pusillus Rosenh. (Crypt.) 353
pusillus Baudi (Pseud.) 294
pusillus Herbst (Crypt.) 353
pusillus Reitt. (Dich.) 111
pusillus Rossi (Hyp.) 414
pusio Geb. 478
pustulata Faust 221
pustulifer Fairm. (Het.) 474
pustulifer Haag (Psamm.) 159
pustulosa Fairm. (Tag.) 217
pustulosa Reitt. (Stern.) 192
pustulosum Blackb. (Adel.) 510
pustulosum Fauv. (Neoad.) 513
pustulosus Fairm. (Ent.) 149
pustulosus Fairm. (Pelt.) 412
pustulosus Lec. (Phloe.) 96
pustulosus Pasc. (Phym.) 526
pustrida Motsch. (Blaps) 238
putrida All. (Blaps) 238
pygmaea Champ. (Hopl.) 369
pygmaea Er. (Geoph.) 103
pygmaea Gebl. (Scyth.) 63
pygmaea Haag (Daedr.) 508
pygmaea Kraatz (Pros.) 224
pygmaea Mén. (Pach.) 201
pygmaea Redtenb. (Hyp.) 52
pygmaea Rosenh. (Asida) 135
pygmaea Sol. (Zoph.) 40
pygmaea All. (Asida) 128
pygmaea Blaisd. (Eleod.) 249
pygmaea Mill. (Thript.) 199
pygmaea Sol. (Pach.) 60
pygmaeum Haag (Adel.) 104
pygmaeum Reiche (Oxyc.) 77
pygmaeum Stev. (Gon.) 324
pygmaeus Cart. (Card.) 507
pygmaeus Fåhrs. (Trach.) 164
pygmaeus Mäkl. (Poec.) 590
pygmaeus Reitt. (Het.) 293
pygmaeus Brême (Coss.) 430
pygmaeus Küst. (Hel.) 535
pyrenaeus Baudi (Crypt.) 353
pyrenaeus Muls. (Hel.) 552
pyrennaea Baudi 132
pyriformis All. 9
pyritosa Pasc. 363
pyropterus Fairm. 492
pyrozonius Fairm. 486
pyrrhoceras Fairm. 492

quadra Pasc. 432
quadrata Esc. (Asida) 135
quadrata Fairm. (Lyc.) 101
quadraticeps Fairm. 106
quadraticolle Champ. (Acr.) 500
quadraticolle Thoms. (Strong.) 599
quadraticollis Bates (Aleg.) 398
quadraticollis Bates (Myat.) 257
quadraticollis Fairm. (Scaur.) 179
quadraticollis Haag (Him.) 32
quadraticollis Baudi (Hel.) 540
quadraticollis Küst. (Hel.) 538
quadraticollis Mén. (Hel.) 552
quadratulus Muls. 286
quadratus Brll. (Hel.) 552

quadratus Brll. (Ped.) 290
quadratus Cart. (Symp.) 422
quadricarinata Deyr. (Zoph.) 40
quadricarinata Fairm. (Nyct.) 143
quadricollis Ball. (Blaps) 238
quadricollis Ball. (Colp.) 46
quadricollis Baudi (Hel.) 552
quadricollis Brll. (Dail.) 45
quadricollis Brll. (Pach.) 201
quadricollis Broun (Lor.) 464
quadricollis Broun (Pseudh.) 513
quadricollis Champ. (Rhac.) 459
quadricollis Desbr. (Sten.) 108
quadricollis Eschsch. (Eleod.) 250
quadricollis Eschsch. (Scot.) 139
quadricollis Fairm. (Asb.) 53
quadricollis Fairm. (Der.) 105
quadricollis Fairm. (Diast.) 275
quadricollis Fairm. (Eut.) 409
quadricollis Fairm. (Gon.) 570
quadricollis Fairm. (Mitr.) 148
quadricollis Fairm. (Nyctel.) 143
quadricollis Fairm. (Pal.) 397
quadricollis Fairm. (Sel.) 278
quadricollis Fairm. (Set.) 445
quadricollis Germ. (Nycter.) 254
quadricollis Horn (Asida) 135
quadricollis Pasc. (Prom.) 449
quadricollis Reitt. (Cat.) 408
quadricollis Sol. (Disc.) 110
quadricollis Waterh. (Par.) 560
quadricollis Weise (Laena) 519
quadricollis Cast. (Nyctop.) 24
quadricollis Fairm. (Gon.) 570
quadricollis Fald. (Hel.) 552
quadricollis Reiche (Pach.) 59
quadricollis Fairm. (Praog.) 605
quadricorne F. 461
quadricornis Motsch. 368
quadricostata All. (Asida) 135
quadricostata Reitt. (Pros.) 224
quadricostata Sol. (Zoph.) 40
quadricostatus Fåhrs. (Psamm.) 159
quadricostatus Fairm. (Scot.) 185
quadricostatus Fairm. (Ethm.) 166
quadricostatus Fairm. (Psamm.) 159
quadricristatus Fairm. 565
quadridentata Fisch. 189
quadridentatum Mäkl. 599
quadridentatus Cand. (Bol.) 359
quadridentatus Champ. (Dol.) 410
quadridentatus Chevr. (Ischn.) 380
quadridentatus Waterh. (Card.) 507
quadrifasciatus Kraatz 435
quadriguttatus Fairm. 412
quadrihamatus Fairm. 458
quadriimpressa Reitt. 224
quadriimpressus Mäkl. 602
quadrilineata Ol. 40
quadrilineatum Mäkl. 599
quadrilineatus Kraatz 9
quadrilunatus Fairm. 452
quadrimaculatum Cast. (Plat.) 376
quadrimaculatum Mäkl. (Strong.)599
quadrimaculatus Ol. (Zoph.) 435
quadrimaculatus Er. (Cuph.) 588
quadrinodosum Reitt. 324
quadrinotata Fleut. 347
quadrinotatum Cast. (Liod.) 380
quadrinotatum Mäkl. (Strong.) 599
quadrinotatus Champ. (Anaed.) 471
quadrinotatus Kraatz (Zoph.) 435
quadrinotatus Mén. (Alph.) 382
quadrinotatus Motsch. (Men.) 452
quadrioculatus Chevr. 380
quadriplagiatus Fairm. (Men.) 452
quadriplagiatus Fairm. (Der.) 449
quadriplagiatus Kirsch (Cuph.) 588
quadriplicata Fairm. 143
quadriplicatus Geb. 159
quadripustulatus F. (Zoph.) 435
quadripustulatus Steph. (Alph.) 382
quadrisignatus Mäkl. 590
quadrispilotum Chevr. 376
quadrispinosus Waterh. 484
quadrisulcata Germain 261
quadrituberculata Curt. 369
Quedenfeldti Kolbe (Dichtha) 151
Quedenfeldti Seidl. (Blaps) 238
Quedenfeldti Heyd. (Eur.) 314
queenslandicus Blackb. 578
querulum Pasc. 98
quercana Baudi 366
quinquedecimmaculatum Chevr. 376
quinquecostata Fisch. 229
quinquelineatus Mäkl. 602
Quirogai Esc. 74
quisquilius L. (Crypt.) 353
quisquilius All. (Hel.) 544
quisquilius Panz. (Hel.) 540
quisquilius Panz. (Hel.) 545

Racinei Deyr. 40
Raddeana Reitt. 198
Raddoni Westw. 475
radula Sol. 212
Raffrayi Fairm. (Bel.) 460
Raffrayi Fairm. (Gon.) 570
Raffrayi Fairm. (Porph.) 493
Raffrayi Fairm. (Pseud.) 488
Raffrayi Fairm. (Pycn.) 399
Raffrayi Haag (Pog.) 101
Raffrayi Sén. (Pim.) 212
Raffrayi Thoms. (Leio.) 389
Ragusae Rag. (Ped.) 290
Ragusae Amore (Colp.) 292
Ragusae Reitt. (Akis) 175

ragusanum Küst. 325
Ramburi Brême (Mis.) 524
Ramburi Sol. (Adesm.) 88
Ramburi Sol. (Tent.) 72
Ramburi Sol. (Asida) 131
ramosum Mäkl. 599
ramosus Fairm. 274
ramulosum Chevr. 376
rapax Thoms. 599
rastratus Champ. 552
rasus Seidl. 559
Ratzeburgi Wissm. 397
rauca Sol. 122
raucipennis Blackb. 344
raucus Blackb. (Pter.) 420
raucus Haag (Him.) 32
raucus Haag (Psamm.) 159
Ravasinii Gestro 108
Reaumuri Cast. (Hem.) 481
Reaumuri Sol. (Zoph.) 37
rectangula Motsch. 445
rectangularis Popp. (Scyth.) 65
rectangularis All. (Blaps) 233
rectangularis Sol. (Blaps) 230
rectangulus Desbr. 292
rectestriata Fairm. 143
recticolle Motsch. 325
recticollis All. (Hel.) 552
recticollis Fairm. (Chem.) 491
recticollis Fairm. (Het.) 474
recticorne Lew. 376
recticostatus Fairm. 565
rectipennis Esc. 135
rectus Cas. 269
recurvatus Chitt. 392
recurvus Haag 164
Redtenbacheri Haag (Mol.) 153
Redtenbacheri Mäkl. (Strong.) 599
reductum Pasc. 510
refertus Péring. 573
reflexa Chevr. (Met.) 412
reflexa F. (Akis) 174
reflexa Gebl. (Blaps) 238
reflexa Ol. (Akis) 173
reflexa Sol. (Blaps) 235
reflexicollis Fairm. (Gon.) 570
reflexicollis Haag (Psamm.) 159
reflexicollis Mannerh. (Eleod.) 250
reflexicollis Reitt. (Pros.) 224
reflexicollis Sol. (Blaps) 238
reflexicollis Sol. (Praoc.) 261
reflexicollis Fisch. (Blaps) 235
reflexicollis Mill. (Blaps) 234
refleximargo Desbr. 60
reflexum Chevr. 376
reflexus Haag (Psamm.) 159
reflexus Say (Scot.) 435
refulgens Champ. (Heg.) 530
refulgens Pasc. (Cal.) 494
regalis Haag (Psamm.) 159
regalis Haag (Trach.) 164
regalis Har. (Odont.) 477
Regeli Ball. (Plat.) 256
Regeli Semen. (Pros.) 224
Regeli Ball. (Ear.) 187
regia Fairm. (Cam.) 495
regia Seidl. (Blaps) 238
regulare Lea 510
regularis Blackb. (Pter.) 420
regularis Cas. (Con.) 268
regularis Fairm. (Phob.) 469
regularis Horn (Arae.) 105
regularis Horn (Astr.) 124
Rehbocki Kolbe 159
Reichardi Kolbe 153
Reichei All. (Asida) 135
Reichei All. (Erod.) 9
Reichei All. (Sep.) 169
Reichei Brême (Pter.) 420
Reichei Guér. (Mel.) 81
Reichei Guér. (Zoph.) 41
Reichei Sol. (Psamm.) 159
Reichei Deyr. (Zoph.) 37
Reichi Bess. 65
Reini Haag 60
Reitteri All. (Blaps) 239
Reitteri Brancs. (Sphen.) 33
Reitteri Brenske (Enopl.) 529
Reitteri Csiki (Lob.) 334
Reitteri Csiki (Stern.) 192
Reitteri Friv. (Pter.) 195
Reitteri Geb. (Asida) 135
Reitteri Geb. (Scler.) 314
Reitteri Pic (Anem.) 317
Reitteri Reitt. (Pros.) 224
Reitteri Seidl. (Cat.) 408
Reitteri Seidl. (Dend.) 282
Reitteri Seidl. (Ped.) 290
Reitteri Seidl. (Plat.) 256
Reitteri Semen. (Dich.) 112
Reitteri Semen. (Lept.) 92
Reitteri Weise (Laena) 519
Reitteri Mars. (Sten.) 107
Reitteri Semen. (Sphen.) 34
Reitteri Zouf. (Bel.) 459
remotum Sahlb. 169
remotus Cas. (Phloe.) 96
remotus Fall (Coel.) 276
remotus Fauv. (Pseudh.) 513
remotus Reitt. (Lob.) 334
Renardi Fairm. 497
repanda F. (Gon.) 468
repanda Pasc. (Seir.) 513
Requieni Sol. (Blaps) 239
Requieni Sol. (Eut.) 432
Requieni Sol. (Sep.) 169
resolutus Péring. 164
resplendens Boisd. (Chalc.) 582

resplendens Cast. (Heg.) 530
resplendens Cast. (Nyct.) 467
resplendens Fairm. (Pseud.) 488
resplendens Champ. (Alc.) 498
retentus Walk. 458
reticularis Gemm. 88
reticulata Blanch. (Epip.) 145
reticulata Champ. (Tarp.) 532
reticulata Fairm. (Thalp.) 57
reticulata Kl. (Adesm.) 88
reticulata Sol. (Asida) 135
reticulata F. (Pseud.) 274
reticulata Gerst. (Adesm.) 88
reticulata Say (Upis) 450
reticulata Sol. (Adesm.) 88
reticulatum Cart. (Adel.) 510
reticulatum Mäkl. (Strong.) 600
reticulatum Motsch. (Gon.) 324
reticulatus Bates (Nyct.) 429
reticulatus Degeer (Trach.) 164
reticulatus Haag (Sar.) 425
reticulatus L. (Bol.) 358
reticulatus Motsch. (Sten.) 610
reticulatus Pasc. (Byall.) 428
reticulatus Say (Disc.) 264
reticulatus Champ. (Zoph.) 94
retrodentatus All. 530
retrogranatus Fairm. 492
retrospinosa Luc. 212
retrospinosus Haag 159
retusa F. (Uloma) 403
retusa F. (Uloma) 402
Reveillierei Muls. 349
Revoili Fairm. (Phys.) 151
Revoili Fairm. (Pycn.) 479
Reyi Pioch. (Phyl.) 286
Reyi Seidl. (Phal.) 349
rhantoides Gestro 41
rhodesianus Péring. 431
rhodesianum Péring. 600
rhodius Baudi 282
rhynchophorus Seidl. 552
rhynchoptera Fairm. 239
Ricardae Sol. 261
Ricatlae Péring. 432
Richesianum Latr. 461
Richteri Quedf. 174
Rickmersi Reitt. 201
Ricoi Martin. 135
Ridleyi Waterh. 300
Riederi Falderm. 349
rigens Cas. 25
Rileyi Cas. 250
rimata Lec. 133
rimosa Bates 215
rimosus Blackb (Amar.) 578
rimosus Woll. (Hel.) 552
riparium Gerh. 329
Ritsemae Fairm. (Coel.) 604
Ritsemae Fairm. (Aed.) 476
Riverinae M'Leay 420
rivularis Sol. 88
robusta Faust (Ocn.) 198
robusta Geb. (Asida) 135
robusta Horn (Con.) 268
orbusta Horn (Micr.) 124
robusta Kraatz (Pim.) 212
robusta Motsch. (Blaps) 239
robusta Motsch. (Tent.) 72
robusta Reitt. (Laena) 519
robusta All. (Blaps) 236
robusta Blaisd. (Eleod.) 244
robusta Gah. (Rhyt.) 66
robusta Lec. (Eleod.) 252
robustoides Reitt. 72
robustula Cas. 96
robustus Bates (Isop.) 521
robustus Lec. (Nes.) 264
robustus Muls. (Hel.) 541
Rodriguezi Champ. 376
Rogersi Wasm. 112
Rohlfsi Karsch 186
Rolphi Fairm. (Asida) 135
Rolphi Reitt. (Mic.) 76
Romandi Cast. 383
rorulenta Motsch. 237
rorulentus Champ. 25
roscidus Er. 26
roseomicans Kolbe 600
Rossii Germ. 552
Rosti Reitt. (Cal.) 51
Rosti Reitt. (Laena) 519
rotunda Esc. 135
rotundangula Kraatz 256
rotundata Blackb. (Hyp.) 427
rotundata Brll. (Tent.) 72
rotundata Cast. (Praoc.) 261
rotundata Kraatz (Pach.) 201
rotundata Lec. (Phal.) 349
rotundata Ménétr. (Zoph.) 41
rotundata Sol. (Blaps) 239
rotundata Sol. (Pim.) 212
rotundata Sol. (Sten.) 90
rotundata All. (Blaps) 232
rotundata Cast. (Lyc.) 101
rotundata Deyr. (Zoph.) 38
rotundata Lacord. (Praoc.) 262
rotundatum Chevr. (Plat.) 376
rotundatum Curt. (Trich.) 320
rotundatum Muls. (Trich.) 320
rotundatus Brême (Sym.) 423
rotundatus Sol. (Arthr.) 7
rotundatus Kraatz (Erod.) 9
rotundicolle Fairm. 64
rotundicollis Blackb. (Lep.) 480
rotundicollis Cart. (Card.) 507
rotundicollis Cas. (Coniont.) 268
rotundicollis Cast. (Der.) 449

rotundicollis Eschsch. (Eleod.) 250
rotundicollis Fairm. (Eut.) 409
rotundicollis Fairm. (Mad.) 307
rotundicollis Fairm. (Pseudeum.) 488
rotundicollis Fairm. (Pseudol.) 294
rotundicollis Fairm. (Stiz.) 308
rotundicollis Haag (Psamm.) 159
rotundicollis Horn (Crat.) 505
rotundicollis Lec. (Anaed.) 470
rotundicollis Lec. (Bat.) 115
rotundicollis Lin. (Conib.) 302
rotundicollis Luc. (Helioph.) 284
rotundicollis Luc. (Helops) 552
rotundicollis Mars. (Laena) 519
rotundicollis Mars. (Lypr.) 473
rotundicollis Mill. (Cab.) 293
rotundicollis Phil. (Praoc.) 261
rotundicollis Waterh. (Thin.) 19
rotundicollis All. (Hel.) 549
rotundicollis Champ. (Arm.) 15
rotundicollis Desbr. (Anemia) 317
rotundicollis Desbr. (Cab.) 292
rotundicollis Küst. (Hel.) 535
rotundicollis Reiche (Blaps) 241
rotundicollis Reitt. (Anemia) 317
rotundicollis Reitt. (Tent.) 76
rotundicollis Westw. (Der.) 448
rotundipennis Fairm. (Eur.) 100
rotundipennis Fairm. (Nyct.) 143
rotundipennis Péring. (Psamm.) 159
rotundipennis Kraatz (Pim.) 208
rotundipennis Lec. (Eleod.) 244
rotundum Cart. 510
rotundus Cas. (Eus.) 265
rotundus Say (Edrot.) 82
Roudeni Fleut. 399
Rouleti Sol. (Gramm.) 109
Rouleti Sol. (Mol.) 153
Rowleianus Westw. 159
ruatanense Champ. 27
rubens Cast. 395
ruber Thunb. 392
rubicrus Fairm. 584
rubida Cas. 14
rubidum Chevr. 376
rubiginosa Sol. 519
rubiginea Fairm. 612
rubripenne Mäkl. 600
rubripennis Chevr. (Cosm.) 379
rubripennis Mäkl. (Praog.) 606
rubripennis Mars. (Sten.) 523
rubripes Cas. (Noc.) 303
rubripes Cast. (Praog.) 606
rubripes Fairm. (Gon.) 570
rubripes Phil. (Nyct.) 24
rubripes Reitt. (Agn.) 219
rubripes Reitt. (Laena) 519
rubripes Reitt. (Plat.) 256
rubripes Reitt. (Sphen.) 33
rubripes Sol. (Amm.) 120
rubripes Mäkl. (Strong.) 594
rubrofasciata Reitt. 366
rubromaculatum Chevr. 376
rubropictum Chevr. 376
rudicolle Fairm. 600
rudicollis Fairm. (Hyp.) 610
rudicollis Fairm. (Meg.) 571
rudicollis Fairm. (Sten.) 609
rudis M'Leay 425
rufa Motsch. (Mes.) 55
rufa Pill. (Uloma) 401
rufa Tourn. (Cnem.) 315
rufescens Baudi (Hel.) 549
rufescens Cas. (Met.) 13
rufescens Mäkl.) (Otoc.) 602
rufescens Muls. (Lob.) 334
rufescens Bates (Aryen.) 22
rufescens Küst. (Hel.) 546
ruficolle Cast. (Plat.) 376
ruficolle M'Leay (Strong.) 600
ruficollis Champ. (Ment.) 560
ruficollis Fairm. (Leio.) 389
ruficollis Motsch. (Bas.) 381
ruficollis Pasc. (Anthr.) 462
ruficollis Bates (Tit.) 500
ruficollis F. (Hel.) 545
ruficorne Kirsch (Strong.) 600
ruficorne Mäkl. (Acr.) 500
ruficorne Sturm (Plat.) 376
ruficornis All. (Uloma) 404
ruficornis Bates (Thes.) 502
ruficornis Blackb. (Amar.) 578
ruficornis Champ. (Men.) 452
ruficornis Champ. (Par.) 471
ruficornis Er. (Blapst.) 300
ruficornis Germ. (Eur.) 276
ruficornis Reitt. (Colp.) 291
ruficornis Reitt. (Stenos.) 108
ruficornis Sol. (Asida) 135
ruficornis Sol. (Stenoc.) 90
ruficornis Baudi (Hel.) 551
ruficornis Sol. (Psamm.) 157
ruficoxis Kirsch 490
ruficrurus Blanch. 578
ruficrus All. (Amar.) 578
ruficrus Fairm. (Tar.) 441
rufilabris Fairm. (Uloma) 404
rufilabris Sol. (Men.) 567
rufilabris Sol. (Praoc.) 261
rufimanus Har. 278
rufimembris Fairm. 608
rufinasus Kirsch 19
rufipalpis Reitt. 256
rufipenne Cast. (Plat.) 376
rufipenne Koll. (Strong.) 600
rufipennis Guér. (Lept.) 5
rufipennis Mäkl. (Xanth.) 503
rufipennis Péring. (Zoph.) 41

rufipennis Pic (Fals.) 177
rufipes All. (Naut.) 531
rufipes Bates (Aphth.) 395
rufipes Cas. (Blapst.) 300
rufipes Cast. (Nyct.) 467
rufipes Cast. (Thin.) 19
rufipes Champ. (Arg.) 182
rufipes Champ. (Asida) 135
rufipes Champ. (Pheg.) 30
rufipes Chevr. (Cyrt.) 489
rufipes Chevr. (Plat.) 376
rufipes Eschsch. (Eul.) 183
rufipes Eschsch. (Eur.) 12
rufipes Eschsch. (Praoc.) 261
rufipes F. (Hyp.) 415
rufipes Gebl. (Bel.) 460
rufipes Gebl. (Crypt.) 353
rufipes Har. (Psamm.) 159
rufipes Horn (Diap.) 366
ruifpes Kirby (Strong.) 600
rufipes Kirsch (Tox.) 461
rufipes Lec. (Sten.) 505
rufipes Luc. (Dil.) 294
rufipes M'Leay (Chalc.) 582
rufipes M'Leay (Micr.) 458
rufipes Muls. (Plan.) 307
rufipes Perty (Acr.) 500
rufipes Quedf. (Eup.) 575
rufipes Walk. (Phal.) 349
rufipes All. (Hel.) 544
rufipes Say (Xyl.) 436
rufipes Sol. (Epip.) 145
rufipes Sol. (Nycter.) 253
rufipes Waterh. (Nyctel.) 142
rufitarsis Fåhrs. (Hopl.) 573
rufitarsis Fåhrs. (Tox.) 522
rufitarsis Fairm. (Garg.) 381
rufitarsis Kl. (Cam.) 495
rufitarsis Sol. (Praoc.) 261
rufitarsis Luc. (Mic.) 75
rufithorax Pic 416
rufiventre Mäkl. (Strong.) 600
rufiventre Cast. (Plat.) 376
rufiventris Fairm. 608
rufocastaneus Fairm. (Epitr.) 26
rufocastaneus Haag (Psamm.) 154
rufocinctus Fairm. 441
rufofasciata Fairm. 383
rufofasciatus Fairm. (Der.) 479
rufofasciatus Haag (Psamm.) 159
rufofulvus Westw. (Leio) 388
rufofulvus Westw. (Leio.) 389
rufolimbatus Fairm. (Leio.) 389
rufolineatum Mäkl. 600
rufomarginalis Esc. 136
rufonervosus Haag 159
rufonitens Fairm. (Achr.) 451
rufonitens Fairm. (Amb.) 81
rufopiceum Cas. 13
rufopiceus Motsch. 381
rufopictus Fairm. (Hopl.) 573
rufopictus Wied. (Zoph.) 525
rufoplagiatus Fairm. 452
rufopubens Esc. 136
rufosellatus Fairm. 416
rufostriatus Haag 159
rufosulcata Fairm. 224
rufotestacea Motsch. 369
rufotestaceus Champ. 392
rufotinctus Fairm. 406
rufovirens Fairm. 608
rufozonatus Fairm. 165
rufula Fairm. 406
rufulum Kolbe (Strong.) 600
rufulum Motsch. (Plat.) 376
rufulus Rosenh. (Hyp.) 416
rufulus Vaul. (Hel.) 552
rufum Melsh. 376
rufus Luc. 337
rugata Sol. (Praoc.) 261
rugata Sol. (Dail.) 44
rugaticollis Blackb. 578
rugatifrons Fairm. 476
rugatipennis Desbr. (Pach.) 59
rugatipennis Haag (Adesm.) 88
rugatipennis Péring. (Zoph.) 41
rugatula Desbr. (Pach.) 59
rugatula Sol. (Pim.) 211
rugatulus Fairm. (Brad.) 356
rugatulus Fairm. (Lypr.) 473
rugatus Baudi 112
rugiceps Bates (Art.) 503
rugiceps Champ. (Hel.) 552
rugiceps Champ. (Plat.) 376
rugiceps Curt. (Nyct.) 254
rugiceps Gestro (Der.) 449
rugiceps Lec. (Trior.) 80
rugiceps Reitt. (Tam.) 57
rugicolle Boisd. 510
rugicollis All. (Erod.) 9
rugicollis Champ. (Ster.) 17
rugicollis Kolbe (Psamm.) 159
rugicollis Lec. (Hel.) 552
rugicollis Muls. (Eur.) 276
rugicollis Phil. (Psectr.) 147
rugicollis Sol. (Scot.) 185
rugicollis Reiche (Scaur.) 179
rugicollis Sol. (Der.) 23
rugicostata Reitt. 222
rugifera Sol. 206
rugifrons Champ. (Trient.) 22
rugifrons Fairm. (Der.) 34
rugifrons Fairm. (Thes.) 502
rugifrons Germ. (Plat.) 256
ruginota Reitt. 203
rugipennis Fald. (Hel.) 284
rugipennis Germ. (Praoc.) 261
rugipennis Kraatz (Rhyt.) 66

rugipennis Lew. (Mis.) 523
rugipennis Reitt. (Mel.) 336
rugipennis Sol. (Der.) 24
rugipennis Fald. (Cal.) 51
rugipennis Fald. (Cyph.) 176
rugipes Champ. (Acr.) 500
rugipes Champ. (Not.) 303
rugipes Kirsch (Zoph.) 435
rugipleuris Reitt. (Dail.) 45
rugipleuris Reitt. (Tag.) 216
rugosa Bates (Cil.) 426
rugosa Cas. (Con.) 268
rugosa Cast. (Mer.) 568
rugosa F. (Asida) 136
rugosa F. (Pim.) 212
rugosa Fald. (Zoph.) 41
rugosa Gebl. (Blaps) 239
rugosa Gené (Tent.) 73
rugosa Gory (Herps.) 104
rugosa Herbst (Machla) 122
rugosa Lin. (Coel.) 438
rugosa Waterh. (Epip.) 145
rugosa Waterh. (Nyct.) 143
rugosa Blanch. (Tit.) 500
rugosa Deyr. (Zoph.) 37
rugosa Fourcr. (Asida) 136
rugosa Ol. (Pim.) 212
rugosa Sol. (Epip.) 145
rugosicolle M'Leay 510
rugosicollis Kraatz (Pros.) 224
rugosicollis M'Leay (Chalc.) 582
rugosipennis Cart. (Hel.) 422
rugosipennis M'Leay (Chalc.) 582
rugosipennis M'Leay (Sar.) 425
rugosipennis Escher. (Pim.) 211
rugosissima Champ. 138
rugosostriata Kraatz 69
rugosula Guér. 101
rugosulus Guér. (Scot.) 185
rugosulus Peyr. (Coss.) 431
rugosulus Sol. (Scot.) 184
rugosum Cast. (Strong.) 600
rugosum Degeer (Opatr.) 330
rugosus Boisd. (Sar.) 425
rugosus Cart. (Card.) 507
rugosus Cast. (Epitr.) 26
rugosus F. (Trach.) 165
rugosus Geb. (Pycn.) 479
rugosus Gray (Cyph.) 484
rugosus Kolbe (Priosc.) 476
rugosus Kraatz (Erod.) 10
rugosus Motsch. (Emm.) 18
rugosus All. (Erod.) 10
rugosus Gah. (Met.) 478
rugosus Gah. (Pycn.) 479
rugosus Germ. (Chalc.) 579
rugosus Küst. (Hel.) 553
rugosus Rosenh. (Amm.) 337
ruguliceps Fairm. 466
rugulicolle Mäkl. 600
rugulicollis Fairm. 449
rugulipennis Fairm. (Blaps) 239
rugulipennis Fairm. (Clit.) 340
ruguliventris Fairm. 7
rugulosipennis Haag 160
rugulosa Gebl. (Pros.) 224
rugulosa Gemm. (Epip.) 145
rugulosa Germ. (Pim.) 212
rugulosa Gebl. (Anat.) 49
rugulosa Germ. (Tent.) 71
rugulosum Küst. 325
rugulosus Fairm. (Met.) 478
rugulosus Gestro (Micr.) 565
rugulosus Lec. (Hel.) 552
rugulosus Montr. (Ten.) 458
rugulosus Sol. (Psamm.) 160
rugulosus Sol. (Scaur.) 179
Ruhmeri Seidl. 239
ruida Say (Eleod.) 250
ruida Sol. (Pim.) 212
ruptum Pasc. 511
rustica Gené (Asida) 136
rustica Haag (Mol.) 153
rustica Waterh. (Nyct.) 143
rusticum Mäkl. (Strong.) 600
rusticum Ol. (Gon.) 325
rusticus Blackb. (Chalc.) 582
rusticus Fåhrs. (Amiant.) 153
rusticus Péring. (Acast.) 571
rusticus Péring. (Psamm.) 160
rusticus Péring. (Trach.) 165
Ruspolii Fairm. (Sep.) 169
Ruspolii Gestro (Sep.) 167
rutilans Cas. (Ster.) 17
rutilans Er. (Strong.) 600
rutilans Fairm. (Art.) 485
rutilans Fairm. (Phym.) 604
rutilans Kraatz (Euc.) 486
rutilia Bates (Nes.) 608
rutilia Fairm. (Praog.) 606
rutilipes Blackb. 578
Ryei Bates 506
ryssos Herbst (Pim.) 212
ryssos Sol. (Pim.) 213
ryticephala All. 22

sabaea Baudi 41
sabulicola Chob. (Lept.) 5
sabulicola Muls. (Clit.) 340
sabulosa Füssl. (Asida) 136
sabulosa Guér. (Sten.) 108
sabulosa Luc. (Pach.) 60
sabulosum Chob. (Plat.) 315
sabulosum L. (Opatr.) 329
sabulosus Sol. 158
saccharatus Pasc. 359
saginatum Cas. 13

saginatus Baudi (Dend.) 282
saginatus Cas. (Coel.) 270
saginatus Mén. (Lob.) 334
sagitta Seidl. 239
saharensis Chob. 31
Sahlbergi Mäkl. (Strong.) 600
Sahlbergi Mannerh. (Dysm.) 18
Sahlbergi Reitt. (Plat.) 256
saisanensis Motsch. (Anat.) 47
saisanensis Motsch. (Tent.) 72
Saintpierrei All. 136
sakalava Alluaud 317
salax Lacord. 21
salinicola Woll. 340
Sallaei Bates (Aleg.) 398
Sallaei Champ. (Eleod.) 250
Sallaei Champ. (Epitr.) 26
Sallaei Fairm. (Nyct.) 143
Sallaei Champ. (Zoph.) 94
Sallei Kraatz (Trient.) 22
Sallei Mäkl. (Strong.) 600
Sallei Muls. (Diast.) 275
Salvini Champ. 30
Salzei Sol. 173
Salzmanni Sol. (Pach.) 60
Salzmanni Sol. (Tent.) 72
samgarensis Reitt. 334
samoensis Haag 578
Sanchez-Gomezi Esc. 136
Sancti-Amandi Sol. 179
Sanfordi Blaisd. 268
sanguinans Fairm. 578
sanguineipennis Bates 366
sanguinicolle Melsh. 376
sanguinicrus Fairm. (Der.) 449
sanguinicrus Fairm. (Euc.) 486
sanguinicrus Fairm. (Poec.) 590
sanguinicrus Fairm. (Set.) 445
sanguinipennis Chevr. (Hopl.) 369
sanguinipennis Gerst. (Praog.) 606
sanguinipes Fairm. 112
sanguinolenta Sol. 261
Sansi Sol. 174
saperdoides Ol. 436
saphyrinus All. 556
sapphira Newm. 364
saracenum Reiche 600
saragoides Broun 426
sarda Ball. 230
sardea Kraatz (Pach.) 59
sardea Sol. (Pim.) 213
sardea Sol. (Akis) 175
sardea Sol. (Tent.) 70
sardiniensis All. (Asida) 136
sardiniensis All. (Neph.) 558
sardoa Gené (Anem.) 317
sardoa Leoni (Asida) 136
sardoa Küst. (Stenos.) 107
sardous Baudi (Phyl.) 310
sardous Costa (Scaur.) 180
sareptanus All. 552
sarpae Sol. 195
Satanas Pasc. 432
satanicus Waterh. 149
satelles Blackb. 425
satsumae Lew. 388
Satyrus Thoms. 588
Saulcyi Reiche (Tent.) 70
Saulcyi Reitt. (Hionth.) 52
Saundersi Waterh. 143
Savii Bertol. 306
saxeticola Graëlls 312
saxicola Muls. 312
Sayi Horn 277
scaber Cas. (Phloe.) 96
scaber F. (Psamm.) 160
scaber Haag (Trach.) 165
scaber Sol. (Erod.) 10
scaberrimus Fairm. 565
scabiosa Baudi 239
scabra F. (Pim.) 213
scabra Fisch. (Blaps) 239
scabra Blaisd. (Eleod.) 243
scabrata Fairm. 136
scabratus Sol. 160
scabricollis Gerst. (Psamm.) 160
scabricollis Graëlls (Mis.) 524
scabricollis Reitt. (Las.) 194
scabricollis Sén. (Pim.) 213
scabricula Lec. 250
scabriculus Champ. 355
scabripennis Bates (Ect.) 305
scabripennis Champ. (Xen.) 360
scabripennis Gerst. (Dysg.) 607
scabripennis Lec. (Eleod.) 250
scabripennis Steinh. (Omoph.) 29
scabripennis Fald. (Blaps) 239
scabripennis Sol. (Tent.) 73
scabriuscula Eschsch. (Rhyt.) 66
scabriuscula Mén. (Zoph.) 41
scabriuscula All. (Blaps) 238
scabriuscula Mén. (Blaps) 234
scabriuscula Sol. (Tent.) 69
scabriusculus Haag 160
scabrosa All. (Asida) 136
scabrosa Eschsch. (Eleod.) 250
scabrosa Sol. (Pim.) 213
scabrosum Sol. 97
scabrosus Gerst. (Adav.) 341
scabrosus Péring. (Em.) 566
scabrum Chevr. 104
scaphiformis Blackb. 422
scaphoides Mars. 319
scapularis Champ. (Eleod.) 251
scapularis Mäkl. (Otoc.) 602
scatebrae Lew. 384
Schauinslandi Sharp 426
Schaumi Kraatz (Mic.) 75

Schaumi Kraatz (Tent.) 73
Schaumi Mäkl. (Coel.) 604
Schaumi Muls. (Ped.) 290
Schiödtei Mäkl. 600
Schlicki Geb. 330
Schmeltzi Haag 484
Schmidti Ahr. 553
Schneideri Panz. (Boros) 463
Schneideri Reitt. (Gon.) 326
Schneideri All. (Clit.) 340
Schönherri Fald. (Pim.) 206
Schönherri Sol. (Pim.) 206
Schönherri Sol. (Zoph.) 37
Schrammi Esc. 136
Schrencki Gebl. (Gnath.) 44
Schrencki Gebl. (Trig.) 191
Schröderi Geb. (Plat.) 376
Schröderi Heyd. (Par.) 345
Schultzei Geb. (Anem.) 318
Schultzei Péring. (Psamm.) 160
Schwarzi Blaisd. (Eleod.) 251
Schwarzi Reitt. (Laena) 519
Schweinfurthi Haag (Thalp.) 57
Schweinfurthi Quedenf. (Akis) 174
Schweinfurthi Seidl. (Blaps) 239
Schweitzeri Dohrn 503
scidarius Reitt. 410
scissicollis Bates 357
scita Walk. 404
scleroides Baudi 321
scolopax Cas. 270
scoparipes Reitt. 282
scriptipenne Fairm. 376
scriptum Lew. 376
scrobicollis Fåhrs. (Psamm.) 160
scrobicollis Fairm. (Ast.) 412
scrobiculatus Péring. (Trach.) 164
scrobiculatus Seidl. (Dend.) 282
scrobipennis Haag (Adesm.) 88
scrobipennis Haag (Amiant.) 153
scruposa Pasc. 361
sculpticolle Fairm. 523
sculpticollis Fairm. (Azar.) 569
sculpticollis Kraatz (Par.) 571
sculptile Cas. 13
sculptilis Champ. (Tarp.) 532
sculptilis Fairm. (Tonk.) 445
sculptilis Gerst. (Zoph.) 41
sculptilis Reitt. (Scyth.) 65
sculptilis Blaisd. (Eleod.) 247
sculptipennis Cas. (Con.) 268
sculptipennis Fairm. (Bot.) 258
sculptum Rey 328
sculpturata Bates (Ect.) 505
sculpturata Blackb. (Hyp.) 427
sculpturata Rits. (Anem.) 318
sculpturatum Fairm. (Brach.) 356
sculpturatum Fairm. (Opatr.) 330
sculpturatus Haag (Psamm.) 160
sculpturatus Pasc. (Nyct.) 119
sculpturatus Péring. (Anom.) 306
sculpturatus Reitt. (Hel.) 284
sculptus Champ. 265
scutatus Gerst. (Anch.) 278
scutatus Champ. (Epitr.) 25
scutellare Pasc. (Adel.) 510
scutellare Perty (Gon.) 326
scutellare Mäkl. (Strong.) 596
scutellaris Champ. (Asida) 137
scutellaris Haag (Per.) 100
scutellata Fisch. 239
scutellatus Reitt. 552
scutelliformis Cast. 165
scuticollis Fairm. 73
scutulata Péring. 88
scyta Baudi 62
scytalicum Pasc. 510
sebacuensis Péring. 571
secutor Cas. 28
secutus Horn 265
sedecimmaculatum Chevr. 376
sedecim-costata Sol. 117
sedecimstriata Reitt. 218
seditiosus Lec. 400
seductor Rey 346
sefirana Reitt. 189
sefrensis Pic 211
segne Thoms. 326
segnis Blackb. (Chalc.) 582
segnis Cas. (Nyct.) 119
segnis Haag (Psamm.) 160
segnis Muls. (Phyl.) 310
segnis Péring. (Acast.) 571
segnis Péring. (Anom.) 306
segregata Champ. (Asida) 137
segregata Champ. (Eleod.) 251
segurensis Esc. 137
Seidlitzi Geb. (Hel.) 552
Seidlitzi Reitt. (Agn.) 219
Seidlitzi Reitt. (Dend.) 282
Seidlitzi Reitt. (Plat.) 256
Seidlitzi Reitt. (Scler.) 320
Seidlitzi Reitt. (Stern.) 192
Seidlitzi Schneid. (Phal.) 349
selatinus Péring. 306
sellata Berg 261
sellatus Haag 160
Semenowi Reitt. (Anat.) 48
Semenowi Reitt. (Diaph.) 5
Semenowi Reitt. (Itag.) 217
Semenowi Reitt. (Mant.) 188
Semenowi Reitt. (Lept.) 92
Semenowi Reitt. (Micr.) 62
Semenowi Reitt. (Oroc.) 42
Semenowi Reitt. (Pros.) 224
semiaenescens Fairm. 495
semiaeneum Quedf. 600
semiarmatus Fairm. 488

semiasperatus Fairm. 356
semiasperula Fairm. 201
semicarinata Bates (Pter.) 195
semicarinata Reitt. (Cyph.) 176
semicastaneus Curt. 26
semicostata Fairm. (Sten.) 108
semicostata Geb. (Ten.) 453
semicostatus Muls. (Phyl.) 286
semicostatus All. (Erod.) 8
semicribrosus Fairm. (Diod.) 7
semicribrosus Fairm. (Eth.) 109
semicupreum Mäkl. 600
semicyanea Fairm. 487
semicyaneus Kraatz 486
semiglabra Chevr. 85
semigranosus Fairm. (Asb.) 490
semigranosus Fairm. (Phob.) 469
semigranosus Reitt. (Lob.) 334
semihispida Fairm. 212
semilaevis Horn 137
seminitens Chevr. (Plat.) 376
seminitens Fairm. (Gon.) 570
seminitens Fairm. (Hel.) 553
seminitidulus Solsky 112
seminitidus Arrow (Brad.) 356
seminitudus Quedenf. (Distr.) 152
seminuda Reitt. 194
seminulum Burm. 262
semiobscura Pic 549
semiopaca Fairm. (Pseud.) 609
semiopaca Sén. (Pim.) 213
semiopaculus Kraatz 486
semiopacus Reitt. 553
semipilosus Haag 160
semipunctatum Mäkl. 600
semipunctatus Fairm. (Agiss.) 587
semipunctatus Fairm. (Euc.) 486
semipunctatus Sol. (Gyr.) 141
semipurpureum Fairm. 600
semipurpureus Fairm. 486
semiruber All. 553
semirufa Fairm. 376
semirugosa Kraatz 79
semiscaber Haag 160
semiscabra Sol. 153
semiseriatus Blackb. 582
semissis Pasc. 578
semistriata Chevr. 369
semistriatum Mäkl. 600
semistrigosa Fairm. (Psectr.) 147
semistrigosa Fairm. (Psectr.) 147
semisulcata Fairm. 445
semicultatus Fairm. 576
semiticus Pasc. 582
semivillosus Haag 160
semiviolacea Fauv. 501
semiviridis Mäkl. (Otoc.) 602
semiviridis Chevr. (Tetr.) 381
Semperi Kraatz 604
senegalensis Cast. (End.) 431
senegalensis Cast. (Pelt.) 412
senegalensis Chevr. (Phal.) 349
senegalensis Fairm. (Gon.) 570
senegalensis Fairm. (Par.) 576
senegalensis Fairm. (Tar.) 441
senegalensis Geb. (Caed.) 339
senegalensis Haag (Him.) 32
senegalensis Kl. (Vieta) 171
senegalensis Ol. (Pim.) 213
senegalensis Sol. (Tent.) 73
senex Cas. (Nos.) 97
senex Lac. (Epip.) 145
septemcostatus Cart. (Pter.) 419
septemcostatus Fairm. (Amiant.) 152
septemcostatus Fairm. (Asph.) 53
septemcostatus Fairm. (Micr.) 565
sepulchralis Haag (Geoph.) 103
sepulchralis Fald. (Cyph.) 176
Sequensi Reitt. 334
sequoiarum Cas. 361
serbicus Friv. 553
seriata Fisch. (Blaps) 239
seriata Lec. (Centr.) 120
seriata Ménétr. (Stern.) 192
seriata Reitt. (Dila) 218
seriata All. (Blaps) 235
seriata Faust (Trig.) 190
seriata Lec. (Eleod.) 246
seriatimpunctata Fisch. 240
seriatogemmata Solsky 203
seriatoporus Champ. (Hel.) 553
seriatoporus Fairm. (Nyct.) 467
seriatoporus Fairm. (Pseudeum.) 488
seriatoporus Fairm. (Pseudol.) 294
seriatoporus Fairm. (Penth.) 287
seriatoporus Geb. (Met.) 478
seriatopunctatus Champ. (Aps.) 385
seriatopunctatus Hell. (Scot.) 485
seriatulus Reitt. 191
seriatum Boisd. 326
seriatus All. (Hel.) 553
seriatus Cas. (Trich.) 80
seriatus Champ. (Enn.) 387
seriatus Champ. (Hyl.) 16
seriatus Kolbe (Par.) 560
seriatus Kolbe (Pseud.) 426
seriatus Lec. (Con.) 302
seriatus Oertz. (Anom.) 306
sericans Fairm. (Diet.) 584
sericans Fairm. (Philh.) 338
sericans Fairm. (Plat.) 376
sericata Zoubk. 213
sericatum Sharp 514
sericea Fairm. (Mes.) 55
sericea Horn (Cnem.) 315
sericea Ol. (Asida) 137
sericea Ol. (Pim.) 213
sericea Sol. (Pim.) 210

sericeiceps Péring. 90
sericeifrons Mars. 583
sericella Sol. 213
sericeum Baudi 326
sericeus F. (Gon.) 570
sericeus Péring. (Trach.) 165
seriegranatus Seidl. 553
seriegranosus Fairm. 565
seriehispidum Mars. 342
serieperlata Fairm. 202
seriepilosus Geb. 387
seriepunctata Reitt. 256
seriepunctatus Fairm. (Der.) 34
seriepunctatus Fairm. (Micr.) 565
seriepunctatus Reitt. (Het.) 293
seriesetosa Baudi 317
serpens Reitt. 334
serpiginosa Er. 137
serrata F. (Machla) 122
serrata F. (Priosc.) 475
serrata F. (Sten.) 90
serrata Fisch. (Podh.) 204
serrata Lec. (Tel.) 14
serrata Péring. (Crypt.) 116
serrata Semen. (Ear.) 187
serrata Westw. (Priosc.) 476
serraticornis Chevr. 602
serratum Sol. 169
serratus Mannerh. (Iphth.) 440
serratus Péring. (Trach.) 165
serricollis Hope (Prioth.) 318
serricollis Walk. (Brad.) 356
serricorne Bates (Liod.) 380
serricorne Fairm. (Strong.) 600
serricosta Sol. 214
serrifrons Reitt. 359
serrimargo Bates (Pter.) 195
serrimargo Woll. (Pim.) 214
serripes Chevr. (Asida) 137
serripes Chevr. (Plat.) 376
serripes Redtenb. (Asc.) 43
serripes Reitt. (Dend.) 282
serripes Desbr. (Phyl.) 309
serrulatus Reitt. 295
servator Walk. 440
servilis Péring. (Dysg.) 607
servilis Walk. (Iphth.) 440
Servillei Sol. (Asida) 137
Servillei Sol. (Epip.) 145
Servillei Sol. (Erod.) 10
Servillei Sol. (Pach.) 60
Servillei Sol. (Pim.) 214
Servillei Sol. (Adesm.) 86
Servillei Sol. (Sepid.) 168
servulus Pasc. 453
servus Pasc. (Pter.) 420
servus Péring. (Psamm.) 160
servus Muls. (Opatr.) 277
servus Waterh. (Mitr.) 148
seticornis Champ. 124
setigera Champ. (Tarp.) 532
setigera Fauv. (Call.) 501
setigera Geb. (Asida) 137
setipennis All. (Asida) 137
setipennis Champ. (Ment.) 560
setipennis Haag (Psamm.) 160
setipes Chevr. 377
setosa Bates (Stern.) 192
setosa Cas. (Con.) 268
setosa Fisch. (Ocn.) 198
setosa Kirby (Oxura) 162
setosa Pall. (Asida) 137
setosa Perez (Asida) 137
setosella Fauv. 385
setosocostatus Haag 160
setosula Fairm. 100
setosus Blackb. (Chalc.) 582
setosus Lec. (Bat.) 114
setosus Muls. (Mes.) 296
setosus Pasc. (Ozot.) 526
setulifera Küst. 133
setuliger Müll. 277
setuligerum Costa 329
setulosum Fald. (Gon.) 326
setulosum Küst. (Gon.) 326
setulosus Champ. (Anaed.) 470
setulosus Haag (Trach.) 165
setulosus Quedf. (Con.) 432
Sewertzowi Semen. 34
sexcornutum Fairm. 169
sexcostata Deyr. (Zoph.) 41
sexcostata Lec. (Asida) 137
sexcostatum Motsch. 321
sexcostatus Champ. (Nyct.) 429
sexcostatus Gahan (Amiant.) 153
sexcostatus Gerst. (Psamm.) 160
sexcostulatum Fairm. 326
sexdecimlineata Montr. 404
sexdentata Fisch. 189
sexdentatum Mäkl. 600
sexdentatus Champ. 471
sexlineata Sol. (Sten.) 90
sexlineata Herbst (Sten.) 89
sexmaculatum Chevr. (Plat.) 377
sexmaculatum Mäkl. (Strong.) 600
sexmaculatus Motsch. 382
sexnotatum Chevr. 377
sexpunctatum Chevr. 377
sexuale Mars. 325
sexvittata Chevr. 379
shanghaicus Mars. 473
shastanica Cas. 268
sibirica Fald. (Mel.) 337
sibirica Gebl. (Tent.) 72
sibirica Sol. (Asida) 137
sibiricus Motsch. (Boros) 463
sibiricus Solsky (Crypt.) 354
Sicardi Vaul. 553

sicula Sol. (Asida) 137
sicula Kraatz (Zoph.) 40
sicula Sol. (Sten.) 107
sicula Sol. (Tent.) 69
siculum Sol. 169
siculus Seidl. (Ped.) 290
siculus Sol. (Erod.) 10
siculus Baudi (Hyp.) 416
siculus Küst. (Hel.) 535
signata Schneid. 346
signaticollis Fairm. 306
signatum Kl. (Plat.) 377
signatum Mäkl. (Strong.) 600
signatus Champ. 434
silphoides Brême (Pter.) 420
silphoides Cast. (Platyd.) 377
silphoides Fåhrs. (Trach.) 165
silphoides Gerst. (Anch.) 279
silphoides L. (Asida) 137
silphoides Waterh. (Platesth.) 262
silphoides Lacord. (Praoc.) 260
silphomorpha Fairm. 260
silvestre Kolbe 602
silvicola Champ. 532
simatum Mäkl. 600
similaris Muls. 291
similata Champ. 130
similatum Germ. 511
simile Woll. 77
similis Blackb. (Chalc.) 582
similis Champ. (Anaed.) 470
similis Champ. (Oeat.) 442
similis Deyr. (Zoph.) 41
similis Fairm. (Tetr.) 492
similis Haag (Acest.) 103
similis Haag (Eur.) 100
similis Haag (Mic.) 75
similis Haag (Trach.) 165
similis Péring. (Psamm.) 160
similis Steinh. (Epitr.) 26
similis Ball. (Pros.) 225
similis Latr. (Blaps) 233
simillima Fairm. (Eut.) 409
simillima Kraatz (Las.) 193
simillimus Fairm. (Cat.) 458
simillimus Fairm. (Der.) 449
simius Blackb. (Chalc.) 582
simius Muls. (Dend.) 282
Simoni Fairm. 100
Simonis Fairm. (Choast.) 437
Simonis Fairm. (Rhicn.) 469
Simonis Reitt. (Cab.) 293
Simonis Sén. (Pim.) 208
simplex Blackb. (Adel.) 511
simplex Blackb. (Seir.) 513
simplex Cas. (Arae.) 105
simplex Cas. (Trior.) 80
simplex F. (Gonoc.) 326
simplex Fairm. (Goniad.) 468
simplex Geb. (Par.) 576
simplex Hope (Sar.) 425
simplex Kraatz (Plat.) 257
simplex Mäkl. (Strong.) 600
simplex Péring. (Adesm.) 88
simplex Péring. (Asem.) 607
simplex Reitt. (Mel.) 337
simplex Seidl. (Dend.) 282
simplex Seidl. (Ped.) 290
simplex Semen. (Micr.) 113
simplex Sharp (Phel.) 514
simplex Westw. (Lyg.) 483
simplex Sol. (Pim.) 208
simplicicolle Lec. 600
simplicicollis Blackb. 420
simplicifrons Fairm. 609
simplicipes Geb. (Priosc.) 476
simplicipes Geb. (Sel.) 278
Simpsoni Waterh. 362
similans Cas. (Arae.) 105
similans Redtenb. (Phel.) 514
similans Chevr. (Hel.) 284
similans Haag (Card.) 507
simulator Dohrn (Strong.) 600
simulator Fairm. (Colp.) 292
simulator Fairm. (Poc.) 331
simulator Fairm. (Pseud.) 488
simulator Geb. (Met.) 478
simulatrix Kraatz (Pim.) 214
simulatrix Fairm. (Pseud.) 274
sinaitica Crotch (Adesm.) 88
sinaitica Peyerimh. (Tent.) 73
sinaiticus Crotch 10
sinensis Hope (Enc.) 448
sinensis Mars. (Lypr.) 473
singularis Champ. (Tyd.) 30
singularis Horn (Alaud.) 315
singularis Lin. (Typhl.) 114
singularis Péring. (Ogr.) 162
singularis Reitt. (Pros.) 225
singularis Wasm. (Azar.) 569
sininggensis Friv. 257
sinuata Seidl. (Plat.) 257
sinuata Rey (Asida) 129
sinuaticollis Sol. (Asida) 137
sinuaticollis Bates (Hyph.) 440
sinuaticollis Kolbe (Gon.) 570
sinuaticollis M'Leay (Pter.) 420
sinuaticollis Champ. (Sten.) 124
sinuaticollis Champ. (Tarp.) 532
sinuaticollis Sol. (Blaps) 238
sinuatifrons Reitt. 318
sinuatipes Fairm. 565
sinuatocollis Deyr. (Zoph.) 41
sinuatocollis Reitt. (Plat.) 257
sinuatocollis Desbr. (Dail.) 45
sinuatocollis Desbr. (Trig.) 190
sinuatocollis Rosenh. (Tent.) 69
sinuatus F. (Tar.) 441

sinuatus Muls. (Dend.) 282
sinuosa Sol. 150
Sipolisii Fairm. 468
Sjoestedti Geb. (Micr.) 565
Sjoestedti Geb. (Psamm.) 160
Sjoestedti Geb. (Uloma) 404
Skobelewi Starck 44
Sloanei Blackb. (Nyct.) 429
Sloanei Cart. (Adel.) 511
smaragdinus Coq. 492
smaragdipunctata Fairm. 502
smaragdulus F. 578
Smithiana Broun 426
smyrnensis Sol. (Eut.) 109
smyrnensis Kraatz (Pach.) 201
Snowi Blaisd. (Eleod.) 251
Snowi Cas. (Met.) 29
sobrinum Chevr. (Plat.) 377
sobrinum Dohrn (Strong.) 600
socia Champ. (Tarp.) 532
socia Gah. (Rhyt.) 66
socia Seidl. (Blaps) 239
socialis Pasc. 484
socium Cas. 13
socius Pasc. (Omol.) 521
socius Rottenb. (Dich.) 111
sodale Waterh. 377
sodalis Horn (Tel.) 14
sodalis Waterh. (Adesm.) 88
sodalis Cas. (Tel.) 14
sodalis Reiche (Blaps) 239
Solarii Leoni 131
solidus Cart. (Pter.) 420
solidus Cas. (Coel.) 270
solidus Walk. (Zoph.) 435
Solieri All. (Erod.) 10
Solieri Cas. (Par.) 26
Solieri Champ. (Eleod.) 251
Solieri Deyr. (Zoph.) 41
Solieri Geb. (Mac.) 466
Solieri Gené (Asida) 137
Solieri Luc. (Adesm.) 88
Solieri Luc. (Tent.) 73
Solieri Reiche (Cal.) 51
Solieri Semen. (Lept.) 92
Solieri Waterh. (Nyct.) 143
Solieri All. (Blaps) 240
Solieri Geb. (Psamm.) 161
Solieri Muls. (Pim.) 205
Solieri Muls. (Sit.) 410
Solieri Ramb. (Asida) 128
Solieri Reiche (Tent.) 70
solitarius Champ. (Arm.) 15
solitarius Péring. (Psamm.) 160
Solskyi Faust 225
Somers-smithi Fairm. 217
Sommeri Lacord. (Cleo.) 391
Sommeri Sol. (Herp.) 181
Sommieri Baudi 70
somocoeloides Seidl. 257
songorica Fisch. 240
sonorae Cas. (Blapst.) 300
sonorae Champ. (Eleod.) 252
sonoricus Cas. 18
sordida Gerst. (Crypt.) 116
sordida Lec. (Asida) 138
sordidum Lec. (Trich.) 320
sordidum Mäkl. (Strong.) 600
sordidum Sharp (Pseud.) 426
sordidus Champ. (Hes.) 437
sordidus Gerst. (Trach.) 165
sorocinum Reiche 326
soricinus Fairm. (Crypt.) 352
soricinus Vaul. (Hel.) 537
soror Fairm. (Cat.) 408
soror Lec. (Eleod.) 243
sororcula Reitt. 199
Souvorowiana Reitt. 193
spadicea Motsch. 369
sparsa Brll. (Pim.) 214
sparsa Cas. (Con.) 268
sparsa Reitt. (Pros.) 220
sparsa Reitt. (Trig.) 190
sparsicollis Reitt. 199
sparsulum Müll. 561
sparsus Blackb. (Chalc.) 582
sparsus Cart. (Hel.) 422
sparsus Champ. (Nos.) 98
spathulata Sol. 236
speciosa Bates (Nes.) 609
speciosa Pall. (Cam.) 495
speciosus Dalm. (Amar.) 578
speciosus Pasc. (Pyres) 436
speciosus Bertol. (Met.) 478
spectabilis Cast. (Cer.) 383
spectabilis Har. (Ples.) 583
spectabilis Kraatz (Alcin.) 74
spectabilis Kraatz (Zoph.) 435
spectabilis Pasc. (Cam.) 495
spectabilis Perty (Uloma) 404
spectabilis Reitt. (Pros.) 225
spectabilis Haag (Pim.) 207
spectabilis Kraatz (Pel.) 202
spectabilis Kraatz (Zoph.) 434
spectandrus Péring. (Anom.) 306
spectandrus Péring. (Hopl.) 573
spectrum Pasc. 360
specularis Péring. 160
speculifera Geb. 171
Spencei Brême 422
sperabilis Péring. 160
sphacelatus F. 588
sphaericollis Champ. (Asida) 138
sphaericollis Küst. (Hel.) 553
sphaericus Burm. 258
sphaeroides Hope 339
sphenarioides Fairm. 32
sphodroides Semen. 225

spicatum Oll. 377
spiculifera Lec. 120
spiculosa Champ. 120
spiculosum Gerst. 169
spiculosus Haag 160
spiniceps Lew. 359
spinicolle Mäkl. 600
spinicollis Cast. (Ech.) 167
spinicollis Fairm. (Brad.) 356
spinicollis Fairm. (Dol.) 410
spinicollis Fairm. (Plat.) 262
spinicollis M'Leay (Pter.) 420
spinicollis Thoms. (Hel.) 553
spinicrus Fairm. 575
spinifer Cart. 422
spinifera Perch. 90
spinimanus Champ. 138
spinipennis Cast. (Cam.) 495
spinipennis Geb. (Phryn.) 150
spinipes Cast. (Praoc.) 261
spinipes Champ. (Uloma) 404
spinipes Fairm. (Cim.) 101
spinipes Muls. (Trig.) 272
spinipes Sol. (Eleod.) 251
spinipes F. (Xyl.) 436
spinithorax Fairm. 151
Spinolae Hope (Hel.) 422
Spinolae Sol. (Amm.) 120
Spinolae Sol. (Eleod.) 251
Spinolae Sol. (Herp.) 181
Spinolae Sol. (Nyct.) 253
Spinolae Sol. (Phryn.) 150
Spinolae Sol. (Plat.) 257
Spinolae Sol. (Praoc.) 261
Spinolae Sol. (Psamm.) 161
spinosa All. (Blaps) 240
spinosa L. (Akis) 174
spinosa Péring. (Crypt.) 116
spinosa Forsk. (Pim.) 205
spinosa Herbst (Akis) 174
spinosocostatus Kolbe 160
spinosum Sol. 163
spinosus Haag (Psamm.) 160
spinosus Waterh. (Proph.) 483
spinulosa Kl. 214
spissicornis Champ. (Hel.) 553
spissicornis Champ. (Mes.) 18
spissicornis Fairm. (Brach.) 151
spissicornis Fairm. (Lept.) 407
spissus Péring. 565
Spixi Cast. 496
splendens Champ. (Naut.) 531
splendens Geb. (Met.) 478
splendens Haag (Psamm.) 160
splendens Lacord. (Euc.) 486
splendens Mäkl. (Praog.) 606
splendens Wiedem. (Hem.) 384
splendidulus F. (Amar.) 578
splendidulus Schauf. (Hel.) 546
splendidum Germ. 601
splendidus Cast. (Tetr.) 492
splendidus Fairm. (Nyct.) 467
sponsa Cas. (Nyct.) 119
sponsa Lec. (Eleod.) 251
sporadica Reitt. 73
spretulus Fairm. 458
spretum Blackb. 461
spretus Horn 553
spurius Péring. 565
squalida All. (Asida) 138
squalida Baudi (Machl.) 102
squalida Lacord. (Praoc.) 261
squalida Sol. (Pter.) 215
squalidus Cas. (Nos.) 98
squalidus Mäkl. (Otoc.) 602
squalidus M'Leay (Cestr.) 301
squalidus M'Leay (Pter.) 420
squamiger Broun 319
squamosa Ménétr. 35
squamosus Blackb. (Pseud.) 339
squamosus M'Leay (Apat.) 318
squamosus Pasc. (Hel.) 422
squamulata Leoni 138
squamulatus Champ. 343
stabilis Champ. 531
Ståli Haag (Steira) 101
Ståli Haag (Trach.) 165
Ståli Mäkl. (Strong.) 600
Starcki Reitt. 519
Staudingeri Kraatz (Pros.) 225
Staudingeri Reitt. (Stal.) 203
Steckeri Karsch 194
Steindachneri Apfelb. 553
Steinheili Haag 160
steiroides Haag 102
stenocaroides Péring. 88
stenochinus Lec. 562
stenosides Pasc. 109
stenothorax Fisch. 240
stenotrichoides Blaisd. 553
Stephensi Cart. (Agast.) 427
Stephensi Waterh. (Nyct.) 143
sterilis Cas. 18
sternalis Bates (Call.) 501
sternalis Broun (Par.) 318
sternalis Cas. (Coel.) 270
sternalis Fairm. (Lit.) 310
sternalis Muls. (Plat.) 273
sternalis Reitt. (Anat.) 48
steropoides Pasc. 511
sterrha Olliff 449
Steveni Sol. (Pach.) 58
Steveni All. (Hel.) 543
Steveni Kryn. (Hel.) 539
sticticus Gemm. 179
stigmaticollis Fairm. 138
stimuleum Mäkl. 500
Stoliczkana Bates 240

Stoliczkanus Bates 218
stolida Champ. 251
stolidus Blackb. (Amar.) 578
stolidus Champ. (Ster.) 17
strabonis Seidl. 290
strangulata Fairm. 185
strangulatum All. (Scler.) 314
strangulatum Fairm. (Gon.) 327
strangulatus Fairm. 183
Strauchi Reiche (Blaps) 240
Strauchi Kraatz (Tent.) 69
strenua Cas. 268
striata F. (Cam.) 495
striata Guér. (Eleod.) 251
striata Lew. (Cer.) 383
striata Motsch. (Plat.) 257
striata Reitt. (Pros.) 225
striata Kraatz (Stal.) 203
striata Ol. (Cam.) 495
striatellus Fairm. 258
striaticeps Lec. 114
striaticollis Luc. 75
striatifrons Fairm. 445
striatipennis Champ. (Naut.) 531
striatipennis Fairm. (Dich.) 584
striatipennis Lew. (Set.) 445
striatipennis M'Leay (Sar.) 425
striatogranosa Fairm. 199
striatogranulatum Reitt. 321
striatopunctata Wied. (Sten.) 63
striatopunctata All. (Blaps) 237
striatopunctata Ménétr. (Tent.) 72
striatopunctatus Boisd. (Pter.) 420
striatopunctatus Fairm. (Rhicn.) 469
striatopunctatus Haag (Him.) 32
striatopunctatus M'Leay (Dec.) 481
striatopunctatus Montr. (Hel.) 553
striatopunctatusWestw. (Proph.) 483
striatopunctatus Brême (Pter.) 419
striatopunctatus Fairm. (Chir.) 474
striatulus Fairm. (Alph.) 406
striatulus Muls. (Blapst.) 300
striatum Montr. (Plat.) 377
striatum Pasc. (Adel.) 511
striatus Cart. (Otr.) 508
striatus Cast. (Mac.) 466
striatus F. (Plat.) 273
striatus F. (Psamm.) 160
striatus F. (Scaur.) 180
striatus F. (Sel.) 278
striatus Guér. (Hopl.) 573
striatus Guér. (Opatr.) 277
striatus Kolbe (Priosc.) 476
striatus M'Leay (Amar.) 578
striatus Quens. (Trig.) 272
striatus Wiedem. (Coss.) 431
striatus Fourcr. (Hel.) 548
striatus Kraatz (Hel.) 540
striatus Sol. (Psamm.) 161
striatus Woll. (Trich.) 332
stricta Lec. 244
strictícollis Fairm. (Amb.) 81
strictícollis Fairm. (Der.) 34
strictícollis Villa (Blaps) 235
strictulus Desbr. 293
strigatum F. 321
strigiceps Reitt. 112
strigicollis Baudi (Helioph.) 284
strigicollis Fairm. (Roz.) 54
strigicollis Haag (Edr.) 258
strigicollis Horn (Helops) 553
strigicollis Lew. (Plat.) 257
strigicollis Reitt. (Ped.) 290
strigicollis Baudi (Blaps) 241
strigicollis Seidl. (Hel.) 553
strigipennis Bates (Seir.) 513
strigipennis Mars. (Sten.) 523
strigipennis Muls. (Pseud.) 274
strigipennis Thoms. (Gon.) 570
strigipleuris Reitt. 62
strigithorax Reitt. 553
strigiventris Reitt. (Micr.) 62
strigiventris Reitt. (Pros.) 225
strigosa Germ. (Anat.) 49
strigosa Herbst (Mol.) 153
strigosicollis Fairm. 145
strigosula Geb. 147
strigosum Reiche 327
strigosus Costa (Colp.) 291
strigosus Fald. (Ped.) 290
strigosus Reitt. (Hel.) 284
strigosus Baudi (Colp.) 291
striola Motsch. 240
striolata Fairm. (Anem.) 318
striolata Lec. (Eleod.) 251
striolata Reitt. (Laena) 519
striolata Fairm. (Lath.) 394
striolata Küst. (Blaps) 235
striolatum Mäkl. 600
striolatus Berg (Epitr.) 26
striolatus Fairm. (Chalc.) 467
striolatus Fairm. (Lypr.) 473
striolatus Fairm. (Opatr.) 333
striolatus Fairm. (Phyl.) 335
striolicollis Fairm. 261
striolifrons Fairm. 35
striopunctatus Goeze 288
strongyloides Fairm. 340
strophium Fisch. 86
Stuhlmanni Kolbe 600
Sturmi Küst. 544
stupida Gerst. 66
stygia Er. 235
stygianus Pasc. 480
stygica Kolbe 475
stygius Waltl 282
suavis Blackb. (Amar.) 578
suavis Champ. (Hel.) 553

suavis Haag (Asop.) 524
suavis Friv. (Anat.) 46
subaenea Deyr. (Zoph.) 41
subaenea Er. (Praoc.) 261
subaeneus Cas. (Pheg.) 30
subaeneus Gerst. (Dich.) 472
subaeneus Har. (Psamm.) 161
subaeneus Reitt. (Eur.) 555
subaeneus Baudi (Hel.) 548
subaeneus Reitt. (Cat.) 78
subaequalis Cas. 82
subaereus Reitt. 316
subalpina Ménétr. 238
subapterus Champ. 16
subaratum Fald. 330
subarmata Motsch. 195
subaspera Lec. (Eleod.) 247
subaspera Sol. (Eleod.) 246
subauratus Burm. 149
subcariosa Lesne 41
subcaudatus Champ. 527
subciliatus Woll. 7
subclathratum Reitt. 314
subclavata Woll. 397
subcordata Deyr. (Zoph.) 41
subcordata Seidl. (Blaps) 240
subcordata Seidl. (Plat.) 257
subcordicollis Fairm. 66
subcoriacea Reitt. 337
subcoriaceus Bates 426
subcostata Germ. (Psectr.) 147
subcostata Kraatz (Thalp.) 57
subcostata Sharp (Cil.) 426
subcostata Sol. (Asida) 138
subcostata Sol. (Praoc.) 261
subcostata Sol. (Tent.) 73
subcostata Lec. (Asida) 133
subcostatum Cast. (Plat.) 377
subcostatum Guér. (Oxyc.) 77
subcostatum Mäkl. (Strong.) 600
subcostatum Reitt. (Het.) 473
subcostatus Brll. (Arthr.) 7
subcostatus Burm. (Card.) 139
subcostatus Fairm. (Euc.) 486
subcostatus Sol. (Dich.) 112
subcostatus Sol. (Psamm.) 161
subcostatus Muls. (Blen.) 307
subcostatus Sol. (Erod.) 10
subcostulata Fairm. 41
subcostulatus Fairm. 449
subcrenatus Fairm. 474
subcruciatus Fairm. 452
subcyaneus Fairm. 467
subcylindrica Cas. (Eleod.) 251
subcylindrica Leoni (Asida) 132
subcylindrica Sol. (Pach.) 59
subcylindricus Motsch. (Micr.) 312
subcylindricus Ménétr. (Opatr.) 333
subdepressa Sol. (Psectr.) 147
subdepressa Sol. (Tent.) 68
subdepressum Cart. 511
subdepressus Brll. (Ped.) 290
subdepressus Fairm. (Neph.) 558
subdepressus Woll. (Hel.) 553
subdepressus Woll. (Pal.) 397
subdepressus Kiesw. (Ped.) 287
subdilatatum Reitt. 328
subedentata Blaisd. 248
subelegans Fairm. 74
subellipticus Desbr. 320
suberea Lew. 96
suberis Luc. 416
subexaratus Mäkl. 563
subfascia Walk. 377
subfilum Fleisch. 397
subfossulata Sol. 66
subfurcatum Desbr. 170
subgeminatus M'Leay 420
subglaber Cas. (Con.) 269
subglaber Rosenh. (Mis.) 524
subglabrum Cas. 97
subglobosa Kraatz (Micr.) 62
subglobosa Pall. (Pim.) 214
subglobosus Kolbe 576
subgranulatus Haag 161
subheliopates Reitt. 286
subhemisphaericus Boh. 576
subhumeralis Mars. 349
subhyalinus Cas. 4
subimpressa Fairm. 147
subimpressum Fairm. 600
subimpressus Reitt. 284
subinflata Brll. 41
subinteger Reitt. 359
sublaeviceps Cas. 29
sublaevicollis Fairm. (Brad.) 356
sublaevicollis Reitt. (Trig.) 191
sublaevicollis Rey (Phal.) 349
sublaevicollis Sol. (Psectr.) 147
sublaevigata Bates (Ocn.) 198
sublaevigata Germ. (Praoc.) 261
sublaevigata Reitt. (Trig.) 191
sublaevigata Sol. (Pim.) 213
sublaevis Bland (Iphth.) 440
sublaevis Desbr. (Scaur.) 180
sublaevis Horn (Rhin.) 434
sublaevis Kraatz (Tent.) 73
sublaevis Lec. (Auch.) 19
sublaevis Beauv. (Alob.) 444
sublaevis Blaisd. (Eleod.) 243
sublaevis Blaisd. (Eleod.) 244
subligata Lec. (Eleod.) 249
subligata Walk. (Iphth.) 440
sublimbalis Fairm. 491
sublinearis Kraatz (Hel.) 553
sublinearis Walk. (Him.) 32
sublineata Berg (Epip.) 145
sublineata Brll. (Blaps) 235

sublunata Sol. 60
submaculata Rey 346
submaculatum Brême (Enc.) 417
submaculatum Chevr. (Plat.) 377
submaculatum Lacord. (Enc.) 417
submaculatus Champ. 354
submetallica Guér. (Praoc.) 261
submetallica Raffr. (Anem.) 318
submetallica Semen. (Pter.) 195
submetallica Sol. (Zoph.) 41
submetallica Woll. (Oxyc.) 77
submetallica Péring. (Anem.) 318
submetallicus Geb. (Omol.) 521
submetallicus Lec. (Pol.) 26
submetallicus M'Leay (Proph.) 483
submetallicus Vaul. (Hel.) 553
submuricata Kraatz 191
subniger Reitt. 553
subnitens Cas. (Eus.) 265
subnitens Horn (Alob.) 444
subnitens Lec. (Eleod.) 251
subnitidus Motsch. (Zoph.) 435
subnitidus Sol. (Erod.) 10
subnuda Reitt. 196
subocellata Cast. 383
subopaca Fairm. (Hom.) 67
subopaca Fairm. (Praog.) 605
subopaca Semen. (Pros.) 220
subopacus Baudi (Dend.) 282
subopacus Champ. (Tal.) 563
subopacus Fairm. (Hopl.) 573
subopacus Horn (Ster.) 17
subopacus Waterh. (Ped.) 446
suborbicularis Sol. 39
subovale Cas. 13
subovata Quedf. (Praog.) 606
subovata Bess. (Pach.) 58
subovata Sol. (Blaps) 235
subparallela Champ. (Hyoc.) 338
subparallela Champ. (Tarp.) 532
subparallela Chevr. (Phal.) 349
subparallelus Sol. 10
subperegrina Reitt. 177
subpilosa Sol. 138
subpinguis Blaisd. 251
subplana Geb. 145
subplicatus Geb. 161
subplumbeus Fairm. 340
subpubescens Bates (Dyst.) 515
subpubescens Horn (Trior.) 80
subpubescens Lec. (Con.) 269
subpubescens Reitt. (Clit.) 340
subpubescens Reitt. (Cab.) 293
subpunctatus Walk. 354
subpurpurascens Westw. 389
subquadrata Sturm (Pim.) 214
subquadrata Tausch. (Anat.) 49
subquadrata Brll. (Blaps) 233
subquadrata Eschsch. (Anat.) 47
subquadrata Sol. (Pim.) 208
subquadrata Stev. (Scyth.) 65
subquadratum Motsch. 377
subreticulata Sol. 262
subrobustus Motsch. 441
subrotundatus Woll. 78
subrudis Cas. 28
subrugatus Fairm. 141
subrugosa Sol. (Tent.) 73
subrugosa Motsch. (Pter.) 195
subrugosus Brême (Sar.) 425
subrugosus Brême (Symp.) 423
subrugosus Duftschm. (Hel.) 553
subrugosus Er. (Ten.) 454
subrugulosum Reitt. 327
subscabra Sol. 213
subscabrosa Quedf. 607
subseriata Cas. (Met.) 29
subseriata Reitt. (Micr.) 63
subseriatus Blackb. 422
subsericeum Motsch. 377
subsericeus Cas. 264
subserrata Chevr. 85
subsetosum Kolbe (Gon.) 327
subsetosum Reitt. (Gon.) 322
subsetulosus Reitt. 112
subsimile Cas. 13
subspinosum Fairm. 327
substriata Fairm. (Rhyt.) 67
substriata Fairm. (Sten.) 609
substriata Guér. (Acanth.) 567
substriata Guér. (Pseud.) 274
substriata Sol. (Blaps) 239
substriata Sol. (Tent.) 72
substriatum Bess. 326
substriatus Cas. (Not.) 303
substriatus Cast. (Coss.) 431
substriatus Champ. (Blapst.) 300
substriatus Guér. (Scot.) 185
substriatus Lec. (Hyp.) 416
substriatus Reitt. (Het.) 293
substriatus Desbr. (Crypt.) 352
substriatus Sol. (Nyct.) 254
subsulcata Kraatz (Micr.) 63
subsulcata Sol. (Praoc.) 262
subsulcata Waterh. (Nyct.) 143
subsulcata Reiche (Tent.) 65
subsulcatum Reiche 327
subsulcatus Fairm. (Enc.) 448
subsulcatus Kolbe (Tar.) 441
subteres Sol. 239
subterranea F. (Anem.) 318
subterranea Sol. (Akis) 175
subtilimargo Reitt. 310
subtilis Reitt. (Adel.) 104
subtilis Kraatz (Dich.) 111
subtricostata Redtenb. 175
subtuberculata Walk. 246
subvariolosus Luc. 284

subviolaceus Fairm. (Chem.) 491
subviolaceus Motsch. (Enc.) 448
subviridis Linell 606
subvittata Champ. (Tarp.) 533
subvittata Horn (Asida) 138
subvittata Mäkl. (Praog.) 606
subvittatus Fairm. (Euc.) 487
subvittatus Cas. (Pech.) 29
succisum Pasc. 509
sudanica Fairm. 209
sudanensis Wasm. 431
sudanicum Fairm. 600
suffusus Woll. 406
suilla Champ. (Hopl.) 369
suilla Fairm. (Anem.) 318
sulcata All. (Asida) 138
sulcata Auriv. (Praog.) 606
sulcata Cas. (Coel.) 438
sulcata Cast. (Blaps) 240
sulcata Cast. (Blen.) 307
sulcata Champ. (Uloma) 404
sulcata Deyr. (Zoph.) 41
sulcata Eschsch. (Eleod.) 251
sulcata Eschsch. (Praoc.) 262
sulcata Mill. (Sten.) 109
sulcata Ball. (Plat.) 257
sulcata F. (Blaps) 237
sulcata Fisch. (Pros.) 221
sulcata Fourcr. (Pim.) 206
sulcata Küst. (Blaps) 230
sulcata Lec. (Eleod.) 246
sulcata Thunb. (Eleod.) 363
sulcaticollis Fairm. 448
sulcatipennis Sol. 566
sulcatissima Reitt. 225
sulcator Kl. (Set.) 445
sulcator Knoch (Set.) 444
sulcatula Champ. 251
sulcatulum Fairm. 511
sulcatulus Champ. (Rhac.) 459
sulcatulus Gemm. (Hel.) 525
sulcatum Baudi (Scler.) 314
sulcatum Duponch. (Adel.) 104
sulcatum Mäkl. (Strong.) 600
sulcatum Montr. (Chlor.) 522
sulcatum Küst. (Opatr.) 329
sulcatus F. (Pycn.) 479
sulcatus Fisch. (Bel.) 460
sulcatus Geb. (Psamm.) 161
sulcatus Gerst. (Stiz.) 308
sulcatus Lec. (Blapst.) 300
sulcatus Lec. (Ton.) 303
sulcatus Mén. (Colp.) 292
sulcatus Sol. (Diod.) 7
sulcatus Sol. (Gon.) 304
sulcatus Guér. (Hel.) 525
sulcatus Fisch. (Hel.) 553
sulcatus Sol. (Hel.) 525
sulcibasis Reitt. 333
sulcicauda Reitt. 225
sulciceps Gebl. 64
sulcicolle Kolbe (Strong.) 600
sulcicolle Fairm. (Strong.) 595
sulcicollis Boisd. (Lepisp.) 480
sulcicollis Fåhrs. (Machla) 123
sulcicollis Fairm. (Gon.) 570
sulcicollis Horn (Arae.) 105
sulcicollis Ménétr. (Sten.) 109
sulcicollis Péring. (Psamm.) 161
sulcicollis Reitt. (Lept.) 92
sulcicollis Waterh. (Nyct.) 143
sulcicollis Sol. (Psectr.) 147
sulcifer Fauv. 521
sulcifera Seidl. 240
sulcifrons Har. (Cer.) 383
sulcifrons Sol. (Pach.) 60
sulcigera Boisd. 446
sulcimargo Reitt. 51
sulcipectus Quedf. 601
sulcipenne Mäkl. (Strong.) 601
sulcipenne Reitt. (Strong.) 599
sulcipenne Thoms. (Gon.) 324
sulcipennis Champ. (Blapst.) 300
sulcipennis Fauv. (Call.) 501
sulcipennis Fauv. (Cymb.) 514
sulcipennis Germ. (Heliof.) 525
sulcipennis Kl. (Eup.) 575
sulcipennis Lec. (Helops) 553
sulcipennis Lec. (Micr.) 124
sulcipennis Muls. (Erel.) 398
sulcipennis Muls. (Eur.) 276
sulcipennis Reitt. (Anat.) 49
sulcipennis Reitt. (Helioph.) 284
sulcipennis Thoms. (Alph.) 406
sulcipennis Fairm. (Asida) 134
sulcipennis Fairm. (Heliof.) 525
sulcipennis Mannerh. (Eleod.) 248
sulcipubens Reitt. 223
sulcipygia Péring. 87
sulphurea Deyr. 40
sumatrense Fairm. 461
sumptuosa Mäkl. 606
sumptuosus All. (Hel.) 553
sumptuosus Hope (Hem.) 481
sumptuosus Har. (Met.) 478
superba Wied. 383
superbus Blackb. (Chalc.) 582
superbus Blackb. (Plat.) 480
superbus Kraatz (Pseud.) 488
superbus Mäkl. (Otoc.) 602
superbus Muls. (Hel.) 553
superstitiosa Er. (Blaps.) 240
superstitiosa All. (Blaps) 237
suppressus Say 436
suspicax Kolbe 601
suturacava Fairm. 143
suturale Geb. (Onc.) 564
suturale Mäkl. (Strong.) 601

suturalis Cas. (Con.) 269
suturalis Champ. (Asida) 138
suturalis Champ. (Tarp.) 533
suturalis Fauv. (Call.) 501
suturalis Germ. (Poec.) 590
suturalis Haag (Eur.) 100
suturalis Luc. (Adelph.) 559
suturalis Pasc. (Chalc.) 582
suturalis Payk. (Hyp.) 416
suturalis Reitt. (Anat.) 49
suturalis Say (Eleod.) 251
suturalis Say (Ped.) 290
suturalis Semen. (Sphen.) 34
suturalis Sol. (Podh.) 204
suturalis Westw. (Leio.) 389
suturalis Chevr. (Diap.) 366
suturalis Fairm. (Dol.) 410
suturalis Reitt. (Gnath.) 44
suturalis Sol. (Psamm.) 158
suturangula Reitt. 225
suturata Fairm. (Gaur.) 487
suturata Fairm. (Pseud.) 609
suturatus Fairm. (Cam.) 492
suturatus Fairm. (Nyct.) 467
suturidens Reitt. 220
suturipubens Reitt. 222
Suwerowi Reitt. 93
Suworowi Reitt. 195
Swierstrae Müll. 566
sycophanta Pasc. 490
sydneyanus Blackb. 453
sylvestre Lew. 377
sylvicola Blackb. 511
sylvius Broun 319
symmetrica Cas. 269
symmetricum Cas. 27
syriaca All. (Asida) 138
syriaca Baudi (Laena) 519
syriaca Reitt. (Eut.) 109
syriaca Baudi (Adesm.) 86
syriaca Sén. (Pim.) 205
syriacus Reiche (Dend.) 282
syriacus Reiche (Hel.) 554
syriacus Zouf. (Bel.) 460
syriacus Zouf. (Ten.) 458
syriacus Baudi (Hel.) 538
syriacus Kraatz (Arthr.) 6
syriacus Sol. (Erod.) 8
Szechenyi Friv. 193

taciturnum Fairm. 601
taeniolata Ménétr. 240
tagenioides Luc. (Bor.) 465
tagenioides Küst. (Hel.) 535
tagenioides Ménétr. (Hel.) 536
tagenoides Eschsch. 52
talpa Fähns. (Anom.) 306
talpa Pasc. (Zoph.) 306
tanganum Kolbe 601
tangeriana Sol. (Asida) 138
tangeriana Desbr. (Sten.) 107
tangerianus Desbr. (Dil.) 294
tangerianus Sol. (Erod.) 9
tantillus Ménétr. (Hel.) 554
tantillus Péring. (Trach.) 164
taprobanae Lew. 360
tarda Bates (Hyp.) 440
tarda Champ. (Asida) 138
tarda Motsch. (Blaps) 238
tardus Blackb. (Amar.) 578
tardus Sol. (Onc.) 271
tardus Vaul. (Hel.) 536
Tarquinia Baudi 70
tarsale Chevr. 377
tarsalis Haag (Psamm.) 161
tarsalis Hope (Sar.) 425
tarsalis Muls. (Uloma) 404
tarsalis Pasc. (Amar.) 578
tarsalis Sharp (Cil.) 426
tarsalis Cas. (Eleod.) 250
tarsatus Fairm. (Amar.) 578
tarsatus Küst. (Hel.) 547
tasmanica Champ. (Lyph.) 393
tasmanica Champ. (Tit.) 500
tasmanicum Champ. 511
tasmanicus Blackb. 579
tasmanum Mars. 377
tatarica Gebl. 65
tauri Pic 354
taurica Tausch. (Tent.) 73
taurica Sturm (Pros.) 223
tauricus Muls. (Ped.) 290
tauricus Stev. (Coss.) 431
tauricus Kiesenw. (Ped.) 288
tauricus Muls. (Hel.) 550
taurus F. (Tox.) 461
taurus Lacord. (Mol.) 391
taurus Pasc. (Dys.) 360
taxicornis Rossi 416
taygetanus Kiesenw. (Ped.) 291
taygetanus Reitt. (Apol.) 178
Taylori Cart. 512
tazmaltensis Desbr. 60
teapensis Champ. 533
tebessanum Reitt. 330
Teinturei Muls. 311
tenebricosa Germ. (Eleod.) 251
tenebricosa Fald. (Scyth.) 64
tenebricosus Brll. (Hel.) 554
tenebricosus Er. (Trich.) 332
tenebrioides Er. (Adel.) 511
tenebrioides Germ. (Hel.) 554
tenebrioides Guér. (Het.) 474
tenebrioides Guér. (Nyct.) 24
tenebrioides Reitt. (Micr.) 312
tenebrioides White (Uloma) 404
tenebrioides Beauv. (Ten.) 457

tenebrioides Reitt. (Lob.) 335
tenebrosa Cas. (Con.) 269
tenebrosa Champ. (Asida) 138
tenebrosa Horn (Amph.) 505
tenebrosa Sol. (Adesm.) 88
tenebrosa Sol. (Pach.) 202
tenebrosa Westw. (Meg.) 571
tenebrosus Cas. (Bothr.) 28
tenebrosus Champ. (Hyl.) 16
tenebrosus Champ. (Nupt.) 446
tenebrosus Er. (Psamm.) 161
tenebrosus Muls. (Trig.) 272
tenebrosus Reitt. (Dich.) 112
tenebrosus Thoms. (Leio.) 389
tenellus Muls. (Dend.) 282
tenellus Wasm. (Dich.) 112
tenietensis Desbr. 354
tentyrioides Fairm. (Mol.) 153
tentyrioides Fairm. (Rhyt.) 67
tentyrioides Fald. (Hed.) 557
tentyrioides Haag (Trach.) 165
tentyrioides Küst. (Hel.) 554
tentyrioides Lacord. (Hyl.) 21
tentyrioides Mill. (Hionth.) 52
tentyrioides Pasc. (Micr.) 565
tentyrioides Seidl. (Blaps) 240
tentyrioides Solsky (Mis.) 523
tentyrioides Brll. (Dend.) 281
tentyrioides Sol. (Mel.) 81
tenue Fairm. 462
tenuecostata Fairm. 138
tenuecostatus Fairm. (Eur.) 276
tenuecostatus Fairm. (Met.) 478
tenuecostatus Geb. (Phryn.) 150
tenuegranata Fairm. 88
tenuepunctata Motsch. 241
tenuesculptus Fairm. 150
tenuestriata Fairm. (Cam.) 495
tenuestriata Fairm. (Gaur.) 487
tenuestriata Fairm. (Pseud.) 274
tenuestriatus Fairm. (Enc.) 448
tenuestriatus Fairm. (Par.) 576
tenuestriatus Fairm. (Plam.) 487
tenuicauda Seidl. 240
tenuiclavum Schauf. 462
tenuicolle Say 601
tenuicollis Fairm. (Dysg.) 607
tenuicollis Sol. (Blaps) 240
tenuicollis Sol. (Sten.) 63
tenuicorne Chevr. 380
tenuicornis Baudi (Sten.) 109
tenuicornis Cas. (Vacr.) 118
tenuicornis Champ. (Tarp.) 533
tenuicornis Fairm. (Dol.) 410
tenuicornis Geb. (Chalc.) 582
tenuicornis Lew. (Ainu) 603
tenuicornis Motsch. (Amar.) 579
tenuicornis Motsch. (Bel.) 460
tenuicornis Reitt. (Cat.) 408
tenuicornis Sol. (Pim.) 214
tenuicornis Sol. (Praoc.) 262
tenuicornis Mill. (Dend.) 282
tenuimembris Fairm. 604
tenuipes Fåhrs. (Psamm.) 161
tenuipes Fairm. (Strong.) 601
tenuipunctatus Brll. (Heg.) 78
tenuipunctatus Phil. (Hel.) 525
tenuis Cas. (Arae.) 105
tenuis Cas. (Con.) 269
tenuis Cas. (Hyl.) 16
tenuis Cas. (Mec.) 297
tenuis Lec. (Hyp.) 416
tenuis Motsch. (Nupt.) 446
tenuis Mars. (Cat.) 408
tenuissima Reitt. 257
tenuistrata Bates 440
tenuistriatus Lea 420
tenuitarsis Bates (Thett.) 497
tenuitarsis Pasc. (Dec.) 481
tenuitarsis Reitt. (Eut.) 109
terebrans Champ. 385
terebratulus Cas. 80
teredoides Fairm. 416
teres Mäkl. 500
tergocinctum Chevr. 380
terminalis Fairm. 610
terminatum Say 601
termitophilus Lea (Amar.) 579
termitophilus Wasm. (Hopl.) 573
terrena Pasc. 166
Terreni Friv. 548
terrenus Pasc. (Apost.) 319
terrenus Péring. (Trach.) 165
terrestris Fåhrs. 100
terricola Fåhrs. (Trach.) 165
terricola Küst. (Asida) 130
terricola Ménétr. (Akis) 175
terrosum Küst. 326
terrulenta Haag 100
tersum Cas. 13
tessellatus Baudi 31
tessulatus Gerst. 32
testacea Lew. (Enan.) 395
testacea Motsch. (Hopl.) 369
testacea Pasc. (Isar.) 343
testacea Say (Phal.) 349
testacea Serv. (Camps.) 496
testaceipes Fairm. (Euc.) 487
testaceipes Fairm. (Hel.) 554
testaceipes Fairm. (Nes.) 609
testaceipes Fairm. (Reh.) 490
testaceipes Thoms. (Par.) 576
testaceum Cas. (Met.) 13
testaceum Mäkl. (Strong.) 601
testaceum F. (Trib.) 395
testaceus Hellw. (Pent.) 387
testaceus Horn (Cnem.) 4
testaceus Kirsch (Poec.) 590

testaceus Sol. (Onc.) 271
testaceus Westw. (Leio.) 388
testaceus Küst. (Hel.) 548
testudinaria F. (Zoph.) 41
testudinaria Ol. (Zoph.) 39
testudinarius Motsch. 359
testudineus Hope (Symp.) 423
testudineus Pill. (Alph.) 406
testudo Kraatz 214
tetradymus Fairm. 380
tetraphylla Fairm. 393
testrastictus Fairm. 453
tetraspilotum Hope 377
tetrica Cas. 119
texana Lec. 251
texanum Motsch. 377
texanus Lec. (Arm.) 15
texanus Lin. (Anaed.) 4.0
texanus Wickh. (Sten.) 124
texatum Mäkl. 601
thalassina Fairm. 502
thalassinus All. 548
thalense Mayet 330
thalloides Pasc. 370
theana Reitt. 520
theanus Reitt. 554
Theveneti Sén. 214
thessalica Reitt. 202
thessalicus Reitt. 354
Thibaulti Fairm. 10
thibetanus Fairm. 291
Thomsoni Geb. (Priosc.) 476
Thomsoni Kirsch (Cuph.) 588
Thomsoni Nevins. (Pim.) 214
thoracica Bates (Cil.) 426
thoracica Cas. (Con.) 269
thoracica Champ. (Asida) 138
thoracica Champ. (Tarp.) 532
thoracica Fairm. (Anem,) 318
thoracica Bess. (Anat.) 47
thoracica Fleut. (Phal.) 347
thoracicum Broun 514
thoracicus Brême (Oxid.) 528
thoracicus Broun (Men.) 386
thoracicus Cas. (Mel.) 18
thoracicus Eschsch. (Nyct.) 254
thoracicus F. (Bius) 465
thoracicus Melsh. (Hyp,) 416
thoracicus Oertz. (Anom.) 306
thoracicus Rosenh. (Opatr.) 333
thoracicus Sahlb. (Cab.) 293
Thoreyi Haag 165
Thunbergi Stev. 73
thymaloides M'Leay 420
tibiale Chevr. (Plat.) 377
tibiale F. (Mel.) 316
tibialis Ball. (Plat.) 257
tibialis Bates (Cil.) 426
tibialis Bates (Pter.) 196
tibialis Bates (Sten.) 379
tibialis Champ. (Blapst.) 300
tibialis Champ. (Parat.) 471
tibialis Champ. (Tyd.) 30
tibialis F. (Gon.) 304
tibialis Fairm. (Param.) 576
tibialis Gah. (Rhyt.) 67
tibialis Haag (Psamm.) 161
tibialis Haag (Trach.) 165
tibialis Kolbe (Hyb.) 432
tibialis Kraatz (Zoph.) 435
tibialis L. (Erod.) 10
tibialis Lin. (Praog.) 606
tibialis Reiche (Blaps) 241
tibialis Reitt. (Anat.) 49
tibialis Reitt. (Cab.) 293
tibialis Reitt. (Het.) 293
tibialis Seidl. (Dend.) 282
tibialis Sol. (Praoc.) 262
tibialis Zouf. (Bel.) 460
tibialis Guér. (Set.) 444
tibialis Woll. (Eut.) 409
tibidens Quens. 303
tibiella Seidl. 241
tigrinus Perty 590
timarchoides Fairm. (Micr.) 565
timarchoides Fairm. (Nyct.) 143
timarchoides Haag (Psamm.) 161
timarchoides Ménétr. (Pim.) 214
timida Cas. (Con.) 269
timida Cas. (Tel.) 14
timida Péring. (Praog.) 606
timorense Mars. 378
tinctipes Champ. 601
tinctus Blackb. (Chalc.) 582
tinctus Champ. (Naut.) 531
tingitana All. (Blaps) 241
tingitana Luc. (Akis) 175
tingitana Baudi (Mor.) 172
tingitanus All. 554
tinodactyla Fisch. 216
Tiro Reitt. 554
Titanus Kolbe (Psamm.) 154
Titanus Ménétr. (Blaps) 241
tjanschanicus Semen. 93
togonicum Kolbe 598
tomentosa Gebl. (Epitr.) 31
tomentosa Herbst (Crypt.) 116
tomentosa Reitt. (Las.) 194
tomentosa Reitt. (Stal.) 203
tomentosa Semen. (Ear.) 177
tomentosa Semen. (Sphen.) 33
tomentosum Er. (Sep.) 169
tomentosum Geb. (Plat.) 378
tomentosum Walk. (Gon.) 327
tomentosus Lec. (Epitr.) 29
tomentosus Reitt. (Hel.) 554
tomentosus Sol. (Ent.) 259
tomentosus Sol. (Psamm.) 161

tonkinense Fairm. 583
tonsa Cas. 20
tonsilis Bedel 354
torolae Champ. 602
torquata Baudi 205
torpidus Muls. 282
torrida Champ. 533
torridum Champ. 327
torridus Pasc. 579
torulosa Pall. (Adesm.) 88
torulosa Fisch. (Anat.) 49
torvus Cas. 96
totonicapamensis Champ. 533
Tournieri All. 138
trachyderma Sol. 213
trachynotoides Pasc. 439
trachysceloides Haag (Psamm.) 161
trachysceloides White (Choer.) 350
Traegaordhi Wasm. 571
tralaticium Geb. 511
transcaspicus Brancs. 283
transfuga Reitt. 225
transvaalensis Haag (Psamm.) 161
transvaalensis Péring. (Asida) 138
transvaalensis Péring. (Vuts.) 573
transvaalensis Péring. (Pycn.) 479
transversalis Gebl. (Blaps) 241
transversalis Kolbe (Adesm.) 88
transversalis Muls. (Hel.) 284
transversalis Westw. (Amen.) 442
transversalis Duftschm. (Ten.) 457
transversecordata Reitt. 218
transversicolle Mäkl. 500
transversicollis Fairm. (Cam.) 495
transversicollis Fairm. (Enc.) 448
transversicollis Fairm. (Tent.) 73
transversicollis Haag (Psamm.) 161
transversicollis Motsch. (Set.) 445
transversicollis Reitt. (Micr.) 63
transversimsulcata Ball. (Blaps) 241
transversimsulcata Waterh. (Nyc.) 143
transversosulcata All. 225
transversum Cast. (Plat.) 378
transversum Fairm. (Sep.) 168
transversus Brll. (Heg.) 78
transversus Brll. (Hel.) 554
transversus Fairm. (Phryn.) 151
trapezicolle Fairm. (Oxyc.) 77
trapezicolle Chob. (Oxyc.) 76
trapezicollis Fairm. (Anem.) 318
trapezicollis Fairm. (Cam.) 495
trapezicollis Fairm. (Euc.) 487
trapezicollis Sol. (Acanth.) 568
trapezus Fauv. 513
trechoides Wasm. 472
triangularis Faust. (Ocn.) 198
triangularis Haag (Chalc.) 582
triangulifer Kirsch 399
triangulipes Reitt. 225
tribulus Fairm. 149
tricarinatum Motsch. 330
tricarinatus Blackb. 425
trichoptera Gerst. 100
trichopterum Gemm. 326
tricolor Champ. (Naut.) 531
tricolor Champ. (Plat.) 378
tricolor Deyr. (Cal.) 42
tricolor Fairm. (Amar.) 579
tricolor Haag (Proph.) 483
tricondyloides Westw. 587
tricorne Klug 378
tricorniger Péring. 34
tricornis Cast. (Ulos.) 411
tricornis Fairm. (Hopl.) 412
tricornutum Waterh. 462
tricostata All. (Asida) 138
tricostata Burm. (Epip.) 145
tricostata All. (Mes.) 55
tricostatus Fåhrs. (Psamm.) 161
tricostatus Fisch. (Bol.) 359
tricostatus Haag (Trach.) 165
tricostatus Muls. (Dend.) 280
tricostellus White (Symp.) 423
tricostellus Brême (Symp.) 422
tricuspidatum F. 169
tricuspis Motsch. 378
tridens Kolbe 476
tridentata Champ. (Arg.) 182
tridentata Waterh. (Blaps) 241
tridentatus Kraatz 435
trifossa Reitt. 225
trilineata Ol. (Zoph.) 41
trilineata Herbst (Akis) 175
trilineata Sol. (Crypt.) 115
trilobatum Baudi 331
tripartita Fairm. 503
triplagiatum Mäkl. 601
tripoliana Sol. 60
tripolianus Baudi 284
tripolitana Sén. 214
tripolitanica Karsch 241
tripolitanus Seidl. (Hel.) 554
tripolitanus Quedenf. (Leuc.) 186
trispinosus Fairm. 381
triste Cast. (Plat.) 378
triste Mäkl. (Strong.) 601
triste Stev. (Opatr.) 330
tristis Cas. (Con.) 269
tristis Cast. (Dend.) 283
tristis Cast. (Pyan.) 585
tristis Champ. (Asida) 138
tristis F. (Amar.) 579
tristis F. (Heg.) 78
tristis Fåhrs. (Em.) 566
tristis Fåhrs. (Psamm.) 161
tristis Fåhrs. (Zophod.) 306
tristis Fald. (Anis.) 178
tristis Germ. (Pter.) 420

tristis Guér. (Scot.) 185
tristis Haag (Geoph.) 103
tristis Har. (Azon.) 602
tristis Har. (Cer.) 383
tristis Kraatz (Sphen.) 67
tristis Lec. (Zopher.) 95
tristis Montr. (Acroth.) 515
tristis Motsch. (Der.) 449
tristis Ol. (Scaur.) 180
tristis Péring. (Praog.) 606
tristis Haag (Pim.) 212
tristis Lea (Pter.) 420
tristis Sol. (Anat.) 48
tristis Sol. (Tent.) 70
tristis Westw. (Odont.) 477
trisulcata Bates (Pros.) 225
trisulcata Reitt. (Colp.) 46
tritomicrum Kolbe 602
triviale Mäkl. 601
trivialis Er. (Cestr.) 300
trivialis Fåhrs. (Asida) 138
trivialis Fåhrs. (Trig.) 272
trivialis Fairm. (Ten.) 458
trivialis Gerst. (Him.) 33
trivialis Gerst. (Sel.) 278
trochantericus Fairm. 33
troglodytes Champ. 302
trogosita Motsch. 460
tropicalis Champ. (Tarp.) 533
tropicalis Motsch. (Par.) 471
tropicum Blackb. 511
tropicus Kirsch 343
truncata Cas. (Con.) 269
truncata Fairm. (Uloma) 404
truncata Gebl. (Cyph.) 175
truncata Kraatz (Cyph.) 176
truncaticeps Cas. (Met.) 13
truncaticeps Fairm. (Euc.) 487
truncaticollis Zouf. 459
truncatipenne Fairm. 601
truncatus Reitt. 334
Truquii Champ. (Asida) 138
Truquii Deyr. (Zoph.) 41
Tschitscherini Semen. 93
tuberculata All. (Asida) 138
tuberculata Curt. (Lept.) 183
tuberculata Fisch. (Pim.) 214
tuberculata Haag (Hor.) 117
tuberculata Haag (Mol.) 153
tuberculata Sol. (Vieta) 171
tuberculata Baudi (Pim.) 205
tuberculata Blaisd. (Eleod.) 246
tuberculata Eschsch. (Eleod.) 244
tuberculata F. (Acanth.) 568
tuberculata Fåhrs. (Apt.) 563
tuberculata Kraatz (Akis) 173
tuberculata Motsch. (Pter.) 196
tuberculata Reitt. (Pter.) 194
tuberculatocostata Solsky 203
tuberculatum Cast. (Phym.) 604
tuberculatum Reitt. (Sclerop.) 321
tuberculatum Bess. (Scleron.) 313
tuberculatum Cast. (Plat.) 373
tuberculatus Blackb.(Sar.) 428
tuberculatus Brême (Helaeus) 422
tuberculatus Champ. (Par.) 471
tuberculatus Champ. (Zoph.) 94
tuberculatus Eschsch. (Scot.) 139
tuberculatus F. (Phym.) 468
tuberculatus Germ. (Hex.) 113
tuberculatus Guér. (Pseud.) 513
tuberculatus Kirsch (Pol.) 504
tuberculatus Küst. (Helops) 554
tuberculatus Motsch. (Biom.) 463
tuberculatus Waterh. (Aesth.) 490
tuberculatus Waterh. (Dysc.) 438
tuberculatus Woll. (Macr.) 438
tuberculatus Woll. (Tarph.) 320
tuberculatus All. (Hel.) 554
tuberculatus Brême (Coss.) 430
tuberculatus Perr. (Brad.) 356
tuberculicostatum White 426
tuberculifer Haag (Psamm.) 161
tuberculifer Motsch. (Byrs.) 359
tuberculifera All. (Asida) 138
tuberculifera Champ. (Bryc.) 512
tuberculifera Champ. (Ozol.) 361
tuberculifera Fairm. (Gon.) 468
tuberculifera Kolbe (Adesm.) 88
tuberculifera Luc. (Pach.) 202
tuberculifera Gahan (Adesm.) 88
tuberculiferum Reitt. 321
tuberculifrons Lew. 462
tuberculiger Fairm. (Amar.) 579
tuberculiger Reiche (Hel.) 554
tuberculipennis Bates (Ect.) 505
tuberculipennis Bates (Tetr.) 492
tuberculipennis Geb. (End.) 431
tuberculipennis Haag (Adesm.) 88
tuberculipennis Haag (Psamm.) 161
tuberculipennis Luc. (Hel.) 554
tuberculomuricata Blaisd. 247
tuberculosa Champ. (Adesm.) 88
tuberculosa Reitt. (Mel.) 337
tuberculosa Kraatz (Stal.) 203
tuberculosus Fairm. (Scot.) 140
tuberculosus Heyd. (Lob.) 335
tubericollis Fairm. 570
tuberifer Mars. 458
tuberipenne Fairm. 601
tuberosa Fairm. (Vieta) 171
tuberosa Kl. (Pim.) 215
tuberosum Mäkl. 604
tuberosus Germain 433
tucumana Berg 495
tucumanum Fairm. 21
tumescens Lec. 555
tumida Melsh. 568

tumidicollis Küst. (Hel.) 537
tumidicollis Bates (Mac.) 466
tumidifrons Kraatz 60
tumidipennis Haag (Psamm.) 161
tumidipennis Haag (Pim.) 212
tumidipes Fairm. 273
tumidula Haag 100
tumidum Muls. 312
tumidus Haag (Psamm.) 161
tumidus Mäkl. (Poec.) 590
tumidus Pasc. (Oed.) 488
tumipes Broun 516
tunicensis Desbr. 198
tunisea Fairm. 214
tuniseus Levrat 311
tunisia Seidl. 239
turanica Reitt. 257
turanicum Reitt. 321
turbida Péring. 138
turcica Reitt. (Dol.) 410
turcica Reitt. (Laena) 520
turcica Seidl. (Eledona) 363
turcomana Reitt. (Eut.) 109
turcomana Fisch. (Blaps) 228
turcomanorum Seidl. 241
turgidulum Broun 514
turgidus Cas. 265
turkestanica Pic. (Reitt.) 92
turkestanica Reitt. (Sten.) 109
turkestanica Seidl. (Blaps) 241
turkestanica Seidl. (Plat.) 257
turkestanica Semen. (Pros.) 225
turkestanica Semen. (Sphen.) 34
turkestanicus Reitt. (Anis.) 178
turkestanicus Reitt. (Laena) 520
turkestanicus Semen. (Lept.) 93
turpis Fåhrs. (Eut.) 432
turpis Péring. (Anom.) 306
turrita Fåhrs. 149
typhoeus Fairm. 381
Typhon Muls. 272
typonota Ménétr. (Anat.) 47
typonota All. (Anat.) 47
tyrrhena Leoni 130
tyrrhenus Pasc. 579

uintanum Cas. 27
ukamia Kolbe 475
ulcerosa Kl. 88
ulomoides Fairm. (Ariar.) 453
ulomoides Sol. (Alph.) 406
ulomoides Fairm. (Crypt.) 354
Ulrichi Seidl. 291
ulyssiponensis Germ. 312
umbilicata Seidl. 241
umbratum Mars. 378
umbrina Péring. 138
umbrinus Fald. 543
umbrosa Champ. 138
umbrosum Har. 462
umbrosus Cas. (Hyl.) 16
umbrosus Champ. (Blapst.) 299
uncigera Ancey 171
uncinatum Er. 169
uncinus Forst. 180
undata F. (Pyan.) 585
undata Haag (Crypt.) 116
undata F. (Asida) 136
undaticollis Fairm. 496
undaticostis Fairm. 151
undatipennis Curt. 143
undatocostatus Kolbe 151
undatum Chevr. 378
undatus Champ. (Astr.) 124
undatus Champ. (Crypt.) 354
undatus Gah. (Hist.) 11
undatus Haag (Amiant.) 153
undosus Dist. (Amiant.) 153
undosus Kolbe (Dist.) 152
undulata Gah. (Zoph.) 41
undulata Gebl. (Anat.) 49
undulata Kraatz (Pros.) 225
undulata Kraatz (Rhyt.) 67
undulata Lec. (Tarp.) 533
undulata Sol. (Pim.) 215
undulata Leoni (Asida) 136
undulatum Fairm. 601
undulatus Cart. (Pter.) 420
undulatus Haag (Psamm.) 161
undulatus Muls. (Phyl.) 311
undulatus Lea (Symp.) 423
unguiculare Geb. 378
unguicularis Haag 89
unguiculina Reitt. 335
unicalcarata Champ. 182
unicarinatus Boisd. 423
unicolor Blanch. (Aryen.) 23
unicolor Blanch. (Cosm.) 379
unicolor Cas. (Ster.) 17
unicolor Champ. (Cuph.) 588
unicolor Chevr. (Platyd.) 378
unicolor Herbst (Hyper.) 52
unicolor Perty (Cyrt.) 489
unicolor Pill. (Hypophl.) 416
unicolor Say (Boros) 463
unicolor Zoubk. (Platyop.) 188
unicolor Champ. (Platyd.) 371
unicolor F. (Psamm.) 161
unicolor Germain (Phan.) 417
unicolor Ol. (Pal.) 397
unicolor Rag. (Hypophl.) 414
unicolor Sol. (Psamm.) 161
unicolor Sol. (Pyan.) 585
unicosta Champ. 138
unicostata Fairm. (Nyct.) 143
unicostata Sol. (Epip.) 145
unicostata Kraatz (Cyph.) 176

unifasciatus F. 588
uniformis Blackb. (Amar.) 579
uniformis Cart. (Seir.) 513
uniformis Cas. (Con.) 302
uniformis Champ. (Enn.) 386
uniformis Haag (Psamm.) 161
uniformis Reitt. (Crypt.) 354
uniformis Waterh. (Pyan.) 585
uniformis Westw. (Leio.) 389
uniformis Seidl. (Blaps) 231
unigena Péring. 138
unistriatus Desbr. 112
upioides Fald. 558
urophora Fairm. 231
Urquharti Broun 514
ursina Burm. 147
ursinus Lac. 259
urticata Kl. 215
urus Fåhrs. 306
usambarensis Geb. 573
uspallatensis Berg (Cal.) 259
uspallatensis Fairm. (Plat.) 262
ussuriensis Solsky 296
ustulatum Mäkl. 601
ustus Fairm. 57
uteana Cas. (Con.) 269
uteana Cas. (Tel.) 14
uteanus Cas. 95
utensis Cas. 120

vacca F. (Ulos.) 411
vacca Motsch. (Bol.) 359
vafra Cas. 14
vagabundus Champ. (Mes.) 296
vagabundus Reitt. (Dend.) 283
vagans Brll. (Zoph.) 41
vagans Seidl. (Dend.) 283
vagans Heer (Zoph.) 40
vagans Reitt. (Dend.) 283
vagecostata Fairm. (Asida) 138
vagecostata Fairm. (Praoc.) 262
vagecostatus Fairm. (Psamm.) 162
vagecostatus Fairm. (Scaur.) 180
vageimpressa Fairm. 144
vagelineatus Fairm. 590
vagepunctatus Haag 427
vagevittatus Fairm. 488
vagum Geb. (Plat.) 378
vagum Stev. (Gon.) 327
vagus Péring. (Psamm.) 162
vagus Péring. (Trach.) 165
Valdani Guér. (Hel.) 555
Valdani Guér. (Pim.) 215
valdivianus Phil. 484
valens Cas. (Aneps.) 118
valens Péring. (Psamm.) 162
valga Pasc. (Cer.) 383
valga Wiedem. (Set.) 445
valgipes Mars. (Set.) 445
valgipes Bates (Card.) 507
valgus Baudi 555
valida Reitt. (Pros.) 226
valida Boh. (Eleod.) 246
valida Er. (Pim.) 213
valida Motsch. (Mes.) 54
valida Motsch. (Tent.) 69
validicorne Reitt. 5
validicornis Mäkl. 602
validipes Fairm. (Mel.) 307
validipes Reitt. (Cab.) 293
validum Rottenb. 330
validus Burm. (Opatr.) 277
validus Cas. (Blapst.) 300
validus Champ. (Nupt.) 446
validus Fairm. (Hyp.) 417
validus Fairm. (Pach.) 447
validus Fairm. (Pycn.) 479
validus Kraatz (Psamm.) 162
validus Muls. (Trich.) 332
validus Péring. (Micr.) 565
Vancouveri Cas. 269
Vandykei Blaisd. 247
vapida Cas. 14
Varendorffi Reitt. 296
variabilis Bates (Myat.) 257
variabilis Cas. (Zoph.) 95
variabilis Champ. (Arm.) 15
variabilis Geb. (Anch.) 279
variabilis Geb. (Distr.) 152
variabilis Oertz. (Anom.) 306
variabilis Pasc. (Scym.) 295
variabilis Walk. (Cam.) 497
variabilis Kraatz (Stal.) 203
variabilis Sol. (Dail.) 45
varians Cast. (Plat.) 378
varians Champ. (Naut.) 531
varians Champ. (Strong.) 601
varians Fairm. (Nes.) 609
varians Pasc. (Mess.) 603
varicolor Bates (Nes.) 609
varicolor Westw. (Leio.) 389
varicosa Germ. (Lept.) 183
varicosa Seidl. (Blaps) 241
varicosa Ménétr. (Pim.) 215
variegata Blackb. (Hyoc.) 338
variegata Péring. (Epair.) 171
variegatum Cast. (Plat.) 378
variegatum F. (Sep.) 169
variegatum Kl. (Leich.) 342
variegatum Mäkl. (Strong.) 601
variegatum Waterh. (Hydr.) 561
variegatum Kl. (Plat.) 377
variegatum Küst. (Leich.) 342
variegatus Champ. (Cal.) 355
variegatus Er. (Pil.) 148
variegatus F. (Him.) 33
variegatus Haag (Trach.) 165

variepunctata Deyr. 40
varicolor Haag 500
variicolor Fairm. (Enc.) 448
variicolor Fairm. (Amar.) 578
variicorne Champ. 601
variicornis Hope 364
variipenne Gemm. 377
variipes Champ. 590
variolaris All. (Blaps) 241
variolaris Gebl. (Pter.) 196
variolaris Ol. (Adesm.) 89
variolaris Pasc. (Amar.) 579
variolaris Gemm. (Blaps) 238
variolata All. (Blaps) 238
variolata Gemm. (Blaps) 239
variolatus All. 340
variolosa Er. (Praoc.) 262
variolosa Fald. (Blaps) 241
variolosa Fauv. (Call.) 501
variolosa Guér. (Mol.) 153
variolosa Sol. (Pim.) 215
variolosa F. (Sten.) 90
variolosa Fisch. (Blaps) 238
variolosa Fisch. (Blaps) 239
variolosa Geer (Upis) 450
variolosum Duviv. 601
variolosus F. (Oeat.) 442
variolosus Gerst. (Micr.) 565
variolosus Guér. (Distr.) 152
variolosus Sol. (Anom.) 306
variolosus Woll. (Scaur.) 180
variolosus Beauv. (Glypt.) 447
variolosus Haldem. (Zoph.) 94
variolosus Ol. (Phyl.) 311
variolosus Sturm (Zoph.) 94
varipes Champ. (Epic.) 499
varipes Fairm. (Nyct.) 144
varius Broun 319
Varvasi Sol. (Scaur.) 180
Varvasi Sol. (Thript.) 199
Varvasi Sol. (Trient.) 22
vaticinus Péring. 162
Vaucheri Bedel (Crypt.) 354
Vaucheri Esc. (Asida) 138
vegrandis Cas. 18
velox Chevr. (Tent.) 73
velox Péring. (Micr.) 565
velox Péring. (Sten.) 90
velox Sharp (Cil.) 426
velox Guér. (Mic.) 75
velutina Kl. 215
velutinum Walk. 378
velutinus Haag (Psamm.) 162
velutinus M'Leay (Chalc.) 582
velutinus Fairm. Asth. 575
venereus Gmel. 580
venosus Champ. (Eus.) 265
venosus Champ. (Zoph.) 94
ventrale Champ. (Strong.) 601
ventrale Chevr. (Plat.) 377
ventralis Blackb. (Pter.) 420
ventralis Geb. (Sel.) 278
ventralis Mars. (Micr.) 312
ventralis Mars. (Ten.) 457
ventralis Motsch. (Anat.) 47
ventricosa Gerst. (Rhyt.) 67
ventricosa Sol. (Asida) 131
ventricosus Fåhrs. (Psamm.) 162
ventricosus Lec. (Edrot.) 82
ventricosus Bertol. (Gon.) 304
ventriosus Cas. 95
venusta Bates (Call.) 501
venusta Bates (Nes.) 609
venusta Say (Tarp.) 533
venustum Champ. (Plat.) 378
venustum Mäkl. (Strong.) 601
venustus Champ. 98
veraepacis Champ. 533
verecundus Péring. 162
vermiculosa Reitt. 226
verna Cas. 269
vernalis Semen. 186
vernicatus Fairm. (Eben.) 587
vernicatus Fairm. (Leio.) 389
vernus Semen. 186
Verreauxi Muls. 272
verrucatus Desbr. 320
verrucifera Waltl. 215
verruciferum Muls. 331
verrucilifera Haag 90
verrucipennis Cas. 95
verrucosa Champ. (Ozol.) 361
verrucosa Er. (Pog.) 101
verrucosa Fåhrs. (Machla) 123
verrucosa Fisch. (Pim.) 215
verrucosa Lec. (Crypt.) 121
verrucosa Brll. (Pim.) 214
verrucosum Fairm. (Leich.) 342
verrucosum Germ. (Opatr.) 330
verrucosus Pasc. (Euphl.) 526
verrucosus Vaul. (Hel.) 555
verrucosus Champ. (Zoph.) 94
verrucosus Er. (Ulod.) 364
verruculifera Sol. 215
versicolor Blackb. (Chalc.) 582
versicolor Cast. (Cer.) 383
versicolor Champ. (Naut.) 531
versicolor Chevr. (Plat.) 378
versicolor Haag (Thes.) 502
versicolor Mäkl. (Otoc.) 602
versicolor Fauv. (Thes.) 501
versipellis Baudi 417
vertagus Muls. 307
vertebralis Cart. 513
Vescoi Deyr. 40
Veseyi Lec. 243
vesiculosum Mäkl. 604
Vesmei Gestro 41

vestita Cast. (Pyan.) 585
vestita Lacord. (Psectr.) 147
vestita Mars. (Idis.) 342
vestita Reitt. (Sphen.) 34
vestita Sol. (Oxura) 162
vestita Woll. (Mel.) 332
vestita All. (Pros.) 221
vestita Cast. (Vieta) 171
vestita Sén. (Pim.) 209
vestita Sol. (Pim.) 215
vestitum Cas. (Lob.) 27
vestitum Küst. (Gon.) 326
vestitus Baudi (Him.) 33
vestitus Champ. (Cal.) 355
vestitus Champ. (Hem.) 26
vestitus Haag (Trach.) 165
vestitus Horn (Anect.) 263
vestitus Lec. (Blapst.) 300
veternosa Blackb. 427
vexativum Dohrn 601
vexator Péring. (Psamm.) 162
vexator Reitt. (Hel.) 555
viatica Eschsch. (Con.) 269
viatica Sol. (Eut.) 263
viaticus Fairm. 354
viator Muls. (Alph.) 406
viator Lec. (Eleod.) 250
vicaria Semen. 189
vicarium Pasc. 511
vicarius Pasc. (Pter.) 420
vicarius Péring. (Micr.) 565
vicina Bates (Pros.) 226
vicina Brll. (Dail.) 45
vicina Cart. (Seir.) 513
vicina Mäkl. (Cam.) 497
vicina Ménétr. (Blaps) 241
vicina Sol. (Asida) 136
vicina Sol. (Crypt.) 115
vicina Sol. (Epip.) 145
vicinum Sol. (Nos.) 97
vicinum Gemm. (Gon.) 326
vicinum Gemm. (Plat.) 375
vicinus All. (Hel.) 555
vicinus Broun (Men.) 386
vicinus Cas. (Eus.) 265
vicinus Champ. (Hyl.) 16
vicinus Champ. (Isic.) 437
vicinus Desbr. (Cab.) 293
vicinus Fairm. (Opatr.) 333
vicinus Haag (Psamm.) 162
vicinus Péring. (Hopl.) 573
vicinus Péring. (Trach.) 165
vicinus Sol. (Erod.) 10
vicinus Sol. (Scaur.) 180
vicinus Sol. (Scaur.) 78
Vicki Fairm. 491
victoriae Blackb. (Adel.) 511
victoriae Blackb. (Daedr.) 508
victoriae Blackb. (Gon.) 327
Victoris Muls. 283
victoriensis Blackb. 482
vidua Fairm. 409
viduus Muls. (Cen.) 296
viduus Reiche (Dend.) 282
viennense Duft. (Gon.) 325
viennense Küst. (Gon.) 325
viennensis Sturm 520
viesta Falderm. 73
vietus Péring. 162
vigilans Blackb. 582
vile Mäkl. 601
Villae Péring. 83
villanovae Sén. 215
Villardi Fairm. 450
villiger Blanch. (Mes.) 296
villiger Rosenh. (Neph.) 559
villosa Cas. (Oxyg.) 80
villosa Champ. (Asida) 138
villosa Drap. (Pach.) 202
villosa Gestro (Sep.) 167
villosa Haag (Eur.) 100
villosa Ol. (Machla) 123
villosa Pasc. (Bycr.) 343
villosa Sol. (Thript.) 199
villosa Bris. (Sten.) 108
villosipennis Luc. 555
villosipes Fairm. (Chem.) 491
villosipes Mars. (Set.) 445
villosocostatus Sol. 162
villosostriatus Haag 162
villososulcata All. 139
villosula Fairm. (Dysg.) 607
villosula Motsch. (Laena) 517
villosulum Fairm. 170
villosulus Haag 162
villosum Mäkl. (Strong.) 601
villosum Stev. (Gon.) 326
villosus Champ. (Anaed.) 470
villosus Champ. (Par.) 471
villosus Champ. (Pesc.) 20
villosus Haag (Him.) 33
villosus Schauf. (Hel.) 555
vincens Reitt. 226
vinculiger Fairm. 118
vinosus Pasc. 582
violacea Fairm. (Nes.) 609
violacea M'Leay (Lic.) 511
violacea Pasc. (Char.) 502
violaceicolor Fairm. 493
violaceipennis Champ. (Alc.) 498
violaceipennis Fauv. (Epis.) 522
violaceipennis Mars. (Enc.) 448
violaceipennis Waterh. (Cryps.) 484
violaceipennis Waterh. (Drocl.) 496
violaceipes Fairm. (Cleom.) 490
violaceipes Fairm. (Per.) 498
violaceum Cart. (Adel.) 511
violaceum F. (Plat.) 378

violaceum Pall. (Strong.) 601
violaceum F. (Strong.) 592
violaceus Blanch. (Cer.) 383
violaceus Fairm. (Met.) 478
violaceus Kraatz (Plat.) 485
violaceus Pasc. (Brad.) 356
violaceus Pic (Hel.) 555
violaceus Marsh. (Hel.) 539
violaceus Silberm. (Odont.) 477
violantis Gestro 60
virens Cast. 379
virescens Cast. (Hel.) 555
virescens Fairm. (Nyct.) 467
virescens Fauv. (Call.) 501
virescens Boisd. (Adel.) 509
virescens Cast. (Hopl.) 367
virgatum Er. 331
virgo Seidl. 241
virida Bates 500
viridans Fairm. 487
viridanus Fairm. 485
viride F. (Strong.) 601
viride Kraatz (Pseud.) 604
viride Latr. (Cnod.) 489
viride Mäkl. (Acr.) 500
viride Cast. (Strong.) 596
viridescens Gerst. 606
viridiaeneum All. 601
viridiceps Pic 609
viridicinctus Fairm. 485
viridicolle Mäkl. 601
viridicollis M'Leay (Chalc.) 582
viridicollis Schauf. (Hel.) 555
viridicuprea Fairm. (Nes.) 609
viridicuprea Gerst. (Praog.) 606
viridijanthina Fairm. 487
viridilimbata Chob. 41
viridimicans Horn 555
viridipenne Kraatz 604
viridipennis F. (Hopl.) 369
viridipennis Fauv. (Epis.) 522
viridipennis Kraatz (Gon.) 570
viridipennis Kraatz (Pseud.) 488
viridipennis M'Leay (Dec.) 481
viridipennis Montr. (Chlor.) 522
viridipennis Pasc. (Poec.) 590
viridipennis Fauv. (Thes.) 501
viridipennis M'Leay (Adel.) 511
viridipes Mäkl. 601
viridis Champ. (Pheg.) 30
viridis Kraatz (Gon.) 570
viridis Motsch. (Met.) 379
viridis Kraatz (Cer.) 383
viridistriatus Fairm. (Amars.) 494
viridistriatus Fairm. (Enc.) 448
viriditinctum Champ. (Plat.) 379
viriditinctum Champ. (Strong.) 601
viriditinctus Fairm. 448
viridula Fairm. 383
viridulum Mäkl. 601
viridulus Kraatz 488
vittata Blackb. (Hyp.) 427
vittata F. (Trach.) 165
vittata Friv. (Pter.) 196
vittata Haag (Sten.) 90
vittata Sol. (Psamm.) 162
vittata Westw. (Plat.) 480
vittiger Haag 166
vitticerum Mäkl. 593
vittula Chevr. 369
vittulatus Fairm. 487
vividus Blackb. 582
volgensis Muls. 291
Vollenhoveni Mäkl. 601
volutithorax Broun 319
volvulus Gerst. (Hyp.) 417
volvulus Haag (Psamm.) 162
Volxemi Esc. 139
Vuillefroyi Perez 134
vulcanica Fairm. 144
Vulcanus Woll. 536
vulgaris Cast. (Epithr.) 26
vulgaris Guér. (Scot.) 185
vulgaris Oll. (Mener.) 453
vulneratus Kraatz 335
vulpinus Haag 162

Wagneri Er. (Erod.) 10
Wagneri Er. (Sep.) 170
Wagneri Chevr. (Amm.) 10
Wahlbergi Fåhrs. (Trig.) 272
Wahlbergi Haag (Eut.) 103
Wahlbergi Haag (Trach.) 166
Wahlbergi Mäkl. (Strong.) 601
Wakefieldi Bates 503
Walckenaeri Hope 507
Walkeri Brême (Pter.) 420
Walkeri Champ. (Gon.) 327
Walkeri Waterh. (Cher.) 362
Walkeri Champ. (Hel.) 555
Wallacei Kraatz 487
Walteri Reitt. 46
Waltli Seidl. 241
Wasmanni Fairm. 569
Waterhousei Bates (Meg.) 21
Waterhousei Fairm. (Gyr.) 141
Waterhousei Muls. (Diast.) 275
Webbi Guér. 108
Webbianus Hein. 79
Websteri Cas. 611
Weidti Cas. 269
Weisei Reitt. 520
Werneri Gangl. 215
Westermanni Hope (Pycn.) 479
Westermanni Kraatz (Mel.) 67
Westermanni Mäkl. (Strong.) 601
Westermanni Mannerh. (Pseud.) 274

Westermanni Fåhrs. (Cer.) 383
Westringi Mannerh. 404
Westwoodi Bates (Agast.) 427
Westwoodi Bates (Apom.) 482
Westwoodi Boisd. (Enc.) 417
Westwoodi Kolbe (Priosc.) 476
Westwoodi M'Leay (Moer.) 483
Westwoodi Pasc. (Achth.) 399
Westwoodi Waterh. (Nyct.) 144
Whitei Waterh. (Gyr.) 141
Whitei Sol. (Gyr.) 141
Wickhami Cas. (Con.) 269
Wickhami Cas. (Trient.) 22
Wickhami Horn (Asida) 139
Wiedemanni Fisch. (Pach.) 60
Wiedemanni Ménétr. (Tent.) 73
Wiedemanni Sol. (Blaps) 241
Winthemi Sol. 90
Woodi Lec. 263
Wollastoni Deyr. 41
Wroughtoni Wasm. 109

xanthopus Fairm. (Der.) 34
xanthopus Fairm. (Sten.) 609
xanthozonum Thoms. 601
xestothorax Hell. 485

yorkensis Blackb. 582
ypsilon Reitt. 226
yucatanensis Champ. 30
yucatanus Champ. (Blapst.) 300
yucatanus Champ. (Glypt.) 447
yunnanus Fairm. 473

Zablotzkyi Kraatz (Cyph.) 175
Zablotzkyi Zoubk. (Cyph.) 176
zabriformis Fairm. 217
zabroides Küst. (Hel.) 555
zabroides All. (Hel.) 539
Zacheus Sahlb. 315
zambesiana Péring. 139
zambesianum Péring. 170
zanzibaricus Fairm. (Par.) 576
zanzibaricus Haag (Psamm.) 162
Zapateri Perez 135
zelandicum Bates 514
zelandicus Bates (Amar.) 579
zelandicus Blanch. (Zol.) 458
Zichyi Csiki 193
ziczac Motsch. 381
Zietzi Blackb. 301
zigzaga Mars. 384
Zimmermanni Champ. 380
Zolotarewi Reitt. 555
zona Chevr. 379
zonatus Blackb. 582
zonulatus Fairm. 492
zopheroides Horn 440
zophosine Fairm. 77
zophosioides All. (Erod.) 10
zophosioides Baudi (Pach.) 202
zophosioides Heyd. (Crypt.) 354
Zoroaster Seidl. 555
Zoufali Reitt. 191
zoutpansbergianus Péring. (Micr.) 56
zoutpansbergianus Pér. (Psam.) 162
Zuberi Deyr. (Zoph.) 41
Zuberi Mars. (Crypt.) 354
Zubkovi Semen. 93
zula Péring. 139
zunilensis Champ. (Heg.) 530
zunilensis Champ. (Nos.) 98

Fam. Trictenotomidae.

Auct. **H. Gebien.**

J. Thomson, Musée scient. I, 1860, p. 25. — Lacordaire, Gen. Col. VIII, 1869, p. 1. — Deyrolle, Bull. Soc. Ent. Fr. 1875, p. LIX. — Lameere, Ann. Soc. Ent. Belg. XVL, 1901, p. 315.
Lameer 1916 Bull. Mus. Nat. d'Hist. Nat. no 2. 1916 Paris. (in P.C. under Lesne)

Autocrates Thoms.

Thoms. Musée scient. I, 1860, p. 28. — Lacord. Gen. Col. VIII, 1869, p. 3.

aeneus Parry, Proc. Ent. Soc. Lond. 1847, p. 126. — Westw. Cab. of or. Ent. 1848, p. 47, t. 23, f. 3. — Imh. Einf. Stud. Col. 1856, t. 24, f. 27. — Thoms. Musée scient. I, 1860, p. 28. — Deyr. Bull. Soc. Ent. Fr. 1875, p. LIX. — Dohrn, Stett. Ent. Zeit. XXXVI, 1875, p. 79. — Lefroy, Indian Insect Life 1909, p. 347. — Himalaya

Oberthüri Vuillet, Bull. Soc. Ent. Fr. 1910, p. 347. — Yunnan

2
Vitalisi Vuillet. 1912 Insecta II. p. 293. f. 1. (♂); - 1913. l.c. p 413. f. 1 (♀). Tonkin
Lameer 1916. Bull. Mus. Nat. d'Hist. Nat. p 85-6.

Trictenotoma Gray.

Gray in Griff. Anim. Kingd. 1832, p. 534, t. 35. — Sol. Ann. Soc. Ent. Fr. III. 1834, p. 488. — Er. Arch. f. Naturg. IX, 1843, I, p. 243. — Imh. Einf. Stud. Col. 1856, p. 242. — Thoms. Musée scient. I, 1860, p. 29. — Lacord. Gen. Col. VIII, 1869, p. 3. — Deyrolle, Bull. Soc. Ent. Fr. 1875, p. LIX. — J. Lec. Trans. Am. Ent. Soc. V, 1875, p. 167. — Lameere, C. Rend. Soc. Ent. Belg. 1887, p. XLIII.. — 1916. Bull. Mus. Nat. d'Hist. Nat. 1916. (P.C.

Childreni Gray in Griff. Anim. Kingd. 1832, p. 534, t. 5. — Westw. Cab. or. Ent. 1848, p. 48, t. 23, f. 1. — Cast. Hist. Nat. II, 1840, p. 388, t. 24, f. 1. — Thoms. Mus. scient. I, 1860, p. 29 (pars). — Deyr. Bull. Soc. Ent. Fr. 1875, p. LX. — Lefroy, Indian Insect Life 1909, p. 347, fig. 221. — Malakka

Biologie; Gahan, Trans. Ent. Soc. Lond. 1908, p. 275, t. 6, f. 1a—f. — Lefroy, l. c. p. 347, f. 222.

var. *birmana* Dohrn, Stett. Ent. Zeit. XLIII, 1882, p. 458. — Birmah

Davidi Deyr. Bull. Soc. Ent. Fr. 1875, p. LXI.	Centralchina
Doriae Deyr. l. c. p. LXI.	Borneo
Grayi Smith, Cat. Brit. Mus. Cucuj. 1851, p. 18. — Deyr. l. c. p. LXI.	Südindien
Lansbergei Dohrn, Stett. Ent. Zeit. XLIII, 1882, p.457.	Ins. Nias
Mniszechi Deyr. Bull. Soc. Ent. Fr. 1875, p. LX.	Bengalen
Mouhoti Deyr. l. c. p. LX.	Siam
Templetoni Westw. Cabin. of orient. Ent. 1848, p. 48, t. 23, f. 2. — Deyr. l. c. p. LIX. — Dohrn, Stett. Ent. Zeit. XLVI, 1885, p. 144.	Ceylon
Thomsoni Deyr. l. c. p. LX.	Borneo
Westwoodi Deyr. l. c. p. LXI.	Java
Childreni Dup. Mag. Zool. 1832, Cl. IX, t. 35.	

10

12

W. JUNK, Berlin W. 15.

Verlag und Antiquariat für Entomologie.

Pars 12: **E. Csiki,** Endomychidae. 1910. 68 p. (Mark 6.35) Mk. 4.25

13: **E. Csiki,** Scaphidiidae. 1910. 21 p. (Mark 2) Mk. 1.30

14: **M. Pic,** Hylophilidae. 1910. 25 p. (Mark 2.40) Mk. 1.60

15: **H. Gebien,** Tenebrionidae I. 1910. 166 p. (Mark 15.60) Mk. 10.40

16: **P. Pape,** Brachyceridae. 1910. 36 p. (Mark 3.40) Mk. 2.25

17: **Ph. Zaitzev,** Dryopidae, Cyathoceridae, Georyssidae, Heteroceridae. 1910. 68 p. (Mark 6.35) Mk. 4.25

18: **E. Csiki,** Platypsyllidae, Orthoperidae, Phaenocephalidae, Discolomidae, Sphaeriidae. 1910. 35 p. (Mark 3.30) Mk. 2.15

19: **M. Bernhauer** et **K. Schubert,** Staphylinidae I. 1910. 86 p. (Mark 8.10) Mk. 5.40

20: **A. Schmidt,** Aphodiinae. 1910. 111 p. (Mark 10.50) Mk. 7.—

21: **K. Ahlwarth,** Gyrinidae. 1910. 42 p. (Mark 4) Mk. 2.70

22: **H. Gebien,** Tenebrionidae II. 1910. 188 p. (Mark 17.70) Mk. 11.80

23: **S. Schenkling,** Cleridae. 1910. 174 p. (Mark 16.35) Mk. 10.90

24: **H. Bickhardt,** Histeridae. 1910. 137 p. (Mark 12.85) Mk. 8.60

25: **K. W. von Dalla Torre,** Cebrionidae. 1911. 18 p. (Mark 1.70) Mk. 1.15

26: **M. Pic,** Scraptiidae, Pedilidae. 1911. 27 p. (Mark 2.60) Mk. 1.75

27: **A. Raffray,** Pselaphidae. 1911. 222 p. (Mark 20.80) Mk. 13.90

28: **H. Gebien,** Tenebrionidae III. 1911. 231 p. (Mark 21.75) Mk. 14.50

29: **M. Bernhauer** et **K. Schubert,** Staphylinidae II. 1911. 104 p. (Mark 9.75) Mk. 6.50

30: **K. W. von Dalla Torre,** Cioidae. 1911. 32 p. (Mark 3) Mk. 2.—

31: **K. W. von Dalla Torre,** Aglycyderidae, Proterrhinidae. 1911. 8 p. (Mark 0.75) Mk. 0.50

32: **E. Csiki,** Hydroscaphidae, Ptiliidae. 1911. 61 p. (Mark 5.75) Mk. 3.90

W. JUNK, Berlin W. 15.

Verlag und Antiquariat für Entomologie.

Pars 33: **K. W. von Dalla Torre,** Nosodendridae, Byrrhidae, Dermestidae. 1911. 96 p. (Mark 9) Mk. 6.—

34: **P. Kuhnt,** Erotylidae. — **C. Ritsema,** Helotidae. 1911. 106 p. (Mark 10) Mk. 6.65

35: **J. Weise,** Chrysomelidae: Hispinae. 1911. 94 p. (Mark 8.85) Mk. 5.90

36: **M. Pic,** Anthicidae. 1911. 102 p. (Mark 9.60) Mk. 6.40

1914 H. J Carter : Notes on Tenebrionidae in the South Australian Museum, collected by Mr A M. Lea, 1911-12, with descriptions of new species < Tr. Royal Soc. Australia, vol. 38, pp. 219 ff

1914 Gustave W. Ferguson : Notes on the Amycteridae in the South Australian Museum, with descriptions of new species – Part I < Trans Royal Soc. Australia, vol. 38, pp. 11 ff

1914 A M Lea : Notes on Australian Cetonides ; with a List of species and descriptions of new species < Trans Royal Soc. Australia, vol 38, pp 132 ff, plates VI – XIII

1914, A M Lea : Notes on some Miscellaneous Coleoptera with Descriptions of new species < Trans Royal Soc Australia, vol. 38, pp 149 ff, plate XVI

1914 . H.J. Carter : Notes on Australian Tenebrionidae with descriptions of new Species < Trans. Royal Soc Australia, vol. 38, pp 367 ff

1914 Arthur M. Lea ; Insecta - Coleoptera [Scientific Notes on an Expedition into the Interior of Australia ... by S. A. White in 1913 < Trans Royal Soc Austr. vol. 38, pp. 448 ff

SMITHSONIAN INSTITUTION LIBRARIES
3 9088 01273 1741